Appendix H

EOAHMP Completed Work Documentation

Approved OMB Control No: 2525-0335 Expiration Date 5/31/2025

Older Adults Home Modification Program Completed Work Documentation¹

Study ID:			To
Site ID	Field Team ID	Client ID	(m

Today's Date	Form Completed By:		
(mm/dd/yyyy)	Name	Job Title	Organization
		(dropdown menu: OT, OTA, CAPS, other [Specify])	

OMB Control No. 2528-0335, expiration date 5/31X/2025. This form is designed to provide HUD with information about the effectiveness of its Older Adults Home Modification Grant Program. Your participation in the Evaluation as a grantee is mandatory as a condition of the grant. The Public reporting burden for your collection of information is estimated to be 30 minutes per response. HUD may not collect this information, and you are not required to complete this form, unless it displays a currently valid OMB control number.

REDCap: Attach the Empty Work Documentation Excel Template.

Grantee Instructions: The purpose of this form is to document home modification tasks and costs. Do not include costs related to assessing the home to determine home modifications needed (e.g., OT-related assessment costs) or costs to administer the OAHM Program (e.g., grantee project management costs). Number home modification tasks, entering one home mod per row. Optional: Upload supporting documentation (e.g., invoices). List any donated materials, with \$0 cost.

1a. Home Modification Start Date (mm/dd/yyyy):1b. Home Modification Work Completion Date: (mm/dd/yyy1c. Were additional home modification work provided after	
1d. Additional Home Mod Start Date (mm/dd/yyyy):	1e. Additional Home Mod Work Completion Date (mm/dd/yyyy):
2. Was HUD OLHCHH pre-approval obtained for this work?	□ Yes □ No
3. Did this work require a HUD environmental review?	□ Yes (include any associated costs in table below) □ No

Grantee Cost Instructions: (REDCap: Include potential funding sources in dropdown list)

- •If the funding source indicates you should specify the funding source, enter the source in the "Specify funding source" column.
- •Do not list costs to assess the home to determine the home modifications needed (e.g., OT-related assessment costs).
- •Do not list costs to administer the OAHM Program (e.g., grantee project management costs).
- •Include overhead/profit in the costs, if applicable

Funding Sources for Home Mods ^a	Specify Funding Source	Cost	Notes (optional)

¹ Code for this document: Black font=Question asked of the grantee; Blue italics = Instruction for the grantee; yellow highlighted italics: Instruction for Excel programmer.

TOTAL HOME MODIFICATION COST	\$0	

^a Only include grantee costs associated with completing the listed home modification task. Do not include grantee labor costs associated with managing the OAHM Program.

Grantee Instructions: Enter home modification and adaptive equipment tasks, entering one task category per row. For example, do not enter "lighting" and "adaptive equipment" on a single row. Number the tasks sequentially. (REDCap: See pages 2-3 for column dropdown lists)

			Task Details		R	oom	Program Payi	ng for Task
	Category	Item			Туре	Room	Program Type	Specify
Task #	(select	(select one/	Task		(select	Description	(select one/	Program
	one/ row)	row)	(select one/ row)	Description	one/ row)	(optional)	row)	Name

Older Adults Home Modification Program Documentation of Home Modification Work

REDCap Dropdown Lists:

Task Specified By: OT, OTA, CAPS, RN, other Home Mod Contractor, Social Worker, Other (Specify)

Task Type: Grantees should pick one description per row. For example, they should not enter "repair stairs" and "install railing/banister" in a single row.

Feature or System	Specify details	Activity
Accessibility item	□ graded ground ramp	□ Repair □ Replace □ Install temporary item □
	□ temporary/modular ramp	Install permanent item
	□ permanent ramp with	
	footings set into ground	
	□ stairlift	
	□ wheelchair platform and lift	
	Specify:	
Adaptive equipment	Specify:	(no check boxes here)
Carpet		□ Repair □ Replace □ Remove □ Install
Exterior Door (Room=Exterior):		□ Adjust door swing
		☐ Install automatic door or door openers
		☐ Install door hinge offset or swing clear door hinges☐ Install hands-free door hold open capability
		□ Replace door lock
		□ Install magnetic screen door
		□ Install or adjust height of peephole
		□ Add security technology to door
		□ Install secure slide latch or chain
		□ Repair broken door window pane(s)
		□ Repair door
		□ Replace door
		□ Install new door
		□ Widen doorway
		□ Other Specify:
Interior Door		□ Adjust door swing
		□ Install automatic door or door openers
		☐ Install door hinge offset or swing clear door hinges
		☐ Install hands-free door hold open capability
		□ Replace door lock
		□ Repair door
		□ Replace door
		□ Install new door □ Widen doorway
		□ Other Specify:
		. ,
Electrical features	Specify:	□ Install light switches/electrical outlets
		□ Replace light switches/electrical outlets
		☐ Move light switches/electrical outlets ☐ Install GFCI outlets in wet areas
		□ Repair light switches/electrical outlets
		□ Rewire home
		□ Install new electrical service
		☐ Replace/move electrical panels
		□ Other Specify:
Floors		□ Repair □ Replace □ Install new floor □
		Install/replace carpet Other
		Specify:
Grab bars		
Grap pars Gutters/downspouts		□ Repair □ Replace □ Install □ Repair □ Replace □ Install
(Room=Exterior)		u керан u керіасе шізtан
Hallways		□ Widen hallway
Door Handles	Specify:	□ Repair □ Replace □ Install
Faucet Handles	Specify:	□ Repair □ Replace
Handrails, railings, stair		□ Repair □ Replace □ Install
banisters		

Home Safety Device	Specify:	□ Repair □ Replace □ Install
		☐ Install fire suppression system
HUD Environmental Review		(no check boxes here)
HVAC/plumbing system	Specify:	□ Repair □ Replace thermostat □ Install
		□ Replace major feature
Kitchen		□ Repair/replace existing cabinetry
		□ Replace cabinet hardware
		□ Install/replace fire extinguisher
		□ Install automatic stove shutoff device
		□ Remodel kitchen
		☐ Install lower work surface that can be used while
		seated
		□ Lower cabinets
		□ Repair/replace countertop(s)
		☐ Appliance repair Specify appliance:
		☐ Appliance replacement Specify
		appliance:
		□ Other Specify:
1 1		- Maria and day day
Laundry		☐ Move washer and/or dryer
		□ Replace washer and/or dryer
		□ Other Specify:
Lighting	Specify:	□ Repair □ Replace □ Remove □ Install
	эрссиу.	□ Repair □ Replace □ Place anti-slip tape, colored
Pathways/walkways and		
driveways		tape, or paint on surfaces □ install pathway lighting
(Room = Site)		- Danair - Danlaga - Install
Porch (not including railings)		□ Repair □ Replace □ Install
(Room=Exterior)		- Danair - Danlaga - Install
Pressure-mounted pole		□ Repair □ Replace □ Install
("superpole")		
Roof (Room=Exterior)		□ Repair □ Replace
Shelving or cabinetry		□ Repair □ Replace □ Move □ Install
Bathroom (Room=Bathroom)		☐ Add nonskid strips to tub/shower floor
Datili Colli (Roolit-Datili Colli)		\(\text{Add Hollskid strips to tub/shower floor}\)
Batin oon (Noom-Batin oom)		☐ Install handheld or adjustable showerhead
Batill Com (Room Batill Com)		□ Install handheld or adjustable showerhead
Batilloom (Room-Batilloom)		☐ Install handheld or adjustable showerhead☐ Install tub cuts to enable easy entry/conversion to
Batin Com (Room-Batin Com)		☐ Install handheld or adjustable showerhead☐ Install tub cuts to enable easy entry/conversion to shower
Batin Com (Room-Batin Com)		☐ Install handheld or adjustable showerhead ☐ Install tub cuts to enable easy entry/conversion to shower ☐ Install curved shower curtain rod
Batin Gim (Room-Batin Gom)		 □ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair
Batinoom (Room-Batinoom)		 □ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility
Batilloom (Room-Batilloom)		 □ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink
Batilloom (Room-Batilloom)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet
Batin Gim (Room-Batin Gom)		 □ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink
Batin Gim (Room-Batin Gom)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet
Batilloom (Room-Batilloom)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories
Batilloom (Room-Batilloom)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile
Batilloom (Room-Batilloom)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug
Batinoom (Room-Batinoom)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape
Batinoom (Room-Batinoom)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles
		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails
		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair
		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace
		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom
		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile
		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom
		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile
	Cassifu	□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify:
Slippery surfaces	Specify:	□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips
Slippery surfaces Stairs/steps-Exterior	Specify: Specify:	□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored
Slippery surfaces Stairs/steps-Exterior (Room=Exterior)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces
Slippery surfaces Stairs/steps-Exterior		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces □ Repair □ Replace □ Maintain chair lift/stair
Slippery surfaces Stairs/steps-Exterior (Room=Exterior)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces
Slippery surfaces Stairs/steps-Exterior (Room=Exterior)		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces □ Repair □ Replace □ Maintain chair lift/stair
Slippery surfaces Stairs/steps-Exterior (Room=Exterior) Stairs/steps-Interior		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces □ Repair □ Replace □ Maintain chair lift/stair climber □ Place anti-slip tape, colored tape, or paint on surfaces □ remove carpet
Slippery surfaces Stairs/steps-Exterior (Room=Exterior) Stairs/steps-Interior Temporary Resident		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces □ Repair □ Replace □ Maintain chair lift/stair climber □ Place anti-slip tape, colored tape, or
Slippery surfaces Stairs/steps-Exterior (Room=Exterior) Stairs/steps-Interior Temporary Resident Relocation		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces □ Repair □ Replace □ Maintain chair lift/stair climber □ Place anti-slip tape, colored tape, or paint on surfaces □ remove carpet (no check boxes here)
Slippery surfaces Stairs/steps-Exterior (Room=Exterior) Stairs/steps-Interior Temporary Resident Relocation Thresholds/Room Transitions		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces □ Repair □ Replace □ Maintain chair lift/stair climber □ Place anti-slip tape, colored tape, or paint on surfaces □ remove carpet (no check boxes here) □ Repair □ Replace □ Remove
Slippery surfaces Stairs/steps-Exterior (Room=Exterior) Stairs/steps-Interior Temporary Resident Relocation Thresholds/Room Transitions Walls and ceilings		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces □ Repair □ Replace □ Maintain chair lift/stair climber □ Place anti-slip tape, colored tape, or paint on surfaces □ remove carpet (no check boxes here) □ Repair □ Replace □ Remove □ Repair □ Install new
Slippery surfaces Stairs/steps-Exterior (Room=Exterior) Stairs/steps-Interior Temporary Resident Relocation Thresholds/Room Transitions		□ Install handheld or adjustable showerhead □ Install tub cuts to enable easy entry/conversion to shower □ Install curved shower curtain rod □ install pedestal or wall-hung sink for wheelchair accessibility □ Insulate or cushion exposed pipes beneath sink □ Install/replace/adjust bathroom mirror, toilet paper holder, and other permanent accessories □ Replace cabinet hardware □ Repair wall tile □ Secure rugs with carpet mesh or double-sided rug tape □ Install toilet riser with handles □ Install toilet safety frame or rails □ Toilet Repair □ Toilet Replace □ Remodel bathroom □ Install new wall tile □ Install walk-in tub or shower □ Other Specify: □ Power-wash □ Non-skid strips □ Repair □ Replace □ Place anti-slip tape, colored tape, or paint on surfaces □ Repair □ Replace □ Maintain chair lift/stair climber □ Place anti-slip tape, colored tape, or paint on surfaces □ remove carpet (no check boxes here) □ Repair □ Replace □ Remove

Approved OMB Control No: 2528-0335 Expiration Date 5/31/2025

□ Install □ Complete room remodel	
-----------------------------------	--

Location:

Room	Specify Details (e.g., location in home)
Site (for tasks conducted outdoors on client's property	
[e.g., client's driveway, cient's deck, client's yard])	
Exterior (for tasks conducted on home exterior [including	
entrance doors, porches, balconies, etc.])	
Hallway	
Living Room/Family Room	
Foyer	
Bathroom	
Laundry	
Kitchen	
Dining Room	
Bedroom	
Other	

Program Paying for Task: OAHM Program, Other in-house program (specify), DOE/Weatherization, CDBG, referral organization (Specify), Other (Specify)