

Community Web-Panel Survey

QUESTIONNAIRE FOR COMMUNITY WEB-PANEL SURVEY¹

Form

Approved

OMB No. 0920-xxxx

Expiration Date: XX/XX/XXXX

Overview of Questionnaire Sections

- I. Background/demographics
- II. General Tobacco Use
- III. General tobacco quit attempts/Switching
- IV. Menthol FTP Use
- V. Purchasing behaviors/Access
- VI. Menthol quit attempts/Switching
- VII. Perceptions/Belief
- VIII. Sites with Implemented Policies
- IX. Comparison Sites

Survey Questionnaire

Introduction

Thank you for your interest in taking this online survey. This questionnaire is being administered on behalf of the Centers for Disease Control and Prevention (CDC). This survey will ask about your tobacco-related knowledge, attitudes and behaviors.

Your survey answers will help inform public health practice and improve commercial tobacco-related policies. “Commercial tobacco” means harmful products that are made and sold by tobacco companies. It does not include “traditional tobacco” used by Indigenous groups for religious or ceremonial purposes.

This survey is voluntary and is designed to protect your privacy. We do not collect your name or other identifying information on the survey and results will only be reported collectively to preserve anonymity. The entire survey will take approximately 15 minutes to complete.

¹ Public reporting burden for this collection of information is estimated to average 15 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road, NE, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-xxxx).

Community Web-Panel Survey

Thank you!

Section I: Background/demographics

Message to participant: This survey will begin with demographic questions before asking about knowledge, perceptions, and behaviors related to menthol and non-menthol tobacco.

#	Reference	Question	Responses
1.	BRFSS 2021, General demographic question	What is your age?	[--] age in years 1. Don't know 2. Prefer not to say
2.	Office of the Chief Statistician of the U.S. SPD-15	What sex were you assigned at birth, on your original birth certificate?	1. Female 2. Male 3. Prefer not to say
3.	Office of the Chief Statistician of the U.S., CDC , and NIH , SPD-15	How do you currently describe yourself (mark all that apply)?	1. Female 2. Male 3. Transgender 4. I use a different term [free-text] 5. Prefer not to say
4.	SOGI, General demographic question. Office of the Chief Statistician of the U.S. SPD-15	Which of the following best represents how you think of yourself?	1. Gay (lesbian or gay) 2. Straight; that is not gay (or lesbian or gay) 3. Bisexual 4. Something else 5. I don't know 6. Prefer not to say
5.	new, General demographic question	How long have you lived in your current city?	1. Less than 6 months 2. 6 months to < 1 year 3. 1 year to < 2 years 4. 2 years to < 3 years 5. 3 years to < 4 years 6. 4 years to < 5 years

Community Web-Panel Survey

			7. 5 years to < 6 years 8. 6+ years 9. Don't know/Not sure 10. Prefer not to say
6.	new, General demographic question	What was your total household income in the past 12 months?	1. Less than \$30,000 2. Between \$30,000 and \$65,000 3. Between \$65,001 and \$100,000 4. More than \$100,000 5. I don't know 6. Prefer not to say
7.	2023 NHIS	What is the highest degree or year of school you completed?	1. Never attended/kindergarten only 2. Grade 1-11 3. 12th grade, no diploma 4. GED or equivalent 5. High school graduate 6. Some college, no degree 7. Associate degree; occupational, technical, or vocational program 8. Associate degree; academic program 9. Bachelor's degree (Example: BA, AB, BS, BBA) 10. Master's degree (Example: MA, MS, MEng, MEd, MBA) 11. Professional school degree (Example: MD, DDS, DVM, JD) 12. Doctoral degree (Example: PhD, EdD) 13. I don't know 14. Prefer not to say
8.	OMB	What is your race and/or ethnicity? Select all that apply and enter additional details in the free text space.	1. American Indian or Alaska Native <i>For example: Navajo Nation, Blackfeet Tribe of the Blackfeet Indian Reservation of Montana, Native Village of Barrow Inupiat Traditional Government, Nome</i>

Community Web-Panel Survey

			<i>Eskimo Community, Aztec, Maya, etc.</i> [free-text] 2. Asian a. Chinese b. Asian Indian c. Filipino d. Vietnamese e. Korean f. Japanese g. Enter, for example, Pakistani, Hmong, Afghan, ect. i. [free-text] 3. Black or African American a. African American, b. Jamaican c. Haitian d. Nigerian e. Ethiopian f. Somali g. Enter, for example, Trinidadian and Tobagonian, Ghanaian, Congolese, etc. i. [free-text] 4. Hispanic or Latino a. Mexican b. Puerto Rican c. Salvadoran d. Cuban e. Dominican f. Guatemala g. Enter, for example, Columbian, Honduran, Spaniard, etc. i. [free-text] 5. Middle Eastern or North African a. Lebanese b. Iranian
--	--	--	---

Community Web-Panel Survey

			c. Egyptian d. Iranian e. Syrian f. Iraqi g. Israeli h. Enter, for example, Moroccan, Yemeni, Krudish, etc. i. [free-text] 6. Native Hawaiian or Other Pacific Islander a. Native Hawaiian b. Samoan c. Chamorro d. Tongan e. Fijian f. Marshallese g. Enter, for example, Chuukese, Palauan, Tahitian, etc. i. [free-text] 7. White a. English b. German c. Irish d. Italian e. Polish f. Scottish g. Enter, for example, French, Swedish, Norwegian, etc. i. [free-text] 8. I don't know 9. Prefer not to say
--	--	--	---

Section II: General Tobacco Use

#	Reference	Question	Responses	Indicator
---	-----------	----------	-----------	-----------

Community Web-Panel Survey

9.	New	Have you ever used any of the following tobacco products fairly regularly (select all that apply)? <i>Fairly regularly is defined as using a product on a routine basis rather than trying a tobacco product only a few times.</i>	1. Cigarettes a. <i>This category does not include electronic cigarettes (e-cigarettes, njoy, bluetip, JUUL), herbal cigarettes, cigars, cigarillos, little cigars, pipes, water pipes (hookahs), or marijuana.</i> 2. Electronic cigarettes or e-cigarettes a. <i>You also may know these products as vapes, mods, e-cigs, e-hookahs, or vape-pens.</i> 3. Cigars, cigarillos, or little filtered	Number of people who use tobacco products (all) Number of people who use tobacco product by type Difference in prevalence of [all types of] tobacco product use
----	-----	---	---	--

Community Web-Panel Survey

			cigars a. <i>Cigarillos are medium cigars that sometimes are sold with plastic or wooden tips. Common brands include Black & Milds, Swisher Sweets, Dutch Masters and Phillies Blunts. Little filtered cigars look like cigarettes and are usually brown in color. Common brands include Prime Time and Winchester.</i>	
--	--	--	---	--

Community Web-Panel Survey

			4. Chewing tobacco, snuff, or dip a. <i>Common brands include Skoal, Copenhagen, Grizzly, Levi Garrett, Red Man, and Day's Work.</i> 5. A regular pipe filled with tobacco 6. A hookah or waterpipe 7. Nicotine pouches a. <i>This product is a small bag that contains nicotine but not tobacco leaf. One common brand is Zyn.</i> 8. Don't know/Not sure 9. Prefer not to say	
10.	New	How old were you when you first started using tobacco products fairly	[--] age in years 1. Don't know	Difference in length of tobacco product use

Community Web-Panel Survey

		regularly?	2. Prefer not to say	
11.	New	Have you completely stopped using all tobacco products? <i>(To stop "completely" refers to permanently quitting use of tobacco products without relapse.)</i>	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Difference in cessation rate for tobacco products (This question was added for skip logic purposes)
12.	New	<i>[If "Yes" to Q11]</i> Please enter the month and year in which you stopped using tobacco products completely	[Free text]	Difference in length of cessation of tobacco products Number of people who quit tobacco products post-policy implementation
13.	New	<i>[If "Yes" to Q12]</i> Before successfully quitting tobacco products, how many quit attempts of one day or longer did you have?	1. 0-9 2. 10-19 3. 20-29 4. 30-39 5. 40-49 6. 50 or more 7. Don't know/Not sure 8. Prefer not to say	Difference in number of quit attempts made for tobacco products
14.-20.	New, based on 2023 NHIS	<i>[For those who selected at least one tobacco product in Q9 and where Q11 is not yes, list the corresponding products in the</i>	1. Every day 2. Some days 3. Rarely 4. Not at all 5. Don't know/Not sure	Number of people who use tobacco products (all) Number of people who currently use tobacco products by type

Community Web-Panel Survey

		<i>question below]</i> Do you now use any of the following tobacco products “every day,” “some days,” “rarely,” or “not at all”? 14.Cigarettes 15.Electronic cigarettes or e-cigarettes (you also may know them as vapes, mods, e-cigs, e-hookahs, or vape-pens) 16.Cigars, cigarillos, or little filtered cigars 17.Chewing tobacco, snuff, or dip 18.A regular pipe filled with tobacco 19.A hookah or waterpipe 20.Nicotine pouches	6. Prefer not to say	Number of people who report regularity of tobacco product use Difference in prevalence of [all types of] tobacco product use
--	--	--	----------------------	--

Section III: General Tobacco Quit Attempts / Switching

	Reference	Question	Responses	Indicators
21.	New, based on TUS-CPS 2018-19	[For those who <i>DID NOT</i> select “No” for Q11]	1. Yes 2. No	Difference in [all types of] tobacco product

Community Web-Panel Survey

		Have you ever tried to quit using tobacco products completely?	3. Don't know/Not sure 4. Prefer not to say	quit attempts
22.	New, based on TUS-CPS 2018-19	<i>[If "Yes" to "Have you ever tried to quit using tobacco products completely?"]</i> During the past 12 months , have you tried to quit using tobacco products completely?	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Difference in [all types of] tobacco product quit attempts
23.	New, based on TUS-CPS 2018-19	<i>[If "Yes" to "During the past 12 months, have you ever tried to quit using tobacco products completely?"]</i> During the past 6 months , have you tried to quit using tobacco products completely?	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who use non-menthol products who have at least one quit attempt in the past six months Difference in [all types of] tobacco product quit attempts
24.	New, based on TUS-CPS 2018-19	<i>[If "Yes" to "During the past 6 months, have you tried to quit using tobacco products completely?"]</i> During the past 6 months , have you stopped using tobacco products for one day or longer because you	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who use non-menthol products who have at least one quit attempt in the past six months Difference in [all types of] tobacco product quit attempts

Community Web-Panel Survey

		were trying to quit?		
25.	New, based on TUS-CPS 2018-19	<i>[If “Yes” to “During the past 6 months, have you stopped using tobacco products for one day or longer because you were trying to quit?”]</i> During the past 6 months, have you stopped using tobacco products for 3 months or longer because you were trying to quit?	1. Yes 2. No 3. Don’t know/Not sure 4. Prefer not to say	Number of people who use non-menthol products who have at least one quit attempt in the past six months Number of people who have a sustained non-menthol product quit for three months or longer Difference in sustained quits for 3 months or longer for [all types of] tobacco products
26.	New, based on TUS-CPS 2018-19	<i>[For those who selected at least one tobacco product in Q14-Q20]</i> Are you seriously considering quitting use of tobacco products within the next 6 months?	1. Yes 2. No 3. Don’t know/Not sure 4. Prefer not to say	Number of people who have the intention to quit Difference in [all types of] tobacco product quit attempts
27.	New	<i>[For those who selected at least one tobacco product in Q9, list the corresponding products in the question below]</i> In the past six months, have you permanently switched from using any of the	1. Cigarettes 2. Electronic cigarettes or e-cigarettes (you also may know them as vapes, mods, e-cigs, e-hookahs, or vape-pens) 3. Cigars, cigarillos, or little filtered cigars 4. Chewing tobacco,	Added due to request by the FDA Difference in switching behavior between types of tobacco product

Community Web-Panel Survey

		following tobacco products (column on the left) to another tobacco product (listed in the top row)? (List products selected in Q10)	snuff, or dip 5. A regular pipe filled with tobacco 6. Hookah or waterpipe 7. Nicotine pouches 8. I have not switched from using this product 9. Don't know/Not sure 5. Prefer not to say	
--	--	---	---	--

Section IV: Menthol Use

#	Reference	Question	Responses	Indicator
28.- 34.	New	<i>[For those who selected at least one tobacco product in Q9, list the corresponding products in the question below]</i> The previous questions in the survey were about your general tobacco use. We will now ask you questions that focus on your use of menthol-flavored tobacco products (hereafter referred to as menthol tobacco products). Have you ever used	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who use menthol-flavored tobacco products Number of people who use menthol tobacco products by type Difference in prevalence of [all types of] menthol tobacco product use

Community Web-Panel Survey

		any of the following menthol-flavored tobacco products fairly regularly? 28. Menthol cigarettes 29. Menthol electronic cigarettes or e-cigarettes (you also may know them as vapes, mods, e-cigs, e-hookahs, or vape-pens) 30. Menthol cigars, cigarillos, or little filtered cigars 31. Menthol chewing tobacco, snuff, or dip 32. A regular pipe filled with menthol tobacco 33. A hookah or waterpipe with menthol-flavored shisha or hookah tobacco 34. Menthol nicotine pouches		
35.	New	<i>[If "Yes" to one or more products in Q28-Q34]</i> How old were you when you first started	[--] age in years 1. Don't know 2. Prefer not to say	Difference in length of menthol tobacco product use

Community Web-Panel Survey

		using menthol tobacco products fairly regularly?		
36.	New	<i>[If “Yes” to one or more products in Q28–Q34]</i> Have you completely stopped using all menthol tobacco products ?	1. Yes 2. No 3. Don’t know/Not sure 4. Prefer not to say	Difference in cessation rate of menthol tobacco products (This question was added for skip logic purposes)
37.	New	<i>[If “Yes” to Q36]</i> Did you completely stop using menthol tobacco products more than six months ago ?	1. Yes 2. No 3. Don’t know/Not sure 4. Prefer not to say	This question was added for skip logic purposes only
38.	New	<i>[If “Yes” to Q36]</i> In what month and year did you stop using menthol tobacco products completely?	1. [Free text]	Difference in length of cessation of menthol tobacco products Number of people who quit menthol tobacco products post-policy implementation
39.	New	<i>[If “Yes” to Q36]</i> Before successfully quitting menthol tobacco products , how many quit attempts of one day or longer did you have?	1. 0–9 2. 10–19 3. 20–29 4. 30–39 5. 40–49 6. 50 or more 7. Don’t know/Not sure 8. Prefer not to say	Difference in number of quit attempts made for menthol tobacco products

Community Web-Panel Survey

		<i>Note: This question refers to attempts to quit menthol tobacco products specifically and not all tobacco products.</i>		
40.- 46.	New, based on NATS 2013-14	<i>[For those who selected at least one menthol-flavored tobacco product in Q28-Q34 and Q36 not="Yes", list the corresponding products in the question below]</i> Do you now use any of the following menthol tobacco products "every day," "some days," "rarely," or "not at all"? 40. Menthol cigarettes 41. Menthol electronic cigarettes or e-cigarettes (you also may know them as vapes, mods, e-cigs, e-hookahs, or vape-pens) 42. Menthol cigars, cigarillos, or little filtered cigars	1. Every day 2. Some days 3. Rarely 4. Not at all 5. Don't know/Not sure 6. Prefer not to say	Number of people who use menthol tobacco products Number of people who currently use menthol tobacco product by type Number of people who report regularity of menthol tobacco use Difference in prevalence of [all types of] menthol tobacco product use

Community Web-Panel Survey

		43. Menthol chewing tobacco, snuff, or dip 44. A regular pipe filled with menthol tobacco 45. A hookah or waterpipe with menthol-flavored shisha or hookah tobacco 46. Menthol nicotine pouches		
--	--	---	--	--

Section V: Purchasing Behavior / Access

	Reference	Question	Responses	Indicator
47.	New	<i>[For those who said "No" to Q36 or selected at least one menthol-flavored tobacco product in Q28-Q34, list the corresponding products in the question below]</i> During the past 6 months, where did you get your menthol tobacco products? (Select all that apply.)	1. I bought them from a physical store* within the limits of my city 2. I bought them from a physical store outside the limits of my city 3. I bought them online 4. I got or bought them from somewhere/someone else Please specify [free text] 5. I have not bought any menthol tobacco products in the past 6 months 6. Don't know/Not sure	Number of people who have purchased menthol tobacco products from a physical store within their city limits Number of people who have purchased menthol tobacco products from a physical store outside their city limits Number of people who obtained menthol tobacco products from

Community Web-Panel Survey

			7. Prefer not to say <i>*Store is defined as a tobacco shop, vape shop, convenience store, supermarket, discount store, gas station, vending machine, shopping mall, shopping center kiosk, or stand</i>	a source other than a store Difference in self-reported purchasing behaviors related to menthol tobacco products Difference in self-reported access to menthol tobacco products
48.	New	<i>[For those who indicated that they have purchased menthol tobacco products in the last six months]</i> During the past 6 months, did you travel to another city or state for <i>the main purpose of purchasing a menthol tobacco product?</i>	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who traveled to a different city or state to purchase menthol tobacco products after the policy passed Difference in self-reported purchasing behaviors related to menthol tobacco products Difference in self-reported access to menthol tobacco products

Community Web-Panel Survey

49.	New	<i>[For those who selected response options 1, 2, 3, or 4 for Q47]</i> Do you agree or disagree with this statement? In the past 6 months it has been relatively easy for me to obtain menthol tobacco products.	1. Agree 2. Disagree 3. Neither agree nor disagree 4. Don't know/Not sure 5. Prefer not to say	Number of people who report that it has been relatively easy to obtain menthol tobacco products Difference in self-reported access to menthol tobacco products
-----	-----	--	--	--

Section VI: Menthol Quit Attempts / Switching

	Reference	Question	Responses	Indicators
50.	New	<i>[For those who selected "Yes" for Q28-Q34 AND "No" for Q36]</i> Have you ever tried to quit using menthol tobacco products completely?	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Difference in [all types of] menthol tobacco product quit attempts
51.	New, based on TUS-CPS 2018-19	<i>[If "Yes" to "Have you ever tried to quit using menthol tobacco products completely?"]</i> During the past 12 months, have you tried to quit using menthol tobacco products completely?	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Difference in [all types of] menthol tobacco product quit attempts
52.	New	<i>[If "Yes" to "During the</i>	1. Yes	Difference in in [all

Community Web-Panel Survey

		<i>past 12 months, have you ever tried to quit using menthol flavored tobacco products completely?"</i> During the past 6 months, have you tried to quit using menthol tobacco products completely?	2. No 3. Don't know/Not sure 4. Prefer not to say	types of] menthol tobacco product quit attempts
53.	New	<i>[If "Yes" to "During the past 6 months, have you tried to quit using menthol-flavored tobacco products completely?"</i> During the past 6 months, have you stopped using menthol tobacco products for one day or longer because you were trying to quit?	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who use menthol products who have at least one quit attempt in the past six months Difference in in [all types of] menthol tobacco product quit attempts
54.	New	<i>[If "Yes" to "During the past 6 months, have you stopped using menthol flavored tobacco products for one day or longer because you were trying to quit?"</i> During the past 6	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who use menthol products who have at least one quit attempt in the past six months Number of people who have a sustained menthol tobacco product quit for three

Community Web-Panel Survey

		months , have you stopped using menthol tobacco products for 3 months or longer because you were trying to quit?		months or longer Difference in sustained quits for 3 months or longer for [all types of] menthol tobacco products
55.	New, based on TUS-CPS 2018-19	<i>[For those who selected at least one menthol tobacco product in Q40-Q46]</i> Are you seriously considering quitting use of menthol tobacco products within the next 6 months ?	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who have the intention to quit Difference in [all types of] menthol tobacco product quit attempts
56.	New	<i>[For those who selected "Yes" for Q28-Q34]</i> Have you ever switched from using any menthol tobacco product to using any non-menthol-tobacco product ?	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who report switching from a menthol- tobacco product to a non-menthol tobacco product Difference in switching to non-menthol tobacco products
57.	New	<i>[If "yes" to Q56]</i> At any time during the past 6 months , did you switch from using	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who report switching from a menthol tobacco product to a non-menthol tobacco

Community Web-Panel Survey

		any menthol tobacco product to using any non-menthol tobacco product ?		product Number of people who switched to a non-menthol product that had similar menthol packaging after the policy passed Difference in switching to non-menthol tobacco products
58.	Truth Initiative	<i>[If yes to Q57] [Show pictures of new “non-menthol” cigarettes, see appendix]</i> At any time during the past 6 months , did you switch from using menthol tobacco products to one of the pictured “non-menthol” cigarette products ?	1. Yes 2. No 3. Don’t know/Not sure 4. Prefer not to say	Number of people who report switching from a menthol tobacco product to a non-menthol tobacco product Number of people who switched to a non-menthol product that had similar menthol packaging after the policy passed Difference in switching to non-menthol tobacco products
59.	New	<i>[If “Yes” Q56]</i> Why did you switch from using a menthol	1. Trying to quit using tobacco products 2. Cost of product 3. Unable to access	Difference in motivation to switch from menthol tobacco products to non-

Community Web-Panel Survey

		tobacco product to using <i>any type</i> of non-menthol tobacco product (select all that apply)?	menthol tobacco products 4. Other [free text] 5. Don't know/Not sure 6. Prefer not to say	menthol tobacco products
--	--	--	--	--------------------------

Section VII: Perceptions/Beliefs

	Reference	Question	Responses	Indicators
60.-62.	New, based on 2018 Minnesota Adult Tobacco Survey	Do you agree or disagree with the following statements? 60. Menthol tobacco products are better for a sore throat than non-menthol tobacco products. 61. Menthol tobacco products are healthier than non-menthol tobacco products. 62. Menthol tobacco products contain fewer chemical additives than non-menthol tobacco products.	1. Agree 2. Disagree 3. Neither agree nor disagree 4. Don't know/Not sure 5. Prefer not to say	Number of people who believe that menthol tobacco products are better for a sore throat than non-menthol tobacco products Number of people who believe that menthol- tobacco products are healthier than non-menthol tobacco products Number of people who believe that menthol- tobacco products contain fewer chemical additives than non-menthol tobacco products

Community Web-Panel Survey

				Number of people who believe that menthol tobacco products are less harmful than non-menthol tobacco products Number of people who believe that non-menthol tobacco products are harder to quit than menthol tobacco products Difference in perceived harms of menthol tobacco products (e.g., belief menthol is healthier, belief that it is harder or easier to quit, etc.)
63.	New, based on 2023 Spring Styles Survey	Do you believe menthol tobacco products are less harmful, equally harmful, or more harmful to a person's health than non-menthol tobacco products ?	1. Less Harmful 2. Equally Harmful 3. More Harmful 4. Don't know/Not sure 5. Prefer not to say	Difference in perceived harms of menthol tobacco products (e.g., belief menthol is healthier, belief that it is harder or easier to quit, etc.)
64.	New, based on 2023 Spring	Which type of tobacco products do you believe are	1. Menthol tobacco products	Number of people who believe that non-

Community Web-Panel Survey

	Styles Survey	harder to quit using – menthol tobacco products (such as menthol cigarettes or menthol e-cigarettes) or non-menthol/regular tobacco products (such as non-menthol cigarettes or non-menthol e-cigarettes)?	2. Non-menthol tobacco products 3. Both are equally hard to quit 4. Don't know/Not sure 5. Prefer not to say	menthol tobacco products are harder to quit than menthol tobacco products Difference in perceived harms of menthol tobacco products (e.g., belief menthol is healthier, belief that it is harder or easier to quit, etc.)
--	---------------	--	---	---

Section VIII: Sites with Implemented Sales Restrictions

Supplement to be adapted to each intervention site's unique policy landscape.

#	Reference	Question	Responses	Indicator
65.	New	Are you aware of [insert name of policy/ordinance in relevant locality and brief overview of it, date implemented]?	1. Yes 2. Somewhat 3. No 4. Don't know/Not sure 5. Prefer not to say	Number of people aware of the policy
66.	New	<i>[If "yes" or "Somewhat"]</i> How did you hear about the passage of [insert policy name and date]? Select all that apply.	1. Local news 2. A friend, family member, acquaintance 3. From a tobacco retailer 4. Other [free text] 5. Don't know/Not sure 6. Prefer not to say	Ways in which people learned about the policy

Community Web-Panel Survey

67.	New	To what extent do you agree with the passage of [insert policy name and date], which restricts sales of all flavored tobacco products, including menthol tobacco products ?	1. Agree 2. Disagree 3. Neither agree nor disagree 4. Don't know/Not sure 5. Prefer not to say	Number of people who agree with the policy
68.	New	Do you agree or disagree with the following statement? [insert policy name and date] was passed to improve the health of people living in our city.	1. Agree 2. Disagree 3. Neither agree nor disagree 4. Don't know/Not sure 5. Prefer not to say	Number of people who agree that the policy was enacted to improve the health of people living in the city
69.	New	<i>[If "Yes" to "Did you ever try to quit using tobacco products completely? OR If "Not at all" for Q14-Q20 AND If "Yes," "Somewhat," or "Prefer not to say" is selected for Q65]</i> Did the implementation of [insert policy name and date] contribute to your decision to attempt to quit using non-menthol tobacco products?	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who say policy contributed to tobacco product quit attempt

Community Web-Panel Survey

70.	New	<i>[If “Yes” to “Did you ever try to quit using tobacco products completely? OR If “Not at all” for Q40–Q46 AND If “Yes,” “Somewhat,” or “Prefer not to say” is selected for Q65]</i> Did the implementation of [insert policy name and date] contribute to your decision to attempt to quit using menthol tobacco products?	1. Yes 2. No 3. Don’t know/Not sure 4. Prefer not to say	Number of people who say policy contributed to menthol tobacco product quit attempt
71.	New	<i>[If “Yes” to “Have you ever switched from using a menthol tobacco product to using a non-menthol-tobacco product?” AND If “Yes,” “Somewhat,” or “Prefer not to say” is selected for Q65]</i> Did the implementation of [insert policy name and date] contribute to your decision to switch from a menthol tobacco product to a non-menthol tobacco product?	1. Yes 2. No 3. Don’t know/Not sure 4. Prefer not to say	Number of people who say policy contributed to switching behavior
72.	New	<i>[If “Yes” to “During the past 6 months, did you</i>	1. Yes 2. No	Number of people who say policy

Community Web-Panel Survey

		<i>travel to another city or state for the purpose of purchasing a menthol tobacco product?" AND If "Yes," "Somewhat," or "Prefer not to say" is selected for Q65]</i> Did the implementation of [insert policy name and date] contribute to your decision to travel to a different city or state to purchase menthol tobacco products?	3. Don't know/Not sure 4. Prefer not to say	contributed to decision to travel to purchase menthol tobacco
73.	New	<i>[If "Every day," "Some days," or "Rarely" to Q40-Q46?]</i> Since the implementation of [insert policy name and date], have you used menthol tobacco products less frequently? <i>[For example: you used to menthol tobacco products every day, but now you only use them rarely]</i>	1. Yes 2. No 3. Don't know/Not sure 4. Prefer not to say	Number of people who used menthol tobacco products less frequently after policy passage

Section IX: Comparison Sites

Community Web-Panel Survey

Supplement for survey respondents located in comparison sites (Atlanta, GA; Baltimore, MD; Cleveland, OH; Detroit, MI; Milwaukee, WI) only.

#	Reference	Question	Responses	Indicator
74.	New	Do you believe removing menthol tobacco products from stores will help or encourage people who use these products to quit?	1. Yes 2. Somewhat 3. No 4. Don't know/Not sure 5. Prefer not to say	Number of people who believe a menthol sales restriction helps cessation
75.	New	Do you believe restricting the sale of menthol tobacco products will negatively impact racial or ethnic minority groups?	1. Yes 2. Somewhat 3. No 4. Don't know/Not sure 5. Prefer not to say	Number of people who believe that a menthol sales restriction negatively impacts racial or ethnic minority groups
76.	New	If there was a ban on the sale of menthol tobacco products in my city, I would:	1. Not change my behavior because I do not use menthol tobacco products 2. Use menthol tobacco products less frequently 3. Use menthol tobacco products about the same amount 4. Use menthol tobacco products more frequently 5. Don't know/Not sure 6. Prefer not to say	Number of people who indicate that they would use menthol products less frequently under a menthol ban Number of people who indicate that they would use menthol products more frequently under a menthol ban Number of people who indicate that they would use menthol products

Community Web-Panel Survey

				about the same amount under a menthol ban
--	--	--	--	---

Survey Completion Page

Thank you for completing the questionnaire. Your response has been submitted. For more information on menthol tobacco products, visit the [CDC website](#) on menthol tobacco. For resources on how to quit smoking, visit the [CDC "Quit Smoking" webpage](#).