



Office of
Population Affairs

OFFICE OF POPULATION AFFAIRS

FPAR 2.0 Data Elements with Valid Values

The FPAR 2.0 data elements with valid values provides guidance for reporting on the FPAR 2.0 data elements with valid values. For more information, please contact FPARSupport@mathematica-mpr.com.

Version: 1/31/2025

- Data Element 42 - Sexual Orientation and Data Element 43 - Gender Identity were added.

Version: 12/11/2024

- Added valid value LA46-8 (Other) and valid value 74964007 [Other (qualifier value)] to Data Element 46 - Reason for no contraceptive method use reported at exit (data element 20).

Version: 11/1/2024

- Added valid value LA27928-3 (Seeking pregnancy) to Reason for no contraceptive method use reported at exit (data element 20).
- Removed 454731000124108 [Sexually abstinent (finding)] from Contraceptive method use reported at exit (data element 19). See row 410.

Version: 8/15/2024

- A new SNOMED code was assigned to the "contraceptive gel" valid value, used in Contraceptive method reported at exit (data element 19). The new SNOMED code is 74964007. Please see the DE Change log tab of this file for further details.

Version: 6/6/2024

- Valid values were updated for several data elements. Please see the DE Change log tab of this file for further details.

Version: 9/29/2023

- Additional response options were added to insurance coverage type (data element 276, respectively, in the Valid Values tab.

Version: 5/23/2022



Office of
Population Affairs

OFFICE OF POPULA

FPAR 2.0 Data Elements with Val

- Additional instructions regarding how to report data elements were added to the

1/31/2025

Introduction

The Family Planning Annual Report (FPAR) 2.0 Data Elements with valid values table contains all data elements that have been collected by Title X Grantees for Family Planning Operations (OPA) for FPAR 2.0 collection and reporting by Title X Grantees. No new data elements have been added since the 2023 FPAR 2.0 Data Elements with valid values table. The 2024 FPAR 2.0 Data Elements with valid values table may change to follow standard terminology updates and EHR standards. This page provides an overview of the content found in the FPAR 2.0 Data Elements with valid values table and provides instructions for using this document to facilitate FPAR 2.0 data collection and reporting.

In January 2025, minor updates were made to the 2024 valid values:

Valid values for Data Element 42 - Sexual Orientation and Data Element 43 - Gender Identity were removed.

Grant recipients should reference the latest version (January 2025) of the 2024 FPAR 2.0 Valid Values file for FPAR 2.0 data collection and reporting. The latest version of the 2024 FPAR 2.0 Valid Values file can be found in the DE Change log tab of this file.

For additional information about FPAR 2.0, please visit the FPAR 2.0 page on the OPA website at:

<https://opa.hhs.gov/research-evaluation/title-x-services-research/family-planning-annual-report/fpar2>

Background

Data Elements

There are 41 data elements for the 2024 FPAR (submitted in 2025). The tabs in this file display the data elements, accompanying terminology code system, references for their supporting value set, and codes where available. This technical document provides information for Title X Grantees, vendors and IT departments standard codes to support precise data identification and reporting.

Standard Terminologies

Standard terminologies represent concepts to support interoperable exchange of data in an unambiguous manner. There are several standard terminologies used to support FPAR reporting and to provide a way to identify and exchange FPAR data. The main terminologies used for FPAR reporting are:

- Logical Observation Identifiers Names and Codes (LOINC) - Consists of codes for lab tests and observations made on patients
- Systematic Nomenclature of Medicine Clinical Terms (SNOMED CT) - Consists of concepts, terms, and relationships that enable the exchange of clinical information, such as test results, responses for questions, and codes that represent different insurers.
- Source of Payment Typology (SOP) - Consists of codes to identify types of payment for health services

Data Elements and Response Options (Valid Values)

Data elements represent discrete concepts for data that is captured and reported. Each data element has corresponding response options. Data elements and response options can be exchanged using codes from one or more standard terminologies. This file displays FPAR data elements and response options for reporting.

How to use the workbook

1/31/2025

Introduction

The Family Planning Annual Report (FPAR) 2.0 Data Elements with valid values table contains all data elements that have been collected by the Office of Population Affairs (OPA) for FPAR 2.0 collection and reporting by Title X Grantees. No new data elements have been added since the 2023 FPAR 2.0 Data Elements with valid values table. The table may change to follow standard terminology updates and EHR standards. This page provides an overview of the content found in the table and provides instructions for using this document to facilitate FPAR 2.0 data collection and reporting.

In January 2025, minor updates were made to the 2024 valid values:
Valid values for Data Element 42 - Sexual Orientation and Data Element 43 - Gender Identity were removed.

Grant recipients should reference the latest version (January 2025) of the 2024 FPAR 2.0 Valid Values file for FPAR 2.0 data collection and reporting. The file can be found in the DE Change log tab of this file.

For additional information about FPAR 2.0, please visit the FPAR 2.0 page on the OPA website at:

The information below explains content within each tab of this workbook. This document supplements information in the FPAR 2.0 Data Elements with valid values table (https://opa.hhs.gov/research-evaluation/title-x-services-research/family-planning-annual-report/fpar2#guide) and User Guide (https://fpar.opa.hhs.gov/auth/signin).

Tab Name

README

DEs with valid values

DE Change log

Column Change log

FAQs

Columns in "DEs with valid values" tab

Description

The README tab provides background on the purpose of the file, defines important terminology, provides instructions on how to navigate the file, descriptions of each tab in the file, and descriptions for each column in the "DEs with valid values" tab.

The DEs with valid values tab displays the valid value for each data element, along with its data element number, long common name, data element code, LOINC code description, valid value code system, and valid value code description. The tab also indicates whether a missing value is allowed and whether a value is a transition value.

The DE Change log documents updates to the valid values, and also includes information such as the data element number, long common name, LOINC data element code and LOINC code description.

The Column Change log documents changes to the columns from the old FPAR 2.0 Data Elements file and the columns included in this file.

The FAQs tab displays frequently asked questions regarding the 2024 valid values document.

Description

1/31/2025

Introduction

The Family Planning Annual Report (FPAR) 2.0 Data Elements with valid values table contains all data elements that have been collected by Title X Grantees for Family Planning Operations (OPA) for FPAR 2.0 collection and reporting by Title X Grantees. No new data elements have been added since the 2023 FPAR 2.0 Data Elements with valid values table. Data elements may change to follow standard terminology updates and EHR standards. This page provides an overview of the content found in the table and instructions for using this document to facilitate FPAR 2.0 data collection and reporting.

In January 2025, minor updates were made to the 2024 valid values:
Valid values for Data Element 42 - Sexual Orientation and Data Element 43 - Gender Identity were removed.

Grant recipients should reference the latest version (January 2025) of the 2024 FPAR 2.0 Valid Values file for FPAR 2.0 data collection and reporting. The latest version can be found in the DE Change log tab of this file.

For additional information about FPAR 2.0, please visit the FPAR 2.0 page on the OPA website at:

Data element number (Column A)

FPAR 2.0 data element (long common name) (Column B)

FPAR 2.0 data element (long common name) (Column B)

This column contains the index number attached to each of the data elements requested for the FPAR. Each data element is attached to a unique number.

This column identifies and names each of the elements to be reported. The names directly correspond to the LOINC Long Common Name (LCN). The LCN is the human readable name that accompanies each LOINC term.

Please note that for the following data elements, the data element name used in the FPAR 2.0 data element with valid values file are different from the LCN of the code. In these instances, the name in the FPAR 2.0 data element column is modified in an effort to apply user friendly terms applicable to family planning.

| Data Element Number | LOINC Code - LCN | Data Element Name used in FPAR 2.0 Data Element File |
|---------------------|---|---|
| 13 | 87520-3 Coverage Type | Insurance Coverage Type |
| 14 | 52556-8 Payment Sources | Payer for Visit |
| 16 | 86645-9 Pregnancy intention in the next year – Reported | Pregnancy Intention |
| 17 | 86649-1 Birth control method at intake – Reported – at intake | Contraceptive method at intake reported – at intake |
| 18 | 86650-9 Reason for no birth control use – Reported – at intake | Reason for no contraceptive method use Reported – at intake |
| 19 | 86651-7 Birth control method at exit Reported – at exit | Contraceptive method at exit reported – at exit |
| 20 | 86653-3 LCN Reason for no birth control use - Reported -- at exit | Reason for no contraceptive method use reported –at exit |
| 21 | 86652-5 LCN How birth control method was provided | How Contraceptive Method was Provided |

1/31/2025

Introduction

The Family Planning Annual Report (FPAR) 2.0 Data Elements with valid values table contains all data elements that have been collected by Title X Grantees for FPAR 2.0 collection and reporting by Title X Grantees. No new data elements have been added since the 2023 FPAR 2.0 Data Elements with valid values table. Data elements may change to follow standard terminology updates and EHR standards. This page provides an overview of the content found in the FPAR 2.0 Data Elements with valid values table and instructions for using this document to facilitate FPAR 2.0 data collection and reporting.

In January 2025, minor updates were made to the 2024 valid values:
Valid values for Data Element 42 - Sexual Orientation and Data Element 43 - Gender Identity were removed.

Grant recipients should reference the latest version (January 2025) of the 2024 FPAR 2.0 Valid Values file for FPAR 2.0 data collection and reporting. The latest version can be found in the DE Change log tab of this file.

For additional information about FPAR 2.0, please visit the FPAR 2.0 page on the OPA website at:

FPAR 2.0 data element (long common name) (Column B)

LOINC data element code (if available) (Column C)

LOINC code description (Column D)

Missing valid value allowed (Column E)

Transition value (Column F)

More specific information about the term is available through its multi-part LOINC Fully-Specified Name (FSN), found on the webpage linked from the 'LOINC data element code' column of each data element. We have chosen the use of the LCN because it is more easily understood by a wider audience. Often, the FSN is harder to interpret but provides much more detail about what is being observed.

Where available, the codes listed and linked to in this column correspond to the data elements named in Column B. These codes are for computer readability and removes ambiguity when producing the annual reports. For more information on reporting, please refer to the Implementation Guide: <https://opa.hhs.gov/research-evaluation/title-x-services-research/family-planning-annual-report/fpar2#guide>

Where available, this column provides a description for each data element. This description has been pulled directly from the published standard terminology code system, most often LOINC. These descriptions help to provide further information regarding the intended use of the code in data collection and reporting.

For each data element, this column indicates whether missing values are accepted by the FPAR 2.0 system.

This column indicates values that will eventually be phased out but can still be reported for each data element for the 2024 FPAR (submitted in 2025). All values marked with an "X" will eventually be phased out to better align FPAR data with industry standard coding practices. OPA has not determined a final date for accepting the transition values.

1/31/2025

Introduction

The Family Planning Annual Report (FPAR) 2.0 Data Elements with valid values table contains all data elements that have been collected by Title X Grantees for FPAR 2.0 collection and reporting by Title X Grantees. No new data elements have been added since the 2023 FPAR 2.0 Data Elements with valid values table. The table may change to follow standard terminology updates and EHR standards. This page provides an overview of the content found in the table and instructions for using this document to facilitate FPAR 2.0 data collection and reporting.

In January 2025, minor updates were made to the 2024 valid values:
Valid values for Data Element 42 - Sexual Orientation and Data Element 43 - Gender Identity were removed.

Grant recipients should reference the latest version (January 2025) of the 2024 FPAR 2.0 Valid Values file for FPAR 2.0 data collection. The latest version can be found in the DE Change log tab of this file.

For additional information about FPAR 2.0, please visit the FPAR 2.0 page on the OPA website at:

Valid value code system (Column G)

Valid value (Column H)

Valid value code description (Column I)

Laboratory Test results

| |
|--|
| |
|--|

This column lists the standard terminology system where the listed data element and code are located. For more information, refer to the section on Standard Terminologies above.

This column indicates the code or value considered valid for the corresponding data element available for FPAR reporting.

Please note all valid values marked with an "X" in Column F will eventually be phased out and no longer accepted for FPAR.

This column lists descriptions for the valid code or value found in Column H. Some data elements may be quantitative and will have a numerical value reported. In this case, 'Not applicable' is listed.

Valid values may represent possible answers or result values for more than one data element. For example, some laboratory test data elements require the answers 'Yes' or 'Not performed', both of which are also valid response options for other data elements.

Grantees are expected to report test results for Pap tests, HPV tests, Chlamydia tests, Gonorrhea tests, HIV tests, and Syphilis tests. For each of these tests, grantees are expected to report the most appropriate valid value to identify the result associated with each test.

1/31/2025

Introduction

The Family Planning Annual Report (FPAR) 2.0 Data Elements with valid values table contains all data elements that have been collected by the Office of Population Affairs (OPA) for FPAR 2.0 collection and reporting by Title X Grantees. No new data elements have been added since the 2023 FPAR 2.0 Data Elements with valid values table. The table may change to follow standard terminology updates and EHR standards. This page provides an overview of the content found in the table and instructions for using this document to facilitate FPAR 2.0 data collection and reporting.

In January 2025, minor updates were made to the 2024 valid values:

Valid values for Data Element 42 - Sexual Orientation and Data Element 43 - Gender Identity were removed.

Grant recipients should reference the latest version (January 2025) of the 2024 FPAR 2.0 Valid Values file for FPAR 2.0 data collection. The latest version can be found in the DE Change log tab of this file.

For additional information about FPAR 2.0, please visit the FPAR 2.0 page on the OPA website at:

A Note on 'Not Applicable' and '-' Throughout

'Not Applicable' (NA) is utilized in instances where it is not possible to have that information made available (i.e., not all terms will have an answer list; some are open responses). A '-' is utilized in instances where that information could be made available but is not (i.e., all terms could have a description but not all have one available in LOINC).

Table 1. DEs with Valid Values

[illegible]

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| A code that identifies a hospital or clinic. The facility ID may be a true identifier (e.g., Facility NPI) or a pseudo-identifier. | No |
| A code to uniquely identify the physician who has overall responsibility for the patient's care and treatment during the reported encounter. | Yes |
| The role of the clinical provider (e.g., doctor, registered nurse) that provided services at the encounter. | Yes |
| The role of the clinical provider (e.g., doctor, registered nurse) that provided services at the encounter. | Yes |
| The role of the clinical provider (e.g., doctor, registered nurse) that provided services at the encounter. | Yes |
| The role of the clinical provider (e.g., doctor, registered nurse) that provided services at the encounter. | Yes |
| The role of the clinical provider (e.g., doctor, registered nurse) that provided services at the encounter. | Yes |
| The role of the clinical provider (e.g., doctor, registered nurse) that provided services at the encounter. | Yes |
| The role of the clinical provider (e.g., doctor, registered nurse) that provided services at the encounter. | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|---|-------------|
| | https://nppes.cms.hhs.gov/ | NA |
| | https://nppes.cms.hhs.gov/ | NA |
| | SNOMED CT | 309343006 |
| | SNOMED CT | 224535009 |
| | SNOMED CT | 309453006 |
| | SNOMED CT | 224571005 |
| | SNOMED CT | 449161006 |
| | SNOMED CT | 768825008 |
| | SNOMED CT | 409975003 |

| Valid value code description |
|--|
| A code that identifies a hospital or clinic. The facility ID may be a true identifier (e.g., Facility NPI) or a pseudo-identifier. |
| Attending physician NPI Provider |
| Physician (occupation) |
| Registered nurse (occupation) |
| Registered midwife (occupation) |
| Nurse practitioner (occupation) |
| Physician assistant (occupation) |
| Doula (occupation) |
| Certified health education specialist (occupation) |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SNOMED CT | 106328005 |
| | SNOMED CT | 74964007 |
| X | LOINC | LA18968-0 |
| X | LOINC | LA9291-1 |
| X | LOINC | LA18967-2 |
| X | LOINC | LA9292-9 |
| X | LOINC | LA9296-0 |
| X | LOINC | LA46-8 |

| Valid value code description |
|------------------------------|
| Social worker (occupation) |
| Other (qualifier value) |
| Doctor |
| Registered nurse |
| Midwife |
| Nurse practitioner |
| Physician assistant |
| Other |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 4 | Patient identifier | 76435-7 |
| 5 | Visit date | 76427-4 |
| 6 | Birth date | 21112-8 |
| 7 | Sex | 76689-9 |
| 7 | Sex | 76689-9 |
| 7 | Sex | 46098-0 |
| 7 | Sex | 46098-0 |
| 8 | Limited English proficiency | 86640-0 |
| 8 | Limited English proficiency | 86640-0 |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| The patient identifier is a unique alphanumeric string that identifies a specific patient and is assigned by a specific organization (the assigning authority) that should be reported using [LOINC: 76698-0]. In HL7 v2 messages, the patient identifier is reported in PID-3.1 and the assigning authority in PID-3.4. Examples of patient identifiers are medical record number, driver's license number and Social Security number, and their corresponding assigning authorities are the appropriate healthcare facility, state motor vehicle administration and the Social Security Administration, respectively. | No |
| - | No |
| - | No |
| The sex of the individual | No |
| The sex of the individual | No |
| Sex refers to a person's immutable biological classification as either female or male, based on whether the person is of the sex characterized by a reproductive system with the biological function of producing eggs (ova) or sperm. | No |
| Sex refers to a person's immutable biological classification as either female or male, based on whether the person is of the sex characterized by a reproductive system with the biological function of producing eggs (ova) or sperm. | No |
| This concept indicates whether the patient has limited English proficiency and may require care delivery in a language other than English. | Yes |
| This concept indicates whether the patient has limited English proficiency and may require care delivery in a language other than English. | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| | NA | NA |
| | NA | YYYY-MM-DD |
| | NA | YYYY-MM-DD |
| | HL7 | M |
| | HL7 | F |
| X | LOINC | LA2-8 |
| X | LOINC | LA3-6 |
| | SNOMED CT | 455951000124102 |
| | SNOMED CT | 455961000124100 |

| Valid value code description |
|---|
| NA |
| NA |
| NOTE: <i>If grantee is prohibited from sharing exact date of birth, submit actual birth year and June 30th (for example, 2000-06-30 or 1992-06-30)</i> |
| Male |
| Female |
| Male |
| Female |
| Proficient in English (finding) |
| Not proficient in English (finding) |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 8 | Limited English proficiency | 86640-0 |
| 8 | Limited English proficiency | 86640-0 |
| 9 | Ethnicity | 69490-1 |
| 9 | Ethnicity | 69490-1 |
| 9 | Ethnicity | 69490-1 |
| 9 | Ethnicity | 69490-1 |
| 9 | Ethnicity | 69490-1 |
| 10a | Race - American Indian or Alaska Native | 32624-9 |
| 10b | Race - Asian | 32624-9 |
| 10c | Race - Black or African American | 32624-9 |
| 10d | Race - Native Hawaiian or Other Pacific Islander | 32624-9 |
| 10e | Race - White | 32624-9 |
| 10a | Race - American Indian or Alaska Native | 32624-9 |
| 10a | Race - American Indian or Alaska Native | 32624-9 |
| 10b | Race - Asian | 32624-9 |
| 10b | Race - Asian | 32624-9 |
| 10c | Race - Black or African American | 32624-9 |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA28228-7 |
| X | LOINC | LA28229-5 |
| | CDCREC | 2135-2 |
| | CDCREC | 2186-5 |
| X | LOINC | LA6214-6 |
| X | LOINC | LA19555-4 |
| | CDCREC | 1002-5 |
| | CDCREC | 2028-9 |
| | CDCREC | 2054-5 |
| | CDCREC | 2076-8 |
| | CDCREC | 2106-3 |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| X | LOINC | LA33-6 |

| Valid value code description |
|---|
| Proficient in English |
| Not proficient in English |
| Hispanic or Latino |
| Not Hispanic or Latino |
| Hispanic or Latino |
| Not Hispanic or Latino |
| American Indian or Alaska Native |
| Asian |
| Black or African American |
| Native Hawaiian or Other Pacific Islander |
| White |
| Yes |
| No |
| Yes |
| No |
| Yes |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 10c | Race - Black or African American | 32624-9 |
| 10d | Race - Native Hawaiian or Other Pacific Islander | 32624-9 |
| 10d | Race - Native Hawaiian or Other Pacific Islander | 32624-9 |
| 10e | Race - White | 32624-9 |
| 10e | Race - White | 32624-9 |
| 10f | Race - Unknown | 32624-9 |
| 10f | Race - Unknown | 32624-9 |
| 11 | Annual household income | 63586-2 |
| 12 | Household size [#] | 86639-2 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| What was your best estimate of the total income of all family members from all sources, before taxes, in the last year [PhenX] | Yes |
| Self-report of the total number of persons living in the household, including the patient. | Yes |
| A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8]. | Yes |
| A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8]. | Yes |
| A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8]. | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------------------|
| X | LOINC | LA32-8 |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| | NA | <i>Non-negative integer</i> |
| | NA | <i>Positive Integer</i> |
| | SOP | 3 |
| | SOP | 5 |
| | SOP | 8 |

| Valid value code description |
|--|
| No |
| Yes |
| No |
| Yes |
| No |
| Yes |
| No |
| NA |
| NA |
| Other Government (Federal/State/Local) (excluding Department of Corrections) |
| Private health insurance |
| No payment from an Organization/Agency/Program/Private Payer Listed |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8]. | Yes |
| A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8]. | Yes |
| A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8]. | Yes |
| A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8]. | Yes |
| A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8]. | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | PAY |
| X | HL7 | EHC POL |
| X | HL7 | HSAPOL |
| X | HL7 | AUTOPOL |
| X | HL7 | COL |

| |
|-------------------------------------|
| Valid value code description |
| Pay |
| Extended healthcare |
| Health spending account |
| Automobile |
| Collision coverage policy |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | UNINSMOT |
| X | HL7 | PUBLICPOL |
| X | HL7 | DENTPRG |
| X | HL7 | DISEASEPRG |
| X | HL7 | CANPRG |

| |
|-------------------------------------|
| Valid value code description |
| Uninsured motorist policy |
| Public healthcare |
| Dental program |
| Public health program |
| Women's cancer detection program |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | ENDRENAL |
| X | HL7 | HIVAIDS |
| X | HL7 | MANDPOL |
| X | HL7 | MENTPRG |
| X | HL7 | SAFNET |

| |
|-------------------------------------|
| Valid value code description |
| End renal program |
| HIV-AIDS program |
| Mandatory health program |
| Mental health program |
| Safety net clinic program |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | SUBPRG |
| X | HL7 | SUBSIDIZ |
| X | HL7 | SUBSIDMC |
| X | HL7 | SUBSUPP |
| X | HL7 | WCBPOL |

| |
|--|
| Valid value code description |
| Substance use program |
| Subsidized health program |
| Subsidized managed care program |
| Subsidized supplemental health program |
| Workers' compensation |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | DENTAL |
| X | HL7 | DISEASE |
| X | HL7 | DRUGPOL |
| X | HL7 | HIP |
| X | HL7 | LTC |

| |
|-------------------------------------|
| Valid value code description |
| Dental care policy |
| Disease specific policy |
| Drug policy |
| Health insurance plan policy |
| Long term care policy |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | MCPOL |
| X | HL7 | POS |
| X | HL7 | HMO |
| X | HL7 | PPO |
| X | HL7 | MENTPOL |

| |
|--|
| Valid value code description |
| Managed care policy |
| Point of service policy |
| Health maintenance organization policy |
| Preferred provider organization policy |
| Mental health policy |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | SUBPOL |
| X | HL7 | VISPOL |
| X | HL7 | DIS |
| X | HL7 | EWB |
| X | HL7 | FLEXP |

| |
|--------------------------------------|
| Valid value code description |
| Substance use policy |
| Vision care policy |
| Disability insurance policy |
| Employee welfare benefit plan policy |
| Flexible benefit plan policy |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | LIFE |
| X | HL7 | ANNU |
| X | HL7 | TLIFE |
| X | HL7 | ULIFE |
| X | HL7 | PNC |

| Valid value code description |
|--|
| Life insurance policy |
| Annuity policy |
| Term life insurance policy |
| Universal life insurance policy |
| Property and casualty insurance policy |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | REI |
| X | HL7 | SURPL |
| X | HL7 | UMBRL |
| X | HL7 | CHAR |
| X | HL7 | CRIME |

| |
|-------------------------------------|
| Valid value code description |
| Reinsurance policy |
| Surplus line insurance policy |
| Umbrella liability insurance policy |
| Charity program |
| Crime victim program |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |
| 13 | Insurance coverage type | 87520-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |
| <p>A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8].</p> | <p>Yes</p> |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | EAP |
| X | HL7 | GOVEMP |
| X | HL7 | HIRISK |
| X | HL7 | IND |
| X | HL7 | MILITARY |

| |
|-------------------------------------|
| Valid value code description |
| Employee assistance program |
| Government employee health program |
| High risk pool program |
| Indigenous peoples health program |
| Military health program |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | RETIRE |
| X | HL7 | SOCIAL |
| X | HL7 | VET |
| | SOP | 1 |
| | SOP | 11 |
| | SOP | 111 |
| | SOP | 1111 |
| | SOP | 1112 |
| | SOP | 112 |
| | SOP | 113 |
| | SOP | 119 |
| | SOP | 12 |
| | SOP | 121 |
| | SOP | 122 |
| | SOP | 123 |

| Valid value code description |
|---|
| Retiree health program |
| Social service program |
| Veteran health program |
| Medicare |
| Medicare Managed Care (Includes Medicare Advantage Plans) |
| Medicare HMO |
| Medicare Chronic Condition Special Needs Plan (C-SNP) |
| Medicare Institutional Special Needs Plan (I-SNP) |
| Medicare PPO |
| Medicare POS |
| Medicare Managed Care Other |
| Medicare (Non-managed Care) |
| Medicare FFS |
| Medicare Drug Benefit |
| Medicare Medical Savings Account (MSA) |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SOP | 129 |
| | SOP | 13 |
| | SOP | 14 |
| | SOP | 141 |
| | SOP | 142 |
| | SOP | 19 |
| | SOP | 191 |
| | SOP | 2 |
| | SOP | 21 |
| | SOP | 211 |
| | SOP | 212 |
| | SOP | 213 |
| | SOP | 219 |
| | SOP | 22 |
| | SOP | 23 |
| | SOP | 25 |
| | SOP | 26 |
| | SOP | 29 |
| | SOP | 291 |
| | SOP | 299 |
| | SOP | 3 |
| | SOP | 31 |
| | SOP | 311 |
| | SOP | 3111 |
| | SOP | 3112 |
| | SOP | 3113 |
| | SOP | 3114 |
| | SOP | 3115 |
| | SOP | 3116 |
| | SOP | 3119 |
| | SOP | 312 |

| Valid value code description |
|--|
| Medicare Non-managed Care Other |
| Medicare Hospice |
| Dual Eligibility Medicare/Medicaid Organization |
| Dual Eligible Special Needs Plan (D-SNP) |
| Fully Integrated Dual Eligible Special Needs Plan (FIDE-SNP) |
| Medicare Other |
| Medicare Pharmacy Benefit Manager |
| Medicaid |
| Medicaid (Managed Care) |
| Medicaid HMO |
| Medicaid PPO |
| Medicaid PCCM (Primary Care Case Management) |
| Medicaid Managed Care Other |
| Medicaid (Non-managed Care Plan) |
| Medicaid/SCHIP |
| Medicaid - Out of State |
| Medicaid - Long Term Care |
| Medicaid Other |
| Medicaid Pharmacy Benefit Manager |
| Medicaid - Dental |
| Other Government (Federal/State/Local) (excluding Department of Corrections) |
| Department of Defense |
| TRICARE (CHAMPUS) |
| TRICARE Prime - HMO |
| TRICARE Extra - PPO |
| TRICARE Standard - Fee For Service |
| TRICARE For Life - Medicare Supplement |
| TRICARE Reserve Select |
| Uniformed Services Family Health Plan (USFHP) - HMO |
| Department of Defense - (other) |
| Military Treatment Facility |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SOP | 3121 |
| | SOP | 3122 |
| | SOP | 3123 |
| | SOP | 313 |
| | SOP | 32 |
| | SOP | 321 |
| | SOP | 3211 |
| | SOP | 3212 |
| | SOP | 32121 |
| | SOP | 32122 |
| | SOP | 32123 |
| | SOP | 32124 |
| | SOP | 32125 |
| | SOP | 32126 |
| | SOP | 32127 |
| | SOP | 32128 |
| | SOP | 322 |
| | SOP | 3221 |
| | SOP | 3222 |
| | SOP | 3223 |
| | SOP | 3229 |
| | SOP | 33 |
| | SOP | 331 |
| | SOP | 332 |
| | SOP | 333 |
| | SOP | 334 |
| | SOP | 34 |
| | SOP | 341 |
| | SOP | 342 |
| | SOP | 343 |
| | SOP | 344 |
| | SOP | 349 |
| | SOP | 35 |

| Valid value code description |
|--|
| Enrolled Prime - HMO |
| Non-enrolled Space Available |
| TRICARE For Life (TFL) |
| Dental - Stand Alone |
| Department of Veterans Affairs |
| Veteran care-Care provided to Veterans |
| Direct Care-Care provided in VA facilities |
| Indirect Care-Care provided outside VA facilities |
| Fee Basis |
| Foreign Fee/Foreign Medical Program (FMP) |
| Contract Nursing Home/Community Nursing Home |
| State Veterans Home |
| Sharing Agreements |
| Other Federal Agency |
| Dental Care |
| Vision Care |
| Non-veteran care |
| Civilian Health and Medical Program for the VA (CHAMPVA) |
| Spina Bifida Health Care Program (SB) |
| Children of Women Vietnam Veterans (CWVV) |
| Other non-veteran care |
| Indian Health Service or Tribe |
| Indian Health Service - Regular |
| Indian Health Service - Contract |
| Indian Health Service - Managed Care |
| Indian Tribe - Sponsored Coverage |
| HRSA Program |
| Title V (MCH Block Grant) |
| Migrant Health Program |
| Ryan White Act |
| Disaster-related (includes Covid-19) |
| Other |
| Black Lung |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SOP | 36 |
| | SOP | 361 |
| | SOP | 362 |
| | SOP | 369 |
| | SOP | 37 |
| | SOP | 371 |
| | SOP | 3711 |
| | SOP | 3712 |
| | SOP | 3713 |
| | SOP | 372 |
| | SOP | 379 |
| | SOP | 38 |
| | SOP | 381 |
| | SOP | 3811 |
| | SOP | 3812 |
| | SOP | 3813 |
| | SOP | 3819 |
| | SOP | 382 |
| | SOP | 389 |
| | SOP | 39 |
| | SOP | 391 |
| | SOP | 4 |
| | SOP | 41 |
| | SOP | 42 |
| | SOP | 43 |
| | SOP | 44 |
| | SOP | 5 |
| | SOP | 51 |
| | SOP | 511 |
| | SOP | 512 |
| | SOP | 513 |

| Valid value code description |
|--|
| State Government |
| State SCHIP program (codes for individual states) |
| Specific state programs (list/ local code) |
| State, not otherwise specified (other state) |
| Local Government |
| Local - Managed care |
| HMO |
| PPO |
| POS |
| FFS/Indemnity |
| Local, not otherwise specified (other local, county) |
| Other Government (Federal, State, Local not specified) |
| Federal, State, Local not specified managed care |
| Federal, State, Local not specified - HMO |
| Federal, State, Local not specified - PPO |
| Federal, State, Local not specified - POS |
| Federal, State, Local not specified - not specified managed care |
| Federal, State, Local not specified - FFS |
| Federal, State, Local not specified - Other |
| Other Federal |
| Federal Employee Health Plan - Use when known |
| Departments of Corrections |
| Corrections Federal |
| Corrections State |
| Corrections Local |
| Corrections Unknown Level |
| PRIVATE HEALTH INSURANCE |
| Managed Care (Private) |
| Commercial Managed Care - HMO |
| Commercial Managed Care - PPO |
| Commercial Managed Care - POS |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SOP | 514 |
| | SOP | 515 |
| | SOP | 516 |
| | SOP | 517 |
| | SOP | 519 |
| | SOP | 52 |
| | SOP | 521 |
| | SOP | 522 |
| | SOP | 523 |
| | SOP | 524 |
| | SOP | 529 |
| | SOP | 53 |
| | SOP | 54 |
| | SOP | 55 |
| | SOP | 56 |
| | SOP | 561 |
| | SOP | 562 |
| | SOP | 59 |
| | SOP | 6 |
| | SOP | 61 |
| | SOP | 611 |
| | SOP | 612 |
| | SOP | 613 |
| | SOP | 614 |
| | SOP | 619 |
| | SOP | 62 |
| | SOP | 621 |
| | SOP | 622 |
| | SOP | 623 |
| | SOP | 629 |

| Valid value code description |
|---|
| Exclusive Provider Organization |
| Gatekeeper PPO (GPPO) |
| Commercial Managed Care - Pharmacy Benefit Manager |
| Commercial Managed Care - Dental |
| Managed Care, Other (non HMO) |
| Private Health Insurance - Indemnity |
| Commercial Indemnity |
| Self-insured (ERISA) Administrative Services Only (ASO) plan |
| Medicare supplemental policy (as second payer) |
| Indemnity Insurance - Dental |
| Private health insurance - other commercial Indemnity |
| Managed Care (private) or private health insurance (indemnity), not otherwise specified |
| Organized Delivery System |
| Small Employer Purchasing Group |
| Specialized Stand-Alone Plan |
| Dental |
| Vision |
| Other Private Insurance |
| BLUE CROSS/BLUE SHIELD |
| BC Managed Care |
| BC Managed Care - HMO |
| BC Managed Care - PPO |
| BC Managed Care - POS |
| BC Managed Care - Dental |
| BC Managed Care - Other |
| BC Insurance Indemnity |
| BC Indemnity |
| BC Self-insured (ERISA) Administrative Services Only (ASO)Plan |
| BC Medicare Supplemental Plan |
| BC Indemnity - Dental |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SOP | 7 |
| | SOP | 71 |
| | SOP | 72 |
| | SOP | 73 |
| | SOP | 79 |
| | SOP | 8 |
| | SOP | 81 |
| | SOP | 82 |
| | SOP | 821 |
| | SOP | 822 |
| | SOP | 823 |
| | SOP | 83 |
| | SOP | 84 |
| | SOP | 85 |
| | SOP | 89 |
| | SOP | 9 |
| | SOP | 91 |
| | SOP | 92 |
| | SOP | 93 |
| | SOP | 94 |
| | SOP | 95 |
| | SOP | 951 |
| | SOP | 953 |
| | SOP | 954 |
| | SOP | 959 |
| | SOP | 96 |
| | SOP | 97 |
| | SOP | 98 |
| | SOP | 99 |
| | SOP | 9999 |

| Valid value code description |
|--|
| Managed care, unspecified (to be used only if one can't distinguish public from private) |
| HMO |
| PPO |
| POS |
| Other Managed Care |
| NO PAYMENT from an Organization/Agency/Program/Private Payer Listed |
| Self-pay (Includes applicants for insurance and Medicaid applicants) |
| No Charge |
| Charity |
| Professional Courtesy |
| Research/Clinical Trial |
| Refusal to Pay/Bad Debt |
| Hill Burton Free Care |
| Research/Donor |
| No Payment, Other |
| Miscellaneous/Other |
| Foreign National |
| Other (Non-government) |
| Disability Insurance |
| Long-term Care Insurance |
| Workers' compensation |
| Worker's Comp HMO |
| Worker's Comp Fee-for-Service |
| Worker's Comp Other Managed Care |
| Worker's Comp, Other unspecified |
| Auto Insurance (includes no fault) |
| Legal Liability / Liability Insurance |
| Other specified but not otherwise classifiable (includes Hospice - Unspecified plan) |
| No Typology Code available for payment source |
| Unavailable / No Payer Specified / Blank |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 14 | Payer for visit | 52556-8 |
| 15 | Pregnancy status | 82810-3 |
| 15 | Pregnancy status | 82810-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| Payment sources | Yes |
| <p>This term should be used to indicate that the patient is currently pregnant, not pregnant, or that the pregnancy status is unknown at this time. Depending on the context in which this term is used, there may be a need to capture more granular information. For example, further information such as whether the pregnancy is planned or unplanned and whether the status is patient reported or test confirmed may be necessary.</p> | Yes |
| <p>This term should be used to indicate that the patient is currently pregnant, not pregnant, or that the pregnancy status is unknown at this time. Depending on the context in which this term is used, there may be a need to capture more granular information. For example, further information such as whether the pregnancy is planned or unplanned and whether the status is patient reported or test confirmed may be necessary.</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | HL7 | LA10028-1 |
| X | HL7 | LA6259-1 |
| X | HL7 | LA6258-3 |
| X | HL7 | LA6257-5 |
| X | HL7 | LA6256-7 |
| X | HL7 | LA10123-0 |
| X | HL7 | LA6398-7 |
| X | HL7 | LA10049-7 |
| X | HL7 | LA10061-2 |
| X | HL7 | LA6349-0 |
| X | HL7 | LA6369-8 |
| X | HL7 | LA6310-2 |
| X | HL7 | LA4489-6 |
| | SNOMED CT | 77386006 |
| | SNOMED CT | 60001007 |

| Valid value code description |
|--|
| None (no charge for current services) |
| Medicare (traditional fee-for-service) |
| Medicare (HMO/managed care) |
| Medicaid (traditional fee-for-service) |
| Medicaid (HMO/managed care) |
| Workers' compensation |
| Title programs (e.g., Title III, V, or XX) |
| Other Government (e.g., TRICARE, VA, etc.) |
| Private insurance/Medigap |
| Private HMO/managed care |
| Self-pay |
| Other (specify) |
| Unknown |
| Pregnancy (finding) |
| Not pregnant (finding) |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 15 | Pregnancy status | 82810-3 |
| 15 | Pregnancy status | 82810-3 |
| 15 | Pregnancy status | 82810-3 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>This term should be used to indicate that the patient is currently pregnant, not pregnant, or that the pregnancy status is unknown at this time. Depending on the context in which this term is used, there may be a need to capture more granular information. For example, further information such as whether the pregnancy is planned or unplanned and whether the status is patient reported or test confirmed may be necessary.</p> | <p>Yes</p> |
| <p>This term should be used to indicate that the patient is currently pregnant, not pregnant, or that the pregnancy status is unknown at this time. Depending on the context in which this term is used, there may be a need to capture more granular information. For example, further information such as whether the pregnancy is planned or unplanned and whether the status is patient reported or test confirmed may be necessary.</p> | <p>Yes</p> |
| <p>This term should be used to indicate that the patient is currently pregnant, not pregnant, or that the pregnancy status is unknown at this time. Depending on the context in which this term is used, there may be a need to capture more granular information. For example, further information such as whether the pregnancy is planned or unplanned and whether the status is patient reported or test confirmed may be necessary.</p> | <p>Yes</p> |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | HL7 | UNK |
| X | LOINC | LA15173-0 |
| X | LOINC | LA26683-5 |

| Valid value code description |
|------------------------------|
| Unknown |
| Pregnant |
| Not pregnant |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 15 | Pregnancy status | 82810-3 |
| 16 | Pregnancy intention | 86645-9 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>This term should be used to indicate that the patient is currently pregnant, not pregnant, or that the pregnancy status is unknown at this time. Depending on the context in which this term is used, there may be a need to capture more granular information. For example, further information such as whether the pregnancy is planned or unplanned and whether the status is patient reported or test confirmed may be necessary.</p> | <p>Yes</p> |
| <p>A patient's intention or desire in the next year to either become pregnant or prevent a future pregnancy. This includes male patients seeking pregnancy with a female partner. Pregnancy intention may be used to help improve preconception health screenings and decisions, such as determining an appropriate contraceptive method, taking folic acid, or avoiding toxic exposures such as alcohol, tobacco and certain medications.</p> | <p>Yes</p> |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| X | LOINC | LA4489-6 |
| | SNOMED CT | 454411000124108 |

Valid value code description

Unknown

Wants to become pregnant

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 16 | Pregnancy intention | 86645-9 |
| 16 | Pregnancy intention | 86645-9 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A patient's intention or desire in the next year to either become pregnant or prevent a future pregnancy. This includes male patients seeking pregnancy with a female partner. Pregnancy intention may be used to help improve preconception health screenings and decisions, such as determining an appropriate contraceptive method, taking folic acid, or avoiding toxic exposures such as alcohol, tobacco and certain medications.</p> | <p>Yes</p> |
| <p>A patient's intention or desire in the next year to either become pregnant or prevent a future pregnancy. This includes male patients seeking pregnancy with a female partner. Pregnancy intention may be used to help improve preconception health screenings and decisions, such as determining an appropriate contraceptive method, taking folic acid, or avoiding toxic exposures such as alcohol, tobacco and certain medications.</p> | <p>Yes</p> |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| | SNOMED CT | 454401000124105 |
| | SNOMED CT | 454391000124108 |

| Valid value code description |
|------------------------------------|
| No desire to become pregnant |
| Ambivalent about becoming pregnant |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 16 | Pregnancy intention | 86645-9 |
| 16 | Pregnancy intention | 86645-9 |
| 16 | Pregnancy intention | 86645-9 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A patient's intention or desire in the next year to either become pregnant or prevent a future pregnancy. This includes male patients seeking pregnancy with a female partner. Pregnancy intention may be used to help improve preconception health screenings and decisions, such as determining an appropriate contraceptive method, taking folic acid, or avoiding toxic exposures such as alcohol, tobacco and certain medications.</p> | <p>Yes</p> |
| <p>A patient's intention or desire in the next year to either become pregnant or prevent a future pregnancy. This includes male patients seeking pregnancy with a female partner. Pregnancy intention may be used to help improve preconception health screenings and decisions, such as determining an appropriate contraceptive method, taking folic acid, or avoiding toxic exposures such as alcohol, tobacco and certain medications.</p> | <p>Yes</p> |
| <p>A patient's intention or desire in the next year to either become pregnant or prevent a future pregnancy. This includes male patients seeking pregnancy with a female partner. Pregnancy intention may be used to help improve preconception health screenings and decisions, such as determining an appropriate contraceptive method, taking folic acid, or avoiding toxic exposures such as alcohol, tobacco and certain medications.</p> | <p>Yes</p> |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| | SNOMED CT | 454381000124105 |
| X | LOINC | LA26438-4 |
| X | LOINC | LA26439-2 |

| Valid value code description |
|---------------------------------------|
| |
| Not sure of desire to become pregnant |
| Yes, I want to become pregnant |
| I'm OK either way |

Table 1. DEs with Valid Values

[illegible]

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>A patient's intention or desire in the next year to either become pregnant or prevent a future pregnancy. This includes male patients seeking pregnancy with a female partner. Pregnancy intention may be used to help improve preconception health screenings and decisions, such as determining an appropriate contraceptive method, taking folic acid, or avoiding toxic exposures such as alcohol, tobacco and certain medications.</p> | Yes |
| <p>A patient's intention or desire in the next year to either become pregnant or prevent a future pregnancy. This includes male patients seeking pregnancy with a female partner. Pregnancy intention may be used to help improve preconception health screenings and decisions, such as determining an appropriate contraceptive method, taking folic acid, or avoiding toxic exposures such as alcohol, tobacco and certain medications.</p> | Yes |
| <p>At intake of patient encounter, their reported contraceptive method(s) used in the last sexual encounter.</p> | Yes |
| <p>At intake of patient encounter, their reported contraceptive method(s) used in the last sexual encounter.</p> | Yes |
| <p>At intake of patient encounter, their reported contraceptive method(s) used in the last sexual encounter.</p> | Yes |
| <p>At intake of patient encounter, their reported contraceptive method(s) used in the last sexual encounter.</p> | Yes |
| <p>At intake of patient encounter, their reported contraceptive method(s) used in the last sexual encounter.</p> | Yes |
| <p>At intake of patient encounter, their reported contraceptive method(s) used in the last sexual encounter.</p> | Yes |
| <p>At intake of patient encounter, their reported contraceptive method(s) used in the last sexual encounter.</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| X | LOINC | LA26440-0 |
| X | LOINC | LA14072-5 |
| | SNOMED CT | 831141000124107 |
| | SNOMED CT | 428987008 |
| | SNOMED CT | 449038007 |
| | SNOMED CT | 448962006 |
| | SNOMED CT | 312081001 |
| | SNOMED CT | 60890002 |
| | SNOMED CT | 22523008 |

| Valid value code description |
|--|
| No, I don't want to become pregnant |
| Unsure |
| Uses non-hormonal water-based vaginal gel contraception (finding) |
| Subcutaneous contraceptive implant present (finding) |
| Uses hormone releasing intrauterine device contraception (finding) |
| Uses copper intrauterine device contraception (finding) |
| Intrauterine device contraception (finding) |
| Female sterilization (procedure) |
| Vasectomy (procedure) |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| | SNOMED CT | 268464009 |
| | SNOMED CT | 268458002 |
| | SNOMED CT | 169467008 |
| | SNOMED CT | 413116005 |
| | SNOMED CT | 450850003 |
| | SNOMED CT | 268461001 |
| | SNOMED CT | 450851004 |
| | SNOMED CT | 228479001 |
| | SNOMED CT | 169513000 |
| | SNOMED CT | 268466006 |
| | SNOMED CT | 169530003 |
| | SNOMED CT | 455501000124105 |

| Valid value code description |
|--|
| Depot contraception (finding) |
| Combined oral contraceptive - use (finding) |
| Progestogen only oral contraceptive (finding) |
| Transdermal contraception (finding) |
| Uses vaginal hormone releasing ring (finding) |
| Sheath contraception (finding) |
| Uses contraceptive diaphragm (finding) |
| Uses a female condom (finding) |
| Withdrawal contraception (finding) |
| Spermicidal contraception (finding) |
| Uses contraceptive sponge (finding) |
| Contraception based on fertility awareness (finding) |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| | SNOMED CT | 454441000124107 |
| | SNOMED CT | 455491000124102 |
| | SNOMED CT | 275813002 |
| | SNOMED CT | 454451000124109 |
| | SNOMED CT | 169450001 |
| X | LOINC | LA27901-0 |
| X | LOINC | LA27902-8 |
| X | LOINC | LA27903-6 |
| X | LOINC | LA27904-4 |
| X | LOINC | LA27905-1 |
| X | LOINC | LA14534-4 |
| X | LOINC | LA27907-7 |

| Valid value code description |
|---|
| Contraception using lactation amenorrhea method (finding) |
| Male relying on female contraception (finding) |
| Emergency contraception (finding) |
| Declines to state contraceptive method (finding) |
| No contraceptive precautions (situation) |
| Implantable rod |
| IUD with Progestin |
| IUD copper |
| IUD unspecified |
| Female sterilization |
| Vasectomy |
| Injectables |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA27908-5 |
| X | LOINC | LA27909-3 |
| X | LOINC | LA16581-3 |
| X | LOINC | LA27911-9 |
| X | LOINC | LA27912-7 |
| X | LOINC | LA27913-5 |
| X | LOINC | LA27914-3 |
| X | LOINC | LA14549-2 |
| X | LOINC | LA27916-8 |
| X | LOINC | LA33038-3 |
| X | LOINC | LA27917-6 |
| X | LOINC | LA27918-4 |

| Valid value code description |
|------------------------------------|
| Combined oral contraceptive pills |
| Progestin only contraceptive pills |
| Contraceptive patch |
| Vaginal ring |
| Male condom |
| Diaphragm or cervical cap |
| Female condom |
| Withdrawal |
| Spermicide |
| Contraceptive Gel |
| Sponge |
| Fertility awareness-based methods |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| X | LOINC | LA27919-2 |
| X | LOINC | LA27920-0 |
| X | LOINC | LA27921-8 |
| X | LOINC | LA27922-6 |
| X | LOINC | LA137-2 |
| | SNOMED CT | 454731000124108 |
| | SNOMED CT | 454361000124100 |
| | SNOMED CT | 74964007 |
| | SNOMED CT | 15296000 |
| | SNOMED CT | 454411000124108 |
| X | LOINC | LA14550-0 |
| X | LOINC | LA27925-9 |
| X | LOINC | LA46-8 |
| X | LOINC | LA27927-5 |
| X | LOINC | LA27928-3 |

| Valid value code description |
|---------------------------------------|
| Lactational amenorrhea method |
| Male relying on female method |
| Emergency contraception |
| Decline to answer |
| None |
| Sexually abstinent (finding) |
| Has same sex partner (finding) |
| Other (qualifier value) |
| Sterility (finding) |
| Wants to become pregnant (finding) |
| Abstinence |
| Same sex partner |
| Other |
| Sterile for non-contraceptive reasons |
| Seeking pregnancy |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| | SNOMED CT | 831141000124107 |
| | SNOMED CT | 428987008 |
| | SNOMED CT | 449038007 |
| | SNOMED CT | 448962006 |
| | SNOMED CT | 312081001 |
| | SNOMED CT | 60890002 |
| | SNOMED CT | 22523008 |
| | SNOMED CT | 268464009 |
| | SNOMED CT | 268458002 |
| | SNOMED CT | 169467008 |
| | SNOMED CT | 413116005 |
| | SNOMED CT | 450850003 |

| Valid value code description |
|--|
| Uses non-hormonal water-based vaginal gel contraception (finding) |
| Subcutaneous contraceptive implant present (finding) |
| Uses hormone releasing intrauterine device contraception (finding) |
| Uses copper intrauterine device contraception (finding) |
| Intrauterine device contraception (finding) |
| Female sterilization (procedure) |
| Vasectomy (procedure) |
| Depot contraception (finding) |
| Combined oral contraceptive - use (finding) |
| Progestogen only oral contraceptive (finding) |
| Transdermal contraception (finding) |
| Uses vaginal hormone releasing ring (finding) |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| | SNOMED CT | 268461001 |
| | SNOMED CT | 450851004 |
| | SNOMED CT | 228479001 |
| | SNOMED CT | 169513000 |
| | SNOMED CT | 268466006 |
| | SNOMED CT | 169530003 |
| | SNOMED CT | 455501000124105 |
| | SNOMED CT | 454441000124107 |
| | SNOMED CT | 455491000124102 |
| | SNOMED CT | 275813002 |
| | SNOMED CT | 454451000124109 |
| | SNOMED CT | 169450001 |

| Valid value code description |
|---|
| Sheath contraception (finding) |
| Uses contraceptive diaphragm (finding) |
| Uses a female condom (finding) |
| Withdrawal contraception (finding) |
| Spermicidal contraception (finding) |
| Uses contraceptive sponge (finding) |
| Contraception based on fertility awareness (finding) |
| Contraception using lactation amenorrhea method (finding) |
| Male relying on female contraception (finding) |
| Emergency contraception (finding) |
| Declines to state contraceptive method (finding) |
| No contraceptive precautions (situation) |

Table 1. DEs with Valid Values

[illegible]

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA27901-0 |
| X | LOINC | LA27902-8 |
| X | LOINC | LA27903-6 |
| X | LOINC | LA27904-4 |
| X | LOINC | LA27905-1 |
| X | LOINC | LA14534-4 |
| X | LOINC | LA27907-7 |
| X | LOINC | LA27908-5 |
| X | LOINC | LA27909-3 |
| X | LOINC | LA16581-3 |
| X | LOINC | LA27911-9 |
| X | LOINC | LA27912-7 |

| Valid value code description |
|------------------------------------|
| Implantable rod |
| IUD with Progestin |
| IUD copper |
| IUD unspecified |
| Female sterilization |
| Vasectomy |
| Injectables |
| Combined oral contraceptive pills |
| Progestin only contraceptive pills |
| Contraceptive patch |
| Vaginal ring |
| Male condom |

Table 1. DEs with Valid Values

[illegible]

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |
| The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by provider. | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA27913-5 |
| X | LOINC | LA27914-3 |
| X | LOINC | LA14549-2 |
| X | LOINC | LA27916-8 |
| X | LOINC | LA33038-3 |
| X | LOINC | LA27917-6 |
| X | LOINC | LA27918-4 |
| X | LOINC | LA27919-2 |
| X | LOINC | LA27920-0 |
| X | LOINC | LA27921-8 |
| X | LOINC | LA27922-6 |
| X | LOINC | LA137-2 |

| Valid value code description |
|-----------------------------------|
| Diaphragm or cervical cap |
| Female condom |
| Withdrawal |
| Spermicide |
| Contraceptive Gel |
| Sponge |
| Fertility awareness-based methods |
| Lactational amenorrhea method |
| Male relying on female method |
| Emergency contraception |
| Decline to answer |
| None |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 20 | Reason for no contraceptive method use reported - at exit | 86653-3 |
| 21 | How contraceptive method was provided | 86652-5 |
| 21 | How contraceptive method was provided | 86652-5 |
| 21 | How contraceptive method was provided | 86652-5 |
| 21 | How contraceptive method was provided | 86652-5 |
| 21 | How contraceptive method was provided | 86652-5 |

| Code Description | Missing valid value allowed |
|--|------------------------------------|
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). | Yes |
| The method for how the birth control was provided (e.g., on site, referral, prescription) to the patient at the end of an encounter. | Yes |
| The method for how the birth control was provided (e.g., on site, referral, prescription) to the patient at the end of an encounter. | Yes |
| The method for how the birth control was provided (e.g., on site, referral, prescription) to the patient at the end of an encounter. | Yes |
| The method for how the birth control was provided (e.g., on site, referral, prescription) to the patient at the end of an encounter. | Yes |
| The method for how the birth control was provided (e.g., on site, referral, prescription) to the patient at the end of an encounter. | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| | SNOMED CT | 454731000124108 |
| | SNOMED CT | 454361000124100 |
| | SNOMED CT | 74964007 |
| | SNOMED CT | 15296000 |
| | SNOMED CT | 454411000124108 |
| X | LOINC | LA14550-0 |
| X | LOINC | LA27925-9 |
| X | LOINC | LA46-8 |
| X | LOINC | LA27927-5 |
| X | LOINC | LA27928-3 |
| | SNOMED CT | 308335008 |
| | SNOMED CT | 281100006 |
| | SNOMED CT | 16076005 |
| X | LOINC | LA27929-1 |
| X | LOINC | LA27930-9 |

| Valid value code description |
|---|
| Sexually abstinent (finding) |
| Has same sex partner (finding) |
| Other (qualifier value) |
| Sterility (finding) |
| Wants to become pregnant (finding) |
| Abstinence |
| Same sex partner |
| Other |
| Sterile for non-contraceptive reasons |
| Seeking pregnancy |
| Patient encounter procedure (procedure) |
| Referral to health worker (procedure) |
| Prescription (procedure) |
| Provided on site |
| Referral |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 21 | How contraceptive method was provided | 86652-5 |
| 22 | Contraceptive counseling was provided | 86654-1 |
| 22 | Contraceptive counseling was provided | 86654-1 |
| 22 | Contraceptive counseling was provided | 86654-1 |
| 22 | Contraceptive counseling was provided | 86654-1 |
| 23 | Counseling to achieve pregnancy was provided | 86655-8 |
| 23 | Counseling to achieve pregnancy was provided | 86655-8 |
| 23 | Counseling to achieve pregnancy was provided | 86655-8 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| The method for how the birth control was provided (e.g., on site, referral, prescription) to the patient at the end of an encounter. | Yes |
| Contraceptive counseling is an interaction in which a provider spends time (5-10 minutes) during an encounter discussing the patient's choice of contraceptive method and available options. | Yes |
| Contraceptive counseling is an interaction in which a provider spends time (5-10 minutes) during an encounter discussing the patient's choice of contraceptive method and available options. | Yes |
| Contraceptive counseling is an interaction in which a provider spends time (5-10 minutes) during an encounter discussing the patient's choice of contraceptive method and available options. | Yes |
| Contraceptive counseling is an interaction in which a provider spends time (5-10 minutes) during an encounter discussing the patient's choice of contraceptive method and available options. | Yes |
| Counseling to achieve pregnancy is an interaction in which a provider spends time during an encounter discussing any services and/or provides counseling related to achieving pregnancy or addressing infertility. | Yes |
| Counseling to achieve pregnancy is an interaction in which a provider spends time during an encounter discussing any services and/or provides counseling related to achieving pregnancy or addressing infertility. | Yes |
| Counseling to achieve pregnancy is an interaction in which a provider spends time during an encounter discussing any services and/or provides counseling related to achieving pregnancy or addressing infertility. | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA27931-7 |
| | SNOMED CT | 373066001 |
| | SNOMED CT | 373067005 |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| | SNOMED CT | 373066001 |
| | SNOMED CT | 373067005 |
| X | LOINC | LA33-6 |

| Valid value code description |
|------------------------------|
| Prescription |
| Yes |
| No |
| Yes |
| No |
| Yes |
| No |
| Yes |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 23 | Counseling to achieve pregnancy was provided | 86655-8 |
| 24 | Systolic blood pressure | 8480-6 |
| 25 | Diastolic blood pressure | 8462-4 |
| 26 | Body height | 8302-2 |
| 26b | Body height unit of measurement | 8302-2 |
| 26b | Body height unit of measurement | 8302-2 |
| 27 | Body weight | 29463-7 |
| 27b | Body weight unit of measurement | 29463-7 |
| 27b | Body weight unit of measurement | 29463-7 |
| 27b | Body weight unit of measurement | 29463-7 |
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| Counseling to achieve pregnancy is an interaction in which a provider spends time during an encounter discussing any services and/or provides counseling related to achieving pregnancy or addressing infertility. | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status. | Yes |
| Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status. | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|------------------------------------|
| X | LOINC | LA32-8 |
| | UCUM | <i>positive integer</i> |
| | UCUM | <i>positive integer</i> |
| | UCUM | <i>positive number (1 decimal)</i> |
| | UCUM | in |
| | UCUM | cm |
| | UCUM | <i>positive number (1 decimal)</i> |
| | UCUM | lb |
| | UCUM | g |
| | UCUM | kg |
| | SNOMED CT | 449868002 |
| | SNOMED CT | 428041000124106 |

| Valid value code description |
|-------------------------------------|
| No |
| NA |
| NA |
| NA |
| Inches |
| Centimeters |
| NA |
| Pounds |
| Grams |
| Kilograms |
| Smokes tobacco daily (finding) |
| Occasional tobacco smoker (finding) |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SNOMED CT | 8517006 |
| | SNOMED CT | 266919005 |
| | SNOMED CT | 266927001 |

| Valid value code description |
|---|
| Ex-smoker (finding) |
| Never smoked tobacco (finding) |
| Tobacco smoking consumption unknown (finding) |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | <p>Yes</p> |
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | <p>Yes</p> |
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | <p>Yes</p> |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-----------------|
| | SNOMED CT | 428071000124103 |
| | SNOMED CT | 428061000124105 |
| X | LOINC | LA18976-3 |

| Valid value code description |
|--------------------------------|
| Heavy tobacco smoker (finding) |
| Light tobacco smoker (finding) |
| Current every day smoker |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA18977-1 |
| X | LOINC | LA15920-4 |
| X | LOINC | LA18978-9 |
| X | LOINC | LA18979-7 |

| Valid value code description |
|--------------------------------|
| Current some day smoker |
| Former smoker |
| Never smoker |
| Smoker, current status unknown |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |
| 28 | Tobacco smoking status | 72166-2 |

| Code Description | Missing valid value allowed |
|--|-----------------------------|
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA18980-5 |
| X | LOINC | LA18981-3 |
| X | LOINC | LA18982-1 |

| Valid value code description |
|------------------------------|
| Unknown if ever smoked |
| Heavy tobacco smoker |
| Light tobacco smoker |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|---------------|
| | SNOMED CT | 373066001 |
| | HL7 | not-performed |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| | LOINC | 10524-7 |
| | LOINC | 18500-9 |
| | LOINC | 19762-4 |
| | LOINC | 19764-0 |
| | LOINC | 19765-7 |

| Valid value code description |
|---|
| Yes |
| Not performed |
| Yes |
| No |
| Microscopic observation [Identifier] in Cervix by Cyto stain |
| Microscopic observation [Identifier] in Cervix by Cyto stain.thin prep |
| General categories [Interpretation] of Cervical or vaginal smear or scraping by Cyto stain |
| Statement of adequacy [Interpretation] of Cervical or vaginal smear or scraping by Cyto stain |
| Microscopic observation [Identifier] in Cervical or vaginal smear or scraping by Cyto stain |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 29 | Pap test performed at this visit | No LOINC code associated with this DE |
| 29 | Pap test performed at this visit | No LOINC code associated with this DE |
| 29 | Pap test performed at this visit | No LOINC code associated with this DE |
| 29 | Pap test performed at this visit | No LOINC code associated with this DE |
| 29 | Pap test performed at this visit | No LOINC code associated with this DE |
| 30 | Pap smear test results | <u>86662-4</u> |
| 30 | Pap smear test results | <u>86662-4</u> |
| 30 | Pap smear test results | <u>86662-4</u> |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 19766-5 |
| | LOINC | 19774-9 |
| | LOINC | 33717-0 |
| | LOINC | 47527-7 |
| | LOINC | 47528-5 |
| | SNOMED CT | 373878001 |
| | SNOMED CT | 103637006 |
| | SNOMED CT | 112662005 |

| Valid value code description |
|--|
| Microscopic observation [Identifier] in Cervical or vaginal smear or scraping by Cyto stain Narrative |
| Cytology study comment Cervical or vaginal smear or scraping Cyto stain |
| Cervical and/or vaginal cytology study |
| Cytology report of Cervical or vaginal smear or scraping Cyto stain.thin prep |
| Cytology report of Cervical or vaginal smear or scraping Cyto stain |
| ASCUS Atypical Squamous cells of undetermined significance, cannot exclude HGSIL |
| ASCUS Atypical Squamous cells of undetermined significance |
| Low Grade SIL |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 30 | Pap smear test results | 86662-4 |
| 30 | Pap smear test results | 86662-4 |
| 30 | Pap smear test results | 86662-4 |
| 30 | Pap smear test results | 86662-4 |
| 30 | Pap smear test results | 86662-4 |
| 30 | Pap smear test results | 86662-4 |
| 30 | Pap smear test results | 86662-4 |
| 30 | Pap smear test results | 86662-4 |
| 30 | Pap smear test results | 86662-4 |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| - | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SNOMED CT | 22725004 |
| | SNOMED CT | 28899001 |
| | SNOMED CT | 441219009 |
| | SNOMED CT | 373883009 |
| | SNOMED CT | 51642000 |
| | SNOMED CT | 373887005 |
| | SNOMED CT | 125152006 |
| | SNOMED CT | 125154007 |
| | SNOMED CT | 373066001 |

| Valid value code description |
|--|
| High Grade SIL |
| Squamous cell carcinoma |
| Atypical glandular cells NOS |
| Atypical glandular cells suspicious for cancer |
| Adenocarcinoma in-situ |
| Negative for interepithelial lesion |
| Specimen satisfactory for evaluation |
| Specimen unsatisfactory for evaluation |
| Yes |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|---------------|
| | HL7 | not-performed |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| | LOINC | 11083-3 |
| | LOINC | 12223-4 |
| | LOINC | 14503-7 |
| | LOINC | 14504-5 |
| | LOINC | 14506-0 |
| | LOINC | 17400-3 |
| | LOINC | 21440-3 |
| | LOINC | 30167-1 |

| Valid value code description |
|--|
| Not performed |
| Yes |
| No |
| Human papilloma virus identified in Cervix |
| Human papilloma virus 16+18 Ag [Presence] in Genital specimen |
| Human papilloma virus 16+18 Ag [Presence] in Cervix |
| Human papilloma virus 16+18 Ag [Presence] in Vaginal fluid |
| Human papilloma virus 16+18 Ag [Presence] in Urethra |
| Human papilloma virus 16+18 Ag [Presence] in Specimen |
| Human papilloma virus 16+18+31+33+35+45+51+52+56 DNA [Presence] in Cervix by Probe |
| Human papilloma virus 16+18+31+33+35+39+45+51+52+56+58+59+68 DNA [Presence] in Cervix by Probe with signal amplification |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 38372-9 |
| | LOINC | 44550-2 |
| | LOINC | 49896-4 |
| | LOINC | 59420-0 |
| | LOINC | 6514-4 |
| | LOINC | 6516-9 |
| | LOINC | 69002-4 |
| | LOINC | 73959-9 |
| | SNOMED CT | 10828004 |
| | SNOMED CT | 260373001 |
| | SNOMED CT | 260385009 |

| Valid value code description |
|--|
| Human papilloma virus 6+11+16+18+31+33+35+39+42+43+44+45+51+ 52+56+58+59+68 DNA [Presence] in Cervix by Probe with signal amplification |
| Human papilloma virus DNA [Presence] in Cervix by Probe |
| Human papilloma virus 16+18+31+33+35+39+45+51+52+56+58+59+68 DNA [Presence] in Specimen by NAA with probe detection |
| Human papilloma virus 16+18+31+33+35+39+45+51+52+56+58+59+66 +68 DNA [Presence] in Cervix by Probe with signal amplification |
| Human papilloma virus rRNA [Presence] in Genital specimen by NAA with probe detection |
| Human papilloma virus rRNA [Presence] in Specimen by NAA with probe detection |
| Human papilloma virus E6+E7 mRNA [Presence] in Cervix by NAA with probe detection |
| Human papilloma virus 16+18+31+33+35+39+45+51+52+56+58+66 DNA [Presence] in Tissue by Probe |
| Positive (qualifier value) |
| Detected (qualifier value) |
| Negative (qualifier value) |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 32 | HPV test results | 86658-2 |
| 33 | Chlamydia sp test performed at this visit | No LOINC code associated with this DE |
| 33 | Chlamydia sp test performed at this visit | No LOINC code associated with this DE |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| - | Yes |
| - | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|---------------|
| | SNOMED CT | 260415000 |
| | SNOMED CT | 42425007 |
| | SNOMED CT | 82334004 |
| | SNOMED CT | 419984006 |
| | SNOMED CT | 11214006 |
| | SNOMED CT | 131194007 |
| X | LOINC | LA6576-8 |
| X | LOINC | LA6577-6 |
| X | LOINC | LA11882-0 |
| X | LOINC | LA11883-8 |
| | SNOMED CT | 373066001 |
| | HL7 | not-performed |

| Valid value code description |
|---------------------------------|
| Not detected (qualifier value) |
| Equivocal (qualifier value) |
| Indeterminate (qualifier value) |
| Inconclusive (qualifier value) |
| Reactive (qualifier value) |
| Non-Reactive (qualifier value) |
| Positive (LOINC) |
| Negative (LOINC) |
| Detected (LOINC) |
| Not detected (LOINC) |
| Yes |
| Not performed |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| | LOINC | 16600-9 |
| | LOINC | 16601-7 |
| | LOINC | 21190-4 |
| | LOINC | 21191-2 |
| | LOINC | 21613-5 |
| | LOINC | 23838-6 |
| | LOINC | 35729-3 |

| Valid value code description |
|--|
| Yes |
| No |
| Chlamydia trachomatis rRNA [Presence] in Genital specimen by Probe |
| Chlamydia trachomatis rRNA [Presence] in Urine by Probe |
| Chlamydia trachomatis DNA [Presence] in Cervix by NAA with probe detection |
| Chlamydia trachomatis DNA [Presence] in Urethra by NAA with probe detection |
| Chlamydia trachomatis DNA [Presence] in Specimen by NAA with probe detection |
| Chlamydia trachomatis rRNA [Presence] in Genital fluid by Probe |
| Chlamydia sp DNA [Presence] in Specimen by NAA with probe detection |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 42931-6 |
| | LOINC | 43304-5 |
| | LOINC | 43404-3 |
| | LOINC | 45084-1 |
| | LOINC | 47211-8 |
| | LOINC | 47212-6 |
| | LOINC | 49096-1 |
| | LOINC | 4993-2 |
| | LOINC | 50387-0 |
| | LOINC | 53925-4 |

| Valid value code description |
|---|
| Chlamydia trachomatis rRNA [Presence] in Urine by NAA with probe detection |
| Chlamydia trachomatis rRNA [Presence] in Specimen by NAA with probe detection |
| Chlamydia trachomatis DNA [Presence] in Specimen by Probe with signal amplification |
| Chlamydia trachomatis DNA [Presence] in Vaginal fluid by NAA with probe detection |
| Chlamydia trachomatis L2 DNA [Presence] in Specimen by NAA with probe detection |
| Chlamydia trachomatis DNA [Identifier] in Specimen by NAA with probe detection |
| Chlamydia trachomatis DNA [Units/volume] in Specimen by NAA with probe detection |
| Chlamydia trachomatis rRNA [Presence] in Specimen by Probe |
| Chlamydia trachomatis rRNA [Presence] in Cervix by NAA with probe detection |
| Chlamydia trachomatis rRNA [Presence] in Urethra by NAA with probe detection |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 53926-2 |
| | LOINC | 6356-0 |
| | LOINC | 6357-8 |
| | SNOMED CT | 10828004 |
| | SNOMED CT | 260373001 |
| | SNOMED CT | 260385009 |
| | SNOMED CT | 260415000 |
| | SNOMED CT | 42425007 |
| | SNOMED CT | 82334004 |

| Valid value code description |
|--|
| Chlamydia trachomatis rRNA [Presence] in Vaginal fluid by NAA with probe detection |
| Chlamydia trachomatis DNA [Presence] in Genital specimen by NAA with probe detection |
| Chlamydia trachomatis DNA [Presence] in Urine by NAA with probe detection |
| Positive (qualifier value) |
| Detected (qualifier value) |
| Negative (qualifier value) |
| Not detected (qualifier value) |
| Equivocal (qualifier value) |
| Indeterminate (qualifier value) |

Table 1. DEs with Valid Values

[illegible]

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SNOMED CT | 419984006 |
| | SNOMED CT | 11214006 |
| | SNOMED CT | 131194007 |
| X | LOINC | LA11882-0 |
| X | LOINC | LA11883-8 |
| X | LOINC | LA11885-3 |
| X | LOINC | LA9663-1 |
| X | LOINC | LA6576-8 |

| Valid value code description |
|--------------------------------|
| Inconclusive (qualifier value) |
| Reactive (qualifier value) |
| Non-Reactive (qualifier value) |
| Detected (LOINC) |
| Not detected (LOINC) |
| Equivocal (LOINC) |
| Inconclusive (LOINC) |
| Positive (LOINC) |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 34 | Chlamydia sp test results | 86659-0 |
| 34 | Chlamydia sp test results | 86659-0 |
| 34 | Chlamydia sp test results | 86659-0 |
| 34 | Chlamydia sp test results | 86659-0 |
| 34 | Chlamydia sp test results | 86659-0 |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|---------------|
| X | LOINC | LA6577-6 |
| X | LOINC | LA16153-1 |
| X | LOINC | LA16154-9 |
| X | LOINC | LA16155-6 |
| X | LOINC | LA16157-2 |
| | SNOMED CT | 373066001 |
| | HL7 | not-performed |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |

| Valid value code description |
|------------------------------------|
| Negative (LOINC) |
| Chlamydia trachomatis detected |
| Chlamydia trachomatis not detected |
| Chlamydia trachomatis inconclusive |
| Chlamydia trachomatis equivocal |
| Yes |
| Not performed |
| Yes |
| No |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 21414-8 |
| | LOINC | 21415-5 |
| | LOINC | 21416-3 |
| | LOINC | 24111-7 |
| | LOINC | 32198-4 |
| | LOINC | 32199-2 |
| | LOINC | 32705-6 |
| | LOINC | 43305-2 |
| | LOINC | 43403-5 |
| | LOINC | 47387-6 |
| | LOINC | 5028-6 |
| | LOINC | 50388-8 |

| Valid value code description |
|--|
| Neisseria gonorrhoeae DNA [Presence] in Cervical mucus by NAA with probe detection |
| Neisseria gonorrhoeae DNA [Presence] in Urethra by NAA with probe detection |
| Neisseria gonorrhoeae DNA [Presence] in Urine by NAA with probe detection |
| Neisseria gonorrhoeae DNA [Presence] in Specimen by NAA with probe detection |
| Neisseria gonorrhoeae rRNA [Presence] in Cervix by Probe |
| Neisseria gonorrhoeae rRNA [Presence] in Urethra by Probe |
| Neisseria gonorrhoeae DNA [Presence] in Vaginal fluid by NAA with probe detection |
| Neisseria gonorrhoeae rRNA [Presence] in Specimen by NAA with probe detection |
| Neisseria gonorrhoeae DNA [Presence] in Specimen by Probe with signal amplification |
| Neisseria gonorrhoeae DNA [Presence] in Genital specimen by NAA with probe detection |
| Neisseria gonorrhoeae rRNA [Presence] in Specimen by Probe |
| Neisseria gonorrhoeae rRNA [Presence] in Cervix by NAA with probe detection |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 36 | Neisseria gonorrhoeae test results | 86660-8 |
| 36 | Neisseria gonorrhoeae test results | 86660-8 |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 53879-3 |
| | LOINC | 53927-0 |
| | LOINC | 6487-3 |
| | LOINC | 688-2 |
| | LOINC | 691-6 |
| | LOINC | 692-4 |
| | LOINC | 693-2 |
| | LOINC | 698-1 |
| | LOINC | 96599-6 |
| | SNOMED CT | 10828004 |
| | SNOMED CT | 260373001 |

| Valid value code description |
|--|
| Neisseria gonorrhoeae rRNA [Presence] in Vaginal fluid by NAA with probe detection |
| Neisseria gonorrhoeae rRNA [Presence] in Urethra by NAA with probe detection |
| Neisseria gonorrhoeae Ag [Presence] in Genital specimen by Immunoassay |
| Neisseria gonorrhoeae [Presence] in Cervix by Organism specific culture |
| Neisseria gonorrhoeae [Presence] in Genital specimen by Organism specific culture |
| Neisseria gonorrhoeae [Presence] in Genital lochia by Organism specific culture |
| Neisseria gonorrhoeae [Presence] in Vaginal fluid by Organism specific culture |
| Neisseria gonorrhoeae [Presence] in Specimen by Organism specific culture |
| Neisseria gonorrhoeae DNA [Presence] in Cervix by NAA with probe detection |
| Positive (qualifier value) |
| Detected (qualifier value) |

Table 1. DEs with Valid Values

[illegible]

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SNOMED CT | 260385009 |
| | SNOMED CT | 260415000 |
| | SNOMED CT | 42425007 |
| | SNOMED CT | 82334004 |
| | SNOMED CT | 419984006 |
| | SNOMED CT | 11214006 |
| | SNOMED CT | 131194007 |

| Valid value code description |
|---------------------------------|
| Negative (qualifier value) |
| Not detected (qualifier value) |
| Equivocal (qualifier value) |
| Indeterminate (qualifier value) |
| Inconclusive (qualifier value) |
| Reactive (qualifier value) |
| Non-Reactive (qualifier value) |

Table 1. DEs with Valid Values

[illegible]

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA11882-0 |
| X | LOINC | LA11883-8 |
| X | LOINC | LA11885-3 |
| X | LOINC | LA9663-1 |
| X | LOINC | LA6576-8 |
| X | LOINC | LA6577-6 |
| X | LOINC | LA16150-7 |

| Valid value code description |
|--------------------------------|
| Detected (LOINC) |
| Not detected (LOINC) |
| Equivocal (LOINC) |
| Inconclusive (LOINC) |
| Positive (LOINC) |
| Negative (LOINC) |
| Neisseria gonorrhoeae detected |

Table 1. DEs with Valid Values

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|---------------|
| X | LOINC | LA16151-5 |
| X | LOINC | LA16152-3 |
| X | LOINC | LA16156-4 |
| | SNOMED CT | 373066001 |
| | HL7 | not-performed |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| | LOINC | 30361-0 |
| | LOINC | 31201-7 |

| Valid value code description |
|---|
| Neisseria gonorrhoeae not detected |
| Neisseria gonorrhoeae inconclusive |
| Neisseria gonorrhoeae equivocal |
| Yes |
| Not performed |
| Yes |
| No |
| HIV 2 Ab [Presence] in Serum or Plasma by Immunoassay |
| HIV 1+2 Ab [Presence] in Serum or Plasma by Immunoassay |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 37 | HIV test performed at this visit | No LOINC code associated with this DE |
| 37 | HIV test performed at this visit | No LOINC code associated with this DE |
| 37 | HIV test performed at this visit | No LOINC code associated with this DE |
| 37 | HIV test performed at this visit | No LOINC code associated with this DE |
| 37 | HIV test performed at this visit | No LOINC code associated with this DE |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 48510-2 |
| | LOINC | 48511-0 |
| | LOINC | 5018-7 |
| | LOINC | 5221-7 |
| | LOINC | 68961-2 |
| | SNOMED CT | 260373001 |
| | SNOMED CT | 260415000 |
| | SNOMED CT | 82334004 |
| | SNOMED CT | 10828004 |
| | SNOMED CT | 260385009 |

| Valid value code description |
|---|
| HIV 1 RNA [Log #/volume] (viral load) in Serum or Plasma by Probe and target amplification method detection limit = 1.7 log copies/mL |
| HIV 1 RNA [# /volume] (viral load) in Serum or Plasma by Probe and target amplification method detection limit = 50 copies/mL |
| HIV 1 RNA [Presence] in Specimen by NAA with probe detection |
| HIV 1 Ab [Presence] in Serum or Plasma by Immunoblot |
| HIV 1 Ab [Presence] in Serum, Plasma or Blood by Rapid immunoassay |
| Detected (qualifier value) |
| Not detected (qualifier value) |
| Indeterminate (qualifier value) |
| Positive (qualifier value) |
| Negative (qualifier value) |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 38 | HIV 1 and 2 test results | 86657-4 |
| 39 | Syphilis test performed at this visit | No LOINC code associated with this DE |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). | Yes |
| - | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SNOMED CT | 419984006 |
| | SNOMED CT | 42425007 |
| | SNOMED CT | 11214006 |
| | SNOMED CT | 131194007 |
| X | LOINC | LA15255-5 |
| X | LOINC | LA15256-3 |
| X | LOINC | LA11884-6 |
| X | LOINC | LA15841-2 |
| | SNOMED CT | 373066001 |

| Valid value code description |
|--------------------------------|
| Inconclusive (qualifier value) |
| Equivocal (qualifier value) |
| Reactive (qualifier value) |
| Non-Reactive (qualifier value) |
| Reactive |
| Nonreactive |
| Indeterminate |
| Invalid |
| Yes |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|---------------|
| | HL7 | not-performed |
| X | LOINC | LA33-6 |
| X | LOINC | LA32-8 |
| | LOINC | 11084-1 |
| | LOINC | 11597-2 |
| | LOINC | 13288-6 |
| | LOINC | 14904-7 |
| | LOINC | 17723-8 |
| | LOINC | 17724-6 |
| | LOINC | 17725-3 |
| | LOINC | 17726-1 |
| | LOINC | 17727-9 |

| Valid value code description |
|---|
| Not performed |
| Yes |
| No |
| Reagin Ab [Titer] in Serum |
| Treponema pallidum Ab [Units/volume] in Serum |
| Treponema pallidum Ab [Units/volume] in Blood by Immunofluorescence |
| Reagin Ab [Presence] in Specimen by VDRL |
| Treponema pallidum Ab [Presence] in Serum by Immobilization |
| Treponema pallidum Ab [Units/volume] in Serum by Immunofluorescence |
| Treponema pallidum Ab [Units/volume] in Serum by Latex agglutination |
| Treponema pallidum IgG Ab [Presence] in Serum by Immunofluorescence |
| Treponema pallidum IgG Ab [Units/volume] in Serum by Immunofluorescence |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 17728-7 |
| | LOINC | 17729-5 |
| | LOINC | 20507-0 |
| | LOINC | 20508-8 |
| | LOINC | 22461-8 |
| | LOINC | 22462-6 |
| | LOINC | 22464-2 |
| | LOINC | 22585-4 |
| | LOINC | 22587-0 |
| | LOINC | 22590-4 |
| | LOINC | 22592-0 |
| | LOINC | 22594-6 |

| Valid value code description |
|---|
| Treponema pallidum IgM Ab [Units/volume] in Serum by Immunofluorescence |
| Treponema pallidum IgM Ab [Presence] in Serum by Immunofluorescence |
| Reagin Ab [Presence] in Serum by RPR |
| Reagin Ab [Units/volume] in Serum or Plasma by RPR |
| Reagin Ab [Presence] in Serum |
| Reagin Ab [Units/volume] in Serum |
| Reagin Ab [Presence] in Specimen |
| Treponema pallidum Ab [Units/volume] in Blood |
| Treponema pallidum Ab [Presence] in Serum |
| Treponema pallidum Ab [Titer] in Serum |
| Treponema pallidum IgG Ab [Units/volume] in Serum |
| Treponema pallidum IgM Ab [Units/volume] in Serum |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 24110-9 |
| | LOINC | 24312-1 |
| | LOINC | 26009-1 |
| | LOINC | 29310-0 |
| | LOINC | 31147-2 |
| | LOINC | 34147-9 |
| | LOINC | 34382-2 |
| | LOINC | 39015-3 |
| | LOINC | 40679-3 |
| | LOINC | 40680-1 |
| | LOINC | 41122-3 |
| | LOINC | 41163-7 |

| Valid value code description |
|---|
| Treponema pallidum Ab [Presence] in Serum by Immunoassay |
| Treponema pallidum Ab [Presence] in Serum by Agglutination |
| Treponema pallidum Ab [Titer] in Serum by Hemagglutination |
| Treponema pallidum [Presence] in Specimen by Immunofluorescence |
| Reagin Ab [Titer] in Serum by RPR |
| Treponema pallidum IgG+IgM Ab [Presence] in Serum |
| Treponema pallidum Ab [Titer] in Serum by Immunofluorescence |
| Treponema pallidum Ab [Units/volume] in Body fluid by Hemagglutination |
| Treponema pallidum IgG Ab [Presence] in Serum by Immunoblot |
| Treponema pallidum IgM Ab [Presence] in Serum by Immunoblot |
| Treponema pallidum Ab [Units/volume] in Specimen |
| Treponema pallidum DNA [Presence] in Specimen by NAA with probe detection |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 47235-7 |
| | LOINC | 47236-5 |
| | LOINC | 47237-3 |
| | LOINC | 47238-1 |
| | LOINC | 47476-7 |
| | LOINC | 47511-1 |
| | LOINC | 50690-7 |
| | LOINC | 51838-1 |
| | LOINC | 51839-9 |
| | LOINC | 5291-0 |
| | LOINC | 5292-8 |
| | LOINC | 53605-2 |

| Valid value code description |
|--|
| Reagin Ab [Titer] in Specimen by VDRL |
| Treponema pallidum IgG+IgM Ab [Presence] in Serum by Immunoassay |
| Treponema pallidum IgM Ab [Presence] in Serum by Immunoassay |
| Treponema pallidum IgG Ab [Presence] in Serum by Immunoassay |
| Reagin Ab [Titer] in Specimen |
| Treponema pallidum Ab [Units/volume] in Body fluid |
| Reagin Ab [Titer] in Serum by VDRL |
| Treponema pallidum IgG Ab [Units/volume] in Serum by Immunoassay |
| Treponema pallidum IgM Ab [Units/volume] in Serum by Immunoassay |
| Reagin Ab [Units/volume] in Serum by VDRL |
| Reagin Ab [Presence] in Serum by VDRL |
| Treponema pallidum DNA [Presence] in Blood by NAA with probe detection |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | LOINC | 5392-6 |
| | LOINC | 5393-4 |
| | LOINC | 5394-2 |
| | LOINC | 57032-5 |
| | LOINC | 63464-2 |
| | LOINC | 6561-5 |
| | LOINC | 6562-3 |
| | LOINC | 71793-4 |
| | LOINC | 73752-8 |
| | LOINC | 76766-5 |
| | LOINC | 8041-6 |
| | LOINC | 91846-6 |

| Valid value code description |
|---|
| Treponema pallidum Ab [Units/volume] in Serum by Immobilization |
| Treponema pallidum Ab [Presence] in Serum by Immunofluorescence |
| Treponema pallidum Ab [Titer] in Serum by Latex agglutination |
| Treponema pallidum Ab [Presence] in Serum by Immunoblot |
| Treponema pallidum Ab [Units/volume] in Serum by Immunoassay |
| Treponema pallidum IgG Ab [Presence] in Serum |
| Treponema pallidum IgM Ab [Presence] in Serum |
| Treponema pallidum Ab [Titer] in Serum or Plasma by Agglutination |
| Reagin and Treponema pallidum IgG and IgM [Interpretation] in Serum or Plasma |
| Treponema pallidum polA gene [Presence] in Genital specimen by NAA with probe detection |
| Treponema pallidum Ab [Presence] in Serum by Hemagglutination |
| Treponema pallidum DNA [Presence] in Genital specimen by NAA with probe detection |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SNOMED CT | 11214006 |
| | SNOMED CT | 131194007 |
| | SNOMED CT | 10828004 |
| | SNOMED CT | 260373001 |
| | SNOMED CT | 260385009 |
| | SNOMED CT | 260415000 |
| | SNOMED CT | 42425007 |
| | SNOMED CT | 82334004 |
| | SNOMED CT | 419984006 |
| X | LOINC | LA6576-8 |
| X | LOINC | LA6577-6 |

| Valid value code description |
|---------------------------------|
| Reactive (qualifier value) |
| Non-reactive (qualifier value) |
| Positive (qualifier value) |
| Detected (qualifier value) |
| Negative (qualifier value) |
| Not detected (qualifier value) |
| Equivocal (qualifier value) |
| Indeterminate (qualifier value) |
| Inconclusive (qualifier value) |
| Positive (LOINC) |
| Negative (LOINC) |

Table 1. DEs with Valid Values

| Data element number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 41 | Do you want to talk about contraception or pregnancy prevention during your visit today | 98076-3 |

| Code Description | Missing valid value allowed |
|---|-----------------------------|
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| - | Yes |
| Do you want to talk about contraception or pregnancy prevention during your visit today | Yes |

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| X | LOINC | LA19958-0 |
| X | LOINC | LA19959-8 |
| X | LOINC | LA19960-6 |
| X | LOINC | LA19961-4 |
| X | LOINC | LA19962-2 |
| X | LOINC | LA19963-0 |
| X | LOINC | LA19964-8 |
| X | LOINC | LA19877-2 |
| | SNOMED CT | 373067005 |

| Valid value code description |
|---|
| No serological evidence of current or past infection |
| Biological false positive |
| Early primary syphilis |
| Treated syphilis |
| Person from a country endemic for yaws, pinta or bejel |
| May represent a biological false positive |
| May be infectious syphilis if no previous history of syphilis |
| Consistent with active infectious syphilis |
| No |

Table 1. DEs with Valid Values

[illegible]

[illegible]

| Transition value | Valid value code system | Valid value |
|------------------|-------------------------|-------------|
| | SNOMED CT | 373066001 |
| | LOINC | LA33-6 |
| | LOINC | LA32389-1 |
| | LOINC | LA32390-9 |
| | LOINC | LA32393-3 |
| | LOINC | LA32391-7 |
| | LOINC | LA32392-5 |
| X | NA | PAP |
| X | NA | HPV |
| X | NA | CHL |
| X | NA | GON |
| X | NA | HIV |
| X | NA | SYP |

| Valid value code description |
|---|
| Yes |
| Yes |
| No - I do not want to talk about contraception today because I am here for something else |
| No - This question does not apply to me/I prefer not to answer |
| No - I am already using contraception |
| No - I am unsure or don't want to use contraception |
| No - I am hoping to become pregnant in the near future |
| Pap smear |
| HPV |
| Chlamydia |
| Neisseria gonorrhoeae |
| HIV |
| Syphilis |

Table 2. DE Change Log

| Data Element Number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 1 | Facility identifier | 75524-9 |
| 2 | Attending physician NPI provider | 68468-8 |
| 3 | Provider role | 86637-8 |

LOINC code description

A code that identifies a hospital or clinic. The facility ID may be a true identifier (e.g. Facility NPI) or a pseudo-identifier.

A code to uniquely identify the physician who has overall responsibility for the patient's care and treatment during the reported encounter.

The role of the clinical provider (e.g., doctor, registered nurse) that provided services at the encounter.

Update for the 2024 FPAR (submitted in 2025)

No change

No change

Added (12/11/2024):

LA46-8 Other
74964007 Other (qualifier value)

Removed (6/6/24):

LA22037-8 Physical therapist
LA22038-6 Physical therapist assistant
LA46-8 Other
LA29256-7 Student Physical therapist
LA29257-5 Student Physical therapy assistant

Added (6/6/24):

309343006 Physician (occupation)
224535009 Registered nurse (occupation)
309453006 Registered midwife (occupation)
224571005 Nurse practitioner (occupation)
449161006 Physician assistant (occupation)
768825008 Doula (occupation)
409975003 Certified health education specialist (occupation)
106328005 Social worker (occupation)

Table 2. DE Change Log

| Data Element Number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 4 | Patient identifier | 76435-7 |
| 5 | Visit date | 76427-4 |
| 6 | Birth date | 21112-8 |
| 7 | Sex | 46098-0 |
| 8 | Limited English proficiency | 86640-0 |
| 9 | Ethnicity | 69490-1 |

| LOINC code description |
|---|
| <p>The patient identifier is a unique alphanumeric string that identifies a specific patient and is assigned by a specific organization (the assigning authority) that should be reported using [LOINC: 76698-0]. In HL7 v2 messages, the patient identifier is reported in PID-3.1 and the assigning authority in PID-3.4. An example of a-patient identifier is a medical record number, and the corresponding assigning authority is the appropriate healthcare facility. OPA will NOT collect identifiers such as social security number or driver's license.</p> |
| - |
| - |
| <p>Sex refers to a person's immutable biological classification as either female or male, based on whether the person is of the sex characterized by a reproductive system with the biological function of producing eggs (ova) or sperm.</p> |
| <p>This concept indicates whether the patient has limited English proficiency and may require care delivery in a language other than English.</p> |
| <p>This term is used for reporting the ethnicity based on classifications provided by the Office of Management and Budget (OMB), Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity (Oct. 30, 1997).</p> |

Update for the 2024 FPAR (submitted in 2025)

No change

No change

No change

Added (6/6/24):

M Male

F Female

Sex assigned at birth 76689-9

Added (6/6/24):

455951000124102 Proficient in English (finding)

455961000124100 Not proficient in English (finding)

Added (6/6/24):

2135-2 Hispanic or Latino

2186-5 Not Hispanic or Latino

Table 2. DE Change Log

| Data Element Number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 10a-f | Race | 32624-9 |
| 11 | Annual household income | 63586-2 |
| 12 | Household size [#] | 86639-2 |
| 13 | Insurance coverage type | 87520-3 |
| 14 | Payer for visit | 52556-8 |
| 15 | Pregnancy status | 82810-3 |

| LOINC code description |
|---|
| - |
| What was your best estimate of the total income of all family members from all sources, before taxes, in last year [PhenX] |
| Self-report of the total number of persons living in the household, including the patient. |
| A high level description of a patient's health coverage type, including various categories of insurance (public, private, etc.) and self-pay. To report the specific source(s) of payment for a health care product or service, use Payment sources [LOINC: 52556-8]. |
| Payment sources |
| This term should be used to indicate that the patient is currently pregnant, not pregnant, or that the pregnancy status is unknown at this time. Depending on the context in which this term is used, there may be a need to capture more granular information. For example, further information such as whether the pregnancy is planned or unplanned and whether the status is patient reported or test confirmed may be necessary. |

Update for the 2024 FPAR (submitted in 2025)

Added (6/6/24):

1002-5 American Indian or Alaska Native
2028-9 Asian
2054-5 Black or African American
2076-8 Native Hawaiian or Other Pacific Islander
2106-3 White

No change

No change

No change

No change

Added (6/6/24):

77386006 Pregnancy (finding)
60001007 Not pregnant (finding)
UNK Unknown

Table 2. DE Change Log

| Data Element Number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 16 | Pregnancy intention | 86645-9 |
| 17 | Contraceptive method at intake reported – at intake | 86649-1 |

| LOINC code description |
|--|
| <p>A patient's intention or desire in the next year to either become pregnant or prevent a future pregnancy. This includes male patients seeking pregnancy with a female partner. Pregnancy intention may be used to help improve preconception health screenings and decisions, such as determining an appropriate contraceptive method, taking folic acid, or avoiding toxic exposures such as alcohol, tobacco and certain medications.</p> |
| <p>At intake of patient encounter, their reported contraceptive method(s) used in the last sexual encounter.</p> |

Update for the 2024 FPAR (submitted in 2025)

Added (6/6/24):

| | |
|-----------------|---------------------------------------|
| 454411000124108 | Wants to become pregnant |
| 454401000124105 | No desire to become pregnant |
| 454391000124108 | Ambivalent about becoming pregnant |
| 454381000124105 | Not sure of desire to become pregnant |

Added (8/15/24):

| | |
|-----------------|---|
| 831141000124107 | Uses non-hormonal water-based vaginal gel contraception (finding) |
|-----------------|---|

Added (6/6/24):

| | |
|-----------------|--|
| 428987008 | Subcutaneous contraceptive implant present (finding) |
| 449038007 | Uses hormone releasing intrauterine device contraception (finding) |
| 448962006 | Uses copper intrauterine device contraception (finding) |
| 312081001 | Intrauterine device contraception (finding) |
| 60890002 | Female sterilization (procedure) |
| 22523008 | Vasectomy (procedure) |
| 268464009 | Depot contraception (finding) |
| 268458002 | Combined oral contraceptive - use (finding) |
| 169467008 | Progestogen only oral contraceptive (finding) |
| 413116005 | Transdermal contraception (finding) |
| 450850003 | Uses vaginal hormone releasing ring (finding) |
| 268461001 | Sheath contraception (finding) |
| 450851004 | Uses contraceptive diaphragm (finding) |
| 228479001 | Uses a female condom (finding) |
| 169513000 | Withdrawal contraception (finding) |
| 268466006 | Spermicidal contraception (finding) |
| 169530003 | Uses contraceptive sponge (finding) |
| 455501000124105 | Contraception based on fertility awareness (finding) |
| 454441000124107 | Contraception using lactation amenorrhea method (finding) |
| 455491000124102 | Male relying on female contraception (finding) |
| 275813002 | Emergency contraception (finding) |
| 454451000124109 | Declines to state contraceptive method (finding) |
| 169450001 | No contraceptive precautions (situation) |

Table 2. DE Change Log

| Data Element Number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|---|--|
| 18 | Reason for no contraceptive method use reported – at intake | 86650-9 |
| 19 | Contraceptive method at exit reported – at exit | 86651-7 |

LOINC code description

At intake of patient encounter, the reason the patient reported no contraceptive method used.

The contraceptive method(s) provided to or in use by the patient at the end of their visit after counseling and assessment by a provider.

Update for the 2024 FPAR (submitted in 2025)

Added (11/1/24):

LA27928-3 (Seeking pregnancy)

Added (6/6/24):

| | |
|-----------------|------------------------------------|
| 454731000124108 | Sexually abstinent (finding) |
| 454361000124100 | Has same sex partner (finding) |
| 74964007 | Other (qualifier value) |
| 15296000 | Sterility (finding) |
| 454411000124108 | Wants to become pregnant (finding) |

Removed (11/1/24):

454731000124108 Sexually abstinent (finding)

Added (8/15/24):

831141000124107 Uses non-hormonal water-based vaginal gel contraception (finding)

Added (6/6/24):

| | |
|-----------------|--|
| 428987008 | Subcutaneous contraceptive implant present (finding) |
| 449038007 | Uses hormone releasing intrauterine device contraception (finding) |
| 448962006 | Uses copper intrauterine device contraception (finding) |
| 312081001 | Intrauterine device contraception (finding) |
| 60890002 | Female sterilization (procedure) |
| 22523008 | Vasectomy (procedure) |
| 268464009 | Depot contraception (finding) |
| 268458002 | Combined oral contraceptive - use (finding) |
| 169467008 | Progestogen only oral contraceptive (finding) |
| 413116005 | Transdermal contraception (finding) |
| 450850003 | Uses vaginal hormone releasing ring (finding) |
| 268461001 | Sheath contraception (finding) |
| 450851004 | Uses contraceptive diaphragm (finding) |
| 228479001 | Uses a female condom (finding) |
| 169513000 | Withdrawal contraception (finding) |
| 268466006 | Spermicidal contraception (finding) |
| 169530003 | Uses contraceptive sponge (finding) |
| 455501000124105 | Contraception based on fertility awareness (finding) |
| 454441000124107 | Contraception using lactation amenorrhea method (finding) |
| 455491000124102 | Male relying on female contraception (finding) |
| 275813002 | Emergency contraception (finding) |
| 454451000124109 | Declines to state contraceptive method (finding) |
| 169450001 | No contraceptive precautions (situation) |
| 454731000124108 | Sexually abstinent (finding) |

Table 2. DE Change Log

| Data Element Number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 20 | Reason for no contraceptive method use reported –at exit | 86653-3 |
| 21 | How contraceptive method was provided | 86652-5 |
| 22 | Contraceptive counseling was provided | 86654-1 |
| 23 | Counseling to achieve pregnancy was provided | 86655-8 |
| 24 | Systolic blood pressure | 8480-6 |
| 25 | Diastolic blood pressure | 8462-4 |
| 26 | Body height | 8302-2 |
| 26b | Body height unit of measurement | 8302-2 |
| 27 | Body weight | 29463-7 |
| 27b | Body weight unit of measurement | 29463-7 |

| LOINC code description |
|--|
| The reported reason at the end of the patient's visit for not using a contraceptive method(s). |
| The method for how the birth control was provided (e.g., on site, referral, prescription) to the patient at the end of an encounter. |
| Contraceptive counseling is an interaction in which a provider spends time (5-10 minutes) during an encounter discussing the patient's choice of contraceptive method and available options. |
| Counseling to achieve pregnancy is an interaction in which a provider spends time during an encounter discussing any services and/or provides counseling related to achieving pregnancy or addressing infertility. |
| - |
| - |
| - |
| - |
| - |
| - |

Update for the 2024 FPAR (submitted in 2025)

Added (11/1/24):
454731000124108 Sexually abstinent (finding)

Added (6/6/24):
454361000124100 Has same sex partner (finding)
74964007 Other (qualifier value)
15296000 Sterility (finding)
454411000124108 Wants to become pregnant (finding)

Added (6/6/24):
308335008 Patient encounter procedure (procedure)
281100006 Referral to health worker (procedure)
16076005 Prescription (procedure)

Added (6/6/24):
373066001 Yes
373067005 No

Added (6/6/24):
373066001 Yes
373067005 No

No change

No change

No change

No change

No change

No change

Table 2. DE Change Log

| Data Element Number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 28 | Tobacco smoking status | 72166-2 |
| 29 | Pap test performed at this visit | No LOINC code associated with this DE |
| 30 | Pap smear test results | 86662-4 |
| 31 | HPV test performed at this visit | No LOINC code associated with this DE |

| LOINC code description |
|--|
| <p>Tobacco smoking status represents a person's smoking behavior. Smoking statuses can be classified as current every day smoker, current some day smoker, former smoker, never smoker, smoker - current status unknown, unknown if ever smoked, current heavy tobacco smoker, and current light tobacco smoker. These statuses represent CDC's preferred (sometimes required) responses for recording smoking status.</p> |
| - |
| <p>Set of lab terms that may be used to gather Pap smear test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR).</p> |
| - |

Update for the 2024 FPAR (submitted in 2025)

Added (6/6/24):

| | |
|-----------------|---|
| 449868002 | Smokes tobacco daily (finding) |
| 428041000124106 | Occasional tobacco smoker (finding) |
| 8517006 | Ex-smoker (finding) |
| 266919005 | Never smoked tobacco (finding) |
| 266927001 | Tobacco smoking consumption unknown (finding) |
| 428071000124103 | Heavy tobacco smoker (finding) |
| 428061000124105 | Light tobacco smoker (finding) |

Test codes in Pap Smear Tests Panel (86662-4)

Modified (6/6/24):

Data Element description from "Pap smear tests - FPAR 2.0 set (PANEL)" to "Pap smear test results"

Test codes in HPV Tests Panel (86658-2)

Table 2. DE Change Log

| Data Element Number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|---------------------|--|--|
| 32 | HPV test results | 86658-2 |
| 33 | Chlamydia sp test performed at this visit | No LOINC code associated with this DE |
| 34 | Chlamydia sp test results | 86659-0 |
| 35 | Neisseria gonorrhoeae test performed at this visit | No LOINC code associated with this DE |
| 36 | Neisseria gonorrhoeae test results | 86660-8 |
| 37 | HIV test performed at this visit | No LOINC code associated with this DE |
| 38 | HIV 1 and 2 test results | 86657-4 |

| LOINC code description |
|---|
| Set of lab terms that may be used to gather HPV test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). |
| - |
| Set of lab terms that may be used to gather Chlamydia trachomatis test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). |
| - |
| Set of lab terms that may be used to gather Neisseria gonorrhoeae test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). |
| - |
| Set of lab terms that may be used to gather HIV 1 & 2 test results at time of the patient encounter as specified by the Family Planning Annual Report (FPAR). |

Update for the 2024 FPAR (submitted in 2025)

Added (6/6/24):

| | |
|-----------|--------------------------------|
| 11214006 | Reactive (qualifier value) |
| 131194007 | Non-Reactive (qualifier value) |
| 419984006 | Inconclusive (qualifier value) |

Modified (6/6/24):

Data Element description from "HPV tests - FPAR 2.0 set (PANEL)" to "HPV test results"

Test codes in Chlamydia Tests Panel (86659-0)

Added (6/6/24):

| | |
|-----------|--------------------------------|
| 11214006 | Reactive (qualifier value) |
| 131194007 | Non-Reactive (qualifier value) |
| 419984006 | Inconclusive (qualifier value) |

Modified (6/6/24):

Data element description from "Chlamydia sp tests - FPAR 2.0 set (PANEL)" to "Chlamydia sp test results"

Test codes in Neis. Gonorrhea Tests Panel (86660-8)

Added (6/6/24):

| | |
|-----------|--------------------------------|
| 11214006 | Reactive (qualifier value) |
| 131194007 | Non-Reactive (qualifier value) |
| 419984006 | Inconclusive (qualifier value) |

Modified (6/6/24):

Data element description from "Neisseria gonorrhoeae tests - FPAR 2.0 set (PANEL)" to "Neisseria gonorrhoeae test results"

Test codes in HIV 1 & 2 Tests Panel (86657-4)

Modified (6/6/24):

Data element description from "HIV 1 and 2 tests - FPAR 2.0 set (PANEL)" to "HIV 1 and 2 test results"

Table 2. DE Change Log

| Data Element Number | FPAR 2.0 data element (long common name) | LOINC data element code (if available) |
|--------------------------------|--|---|
| 39 | Syphilis test performed at this visit | No LOINC code associated with this DE |
| 40 | Syphilis test results | No LOINC code associated with this DE |
| 41 | Do you want to talk about contraception or pregnancy prevention during your visit today | <u>98076-3</u> |

| LOINC code description |
|--|
| - |
| - |
| Do you want to talk about contraception or pregnancy prevention during your visit today? |

Update for the 2024 FPAR (submitted in 2025)

Test codes in value set 2.16.840.1.113762.1.4.1166.117

Added (6/6/24):

419984006 Inconclusive (qualifier value)

Modified (6/6/24):

Data element description from "Syphilis Test Result" to "Syphilis test results"

Added (6/6/24):

373067005 No

373066001 Yes

Table 3. Column Change Log

Grant recipients should reference this latest version (January 2023)

| Column | Column name in FPAR 2.0 Data Elements file (September 2023) |
|----------|---|
| Column A | Data Element |
| Column B | FPAR 2.0 Data Element (Long Common Name) |
| Column C | Data element code (if available) |
| Column D | Standard terminology code system |
| Column E | Term description |
| Column F | Value set/Answer list name |
| Column G | Response descriptions |
| Column H | Expected codes/values |
| Column I | Value set OID (If applicable) |
| Column J | Notes |
| Column K | eCQM |

025) for FPAR 2.0 data collection and reporting.

| Column name in 2024 Valid Values file (January 2025) |
|--|
| |
| Data element number. FPAR 2.0 data element |
| (long common name) |
| |
| LOINC data element code (if available) |
| |
| LOINC code description |
| |
| Missing valid value allowed |
| |
| Transition value |
| |
| Valid value code system |
| |
| Valid value |
| |
| Valid value code description |
| |
| |

| |
|--|
| |
|--|

| Notes |
|---|
| The column name changed slightly but the content remains the same. For both files, this column contains the data element number. |
| No changes were made to this column. |
| The column name changed slightly but the content remains the same. For both files, this column contains the LOINC data element code, if available. |
| The Standard Terminology Code System column in the FPAR 2.0 Data Elements file was removed in the 2024 valid values file. This column is replaced by a column that provides a description of the LOINC codes (if available). |
| The Term Description column in the FPAR 2.0 Data Elements file was removed in the 2024 valid values file. This column is replaced by a column that indicates whether a missing value would be accepted by the FPAR 2.0 system for each data element. |
| The Value Set/Answer List Name column in the FPAR 2.0 Data Elements file was removed in the 2024 valid values file. This column is replaced by a column that indicates whether a response option would eventually be phased out. |
| The Response Descriptions column in the FPAR 2.0 Data Elements file was removed in the 2024 valid values file. This column is replaced by a column that lists the standard terminology system where the listed data element and code are located. |
| The Expected Codes/Values column in the FPAR 2.0 Data Elements file was removed in the 2024 valid values file. This column is replaced by a column that indicates the code or value considered valid for the corresponding data element available for FPAR reporting. |
| The Value Set OID Name column in the FPAR 2.0 Data Elements file was removed in the 2024 valid values file. This column is replaced by a column that lists descriptions for the valid code or value. |
| The Notes column in the FPAR 2.0 Data Elements file was removed in the 2024 valid values file. |
| The eCQM column in the FPAR 2.0 Data Elements file was removed in the 2024 valid values file. |

Table 3. Column Change Log

| Grant recipients should reference this latest version (January 2023) | |
|--|---|
| Column | Column name in FPAR 2.0 Data Elements file (September 2023) |
| Column L | Modified contraceptive care measures |

25) for FPAR 2.0 data collection and reporting.

| Column name in 2024 Valid Values file (January 2025) |
|--|
| |

| |
|--|
| |
|--|

| Notes |
|-------|
|-------|

| |
|--|
| <p>The Modified Contraceptive Care Measures column in the FPAR 2.0 Data Elements file was removed in the 2024 valid values file.</p> |
|--|

FAQs

Why is the list being changed? What are the key changes to the valid values document?

No data elements have been added since the 2023 FPAR. The 2024 Valid Values File is a reference file listing all FPAR 2.0 data elements and acceptable values that may be used for the 2024 FPAR (submitted in 2025). The updated valid values file contains updated response options that may be easier to report (e.g., insurance coverage type, payer for visit), and have more precise definitions. Additionally, newly added response options are responsive to requests to provide client-centered care. We are also beginning a transition to use SNOMED codes, which better align with industry standards for data interoperability. Response options for data elements will be updated to follow advancements of EHR standards for data interoperability.

Response options were updated for 28 data elements in the valid values document.

The valid values file indicates codes that will eventually be replaced to better align with data exchange standards being adopted by the U.S. Department of Health and Human Services.

During the transition period, the system will continue to accept valid values that grantees used prior to the 2024 edition of the valid values file. OPA has not determined a final date for accepting the transition values.

The 2024 FPAR 2.0 Data Elements with Valid Values file was just released in December 2024. What is different about the January 2025 version?

In January 2025, minor updates were made to the 2024 valid values:

- Data Element 42 and Data Element 43 were removed.

No other changes were made between the December 2024 and January 2025 versions. Grant recipients should reference the latest version of the file (January 2025) for FPAR 2.0 data collection and reporting.

Previous valid values files (including the 2023 Valid Values file) had five columns. The 2024 Valid Values sheet has 9 columns. Which columns changed?

One of the key differences in the updated valid values file is a column with descriptions for each data element. The updated valid values file contains a README tab, DE Change Log tab, and Column Change Log tab, which provide a detailed list of updates to columns and valid values.

What is a transition value?

A transition value is a valid value (response option code) that OPA intends to retire in the future for any given FPAR element. Grantees can continue to report transition values until a transition date is finalized in the future. Otherwise, grantees can start using new response options as soon as they are able.

When will the transition be over?

FAQs

OPA has not determined a final date for accepting the transition values.

How long can I continue using the original codes? I already expended lots of effort mapping to the original codes.

OPA is initiating the transition to additional codes in order to keep FPAR 2.0 aligned with industry standards for health data exchange. We expect data standards to continue to evolve and encourage grantees to migrate to updated codes when feasible. Grantees can continue to submit previously released valid values until further notice. These new options can be used in place of, or in conjunction with, previously released codes.

How soon must I begin mapping and using the new codes?

Grantees can submit any valid value (new codes and previously published codes) contained in the 2024 valid values file for the 2024 FPAR (submitted in 2025).