

Hemovigilance Module Adverse Reaction Post Transfusion Purpura

***Required for saving**

*Facility ID#: _____		NHSN Adverse Reaction #: _____	
Patient Information			
*Patient ID: _____		*Date of Birth: ____/____/____	
*Sex: ☐ M ☐ F			
Social Security #: _____		Secondary ID: _____ Medicare #: _____	
Last Name: _____		First Name: _____ Middle Name: _____	
Ethnicity (Specify): ☐ Hispanic or Latino ☐ Not Hispanic or Latino ☐ Unknown ☐ Declined to respond			
Race (Select all that apply): ☐ American Indian or Alaska Native ☐ Asian ☐ Black or African American ☐ Middle Eastern or North African ☐ Native Hawaiian or Pacific Islander ☐ White ☐ Unknown ☐ Declined to respond			
Preferred Language (Specify from the list provided): _____		Interpreter Needed: ☐ Yes ☐ No ☐ Unknown ☐ Declined to Respond	
*Blood Group: ☐ A- ☐ A+ ☐ B- ☐ B+ ☐ AB- ☐ AB+ ☐ O- ☐ O+ ☐ Blood type not done ☐ Transitional ABO / Transitional Rh ☐ Transitional ABO / Rh + ☐ Transitional ABO / Rh - ☐ Group A/Transitional Rh ☐ Group B/Transitional Rh ☐ Group O/Transitional Rh ☐ Group AB/Transitional Rh			
Patient Medical History			
List the patient's admitting diagnosis. <i>(Use ICD-10 Diagnostic codes/descriptions)</i>			
Code: _____		Description: _____	
Code: _____		Description: _____	
Code: _____		Description: _____	
List the patient's underlying indication for transfusion. <i>(Use ICD-10 Diagnostic codes/descriptions)</i>			
Code: _____		Description: _____	
Code: _____		Description: _____	
Code: _____		Description: _____	
List the patient's comorbid conditions at the time of the transfusion related to the adverse reaction. <i>(Use ICD-10 Diagnostic codes/descriptions)</i>			☐ UNKNOWN ☐ NONE
Code: _____		Description: _____	
Code: _____		Description: _____	
Code: _____		Description: _____	

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). CDC 57.314 Rev. 3, v9.2

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering, and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).

List the patient's relevant medical procedure including past procedures and procedures to be performed during the current hospital or outpatient stay. (Use ICD-10 Procedure codes/descriptions)

☐ UNKNOWN
☐ NONE

Code: _____ Description: _____
 Code: _____ Description: _____
 Code: _____ Description: _____

Additional Information _____

Transfusion History

Has the patient received a previous transfusion? ☐ YES ☐ NO ☐ UNKNOWN
 Blood Product: ☐ WB ☐ RBC ☐ Platelet ☐ Plasma ☐ Cryoprecipitate ☐ Granulocyte
 Date of Transfusion: ____/____/____ ☐ UNKNOWN
 Was the patient's adverse reaction transfusion-related? ☐ YES ☐ NO
 If yes, provide information about the transfusion adverse reaction.
 Type of transfusion adverse reaction: ☐ Allergic ☐ AHTR ☐ DHTR ☐ DSTH ☐ FNHTR
☐ HTR ☐ TTI ☐ PTP ☐ TACO ☐ TAD ☐ TA-GVHD ☐ TRALI ☐ UNKNOWN
☐ OTHER Specify _____

Reaction Details

*Date reaction occurred: ____/____/____ *Time reaction occurred: ____:____ ☐ Time unknown
 *Facility location where patient was transfused: _____
 Is this reaction associated with an incident? ☐ Yes ☐ No If Yes, Incident #: _____

Investigation Results

*☐ Post transfusion purpura (PTP)

*Case Definition

Check all that occurred after cessation of transfusion :

- ☐ Alloantibodies in the patient directed against HPA or other platelet specific antigen detected at or after development of thrombocytopenia.
- ☐ Thrombocytopenia (i.e., decrease in platelets to less than 20% of pre-transfusion count).
- ☐ Decrease in platelets to levels between 20% and 80% of pre-transfusion count.

Check all that apply:

- ☐ PTP is suspected, but laboratory findings and/or information are not sufficient. NOTE: For example, the patient has a drop in platelet count to less than 80% of pre-transfusion count but HPA antibodies were not tested or were negative.

Other signs and symptoms: (check all that apply)

Generalized:	☐ Chills/rigors	☐ Fever	☐ Nausea/vomiting
Cardiovascular:	☐ Blood pressure decrease	☐ Shock	
Cutaneous:	☐ Edema	☐ Flushing	☐ Jaundice
	☐ Other rash	☐ Pruritus (itching)	☐ Urticaria (hives)
Hemolysis/Hemorrhage:	☐ Disseminated intravascular coagulation ☐ Hemoglobinemia		
	☐ Positive antibody screen		
Pain:	☐ Abdominal pain	☐ Back pain	☐ Flank pain ☐ Infusion site pain
Renal:	☐ Hematuria	☐ Hemoglobinuria	☐ Oliguria

Respiratory:

- ☐ Bilateral infiltrates on chest x-ray ☐ Bronchospasm ☐ Cough
☐ Hypoxemia ☐ Shortness of breath

☐ Other: (specify) _____

*Severity

Did the patient receive or experience any of the following?

- ☐ No treatment required ☐ Symptomatic treatment only
☐ Hospitalization, including prolonged hospitalization ☐ Life-threatening reaction
☐ Disability and/or incapacitation ☐ Congenital anomaly or birth defect(s) of the fetus
☐ Other medically important conditions ☐ Death ☐ Unknown or not stated

*Imputability

Which best describes the relationship between the transfusion and the reaction?

- ☐ Patient has no other conditions to explain thrombocytopenia.
☐ There are other potential causes present that could explain thrombocytopenia, but transfusion is the most likely cause.
☐ Alternate explanations for thrombocytopenia are more likely, but transfusion cannot be ruled out.
☐ Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded.
☐ There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion.
☐ The relationship between the adverse reaction and the transfusion is unknown or not stated.

Did the transfusion occur at your facility? ☐ YES ☐ NO

When did the reaction occur in relation to the transfusion?

- ☐ Occurred 5-12 days post-transfusion
☐ Occurred less than 5 or more than 12 days post-transfusion

Module-generated Designations

NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN application based on responses in the corresponding investigation results section above.

***Do you agree with the case definition designation?**

☐ YES ☐ NO

^Please indicate your designation _____

***Do you agree with the severity designation?**

☐ YES ☐ NO

^Please indicate your designation _____

***Do you agree with the imputability designation?**

☐ YES ☐ NO

^Please indicate your designation _____

Patient Treatment

Did the patient receive treatment for the transfusion reaction? ☐ YES ☐ NO ☐ UNKNOWN

If yes, select treatment(s):

- ☐ Medication (Select the type of medication)
- ☐ Antipyretics ☐ Antihistamines ☐ Inotropes/Vasopressors ☐ Bronchodilator ☐ Diuretics
☐ Intravenous Immunoglobulin ☐ Intravenous steroids ☐ Corticosteroids ☐ Antibiotics
☐ Antithymocyte globulin ☐ Cyclosporin ☐ Other

- ☐ Volume resuscitation (Intravenous colloids or crystalloids)
- ☐ Respiratory support (*Select the type of support*)
 ☐ Mechanical ventilation
 ☐ Noninvasive ventilation
 ☐ Oxygen
- ☐ Renal replacement therapy (*Select the type of therapy*)
 ☐ Hemodialysis
 ☐ Peritoneal
 ☐ Continuous Veno-Venous Hemofiltration
- ☐ Phlebotomy
- ☐ Other Specify: _____

Outcome

- *Outcome:**
☐ Death
 ☐ Major or long-term sequelae
 ☐ Minor or no sequelae
 ☐ Not determined
- Date of Death: ____/____/____
- ^If recipient died, relationship of transfusion to death:
 ☐ Definite
 ☐ Probable
 ☐ Possible
 ☐ Doubtful
 ☐ Ruled Out
 ☐ Not determined
- Cause of death: _____
- Was an autopsy performed? ☐ Yes ☐ No

Component Details

***Was a particular unit implicated in (i.e., responsible for) the adverse reaction?**

☐ Yes
 ☐ No
 ☐ N/A

Transfusion Start and End Date/Time	*Component code (check system used)	Amount transfused at reaction onset	^Unit number (Required for Infection and TRALI)	*Unit expiration Date/Time	*Blood group of unit	Implicated Unit?
____/____/____ ____:____:____	☐ ISBT-128 ☐ Codabar	☐ Entire unit ☐ Partial unit mL	_____ _____ _____	____/____/____ ____:____:____	☐ A- ☐ A+ ☐ B- ☐ B+ ☐ AB- ☐ AB+ ☐ O- ☐ O+ ☐ N/A	Y
____/____/____ ____:____:____	☐ ISBT-128 ☐ Codabar	☐ Entire unit ☐ Partial unit mL	_____ _____ _____	____/____/____ ____:____:____	☐ A- ☐ A+ ☐ B- ☐ B+ ☐ AB- ☐ AB+ ☐ O- ☐ O+ ☐ N/A	N

Custom Fields

Label	Label
_____ _____ _____	_____ _____ _____

Comments

