

Document Drafted On: June 19, 2014

I. Purpose

This document contains the specifications for the Computer Assisted Personal Interview (CAPI) Quality Assurance (QC) Reinterview Blaise Instrument for the 2015 Consumer Expenditure Quarterly (CEQ).

II. Quality Control Reinterview

CAPI original interviews and Type B and C noninterviews are eligible for a QC reinterview. The goal of the QC reinterview is to detect falsification by the interviewer. The reinterview instrument includes paths for telephone reinterviews and personal visit reinterviews.

III. Instrument Specifications

These specifications have been separated into three major parts. The front specifications, Section XIII, include the screens that direct the reinterviewer to make contact, introduce himself/herself, and ask for the respondent. The middle specifications, Section XIV, include the roster verification screens and the survey specific questions used to determine whether falsification occurred. The back specifications, Section XV, include the thank you screens and the screens that set up callbacks, assign reinterview dispositions, and wrap up the case.

Attachment A, “Reinterview Instrument Screen Index”, provides the page number(s) of each screen listed in these specifications.

For each screen in these specifications, the following information is provided:

| | |
|--------------------------|---|
| Variable Name | The screen name that appears on the status bar. |
| Field Description | The name used in the Form Pane. The respondent’s answer appears next to this variable. |
| Field Definition | The variable definition. |
| Universe | Details what must occur to obtain the variable. |
| | Shows how the screen should look in the instrument. |
| Info Pane | <u>Note:</u> Any text on the info pane in bold denotes display information that is read aloud by the reinterviewer. Display this text in bold font in black on the screen. All other text denotes display information that is NOT read aloud by the reinterviewer. Display this text in regular font in blue on the screen. |
| Form Pane | The respondent’s answers are collected next to the field descriptions here. |

Note:

The field for the current screen should be displayed **in regular font in blue** on the form pane. On the form pane, the current field's description is always followed by '[fill]'.

| | |
|-----------------------------|--|
| Question Text | Displays the question the reinterviewer must ask or answer. |
| Fill Instructions | When applicable, detailed information about screen fills are stated here. |
| Field Length | The maximum length of the given field. |
| Valid Values | Gives the values that are valid for the variable. |
| Skip Instructions | Tells where the reinterviewer will go after collecting a specific variable. |
| Special Instructions | Contains important information about the variable. |
| Help Reference Word | Contains the key word that will be included in the Help section of the instrument. The definition of the key word will appear when the reinterviewer presses F1. |

IV. Record-Typed Reinterview Input File

Attachment H contains instructions on how to download the Reinterview Sample Control Input File (SCIF) for the CEQ 2015 Reinterview Survey. This Reinterview SCIF lists all of the variables by record type that are on the reinterview input file. The original instrument needs to set or initialize these variables, except for the few that are set by the Demographic Statistical Methods Division (DSMD) generic reinterview system. DSMD's reinterview system creates the reinterview input files.

Refer to the CEQ Reinterview SCIF in Attachment H for information regarding the description, length, and values of each of the variables required for reinterview. Record Type 8500 in the CEQ Reinterview SCIF shows household level variables in positions 1-251 and person level variables in position 1-96. CEQ Survey specific household and person level variables follow these positions, respectively.

The following is a list of reinterview input file variables utilized in the CEQ 2015 reinterview instrument. These variables are used to set new variables, "fill" entries on the screen, or to control pathing. The original instrument must set and output these variables, except for SURVEY_SET, which is set by DSMD. Some of these variables are used in the generic portions of the reinterview instrument. If the CEQ Survey uses a different name for any of these generic variables, the CEQ name is noted in the 'Description' column. Convert the variable's CEQ name to its generic name in the manipula script when extracting the original output for reinterview.

| Name | Description | Record Type |
|------------------|-------------------------------------|-------------|
| INTPER | Original interview period | 1002 |
| RESPNAME | Respondent name | 1002 |
| AREA | Respondent's phone number area code | 1002 |
| PREFIX | Respondent's phone number prefix | 1002 |
| SUFFIX | Respondent's phone number suffix | 1002 |
| EXTN | Respondent's phone extension | 1002 |
| HNO | Address – house number | 2006 |
| HNOSUF | Address – house number suffix | 2006 |
| STRNAME | Address – street name combined | 2006 |
| UNITDES | Address – unit designation | 2006 |
| GQUNITINFO | Address – GQ unit designation | 2006 |
| NONCITYADD | Address – non-city style address | 2006 |
| PHYSDES | Address – physical description | 2006 |
| PO | Address - locality | 2006 |
| ST | Address – state abbreviation | 2006 |
| ZIP5 | Address – ZIP code | 2006 |
| ZIP4 | Address – ZIP4 | 2006 |
| BLDGNAME | Address – building name | 2006 |
| EMAILADDRESS | Household level email address | 2552 |
| ORIUSERID | Interviewer James Bond ID | 2552 |

| Name | Description | Record Type |
|----------------------|---|-------------|
| INTNMBR | Interview number | 2552 |
| ORIOUT | Original outcome code – See Attachment B for values *OUTCOME in CEQ original document – Convert OUTCOME to ORIOUT in manipula script | 2552 |
| ORIFR | Original FR code of interviewer who completed the case *INTID in CEQ original instrument – Convert OUTCOME to ORIOUT in manipula script | 2552 |
| CP1NAME ¹ | Contact person 1's name | 8001 |
| CP1TITL ¹ | Contact person 1's title | 8001 |
| CP1PHON ¹ | Contact person 1's phone number | 8001 |
| CP1EXT ¹ | Contact person 1's phone extension | 8001 |
| CP1PHT ¹ | Type of phone for contact person | 8001 |
| CP1ADD1 ¹ | Contact person 1's address 1 | 8001 |
| CP1ADD2 ¹ | Contact person 1's address 2 | 8001 |
| CP1PO ¹ | Contact person 1's address – PO/city | 8001 |
| CP1ST ² | Contact person 1's address – state | 8001 |
| CP1ZP5 ¹ | Contact person 1's address – ZIP code | 8001 |
| CP1ZP4 ¹ | Contact person 1's address – ZIP4 | 8001 |
| BESTTIME | Best time to call | 8200 |
| BESTTIM2 | Best time other | 8200 |
| NOSUNDAY | Do not call on Sunday | 8200 |
| PHTYP | Type of phone for respondent or household | 8200 |

¹ Attachment H specifies the screens required in the original instrument to collect the variable BYOBS and contact person information for original Type B and C noninterview cases. The original instrument must include these screens.

² Attachment H specifies the screens required in the original instrument to collect the variable BYOBS and contact person information for original Type B and C noninterview cases. The original instrument must include these screens.

| Name | Description | Record Type |
|--------------------|---|---------------------|
| SPHONE | Second phone number of respondent or household | 8200 |
| SPHEXT | Second phone number's extension | 8200 |
| SPHTYP | Type of phone for second phone number | 8200 |
| BYOBS ¹ | Original case classified as a noninterview by: 1 = Observation only 2 = Information provided by contact person 0 or empty = Question not asked for an interview or Type A case | 8500 (HH level) |
| INTDATE | Original interview date | 8500 (HH level) |
| TYPEA_SP | Other Type A noninterview – write-in *TYPEASP in CEQ original instrument – Convert TYPEASP to TYPEA_SP in manipula script | 8500 (HH level) |
| TYPEB_SP | Other Type B noninterview – write-in | 8500 (HH level) |
| TYPEC_SP | Other Type C noninterview – write-in | 8500 (HH level) |
| NUMHOUSE | Number of persons in primary CU | 8500 (HH level) |
| TOTAL_CU | Number of CUs | 8500 (HH level) |
| REF_MONTH | Reference month | 8500 (HH level) |
| LANGUAGE | Language used to conduct interview | 8500 (HH level) |
| RESPON | Line number of primary respondent | 8500 (HH level) |
| SURVEY_SET | Group number of section questions selected for reinterview | 8500 (HH level) |
| NROSIZE | Number of records for Block 01 (HH roster size) | 8500 (person level) |
| LNO | HH composition – line number *MEMBNO in CEQ original instrument – Convert MEMBNO to LNO in manipula script | 8500 (person level) |
| QCRESP | A flag indicating which household members are the respondents for complete original interviews. Place this flag on each person record. In the reinterview, | 8500 (person level) |

| Name | Description | Record Type |
|----------|--|---------------------|
| | the original respondent (that is, the person the interviewer actually spoke to) is reinterviewed whenever possible. Values for this flag are: 1 = person interviewer spoke to 0 = all other household members | |
| FNAME | HH composition – first name | 8500 (person level) |
| LNAME | HH composition – last name | 8500 (person level) |
| AGE | HH composition – age | 8500 (person level) |
| REL | HH composition – relationship *CU_CODE in CEQ original instrument – Convert CU_CODE to REL in manipula script | 8500 (person level) |
| SEX | HH composition – sex | 8500 (person level) |
| MEMBSTAT | Household status flag | 8500 (person level) |
| PERSTAT | Status – delete/reinstate | 8500 (person level) |
| AWAY_COL | HH composition – away at college | 8500 (person level) |
| HH_MEM | HH composition – household member | 8500 (person level) |
| PERCUNUM | HH composition – CU member | 8500 (person level) |

V. Variables Set in Reinterview Instrument

A. Set these variables in the CEQ reinterview instrument as follows:

RPROXY_A This is a flag indicating whether a proxy is allowed in the reinterview. Set to

1 = proxy allowed in reinterview

OPROXY_A This is a flag indicating whether a proxy interview is allowed in the original survey. Set to

1 = proxy allowed in original interview

| | |
|---------------|--|
| OPROXY_U | <p>This is a flag indicating for which household member a proxy was used in the original interview. However, since CE does not verify the eligibility of proxy, this flag is not set in the original instrument. Set</p> <p>OPROXY_U = 0</p> |
| SURVEY_NAME | <p>This is a string variable (200 characters in length) indicating the name of the survey. Set to</p> <p>Consumer Expenditure Quarterly Survey</p> |
| USE_CKSUP | <p>This is a string variable (three characters in length) indicating if the interviewer needs authorization before conducting a personal visit due to budget concerns. Set to</p> <p>Yes = Interviewer needs authorization</p> |
| <DISCREPANCY> | <p>This is an array of 12 elements. It contains a list of codes indicating the various discrepancies found during the reinterview. When the reinterview instrument indicates a discrepancy, the instrument will store the appropriate code in this array. Upon wrapping up a case, the DISCREPANCY array is copied into the Reinterview Notes. See Attachment F.</p> |
| ORIOUT_RSLT | <p>This is a string variable (four characters in length) indicating the type of original outcome for a case. Set as follows:</p> <p>If ORIOUT = 201 or 203, then ORIOUT_RSLT = INT. If ORIOUT = 216, 217, 219, 321, 322, 323 or 324, then ORIOUT_RSLT = A. If ORIOUT = 224, 225, 226, 228, 229, 231, 2, D, R32, 331, or 332, then ORIOUT_RSLT = B1. If ORIOUT = 233, then ORIOUT_RSLT = B2. If ORIOUT = 240, 241, 2, D, R43, 244, 245, 246 or 252, then ORIOUT_RSLT = C1. If ORIOUT = 248, 341 or 342, then ORIOUT_RSLT = C2.</p> |
| TYPE_D | <p>This is a string variable (three characters in length) indicating if the original survey has original Type D noninterviews. Set to</p> <p>No = original survey does not have original Type D noninterviews.</p> |

| | |
|----------------------|---|
| VACANT_INT | <p>This is a string variable (three characters in length) indicating if the survey has vacant interviews. Set to</p> <p>No = survey does not have vacant interviews.</p> |
| REDESIGN | <p>This is a string variable (three characters in length) indicating if the survey has converted to the 2000 Sample Redesign. Set to</p> <p>Yes = survey has converted to the 2000 Sample Redesign.</p> |
| PUERTO_RICO | <p>This is a string variable (three characters in length) indicating if the survey includes Puerto Rico addresses. Set to</p> <p>No = survey does not include Puerto Rico addresses.</p> |
| PV_ONLY | <p>This is a string variable (three characters in length) indicating if the survey requires all original interviews to be conducted by personal visit. Set to</p> <p>Yes = all original interviews must be done by personal visit.</p> |
| MIN_AGE | <p>This is a numeric variable (two characters in length) indicating the minimum age for an eligible respondent. Set to</p> <p>16 = minimum age for an eligible respondent</p> |
| CONTACT_C_INFO (1-3) | <p>This is a three string variable (80 characters in length each) indicating some descriptive text for the survey to be filled on the CONTACT_C screen. Set to</p> <p>CONTACT_C_INFO1 = bills and other household expenses CONTACT_C_INFO2 is empty CONTACT_C_INFO3 is empty</p> |
| ROSTER_INFO (1-3) | <p>This is a three string variable (80 characters in length each) indicating some descriptive text for the survey to be filled on the ROSTER_3 and ROSTER_4 screens. Set to</p> <p>ROSTER_INFO1 = didn't have a usual residence elsewhere or who wasn't away at college ROSTER_INFO2 = on [Fill: INTDATE]</p> |

ROSTER_INFO3 is empty

| | |
|-------------|--|
| TYPEB_SPLIT | This is a string variable (three characters in length) indicating if reinterview noninterview vacants and Usual Residence Elsewhere (UREs) need to be split between regular and seasonal. Set to No = vacants and UREs are not split between regular and seasonal |
| RIDATE | This is the date stamp that the CEQ reinterview instrument marks when a case is opened. Its format is mmddyyyy. |
| TIME_C | This is the time stamp that the CEQ reinterview instrument marks when a case is opened. Its format is hhmmss in military time. |
| OIRESP | This is a string variable (two characters in length) representing the line number of the original respondent. Set to the line number (LNO) of the household member with QCRESP = 1. |
| SPANONLY | This is a string variable (one character in length) indicating if the household is Spanish speaking. Set as follows: If LANGUAGE = 2, then SPANONLY = 1. Else SPANONLY is empty. |

- B. The original instrument fills RESPNAME if the respondent is a proxy. To compensate for this, empty RESPNAME if RESPON = 95.
- C. Set the generic contact person information variables in the CEQ reinterview instrument as follows:

| | | |
|--------|---|---------|
| CPNAME | = | CP1NAME |
| CPTITL | = | CP1TITL |
| CPPHON | = | CP1PHON |
| CPEXT | = | CP1EXT |
| CPPHT | = | CP1PHT |
| CPADD1 | = | CP1ADD1 |
| CPADD2 | = | CP1ADD2 |
| CPPO | = | CP1PO |
| CPST | = | CP1ST |
| CPZP5 | = | CP1ZP5 |
| CPZP4 | = | CP1ZP4 |

- D. The following variables are also set in the CEQ reinterview instrument according to the SPECIAL INSTRUCTIONS.

| Name | Description |
|-------------|--|
| INTTYP | Method of reinterview T = telephone reinterview P = personal visit reinterview |
| LENGTH_T | Length of the original interview in total minutes: (LENGTH_H x 60) + LENGTH_M |
| INCT_CNT | Tally of the number of persons incorrectly included on the household roster |
| MISS_CNT | Tally of the number of persons missing from the household roster |
| ITERATION | Counter for the number of CUs checked |
| COUNT | Number of persons in the CU being checked |
| DEPENDENT | Tally of the number of categories showing dependency in a single-person CU |
| INDEPENDENT | Tally of the number of categories showing independency in a multi-person CU |
| INCT_CU | Tally of the number of CU's incorrectly formed |
| OUTCOME | Reinterview case status - see Attachment E for values |
| RI_DISP | Reinterview disposition code - see Attachment C for values |

VI. Variables Passed between Case Management and the CEQ Reinterview Instrument

A. Variables from Case Management

1. Case Management sets ACTION based on OUTCOME. See Attachment C, "CEQ Reinterview Disposition, Outcome and Action Codes", for values. This variable must be included in the reinterview output.

2. The CEQ reinterview instrument obtains the name of the interviewer, variable FR_NAME, from Case Management.
3. The CEQ reinterview instrument obtains the reinterviewer's FR code, FRCODE, from Case Management. If the RO reassigns a case, it changes FRCODE in ROSCO. Case Management then passes the updated variable to the CEQ reinterview instrument.

B. Variables from Case Management and the CEQ Reinterview Instrument

1. The reinterviewer can update the sample unit phone number (AREA, PRIX, SUFFIX, and EXTN) and appointment time (CALLBACK) in both Case Management and the CEQ reinterview instrument. Case Management and the CEQ reinterview instrument pass these variables, with any updates, back and forth to each other.
2. Case Management and the CEQ reinterview instrument also pass the case ID (CASEID) and control number (CTRLNUM) back and forth to each other. These variables serve as identifiers for the case.

C. Variables from the CEQ Reinterview Instrument

1. The reinterviewer can also update the contact person phone number (CPPHON and CPEXT) in the CEQ reinterview instrument. The CEQ reinterview instrument passes these variables, with any updates, to Case Management. The CEQ reinterview instrument must reset these variables back to CP1PHON and CP1EXT when it passes them to Case Management.
2. The reinterview instrument sets OUTCOME and RI_DISP, as stated in Section V, above, and passes them to Case Management.

VII. Formats for Date and Time Variables

- A. Use the long format (day of week, month, day, four-digit year) to display all date variables in the reinterview instrument. Use the format **MMDDYY** when outputting all date variables, INTDATE (original interview date) and RIDATE (reinterview date), to the reinterview output file.
- B. Use the format hh:mm am/pm to display all time variables in the reinterview instrument.

VIII. Displaying the Sample Unit Address

Display the sample unit address in the CEQ reinterview instrument using format ADDRESS1. Screens that display the sample unit address are START, DIAL, INTRO_TC, HELLO_TNX, INTRO_TN, INTRO_PC, HELLO_PNX, ADDVER, INTRO_PN, VERBYOBS, PROX_N, PROX_UN, ROSTER_1, SOMEONE_ELSE, CONTACT_N, VACANT, STAT_VER, VACANT2, STATUS, STAT_PROBE, STAT_PROB2,

Format ADDRESS1 is used for surveys that have converted to the 2000 Sample Redesign (REDESIGN = Yes) and do not include Puerto Rico addresses (PUERTO_RICO = No). Format ADDRESS1 uses the address variables on Record Type 2006 of the SCIF, Demographic Address, and is defined as follows:

[Fill: HNO HNOSUF STRNAME UNITDES]

[Fill: BLDGNAME / blank]

[Fill: GQUNITINFO / blank]

[Fill: NONCITYADD / blank]

[Fill: PHYSDDES / blank]

[Fill: PO, ST ZIP5-ZIP4]

FILL INSTRUCTIONS

1. If BLDGNAME not empty, fill BLDGNAME.
Else leave blank, do not display item.
2. IF GQUNITINFO not empty, fill GQUNITINFO.
Else leave blank, do not display item.
3. If NONCITYADD not empty, fill NONCITYADD.
Else leave blank, do not display item.
4. If PHYSDDES not empty, fill PHYSDDES.
Else leave blank, do not display item.

IX. Displaying the Household Roster

A. Display the household roster in the CEQ reinterview instrument as follows:

- Include the following Variables: Line Number (LNO), Name (FNAME LNAME), Relationship (REL), Age (AGE), Sex (SEX), Away at College (AWAY_COL), HH Member (HH_MEM), and CU Member (PERCUNUM).
- Include all persons who have not been deleted in the original interview.

- Exclude a person from the household roster if:
PERSTAT = 7 or 99. This denotes a person deleted in the current interview period (7) or a person the interviewer realizes he/she mistakenly listed when entering the household roster (99).

Or

MEMSTAT = 1 and PERSTAT \neq 9. This denotes a person deleted in a previous interview period and not reinstated in the current interview period.

- List household members first (HH_MEM = 1), followed by non-household members (HH_MEM = 2). Gray the listing of all non-household members.
- Do not leave blank lines between persons included in the household roster. Rather, condense the listing to compensate for any deleted person.

Screens that display the household roster are: HHCOMP, RIRESP, ROSTER_1, ROSTER_2, ROSTER_3, and ROSTER_4.

B. Other screens that display the household roster are SINGLE_RELATED, SINGLE_HOUSING, SINGLE_FOOD, SINGLE_OTHER, MULTI_RELATED, MULTI_HOUSING, MULTI_FOOD, and MULTI_OTHER. These screens have the additional specifications:

- List only household members (HH_MEM=1).
- Gray any household member whose PERCUNUM \neq ITERATION.

X. Access to Original CAPI Notes and Reinterview Notes

Within the CEQ reinterview instrument, provide access between the instrument and the original CAPI notes and the reinterview notes. Both the original CAPI notes and the reinterview notes are separate text files maintained outside the instrument.

- Allow the reinterviewer read only access to the original CAPI notes.
- Allow the reinterviewer access to enter, view, or edit the reinterview notes.

XI. Function Keys

Descriptions of the functions keys for the CEQ reinterview Blaise instrument is listed below.

The F Keys

| | |
|----|--------------------|
| F1 | Item specific Help |
|----|--------------------|

| | |
|-----|--|
| F2 | |
| F3 | |
| F4 | Jump Menu |
| F5 | |
| F6 | |
| F7 | Item notes/remarks |
| F8 | Return from Skip |
| F9 | |
| F10 | Exit - Skip to the END of the reinterview (FIN screen) |
| F11 | Calculator |
| F12 | Repeat |

The Shift-F Keys

| | |
|-----------|--|
| Shift-F1 | Display the household roster (HHCOMP screen) |
| Shift-F2 | Display the Original Survey Frequently Asked Questions (FAQs) (H_PURPOSE screen) |
| Shift-F3 | Display the Reinterview FAQs (RIREASON screen) |
| Shift-F4 | |
| Shift-F5 | |
| Shift-F6 | |
| Shift-F7 | View Remarks/ Items Notes |
| Shift-F8 | |
| Shift-F9 | |
| Shift-F10 | Display function keys |
| Shift-F11 | Display standard abbreviations (H_ABBREVI screen) |
| Shift-F12 | Display original CAPI notes |

The Ctrl Keys

| | |
|---------|--|
| Ctrl-D | Don't know (D) |
| Ctrl-K | Display function key descriptions (KEY_REF screen) |
| Ctrl-R | Refusal (R) |
| Ctrl-F7 | Access reinterview notes |
| Ctrl-H | Show Info |
| Ctrl-M | Show Don't Know & Refusals |
| Ctrl-S | Save |
| Ctrl-F | Search Tag |

Special Purpose Keys

| | |
|------------|---|
| Esc | Cancel |
| Home | Moves to beginning of form |
| End | Moves to first unanswered field on path |
| Page Up | Moves backward one page/screen |
| Page Down | Moves forward one page/screen |
| Up Arrow | Move upward or backward one field |
| Down Arrow | Moves downward or forward one field |
| Left Arrow | Moves to previous field |

Right Arrow Moves to next field

XII. Refreshing OUTCOME = 202 Cases

If the CEQ reinterview instrument is exited with OUTCOME=202, refresh the case upon reopening the instrument. Always maintain the reinterview input file variables and any updates to them (for example, phone number changes) when the instrument is reopened. Also maintain CALLBACK, the case history in Case Management, and the DISCREPANCY array.

XIII. Front Specifications

The screens for the front of the instrument appear in this section.

Throughout the Reinterview instrument the option of **[return to reinterview]** becomes available within the Skip Instructions (for example, in the Help Menus and Frequently Asked Questions). This option, once selected, will take the user back to the screen they were on in the reinterview path.

Variable Name: **RIREASON**

Field Description: Reinterview Help Menu

Field Definition:

Universe: (Shift-F3) **OR** (RIREF1 = 2) **OR** (RIREF2 = 2) **OR** (RIREF3 = 2) **OR**
(RIREF4 = 2) **OR** (RIREF5=2)

Info Pane:

Reinterview Help Menu

◆ Press F8 to proceed to the reinterview.

- ☐ 1. Why are you calling me again?
- ☐ 2. Are you calling everyone or am I just lucky?
- ☐ 3. Don't you have anything better to do with my tax dollars?
I'm too busy to answer your questions again.
- ☐ 4. Are you "checking up" on me? I told you the truth the first time you called.
- ☐ 5. Do I have to answer your questions?
- ☐ 6. Return to reinterview.

Form Pane:

Reinterview help menu [fill]

RI Reason 1 []
RI Reason 2 []
RI Reason 3 []
RI Reason 4 []
RI Reason 5 []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, 4, 5, 6

Skip Instructions:

| | |
|-----|---------------------------------|
| <1> | [go to RIREF1] |
| <2> | [go to RIREF2] |
| <3> | [go to RIREF3] |
| <4> | [go to RIREF4] |
| <5> | [go to RIREF5] |
| <6> | [return to reinterview] |

Special Instructions:

This screen is a reference screen accessed by the Shift-F3 key.

Help Reference Word:

Variable Name: **RIREF1**

Field Description: RI Reason 1

Field Definition:

Universe: (RIREASON = 1)

Info Pane:

Why are you calling me again?

Like any business, we're interested in maintaining the quality of our product, so each month we reinterview a few households who are in the survey to ensure we are efficiently and accurately collecting data.

☐ 1. Continue

☐ 2. Back to Reinterview Help Menu

Form Pane:

Reinterview help menu []

[RI Reason 1 \[fill\]](#)

RI Reason 2 []

RI Reason 3 []

RI Reason 4 []

RI Reason 5 []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> [return to reinterview]

<2> [go to [RIREASON](#)]

Special Instructions:

Help Reference Word:

Variable Name: **RIREF2**

Field Description: RI Reason 2

Field Definition:

Universe: (RIREASON = 2)

Info Pane:

Are you calling everyone or am I just lucky?

We are able to get a reliable measure of data quality by reinterviewing only a small percentage of the total households interviewed in the survey.

☐ 1. Continue

☐ 2. Back to Reinterview Help Menu

Form Pane:

Reinterview help menu []

RI Reason 1 []

[RI Reason 2 \[fill\]](#)

RI Reason 3 []

RI Reason 4 []

RI Reason 5 []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> **[return to reinterview]**

<2> **[go to [RIREASON](#)]**

Special Instructions:

Help Reference Word:

Variable Name: **RIREF3**

Field Description: RI Reason 3

Field Definition:

Universe: (RIREASON = 3)

Info Pane:

Don't you have anything better to do with my tax dollars?
I'm too busy to answer your questions again.

The Bureau of Labor Statistics uses the data from this survey to measure the changes in prices in consumer goods and services. Information collected in this survey contributes to the Consumer Price Index, which assesses the change in purchasing power of consumer dollars. The Census Bureau's method of measuring data quality for this survey is to re-contact a percentage of respondents to check that the data was collected correctly during the original interview. We believe this method helps the Census Bureau prevent the wasting of your tax dollars.

- ☐ 1. Continue
- ☐ 2. Back to Reinterview Help Menu

Form Pane:

Reinterview help menu []
RI Reason 1 []
RI Reason 2 []
[RI Reason 3 \[fill\]](#)
RI Reason 4 []
RI Reason 5 []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> **[return to reinterview]**
 <2> **[go to [RIREASON](#)]**

Special Instructions:

Help Reference Word:

Variable Name: **RIREF4**

Field Description: RI Reason 4

Field Definition:

Universe: (RIREASON = 4)

Info Pane:

Are you “checking up” on me?
I told you the truth the first time you called.

The purpose of reinterview is not to check up on respondents. In order to ensure that we are efficiently and accurately collecting data, we reinterview a few households who are in the survey.

- ☐ 1. Continue
- ☐ 2. Back to Reinterview Help Menu

Form Pane:

Reinterview help menu []
RI Reason 1 []
RI Reason 2 []
RI Reason 3 []
[RI Reason 4 \[fill\]](#)
RI Reason 5 []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> [return to reinterview]
 <2> [go to [RIREASON](#)]

Special Instructions:

Help Reference Word:

Variable Name: **RIREF5**

Field Description: RI Reason 5

Field Definition:

Universe: (RIREASON = 5)

Info Pane:

[Do I have to answer your questions?](#)

Your participation in this survey is voluntary. However, the information you provide will help us to ensure the efficiency and accuracy of our data collection procedures. Like any business, we're interested in maintaining the quality of our product.

☐ 1. Continue

☐ 2. Back to Reinterview Help Menu

Form Pane:

Reinterview help menu []

RI Reason 1 []

RI Reason 2 []

RI Reason 3 []

RI Reason 4 []

[RI Reason 5 \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> [**return to reinterview**]

 <2> [go to [RIREASON](#)]

Special Instructions:

Help Reference Word:

Variable Name: **H_PURPOSE**

Field Description: Frequently Asked Questions

Field Definition:

Universe: (Shift-F2) **OR** (H_PURPOSE1 = 2) **OR** (H_PURPOSE2 = 2) **OR**
 (H_PURPOSE3 = 2) **OR** (H_PURPOSE4 = 2) **OR**
 (H_PURPOSE5 = 2)

Info Pane:

Frequently Asked Questions

◆ Press F8 to proceed with reinterview.

- ☐ 1. What is this survey all about?
- ☐ 2. Who uses this information? What good is it?
- ☐ 3. How is the data collected? How many times will I be interviewed?
- ☐ 4. I hesitate to tell some things about myself. What protection do I have?
- ☐ 5. Is this survey authorized by law?
- ☐ 6. Return to reinterview

Form Pane:

Frequently asked questions [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, 4, 5, 6

Skip Instructions: <1> [go to [H_PURPOSE1](#)]
 <2> [go to [H_PURPOSE2](#)]
 <3> [go to [H_PURPOSE3](#)]
 <4> [go to [H_PURPOSE4](#)]
 <5> [go to [H_PURPOSE5](#)]
 <6> [return to reinterview]

Special Instructions:

- This screen is a reference screen accessed by the Shift-F2 key.
- This FAQ menu screen is the same as the original instrument.

Help Reference Word:

Variable Name: **H_PURPOSE1**

Field Description: Frequent question 1

Field Definition:

Universe: (H_PURPOSE = 1)

Info Pane:

[What is this survey all about?](#)

The Consumer Expenditure survey collects information from the nation's households and families on their buying habits (expenditures), income, and characteristics. The strength of the survey is that it allows data users to relate the expenditures and income of consumers to the characteristics of those consumers.

☐ 1. Continue

☐ 2. Back to Frequently Asked Questions menu

Form Pane:

[Frequent question 1](#) [fill]

Frequent question 5 []

Frequent question 2 []

Frequent question 3 []

Frequent question 4 []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> **[return to reinterview]**

<2> **[go to [H_PURPOSE](#)]**

Special Instructions:

- Use the same FAQs, H_PURPOSE1 from the original production instrument.

Help Reference Word:

Variable Name: **H_PURPOSE2**

Field Description: Frequent question 2

Field Definition:

Universe: (H_PURPOSE = 2)

Info Pane:

Who uses this information? What good is it?

Data from the consumer expenditure survey are used in a number of different ways by a variety of users. An important use of the survey by the Bureau of Labor Statistics is for the periodic revisions of the Consumer Price Index (CPI). Survey results are used to select new market basket of goods and services for the CPI, to determine the relative importance of CPI components, and to derive new cost weights for the market basket.

Government and private agencies use the data to study the welfare of particular segments of the population. Economic policymakers use the data to study the impact of policy changes in the welfare of different socioeconomic groups. Researchers use the data in a variety of studies, including those that focus on the spending behavior of different family types and historical spending trends.

☐ 1. Continue

☐ 2. Back to Frequently Asked Questions menu

Form Pane:

Frequent question 1 ☐

Frequent question 5 ☐

[Frequent question 2 \[fill\]](#)

Frequent question 3 ☐

Frequent question 4 ☐

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> **[return to reinterview]**

 <2> **[go to [H_PURPOSE](#)]**

Special Instructions:

Use the same FAQ as H_PURPOSE2 from the original production instrument.

Help Reference Word:

Variable Name: **H_PURPOSE3**

Field Description: Frequent question 3

Field Definition:

Universe: (H_PURPOSE = 3)

Info Pane:

[How is the data collected?](#)
[How many times will I be interviewed?](#)

The Bureau of the Census carries out data collection. In the interview survey, each household is interviewed every 3 months over 5 calendar quarters. In the initial interview, information is collected on demographic and family characteristics and on the inventory of major durable goods of the household. Expenditure information is collected in the second through fifth interview using uniform questionnaires. In the fifth interview, a supplement is used to account for changes in assets and liabilities.

- ☐ 1. Continue
- ☐ 2. Back to Frequently Asked Questions menu

Form Pane:

| | |
|--|--|
| Frequent question 1 <input type="checkbox"/> | Frequent question 5 <input type="checkbox"/> |
| Frequent question 2 <input type="checkbox"/> | |
| Frequent question 3 [fill] | |
| Frequent question 4 <input type="checkbox"/> | |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> **[return to reinterview]**
 <2> **[go to [H_PURPOSE](#)]**

Special Instructions:

Help Reference Word:

Variable Name: **H_PURPOSE4**

Field Description: Frequent question 4

Field Definition:

Universe: (H_PURPOSE = 4)

Info Pane:

I hesitate to tell some things about myself.
What protection do I have?

The information that respondents provide is used solely for statistical purposes. All Census Bureau data collectors take an Oath of Confidentiality and are subject to fines and imprisonment for improperly disclosing information provided by respondents. Names and addresses are removed from all forms and that information is not released as part of any statistical data.

- ☐ 1. Continue
- ☐ 2. Back to Frequently Asked Questions menu

Form Pane:

| | |
|--|--|
| Frequent question 1 <input type="checkbox"/> | Frequent question 5 <input type="checkbox"/> |
| Frequent question 2 <input type="checkbox"/> | |
| Frequent question 3 <input type="checkbox"/> | |
| Frequent question 4 [fill] | |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1, 2

Skip Instructions: <1> **[return to reinterview]**
 <2> **[go to [H_PURPOSE](#)]**

Special Instructions:

Help Reference Word:

Variable Name: **H_PURPOSE5**

Field Description: Frequent question 5

Field Definition:

Universe: (H_PURPOSE = 5)

Info Pane:

[Will the data be held confidential?](#)

The Bureau of Labor Statistics conducts the Consumer Expenditure Survey under the authority of Title 29 of the U.S. Code. Congress authorizes the financial support for the CE survey through Public Laws 94-439 and 95-205.

The Bureau of the Census collects the CE data under the authority of Title 13, U.S. Code, Section 8b, which allows the Census Bureau to undertake surveys for other government agencies. Participation in the survey is voluntary. Under Title 13, the Census Bureau holds all information in strict confidence. We will not release information reported in the survey, which would permit the identification of a household or any of its members to anyone outside of the Census Bureau.

☐ 1. Continue

☐ 2. Back to Frequently Asked Questions menu

Form Pane:

Frequent question 1 ☐

[Frequent question 5 \[fill\]](#)

Frequent question 2 ☐

Frequent question 3 ☐

Frequent question 4 ☐

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1, 2

Skip Instructions: <1> **[return to reinterview]**

 <2> **[go to [H_PURPOSE](#)]**

Special Instructions:

Help Reference Word:

Variable Name: **KEY_REF**

Field Description: Function Key Settings

Field Definition:

Universe: (Ctrl-K)

Info Pane:

| Function Key Settings | | | |
|------------------------------|---------------------|-----------|---|
| F1 | Item specific Help | Shift-F1 | Household roster |
| F2 | | Shift-F2 | Original survey Frequently Asked Questions (FAQs) |
| F3 | | Shift-F3 | Reinterview FAQs |
| F4 | Jump Menu | Shift-F4 | |
| F5 | | Shift-F5 | |
| F6 | | Shift-F6 | |
| F7 | Item notes/remarks | Shift-F7 | View Remarks/Items Notes |
| F8 | Return to main path | Shift-F8 | |
| F9 | | Shift-F9 | |
| F10 | Exit-skip to END | Shift-F10 | Display function keys |
| F11 | Calculator | Shift-F11 | Standard abbreviation list |
| F12 | Copy | Shift-F12 | Original CAPI notes |
| | | Ctrl-D | Don't know (D) |
| | | Ctrl-K | Function key description |
| | | Ctrl-R | Refusal (R) |
| | | Ctrl-F7 | Reinterview notes |
| | | Ctrl-H | Show Info |
| | | Ctrl-M | Show Don't Know & Refusals |
| | | Ctrl-S | Save |
| | | Ctrl-F | Search |

Form Pane: N/A

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length:

Valid Value: *Escape*

Skip Instructions: <Escape> **[return to reinterview]**

Special Instructions:

- This screen is an external file accessed by the Ctrl-K key. It is similar to the Function Key Settings screen in the original production instrument with additions for reinterview.

Help Reference Word:

Variable Name: **H_ABBREV1**

Field Description: Standard Abbreviation list

Field Definition:

Universe: (Shift-F11)

Info Pane:

| |
|---|
| <p style="text-align: center;">Standard Abbreviation List</p> <p style="text-align: center;">[Display the standard abbreviation list]</p> <p><i>NOTE: This screen can be accessed at any time during the reinterview by pressing "Shift F11."</i></p> |
|---|

Form Pane: N/A

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length:

Valid Value: *Escape*

Skip Instructions: <Escape> **[return to reinterview]**

Special Instructions:

- This screen is an external file accessed by the Shift-F11 key.

Variable Name: **FIN**

Field Description: Exit Notice

Field Definition:

Universe: (F10)

Info Pane:

| |
|--|
| THIS CASE IS NOT COMPLETED |
| <p>◆ Enter 1 to continue</p> |
| <p><input type="radio"/> 1. Continue</p> |

Form Pane:

| |
|--------------------|
| Exit Notice [fill] |
|--------------------|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1

Skip Instructions: <1> [go to [APPT](#)]

Special Instructions:

- This screen is displayed whenever “F10” is pressed. F10 is the function key that allows the reinterviewer to exit the case anytime during the reinterview.

Help Reference Word:

DISPLAY INTERVIEWER JAMESBOND ID

Variable Name: **START**

Field Description: Start up screen

Field Definition:

Universe: OUTCOME = 200 [to access case] **OR**
OUTCOME = 202 (i.e. insufficient partial) **OR** OUTCOME = 213-
219 (i.e. Type A) [to re-access case]

Note: This UNIVERSE is not used by the instrument, but rather controlled by Case Management.

Info Pane:

| | |
|---|--|
| [Fill: SURVEY_NAME] CAPI QUALITY CONTROL REINTERVIEW | |
| Date: [Fill: RIDATE] | Time: [Fill: TIME_C] |
| Reinterview Case Status: | [Fill: OUTCOME and OUTCOME's description] |
| Original Interview Date: | [Fill: INTDATE] |
| Original FR Code: | [Fill: ORIFR] |
| Original James Bond ID: | [Fill: ORIUSERID] |
| Original Name: | [Fill: FR_NAME] |
| Original Outcome: | [Fill: ORIOUT and ORIOUT's description] [Fill: TYPEA_SP / TYPEB_SP / TYPEC_SP / blank] |
| Original Respondent Name: | [Fill: RESPNAME] |
| Sample Unit Phone: | ([Fill: AREA]) [Fill: PREFIX]-[Fill: SUFFIX], ext.[Fill: EXTN] ([Fill: PHTYP's description]) [Fill: "Second Phone:" SPHONE (SPHTYP) / blank] |
| Sample Unit Address: | [Fill: ADDRESS1 / ADDRESS2 / ADDRESS3 / ADDRESS4] |
| [Fill: "Best Time to Contact:" BESTTIME's description / "Best Time to Contact:" BESTTIM2 / blank] [Fill: "Or" BESTTIM2 / blank] [Fill: "DO NOT call on Sunday" / blank] [Fill: "Spanish speaking" / blank] | |
| <input type="radio"/> 1. Continue <input type="radio"/> 2. Quit - Attempt later | |

Form Pane:

Start up screen [fill]

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. Fill OUTCOME's description with the reinterview outcome code description from Attachment C, "Reinterview Disposition, Outcome, and Action Codes."
2. Fill ORIOUT's description with the original outcome code description from Attachment B, "List of Original Outcome Codes in the Original Instrument."
3. If ORIOUT = 219, fill TYPEA_SP.
If ORIOUT = 233, fill TYPEB_SP.
If ORIOUT = 248, fill TYPEC_SP.
Else leave blank, do not display item.
4. If SPHONE not empty, fill "Second Phone:" SPHONE (SPHTYP's description). Else leave blank, do not display item.
5. Fill PHTYP's and SPHTYP's descriptions with the following descriptions of the values of PHTYP and SPHTYP, respectively:

| <u>Values</u> | <u>Description</u> |
|---------------|--------------------------------|
| 1 | HOME |
| 2 | WORK |
| 3 | Cellular or Digital |
| 4 | Beeper/Pager/Answering Service |
| 5 | PUBLIC PAY PHONE |
| 6 | OTHER |
| 7 | FAX |

6. If ORIFR is not blank and ORIUSERID is not blank and FR_NAME is not blank, then display

| | |
|-------------------------|-------------------|
| Original FR Code: | [Fill: ORIFR] |
| Original James Bond ID: | [Fill: ORIUSERID] |
| Original Name: Fill: | [Fill: FR_NAME] |

If ORIFR is not blank and ORIUSERID is not blank and FR_NAME is blank, then display

| | |
|-------------------------|-------------------|
| Original FR Code: | [Fill: ORIFR] |
| Original James Bond ID: | [Fill: ORIUSERID] |
| Original Name: | N/A |

If ORIFR is not blank and ORIUSERID is blank and FR_NAME is not blank, then display

| | |
|-------------------------|-----------------|
| Original FR Code: | [Fill: ORIFR] |
| Original James Bond ID: | N/A |
| Original Name: | [Fill: FR_NAME] |

If ORIFR is not blank and ORIUSERID is blank and FR_NAME is blank, then display

| | |
|-------------------------|---------------|
| Original FR Code: | [Fill: ORIFR] |
| Original James Bond ID: | N/A |

| | |
|----------------|-----|
| Original Name: | N/A |
|----------------|-----|

If ORIFR is blank and ORIUSERID is not blank and FR_NAME is not blank, then display

| | |
|-------------------------|-------------------|
| Original FR Code: | N/A |
| Original James Bond ID: | [Fill: ORIUSERID] |
| Original Name: | [Fill: FR_NAME] |

If ORIFR is blank and ORIUSERID is not blank and FR_NAME is blank, then display

| | |
|-------------------------|-------------------|
| Original FR Code: | N/A |
| Original James Bond ID: | [Fill: ORIUSERID] |
| Original Name: | N/A |

If ORIFR is blank and ORIUSERID is blank and FR_NAME is not blank, then display

| | |
|-------------------------|-----------------|
| Original FR Code: | N/A |
| Original James Bond ID: | N/A |
| Original Name: Fill: | [Fill: FR_NAME] |

If ORIFR is blank and ORIUSERID is blank and FR_NAME is blank, then display

| | |
|-------------------------|-----|
| Original FR Code: | N/A |
| Original James Bond ID: | N/A |
| Original Name: Fill: | N/A |

7. If BESTTIME not empty, fill "Best Time to Contact:" BESTTIME's description.
If BESTTIME empty and BESTTIM2 not empty, fill "Best Time to Contact:" BESTTIM2.
If BESTTIME empty and BESTTIM2 empty, leave blank, do not display item.
8. If BESTTIME not empty and BESTTIM2 not empty, fill "Or" BESTTIM2.
Else leave blank, do not display item.
9. Fill BESTTIME's description with the following descriptions of the values of BESTTIME:

| Values | Description |
|--------|--|
| 00 | Special restriction; supervisor sets appointment |
| 01 | Morning (9am-12 noon) |
| 02 | Noon/lunchtime (11am - 1pm) |
| 03 | Afternoon (12 noon-4pm) |
| 04 | Suppertime/early evening/dinnertime (4pm-7pm) |
| 05 | Evening (6pm-9pm) |
| 06 | Anytime (9am-9pm) |
| 07 | Late evening/night (7pm-9pm) |
| 08 | Daytime (9am-4pm) |
| 09 | After 5pm (5pm-9pm) |
10. If NOSUNDAY = 1, fill "DO NOT call on Sunday."
Else leave blank, do not display item.
11. If SPANONLY = 1, fill "Spanish speaking."

Variable Name: **START_1A**

Field Description: Contact Person Information

Field Definition:

Universe: (START = 1 and ORIOUT_RSLT = B1, C1, B2, C2 or VINT and
BYOBS = 2)

Info Pane:

| |
|---|
| CONTACT PERSON INFORMATION |
| <p>Name: [Fill: CPNAME] Title: [Fill: CPTITL] Phone: [Fill: CPPHON], ext. [Fill: CPEXT] ([Fill: CPPHT]) Address: [Fill: CPADD1] CPADD2 CPPO, CPST CPZP5-CPZP4]</p> <p>[Fill: "NO CONTACT PERSON INFORMATION IS AVAILABLE" / blank]</p> <p>◆ Enter 1 to continue.</p> |
| ○ 1. Continue |

Form Pane:

| |
|---|
| <p>Contact Person Information [fill] Original and reinterview notes [] Household Composition []</p> |
|---|

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If CPNAME, CPTITL, CPPHON, CPEXT, CPADD1, CPADD2 are all empty or filled with blanks only, fill "NO CONTACT PERSON INFORMATION IS AVAILABLE."
Else leave blank. Do not display item.

Field Length: 1

Valid Value: 1

Skip Instructions: <1> [go to **START 1**]

Special Instructions:

Help Reference Word:

Help Reference Word:

Variable Name: **HHCOMP**

Field Description: Household composition

Field Definition: Displays household roster

Universe: (Shift-F1) **OR** (START_1 = 1 and ORIOUT_RSLT = INT)

Info Pane:

| Line No. | Name | Relationship | Age | Sex | Away at college | HH member | HH number |
|-------------|------------------------|--------------|-------------|-------------|------------------|----------------|------------------|
| [Fill: LNO] | [Fill: FNAME LNAME] | [Fill: REL] | [Fill: AGE] | [Fill: SEX] | [Fill: AWAY_COL] | [Fill: HH_MEM] | [Fill: PERCUNUM] |
| • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • |

◆ Press Shift-F1 to access this screen at any time during the reinterview.

◆ Enter 1 to continue.

○ 1. Continue

Form Pane:

| |
|--|
| Contact Person Information [] |
| Original and reinterview notes [] |
| Household Composition [fill] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1

Skip Instructions: <1> [go to [METHOD](#)]

Special Instructions:

- This screen displays the household roster. Fill REL, SEX, AWAY_COL, and HH_MEM with their descriptions from Attachment D.
- Return to reinterview if accessed by the Shift-F1 key.

Help Reference Word: **ROSTER**

Variable Name: **BY_OBS**

Field Description: Type B/C noninterview by observation

Field Definition:

Universe: (START_1 = 1 and ORIOUT_RSLT = B1, C1, B2, C2 or VINT and
BYOBS = 1)

Info Pane:

The interviewer determined the original outcome by observation. No contact person information was collected.

◆ Enter 1 to continue.

○ 1. Continue

Form Pane:

Type B/C noninterview by observation [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1

Skip Instructions: <1> [go to [METHOD](#)]

Special Instructions:

Help Reference Word:

Variable Name: **METHOD**

Field Description: Method of reinterview

Field Definition:

Universe: (BY_OBS = 1) **OR** (HHCOMP = 1) **OR**
 (START_1 = 1 and ORIOUT_RSLT = A) **OR**
 (START_1 = 1 and ORIOUT_RSLT = (B1, C1, B2, C2 or VINT) and
 BYOBS = 2)

Info Pane:

◆ Choose one of the following options to continue:

- ☐ 1. Telephone Reinterview
- ☐ 2. Personal Visit Reinterview
- ☐ 3. Quit - Attempt later
- ☐ 4. Reinterview Noninterview
- ☐ 5. RO/HQ Discretion - Type A (Contact Supervisor)

Form Pane:

Method of reinterview [fill]

Dial phone number []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, 4, 5

Skip Instructions: <1> If (ORIOUT = (B1, C1, B2, C2 or VINT) and BYOBS = 1)
 then [go to [VERBYOBS](#)]
 If (ORIOUT_RSLT = A) then [go to [VERTYPEA](#)]
 Else [go to [DIAL](#)]
 <2> If (USE_CKSUP = Yes) then [go to [CKSUP](#)]
 If (ORIOUT_RSLT = A) then [go to [VERTYPEA](#)]
 If (ORIOUT_RSLT = INT and RESPNAME empty)
 then [go to [HELLO_PCX](#)]
 If (ORIOUT_RSLT = INT)
 then [go to [HELLO_PC](#)]
 If (BYOBS = 1) then [go to [VERBYOBS](#)]

If (CPNAME = empty) then [go to [HELLO_PNX](#)]

Else [go to [HELLO_PN](#)]

<3> [go to [RINOTES_PRE](#)]

<4> [go to [STATUS_RI](#)]

<5> [go to [RO_DISC](#)]

Special Instructions:

- If METHOD = 1, set INTTYP = T.
- If METHOD = 2, set INTTYP = P.
- If METHOD = 3, set OUTCOME = 202.

Help Reference Word:

Variable Name: **DIAL**

Field Description: Dial phone number

Field Definition:

Universe: (METHOD = 1 and ORIOUT_RSLT = INT) **OR**
 (_END_ = 1) [*_END_ is a dummy variable used to update phone number*] **OR**
 (REFNUM = 2) [*Used for coming back to DIAL*] **OR**
 (WRNUM = 1) [*Used for coming back to DIAL*] **OR**
 (METHOD = 1 and ORIOUT_RSLT = (B1, C1, B2, C2 or VINT) and BYOBS = 2)

Info Pane:

Respondent Name: **[Fill: RESPNAME]**

Respondent Address: **[Fill: ADDRESS1 /
 ADDRESS2 /
 ADDRESS3 /
 ADDRESS4]**

/

Contact Name: **[Fill: CPNAME]**

Contact Address: **[Fill: CPADD1
 CPADD2
 CPPO, CPST CPZP5-CPZP4]**

♦ **Dial this number:**

**([Fill: AREA]) [Fill: PREFIX]-[Fill: SUFFIX], ext. [Fill: EXTN] ([Fill: PHTYP's description]) /
 [Fill: CPPHON], ext. [Fill: CPEXT] ([Fill: CPPHT's description])**

- ☐ 1. Someone answers
- ☐ 2. Enter new telephone number
- ☐ 3. Reinterview noninterview
- ☐ 4. Quit - Attempt later

Form Pane:

Method of reinterview
[Dial phone number \[fill\]](#)

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If ORIOUT_RSLT = INT, fill Respondent Name with RESPNAME. Fill Respondent Address with format ADDRESS1 if REDESIGN = Yes and PUERTO_RICO = No, with format ADDRESS2 if REDESIGN = No and PUERTO_RICO = No, with format ADDRESS3 if PUERTO_RICO = Yes and PSU \neq 72, and with format ADDRESS4 if PUERTO_RICO = Yes and PSU = 72. Dial this number with AREA, PREFIX, SUFFIX, EXTN, and PHTYP's description.
2. If ORIOUT_RSLT = B1, C1, B2, C2 or VINT, fill Contact Name with CPNAME, Contact Address with CPADD1, CPADD2, CPPO, CPST, CPZP5, CPZP4, and dial this number with CPPHON, CPEXT, and CPPHT's description.
3. Fill PHTYP's and CPPHT's descriptions with the following descriptions of the values of PHTYP and CPPHT, respectively:

| <u>Values</u> | <u>Description</u> |
|---------------|--------------------------------|
| 1 | HOME |
| 2 | WORK |
| 3 | Cellular or Digital |
| 4 | Beeper/Pager/Answering Service |
| 5 | PUBLIC PAY PHONE |
| 6 | OTHER |
| 7 | FAX |

Field Length: 1

Valid Values: 1, 2, , 3, 4

Skip Instructions:

| | |
|-----|---|
| <1> | If (ORIOUT_RSLT = INT and RESPNAME empty) then [go to HELLO TCX] If (ORIOUT_RSLT = INT) then [go to HELLO TC] If (CPNAME empty) then [go to HELLO TNX] Else [go to HELLO TN] |
| <2> | [go to _INTRO_] |
| <3> | [go to STATUS RI] |
| <4> | [go to RINOTES PRE] |

Special Instructions:

- If DIAL = 4, set OUTCOME = 202.

Help Reference Word:

Variable Name: **NEWNUMBER_A**

Field Description: New phone number - area code portion

Field Definition:

Universe: (_INTRO_ = 1 and ORIOUT_RSLT = INT)
 [*_INTRO_ is a dummy variable used to update phone number*]

Info Pane:

♦ Record new number.

In Area Code: [Fill: AREA] ♦ Edit area code or press *Enter* for same.

New Number: [Fill: PREFIX]-[Fill: SUFFIX]

EXT: [Fill: EXTN]

Form Pane:

| | |
|---|---|
| Enter 1 for updating phone number [] | New phone number - extension portion [] |
| New phone number - area code portion [fill] | New phone number [] |
| New phone number - prefix portion of number [] | New phone number - extension portion [] |
| New phone number - suffix portion of number [] | End update phone number [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 3

Valid Values: 100 - 999

Skip Instructions: <100 - 999> [go to [NEWNUMBER_P](#)]

Special Instructions:

- First of four duplicate screens - screen for area code entry.
- Set AREA = NEWNUMBER_A.

Help Reference Word:

Variable Name: **NEWNUMBER_P**

Field Description: New phone number - prefix portion of number

Field Definition:

Universe: (NEWNUMBER_A = <100 - 999>)

Info Pane:

♦ **Record new number.**

In Area Code: [Fill: NEWNUMBER_A]

New Number: [Fill: PREFIX]-[Fill: SUFFIX] ♦ **Edit prefix or press *Enter* for same.**

EXT: [Fill: EXTN]

Form Pane:

| | |
|--|---|
| Enter 1 for updating phone number [] | New phone number - extension portion [] |
| New phone number - area code portion [] | New phone number [] |
| New phone number - prefix portion of number [fill] | New phone number - extension portion [] |
| New phone number - suffix portion of number [] | End update phone number [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 3

Valid Values: 100 - 999

Skip Instructions: <100 - 999> [go to [NEWNUMBER_S](#)]

Special Instructions:

- Second of four duplicate screens - screen for prefix entry.
- Set PREFIX = NEWNUMBER_P.

Help Reference Word:

Variable Name: **NEWNUMBER_S**

Field Description: New phone number - suffix portion of number

Field Definition:

Universe: (NEWNUMBER_P = <100 - 999>)

Info Pane:

◆ **Record new number.**

In Area Code: [Fill: NEWNUMBER_A]

New Number: [Fill: NEWNUMBER_P]-[Fill: SUFFIX] ◆ Edit suffix or press *Enter* for same.

EXT: [Fill: EXTN]

Form Pane:

| | |
|--|---|
| Enter 1 for updating phone number [] | New phone number - extension portion [] |
| New phone number - area code portion [] | New phone number [] |
| New phone number - prefix portion of number [] | New phone number - extension portion [] |
| New phone number - suffix portion of number [fill] | End update phone number [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 4

Valid Values: 0000 - 9999

Skip Instructions: <0000 - 9999> [go to [NEWNUMBER_E](#)]

Special Instructions:

- Third of four duplicate screens - screen for suffix entry.
- Set SUFFIX = NEWNUMBER_S.

Help Reference Word:

Variable Name: **NEWNUMBER_E**

Field Description: New phone number-extension portion

Field Definition:

Universe: (NEWNUMBER_S = <0000 - 9999>)

Info Pane:

♦ [Record new number.](#)

In Area Code: [Fill: NEWNUMBER_A]

New Number: [Fill: NEWNUMBER_P]-[Fill: NEWNUMBER_S]

EXT: [Fill: EXTN] ♦ [Edit extension or press *Enter* for same.](#)

Form Pane:

| | |
|--|---|
| Enter 1 for updating phone number [] | New phone number - extension portion [fill] |
| New phone number - area code portion [] | New phone number [] |
| New phone number - prefix portion of number [] | New phone number - extension portion [] |
| New phone number - suffix portion of number [] | End update phone number [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 5

Valid Values: 00000 - 99999, blank

Skip Instructions: <00000 - 99999, blank> [\[go to END \]](#)

Special Instructions:

- Fourth of four duplicate screens - screen for extension entry.
- Set EXTN = NEWNUMBER_E.

Help Reference Word:

Variable Name: **NEWNUMBER_CP**

Field Description: New phone number

Field Definition:

Universe: (_INTRO_ = 1 and ORIOUT_RSLT = B1, C1, B2, C2 or VINT)
 [*_INTRO_ is a dummy variable used to update phone number*]

Info Pane:

♦ Record new number.

New Number: [Fill: **CPPHON**]
 EXT: [Fill: **CPEXT**]

♦ Edit phone number or press Enter for same.

Form Pane:

| | |
|--|---|
| Enter 1 for updating phone number [] | New phone number - extension portion [] |
| New phone number - area code portion [] | New phone number [fill] |
| New phone number - prefix portion of number [] | New phone number - extension portion [] |
| New phone number - suffix portion of number [] | End update phone number [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 10

Valid Values: 1001000000 - 9999999999

Skip Instructions: <1001000000 - 9999999999> [go to [NEWNUMBER_CE](#)]

Special Instructions:

- First of two duplicate screens - screen for phone number.
- Set CPPHON = NEWNUMBER_CP.

Help Reference Word:

Variable Name: **NEWNUMBER_CE**

Field Description: New phone number - extension portion

Field Definition:

Universe: (NEWNUMBER_CP = <1001000000 - 9999999999>)

Info Pane:

♦ Record new number.

New Number: [Fill: NEWNUMBER_CP]

EXT: [Fill: CPEXT] ♦ Edit extension or press Enter for same.

Form Pane:

| | |
|--|---|
| Enter 1 for updating phone number [] | New phone number - extension portion [] |
| New phone number - area code portion [] | New phone number |
| New phone number - prefix portion of number [] | New phone number - extension portion [fill] |
| New phone number - suffix portion of number [] | End update phone number [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 5

Valid Values: 00000 - 99999, blank

Skip Instructions: <00000 - 99999, blank> [go to END]

Special Instructions:

- Second of two duplicate screens - screen for extension entry.
- Set CPEXT = NEWNUMBER_CE.

Help Reference Word:

Variable Name: _END_

Field Description: End update phone number

Field Definition:

Universe: (NEWNUMBER_E = <00000 - 99999> or blank) **OR**
 (NEWNUMBER_CE = <00000 - 99999> or blank)

Info Pane:

| |
|--|
| <p>◆ Enter 1 to go back to dial updated number.</p> <p>◆ You may have to press Enter twice to update the phone number entries.</p> |
| <p>○ 1. Redial.</p> |

Form Pane:

| | |
|--|--|
| Enter 1 for updating phone number [] | New phone number - extension portion [] |
| New phone number - area code portion [] | New phone number [] |
| New phone number - prefix portion of number [] | New phone number - extension portion [] |
| New phone number - suffix portion of number [] | End update phone number [fill] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1

Skip Instructions: <1> **[go to [DIAL](#)]**

Special Instructions:

- Update the following phone number variables:
 AREA, PREFIX, SUFFIX, and EXTN,
 OR
 CPPHON and CPEXT.

Help Reference Word:

Variable Name: **CKSUP**

Field Description: PV authorization

Field Definition:

Universe: (METHOD = 2 and USE_CKSUP = Yes)

Info Pane:

◆ Contact your supervisor for authorization before conducting a personal visit.

☐ 1. Personal visit reinterview authorized

☐ 2. Quit - Attempt later

Form Pane:

[PV authorization \[fill\]](#)

Hello for telephone reinterview and respondent name available []

Hello for telephone reinterview and respondent name blank []

Introduction for telephone reinterview and respondent name available []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> If (ORIOUT_RSLT = A) then [go to [VERTYPEA](#)]
 If (ORIOUT_RSLT = INT and RESPNAME empty)
 then [go to [HELLO PCX](#)]
 If (ORIOUT_RSLT = INT)
 then [go to [HELLO PC](#)]
 If (BYOBS = 1) then [go to [VERBYOBS](#)]
 If (CPNAME = empty) then [go to
 [HELLO PNX](#)]
 Else [go to [HELLO PN](#)]
 <2> [go to [RINOTES PRE](#)]

Special Instructions:

- If CKSUP = 2, set OUTCOME = 202.

Help Reference Word:

Variable Name: **HELLO_TC**

Field Description: Hello for telephone reinterview and respondent name available

Field Definition:

Universe: (DIAL = 1 and ORIOUT_RSLT = INT and RESPNAME not empty)

Info Pane:

Hello, I'm ... from the U.S. Census Bureau.

May I speak to [Fill: RESPNAME]?

- ☐ 1. This is correct person, or correct person called to the phone.
- ☐ 2. Person not available now. Call back later.
- ☐ 3. Person cannot be reached. Speak with another household member.
- ☐ 4. Person unknown at this number.
- ☐ 5. Person no longer lives there.
- ☐ 6. Person deceased.
- ☐ 7. Person can be reached at another number.
- ☐ 8. Reinterview Noninterview.

Form Pane:

PV authorization []

[Hello for telephone reinterview and respondent name available \[fill\]](#)

Hello for telephone reinterview and respondent name blank []

Introduction for telephone reinterview and respondent name available []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, 4, 5, 6, 7, 8

Skip Instructions:

- <1> [go to [INTRO_TC](#)]
- <2> [go to [APPT2](#)]
- <3> If (RPROXY_A = 1) then [go to [HHMEM](#)]
 Else [go to [THANK_YOU](#)]
- <4> [go to [VERTELE](#)]
- <5> If (RPROXY_A = 1) then [go to [HHMEM](#)]
 Else [go to [THANK_YOU](#)]

<6> [go to [THANK REF](#)]
<7> [go to [INTRO](#)]
<8> [go to [STATUS RI](#)]

Special Instructions:

Help Reference Word:

Variable Name: **HELLO_TCX**

Field Description: Hello for telephone reinterview and respondent name blank

Field Definition:

Universe: (DIAL = 1 and ORIOUT_RSLT = INT and RESPNAME empty)

Info Pane:

Hello. This is ... from the U.S. Census Bureau.

Our records show that one of our interviewers, [Fill: FR_NAME], recently contacted your household.

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

Can you or another household member answer a few questions to help us evaluate the interviewer's work?

- ☐ 1. Yes
- ☐ 2. No
- ☐ 3. Inconvenient time. Try again later.

Form Pane:

PV authorization []

Hello for telephone reinterview and respondent name available []

[Hello for telephone reinterview and respondent name blank \[fill\]](#)

Introduction for telephone reinterview and respondent name available []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3

Skip Instructions: <1> [go to [ADDVER](#)]
 <2> [go to [STATUS RI](#)]
 <3> [go to [APPT](#)]

Special Instructions:

Help Reference Word:

Variable Name: **VERTELE**

Field Description: Verify telephone number

Field Definition:

Universe: (HELLO_TC = 4) **OR** (HELLO_TN = 3)

Info Pane:

Have I reached area code [Fill: (AREA) PREFIX-SUFFIX, ext. EXTN] / [CPPHON, ext. CPEXT]?

- ☐ 1. Yes
☐ 2. No
☐ 3. Refused to verify

Form Pane:

[Verify telephone number \[fill\]](#)

Wrong number []

Refuse to verify telephone number []

Type A noninterview []

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If ORIOUT_RSLT = INT, fill phone number with (AREA) PREFIX - SUFFIX, ext. EXTN. Else fill with CPPHON, ext. CPEXT.

Field Length: 1

Valid Values: 1, 2, 3

Skip Instructions: <1> [go to [ADDVER](#)]

 <2> [go to [WRNUM](#)]

 <3> [go to [REFNUM](#)]

Special Instructions:

Help Reference Word:

Variable Name: **INTRO_TC**

Field Description: Introduction for telephone reinterview and respondent name available

Field Definition:

Universe: (HELLO_TC = 1)

Info Pane:

Thank you for helping us recently with the Consumer Expenditure Quarterly Survey.

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

**Is your address: [Fill: ADDRESS1 /
ADDRESS2 /
ADDRESS3 /
ADDRESS4]?**

- ☐ 1. Yes
- ☐ 2. No
- ☐ 3. Refused to verify Address

Form Pane:

PV authorization []

Hello for telephone reinterview and respondent name available []

Hello for telephone reinterview and respondent name blank []

[Introduction for telephone reinterview and respondent name available \[fill\]](#)

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1, 2, 3

Skip Instructions: <1, 2, 3> [go to [RIRESP](#)]

Special Instructions:

Help Reference Word:

Variable Name: **WRNUM**

Field Description: Wrong number

Field Definition:

Universe: (VERTELE = 2)

Info Pane:

I'm sorry. I must have dialed incorrectly.

I'll try again.

- ◆ Enter 1 to go back to dial updated number.
- ◆ You may have to press Enter twice to go back to Dial screen.

○ 1. Redial.

Form Pane:

Verify telephone number []

Wrong number [fill]

Refuse to verify number []

Type A noninterview []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1

Skip Instructions: <1> [go to [DIAL](#)]

Special Instructions:

- Empty the following variables:

DIAL,
HELLO_TC,
HELLO_TN,
VERTELE, and
WRNUM.

Help Reference Word:

Variable Name: **REFNUM**

Field Description: Refused to verify telephone number

Field Definition:

Universe: (VERTELE = 3)

Info Pane:

I'm sorry. I'll dial again to be sure I've dialed correctly.

- ☐ 1. After several attempts, wrap up case.
☐ 2. Redial

Form Pane:

Verify telephone number []
 Wrong number []
[Refuse to verify telephone number \[fill\]](#)
 Type A noninterview []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> [go to [THANK REF](#)]
 <2> [go to [DIAL](#)]

Special Instructions:

- If REFNUM = 2, empty the following variables:

DIAL,
 HELLO_TC,
 HELLO_TN,
 VERTELE, and
 REFNUM.

Help Reference Word:

Variable Name: **HELLO_TN**

Field Description: Hello for telephone reinterview and contact person name available

Field Definition:

Universe: (DIAL = 1 and ORIOUT = (B1, C1, B2, C2 or VINT) and CPNAME not empty)

Info Pane:

Hello, I'm... from the U.S. Census Bureau.

May I speak to [Fill: CPNAME]?

- ☐ 1. This is correct person, or correct person called to the phone.
- ☐ 2. Person not available now.
- ☐ 3. Person unknown at this number
- ☐ 4. Person no longer lives there.
- ☐ 5. Person deceased.
- ☐ 6. Person can be reached at another number.
- ☐ 7. Reinterview Noninterview

Form Pane:

Hello for telephone reinterview and contact person name available [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, 4, 5, 6, 7

Skip Instructions:

- <1> [go to [INTRO_TN](#)]
- <2, 4> [go to [PROX_N](#)]
- <3> [go to [VERTELE](#)]
- <5> [go to [THANK_REF](#)]
- <6> [go to [INTRO_](#)]
- <7> [go to [STATUS_RI](#)]

Special Instructions:

Help Reference Word:

Variable Name: **VERTYPEA**

Field Description: Type A noninterview

Field Definition:

Universe: (CKSUP = 1 and ORIOUT_RSLT = A) **OR**
 (METHOD = 1 and ORIOUT_RSLT = A) **OR**
 (METHOD = 2 and USE_CKSUP = No and ORIOUT_RSLT = A)

Info Pane:

| |
|---|
| <p>This case was a Type A in the original interview.</p> |
| <p>◆ Please use any available resource to check that the original outcome was:</p> <p>[Fill: ORIOUT's description] [Fill: "-" TYPEA_SP / blank] on [Fill: INTDATE].</p> |
| <p><input type="radio"/> 1. Original outcome was correct.</p> <p><input type="radio"/> 2. Original outcome was incorrect.</p> <p><input type="radio"/> 3. Reinterview Noninterview.</p> <p><input type="radio"/> 4. Quit - Attempt later.</p> |

Form Pane:

| |
|--|
| <p>Verify telephone number []</p> <p>Wrong number []</p> <p>Refuse to verify number []</p> <p>Type A noninterview [fill]</p> |
|--|

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. Fill ORIOUT's description with the original outcome code description from Attachment B, "List of Original Interview Outcome Codes in the Original Instrument".
2. If ORIOUT = 219, fill "-" TYPEA_SP.
Else leave blank, do not display item.

Field Length: 1

Valid Values: 1, 2, 3, 4

Skip Instructions: <1, 4> [go to [RINOTES PRE](#)]
 <2> [go to [FALSIF](#)]
 <3> [go to [NONINT](#)]

Special Instructions:

- If VERTYPEA = 1, set RI_OUTCM = 1 and OUTCOME = 201 and RI_DISP = 001.
- If VERTYPEA = 2, store code 4 in element [4] of DISCREPANCY array and set RI_OUTCM = 2.
- If VERTYPEA = 3, set RI_OUTCM = 3.
- If VERTYPEA = 4, set OUTCOME = 202.

Help Reference Word:

Variable Name: **HELLO_TNX**

Field Description: Hello for telephone reinterview and contact person name blank

Field Definition:

Universe: (DIAL = 1 and ORIOUT_RSLT = (B1, C1, B2, C2 or VINT) and CPNAME empty)

Info Pane:

Hello. I'm ... from the U.S. Census Bureau.

Our records show that one of our interviewers, [Fill: FR_NAME], recently contacted your location to verify the status of:

**[Fill: ADDRESS1 /
 ADDRESS2 /
 ADDRESS3 /
 ADDRESS4]**

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

Can you or someone else answer a few questions to help us evaluate the interviewer's work?

- ☐ 1. Yes
- ☐ 2. No
- ☐ 3. Inconvenient time. Try again later.

Form Pane:

[Hello for telephone reinterview and contact person name blank \[fill\]](#)

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1, 2, 3

Skip Instructions: <1> [go to [CONTACT N](#)]
 <2> [go to [STATUS RI](#)]
 <3> [go to [APPT](#)]

Special Instructions:

Help Reference Word:

Variable Name: **INTRO_TN**

Field Description: Introduction for telephone reinterview and contact person name available

Field Definition:

Universe: (HELLO_TN = 1)

Info Pane:

Thank you for recently helping us verify the status of:

**[Fill: ADDRESS1 /
 ADDRESS2 /
 ADDRESS3 /
 ADDRESS4]**

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

♦ Enter 1 to continue.

☐ 1. Continue

Form Pane:

[Introduction for telephone reinterview and contact person name available \[fill\]](#)

Hello for personal visit reinterviewing and respondent name available []

Hello for personal visit reinterview and respondent name blank []

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Value: 1

Skip Instructions: <1> [go to [CONTACT N](#)]

Special Instructions:

Help Reference Word:

Variable Name: **HELLO_PC**

Field Description: Hello for personal visit reinterviewing and respondent name available

Field Definition:

Universe: (CKSUP = 1 and ORIOUT_RSLT = INT and RESPNAME not empty)
OR
(METHOD = 2 and USE_CKSUP = No and ORIOUT_RSLT = INT and RESPNAME not empty)

Info Pane:

**Hello. I'm ... from the U.S. Census Bureau.
Here is my identification card.**

♦ [Show ID card.](#)

May I speak to [FILL: RESPNAME]?

- ☐ 1. Correct person available.
- ☐ 2. Person not available now.
- ☐ 3. Person unknown at this address.
- ☐ 4. Person no longer lives there.
- ☐ 5. Person deceased.
- ☐ 6. No one lives at this address.
- ☐ 7. Reinterview Noninterview.

Form Pane:

Introduction for telephone reinterview and contact person name available []
[Hello for personal visit reinterviewing and respondent name available \[Fill\]](#)
Hello for personal visit reinterview and respondent name blank []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, 4, 5, 6, 7

Skip Instructions:

- <1> [go to [INTRO PC](#)]
- <2> If (RPROXY_A = 1) then [go to [HHMEM](#)]
Else [go to [APPT2](#)]
- <3> [go to [ADDVER](#)]
- <4> If (RPROXY_A = 1) then [go to [HHMEM](#)]
Else [go to [THANK YOU](#)]
- <5> [go to [THANK REF](#)]
- <6, 7> [go to [STATUS RI](#)]

Special Instructions:

Help Reference Word:

Variable Name: **HELLO_PCX**

Field Description: Hello for personal visit reinterview and respondent name blank

Field Definition:

Universe: (CKSUP = 1 and ORIOUT_RSLT = INT and RESPNAME empty) **OR**
(METHOD =2 and USE_CKSUP = No and ORIOUT_RSLT = INT and RESPNAME empty)

Info Pane:

**Hello, I'm ... from the U.S. Census Bureau.
Here is my identification card.**

♦ [Show ID card.](#)

Our records show that one of our interviewers, [Fill : FR_NAME], recently contacted your household.

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

Can you or another household member answer a few questions to help us evaluate the interviewer's work?

- ☐ 1. Yes
- ☐ 2. No
- ☐ 3. Inconvenient time. Try again later.
- ☐ 4. No one lives at this address.

Form Pane:

Introduction for telephone reinterview and contact person name available []

Hello for personal visit reinterviewing and respondent name available []

[Hello for personal visit reinterview and respondent name blank \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, 4

Skip Instructions: <1> [go to [ADDVER](#)]
 <2, 4> [go to [STATUS RI](#)]
 <3> [go to [APPT](#)]

Special Instructions:

Help Reference Word:

Variable Name: **INTRO_PC**

Field Description: Introduction for personal visit reinterview and respondent name available

Field Definition:

Universe: (HELLO_PC = 1)

Info Pane:

Thank you for helping us recently with the Consumer Expenditure Quarterly Survey.

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

**Is your address: [Fill: ADDRESS1 /
 ADDRESS2 /
 ADDRESS3 /
 ADDRESS4]?**

- ☐ 1. Yes
- ☐ 2. No
- ☐ 3. Refused to verify address

Form Pane:

[Introduction for personal visit reinterview and respondent name available \[fill\]](#)

Hello for personal visit reinterview and contact person name available []

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1, 2, 3

Skip Instructions: <1, 2, 3> [go to [RIRESP](#)]

Special Instructions:

Help Reference Word:

Variable Name: **HELLO_PN**

Field Description: Hello for personal visit reinterview and contact person name available

Field Definition:

Universe: (CKSUP = 1 and ORIOUT_RSLT = (B1, C1, B2, C2 or VINT) and BYOBS = 2 and CPNAME not empty) **OR**
(METHOD = 2 and USE_CKSUP = No and ORIOUT_RSLT = (B1, C1, B2, C2 or VINT) and BYOBS = 2 and CPNAME not empty)

Info Pane:

**Hello. I'm... from the U.S. Census Bureau.
Here is my identification card.**

♦ [Show ID card.](#)

May I speak to [Fill: CPNAME]?

- ☐ 1. Correct person available.
- ☐ 2. Person not available now.
- ☐ 3. Person unknown at this address.
- ☐ 4. Person no longer lives there.
- ☐ 5. Person deceased.
- ☐ 6. Reinterview Noninterview.

Form Pane:

Introduction for personal visit reinterview and respondent name available []
[Hello for personal visit reinterview and contact person name available \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, 4, 5, 6

Skip Instructions:

- <1> [go to [INTRO_PN](#)]
- <2, 4> [go to [PROX_N](#)]
- <3> [go to [ADDVER](#)]
- <5> [go to [THANK_REF](#)]
- <6> [go to [STATUS_RI](#)]

Special Instructions:

Help Reference Word:

Variable Name: **HELLO_PNX**

Field Description: Hello for personal visit reinterview and contact person name blank

Field Definition:

Universe: (CKSUP = 1 and ORIOUT_RSLT = (B1, C1, B2, C2 or VINT) and
BYOBS = 2 and CPNAME empty) **OR**
(METHOD = 2 and USE_CKSUP = No and ORIOUT_RSLT = (B1, C1,
B2, C2 or VINT) and BYOBS = 2 and CPNAME empty)

Info Pane:

Hello, I'm... from the U.S. Census Bureau.

Here is my identification card.

♦ [Show ID card.](#)

Our records show that one of our interviewers, [Fill: FR_NAME], recently contacted this location to verify the status of:

**[Fill: ADDRESS1 /
ADDRESS2 /
ADDRESS3 /
ADDRESS4]**

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

Can you or someone else answer a few questions to help us evaluate the interviewer's work?

- ☐ 1. Yes
- ☐ 2. No
- ☐ 3. Inconvenient time. Try again later.

Form Pane:

[Hello for personal visit reinterview and contact person name blank \[fill\]](#)

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU \neq 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1, 2, 3

Skip Instructions: <1> [go to [CONTACT N](#)]
 <2> [go to [STATUS RI](#)]
 <3> [go to [APPT](#)]

Special Instructions:

Help Reference Word:

Variable Name: **ADDVER**

Field Description: Address verification from proxy

Field Definition:

Universe: (PROX_C = 1) **OR** (VERTELE = 1) **OR** (HELLO_TCX = 1) **OR**
 (HELLO_PC = 3) **OR** (HELLO_PCX = 1) **OR** (HELLO_PN = 3)

Info Pane:

I need to verify that the address [Fill: “here” / “there”] is:

**[Fill: ADDRESS1 /
 ADDRESS2 /
 ADDRESS3 /
 ADDRESS4 /
 CPADD1
 CPADD2
 CPPO, CPST CPZP5-CPZP4]**

- ☐ 1. Same Address.
- ☐ 2. Not same Address.
- ☐ 3. Refused to verify.

Form Pane:

[Address verification from proxy \[fill\]](#)

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If METHOD = 2, fill “here.”

2. If METHOD = 1, fill “there.”

If ORIOUT_RSLT = INT, fill address with format ADDRESS1 if REDESIGN = Yes and PUERTO_RICO = No, with format ADDRESS2 if REDESIGN = No and PUERTO_RICO = NO, with format ADDRESS3 if PUERTO_RICO = Yes and PSU ≠ 72, and with format ADDRESS4 if PUERTO_RICO = Yes and PSU = 72.

Field Length: 1

Valid Values: 1, 2, 3

Skip Instructions: <1> If (HELLO_TN =3 or HELLO_PN=3) then [go to [PROX UN](#)]
 If (RPROXY_A = 0) then [go to [THANK SORRY](#)]
 If (HELLO_TC = 4 or HELLO_PC=3) then [go to [HHMEM](#)]
 Else [go to [RIRESP](#)]
 <2> [go to [THANK SORRY](#)]
 <3> [go to [THANK REF](#)]

Special Instructions:

Help Reference Word:

Variable Name: **INTRO_PN**

Field Description: Introduction for personal visit reinterview and contact person name available

Field Definition:

Universe: (HELLO_PN = 1)

Info Pane:

Thank you for recently helping us verify the status of:

**[Fill: ADDRESS1 /
 ADDRESS2 /
 ADDRESS3 /
 ADDRESS4]**

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

♦ Enter 1 to continue.

☐ 1. Continue

Form Pane:

Introduction for personal visit reinterview and contact person name available [fill]

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Value: 1

Skip Instructions: <1> [go to [CONTACT N](#)]

Special Instructions:

Help Reference Word:

Variable Name: **VERBYOBS**

Field Description: Type B/C noninterview by observation

Field Definition:

Universe: (CKSUP = 1 and ORIOUT_RSLT = (B1, C1, B2, C2 or VINT) and BYOBS = 1) **OR**
 (METHOD = 1 and ORIOUT_RSLT = (B1, B2, C1, C2 or VINT) and BYOBS = 1) **OR**
 (METHOD = 2 and USE_CKSUP = No and ORIOUT_RSLT = (B1, C1, B2, C2 or VINT) and BYOBS = 1)

Info Pane:

The interviewer determined the original outcome by observation.

◆ Please use any available resource to check that:

[Fill: ADDRESS1 /
 ADDRESS2 /
 ADDRESS3 /
 ADDRESS4]

was [Fill: ORIOUT's description] [Fill: "-" TYPEB_SP / "-" TYPEC_SP / blank]
 on [Fill: INTDATE].

- ☐ 1. Original outcome was correct.
- ☐ 2. Original outcome was incorrect.
- ☐ 3. Reinterview Noninterview.
- ☐ 4. Quit - Attempt later.

Form Pane:

Type B/C noninterview by observation [fill]

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

2. Fill ORIOUT's description with the original outcome description of ORIOUT from Attachment B, "List of Original Interview Outcome Codes".
3. If ORIOUT = 233, fill "-" TYPEB_SP.
If ORIOUT = 248, fill "-" TYPEC_SP.
Else leave blank, do not display item.

Field Length: 1

Valid Values: 1, 2, 3, 4

Skip Instructions: <1, 4> [go to [RINOTES PRE](#)]
 <2> If (ORIOUT_RSLT = VINT) then [go to [MISC VINT](#)]
 If (ORIOUT_RSLT = B1 or B2 and VACANT_INT = No)
 then [go to [MISC B](#)]
 If (ORIOUT_RSLT = B1 or B2 and VACANT_INT = YES)
 then [go to [MISC BVINT](#)]
 If (ORIOUT_RSLT = C1 or C2 and VACANT_INT = No)
 then [go to [MISC C](#)]
 If (ORIOUT_RSLT = C1 or C2 and VACANT_INT = Yes)
 then [go to [MISC CVINT](#)]
 <3> [go to [NONINT](#)]

Special Instructions:

- If VERBYOBS = 1, set RI_OUTCM = 1 and OUTCOME = 201 and RI_DISP = 001.
- If VERBYOBS = 2, store code 3 in element [3] of DISCREPANCY array and set RI_OUTCM = 2.
- If VERBYOBS = 3, set RI_OUTCM = 3.
- If VERBYOBS = 4, set OUTCOME = 202.

Help Reference Word:

Variable Name: **HHMEM**

Field Description: Household member

Field Definition:

Universe: (HELLO_TC = 3 or 5 and RPROXY_A = 1 and ADDVER empty)
OR
 (HELLO_PC = 2 or 4 and RPROXY_A = 1 and ADDVER empty)
OR
 (ADDVER = 1 and RPROXY_A = 1 and (HELLO_TC = 4 or
 HELLO_PC = 3))

Info Pane:

Perhaps you can help me.

Are you a household member [Fill: “who is” MIN AGE “years or older” / blank]?

- ☐ 1. Yes
- ☐ 2. No

Form Pane:

Household member [fill]

Other household member ☐

Proxy contact verification for interview case []

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If MIN_AGE > 0, fill “who is” MIN_AGE “years or older.” Else leave blank.

Field Length: 1

Valid Values: 1, 2, R

Skip Instructions: <1> If (HELLO_TC = 4 or HELLO_PC = 3) then [go to **PROX UC**]

Else [go to **PROX C**]

<2, R> [go to [HHMEM2](#)]

Special Instructions:

Help Reference Word:

Variable Name: **HHMEM2**

Field Description: Other Household member

Field Definition:

Universe: (HHMEM = 2)

Info Pane:

Is there a household member present I may speak to [Fill: “who is” MIN_AGE “years or older” / blank]?

☐ 1. Yes

☐ 2. No

Form Pane:

Household member []

[Other household member \[fill\]](#)

Proxy contact verification for interview case []

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If MIN_AGE > 0, fill “who is” MIN_AGE “years or older.”
 Else leave blank.

Field Length: 1

Valid Values: 1, 2, R

Skip Instructions: <1> If (HELLO_TC = 4 or HELLO_PC = 3) then [go to [PROX_UC](#)]

 Else [go to [PROX_C](#)]

 <2, R> [go to [THANK_NOHH](#)]

Special Instructions:

Help Reference Word:

Variable Name: **PROX_C**

Field Description: Proxy contact verification for interview case

Field Definition:

Universe: (HHMEM = 1 and ((HELLO_TC = 3 or 5) or (HELLO_PC = 2 or 4))) **OR**
 (HHMEM2 = 1 and ((HELLO_TC = 3 or 5) or (HELLO_PC = 2 or 4)))

Info Pane:

Our records show that one of our interviewers, [Fill: FR_NAME], recently contacted your household.

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

Can you or another household member answer a few questions to help us evaluate the interviewer's work?

- ☐ 1. Yes
☐ 2. No

Form Pane:

Household member []
 Other household member []
 Proxy contact verification for interview case [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, R

Skip Instructions: <1> [go to [ADDVER](#)]
 <2, R> If (HELLO_PC = 2) then [go to [APPT2](#)]
 Else [go to [THANK YOU](#)]

Special Instructions:

Help Reference Word:

Variable Name: **PROX_N**

Field Description: Proxy contact verification for noninterview case

Field Definition:

Universe: (HELLO_TN = 2 or 4) **OR** (HELLO_PN = 2 or 4)

Info Pane:

Perhaps you can help me.

Our records show that one of our interviewers, [Fill: FR_NAME], recently contacted this location to verify the status of :

**[Fill: ADDRESS1 /
ADDRESS2 /
ADDRESS3 /
ADDRESS4].**

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

Can you or someone else answer a few questions to help us evaluate the interviewer's work?

☐ 1. Yes

☐ 2. No

Form Pane:

[Proxy contact verification for noninterview case \[fill\]](#)

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1 ,2

Skip Instructions: <1> **[go to [CONTACT N](#)]**
 <2> If (HELLO_PN = 2 or HELLO_TN = 2) **then [go to [APPT2](#)]**
 If (HELLO_PN = 4 or HELLO_TN = 4)
 then [go to [THANK YOU](#)]

Special Instructions:

Help Reference Word:

Variable Name: **PROX_UC**

Field Description: Proxy contact verification for interview case - respondent unknown

Field Definition:

Universe: (HHMEM = 1 and (HELLO_TC = 4 or HELLO_PC = 3)) **OR**
 (HHMEM2 = 1 and (HELLO_TC = 4 or HELLO_PC = 3))

Info Pane:

Our records show that one of our interviewers, [Fill: FR_NAME], recently contacted your household.

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

Can you or another household member answer a few questions to help us evaluate the interviewer's work?

- ☐ 1. Yes
- ☐ 2. No
- ☐ 3. Inconvenient time. Try again later.

Form Pane:

Household member []
 Other household member []
 Proxy contact verification for interview case []
 Proxy contact verification for noninterview case []
[Proxy contact verification for interview case - respondent unknown \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3

Skip Instructions: <1> [go to [RIRESP](#)]
 <2> [go to [RI OUTCM](#)]
 <3> [go to [APPT](#)]

Special Instructions:

Help Reference Word:

Variable Name: **PROX_UN**

Field Description: Proxy contact verification for noninterview case - contact person unknown

Field Definition:

Universe: (ADDVER = 1 and (HELLO_TN = 3 or HELLO_PN = 3))

Info Pane:

Perhaps you can help me.

Our records show that one of our interviewers, [Fill: FR_NAME], recently contacted this location to verify the status of:

**[Fill: ADDRESS1 /
ADDRESS2 /
ADDRESS3 /
ADDRESS4].**

We're doing a short quality control check to make sure that our interviewers are following correct procedures.

Can you or someone else answer a few questions to help us evaluate the interviewer's work?

- ☐ 1. Yes
- ☐ 2. No
- ☐ 3. Inconvenient time. Try again later.

Form Pane:

Proxy contact verification for noninterview case - contact person unknown [fill]

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1, 2, 3

Skip Instructions: <1> [go to [CONTACT N](#)]
 <2> [go to [RI OUTCM](#)]
 <3> [go to [APPT](#)]

Special Instructions:

Help Reference Word:

XIV. Middle Specifications

The screens for the middle of the instrument appear in this section. Output “Don’t Know” as “9” and fill with preceding “9”s if variable length > 1. Output “Refused” as “8” and fill with preceding “9”s if variable length > 1. If a screen has eight or nine response choices, and allows “Don’t Know” or “Refused”, the specifications writers must specify length = 2 for the variable to differentiate between a response choice of 8 or 9 and a “Don’t Know”(99) or “Refused” (98).

Variable Name: **RIRESP**

Field Description: Reinterview Respondent

Field Definition: Selects reinterview respondent from household roster

Universe: (PROX_UC = 1) **OR** (INTRO_TC = 1, 2 or 3) **OR**
 (INTRO_PC = 1, 2 or 3) **OR**
 (SPEAKTO = 1 and CONTACT_C = 2 or D) **OR**
 (ADDVER = 1 and RPROXY_A = 1 and (HELLO_TC = 3 or 5 or
 HELLO_PC = 2 or 4 or HELLO_TCX = 1 or HELLO_PCX = 1))

Info Pane:

| <i>Line No.</i> | <i>Name</i> | <i>Relationship</i> | <i>Age</i> | <i>Sex</i> | <i>Away at college</i> | <i>HH member</i> | <i>HH number</i> |
|--------------------|----------------------------|---------------------|--------------------|--------------------|-------------------------|-----------------------|-------------------------|
| <i>[Fill: LNO]</i> | <i>[Fill: FNAME LNAME]</i> | <i>[Fill: REL]</i> | <i>[Fill: AGE]</i> | <i>[Fill: SEX]</i> | <i>[Fill: AWAY_COL]</i> | <i>[Fill: HH_MEM]</i> | <i>[Fill: PERCUNUM]</i> |
| • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • |

◆ Ask if necessary ◆ With whom am I speaking?

◆ Enter line number of person you are speaking to or (0) if person is not on roster.

Form Pane:

| |
|-------------------------------|
| Reinterview Respondent [fill] |
|-------------------------------|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 2

Valid Value: 0 - maximum line number

Skip Instructions: <0 - maximum line number> [go to [CONTACT_C](#)]

Special Instructions:

- This screen displays the household roster. Fill REL and SEX with their descriptions from Attachment D.
- A roster line cannot exceed 100 characters in length.

Help Reference Word: ROSTER

Variable Name: **CONTACT_C**

Field Description: Contact verification of original survey interview?

Field Definition:

Universe: (RIRES = <0 - maximum line number>)

Info Pane:

| |
|---|
| <p>Did an interviewer contact you or someone in your household on or about [Fill: INTDATE] and ask questions about [Fill: CONTACT_C_INFO 1].</p> |
| <p><input type="radio"/> 1. Yes</p> <p><input type="radio"/> 2. No</p> |

Form Pane:

| | |
|---|--|
| <p>Contact verification of original survey interview? [fill]</p> <p>Contact verification for original survey noninterview []</p> <p>Proxy present []</p> <p>Someone else contacted []</p> | <p>Speak to person []</p> <p>Interview mode []</p> <p>Phone Call Requested []</p> <p>FR Polite/Professional []</p> |
|---|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2

Skip Instructions: <1> If (PROX_C = 1) **OR** If (PROX_UC = 1) **OR**
 If (HELLO_TCX = 1) **OR** If (HELLO_PCX = 1) then [go to [PROX PRESENT](#)]
 If (ORIOUT_RSLT=INT) then [go to [ONE SESSION](#)]
 Else [go to [ORMODE](#)]

 <2, D> If (PROX_C = 1) **OR** If (PROX_UC = 1) **OR** If
 (HELLO_TCX = 1) **OR** If (HELLO_PCX = 1) then [go to [ROSTER 1](#)]
 Else [go to [SOMEONE ELSE](#)]

Special Instructions: Do not allow a refusal (i.e., Ctrl + R) for this question.

Help Reference Word:

Variable Name: **ONE_SESSION**

Field Description: Sessions required to complete interview

Field Definition:

Universe: (PROX_PRESENT = 1 and ORIOUT_RSLT = INT) **OR**
 (CONTACT_C = 1 and ORIOUT_RSLT = INT and (INTRO_TC = (1,
 2 or 3) or INTRO_PC = (1, 2 or 3))

Info Pane:

Was this interview done in one session?

By session I mean, was the interviewer able to complete the entire interview on the first visit, or were there additional visits or a follow-up telephone call made.

☐ 1. Yes

☐ 2. No, more than one session

Form Pane:

[Sessions required to complete interview \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> [go to [ORMODE](#)]

Special Instructions:

Help Reference Word:

Variable Name: **ORMODE**

Field Description: Interview mode

Field Definition:

Universe: (PROX_PRESENT = 1 and ORIOUT_RSLT=B1, B2, C1, C2, OR VINT)
OR (Any valid value in ONE_SESSION)

Info Pane:

| |
|--|
| Did the interviewer visit in person or call on the telephone? |
| <input type="radio"/> 1. Personal visit only <input type="radio"/> 2. Telephone call only <input type="radio"/> 3. Both - Interviewer visited and called |

Form Pane:

| | |
|--|---------------------------------------|
| Contact verification of original survey interview? [] | Speak to person [] |
| Contact verification for original survey noninterview [] | Interview mode [fill] |
| Proxy present [] | Phone Call Requested [] |
| Someone else contacted [] | FR Polite/Professional [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, D, R

Skip Instructions: <1, 3, D, R> [go to [POLITE](#)]

<2> If (CONTACT_C = 1) then [go to
[PHONE_REQUEST](#)]

Else [go to [POLITE](#)]

Special Instructions:

Help Reference Word:

Variable Name: **PHONE_REQUEST**

Field Description: Phone Call Requested

Field Definition:

Universe: (ORMODE = 2) and (CONTACT_C = 1)

Info Pane:

| |
|--|
| Did you request the telephone interview? |
| <input type="radio"/> 1. Yes <input type="radio"/> 2. No - Telephone interview requested by interviewer |

Form Pane:

| | |
|--|---|
| Contact verification of original survey interview? [] | Speak to person [] |
| Contact verification for original survey noninterview [] | Interview mode [] |
| Proxy present [] | Phone Call Requested [fill] |
| Someone else contacted [] | FR Polite/Professional [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R > [go to [POLITE](#)]

Special Instructions:

- If PHONE_REQUEST = 2, store code 9 in element [9] of DISCREPANCY array.

Help Reference Word:

UPDATE SKIP INSTRUCTIONS

Variable Name: **INFOBK**

Field Description: Receive information booklet

Field Definition:

Universe: (Any valid value for LAPTOP and ORMODE = 1 or 3)

Info Pane:

| |
|--|
| Did the interviewer give you an information booklet that lists a variety of items you might have purchased? |
|--|

| |
|------------------------------|
| <input type="radio"/> 1. Yes |
|------------------------------|

| |
|-----------------------------|
| <input type="radio"/> 2. No |
|-----------------------------|

Form Pane:

| |
|--|
| Receive information booklet [fill] |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> [go to [RECEIPTS](#)]

Special Instructions:

Help Reference Word:

Variable Name: **POLITE**

Field Description: FR Polite/Professional

Field Definition:

Universe: ORMODE = (1, 2, 3, D, or R) **OR**
 (ORMODE = 2 and CONTACT_N = 1) **OR**
 (PHONE_REQUEST = 1, 2, D, or R)

Info Pane:

| |
|---|
| Was the interviewer polite and professional? |
| <input type="radio"/> 1. Yes <input type="radio"/> 2. No |

Form Pane:

| | |
|--|---|
| Contact verification of original survey interview? [] | Speak to person [] |
| Contact verification for original survey noninterview [] | Interview mode [] |
| Proxy present [] | Phone Call Requested [] |
| Someone else contacted [] | FR Polite/Professional [fill] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, D, R> If (CONTACT_C = 1) then [go to [LENGTH H](#)]
 If (ORMODE = 1 or 3) then [go to [LAPTOP](#)]
 If (ORIOUT_RSLT = B2 or C2) then [go to [STAT PROBE](#)]
 If (ORIOUT_RSLT = B1 or C1) then [go to [STATUS](#)]
 Else [go to [VACANT](#)]
 <2> [go to [PO NOTES](#)]

Special Instructions:

Help Reference Word:

Variable Name: **PO_NOTES**

Field Description: Polite notes

Field Definition:

Universe: (POLITE = 2)

Info Pane:

♦ Enter comments from the reinterview respondent here.

Form Pane:

Polite notes [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 240

Valid Values: text up to 240 characters in length

Skip Instructions: If (CONTACT_C = 1) then [go to [LENGTH_H](#)]
 If (ORMODE = 1 or 3) then [go to [LAPTOP](#)]
 If (ORIOUT_RSLT = B2 or C2) then [go to [STAT_PROBE](#)]
 If (ORIOUT_RSLT = B1 or C1) then [go to [STATUS](#)]
 Else [go to [VACANT](#)]

Special Instructions:

Help Reference Word:

UPDATE UNIVERSEVariable Name: **RECEIPTS**Field Description: Asked to keep receiptsField Definition:Universe: Any valid value in INFOBKInfo Pane:**Were you asked to keep receipts between interviews?**☐ 1. Yes☐ 2. NoForm Pane:[Asked to keep receipts \[fill\]](#)Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1Valid Values: 1, 2, D, RSkip Instructions: <1> [go to [REFER](#)]
 <2, D, R> [go to [ANYRECEIPT](#)]Special Instructions:Help Reference Word:

UPDATE UNIVERSE AND SKIP INSTRUCTIONS

Variable Name: **REFER**

Field Description: Asked if receipts were referenced

Field Definition:

Universe: **(RECEIPTS=1)**

Info Pane:

| |
|--|
| Throughout the interview, did you refer to those receipts? |
| <input type="radio"/> 1. Yes <input type="radio"/> 2. No, I made purchases but did not refer to receipts <input type="radio"/> 3. No, I did not make any purchases |

Form Pane:

| |
|--|
| Asked if receipts were referenced [fill] |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, D, R

Skip Instructions: <1> [go to [FREOREC](#)]

 <2, 3, D, R> [go to [BUSEXP](#)]

Special Instructions:

Help Reference Word:

UPDATE UNIVERSE AND SKIP INSTRUCTIONS

Variable Name: **ANYRECEIPT**

Field Description: Referred to any receipts

Field Definition:

Universe: **RECEIPTS=2, D, R**

Info Pane:

| |
|--|
| Throughout the interview, did you refer to any receipts? |
| <input type="radio"/> 1. Yes <input type="radio"/> 2. No, I made purchases but did not refer to receipts <input type="radio"/> 3. No, I did not make any purchases |

Form Pane:

| |
|---|
| Referred to any receipts [fill] |
|---|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, D, R

Skip Instructions: <1> [go to [FREOREC](#)]

 <2, 3, D, R> [go to [BUSEXP](#)]

Special Instructions:

Help Reference Word:

UPDATE UNIVERSE AND SKIP INSTRUCTIONS

Variable Name: **FREQREC**

Field Description: Referred to receipts how frequently

Field Definition:

Universe: **REFER = 1 OR ANYRECEIPT = 1**

Info Pane:

| |
|---|
| Did you refer to receipts for |
| <input type="radio"/> 1. All or nearly all of your purchases <input type="radio"/> 2. At least half of your purchases <input type="radio"/> 3. Some of your purchases |

Form Pane:

| |
|--|
| Referred to receipts how frequently [fill] |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, D, R

Skip Instructions: <1, 2, 3, D, R> **[go to BUSEXP]**

Special Instructions:

Help Reference Word:

NEW SCREEN

Variable Name: **BUSEXP**

Field Description: Business Expenses

Field Definition:

Universe: ANYRECEIPT = 2, 3, D, R **OR** Any valid value in FREQREC **OR**
REFER = 2, 3, D, R

Info Pane:

Were you asked whether you had any expenses that will be reimbursed as a business expense?

- ☐ 1. Yes
☐ 2. No

Form Pane:

[Reimbursed business expenses \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R > [go to [ROSTER 1](#)]

Special Instructions:

Help Reference Word:

REMOVE SCREEN

Variable Name: **BURDEN**

Field Description: Respondent's interview experience

Field Definition:

Universe: (INTNMBR=5 and (INTPER = 201304, 201305, 201306, 201307, 201308, 201309) and ANYRECEIPT =2, 3, D, R)

OR

(INTNMBR=5 and (INTPER = 201304, 201305, 201306, 201307, 201308, 201309) and **Any valid value** in FREQREC)

OR

(INTNMBR=5 and (INTPER = 201304, 201305, 201306, 201307, 201308, 201309) and REFER=2, 3, D, R)

Info Pane:

Did the interviewer ask you questions about your experience completing the interview, such as your feelings on the length of the interview or how sensitive you felt the questions were?

☐ 1. Yes

☐ 2. No

Form Pane:

Respondent's interview experience [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> — [go to [ROSTER 1](#)]

Special Instructions:

- If BURDEN = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

REMOVE SCREEN

Variable Name: CENADMN

Field Description: Respondent's preference

Field Definition:

Universe: (INTNMBR=5 and (INTPER = 201310, 201311, 201312, 201401, 201402, 201403) and ANYRECEIPT =2, 3, D, R)

OR

(INTNMBR=5 and (INTPER = 201310, 201311, 201312, 201401, 201402, 201403) and **Any valid value** in FREQREC)

OR

(INTNMBR=5 and (INTPER = 201310, 201311, 201312, 201401, 201402, 201403) and REFER=2, 3, D, R)

Info Pane:

Were you asked whether you prefer that the BLS ask you about the cost of products and services in a survey or gather this information from another source, such as commercial records like grocery store loyalty cards or ask your doctor?

☐ 1. Yes

☐ 2. No

Form Pane:

[Respondent's preference \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> — [go to [ROSTER 1](#)]

Special Instructions:

- If CENADMN = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **LENGTH_H**

Field Description: Length of interview - hour portion

Field Definition:

Universe: (POLITE = 1 or D and CONTACT_C = 1) **OR**
 (Any text in PO_NOTES and CONTACT_C = 1)

Info Pane:

About how long did the interview last?

_____ **hours** _____ **min.**

Form Pane:

[Length of interview - hour portion \[fill\]](#)

Length of interview - minute portion []

Laptop used []

Vacant Check []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 0 - 9, D, R

Skip Instructions: <0 - 9> **[go to [LENGTH_M](#)]**
 <D> If (ORMODE = 1 or 3) then **[go to [LAPTOP](#)]**
 Else [go to [ROSTER_1](#)]

Special Instructions: Do not allow a refusal (i.e., Ctrl + R) for this question.

First of two duplicate screens - screen for hour entry.

Help Reference Word:

Variable Name: **LENGTH_M**

Field Description: Length of interview - minute portion

Field Definition:

Universe: (LENGTH_H = <0 - 9>)

Info Pane:

About how long did the interview last?

[Fill: LENGTH_H] hours _____ minutes

Form Pane:

Length of interview - hour portion []
 Length of interview - minute portion [fill]
 Laptop used []
 Vacant Check []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 2

Valid Values: 0 - 90

Skip Instructions: <0 - 90> If (ORMODE = 1 or 3) then [go to [LAPTOP](#)]
 Else [go to [ROSTER 1](#)]

Special Instructions:

- Second of two duplicate screens - screen for minute entry.
- Convert the number of hours entered in LENGTH_H and the number of minutes entered in LENGTH_M to total minutes, but do not display. Store this value in the variable LENGTH_T.
 - $LENGTH_T = (LENGTH_H \times 60) + LENGTH_M$.

Help Reference Word:

UPDATE UNIVERSE**Variable Name:** **ROSTER_1****Field Description:** Roster verification**Field Definition:** Verifying original roster in reinterview

Universe: (LENGTH_H = D and ORMODE = 2 or D) **OR**
 (LENGTH_M = <0-90> and ORMODE = 2 or D) **OR**
 (INFOBK = 1, 2, D, R and CONTACT_C = 1 and INTNMBR=1) **OR**
 (FREQREC = 1, 2, 3, R, or D and CONTACT_C = 1 and INTNMBR=2, 3, 4, or 5) **OR** (BURDEN = 1, 2, D, R and CONTACT_C = 1 and INTNMBR=5) **OR** (CENADMIN = 1, 2, D, R and CONTACT_C = 1 and INTNMBR=5) **OR** (PROX_PRESENT = 2 and CONTACT_C = 1) **OR**
 (SPEAKTO = 2 and CONTACT_C = 2 or D) **OR**
 (SOMEONE_ELSE = 2 or D and (CONTACT_C = 2 or D)) **OR**
 (CONTACT_C = 2 or D and (HELLO_TCX=1 or HELLO_PCX=1 or PROX_C = 1 or PROX_UC = 1)) **OR** Any valid value in BUSEXP

Info Pane:

| <i>Line No.</i> | <i>Name</i> | <i>Relationship</i> | <i>Age</i> | <i>Sex</i> | <i>Away at college</i> | <i>HH member</i> | <i>HH number</i> |
|--------------------|----------------------------|---------------------|--------------------|--------------------|-------------------------|-----------------------|-------------------------|
| <i>[Fill: LNO]</i> | <i>[Fill: FNAME LNAME]</i> | <i>[Fill: REL]</i> | <i>[Fill: AGE]</i> | <i>[Fill: SEX]</i> | <i>[Fill: AWAY_COL]</i> | <i>[Fill: HH_MEM]</i> | <i>[Fill: PERCUNUM]</i> |
| • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • |

Our records indicate that ♦Read above name(s) in blue ♦ was/were living or staying at

[Fill: ADDRESS1 / ADDRESS2 / ADDRESS3 / ADDRESS4]

on [Fill: INTDATE].

Is this correct?

☐ 1. Yes

☐ 2. No

Form Pane:[Roster verification \[fill\]](#)

Roster verification - deletes []

Roster verification - check for adds []

Question Text:

User Instructions: See info and form pane

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU \neq 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1Valid Values: 1, 2, D, R, D, R

Skip Instructions: <1, D, R> [go to [ROSTER 3](#)]
 <2> [go to [ROSTER 2](#)]

Special Instructions:

- This screen displays the household roster. Fill REL, SEX, AWAY_COL, and HH_MEM with their descriptions from Attachment D.
- If ROSTER_1 = 2, store code 7 in element [7] of DISCREPANCY array.

Help Reference Word

Variable Name: **ROSTER_2**

Field Description: Roster verification - deletes

Field Definition: Allows deletion of household members from the roster

Universe: (ROSTER_1 = 2)

Info Pane:

| <i>Line No.</i> | <i>Name</i> | <i>Relationship</i> | <i>Age</i> | <i>Sex</i> | <i>Away at college</i> | <i>HH member</i> | <i>HH number</i> |
|--------------------|--------------------------------|---------------------|--------------------|--------------------|------------------------------|-----------------------|-------------------------|
| <i>[Fill: LNO]</i> | <i>[Fill: FNAME LNAME]</i> | <i>[Fill: REL]</i> | <i>[Fill: AGE]</i> | <i>[Fill: SEX]</i> | <i>[Fill: AWAY_ COL]</i> | <i>[Fill: HH_MEM]</i> | <i>[Fill: PERCUNUM]</i> |
| • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • |

♦ Enter the line number of the household member(s) (above name(s) in blue) who wasn't/weren't living or staying at the household on [Fill: INTDATE].

List of line numbers from household roster.

Form Pane:

| |
|---|
| Roster verification [] Roster verification - deletes [fill] Roster verification - check for adds [] |
|---|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 2

Valid Values: list of line numbers, <1 - maximum line number>

Skip Instructions: <1 - maximum line number> [go to [ROSTER 3](#)]

Special Instructions:

- This screen displays the household roster. Fill REL and SEX with their descriptions from Attachment D.
- Mark all that apply type of entry.
- Calculate count of the number of incorrect persons entered, but do not display. Store this value in the variable INCT_CNT.

Help Reference Word:

Variable Name: **ROSTER_3**

Field Description: Roster verification – check for adds

Field Definition: Instrument checks for additional household members

Universe: (ROSTER_1 = 1, D or R) **OR** (Any valid value in ROSTER_2)

Info Pane:

| <i>Line No.</i> | <i>Name</i> | <i>Relationship</i> | <i>Age</i> | <i>Sex</i> | <i>Away at college</i> | <i>HH member</i> | <i>HH number</i> |
|--------------------|--------------------------------|---------------------|--------------------|--------------------|------------------------------|-----------------------|-------------------------|
| <i>[Fill: LNO]</i> | <i>[Fill: FNAME LNAME]</i> | <i>[Fill: REL]</i> | <i>[Fill: AGE]</i> | <i>[Fill: SEX]</i> | <i>[Fill: AWAY_ COL]</i> | <i>[Fill: HH_MEM]</i> | <i>[Fill: PERCUNUM]</i> |
| • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • |

Have I missed any household member who

[Fill: ROSTER_INFO1]
[Fill: ROSTER_INFO2]
[Fill: ROSTER_INFO3]?

☐ 1. Yes
☐ 2. No

Form Pane:

| |
|---|
| Roster verification [] Roster verification - deletes [] Roster verification - check for adds [fill] |
|---|

Question Text/Fill Instructions:

User Instructions: See info and form pane

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1> **[go to [ROSTER_4](#)]**

<2, D, R> **If (LENGTH_H = D and EMAILADDRESS not empty)
OR If (LENGTH_M = <0-90> and EMAILADDRESS not empty) [go to [EMAIL](#)]**

If (LENGTH_H = D and EMAILADDRESS is empty) OR
If (LENGTH_M = <0-90> and EMAILADDRESS is
empty) [go to [EMAIL BLANK](#)]

Else [go to [THANK YOU](#)]

Special Instructions:

- This screen displays the household roster. Fill REL, SEX, AWAY_COL and HH_MEM with their descriptions from Attachment D.
- If ROSTER_3 = 1, store code 7 in element [7] of the DISCREPANCY array.

Help Reference Word:

Variable Name: **ROSTER_4**

Field Description: Roster – verify adds

Field Definition: Allows addition of household members to the roster

Universe: (ROSTER_3 = 1)

Info Pane:

| <i>Line No.</i> | <i>Name</i> | <i>Relationship</i> | <i>Age</i> | <i>Sex</i> | <i>Away at college</i> | <i>HH member</i> | <i>HH number</i> |
|--------------------|--------------------------------|---------------------|--------------------|--------------------|------------------------------|-----------------------|-------------------------|
| <i>[Fill: LNO]</i> | <i>[Fill: FNAME LNAME]</i> | <i>[Fill: REL]</i> | <i>[Fill: AGE]</i> | <i>[Fill: SEX]</i> | <i>[Fill: AWAY_ COL]</i> | <i>[Fill: HH_MEM]</i> | <i>[Fill: PERCUNUM]</i> |
| • | • | • | • | • | • | • | • |
| • | • | • | • | • | • | • | • |

◆ Enter the name of each missing household member who

- [Fill: ROSTER_INFO1]
- [Fill: ROSTER_INFO2]
- [Fill: ROSTER_INFO3]

◆ Press Enter after each name and again after last name to continue.

Form Pane:

| | | |
|-----------------------------|-------------------------|-------------------------|
| Roster - verify adds [fill] | Roster - verify adds [] | Roster - verify adds [] |
| Roster - verify adds [] | Roster - verify adds [] | Roster - verify adds [] |
| Roster - verify adds [] | Roster - verify adds [] | Roster - verify adds [] |
| Roster - verify adds [] | Roster - verify adds [] | Roster - verify adds [] |
| Roster - verify adds [] | Roster - verify adds [] | Roster - verify adds [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: text ≤ 50 characters

Valid Values: Lists of up to 15 names

Skip Instructions: **If** (LENGTH_H = D and EMAILADDRESS not empty) **OR** **If** (LENGTH_M = <0-90> and EMAILADDRESS not empty) [**go to** [EMAIL](#)]

If (LENGTH_H = D and EMAILADDRESS is empty) OR If
(LENGTH_M = <0-90> and EMAILADDRESS is empty) [**go to**
[**EMAIL BLANK**](#)]

Else [**go to** [**THANK YOU**](#)]

Special Instructions:

- This screen displays the household roster. Fill REL, SEX, AWAY_COL and HH_MEM with their descriptions from Attachment D.
- Mark all that apply type of entry.
- Calculate count of the number of missing persons entered, but do not display. Store this value in the variable MISS_CNT.
- A roster line cannot exceed 100 characters in length.

Help Reference Word:

Variable Name: **EMAIL**

Field Description: E-mail address verification

Field Definition: Verify household email address collected in original interview

Universe: (ROSTER_3 = 2, D, or R and EMAILADDRESS not empty) **OR** (Any valid value in ROSTER_4 and EMAILADDRESS not empty)

Info Pane:

Is your email address [Fill: EMAILADDRESS]?

- ☐ 1. Yes
☐ 2. No
☐ 3. Refuse to verify e-mail address

Form Pane:

[Email verification \[fill\]](#)

Email verification – correction []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, 3, D, R

Skip Instructions: <1, 3, D, R> [go to [SURVEY](#)]

 <2> [go to [EMAIL UPDATE](#)]

Special Instructions:

Help Reference Word:

Variable Name: **EMAIL_UPDATE**

Field Description: Update E-mail address

Field Definition: Update E-mail address collected in original interview

Universe: (EMAIL = 2)

Info Pane:

What is your correct email address?

- ◆ Enter correct e-mail address.
- ◆ Enter 1 if respondent refuse to give correct e-mail address.

Form Pane:

Email verification []

[Email verification – correction \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 75

Valid Values: 1, text ≤ 75 characters

Skip Instructions: <1, text ≤ 75 characters > **[go to [SURVEY](#)]**

Special Instructions: Do not allow a don't know (i.e., Ctrl + D) or refusal (i.e., Ctrl + R) for this question.

Help Reference Word:

Variable Name: **EMAIL_BLANK**

Field Description: Missing e-mail address

Field Definition: Email address field was blank

Universe: (ROSTER_3 = 2, D, or R and EMAILADDRESS is empty) **OR** (Any valid value in ROSTER_4 and EMAILADDRESS is empty)

Info Pane:

Our records indicate that your e-mail address wasn't recorded during the previous interview.

Do you have an email address?

☐ 1. Yes

☐ 2. No

Form Pane:

[Email - blank \[fill\]](#)

Email - collect []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1,> [go to [EMAIL_COLLECT](#)]

 <2, D, R> [go to [SURVEY](#)]

Special Instructions:

Help Reference Word:

Variable Name: **EMAIL_COLLECT**

Field Description: Collect missing e-mail address

Field Definition:

Universe: (EMAIL_BLANK = 1)

Info Pane:

Can I have your email address?

- ◆ Enter e-mail address.
- ◆ Enter 1 if respondent refuse to give e-mail address.

Form Pane:

Email - blank []

Email - collect [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 75

Valid Values: 1, text \leq 75 characters

Skip Instructions: <1, text \leq 75 characters > [go to [SURVEY](#)]

Special Instructions: Do not allow a don't know (i.e., Ctrl + D) or refusal (i.e., Ctrl + R) for this question.

Help Reference Word:

Variable Name: **SURVEY**

Field Description: Prepare for survey content questions

Field Definition:

Universe: (VACANT = 1) **OR** (EMAIL = 1, 3, D or R) **OR**
(Any valid value in EMAIL_UPDATE) **OR**
(EMAIL_BLANK = 2, D or R) **OR** (Any valid value in
EMAIL_COLLECT)

Info Pane:

Now I am going to ask you a few questions about the content of the interview.

◆ Press 1 to continue.

☐ 1. Continue

Form Pane:

Prepare for survey content questions [fill]

Question Text/Fill Instructions:

1. If NROSIZE =1 and RIRESP > 0, fill 'Since our records have you as the only household member, you make up one HH.'
2. If NROSIZE =1 and RIRESP = 0, fill 'Since our records have' FNAME and LNAME from only person level record 'as the only household member, he/she makes up one HH.'
3. Else fill 'All household members who are related make up a HH. By related I mean by blood, marriage, adoption, or other legal arrangement. For people who are unrelated, a group of household members make up a HH if they are dependent on one another for payment of their major expenses. A household member makes up his own HH if he is independent of all other household members for payment of his major expenses. By major expenses I mean housing expenses, food expenses, and other living expenses such as clothing, transportation, etc.'

Field Length: 1

Valid Values: 1

Skip Instructions: <1> If (IN_COLL=1 or 2) then [go to [UTILITIES](#)]
If (IN_COLL=3 or BLANK and ADULT_CU=1) then [go to [EDUCATION](#)]

If (IN_COLL=3 or BLANK and ADULT_CU = 0 or BLANK and
IN_CLOCMBA_S= C)

then [go to [SPECLOTH](#)]

Else [go to [HHAPP](#)]

Variable Name: **UTILITIES**

Field Description: Utilities

Field Definition:

Universe: SURVEY=1 and IN_COLL=1 or 2

Info Pane:

| |
|---|
| Were you asked about utility bills such as electricity or gas? |
| <input type="radio"/> 1. Yes |
| <input type="radio"/> 2. No |

Form Pane:

| |
|----------------------------------|
| Utilities [fill] |
|----------------------------------|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> then [go to [VEHICLE](#)]

Special Instructions:

- If UTILITIES = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **VEHICLE**

Field Description: Vehicle

Field Definition:

Universe: IN_COLL=1 or 2 and Any valid value on UTILITIES

Info Pane:

For any vehicle that you rented, leased, or owned, were you asked about expenses such as licensing, registration, or fuel?

☐ 1. Yes

☐ 2. No

Form Pane:

[Vehicle \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> then [[go to MEDICAL](#)]

Special Instructions:

- If VEHICLE = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **MEDICAL**

Field Description: Out-of-pocket payments

Field Definition:

Universe: IN_COLL=1 or 2 and Any valid value on VEHICLE

Info Pane:

Did the interviewer ask you about out-of-pocket payments made directly to a medical provider for eye or dental care?

- ☐ 1. Yes
☐ 2. No

Form Pane:

[Out-of-pocket payments](#) [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> then [go to [HEALTH](#)]

Special Instructions:

- If MEDICAL = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **HEALTH**

Field Description: Health insurance

Field Definition: IN_COLL=1 or 2 and Any valid value on MEDICAL

Universe:

Info Pane:

Did the interviewer ask whether you pay for a health insurance policy ~~or hospitalization~~ plan?

- ☐ 1. Yes
☐ 2. No

Form Pane:

[Health insurance \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> then [go to [WORK](#)]

Special Instructions:

- If HEALTH = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **WORK**

Field Description: Work history

Field Definition:

Universe: IN_COLL=1 or 2 and Any valid value on HEALTH

Info Pane:

| |
|---|
| Were you asked about working in the past year? Do not include housework. |
| <input type="radio"/> 1. Yes |
| <input type="radio"/> 2. No |

Form Pane:

| |
|-------------------------------------|
| Work history [fill] |
|-------------------------------------|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> then [go to [THANK YOU](#)]

Special Instructions:

- If WORK = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **EDUCATION**

Field Description: Education expenses

Field Definition:

Universe: SURVEY = 1 and IN_COLL=3 or BLANK and ADULT_CU = 1

Info Pane:

Were you asked about payments made for education expenses?

Education expenses would include recreation lessons, textbooks, supplies, equipment, test preparation, tutoring, or housing while attending.

☐ 1. Yes

☐ 2. No

Form Pane:

[Education expenses \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> then [go to [INSURANCE](#)]

Special Instructions:

- If EDUCATION = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **INSURANCE**

Field Description: New insurance policies

Field Definition:

Universe: Any valid value in EDUCATION

Info Pane:

Were you asked about any new insurance policies?

[Please include health, vision, dental, life, vehicle, home/renters insurance policies.](#)

☐ 1. Yes

☐ 2. No

Form Pane:

[New insurance policies \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> then [go to [THANK YOU](#)]

Special Instructions:

- If INSURANCE = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **HHAPP**

Field Description: Purchasing HH appliances

Field Definition:

Universe: SURVEY = 1 and IN_COLL=3 or BLANK and ADULT_CU = 0 or
BLANK and IN_CLOCMBA_S = BLANK

Info Pane:

Were you asked about purchasing garbage disposals, range hoods, and built-in dishwashers?

If the respondent recalls at least one of the three items, then select 'Yes'.

☐ 1. Yes

☐ 2. No

Form Pane:

Purchasing HH appliances [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> **then [go to [MEALEXP](#)]**

Special Instructions:

- If HHAPP = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **MEALEXP**

Field Description: Weekly expenses for meals

Field Definition:

Universe: Any valid value in HHAPP

Info Pane:

Were you asked about your usual weekly expense for meals or snacks from restaurants, fast food places, or cafeterias?

☐ 1. Yes

☐ 2. No

Form Pane:

[Weekly expenses for meals \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> **then [go to [CLOTHING](#)]**

Special Instructions:

- If MEALEXP = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **CLOTHING**

Field Description: Purchasing clothing items

Field Definition:

Universe: Any valid value in MEALEXP

Info Pane:

Were you asked about purchasing swimsuits, uniforms, and jewelry?

If the respondent recalls at least one of the three items, then select 'Yes'.

☐ 1. Yes

☐ 2. No

Form Pane:

Purchasing clothing items [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> **then** [go to [MISCEXP](#)]

Special Instructions:

- If CLOTHING = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **MISCEXP**

Field Description: Purchasing miscellaneous expenses

Field Definition: Any valid value in CLOTHING

Universe:

Info Pane:

Were you asked about miscellaneous expenses such as funeral costs, legal fees, and adult care?

If the respondent recalls at least one of the three items, then select 'Yes'.

- ☐ 1. Yes
☐ 2. No
☐ 3. I don't remember

Form Pane:

[Purchasing miscellaneous expenses \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> then [go to [THANK YOU](#)]

Special Instructions:

- If MISCEXP = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **SPECLOTH**

Field Description: Specify clothing expenses

Field Definition: SURVEY = 1 and IN_COLL=3 or BLANK and ADULT_CU = 0 or
BLANK and IN_CLOCMBA_S= C

Universe:

Info Pane:

Were you asked about specific clothing items such as footwear, and undergarments separately?

- ☐ 1. Yes
☐ 2. No

Form Pane:

[Specify clothing expenses \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, **OR** > then [go to [COMCLOTH](#)]

Special Instructions:

- If SPECLOTH = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **COMCLOTH**

Field Description: Combined clothing expenses

Field Definition:

Universe: Any valid value in SPECLOTH

Info Pane:

You reported combined clothing expenses. Were you asked to tell what you spent on individual clothing types such as sports coats, nightwear, and sweaters?

A combined clothing expense is a clothing expense where you paid for different types of clothing items in a single purchase. For example, we want to know if you were asked how much you spent on sports coats, nightwear, or sweaters separately rather than giving one lump sum for all clothing purchased.

☐ 1. Yes

☐ 2. No

Form Pane:

Combined clothing expenses [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, 2, D, R> then [go to [THANK YOU](#)]

Special Instructions:

- If COMCLOTH = 2, store code 8 in element [8] of DISCREPANCY array.

Help Reference Word:

Variable Name: **PROX_PRESENT**

Field Description: Proxy present

Field Definition:

Universe: (CONTACT_C = 1 and (PROX_C = 1 or PROX_UC = 1 or
HELLO_TCX=1 or HELLO_PCX=1)) **OR**
(CONTACT_N = 1 and (PROX_N = 1 or PROX_UN = 1 or
HELLO_TNX = 1 or HELLO_PNX = 1))

Info Pane:

| |
|---|
| Were you present during the original interview? |
| <input type="radio"/> 1. Yes <input type="radio"/> 2. No |

Form Pane:

| | |
|--|---------------------------|
| Contact verification of original survey interview? [] | Speak to person [] |
| Contact verification for original survey noninterview [] | Interview mode [] |
| Proxy present [fill] | Phone Call Requested [] |
| Someone else contacted [] | FR Polite/Professional [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1> If (ORIOUT_RSLT = INT) then [go to [ONE SESSION](#)]
 Else [go to [ORMODE](#)]
 <2> If (CONTACT_C = 1) then [go to [ROSTER 1](#)]
 If (ORIOUT_RSLT = B2 or C2) then [go to [STAT PROBE](#)]
 If (ORIOUT_RSLT = B1 or C1) then [go to [STATUS](#)]
 Else [go to [VACANT](#)]

Special Instructions:

Help Reference Word:

Variable Name: **SOMEONE_ELSE**

Field Description: Someone else contacted

Field Definition:

Universe: (CONTACT_C = 2 or D and (INTRO_TC = 1, 2 or 3 or
INTRO_PC = 1, 2 or 3)) **OR**
(CONTACT_N = 2 or D and PROX_N empty and PROX_UN empty)

Info Pane:

Could the interviewer have spoken to another person at

[Fill: ADDRESS1 /
ADDRESS2 /
ADDRESS3 /
ADDRESS4 /
CPADD1
CPADD2
CPPO, CPST CPZP5-CPZP4]?

- ☐ 1. Yes
☐ 2. No

Form Pane:

| | |
|--|---------------------------|
| Contact verification of original survey interview? [] | Speak to person [] |
| Contact verification for original survey noninterview [] | Interview mode [] |
| Proxy present [] | Phone Call Requested [] |
| Someone else contacted [fill] | FR Polite/Professional [] |

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If ORIOUT_RSLT = INT, fill address with format ADDRESS1 if REDESIGN = Yes and PUERTO_RICO = No, with format ADDRESS2 if REDESIGN = No and PUERTO_RICO = No, with format ADDRESS3 if PUERTO_RICO = Yes and PSU \neq 72, and with format ADDRESS4 if PUERTO_RICO = Yes and PSU = 72.
Else fill contact person address.

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions:

 $\langle 1 \rangle$

[go to [SPEAKTO](#)]

 $\langle 2, D, R \rangle$

If (CONTACT_C = (2 or D)) then [go to [ROSTER_1](#)]

If (ORIOUT_RSLT = B2 or C2) then [go to STAT PROBE]

If (ORIOUT_RSLT = B1 or C1) **then [go to STATUS]**

Else [go to VACANT]

Special Instructions:

- If (SOMEONE_ELSE = 2), add code 1 to element [1] of DISCREPANCY array.

Help Reference Word:

Variable Name: **SPEAKTO**

Field Description: Speak to person

Field Definition:

Universe: (SOMEONE_ELSE = 1)

Info Pane:

| |
|---|
| May I speak to her/him? |
| <input type="radio"/> 1. Yes <input type="radio"/> 2. No |

Form Pane:

| | |
|--|--|
| Contact verification of original survey interview? [] | Speak to person [fill] |
| Contact verification for original survey noninterview [] | Interview mode [] |
| Proxy present [] | Phone Call Requested [] |
| Someone else contacted [] | FR Polite/Professional [] |

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1> If (CONTACT_C = 2 or D) then [go to [RIRESP](#)]
 Else [go to [CONTACT_N](#)]

 <2, D, R> If (CONTACT_C = (2 or D)) then [go to [ROSTER 1](#)]
 If (ORIOUT_RSLT = B2 or C2) then [go to [STAT PROBE](#)]
 If (ORIOUT_RSLT = B1 or C1) then [go to [STATUS](#)]
 Else [go to [VACANT](#)]

Special Instructions:

If (SPEAKTO = 1 and CONTACT_C = (2 or D)), empty the following variables upon returning to RIRESP: **RIRESP**, **CONTACT_C**, **SOMEONE_ELSE**, and **SPEAKTO**.

If (SPEAKTO = 1 and CONTACT_N = (2 or D)), empty the following variables upon returning to CONTACT_N: **CONTACT_N**, **SOMEONE_ELSE**, and **SPEAKTO**.

Help Reference Word:

Variable Name: **CONTACT_N**

Field Description: Contact verification for original survey noninterview

Field Definition:

Universe: (HELLO_PNX = 1) **OR** (HELLO_TNX = 1) **OR** (INTRO_TN = 1)
OR (INTRO_PN = 1) **OR** (PROX_N = 1) **OR** (PROX_UN = 1) **OR**
 (SPEAKTO = 1 and CONTACT_N = 2 or D)

Info Pane:

| |
|--|
| <p>Did an interviewer visit or call regarding:</p> <p>[Fill: ADDRESS1 / ADDRESS2 / ADDRESS3 / ADDRESS4]?</p> |
| <p><input type="radio"/> 1. Yes</p> <p><input type="radio"/> 2. No</p> |

Form Pane:

| | |
|--|---|
| Contact verification of original survey interview? [] Contact verification for original survey noninterview [fill] Proxy present [] Someone else contacted [] | Speak to person [] Interview mode [] Phone Call Requested [] FR Polite/Professional [] |
|--|---|

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1> If (PROX_N = 1) **OR** If (PROX_UN = 1) **OR**
 If (HELLO_TNX = 1) **OR** If (HELLO_PNX = 1)
 then [go to [PROX PRESENT](#)]
 If (ORIOUT_RSLT=INT) **then [go to [ONE SESSION](#)]**
 Else [go to [ORMODE](#)]

 <2, D, R> If (PROX_N empty and PROX_UN empty)
 then [go to [SOMEONE ELSE](#)]
 If (ORIOUT_RSLT = (B2 or C2)) **then [go to**
 [STAT PROBE](#)]
 If (ORIOUT_RSLT = (B1 or C1)) **then [go to [STATUS](#)]**
 Else [go to [VACANT](#)]

Special Instructions:

Help Reference Word:

Variable Name: **VACANT**

Field Description: Vacant Check

Field Definition:

Universe: (SPEAKTO = 2 and ORIOUT_RSLT = VINT) **OR**
 (PROX_PRESENT = 2 and ORIOUT_RSLT = VINT) **OR**
 (LAPTOP = 1, 2, D, R or D and ORIOUT_RSLT = VINT) **OR**
 (SOMEONE_ELSE= 2 or D and ORIOUT_RSLT = VINT) **OR**
 (POLITE = 1 or D and ORMODE = 2 or D and ORIOUT_RSLT= VINT)
OR
 (Any valid value in PO_NOTES and ORMODE = 2 or D and
 ORIOUT_RSLT=VINT) **OR**
 (CONTACT_N = 2 or D and (PROX_N = 1 or PROX_UN = 1) and
 ORIOUT_RSLT = VINT)

Info Pane:

| |
|---|
| <p>Was</p> <p>[Fill: ADDRESS1 / ADDRESS2 / ADDRESS3 / ADDRESS4]</p> <p>vacant on [Fill: INTDATE]?</p> |
| <p><input type="radio"/> 1. Yes</p> <p><input type="radio"/> 2. No</p> |

Form Pane:

| |
|--|
| <p>Length of interview - hour portion []</p> <p>Length of interview - minute portion []</p> <p>Laptop used []</p> <p>Vacant Check [fill]</p> |
|--|

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU \neq 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1> [go to [SURVEY](#)]
 <2> [go to [STAT_PROB2](#)]
 <D, R> [go to [STAT_VER](#)]

Special Instructions:

- (If VACANT = 2), store code 6 in element [6] of DISCREPANCY array.

Help Reference Word:

Variable Name: **STAT_VER**

Field Description: Verify unit status

Field Definition:

Universe: (VACANT = (D or R)) **OR** (VACANT2 = (D or R))

Info Pane:

| |
|---|
| <p>Is there someone present I could speak with who could tell me the status of</p> <p>[Fill: ADDRESS1 / ADDRESS2 / ADDRESS3 / ADDRESS4]</p> <p>on or about [Fill: INTDATE]?</p> |
| <p><input type="radio"/> 1. Yes</p> <p><input type="radio"/> 2. No</p> |

Form Pane:

| |
|---------------------------|
| Verify unit status [fill] |
|---------------------------|

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
If PUERTO_RICO = Yes and PSU \neq 72, fill with format ADDRESS3.
If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1> [go to [SPEAKTO2](#)]
 <2, D, R> [go to [THANK YOU](#)]

Special Instructions:

Help Reference Word:

Variable Name: **SPEAKTO2**

Field Description: Speak to person

Field Definition:

Universe: (STAT_VER = 1)

Info Pane:

| |
|---|
| May I speak to her/him? |
| <input type="radio"/> 1. Yes <input type="radio"/> 2. No |

Form Pane:

| |
|--|
| Speak to person [fill] |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1> [go to [VACANT2](#)]
 <2, D, R> [go to [THANK YOU](#)]

Special Instructions:

Help Reference Word:

Variable Name: **VACANT2**

Field Description: Vacant Check

Field Definition:

Universe: (SPEAKTO2 = 1)

Info Pane:

| |
|---|
| <p>Hello, I'm ... from the U.S. Census Bureau.</p> <p>Our records show that one of our interviewers, [Fill: FR_NAME], recently contacted this location to verify the status of: [Fill: ADDRESS1 / ADDRESS2 / ADDRESS3 / ADDRESS4]</p> <p>We're doing a short quality control check to make sure that our interviewers are following correct procedures.</p> <p>Was</p> <p>[Fill: ADDRESS1 / ADDRESS2 / ADDRESS3 / ADDRESS4]</p> <p>vacant on [Fill: INTDATE]?</p> <p><input type="radio"/> 1. Yes</p> <p><input type="radio"/> 2. No</p> |
|---|

Form Pane:

| |
|----------------------------|
| Vacant Check [fill] |
|----------------------------|

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
2. If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
3. If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
4. If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions:

| | |
|---------|-------------------------------------|
| <1> | [go to THANK YOU] |
| <2> | [go to STAT_PROB2] |
| <D, R > | [go to STAT_VER] |

Special Instructions:

If (VACANT2 = D or R), empty the following variables upon returning to STAT_VER:
STAT_VER, SPEAKTO2, and VACANT2.

- If (VACANT2 = 2), store code 6 in element [6] of DISCREPANCY array.

Help Reference Word:

Variable Name: **STATUS**

Field Description: Status check

Field Definition:

Universe: (LAPTOP = (1, 2, D, R) and ORIOUT_RSLT = (B1 or C1)) **OR**
 (PROX_PRESENT = 2 and ORIOUT_RSLT = (B1 or C1)) **OR**
 (POLITE = (1 or D) and ORMODE = (2 or D) and
 ORIOUT_RSLT = (B1 or C1)) **OR**
 (SPEAKTO = 2 and CONTACT_N = (2 or D) and
 ORIOUT_RSLT = (B1 or C1)) **OR**
 (Any valid value in PO_NOTES and ORMODE = (2 or D) and
 ORIOUT_RSLT = (B1 or C1)) **OR**
 (CONTACT_N = (2 or D) and (PROX_N = 1 or PROX_UN = 1) and
 ORIOUT_RSLT = (B1 or C1)) **OR**
 (SOMEONE_ELSE = (2 or D) and CONTACT_N = (2 or D) and
 ORIOUT_RSLT = (B1 or C1))

Info Pane:

Our records show that on [Fill: INTDATE],

**[Fill: ADDRESS1 /
 ADDRESS2 /
 ADDRESS3 /
 ADDRESS4]**

[Fill: ORIOUT's description].

Is this information correct?

- ☐ 1. Yes
☐ 2. No

Form Pane:

[Status check \[fill\]](#)

Status probe []

Status probe - initial incorrect []

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
 If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
 If PUERTO_RICO = Yes and PSU \neq 72, fill with format ADDRESS3.
 If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.
2. Fill ORIOUT's description with the original outcome code description from Attachment E, "Original Outcome Code Descriptions for the STATUS Screen".

Field Length: 1

Valid Values: 1, 2, D, R

Skip Instructions: <1, D> [go to [THANK YOU](#)]
 <2, R> [go to [STAT_PROB2](#)]

Special Instructions:

- If (STATUS = 2), store code 6 in element [6] of DISCREPANCY array.

Help Reference Word:

Variable Name: **STAT_PROBE**

Field Description: Status probe

Field Definition:

Universe: (SPEAKTO = 2 and ORIOUT_RSLT = B2 or C2) **OR**
 (LAPTOP = (1, 2, D, R or D) and ORIOUT_RSLT = (B2 or C2)) **OR**
 (PROX_PRESENT = 2 and ORIOUT_RSLT = (B2 or C2)) **OR**
 (SOMEONE_ELSE = (2 or D) and ORIOUT_RSLT = (B2 or C2))
OR
 (POLITE = (1 or D) and ORMODE = (2 or D) and
 ORIOUT_RSLT = (B2 or C2)) **OR**
 (Any valid value in PO_NOTES and ORMODE = 2 or D and
 ORIOUT_RSLT = B2 or C2) **OR**
 (CONTACT_N = 2 or D and (PROX_N = 1 or PROX_UN = 1) and
 ORIOUT_RSLT = B2 or C2)

Info Pane:

Original Outcome: [Fill: ORIOUT] - [Fill: ORIOUT's description]
 [Fill: TYPEB_SP / TYPEC_SP / blank]

Original Interview Date: [Fill: INTDATE]

What was the status of [Fill: ADDRESS1 /
 ADDRESS2 /
 ADDRESS3 /
 ADDRESS4]

on or about [Fill: INTDATE]?

- ◆ Enter reported status.
- ◆ Explain any discrepancy between reported status and original outcome.

Form Pane:

Status check ☐
 Status probe [fill]
 Status probe - initial incorrect ☐

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. Fill ORIOUT's description with the original outcome code description from Attachment B, "Original Interview Outcome Codes".
2. If ORIOUT = 233, fill TYPEB_SP.
If ORIOUT = 248, fill TYPEC_SP.
Else leave blank, do not display item.
3. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
If PUERTO_RICO = Yes and PSU \neq 72, fill with format ADDRESS3.
If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 240

Valid Values: text \leq 240 characters

Skip Instructions: < text \leq 240 characters > [go to [THANK YOU](#)]

Special Instructions:

Help Reference Word:

Variable Name: **STAT_PROB2**

Field Description: Status probe - initial incorrect

Field Definition:

Universe: (STATUS = 2) **OR** (VACANT = 2) **OR** (VACANT2 = 2)

Info Pane:

Original Outcome: [Fill: ORIOUT] - [Fill: ORIOUT's description]

Original Interview Date: [Fill: INDATE]

What was the status of [Fill: ADDRESS1 /
ADDRESS2 /
ADDRESS3 /
ADDRESS4]

on or about [Fill: INDATE]?

- ◆ Enter reported status.
- ◆ Explain any discrepancy between reported status and original outcome.

Form Pane:

Status check ☐

Status probe ☐

Status probe - initial incorrect [fill]

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. Fill ORIOUT's description with the original outcome code description from Attachment B, "List of Original Interview Outcome Codes".
2. If REDESIGN = Yes and PUERTO_RICO = No, fill with format ADDRESS1.
If REDESIGN = No and PUERTO_RICO = No, fill with format ADDRESS2.
If PUERTO_RICO = Yes and PSU ≠ 72, fill with format ADDRESS3.
If PUERTO_RICO = Yes and PSU = 72, fill with format ADDRESS4.

Field Length: 240

Valid Values: text ≤ 240 characters

Skip Instructions: < text ≤ 240 characters > [go to [THANK YOU](#)]

Special Instructions:

Help Reference Word:

XV. Back Specifications

The screens for the back of the instrument appear in this section. A list of the reinterview disposition (RI_DISP), outcome (OUTCOME) and action (ACTION) codes appear in Attachment C, “CEQ Reinterview Disposition, Outcome and Action Codes”. The reinterview instrument sets the reinterview disposition and outcome codes. Case Management assigns the action code based on the reinterview outcome code.

Variable Name: **THANK_SORRY**

Field Description: Thank you for wrong address

Field Definition:

Universe: (ADDVER = 2) **OR** (ADDVER = 1 and (HELLO_TC = 4 or HELLO_PC = 3 or HELLO_TCX = 1 or HELLO_PCX = 1) and RPROXY_A = 0)

Info Pane:

| |
|--|
| <p>I'm sorry. I have the wrong address/telephone number. Thank you for your help.</p> <p>◆ Attempt to contact the correct household now or at a later time.</p> <p>◆ Enter 1 to continue.</p> |
| <p><input type="radio"/> 1. Continue</p> |

Form Pane:

| |
|--|
| <p>Thank you for wrong address [fill]</p> <p>Thank You []</p> <p>Thank you for refusal []</p> <p>Thank you for non-household member []</p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1

Skip Instructions: <1> [go to [STATUS RI](#)]

Special Instructions:

Help Reference Word:

Variable Name: **THANK_YOU**

Field Description: Thank You

Field Definition:

Universe: (STAT_VER = 2) **OR** (VACANT2 = 1) **OR** (STATUS = 1 or D) **OR**
 (HELLO_TC = (3 or 5) and RPROXY_A = 0) **OR**
 (HELLO_PC = 4 and RPROXY_A = 0) **OR**
 (Any valid value in STAT_PROBE) **OR** (Any valid value in
 STAT_PROB2) **OR** (SPEAKTO2=2) **OR**
 (PROX_N = 2 and (HELLO_PN = 4 or HELLO_TN = 4)) **OR**
 (PROX_C = 2 and (HELLO_PC = 4 or HELLO_TC = (3 or 5))) **OR**
 (LENGTH_H empty and LENGTH_M empty) **OR**
 (ROSTER_3 = (2, D or R) and LENGTH_H empty and LENGTH_M
 empty)) **OR**
 (Any valid value in ROSTER_4 and LENGTH_H empty and
 LENGTH_M empty) **OR**
 Any valid value in (WORK, INSURANCE, MISCEXP, or COMCLOTH)

Info Pane:

Thank you for your cooperation. You've been very helpful.

♦ [Enter 1 to continue.](#)

☐ 1. Continue

Form Pane:

Thank you for wrong address []

[Thank You](#) [fill]

Thank you for refusal []

Thank you for non-household member []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1

Skip Instructions: <1> If (HELLO_TC = 5 and RPROXY_A = 0) **OR**
 If (HELLO_PN = 4 and PROX_N = 2) **OR**
 If (HELLO_PC = 4 and RPROXY_A = 0) **OR**
 If (HELLO_TN = 4 and PROX_N = 2)
 then [go to [STATUS RI](#)]
 Else [go to [RI OUTCM](#)]

Special Instructions:

Help Reference Word:

Variable Name: **THANK_REF**

Field Description: Thank you for refusal

Field Definition:

Universe: (ADDVER = 3) **OR** (HELLO_TC = 6) **OR** (REFNUM = 1) **OR**
(HELLO_TN = 5) **OR** (HELLO_PC = 5) **OR** (HELLO_PN = 5)

Info Pane:

| |
|--|
| <p>I'm sorry to have bothered you.</p> <p>♦ Enter 1 to continue</p> |
| <p><input type="radio"/> 1. Continue</p> |

Form Pane:

| |
|--|
| <p>Thank you for wrong address []</p> <p>Thank You []</p> <p>Thank you for refusal [fill]</p> <p>Thank you for non-household member []</p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1

Skip Instructions: <1> If (HELLO_PC = 5) **OR** If (HELLO_PN = 5) **OR** If (HELLO_TC = 6)
 OR If (HELLO_TN=5) then [go to [NONINT](#)]
 Else [go to [RI_OUTCM](#)]

Special Instructions:

- If (HELLO_PC = 5) OR (HELLO_PN = 5) OR (HELLO_TC = 6) OR (HELLO_TN = 5), set RI_OUTCM=3.

Help Reference Word:

Variable Name: **THANK_NOHH**

Field Description: Thank you for non-household member

Field Definition:

Universe: (HHMEM2 = 2)

Info Pane:

| |
|--|
| <p>Thank you for your help, but I need to speak to a household member. I'll try back later.</p> <p>♦ Enter 1 to continue.</p> |
| <p><input type="radio"/> 1. Continue</p> |

Form Pane:

| |
|--|
| <p>Thank you for wrong address []</p> <p>Thank You []</p> <p>Thank you for refusal []</p> <p>Thank you for non-household member [fill]</p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Values: 1

Skip Instructions: <1> [go to [STATUS RI](#)]

Special Instructions:

Help Reference Word:

Variable Name: **APPT**

Field Description: Make appointment for better time

Field Definition:

Universe: (HELLO_TCX = 3) **OR** (HELLO_TNX = 3) **OR** (HELLO_PCX = 3) **OR**
 (HELLO_PNX = 3) **OR** (PROX_UC = 3) **OR** (PROX_UN = 3) **OR**
 (FIN (F10) = 1)

Info Pane:

? [F1]

I'd like to schedule a date to complete/conduct the quality check. What DATE and TIME would be best to call/visit?

Today is: [Fill: RIDATE].

- ◆ Enter DATE and TIME
- ◆ Enter (1) if you don't intend to follow up on this case.

Form Pane:

[Make appointment \[fill\]](#)

Appointment for contact []

Call back thanks []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 25

Valid Value: <1, text ≤ 25 characters>

Skip Instructions: <1> [\[go to RI OUTCM\]](#)
 <text ≤ 25 characters> [\[go to CBTHANK\]](#)

Special Instructions:

- Store APPT in CALLBACK.

Help Reference Word:

Variable Name: **APPT2**

Field Description: Appointment for contact

Field Definition:

Universe: (HELLO_TC = 2) **OR** (PROX_C = 2 and HELLO_PC = 2) **OR**
 (HELLO_PC = 2 and RPROXY_A = 0) **OR**
 (PROX_N = 2 and (HELLO_PN = 2 or HELLO_TN = 2))

Info Pane:

What DATE and TIME would be best to contact
[Fill: RESPNAME /CPNAME, CPTITL] in order to conduct the quality check?

Today is: [Fill: RIDATE]

♦ Enter DATE and TIME

♦ Enter (1) if you don't intend to follow up on this case.

Form Pane:

Make appointment []
 Appointment for contact [fill]
 Call back thanks []

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. If ORIOUT_RSLT = INT, fill RESPNAME.
 Else fill CPNAME, CPTITL.

Field Length: 25

Valid Values: <1, text ≤ 25 characters>

Skip Instructions: <1> [\[go to RI_OUTCM\]](#)
 <text ≤ 25 characters> [\[go to CBTHANK\]](#)

Special Instructions:

- Store APPT2 in CALLBACK.

Help Reference Word:

Variable Name: **CBTHANK**

Field Description: Call back thanks

Field Definition:

Universe: (APPT not empty and APPT \neq 1) **OR**
 (APPT2 not empty and APPT2 \neq 1)

Info Pane:

| |
|--|
| <p>Thank you for your help. We will call/visit again at the time suggested.</p> <p>♦ Enter 1 to continue.</p> |
| <p><input type="radio"/> 1. Continue</p> |

Form Pane:

| |
|--|
| <p>Make appointment <input type="checkbox"/></p> <p>Appointment for contact <input type="checkbox"/></p> <p>Call back thanks <input checked="" type="checkbox"/></p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: <1>

Skip Instructions: <1> [go to [RINOTES_PRE](#)]

Special Instructions:

- Set OUTCOME = 202

Help Reference Word:

Variable Name: **STATUS_RI**

Field Description: Status of case

Field Definition: Reinterview status

Universe: (METHOD = 4) **OR** (DIAL = 3) **OR** (HELLO_TNX = 2) **OR**
OR (HELLO_TCX = 2) **OR** (HELLO_PC = (6 or 7)) **OR**
 (HELLO_PCX = (2 or 4)) **OR** (HELLO_PN = 6) **OR** (HELLO_PNX = 2)
OR
 (HELLO_TC = 8) **OR** (HELLO_TN = 7) **OR** (THANK_SORRY = 1) **OR**
 (THANK_NOHH = 1) **OR**
 (THANK_YOU = 1 and ((HELLO_TC = 5 and RPROXY_A = 0) or
 (HELLO_PN = 4 and PROX_N = 2) or (HELLO_PC = 4 and
 RPROXY_A = 0) or (HELLO_TN = 4 and PROX_N = 2))) **OR**
 (RINOTES_PRE = 1 and OUTCOME = 201 and CONTACT_C empty
 and STATUS empty and STAT_PROBE empty and VERTYPEA empty
 and VERBYOBS empty and VACANT empty)

Info Pane:

This case is not completed.

♦ Make several attempts to contact respondent/contact person before selecting reinterview noninterview.

☐ 1. Quit - Complete later

☐ 2. Reinterview Noninterview

Form Pane:

Status of case [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1, 2

Skip Instructions: <1> [go to [RINOTES PRE](#)]
 <2> [go to [NONINT](#)]

Special Instructions:

- If (STATUS_RI = 1), set OUTCOME = 202 and empty RI_OUTCM.
- If (STATUS_RI = 2), set RI_OUTCM=3.

Help Reference Word:

Variable Name: **RI_OUTCM**

Field Description: Verify original outcome

Field Definition:

Universe: (APPT = 1) **OR** (APPT2 = 1) **OR** (PROX_UC = 2) **OR** (PROX_UN = 2) **OR**
 (THANK_REF = 1 and REFNUM = 1) **OR**
 (THANK_REF = 1 and ADDVER = 3) **OR**
 (THANK_YOU = 1 and HELLO_TNX = 1) **OR**
 (THANK_YOU = 1 and HELLO_PCX = 1) **OR**
 (THANK_YOU = 1 and HELLO_PNX = 1) **OR**
 (THANK_YOU = 1 and (HELLO_TC = (1, 3, 4 or 7) or
 (HELLO_TC = 5 and RPROXY_A = 1))) **OR**
 (THANK_YOU = 1 and (HELLO_PN = (1, 2 or 3) or (HELLO_PN = 4
 and PROX_N = 1))) **OR**
 (THANK_YOU = 1 and (HELLO_PC = (1, 2 or 3) or (HELLO_PC = 4
 and RPROXY_A = 1))) **OR**
 (THANK_YOU = 1 and (HELLO_TN = (1, 2, 3 or 6) or (HELLO_TN = 4
 and PROX_N = 1))) **OR**
 (THANK_YOU = 1 and HELLO_TCX = 1) **OR**

Info Pane:

| | |
|--|---|
| Original Outcome: | [FILL: ORIOUT] - [FILL: ORIOUT's description] [Fill: TYPEA_SP/TYPEB_SP/TYPEC_SP/blank] |
| Original Interview Date: | [FILL: INTDATE]. |
| ♦ Was the original outcome correct? | |
| <input type="radio"/> 1. Yes <input type="radio"/> 2. No <input type="radio"/> 3. Reinterview Noninterview | |

Form Pane:

| |
|--------------------------------|
| Verify original outcome [fill] |
|--------------------------------|

Question Text:

User Instructions: See info and form panes

Fill Instructions:

1. Fill ORIOUT's description with the original outcome code description from Attachment B, "List of Original Interview Outcome Codes".
- If ORIOUT = 219, fill TYPEA_SP.
If ORIOUT = 233, fill TYPEB_SP.
If ORIOUT = 248, fill TYPEC_SP.
Else leave blank, do not display item

Field Length: 1

Valid Value: 1, 2, 3

Skip Instructions:

<1> [go to [FALSIF](#)]

<2> If (ORIOUT_RSLT = VINT) then [go to [MISC_VINT](#)]
If (ORIOUT_RSLT = (B1 or B2) and VACANT_INT = No)
then [go to [MISC_B](#)]
If (ORIOUT_RSLT = (B1 or B2) and VACANT_INT = Yes)
then [go to [MISC_BVINT](#)]
If (ORIOUT_RSLT = (C1 or C2) and VACANT_INT = No)
then [go to [MISC_C](#)]
If (ORIOUT_RSLT = (C1 or C2) and VACANT_INT = Yes)
then [go to [MISC_CVINT](#)]
Else [go to [FALSIF](#)]

<3> [go to [NONINT](#)]

Special Instructions:

- If (RI_OUTCM = 2 and VERBYOBS is empty and VERTYPEA is empty), store code 2 in element [2] of DISCREPANCY array.

Help Reference Word:

Variable Name: **NONINT**

Field Description: Noninterview classification

Field Definition:

Universe: (VERTYPEA = 3) **OR** (VERBYOBS = 3) **OR**
 (STATUS_RI = 2) **OR** (RI_OUTCM = 3) **OR**
 (THANK_REF = 1 and (HELLO_PC = 5 or HELLO_PN = 5 or
 HELLO_TC = 6 or HELLO_TN = 5))

Info Pane:

| |
|---|
| ♦ Which outcome describes this reinterview case? |
| <input type="radio"/> 1. Type A Noninterview. <input type="radio"/> 2. Type B Noninterview. <input type="radio"/> 3. Type C Noninterview. <input type="radio"/> 4. Type D Noninterview - Household replaced by new household since the original interview. |

Form Pane:

| |
|--|
| Noninterview classification [fill] Type A description [] Type B description [] Type B description- regular/seasonal split [] Type C description [] |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1, 2, 3, 4

Skip Instructions: <1> [go to [TYPEA](#)]
 <2> If (TYPEB_SPLIT = No) then [go to [TYPEB](#)]
 Else [go to [TYPEB ALT](#)]
 <3> [go to [TYPEC](#)]
 <4> [go to [FALSIF](#)]

Special Instructions:

Help Reference Word:

Variable Name: **TYPEA**

Field Description: Type A description

Field Definition:

Universe: (NONINT = 1)

Info Pane:

| |
|---|
| <p>◆ Which Type A outcome describes this reinterview case?</p> |
| <p> <input type="radio"/> 1. Unable to complete, bad telephone number. <input type="radio"/> 2. Unable to locate. <input type="radio"/> 3. No one home. <input type="radio"/> 4. Temporarily absent. <input type="radio"/> 5. Refused. <input type="radio"/> 6. Language problem. <input type="radio"/> 7. Respondent can't remember. <input type="radio"/> 8. Insufficient partial. <input type="radio"/> 9. Other Type A - Specify in the Reinterview Notes. </p> |

Form Pane:

| |
|--|
| <p> Noninterview classification [] Type A description [fill] Type B description [] Type B description - regular/seasonal split [] Type C description [] </p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1-9

Skip Instructions: <1-9> [go to [FALSIF](#)]

Special Instructions:

- If (TYPEA = 1), store code 11 in element [11] of DISCREPANCY array.

Help Reference Word:

Variable Name: **TYPEB**

Field Description: Type B description

Field Definition:

Universe: (NONINT = 2 and TYPEB_SPLIT = No)

Info Pane:

| |
|--|
| <p>♦ Which Type B outcome describes this reinterview case?</p> |
| <p> <input type="radio"/> 1. Vacant, regular or seasonal. <input type="radio"/> 2. Vacant, storage of household furniture. <input type="radio"/> 3. Converted to temporary business or storage. <input type="radio"/> 4. Unoccupied tent or trailer site. <input type="radio"/> 5. Unfit, to be demolished. <input type="radio"/> 6. HH institutionalized or temporarily ineligible. <input type="radio"/> 7. Entire HH under age [Fill: MIN_AGE]. <input type="radio"/> 8. Temporarily occupied by persons with Usual Residence Elsewhere (URE). <input type="radio"/> 9. Other Type B - Specify in the Reinterview Notes. </p> |

Form Pane:

| |
|--|
| <p> Noninterview classification [] Type A description [] Type B description [fill] Type B description - regular/seasonal split [] Type C description [] </p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1 -9

Skip Instructions: <1 -9> [go to [FALSIF](#)]

Special Instructions:

Help Reference Word:

Variable Name: **TYPEB_ALT**

Field Description: Type B description - regular/seasonal split

Field Definition:

Universe: (NONINT = 2 and TYPEB_SPLIT = Yes)

Info Pane:

| |
|---|
| <p>♦ Which Type B outcome describes this reinterview case?</p> |
| <p> <input type="radio"/> 1. Vacant, regular. <input type="radio"/> 2. Vacant, seasonal. <input type="radio"/> 3. Vacant, storage of household furniture. <input type="radio"/> 4. Converted to temporary business or storage. <input type="radio"/> 5. Unoccupied tent or trailer site. <input type="radio"/> 6. Unfit, to be demolished. <input type="radio"/> 7. HH institutionalized or temporarily ineligible. <input type="radio"/> 8. Entire HH under age [Fill: MIN_AGE]. <input type="radio"/> 9. Temporarily occupied by persons with Usual Residence Elsewhere (URE), regular. <input type="radio"/> 10. Temporarily occupied by persons with Usual Residence Elsewhere (URE), seasonal. <input type="radio"/> 11. Other Type B - Specify in the Reinterview Notes. </p> |

Form Pane:

| |
|--|
| <p> Noninterview classification [] Type A description [] Type B description [] Type B description - regular/seasonal split [fill] Type C description [] </p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 2

Valid Value: 1-11

Skip Instructions: <1-11> [go to [FALSIF](#)]

Special Instructions:

Help Reference Word:

Variable Name: **TYPEC**

Field Description: Type C description

Field Definition:

Universe: (NONINT = 3)

Info Pane:

| |
|---|
| <p>♦ Which Type C outcome describes this reinterview case?</p> |
| <p> <input type="radio"/> 1. Demolished. <input type="radio"/> 2. House or trailer moved. <input type="radio"/> 3. Converted to permanent business or storage. <input type="radio"/> 4. Condemned. <input type="radio"/> 5. Deceased. <input type="radio"/> 6. Moved out of country. <input type="radio"/> 7. Other Type C - Specify in the Reinterview Notes. </p> |

Form Pane:

| |
|--|
| <p> Noninterview classification [] Type A description [] Type B description [] Type B description - regular/seasonal split [] Type C description [fill] </p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1-7

Skip Instructions: <1-7> [go to [FALSIF](#)]

Special Instructions:

Help Reference Word:

Variable Name: **MISC_B**

Field Description: Misclassification of original Type B case

Field Definition:

Universe: (RI_OUTCM = 2 and ORIOUT_RSLT = (B1 or B2) and
VACANT_INT = No) **OR**
(VERBYOBS = 2 and ORIOUT_RSLT = (B1 or B2) and
VACANT_INT = No)

Info Pane:

◆ Which of the following options describes the misclassification of this original Type B case?

- ☐ 1. Should have been an Interview or Type A.
☐ 2. Should have been another Type B.
☐ 3. Should have been a Type C.

Form Pane:

Misclassification of original Type B case [fill]
 Misclassification of original Type C case []
 Misclassification of original vacant interview []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1, 2, 3

Skip Instructions: <1-3> [go to **FALSIF**]

Special Instructions:

- If (MISC_B = 1), store code 5 in element [5] of DISCREPANCY array.

Help Reference Word:

Variable Name: **MISC_C**

Field Description: Misclassification of original Type C case

Field Definition:

Universe: (RI_OUTCM = 2 and ORIOUT_RSLT = (C1 or C2) and
VACANT_INT = No) **OR**
(VERBYOBS = 2 and ORIOUT_RSLT = (C1 or C2) and
VACANT_INT = No)

Info Pane:

♦ Which of the following options describes the misclassification of this original Type C case?

- ☐ 1. Should have been an Interview or Type A.
☐ 2. Should have been a Type B.
☐ 3. Should have been another Type C.

Form Pane:

Misclassification of original Type B case []
[Misclassification of original Type C case \[fill\]](#)
 Misclassification of original vacant interview []
 Misclassification of original Type B case []
 Misclassification of original Type C case []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1, 2, 3

Skip Instructions: <1-3> **[go to [FALSIF](#)]**

Special Instructions:

- If (MISC_C = 1), store code 5 in element [5] of DISCREPANCY array.

Help Reference Word:

Variable Name: **MISC_VINT**

Field Description: Misclassification of original vacant interview

Field Definition:

Universe: (RI_OUTCM = 2 and ORIOUT_RSLT = VINT) **OR**
 (VERBYOBS = 2 and ORIOUT_RSLT = VINT)

Info Pane:

◆ Which of the following options describes the misclassification of this original vacant interview case?

- ☐ 1. Should have been an Interview or Type A.
☐ 2. Should have been a Type B or C.

Form Pane:

Misclassification of original Type B case []
 Misclassification of original Type C case []
[Misclassification of original vacant interview \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1, 2

Skip Instructions: <1, 2> [go to [FALSIF](#)]

Special Instructions:

Help Reference Word:

Variable Name: **MISC_BVINT**

Field Description: Misclassification of original Type B case

Field Definition:

Universe: (RI_OUTCM = 2 and ORIOUT_RSLT = (B1 or B2) and
VACANT_INT = YES) **OR**
(VERBYOBS = 2 and ORIOUT_RSLT = (B1 or B2) and
VACANT_INT = Yes)

Info Pane:

◆ Which of the following options describes the misclassification of this original Type B case?

- ☐ 1. Should have been an Interview or Type A.
- ☐ 2. Should have been a vacant interview.
- ☐ 3. Should have been another Type B.
- ☐ 4. Should have been a Type C.

Form Pane:

Misclassification of original vacant interview []
[Misclassification of original Type B case \[fill\]](#)
 Misclassification of original Type C case []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1, 2, 3, 4

Skip Instructions: <1-4> [go to [FALSIF](#)]

Special Instructions:

- If (MISC_BVINT = 1), store code 5 in element [5] of DISCREPANCY array.

Help Reference Word:

Variable Name: **MISC_CVINT**

Field Description: Misclassification of original Type C case

Field Definition:

Universe: (RI_OUTCM = 2 and ORIOUT_RSLT = (C1 or C2) and
VACANT_INT = YES) **OR**
(VERBYOBS = 2 and ORIOUT_RSLT = (C1 or C2) and
VACANT_INT = Yes)

Info Pane:

◆ Which of the following options describes the misclassification of this original Type C case?

- ☐ 1. Should have been an Interview or Type A.
- ☐ 2. Should have been a vacant interview.
- ☐ 3. Should have been a Type B.
- ☐ 4. Should have been another Type C.

Form Pane:

Misclassification of original vacant interview []
Misclassification of original Type B case []
[Misclassification of original Type C case \[fill\]](#)

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1, 2, 3, 4

Skip Instructions: <1-4> **[go to [FALSIF](#)]**

Special Instructions:

- If (MISC_CVINT = 1), store code 5 in element [5] of DISCREPANCY array.

Help Reference Word:

Variable Name: **FALSIF**

Field Description: Falsification suspected?

Field Definition:

Universe: (NONINT = 4) **OR** (VERTYPEA = 2) **OR** (TYPEA = <1-9>) **OR**
 (TYPEB = <1-9>) **OR** (TYPEB_ALT = <1-11>) **OR** (TYPEC = <1-7>) **OR**
 (MISC_B = <1-4>) **OR** (MISC_C = <1-4>) **OR** (MISC_VINT = (1 or 2))
OR (MISC_BVINT = <1-5>) **OR** (MISC_CVINT = <1-5>) **OR**
 (RI_OUTCM = 2 and ORIOUT_RSLT = INT) **OR**
 (RI_OUTCM = 1 and ORIOUT_RSLT = (INT, B1, B2, C1, C2 or VINT) and
 BYOBS = blank or 2)

Info Pane:

[Fill: “Your reinterview indicates the following discrepancies:”
 code and description of each code listed in DISCREPANCY array /
 “Your reinterview did not indicate any discrepancies.”]

◆ Do you suspect falsification?

- ☐ 1. Yes
- ☐ 2. No
- ☐ 3. Unable to determine

Form Pane:

Falsification suspected? [fill]

Question Text:

Use Instructions: See info and form panes

Fill Instructions:

1. If DISCREPANCY array contains one or more codes, fill “Your reinterview indicates the following discrepancies:” and the code and description of each code listed in DISCREPANCY array with the code’s description from Attachment F.
 Else fill “Your reinterview did not indicate any discrepancies.”

Field Length: 1

Valid Value: 1, 2, 3

Skip Instructions:

<1> If (RI_OUTCM = 2 or 3) **OR** If (RI_OUTCM = 1 and only one element in DISCREPANCY array ≥ 1)
then [go to [RINOTES_PRE](#)]
 If (RI_OUTCM = 1 and all elements in DISCREPANCY array blank) **then [go to [NO DISCREP](#)]**
 If (RI_OUTCM = 1 and two or more elements in DISCREPANCY array ≥ 1) **then [go to [SF RIDISP](#)]**

<2> If (RI_OUTCM = 1 and DISCREPANCY [6] = 6 and all elements in DISCREPANCY array blank)
OR If (RI_OUTCM = 3) **then [go to [RINOTES_PRE](#)]**
 If (RI_OUTCM = 2 and ORIOUT_RSLT = (A, B1, C1, B2, C2 or VINT) **then [go to [RINOTES_PRE](#)]**

Else [go to [DISCREP NOTES](#)]

<3> If (RI_OUTCM = 2 and ORIOUT_RSLT = (A, B1, C1, B2, C2 or VINT) **OR**
 If (RI_OUTCM = 3) **OR**
 If (RI_OUTCM = 2 and ORIOUT_RSLT=INT and DISCREPANCY [2] = 2 and all other elements in DISCREPANCY array blank) **OR**
 If (RI_OUTCM = 2 and ORIOUT_RSLT=INT and only one element in DISCREPANCY array ≥ 1) **OR**
 If (RI_OUTCM = 1 and all elements in DISCREPANCY array blank) **OR**
 If (RI_OUTCM = 1 and DISCREPANCY [6] = 6 and all other elements in DISCREPANCY array blank) **OR**
 If (RI_OUTCM = 1 and only one element in DISCREPANCY array ≥ 1) **then [go to [RINOTES_PRE](#)]**

Else [go to [NSF RIDISP](#)]

Special Instructions:

- Coding Cases Verified as Correct:
 If (FALSIF = 2 or 3 and RI_OUTCM = 1 and all elements in DISCREPANCY array blank), set OUTCOME = 201 and RI_DISP = 001.
 If (FALSIF = 2 or 3 and RI_OUTCM = 1 and DISCREPANCY[6] = 6 and all other elements in DISCREPANCY array blank), set OUTCOME = 201 and RI_DISP = 001
- Coding Original Type A Noninterview Cases:

If (FALSIF = 1 and RI_OUTCM = 2 and ORIOUT_RSLT = A), set OUTCOME = 301 and RI_DISP = 103.

If (FALSIF = 2 or 3 and RI_OUTCM = 2 and ORIOUT_RSLT = A), set OUTCOME = 301 and RI_DISP = 058.

- Coding Cases Verified as Reinterview Noninterview:

If (FALSIF = 1 and NONINT = 4, set OUTCOME = 360) and RI_DISP = 085.

If (FALSIF = 1 and TYPEA = 1), set OUTCOME = 214 and RI_DISP = 105.

If (FALSIF = 1 and TYPEA = 2), set OUTCOME = 214 and RI_DISP = 067.

If (FALSIF = 1 and TYPEA = 3), set OUTCOME = 216 and RI_DISP = 068.

If (FALSIF = 1 and TYPEA = 4), set OUTCOME = 217 and RI_DISP = 069.

If (FALSIF = 1 and TYPEA = 5), set OUTCOME = 218 and RI_DISP = 086.

If (FALSIF = 1 and TYPEA = 6), set OUTCOME = 213 and RI_DISP = 087.

If (FALSIF = 1 and TYPEA = 7), set OUTCOME = 219 and RI_DISP = 090.

If (FALSIF = 1 and TYPEA = 8), set OUTCOME = 215 and RI_DISP = 089.

If (FALSIF = 1 and TYPEA = 9), set OUTCOME = 219 and RI_DISP = 090.

If (FALSIF = 1 and TYPEB = 1), set OUTCOME = 226 and RI_DISP = 071.

If (FALSIF = 1 and TYPEB = 2), set OUTCOME = 227 and RI_DISP = 073.

If (FALSIF = 1 and TYPEB = 3), set OUTCOME = 230 and RI_DISP = 074.

If (FALSIF = 1 and TYPEB = 4), set OUTCOME = 231 and RI_DISP = 075.

If (FALSIF = 1 and TYPEB = 5), set OUTCOME = 228 and RI_DISP = 077.

If (FALSIF = 1 and TYPEB = 6), set OUTCOME = 234 and RI_DISP = 076.

If (FALSIF = 1 and TYPEB = 7), set OUTCOME = 224 and RI_DISP = 091.

If (FALSIF = 1 and TYPEB = 8), set OUTCOME = 225 and RI_DISP = 092.

If (FALSIF = 1 and TYPEB = 9), set OUTCOME = 233 and RI_DISP = 094.

If (FALSIF = 1 and TYPEB_ALT = 1), set OUTCOME = 226 and RI_DISP = 071.

If (FALSIF = 1 and TYPEB_ALT = 2), set OUTCOME = 326 and RI_DISP = 072.

If (FALSIF = 1 and TYPEB_ALT = 3), set OUTCOME = 227 and RI_DISP = 073.

If (FALSIF = 1 and TYPEB_ALT = 4), set OUTCOME = 230 and RI_DISP = 074.

If (FALSIF = 1 and TYPEB_ALT = 5), set OUTCOME = 231 and RI_DISP = 075.

If (FALSIF = 1 and TYPEB_ALT = 6), set OUTCOME = 228 and RI_DISP = 077.

If (FALSIF = 1 and TYPEB_ALT = 7), set OUTCOME = 234 and RI_DISP = 076.

If (FALSIF = 1 and TYPEB_ALT = 8), set OUTCOME = 224 and RI_DISP = 091.

If (FALSIF = 1 and TYPEB_ALT = 9), set OUTCOME = 225 and RI_DISP = 092.

If (FALSIF = 1 and TYPEB_ALT = 10), set OUTCOME = 225 and RI_DISP = 093.

If (FALSIF = 1 and TYPEB_ALT = 11), set OUTCOME = 233 and RI_DISP = 094.

If (FALSIF = 1 and TYPEC = 1), set OUTCOME = 240 and RI_DISP = 078.

If (FALSIF = 1 and TYPEC = 2), set OUTCOME = 241 and RI_DISP = 079.

If (FALSIF = 1 and TYPEC = 3), set OUTCOME = 243 and RI_DISP = 080.

If (FALSIF = 1 and TYPEC = 4), set OUTCOME = 245 and RI_DISP = 081.

If (FALSIF = 1 and TYPEC = 5), set OUTCOME = 250 and RI_DISP = 083.

If (FALSIF = 1 and TYPEC = 6), set OUTCOME = 251 and RI_DISP = 084.

If (FALSIF = 1 and TYPEC = 7), set OUTCOME = 248 and RI_DISP = 095.

If (FALSIF = (2 or 3) and NONINT = 4), set OUTCOME = 360 and RI_DISP = 032

If (FALSIF = (2 or 3) and TYPEA = 1), set OUTCOME = 214 and RI_DISP = 003.
 If (FALSIF = (2 or 3) and TYPEA = 2), set OUTCOME = 214 and RI_DISP = 013.
 If (FALSIF = (2 or 3) and TYPEA = 3), set OUTCOME = 216 and RI_DISP = 014.
 If (FALSIF = (2 or 3) and TYPEA = 4), set OUTCOME = 217 and RI_DISP = 015.
 If (FALSIF = (2 or 3) and TYPEA = 5), set OUTCOME = 218 and RI_DISP = 033.
 If (FALSIF = (2 or 3) and TYPEA = 6), set OUTCOME = 213 and RI_DISP = 034.
 If (FALSIF = (2 or 3) and TYPEA = 7), set OUTCOME = 218 and RI_DISP = 035.
 If (FALSIF = (2 or 3) and TYPEA = 8), set OUTCOME = 215 and RI_DISP = 036.
 If (FALSIF = (2 or 3) and TYPEA = 9), set OUTCOME = 219 and RI_DISP = 037.

If (FALSIF = (2 or 3) and TYPEB = 1), set OUTCOME = 226 and RI_DISP = 017.
 If (FALSIF = (2 or 3) and TYPEB = 2), set OUTCOME = 227 and RI_DISP = 019.
 If (FALSIF = (2 or 3) and TYPEB = 3), set OUTCOME = 230 and RI_DISP = 020.
 If (FALSIF = (2 or 3) and TYPEB = 4), set OUTCOME = 231 and RI_DISP = 021.
 If (FALSIF = (2 or 3) and TYPEB = 5), set OUTCOME = 228 and RI_DISP = 023.
 If (FALSIF = (2 or 3) and TYPEB = 6), set OUTCOME = 234 and RI_DISP = 022.
 If (FALSIF = (2 or 3) and TYPEB = 7), set OUTCOME = 224 and RI_DISP = 038.
 If (FALSIF = (2 or 3) and TYPEB = 8), set OUTCOME = 225 and RI_DISP = 039.
 If (FALSIF = (2 or 3) and TYPEB = 9), set OUTCOME = 233 and RI_DISP = 041.

If (FALSIF = (2 or 3) and TYPEB_ALT = 1), set OUTCOME = 226 and RI_DISP = 017.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 2), set OUTCOME = 326 and RI_DISP = 018.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 3), set OUTCOME = 227 and RI_DISP = 019.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 4), set OUTCOME = 230 and RI_DISP = 020.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 5), set OUTCOME = 231 and RI_DISP = 021.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 6), set OUTCOME = 228 and RI_DISP = 023.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 7), set OUTCOME = 234 and RI_DISP = 022.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 8), set OUTCOME = 224 and RI_DISP = 038.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 9), set OUTCOME = 225 and RI_DISP = 039.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 10), set OUTCOME = 225 and RI_DISP = 040.
 If (FALSIF = (2 or 3) and TYPEB_ALT = 11), set OUTCOME = 233 and RI_DISP = 041.

If (FALSIF = (2 or 3) and TYPEC = 1), set OUTCOME = 240 and RI_DISP = 024.
 If (FALSIF = (2 or 3) and TYPEC = 2), set OUTCOME = 241 and RI_DISP = 025.
 If (FALSIF = (2 or 3) and TYPEC = 3), set OUTCOME = 243 and RI_DISP = 026.

If (FALSIF = (2 or 3) and TYPEC = 4), set OUTCOME = 245 and RI_DISP = 027.
 If (FALSIF = (2 or 3) and TYPEC = 5), set OUTCOME = 250 and RI_DISP = 030.
 If (FALSIF = (2 or 3) and TYPEC = 6), set OUTCOME = 251 and RI_DISP = 031.
 If (FALSIF = (2 or 3) and TYPEC = 7), set OUTCOME = 248 and RI_DISP = 042.

- Coding Misclassified Original Type B, C, or Vacant Interview Cases:

If (FALSIF = 1 and (MISC_B = 1 or MISC_BVINT = 1)), set OUTCOME = 301 and RI_DISP = 096.

If (FALSIF = 1 and (MISC_B = 3 or MISC_BVINT = 4)), set OUTCOME = 301 and RI_DISP = 099.

If (FALSIF = 1 and (MISC_B = 4 or MISC_BVINT = 5)), set OUTCOME = 301 and RI_DISP = 100.

If (FALSIF = 1 and (MISC_C = 1 or MISC_CVINT = 1)), set OUTCOME = 301 and RI_DISP = 097.

If (FALSIF = 1 and (MISC_C = 2 or MISC_CVINT = 3)), set OUTCOME = 301 and RI_DISP = 101.

If (FALSIF = 1 and (MISC_C = 4 or MISC_CVINT = 5)), set OUTCOME = 301 and RI_DISP = 102.

If (FALSIF = 1 and (MISC_B = 2 or MISC_BVINT = 3 or MISC_C = 3 or MISC_CVINT = 4)), set OUTCOME = 301 and RI_DISP = 103.

If (FALSIF = 1 and MISC_VINT = 1), set OUTCOME = 301 and RI_DISP = 106.

If (FALSIF = 1 and MISC_VINT = 2), set OUTCOME = 301 and RI_DISP = 104.

If (FALSIF = 1 and MISC_BVINT = 2), set OUTCOME = 301 and RI_DISP = 109.

If (FALSIF = 1 and MISC_CVINT = 2), set OUTCOME = 301 and RI_DISP = 108.

If (FALSIF = (2 or 3) and (MISC_B = 1 or MISC_BVINT = 1)), set OUTCOME = 301 and RI_DISP = 043.

If (FALSIF = (2 or 3) and (MISC_B = 3 or MISC_BVINT = 4)), set OUTCOME = 301 and RI_DISP = 046.

If (FALSIF = (2 or 3) and (MISC_B = 4 or MISC_BVINT = 5)), set OUTCOME = 301 and RI_DISP = 047.

If (FALSIF = (2 or 3) and (MISC_C = 1 or MISC_CVINT = 1)), set OUTCOME = 301 and RI_DISP = 044.

If (FALSIF = (2 or 3) and (MISC_C = 2 or MISC_CVINT = 3)), set OUTCOME = 301 and RI_DISP = 048.

If (FALSIF = (2 or 3) and (MISC_C = 4 or MISC_CVINT = 5)), set OUTCOME = 301 and RI_DISP = 049.

If (FALSIF = (2 or 3) and (MISC_B = 2 or MISC_BVINT = 3 or MISC_C = 3 or MISC_CVINT = 4)), set OUTCOME = 301 and RI_DISP = 058.

If (FALSIF = (2 or 3) and MISC_VINT = 1), set OUTCOME = 301 and RI_DISP = 059.

If (FALSIF = (2 or 3) and MISC_VINT = 2), set OUTCOME = 301 and RI_DISP = 051.

If (FALSIF = (2 or 3) and MISC_BVINT = 2), set OUTCOME = 301 and RI_DISP = 050.

If (FALSIF = (2 or 3) and MISC_CVINT = 2), set OUTCOME = 301 and RI_DISP = 045.
- Coding Cases with Discrepancies:

If (FALSIF = 1 and RI_OUTCM = 2 and ORIOUT_RSLT = INT), set OUTCOME = 301 and RI_DISP = 060

If (FALSIF = 1 and RI_OUTCM = 1 and DISCREPANCY[1] = 1 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 066.

If (FALSIF = 1 and RI_OUTCM = 1 and DISCREPANCY[6] = 6 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 066.

If (FALSIF = 1 and RI_OUTCM = 1 and DISCREPANCY[7] = 7 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 061.

If (FALSIF = 1 and RI_OUTCM = 1 and DISCREPANCY[8] = 8 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 062.

If (FALSIF = 1 and RI_OUTCM = 1 and DISCREPANCY[9] = 9 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 111.

If (FALSIF = 1 and RI_OUTCM = 1 and DISCREPANCY[10] = 10 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 112.

If (FALSIF = 1 and RI_OUTCM = 1 and DISCREPANCY[12] = 12 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 110.

If FALSIF = 3 and RI_OUTCM = 1 and DISCREPANCY[1] = 1 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 012.

If (FALSIF = 3 and RI_OUTCM = 1 and DISCREPANCY[7] = 7 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 009.

If (FALSIF = 3 and RI_OUTCM = 1 and DISCREPANCY[8] = 8 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 005.

If (FALSIF = 3 and RI_OUTCM = 1 and DISCREPANCY[9] = 9 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 011.

If (FALSIF = 3 and RI_OUTCM = 1 and DISCREPANCY[10] = 10 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 004.

If (FALSIF = 3 and RI_OUTCM = 1 and DISCREPANCY[12] = 12 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 010.

If (FALSIF = 3 and RI_OUTCM = 2 and ORIOUT_RSLT = INT and DISCREPANCY[2] = 2 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 012.

Help Reference Word:

Variable Name: **DISCREP_NOTES**

Field Description: Discrepancy notes

Field Definition:

Universe: (FALSIF = 2 and RI_OUTCM = 1 and DISCREPANCY [6] = blank and one or more elements in DISCREPANCY array \geq 1) **OR**
 (FALSIF = 2 and RI_OUTCM = 1 and two or more elements in DISCREPANCY array \geq 1) **OR**
 (FALSIF = 2 and RI_OUTCM = 2 and ORIOUT_RSLT = INT)

Info Pane:

- ◆ Explain why you do not suspect falsification in the Reinterview Notes now.
- ◆ Press Ctrl-F7 to access Reinterview Notes.
- ◆ Enter 1 when done with your explanation in the Reinterview Notes.

Form Pane:

Discrepancy notes [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1

Skip Instructions: <1> If (only one element in array DISCREPANCY \geq 1)
 then [go to [RINOTES PRE](#)]
 Else [go to [NSF RIDISP](#)]

Special Instructions:

- If (FALSIF = 2 and RI_OUTCM = 1 and DISCREPANCY[1] = 1 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 012.
- If (FALSIF = 2 and RI_OUTCM = 1 and DISCREPANCY[7] = 7 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 009.
- If (FALSIF = 2 and RI_OUTCM = 1 and DISCREPANCY[8] = 8 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 005.
- If (FALSIF = 2 and RI_OUTCM = 1 and DISCREPANCY[9] = 9 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 011.

- If (FALSIF = 2 and RI_OUTCM = 1 and DISCREPANCY[10] = 10 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 004.
- If (FALSIF = 2 and RI_OUTCM = 1 and DISCREPANCY[12] = 12 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 010.
-
- If (FALSIF = 2 and RI_OUTCM = 2 and ORIOUT_RSLT = INT and DISCREPANCY[2] = 2 and all other elements in DISCREPANCY array blank), set OUTCOME = 301 and RI_DISP = 012.

Help Reference Word:

Variable Name: **NSF_RIDISP**

Field Description: Discrepancy options - no suspected falsification

Field Definition:

Universe: (DISCREP_NOTES = 1 and two or more elements in DISCREPANCY array ≥ 1) **OR**
 (FALSIF = 3 and RI_OUTCM = 1 and two or more elements in DISCREPANCY array ≥ 1) **OR**
 (FALSIF = 3 and RI_OUTCM = 2 and ORIOUT_RSLT = INT and two or more elements in DISCREPANCY array ≥ 1)

Info Pane:

Your reinterview detected multiple discrepancies.

◆ Enter the code of the detected discrepancy which best describes this case.

- ☐ 1. Respondent said no one contacted this household.
- ☐ 2. You determined that the original status, 201 – Interview, incorrect.
- ☐ 6. Respondent indicated that the original status was incorrect.
- ☐ 7. The household roster was incorrect.
- ☐ 8. Not all survey questions were asked.
- ☐ 9. Interviewer conducted a telephone interview only when personal visit required.
- ☐ 10. Case done by a personal visit and respondent said laptop not used.
- ☐ 12. CU make-up incorrect.

Form Pane:

Discrepancy options – no suspected falsification [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 2

Valid Value: 1, 2, 6, 7, 8, 9, 10, 12

Skip Instructions: <1, 2, 6, 7, 8, 9, 10, 12> [go to [RINOTES PRE](#)]

Special Instructions:

- List in the answer list section only the choices that correspond to elements in DISCREPANCY array ≥ 1 . Leave no blank lines between the choices.

- Allow only a value in NSF_RIDISP that corresponds to an element in DISCREPANCY array ≥ 1 .
 - If (NSF_RIDISP = 1), set OUTCOME = 301 and RI_DISP = 012.
 - If (NSF_RIDISP = 2), set OUTCOME = 301 and RI_DISP = 012.
 - If (NSF_RIDISP = 6), set OUTCOME = 301 and RI_DISP = 012.
 - If (NSF_RIDISP = 7), set OUTCOME = 301 and RI_DISP = 009.
 - If (NSF_RIDISP = 8), set OUTCOME = 301 and RI_DISP = 005.
 - If (NSF_RIDISP = 9), set OUTCOME = 301 and RI_DISP = 011.
 - If (NSF_RIDISP = 10), set OUTCOME = 301 and RI_DISP = 004.
 - If (NSF_RIDISP = 12), set OUTCOME = 301 and RI_DISP = 010.

Help Reference Word:

Variable Name: **RO_DISC**

Field Description: RO discretion case

Field Definition:

Universe: (METHOD = 5)

Info Pane:

- | |
|---|
| <p>◆ Caution: Obtain supervisor's permission before selecting an option below.</p> <p>◆ Which of the following options describes this reinterview case?</p> <p><input type="radio"/> 1. Hard to interview original case</p> <p><input type="radio"/> 2. More than 50 miles from nearest reinterviewer and no phone number</p> <p><input type="radio"/> 3. Observed during the original interview</p> <p><input type="radio"/> 4. Personal visit needed, but not authorized</p> <p><input type="radio"/> 5. Case management or ROSCO problems - Obtain HQ approval</p> <p><input type="radio"/> 6. Sample adjustment - Obtain HQ approval</p> <p><input type="radio"/> 7. Other RO discretion - Specify in the Reinterview Notes</p> |
|---|

Form Pane:

| |
|--|
| <p>RO discretion case [fill]</p> <p>No discrepancy case []</p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1-7

Skip Instructions: <1-7> **[go to [RINOTES_PRE](#)]**

Special Instructions:

- IF (RO_DISC = 1), set OUTCOME = 311 and RI_DISP = 052.
IF (RO_DISC = 2), set OUTCOME = 312 and RI_DISP = 053.
IF (RO_DISC = 3), set OUTCOME = 312 and RI_DISP = 054.

IF (RO_DISC = 4), set OUTCOME = 312 and RI_DISP = 055.
IF (RO_DISC = 5), set OUTCOME = 312 and RI_DISP = 056.
IF (RO_DISC = 6), set OUTCOME = 312 and RI_DISP = 029.
IF (RO_DISC = 7), set OUTCOME = 312 and RI_DISP = 057.

Help Reference Word:

Variable Name: **NO_DISCREP**

Field Description: No discrepancy case

Field Definition:

Universe: (FALSIF = 1 and RI_OUTCM = 1 and all elements in DISCREPANCY array blank)

Info Pane:

- ♦ Explain why you suspect falsification in the Reinterview Notes now.
- ♦ Press Ctrl-F7 to access Reinterview Notes.
- ♦ Enter 1 when done with your explanation in the Reinterview Notes

○ 1

Form Pane:

RO discretion case []
No discrepancy case [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1

Skip Instructions: <1> [go to [RINOTES PRE](#)]

Special Instructions:

- Set OUTCOME = 301 and RI_DISP = 066.

Help Reference Word:

Variable Name: **SF_RIDISP**

Field Description: Discrepancy options - suspect falsification

Field Definition:

Universe: (FALSIF = 1 and RI_OUTCM=1 and two or more elements in DISCREPANCY array \geq 1)

Info Pane:

Your reinterview detected multiple discrepancies.

◆ Enter the code of the detected discrepancy which best describes the primary reason you suspect falsification.

- ☐ 1. The respondent said no one contacted this household regarding this survey.
- ☐ 6. The respondent indicated that the original status was incorrect.
- ☐ 7. The household roster was incorrect.
- ☐ 8. Not all survey questions were asked in the interview.
- ☐ 9. The interviewer conducted a telephone interview only when a personal visit interview required.
- ☐ 10. Case was done by a personal visit and respondent said laptop was not used.
- ☐ 12. CU make-up incorrect.

Form Pane:

Discrepancy options - suspect falsification [fill]

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 2

Valid Value: 1, 6, 7, 8, 9, 10, 12

Skip Instructions: <1, 6, 7, 8, 9, 10, 12> [go to [RINOTES PRE](#)]

Special Instructions:

- List in the answer list section only the choices that correspond to elements in DISCREPANCY array \geq 1. Leave no blank lines between choices.
- Allow only a value in SF_RIDISP that corresponds to an element in DISCREPANCY array \geq 1.

If (SF_RIDISP = 1), set OUTCOME = 301 and RI_DISP = 066

If (SF_RIDISP = 6), set OUTCOME = 301 and RI_DISP = 066

If (SF_RIDISP = 7), set OUTCOME = 301 and RI_DISP = 061

If (SF_RIDISP = 8), set OUTCOME = 301 and RI_DISP = 062
If (SF_RIDISP = 9), set OUTCOME = 301 and RI_DISP = 111
If (SF_RIDISP = 10), set OUTCOME = 301 and RI_DISP = 112
If (SF_RIDISP = 12), set OUTCOME = 301 and RI_DISP = 110

Help Reference Word:

Variable Name: **RINOTES_PRE**

Field Description: Reinterview notes

Field Definition:

Universe: (START = 2) **OR** (METHOD = 3) **OR** (DIAL = 4) **OR**
 (VERTYPEA = (1 or 4)) **OR** (VERBYOBS = (1 or 4)) **OR**
 (SF_RIDISP = <1-15>) **OR** (NSF_RIDISP = <1-15>) **OR**
 (NO_DISCREP = 1) **OR** (CBTHANK = 1) **OR** (STATUS_RI = 1) **OR**
 (CKSUP = 2) **OR** (RO_DISC = <1-7>) **OR**
 (FALSIF = <1-3> and RI_OUTCM = 3) **OR**
 (FALSIF = <1-3> and RI_OUTCM = 2 and ORIOUT_RSLT = A) **OR**
 (FALSIF = 1 and RI_OUTCM = 2 and ORIOUT_RSLT = INT) **OR**
 (FALSIF=1 and RI_OUTCM=1 and only one element in
 DISCREPANCY array ≥ 1) **OR**
 (DISCREP_NOTES=1 and only one element in DISCREPANCY array
 ≥ 1)
OR (FALSIF=3 and RI_OUTCM=1 and only one element in
 DISCREPANCY array ≥ 1) **OR**
 (FALSIF=3 and RI_OUTCM=2 and ORIOUT_RSLT=INT and
 DISCREPANCY [2] = 2 and all other elements in DISCREPANCY
 array blank) **OR**
 (FALSIF = <1-3> and RI_OUTCM = 2 and
 ORIOUT_RSLT = (B1, C1, B2, C2 or VINT)) **OR**
 (FALSIF = 2 or 3 and RI_OUTCM = 1 and (DISCREPANCY array
 blank or
 (DISCREPANCY [6] = 6 and all other elements in DISCREPANCY
 array blank)))

Info Pane:

- ◆ Enter reinterview notes about this case now, or view and edit existing notes.
- ◆ Press Ctrl-F7 to access Reinterview Notes.
- ◆ Press Shift-F11 to access Abbreviation List.
- ◆ Press Shift-F12 to view Original CAPI Notes.
- ◆ Enter 1 to continue after completing reinterview notes.

☐ 1. Continue

Form Pane:

Reinterview notes [fill]
Ready to wrap up []

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1

Skip Instructions: <1> If (OUTCOME = 201 and CONTACT_C empty and STATUS empty and STAT_PROBE empty and VERTYPEA empty and VERBYOBS empty and VACANT empty)
then [go to [STATUS_RI](#)]
If (OUTCOME = 202) **then [exit instrument]**
Else [go to [READYWRAP](#)]

Special Instructions:

- If (OUTCOME = 201 and CONTACT_C is empty and STATUS is empty and STAT_PROBE is empty and VERTYPEA is empty and VERBYOBS is empty and VACANT is empty), empty OUTCOME.

Help Reference Word:

Variable Name: **READYWRAP**

Field Description: Ready to wrap up

Field Definition:

Universe: (RINOTES_PRE =1 and OUTCOME > 202) **OR**
 (RINOTES_PRE =1 and OUTCOME = 201 and (CONTACT_C = (1, 2, D, R or D) or STATUS = (1, 2, D, R, or D) or any valid value in STAT_PROBE or VERTYPEA = <1-4> or VERBYOBS = <1-4> or VACANT = (1, 2, D, R, D or R)))

Info Pane:

| |
|--|
| <p>This case is complete and ready to be transmitted. After exiting, the case will be deleted from your case list.</p> <p>◆ Enter 1 to continue.</p> |
| <p><input type="radio"/> 1. Continue</p> |

Form Pane:

| |
|--|
| <p>Reinterview notes []</p> <p>Ready to wrap up [fill]</p> |
|--|

Question Text/Fill Instructions:

User Instructions: See info and form panes

Field Length: 1

Valid Value: 1

Skip Instructions: <1> **[exit instrument]**

Special Instructions:

Help Reference Word:

XVII. Attachments

Attachment A: CE Quarterly 2015: Reinterview Instrument Screen Index

Attachment B: CE Quarterly 2015: Original Interview Outcome Codes

Attachment C: CE Quarterly 2015: Reinterview Disposition, Outcome and
Action Codes

Attachment D: CE Quarterly 2015: Household Roster Variable Descriptions Used in the
2015 CE Reinterview Instrument

Attachment E: CE Quarterly 2015: Original Outcome Code Descriptions for the
STATUS Screen

Attachment F: CE Quarterly 2015: Discrepancy Codes and Descriptions for Elements
in DISCREPANCY array

Attachment G: CE Quarterly 2015: Reinterview Scenarios

Attachment H: CE Quarterly 2015: Reinterview SCIF (RT 8500) Layout

Attachment A

2015 CE Quarterly: Reinterview Instrument Screen Index

| | | |
|--------------------------------|-------------------|-------------------|
| _END_, 53 | HHMEM2, 84 | RIREASON, 17 |
| _INTRO_, 46 | INFOBK, 98 | RIREF1, 19 |
| ADDVER, 78 | INSURANCE, 130 | RIREF2, 20 |
| ANYRECEIPT, 103 | INTRO_PC, 73 | RIREF3, 21 |
| APPT, 162 | INTRO_PN, 80 | RIREF4, 22 |
| APPT2, 163 | INTRO_TC, 59 | RIREF5, 23 |
| BURDEN, 106 (deleted screen) | INTRO_TN, 68 | RIRESP, 92 |
| BUSEXP, 105 (new screen) | KEY_REF, 30 | RO_DISC, 189 |
| BY_OBS, 41 | LAPTOP, 110 | ROSTER_1, 111 |
| CBTHANK, 164 | LENGTH_H, 108 | ROSTER_2, 113 |
| CENADMIN, 107 (deleted screen) | LENGTH_M, 109 | ROSTER_3, 114 |
| CKSUP, 54 | MEALEXP, 132 | ROSTER_4, 116 |
| CLOTHING, 133 | MEDICAL, 126 | SF_RIDISP, 191 |
| COMCLOTH, 136 | METHOD, 42 | SOMEONE_ELSE, 138 |
| CONTACT_C, 94 | MISC_B, 174 | SPEAKTO, 140 |
| CONTACT_N, 142 | MISC_BVINT, 177 | SPEAKTO2, 147 |
| DIAL, 44 | MISC_C, 175 | SPECLOTH, 135 |
| DISCREP_NOTES, 185 | MISC_CVINT, 178 | START, 33 |
| EDUCATION, 129 | MISC_VINT, 176 | START_1, 38 |
| EMAIL, 118 | MISCEXP, 134 | START_1A, 37 |
| EMAIL_BLANK, 120 | NEWNUMBER_A, 47 | STAT_PROB2, 154 |
| EMAIL_COLLECT, 121 | NEWNUMBER_CE, 52 | STAT_PROBE, 152 |
| EMAIL_UPDATE, 119 | NEWNUMBER_CP, 51 | STAT_VER, 146 |
| FALSIF, 179 | NEWNUMBER_E, 50 | STATUS, 150 |
| FIN, 32 | NEWNUMBER_P, 48 | STATUS_RI, 165 |
| FREQREC, 104 | NEWNUMBER_S, 49 | SURVEY, 122 |
| H_ABBREV1, 31 | NO_DISCREP, 190 | THANK_NOHH, 161 |
| H_PURPOSE, 24 | NONINT, 169 | THANK_REF, 160 |
| H_PURPOSE1, 25 | NSF_RIDISP, 187 | THANK_SORRY, 157 |
| H_PURPOSE2, 26 | ONE_SESSION, 95 | THANK_YOU, 158 |
| H_PURPOSE3, 27 | ORMODE, 96 | TYPEA, 170 |
| H_PURPOSE4, 28 | PHONE_REQUEST, 97 | TYPEB, 171 |
| H_PURPOSE5, 29 | PO_NOTES, 100 | TYPEB_ALT, 172 |
| HEALTH, 127 | POLITE, 99 | TYPEC, 173 |
| HELLO_PC, 69 | PROX_C, 85 | UTILITIES, 124 |
| HELLO_PCX, 71 | PROX_N, 86 | VACANT, 144 |
| HELLO_PN, 74 | PROX_PRESENT, 137 | VACANT2, 148 |
| HELLO_PNX, 76 | PROX_UC, 88 | VEHICLE, 125 |
| HELLO_TC, 55 | PROX_UN, 89 | VERBYOBS, 81 |
| HELLO_TCX, 57 | READYWRAP, 195 | VERTELE, 58 |
| HELLO_TN, 63 | RECEIPTS, 101 | VERTYPEA, 64 |
| HELLO_TNX, 66 | REFER, 102 | WORK, 128 |
| HHAPP, 131 | REFNUM, 62 | WRNUM, 61 |
| HHCOMP, 40 | RI_OUTCM, 167 | |
| HHMEM, 83 | RINOTES_PRE, 193 | |

Attachment B
2015 CE Quarterly: Original Interview Outcome Codes

| Outcome | Description |
|----------------|--|
| 200 | New case, not started |
| 201 | Completed interview |
| 202 | Case started, insufficient partial |
| 203 | Transmit, no more follow-up possible. |
| 204 | Partial, complete through Section 20, callback to complete |
| 206 | Don't know follow-up needed |
| 216 | Type A - No one home (unable to contact) |
| 217 | Type A - Temporarily absent |
| 219 | Other Type A - specify |
| 321 | Type A - Refused, Hostile respondent |
| 322 | Type A - Refused, Time related excuses |
| 323 | Type A - Refused, Language problems |
| 324 | Type A - Refused, Other - specify |
| 224 | Type B - All persons under 16 |
| 225 | Type B - Occupied by persons with URE |
| 226 | Type B - Vacant for rent |
| 228 | Type B - Unfit, to be demolished |
| 229 | Type B - Under construction, not ready |
| 231 | Type B - Unoccupied tent/trailer site |
| 232 | Type B - Permit granted, construction not started |
| 233 | Type B - Other – specify |
| 331 | Type B - Vacant for sale |
| 332 | Type B - Vacant other - specify |
| 240 | Type C - Demolished |
| 241 | Type C - House or trailer moved |
| 243 | Type C - Converted to permanent nonresidential use |
| 244 | Type C - Merged units within same structure |
| 245 | Type C - Condemned |
| 246 | Type C - Built After April 1, 1990 |
| 247 | Type C - Unused serial # or listing sheet |
| 341 | Type C - CU moved |
| 342 | Type C - CU merged with another CE CU within same address |
| 248 | Type C - Other - specify |
| 252 | Type C - Located on military base or post |

256 Type C - Removed during subsampling
257 Type C- Unit already had a chance of selection
290 Type C - Spawned in error

Attachment C
CE Quarterly 2015: Reinterview Disposition, Outcome and Action Codes

| | Disposition | Outcome | Action | Description |
|----------------------------|--------------------|----------------|---------------|---|
| | N/A | 200 | 00 | New case, not started |
| | N/A | 202 | 01 | Accessed instrument, no interview or insufficient partial |
| | 001 | 201 | 10 | Original interview or noninterview verified as correct |
| Type A | | | | |
| | 003 | 214 | 21 | Unable to complete, bad telephone number |
| | 013 | 214 | 21 | Unable to locate |
| | 014 | 216 | 21 | No one home |
| | 015 | 217 | 21 | Temporarily absent |
| | 033 | 218 | 21 | Refused |
| | 034 | 213 | 21 | Language problem |
| | 035 | 218 | 21 | Respondent can't remember |
| | 036 | 215 | 21 | Insufficient partial |
| | 037 | 219 | 21 | Other Type A |
| Type B | | | | |
| | 017 | 226 | 31 | Vacant, regular or seasonal |
| | 019 | 227 | 31 | Vacant, storage of household furniture |
| | 020 | 230 | 31 | Converted to temporary business or storage |
| | 021 | 231 | 31 | Unoccupied tent or trailer site |
| | 022 | 234 | 31 | HH institutionalized or temporarily ineligible |
| | 023 | 228 | 31 | Unfit, to be demolished |
| | 038 | 224 | 31 | Entire HH under age limit |
| | 039 | 225 | 31 | Temporarily occupied by persons with URE |
| | 041 | 233 | 31 | Other Type B |
| Type C | | | | |
| | 024 | 240 | 41 | Demolished |
| | 025 | 241 | 41 | House or trailer moved |
| | 026 | 243 | 41 | Converted to permanent business or storage |
| | 027 | 245 | 41 | Condemned |
| | 030 | 250 | 41 | Deceased |
| | 031 | 251 | 41 | Moved out of country |
| | 042 | 248 | 41 | Other Type C |
| Type D | | | | |
| | 032 | 360 | 51 | HH replaced by new HH since original interview |
| Misclassified Cases | | | | |
| | 043 | 301 | 11 | Originally classified as a B, should have been an Interview or Type A |
| | 044 | 301 | 11 | Originally classified as a C, should have been an Interview or Type A |
| | 046 | 301 | 11 | Originally classified as a B, should have been a C |

| | | | |
|--------------------------|-----|----|---|
| 048 | 301 | 11 | Originally classified as a C, should have been a B |
| 058 | 301 | 11 | Other misclassification - specify in the notes |
| Discrepancy Cases | | | |
| 004 | 301 | 11 | Discrepancy - laptop not used |
| 005 | 301 | 11 | Discrepancy - not all questions asked in original interview |
| 009 | 301 | 11 | Discrepancy - incorrect household roster |
| 010 | 301 | 11 | Discrepancy - CU determination incorrect |
| 011 | 301 | 11 | Discrepancy - telephone interview when personal visit required |
| 012 | 301 | 11 | Other discrepancy - no suspected falsification |
| RO/HQ Discretion | | | |
| 029 | 312 | 21 | HQ discretion - permanent (sample adjustment) |
| 052 | 311 | 21 | RO discretion - permanent (hard to interview original case) |
| 053 | 312 | 21 | RO discretion - temporary (more than 50 miles from nearest reinterviewer and no phone number) |
| 054 | 312 | 21 | RO discretion - temporary (observed during the original interview) |
| 055 | 312 | 21 | RO discretion - temporary (personal visit needed, but not authorized) |
| 056 | 312 | 21 | HQ discretion - temporary (case management, ROSCO problems) |
| 057 | 312 | 21 | RO discretion - temporary (other) |

Attachment D
2015 CE Quarterly: Household Roster Variable Descriptions Used in the 2015 CE
Quarterly Reinterview Instrument

Use the following descriptions for the values of the variables listed below when displaying the household roster in the CE reinterview instrument.

The possible values for RELATIONSHIP are:

| | |
|----------------------|--------------------------|
| 1 = Reference Person | 7 = Parent(s) |
| 2 = Spouse | 8 = Other related person |
| 3 = Child | 9 = Unrelated person |
| 4 = Grandchild | 10 = Unmarried Partner |
| 5 = In-Law | D = Don't Know |
| 6 = Brother/sister | R = Refused |

The possible values for AGE are:

Any numeric value

The possible values for SEX are:

1 = Male
2 = Female

The possible values for AWAY_COL (appears as 'Away @ college') are:

Yes
No

The possible values for HH_MEM (appears as 'HH MEMBER' on the roster) are:

Yes
No

The possible values for PERCUNUM (appears as 'CU Number') are:

Any numeric value

Attachment E

CE Quarterly 2015: Original Outcome Code Descriptions for the STATUS Screen

Use these descriptions to fill “ORIOUT’s description” on the STATUS screen:

| If original outcome code (ORIOUT) is: | Fill with: |
|---|---|
| 224 | “was occupied entirely by minors (everyone in the household is under 16)” |
| 225 | “was occupied entirely by persons who usually live at another address.” |
| 226 | “was vacant.” |
| 228 | “was unfit to live in or scheduled to be demolished.” |
| 229 | “was under construction.” |
| 230 | “was converted to a permanent or temporary business or storage” |
| 231 | “was an unoccupied site for mobile home, trailer, or tent.” |
| 232 | “was a building site where construction had not started.” |
| 235 | “was vacant for seasonal use” |
| 236 | “was occupied - screened out by household” |
| 240 | “was demolished.” |
| 241 | “was a lot where a house or trailer had been moved off of.” |
| 243 | “was converted to a permanent business or storage.” |
| 244 | “was merged with another unit.” |
| 245 | “was condemned.” |
| 246 | “was built after April 1, 2000 (4/1/00).” |
| 331 | “was vacant and for sale.” |
| 332 | “was vacant.” |
| 341 | “had moved.” |
| 342 | “was merged with another household with the same address.” |
| 252 | “was located on a military base or post.” |

Attachment F
CE Quarterly 2015: Discrepancy Codes and Descriptions for Elements in the
DISCREPANCY Array

| <u>Element/Code</u> | <u>Description</u> |
|----------------------------|---|
| 1 | The reinterview respondent said no one contacted this household regarding this survey. |
| 2 | You determined that the original status, [Fill: ORIOUT] - [Fill: ORIOUT's description from Attachment C], was incorrect. |
| 3 | The status of this case was completed by observation in the original interview. You determined that the original status, [Fill: ORIOUT] - [Fill: ORIOUT's description from Attachment C] was incorrect. |
| 4 | This case was a Type A in the original interview. You determined that the original status, [Fill: ORIOUT] - [Fill: ORIOUT's description from Attachment C], was incorrect. |
| 5 | The interviewer classified this unit as a Type B or Type C Noninterview and you determined that it should have been an Interview or Type A. |
| 6 | The reinterview respondent indicated that the original status, [Fill: ORIOUT] - [Fill: ORIOUT's description from Attachment C] was incorrect. |
| 7 | The household roster was incorrect. |
| 8 | Not all survey questions were asked in the interview. |
| 9 | The interviewer conducted a telephone interview only instead of a personal visit interview, as required. |
| 10 | This case was done by a personal visit and the reinterview respondent said the interviewer did not use a laptop. |
| 11 | The interviewer entered a bad telephone number for this case. |

Attachment G

CE Quarterly 2015: Reinterview Scenarios

The questions below will be asked of respondents who had completed or sufficient partials for the original interview including proxy respondents that were present during the original interview. Parenthetical references indicate exceptions. Items followed by a (*) are questions asked of original noninterviews wherever a contact person is available.

- Confirm that the respondent was contacted
- Confirm the mode of the original interview
- Ask whether the interviewer
 - Was polite and professional
 - Used a laptop (personal visit only)
 - Gave an information booklet
 - Request that receipts be kept
 - Asked if purchases were reimbursed as business expenses
- About how long did the interview last? (Captures hours & minutes)
- Verify the household roster
- Verify address
- One of the four following scenarios

Scenario 1: Completed or sufficient partial interviews where the respondent is a full-time or part-time student

Were you asked about utility bills such as electricity or gas?

For any vehicle that you rented, leased, or owned, were you asked about expenses such as licensing, registration, or fuel?

Did the interviewer ask you about out-of-pocket payments made directly to a medical provider for eye or dental care?

Did the interviewer ask whether you pay for a health insurance policy?

Were you asked about working in the past year? Do not include housework.

Scenario 2: Completed or sufficient partial interviews where the respondent is NOT a student and the household members are all adults (i.e. not children or grandchildren)

Were you asked about payments made for education expenses?

Were you asked about any new insurance policies?

Scenario 3: Completed or sufficient partial interviews where the respondent is NOT a student and reported a combined expense for clothing

Were you asked about specific clothing items such as shirts, footwear, undergarments separately?

You reported combined clothing expenses. Were you asked to tell what you spent on individual clothing types such as sports coats, nightwear, and sweaters separately?

Scenario 4: All other respondents



Were you asked about purchasing garbage disposals, range hoods, and built-in dishwashers?

Were you asked about purchasing swimsuits, uniforms, and jewelry?

Were you asked about miscellaneous expenses such as funeral costs, legal fees, and adult care?

Attachment H
CE Quarterly 2015: Reinterview SCIF (Record Type Layout)

This SCIF is now maintained online by TMO. It can be found on the following intranet website:
<https://scifprod.tmo.census.gov/scif/main/mainMenu.seam>. Follow the steps below:

- Click [Survey Specific SCIF](#)
- Type **CEQ RI** next to **Survey Name**
- Click  Search for SS SCIFs
- Find the row labeled **CEQ Reinterview - 2015**
- Click  to open the SCIF
- You can then print it in Adobe Acrobat

This SCIF uses Record Types:

1002
2006
2552
8001
8100
8200
8500
850001