

```

<?xml version="1.0" encoding="utf-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:simpleType name="INTEGER">
    <xs:restriction base="xs:int"/>
  </xs:simpleType>
  <xs:simpleType name="DATE_TIME">
    <xs:restriction base="xs:dateTime"/>
  </xs:simpleType>
  <xs:simpleType name="DECIMAL_16_6">
    <xs:restriction base="xs:decimal">
      <xs:totalDigits value="16"/>
      <xs:fractionDigits value="6"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="STRING_250">
    <xs:restriction base="xs:string">
      <xs:maxLength value="250"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="STRING_25">
    <xs:restriction base="xs:string">
      <xs:maxLength value="25"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="STRING_50">
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="STRING_100">
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="STRING_300">
    <xs:restriction base="xs:string">
      <xs:maxLength value="300"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="STRING_10050">
    <xs:restriction base="xs:string">
      <xs:maxLength value="10050"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="TRANSTYPE_IUD">
    <xs:restriction base="xs:string">
      <xs:enumeration value="I"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="SERIES_IND">
    <xs:restriction base="xs:string">
      <xs:enumeration value="DFAST"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="PL_CATEGORY">
    <xs:restriction base="xs:string">
      <xs:enumeration value="Trading"/>
      <xs:enumeration value="CVA Hedges"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:element name="SMRY_Data_Collect_ACT">
    <xs:complexType>
      <xs:all>
        <xs:element name="CCARF735" type="STRING_50"

```

[illegible]

```
<xs:element name="CASIP386" type="STRING_50" />
<xs:element name="CASIP394" type="STRING_50" />
<xs:element name="CASIP402" type="STRING_50" />
<xs:element name="CASIP412" type="STRING_50" />
<xs:element name="CASIP525" type="STRING_50" />
<xs:element name="CASIP526" type="STRING_50" />
<xs:element name="CASIP528" type="STRING_50" />
<xs:element name="CASIP529" type="STRING_50" />
<xs:element name="CASIP530" type="STRING_50" />
<xs:element name="CASIP420" type="STRING_50" />
<xs:element name="CASIP428" type="STRING_50" />
<xs:element name="CASIP533" type="STRING_50" />
<xs:element name="CASIP534" type="STRING_50" />
<xs:element name="CASIP536" type="STRING_50" />
<xs:element name="CASIP537" type="STRING_50" />
<xs:element name="CASIP538" type="STRING_50" />
<xs:element name="CASIP540" type="STRING_50" />
<xs:element name="CASIP541" type="STRING_50" />
<xs:element name="CASIP542" type="STRING_50" />
<xs:element name="CASIP543" type="STRING_50" />
<xs:element name="CASIP545" type="STRING_50" />
<xs:element name="CASIP496" type="STRING_50" />
<xs:element name="CASIP546" type="STRING_50" />
<xs:element name="CASIP547" type="STRING_50" />
<xs:element name="CASIP549" type="STRING_50" />
<xs:element name="CASIP550" type="STRING_50" />
<xs:element name="CASIP551" type="STRING_50" />
<xs:element name="CASIP552" type="STRING_50" />
<xs:element name="CASIP554" type="STRING_50" />
<xs:element name="CASIP555" type="STRING_50" />
<xs:element name="CASIP558" type="STRING_50" />
<xs:element name="CASIP559" type="STRING_50" />
```

[illegible]

```
<xs:element name="CASIP560" type="STRING_50"
<xs:element name="CASIP561" type="STRING_50"
<xs:element name="CASIP563" type="STRING_50"
<xs:element name="CASIP564" type="STRING_50"
<xs:element name="CASIP565" type="STRING_50"
<xs:element name="CASIP566" type="STRING_50"
<xs:element name="CASIP567" type="STRING_50"
<xs:element name="CASIP568" type="STRING_50"
<xs:element name="CASIP569" type="STRING_50"
<xs:element name="CASIC216" type="STRING_50"
<xs:element name="CASIP577" type="STRING_50"
<xs:element name="CASIP578" type="STRING_50"
<xs:element name="CASIP581" type="STRING_50"
<xs:element name="CASIP584" type="STRING_50"
<xs:element name="CASIP585" type="STRING_50"
<xs:element name="CASIP586" type="STRING_50"
<xs:element name="CASIP588" type="STRING_50"
<xs:element name="CASIP589" type="STRING_50"
<xs:element name="CASIP590" type="STRING_50"
<xs:element name="CASIP591" type="STRING_50"
<xs:element name="CASIP593" type="STRING_50"
<xs:element name="CASIP594" type="STRING_50"
<xs:element name="CASIP595" type="STRING_50"
<xs:element name="CASIP597" type="STRING_50"
<xs:element name="CASIP598" type="STRING_50"
<xs:element name="CASIP599" type="STRING_50"
<xs:element name="CASIP600" type="STRING_50"
<xs:element name="CASIP601" type="STRING_50"
<xs:element name="CASIP602" type="STRING_50"
<xs:element name="CASIP603" type="STRING_50"
<xs:element name="CASIP606" type="STRING_50"
<xs:element name="CASIP607" type="STRING_50"
```

[illegible]

```
<xs:element name="CASIP608" type="STRING_50"
<xs:element name="CASIP610" type="STRING_50"
<xs:element name="CASIP611" type="STRING_50"
<xs:element name="CASIP612" type="STRING_50"
<xs:element name="CASIP613" type="STRING_50"
<xs:element name="CASIP615" type="STRING_50"
<xs:element name="CASIP616" type="STRING_50"
<xs:element name="CASIP617" type="STRING_50"
<xs:element name="CASIP619" type="STRING_50"
<xs:element name="CASIP620" type="STRING_50"
<xs:element name="CASIP621" type="STRING_50"
<xs:element name="CASIP622" type="STRING_50"
<xs:element name="CASIP623" type="STRING_50"
<xs:element name="CASIP624" type="STRING_50"
<xs:element name="CASIP625" type="STRING_50"
<xs:element name="CASIP626" type="STRING_50"
<xs:element name="CASIP627" type="STRING_50"
<xs:element name="CASIP633" type="STRING_50"
<xs:element name="CASI4074" type="STRING_50"
<xs:element name="CASI4079" type="STRING_50"
<xs:element name="CASIP630" type="STRING_50"
<xs:element name="CASIP635" type="STRING_50"
<xs:element name="CASI3196" type="STRING_50"
<xs:element name="CASI3521" type="STRING_50"
<xs:element name="CASI4302" type="STRING_50"
<xs:element name="CASI4320" type="STRING_50"
<xs:element name="CASIG103" type="STRING_50"
<xs:element name="CASIP637" type="STRING_50"
<xs:element name="CASIP638" type="STRING_50"
<xs:element name="CASIP195" type="STRING_50"
<xs:element name="CASK3217" type="STRING_50"
<xs:element name="CASKB507" type="STRING_50"/>
```

[illegible]

```
<xs:element name="CASK4340" type="STRING_50"
<xs:element name="CASK3577" type="STRING_50"
<xs:element name="CASK3578" type="STRING_50"
<xs:element name="CASK3579" type="STRING_50"
<xs:element name="CASK3580" type="STRING_50"
<xs:element name="CASK4782" type="STRING_50"
<xs:element name="CASK4783" type="STRING_50"
<xs:element name="CASK4356" type="STRING_50"
<xs:element name="CASK4598" type="STRING_50"
<xs:element name="CASK4460" type="STRING_50"
<xs:element name="CASKB511" type="STRING_50"
<xs:element name="CASK4591" type="STRING_50"
<xs:element name="CASK3581" type="STRING_50"
<xs:element name="CASK8434" type="STRING_50"
<xs:element name="CASKA221" type="STRING_50"
<xs:element name="CASK4336" type="STRING_50"
<xs:element name="CASKB588" type="STRING_50"
<xs:element name="CASKG214" type="STRING_50"
<xs:element name="CASKG215" type="STRING_50"
<xs:element name="CASKG216" type="STRING_50"
<xs:element name="CASKB590" type="STRING_50"
<xs:element name="CASKF264" type="STRING_50"
<xs:element name="CASKB591" type="STRING_50"
<xs:element name="CASK5610" type="STRING_50"
<xs:element name="CASEJ160" type="STRING_50"
<xs:element name="CASEJ161" type="STRING_50"
<xs:element name="CASEJ162" type="STRING_50"
<xs:element name="CASEJ163" type="STRING_50"
<xs:element name="CASEJ188" type="STRING_50"
<xs:element name="CASKB592" type="STRING_50"
<xs:element name="CASKG217" type="STRING_50"
<xs:element name="CASKG218" type="STRING_50"
```


[illegible]

```
<xs:element name="CASKG234" type="STRING_50"
<xs:element name="CASKG235" type="STRING_50"
<xs:element name="CASDQ273" type="STRING_50"
<xs:element name="CASDQ275" type="STRING_50"
<xs:element name="CASDQ277" type="STRING_50"
<xs:element name="CASDQ280" type="STRING_50"
<xs:element name="CASDQ281" type="STRING_50"
<xs:element name="CASDQ946" type="STRING_50"
<xs:element name="CASDQ283" type="STRING_50"
<xs:element name="CASDQ284" type="STRING_50"
<xs:element name="CASDQ286" type="STRING_50"
<xs:element name="CASDQ287" type="STRING_50"
<xs:element name="CASKC699" type="STRING_50"
<xs:element name="CASDQ289" type="STRING_50"
<xs:element name="CASDQ290" type="STRING_10050"
<xs:element name="CASDQ291" type="STRING_10050"
<xs:element name="CASDQ292" type="STRING_50"
<xs:element name="CASDQ293" type="STRING_50"
<xs:element name="CASDQ294" type="STRING_50"
<xs:element name="CASDQ295" type="STRING_10050"
<xs:element name="CASF0010" type="STRING_50"
<xs:element name="CASF1754" type="STRING_50"
<xs:element name="CASF1773" type="STRING_50"
<xs:element name="CASFC225" type="STRING_50"
<xs:element name="CASFN783" type="STRING_50"
<xs:element name="CASFA167" type="STRING_50"
<xs:element name="CASF6572" type="STRING_50"
<xs:element name="CASFG591" type="STRING_50"
<xs:element name="CASFN784" type="STRING_50"
<xs:element name="CASFN785" type="STRING_50"
<xs:element name="CASGN787" type="STRING_50"
<xs:element name="CASGN788" type="STRING_50"
```

[illegible]

```
<xs:element name="CASGN789" type="STRING_50"
<xs:element name="CASGN790" type="STRING_50"
<xs:element name="CASGN791" type="STRING_50"
<xs:element name="CASGN792" type="STRING_50"
<xs:element name="CASGN793" type="STRING_50"
<xs:element name="CASGN794" type="STRING_50"
<xs:element name="CASGN795" type="STRING_50"
<xs:element name="CASGN796" type="STRING_50"
<xs:element name="CASGN797" type="STRING_50"
<xs:element name="CASGN798" type="STRING_50"
<xs:element name="CASGN799" type="STRING_50"
<xs:element name="CASGN800" type="STRING_50"
<xs:element name="CASGN801" type="STRING_50"
<xs:element name="CASGN802" type="STRING_50"
<xs:element name="CASGN803" type="STRING_50"
<xs:element name="CASGN804" type="STRING_50"
<xs:element name="CASGN805" type="STRING_50"
<xs:element name="CASGN806" type="STRING_50"
<xs:element name="CASGN807" type="STRING_50"
<xs:element name="CASGN808" type="STRING_50"
<xs:element name="CASGN809" type="STRING_50"
<xs:element name="CASGN811" type="STRING_50"
<xs:element name="CASGN812" type="STRING_50"
<xs:element name="CASGN813" type="STRING_50"
<xs:element name="CASGN814" type="STRING_50"
<xs:element name="CASGN816" type="STRING_50"
<xs:element name="CASGN817" type="STRING_50"
<xs:element name="CASGN819" type="STRING_50"
<xs:element name="CASGN820" type="STRING_50"
<xs:element name="CASGN821" type="STRING_50"
<xs:element name="CASGN822" type="STRING_50"
<xs:element name="CASGN823" type="STRING_50"
```


[illegible]

<xs:element name="CASAN811" type="STRING_50"
<xs:element name="CASAN812" type="STRING_50"
<xs:element name="CASAN813" type="STRING_50"
<xs:element name="CASAN814" type="STRING_50"
<xs:element name="CASAN816" type="STRING_50"
<xs:element name="CASAN817" type="STRING_50"
<xs:element name="CASAN819" type="STRING_50"
<xs:element name="CASAN820" type="STRING_50"
<xs:element name="CASAN821" type="STRING_50"
<xs:element name="CASAN822" type="STRING_50"
<xs:element name="CASAN823" type="STRING_50"
<xs:element name="CASAN824" type="STRING_50"
<xs:element name="CASAN825" type="STRING_50"
<xs:element name="CASAN826" type="STRING_50"
<xs:element name="CASAJ152" type="STRING_50"
<xs:element name="CASRP381" type="STRING_50"
<xs:element name="CASRP382" type="STRING_50"
<xs:element name="CASRP383" type="STRING_50"
<xs:element name="CASRP384" type="STRING_50"
<xs:element name="CASRP385" type="STRING_50"
<xs:element name="CASRP386" type="STRING_50"
<xs:element name="CASRP387" type="STRING_50"
<xs:element name="CASRP388" type="STRING_50"
<xs:element name="CASRP389" type="STRING_50"
<xs:element name="CASRP390" type="STRING_50"
<xs:element name="CASRP391" type="STRING_50"
<xs:element name="CASRP392" type="STRING_50"
<xs:element name="CASRP393" type="STRING_50"
<xs:element name="CASRP394" type="STRING_50"
<xs:element name="CASRP395" type="STRING_50"
<xs:element name="CASRP396" type="STRING_50"
<xs:element name="CASRP397" type="STRING_50"

[illegible]

```
<xs:element name="CASRP433" type="STRING_50" />
<xs:element name="CASRP434" type="STRING_50" />
<xs:element name="CASRP435" type="STRING_50" />
<xs:element name="CASRP436" type="STRING_50" />
<xs:element name="CASRP437" type="STRING_50" />
<xs:element name="CASRP438" type="STRING_50" />
<xs:element name="CASRP439" type="STRING_50" />
<xs:element name="CASRP440" type="STRING_50" />
<xs:element name="CASRP442" type="STRING_50" />
<xs:element name="CASRP445" type="STRING_50" />
<xs:element name="CASRP446" type="STRING_50" />
<xs:element name="CASRP447" type="STRING_50" />
<xs:element name="CASRP448" type="STRING_50" />
<xs:element name="CASRP450" type="STRING_50" />
<xs:element name="CASRP453" type="STRING_50" />
<xs:element name="CASRP454" type="STRING_50" />
<xs:element name="CASRP455" type="STRING_50" />
<xs:element name="CASRP456" type="STRING_50" />
<xs:element name="CASRP457" type="STRING_50" />
<xs:element name="CASRP458" type="STRING_50" />
<xs:element name="CASRP459" type="STRING_50" />
<xs:element name="CASRP460" type="STRING_50" />
<xs:element name="CASRP461" type="STRING_50" />
<xs:element name="CASRP462" type="STRING_50" />
<xs:element name="CASRP463" type="STRING_50" />
<xs:element name="CASRP464" type="STRING_50" />
<xs:element name="CASRP465" type="STRING_50" />
<xs:element name="CASRP466" type="STRING_50" />
<xs:element name="CASRP467" type="STRING_50" />
<xs:element name="CASRP468" type="STRING_50" />
<xs:element name="CASRP469" type="STRING_50" />
<xs:element name="CASRP470" type="STRING_50" />
```

[illegible]

```
<xs:element name="CASRP471" type="STRING_50"
<xs:element name="CASRP472" type="STRING_50"
<xs:element name="CASRP473" type="STRING_50"
<xs:element name="CASRP474" type="STRING_50"
<xs:element name="CASRP475" type="STRING_50"
<xs:element name="CASRP476" type="STRING_50"
<xs:element name="CASRP477" type="STRING_50"
<xs:element name="CASRP478" type="STRING_50"
<xs:element name="CASRP479" type="STRING_50"
<xs:element name="CASRP480" type="STRING_50"
<xs:element name="CASRP481" type="STRING_50"
<xs:element name="CASRP482" type="STRING_50"
<xs:element name="CASRP483" type="STRING_50"
<xs:element name="CASRP484" type="STRING_50"
<xs:element name="CASRP485" type="STRING_50"
<xs:element name="CASRP486" type="STRING_50"
<xs:element name="CASRP487" type="STRING_50"
<xs:element name="CASRP488" type="STRING_50"
<xs:element name="CASRP489" type="STRING_50"
<xs:element name="CASRP490" type="STRING_50"
<xs:element name="CASRP491" type="STRING_50"
<xs:element name="CASRP492" type="STRING_50"
<xs:element name="CASRP493" type="STRING_50"
<xs:element name="CASRP494" type="STRING_50"
<xs:element name="CASRP495" type="STRING_50"
<xs:element name="CASRP496" type="STRING_50"
<xs:element name="CASRP497" type="STRING_50"
<xs:element name="CASRP498" type="STRING_50"
<xs:element name="CASRP499" type="STRING_50"
<xs:element name="CASRP500" type="STRING_50"
<xs:element name="CASRP501" type="STRING_50"
<xs:element name="CASRP502" type="STRING_50"
```

[illegible]

<xs:element name="CASRP503" type="STRING_50"
<xs:element name="CASRP504" type="STRING_50"
<xs:element name="CASRP505" type="STRING_50"
<xs:element name="CASRP506" type="STRING_50"
<xs:element name="CASRP507" type="STRING_50"
<xs:element name="CASRP508" type="STRING_50"
<xs:element name="CASRP509" type="STRING_50"
<xs:element name="CASRP510" type="STRING_50"
<xs:element name="CASRP511" type="STRING_50"
<xs:element name="CASRP512" type="STRING_50"
<xs:element name="CASRP513" type="STRING_50"
<xs:element name="CASRP514" type="STRING_50"
<xs:element name="CASRP515" type="STRING_50"
<xs:element name="CASRP516" type="STRING_50"
<xs:element name="CASRP517" type="STRING_50"
<xs:element name="CASRP518" type="STRING_50"
<xs:element name="CASRP519" type="STRING_50"
<xs:element name="CASRP520" type="STRING_50"
<xs:element name="CASRN890" type="STRING_50"
<xs:element name="CASRN891" type="STRING_50"
<xs:element name="CASRN893" type="STRING_50"
<xs:element name="CASRN894" type="STRING_50"
<xs:element name="CASRN895" type="STRING_50"
<xs:element name="CASRN896" type="STRING_50"
<xs:element name="CASRN897" type="STRING_50"
<xs:element name="CASRN898" type="STRING_50"
<xs:element name="CASRN899" type="STRING_50"
<xs:element name="CASRN900" type="STRING_50"
<xs:element name="CASRN901" type="STRING_50"
<xs:element name="CASRN902" type="STRING_50"
<xs:element name="CASRN903" type="STRING_50"
<xs:element name="CASRN904" type="STRING_50"

[illegible]

```
<xs:element name="CASRN905" type="STRING_50"
<xs:element name="CASRN907" type="STRING_50"
<xs:element name="CASRN908" type="STRING_50"
<xs:element name="CASRN909" type="STRING_50"
<xs:element name="CASRN910" type="STRING_50"
<xs:element name="CASRN911" type="STRING_50"
<xs:element name="CASRN912" type="STRING_50"
<xs:element name="CASRN913" type="STRING_50"
<xs:element name="CASRN914" type="STRING_50"
<xs:element name="CASRN915" type="STRING_50"
<xs:element name="CASRN916" type="STRING_50"
<xs:element name="CASRN917" type="STRING_50"
<xs:element name="CASRN918" type="STRING_50"
<xs:element name="CASRN919" type="STRING_50"
<xs:element name="CASRN921" type="STRING_50"
<xs:element name="CASRN922" type="STRING_50"
<xs:element name="CASRN923" type="STRING_50"
<xs:element name="CASRN924" type="STRING_50"
<xs:element name="CASRN925" type="STRING_50"
<xs:element name="CASRN926" type="STRING_50"
<xs:element name="CASRN927" type="STRING_50"
<xs:element name="CASRN928" type="STRING_50"
<xs:element name="CASRN929" type="STRING_50"
<xs:element name="CASRN930" type="STRING_50"
<xs:element name="CASRN931" type="STRING_50"
<xs:element name="CASRN932" type="STRING_50"
<xs:element name="CASRN933" type="STRING_50"
<xs:element name="CASRN935" type="STRING_50"
<xs:element name="CASRN936" type="STRING_50"
<xs:element name="CASRN937" type="STRING_50"
<xs:element name="CASRN938" type="STRING_50"
<xs:element name="CASRN939" type="STRING_50"
```

[illegible]


```
minOccurs="0"/>
    <xsd:element name="CASRKU95" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKU97" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY00" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY02" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY05" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY07" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY10" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY12" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY15" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY17" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY20" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASRKY22" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC30" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC31" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC32" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC33" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC34" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC35" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC36" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC37" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC38" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC39" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC40" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLC41" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLF18" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASKLF29" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHLG29" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CASHHT70" type="STRING_50"
</xsd:all>
<xsd:attribute name="ID_RSSD" type="INTEGER" use="required"/>
<xsd:attribute name="D_DT" type="DATE_TIME" use="required"/>
<xsd:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
</xsd:complexType>
</xsd:element>
```

```

    <xs:element name="SMRY_Data_Collect_PROJ">
      <xs:complexType>
        <xs:all>
          <xs:element name="CPSIP525" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP526" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP528" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP529" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP530" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP533" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP534" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP536" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP537" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP538" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP540" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP546" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP549" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP550" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP551" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP552" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP554" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP555" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP558" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP559" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP560" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP561" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP563" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP564" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP565" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP566" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP567" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP568" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP569" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP571" type="STRING_50"
minOccurs="0"/>
          <xs:element name="CPSIP572" type="STRING_50"

```


[illegible]

```
<xs:element name="CPSBP662" type="STRING_50" />
<xs:element name="CPSBP663" type="STRING_50" />
<xs:element name="CPSBP664" type="STRING_50" />
<xs:element name="CPSBP666" type="STRING_50" />
<xs:element name="CPSBP667" type="STRING_50" />
<xs:element name="CPSBK137" type="STRING_50" />
<xs:element name="CPSBP669" type="STRING_50" />
<xs:element name="CPSBP670" type="STRING_50" />
<xs:element name="CPSBP671" type="STRING_50" />
<xs:element name="CPSB2081" type="STRING_50" />
<xs:element name="CPSB1590" type="STRING_50" />
<xs:element name="CPSB1545" type="STRING_50" />
<xs:element name="CPSBP673" type="STRING_50" />
<xs:element name="CPSBJ451" type="STRING_50" />
<xs:element name="CPSBF163" type="STRING_50" />
<xs:element name="CPSBP680" type="STRING_50" />
<xs:element name="CPSBP681" type="STRING_50" />
<xs:element name="CPSBP683" type="STRING_50" />
<xs:element name="CPSBP684" type="STRING_50" />
<xs:element name="CPSBP685" type="STRING_50" />
<xs:element name="CPSBP688" type="STRING_50" />
<xs:element name="CPSBP689" type="STRING_50" />
<xs:element name="CPSBP691" type="STRING_50" />
<xs:element name="CPSBP692" type="STRING_50" />
<xs:element name="CPSBP693" type="STRING_50" />
<xs:element name="CPSBP695" type="STRING_50" />
<xs:element name="CPSBP701" type="STRING_50" />
<xs:element name="CPSBP704" type="STRING_50" />
<xs:element name="CPSBP705" type="STRING_50" />
<xs:element name="CPSBP706" type="STRING_50" />
<xs:element name="CPSBP707" type="STRING_50" />
<xs:element name="CPSBP709" type="STRING_50" />
```

[illegible]

```
<xs:element name="CPSBP710" type="STRING_50"
<xs:element name="CPSB2123" type="STRING_50"
<xs:element name="CPSB3545" type="STRING_50"
<xs:element name="CPSB3163" type="STRING_50"
<xs:element name="CPSB3164" type="STRING_50"
<xs:element name="CPSBB026" type="STRING_50"
<xs:element name="CPSB5507" type="STRING_50"
<xs:element name="CPSBP728" type="STRING_50"
<xs:element name="CPSBB987" type="STRING_50"
<xs:element name="CPSBB989" type="STRING_50"
<xs:element name="CPSB2145" type="STRING_50"
<xs:element name="CPSBP729" type="STRING_50"
<xs:element name="CPSBP730" type="STRING_50"
<xs:element name="CPSBP731" type="STRING_50"
<xs:element name="CPSBP733" type="STRING_50"
<xs:element name="CPSBP734" type="STRING_50"
<xs:element name="CPSBP735" type="STRING_50"
<xs:element name="CPSBP737" type="STRING_50"
<xs:element name="CPSBP738" type="STRING_50"
<xs:element name="CPSBP740" type="STRING_50"
<xs:element name="CPSB3548" type="STRING_50"
<xs:element name="CPSB3190" type="STRING_50"
<xs:element name="CPSB4062" type="STRING_50"
<xs:element name="CPSBC699" type="STRING_50"
<xs:element name="CPSB2750" type="STRING_50"
<xs:element name="CPSBB557" type="STRING_50"
<xs:element name="CPSB3283" type="STRING_50"
<xs:element name="CPSB3230" type="STRING_50"
<xs:element name="CPSB3240" type="STRING_50"
<xs:element name="CPSB3247" type="STRING_50"
<xs:element name="CPSBB530" type="STRING_50"
<xs:element name="CPSBA130" type="STRING_50"
```

[illegible]

```
<xs:element name="CPSPB3000" type="STRING_50"
<xs:element name="CPSPB741" type="STRING_50"
<xs:element name="CPSF0010" type="STRING_50"
<xs:element name="CPSF1754" type="STRING_50"
<xs:element name="CPSF1773" type="STRING_50"
<xs:element name="CPSFC225" type="STRING_50"
<xs:element name="CPSFN783" type="STRING_50"
<xs:element name="CPSFA167" type="STRING_50"
<xs:element name="CPSF6572" type="STRING_50"
<xs:element name="CPSFG591" type="STRING_50"
<xs:element name="CPSFN784" type="STRING_50"
<xs:element name="CPSFN785" type="STRING_50"
<xs:element name="CPSGN787" type="STRING_50"
<xs:element name="CPSGN788" type="STRING_50"
<xs:element name="CPSGN789" type="STRING_50"
<xs:element name="CPSGN790" type="STRING_50"
<xs:element name="CPSGN791" type="STRING_50"
<xs:element name="CPSGN792" type="STRING_50"
<xs:element name="CPSGN793" type="STRING_50"
<xs:element name="CPSGN794" type="STRING_50"
<xs:element name="CPSGN795" type="STRING_50"
<xs:element name="CPSGN796" type="STRING_50"
<xs:element name="CPSGN797" type="STRING_50"
<xs:element name="CPSGN798" type="STRING_50"
<xs:element name="CPSGN799" type="STRING_50"
<xs:element name="CPSGN800" type="STRING_50"
<xs:element name="CPSGN801" type="STRING_50"
<xs:element name="CPSGN802" type="STRING_50"
<xs:element name="CPSGN803" type="STRING_50"
<xs:element name="CPSGN804" type="STRING_50"
<xs:element name="CPSGN805" type="STRING_50"
<xs:element name="CPSGN806" type="STRING_50"
```


[illegible]

```
<xs:element name="CPSAN876" type="STRING_50"
<xs:element name="CPSAN877" type="STRING_50"
<xs:element name="CPSAN878" type="STRING_50"
<xs:element name="CPSAN879" type="STRING_50"
<xs:element name="CPSAN880" type="STRING_50"
<xs:element name="CPSAN881" type="STRING_50"
<xs:element name="CPSAN882" type="STRING_50"
<xs:element name="CPSAN883" type="STRING_50"
<xs:element name="CPSAN886" type="STRING_50"
<xs:element name="CPSAN887" type="STRING_50"
<xs:element name="CPSAN888" type="STRING_50"
<xs:element name="CPSAJ198" type="STRING_50"
<xs:element name="CPSAJ154" type="STRING_50"
<xs:element name="CPSAJ084" type="STRING_50"
<xs:element name="CPSAN811" type="STRING_50"
<xs:element name="CPSAN812" type="STRING_50"
<xs:element name="CPSAN813" type="STRING_50"
<xs:element name="CPSAN814" type="STRING_50"
<xs:element name="CPSAN816" type="STRING_50"
<xs:element name="CPSAN817" type="STRING_50"
<xs:element name="CPSAN819" type="STRING_50"
<xs:element name="CPSAN820" type="STRING_50"
<xs:element name="CPSAN821" type="STRING_50"
<xs:element name="CPSAN822" type="STRING_50"
<xs:element name="CPSAN823" type="STRING_50"
<xs:element name="CPSAN824" type="STRING_50"
<xs:element name="CPSAN825" type="STRING_50"
<xs:element name="CPSAN826" type="STRING_50"
<xs:element name="CPSAJ152" type="STRING_50"
<xs:element name="CPSRP381" type="STRING_50"
<xs:element name="CPSRP382" type="STRING_50"
<xs:element name="CPSRP383" type="STRING_50"
```


[illegible]

```
<xs:element name="CPSRP463" type="STRING_50" />
<xs:element name="CPSRP464" type="STRING_50" />
<xs:element name="CPSRP465" type="STRING_50" />
<xs:element name="CPSRP466" type="STRING_50" />
<xs:element name="CPSRP467" type="STRING_50" />
<xs:element name="CPSRP468" type="STRING_50" />
<xs:element name="CPSRP469" type="STRING_50" />
<xs:element name="CPSRP470" type="STRING_50" />
<xs:element name="CPSRP471" type="STRING_50" />
<xs:element name="CPSRP472" type="STRING_50" />
<xs:element name="CPSRP473" type="STRING_50" />
<xs:element name="CPSRP474" type="STRING_50" />
<xs:element name="CPSRP475" type="STRING_50" />
<xs:element name="CPSRP476" type="STRING_50" />
<xs:element name="CPSRP477" type="STRING_50" />
<xs:element name="CPSRP478" type="STRING_50" />
<xs:element name="CPSRP479" type="STRING_50" />
<xs:element name="CPSRP480" type="STRING_50" />
<xs:element name="CPSRP481" type="STRING_50" />
<xs:element name="CPSRP482" type="STRING_50" />
<xs:element name="CPSRP483" type="STRING_50" />
<xs:element name="CPSRP484" type="STRING_50" />
<xs:element name="CPSRP485" type="STRING_50" />
<xs:element name="CPSRP486" type="STRING_50" />
<xs:element name="CPSRP487" type="STRING_50" />
<xs:element name="CPSRP488" type="STRING_50" />
<xs:element name="CPSRP489" type="STRING_50" />
<xs:element name="CPSRP490" type="STRING_50" />
<xs:element name="CPSRP491" type="STRING_50" />
<xs:element name="CPSRP492" type="STRING_50" />
<xs:element name="CPSRP493" type="STRING_50" />
<xs:element name="CPSRP494" type="STRING_50" />
```


[illegible]

```
<xs:element name="CPSNP990" type="STRING_50"
<xs:element name="CPSNP991" type="STRING_50"
<xs:element name="CPSNP992" type="STRING_50"
<xs:element name="CPSNP993" type="STRING_50"
<xs:element name="CPSNP994" type="STRING_50"
<xs:element name="CPSNP995" type="STRING_50"
<xs:element name="CPSNP996" type="STRING_50"
<xs:element name="CPSNP997" type="STRING_50"
<xs:element name="CPSNP999" type="STRING_50"
<xs:element name="CPSNQ002" type="STRING_50"
<xs:element name="CPSNQ003" type="STRING_50"
<xs:element name="CPSNQ004" type="STRING_50"
<xs:element name="CPSNQ005" type="STRING_50"
<xs:element name="CPSNQ006" type="STRING_50"
<xs:element name="CPSNQ008" type="STRING_50"
<xs:element name="CPSNQ009" type="STRING_50"
<xs:element name="CPSNQ010" type="STRING_50"
<xs:element name="CPSNQ012" type="STRING_50"
<xs:element name="CPSNQ013" type="STRING_50"
<xs:element name="CPSNQ014" type="STRING_50"
<xs:element name="CPSNQ015" type="STRING_50"
<xs:element name="CPSNQ016" type="STRING_50"
<xs:element name="CPSNQ017" type="STRING_50"
<xs:element name="CPSNQ018" type="STRING_50"
<xs:element name="CPSNQ019" type="STRING_50"
<xs:element name="CPSNQ020" type="STRING_50"
<xs:element name="CPSNQ021" type="STRING_50"
<xs:element name="CPSNQ024" type="STRING_50"
<xs:element name="CPSNQ025" type="STRING_50"
<xs:element name="CPSNQ026" type="STRING_50"
<xs:element name="CPSNQ027" type="STRING_50"
<xs:element name="CPSNQ028" type="STRING_50"
```


[illegible]

```
<xs:element name="CPSNQ780" type="STRING_50"
<xs:element name="CPSNQ121" type="STRING_50"
<xs:element name="CPSNQ122" type="STRING_50"
<xs:element name="CPSNQ123" type="STRING_50"
<xs:element name="CPSNQ124" type="STRING_50"
<xs:element name="CPSNQ125" type="STRING_50"
<xs:element name="CPSNQ126" type="STRING_50"
<xs:element name="CPSNQ127" type="STRING_50"
<xs:element name="CPSNQ128" type="STRING_50"
<xs:element name="CPSNQ129" type="STRING_50"
<xs:element name="CPSNQ130" type="STRING_50"
<xs:element name="CPSNQ131" type="STRING_50"
<xs:element name="CPSNQ132" type="STRING_50"
<xs:element name="CPSNQ133" type="STRING_50"
<xs:element name="CPSNQ134" type="STRING_50"
<xs:element name="CPSNQ135" type="STRING_50"
<xs:element name="CPSNQ136" type="STRING_50"
<xs:element name="CPSNQ137" type="STRING_50"
<xs:element name="CPSNQ138" type="STRING_50"
<xs:element name="CPSNQ139" type="STRING_50"
<xs:element name="CPSNQ140" type="STRING_50"
<xs:element name="CPSNQ141" type="STRING_50"
<xs:element name="CPSNQ142" type="STRING_50"
<xs:element name="CPSNQ143" type="STRING_50"
<xs:element name="CPSNQ144" type="STRING_50"
<xs:element name="CPSNQ145" type="STRING_50"
<xs:element name="CPSNQ146" type="STRING_50"
<xs:element name="CPSNQ147" type="STRING_50"
<xs:element name="CPSNQ148" type="STRING_50"
<xs:element name="CPSNQ999" type="STRING_300"
<xs:element name="CPSNR001" type="STRING_50"
<xs:element name="CPSNR002" type="STRING_300"
```

[illegible]

```
<xs:element name="CPSNR003" type="STRING_50"
<xs:element name="CPSNR004" type="STRING_300"
<xs:element name="CPSNR005" type="STRING_50"
<xs:element name="CPSNR006" type="STRING_300"
<xs:element name="CPSNR007" type="STRING_50"
<xs:element name="CPSNR008" type="STRING_300"
<xs:element name="CPSNR009" type="STRING_50"
<xs:element name="CPSNR010" type="STRING_300"
<xs:element name="CPSNR011" type="STRING_50"
<xs:element name="CPSNR012" type="STRING_300"
<xs:element name="CPSNR013" type="STRING_50"
<xs:element name="CPSNR014" type="STRING_300"
<xs:element name="CPSNR015" type="STRING_50"
<xs:element name="CPSNR016" type="STRING_300"
<xs:element name="CPSNR017" type="STRING_50"
<xs:element name="CPSNR018" type="STRING_300"
<xs:element name="CPSNR019" type="STRING_50"
<xs:element name="CPSNR020" type="STRING_300"
<xs:element name="CPSNR021" type="STRING_50"
<xs:element name="CPSNR022" type="STRING_300"
<xs:element name="CPSNR023" type="STRING_50"
<xs:element name="CPSNR024" type="STRING_300"
<xs:element name="CPSNR025" type="STRING_50"
<xs:element name="CPSNR026" type="STRING_300"
<xs:element name="CPSNR027" type="STRING_50"
<xs:element name="CCARS676" type="STRING_10050"
<xs:element name="CPSS0010" type="STRING_50"
<xs:element name="CPSSC225" type="STRING_50"
<xs:element name="CPSS1754" type="STRING_50"
<xs:element name="CPSS1773" type="STRING_50"
<xs:element name="CPSSS413" type="STRING_50"
<xs:element name="CPSSS419" type="STRING_50"
```

[illegible]

<xs:element name="CPSSS423" type="STRING_50"
<xs:element name="CPSSS431" type="STRING_50"
<xs:element name="CPSSS439" type="STRING_50"
<xs:element name="CPSSS445" type="STRING_50"
<xs:element name="CPSSS449" type="STRING_50"
<xs:element name="CPSSS457" type="STRING_50"
<xs:element name="CPSS3545" type="STRING_50"
<xs:element name="CPSSB639" type="STRING_50"
<xs:element name="CPSSS475" type="STRING_50"
<xs:element name="CPSSS480" type="STRING_50"
<xs:element name="CPSSS485" type="STRING_50"
<xs:element name="CPSSS490" type="STRING_50"
<xs:element name="CPSSS495" type="STRING_50"
<xs:element name="CPSSB546" type="STRING_50"
<xs:element name="CPSS6570" type="STRING_50"
<xs:element name="CPSS3411" type="STRING_50"
<xs:element name="CPSSA250" type="STRING_50"
<xs:element name="CPSSS515" type="STRING_50"
<xs:element name="CPSSB681" type="STRING_50"
<xs:element name="CPSSS525" type="STRING_50"
<xs:element name="CPSSG591" type="STRING_50"
<xs:element name="CPSS6572" type="STRING_50"
<xs:element name="CPSSS540" type="STRING_50"
<xs:element name="CPSSS626" type="STRING_50"
<xs:element name="CPSSS627" type="STRING_50"
<xs:element name="CPSSS580" type="STRING_50"
<xs:element name="CPSSN811" type="STRING_50"
<xs:element name="CPSSN812" type="STRING_50"
<xs:element name="CPSSN813" type="STRING_50"
<xs:element name="CPSSN814" type="STRING_50"
<xs:element name="CPSSN816" type="STRING_50"
<xs:element name="CPSSN817" type="STRING_50"

[illegible]


```
minOccurs="0"/>
<xsd:element name="CPSIKU71" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU72" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU80" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU81" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU82" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU84" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU85" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU86" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU88" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU89" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIKU90" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKU95" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKU97" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV00" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV02" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV05" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV07" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV10" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRLC42" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRLC43" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV12" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV15" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV17" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV20" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSRKV22" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSIHT70" type="STRING_50"
minOccurs="0"/>
<xsd:element name="CPSBJA22" type="STRING_50"
</xsd:all>
<xsd:attribute name="ID_RSSD" type="INTEGER" use="required"/>
<xsd:attribute name="D_DT" type="DATE_TIME" use="required"/>
<xsd:attribute name="CCARP006" type="STRING_50"
use="required"/>
<xsd:attribute name="CCARP009" type="STRING_25"
use="required"/>
<xsd:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
```

```

        </xs:complexType>
    </xs:element>
    <xs:element name="SMRY_Data_Collect_VINT">
        <xs:complexType>
            <xs:all>
minOccurs="0"/>        <xs:element name="CPSVP098" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP099" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP100" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP101" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP102" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP103" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP104" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP105" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP106" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP107" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP108" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP109" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP110" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP111" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP112" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP114" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP115" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP116" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP117" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP118" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP119" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP120" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP121" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP122" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP123" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP124" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP125" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP126" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP127" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSVP128" type="STRING_50"

```


[illegible]

```
<xs:element name="CPSVP164" type="STRING_50"
<xs:element name="CPSVP165" type="STRING_50"
<xs:element name="CPSVP166" type="STRING_50"
<xs:element name="CPSVP167" type="STRING_50"
<xs:element name="CPSVP168" type="STRING_50"
<xs:element name="CPSVP169" type="STRING_50"
<xs:element name="CPSVP170" type="STRING_50"
<xs:element name="CPSVP171" type="STRING_50"
<xs:element name="CPSVP172" type="STRING_50"
<xs:element name="CPSVP173" type="STRING_50"
<xs:element name="CPSVP174" type="STRING_50"
<xs:element name="CPSVP175" type="STRING_50"
<xs:element name="CPSVP176" type="STRING_50"
<xs:element name="CPSVP177" type="STRING_50"
<xs:element name="CPSVP179" type="STRING_50"
<xs:element name="CPSVP180" type="STRING_50"
<xs:element name="CPSVP181" type="STRING_50"
<xs:element name="CPSVP182" type="STRING_50"
<xs:element name="CPSVP183" type="STRING_50"
<xs:element name="CPSVP184" type="STRING_50"
<xs:element name="CPSVP185" type="STRING_50"
<xs:element name="CPSVP186" type="STRING_50"
<xs:element name="CPSVP187" type="STRING_50"
<xs:element name="CPSVP188" type="STRING_50"
<xs:element name="CPSVP189" type="STRING_50"
<xs:element name="CPSVP190" type="STRING_50"
<xs:element name="CPSVP191" type="STRING_50"
<xs:element name="CPSVP192" type="STRING_50"
<xs:element name="CPSVP193" type="STRING_50"
<xs:element name="CPSVS646" type="STRING_50"
<xs:element name="CPSVS647" type="STRING_50"
<xs:element name="CPSVS648" type="STRING_50"
```

```
minOccurs="0"/>
<x:element name="CPSVS649" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS650" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS651" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS652" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS653" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS654" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS655" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS656" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS657" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS658" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS659" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS660" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS661" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS662" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS663" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS664" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS665" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS666" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS667" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS668" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS669" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS670" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS671" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS672" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS673" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS674" type="STRING_50"
minOccurs="0"/>
<x:element name="CPSVS675" type="STRING_50"
</xs:all>
<x:attribute name="ID_RSSD" type="INTEGER" use="required"/>
<x:attribute name="D_DT" type="DATE_TIME" use="required"/>
<x:attribute name="CCARP006" type="STRING_50"
use="required"/>
<x:attribute name="CPSVN998" type="STRING_50"
use="required"/>
<x:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
```

```

        </xs:complexType>
    </xs:element>
    <xs:element name="SMRY_Data_Collect_CAP_PROJ">
        <xs:complexType>
            <xs:all>
minOccurs="0"/>        <xs:element name="CPSKB507" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK4340" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK3577" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK3578" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK3579" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK3580" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK4782" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK4783" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK4356" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK4598" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK4460" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSKB511" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK4591" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK3581" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK8434" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSKA221" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK4336" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSKB588" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSKG214" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSKG215" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSKG216" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSKB590" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSKF264" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSKB591" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSK5610" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSEJ160" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSEJ161" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSEJ162" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSEJ163" type="STRING_50"
minOccurs="0"/>        <xs:element name="CPSEJ188" type="STRING_50"

```



```
minOccurs="0"/>
    <xsd:element name="CPSDLC33" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLC34" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLC35" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLC36" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLC37" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLC38" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLC39" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLC40" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLC41" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLF18" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSKLF29" type="STRING_50"
minOccurs="0"/>
    <xsd:element name="CPSDLG29" type="STRING_50"
</xsd:all>
<xsd:attribute name="ID_RSSD" type="INTEGER" use="required"/>
<xsd:attribute name="D_DT" type="DATE_TIME" use="required"/>
<xsd:attribute name="CCARP005" type="SERIES_IND"
use="required"/>
    <xsd:attribute name="CCARP006" type="STRING_50"
use="required"/>
    <xsd:attribute name="CCARP009" type="STRING_25"
use="required"/>
    <xsd:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
</xsd:complexType>
</xsd:element>
<xsd:element name="SMRY_Data_Collect_OTTI_ACT">
    <xsd:complexType>
        <xsd:all>
            <xsd:element name="CASPP087" type="STRING_50"
minOccurs="0"/>
            <xsd:element name="CASPP088" type="STRING_50"
minOccurs="0"/>
            <xsd:element name="CASSLC44" type="STRING_50"
minOccurs="0"/>
            <xsd:element name="CASSLC14" type="STRING_50"
minOccurs="0"/>
        </xsd:all>
        <xsd:attribute name="ID_RSSD" type="INTEGER" use="required"/>
        <xsd:attribute name="D_DT" type="DATE_TIME" use="required"/>
        <xsd:attribute name="CCARP092" type="STRING_50"
use="required"/>
        <xsd:attribute name="CCARP084" type="STRING_100"
use="required"/>
        <xsd:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
    </xsd:complexType>
</xsd:element>
<xsd:element name="SMRY_Data_Collect_OTTI_PROJ">
    <xsd:complexType>
        <xsd:all>
            <xsd:element name="CPSPN234" type="STRING_50"
```

```

minOccurs="0"/>
minOccurs="0"/>
minOccurs="0"/>
minOccurs="0"/>
minOccurs="0"/>
minOccurs="0"/>
minOccurs="0"/>
minOccurs="0"/>
minOccurs="0"/>
minOccurs="0"/>
minOccurs="0"/>
</xs:all>
<xs:attribute name="ID_RSSD" type="INTEGER" use="required"/>
<xs:attribute name="D_DT" type="DATE_TIME" use="required"/>
<xs:attribute name="CCARP006" type="STRING_50"
use="required"/>
<xs:attribute name="CCARP009" type="STRING_25"
use="required"/>
<xs:attribute name="CCARP092" type="STRING_50"
use="required"/>
<xs:attribute name="CCARP084" type="STRING_100"
use="required"/>
<xs:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
</xs:complexType>
</xs:element>
<xs:element name="SMRY_Data_Collect_OTTI_CUSIP">
  <xs:complexType>
    <xs:all>
      <xs:element name="CPSCN234" type="STRING_50"
minOccurs="0"/>
      <xs:element name="CPSCN235" type="STRING_50"
minOccurs="0"/>
      <xs:element name="CPSCP091" type="STRING_50"
minOccurs="0"/>
      <xs:element name="CASCP087" type="STRING_50"
minOccurs="0"/>
    </xs:all>
    <xs:attribute name="ID_RSSD" type="INTEGER" use="required"/>
    <xs:attribute name="D_DT" type="DATE_TIME" use="required"/>
    <xs:attribute name="CCARP006" type="STRING_50"
use="required"/>
    <xs:attribute name="CCARP083" type="STRING_50"
use="required"/>
    <xs:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
  </xs:complexType>
</xs:element>
<xs:element name="SMRY_Data_Collect_OTTI_MV">
  <xs:complexType>
    <xs:all>
      <xs:element name="CASMN243" type="STRING_300"
minOccurs="0"/>
      <xs:element name="CASMN245" type="STRING_300"
minOccurs="0"/>
      <xs:element name="CASMN246" type="STRING_300"

```

```

minOccurs="0"/>
        <xs:element name="CASMN247" type="STRING_300"
minOccurs="0"/>
        <xs:element name="CASMN248" type="STRING_300"
minOccurs="0"/>
        <xs:element name="CASMN240" type="STRING_300"
minOccurs="0"/>
        <xs:element name="CASMN241" type="STRING_300"
minOccurs="0"/>
    </xs:all>
    <xs:attribute name="ID_RSSD" type="INTEGER" use="required"/>
    <xs:attribute name="D_DT" type="DATE_TIME" use="required"/>
    <xs:attribute name="CCARP084" type="STRING_100"
use="required"/>
    <xs:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
    </xs:complexType>
</xs:element>
<xs:element name="SMRY_Data_Collect_OPSRISK">
    <xs:complexType>
    <xs:all>
        <xs:element name="CPSNQ945" type="STRING_50"
minOccurs="0"/>
    </xs:all>
    <xs:attribute name="ID_RSSD" type="INTEGER" use="required"/>
    <xs:attribute name="D_DT" type="DATE_TIME" use="required"/>
    <xs:attribute name="CCARP006" type="STRING_50"
use="required"/>
    <xs:attribute name="CCARP009" type="STRING_25"
use="required"/>
    <xs:attribute name="CPSSN960" type="STRING_100"
use="required"/>
    <xs:attribute name="CPSSN961" type="STRING_300"
use="required"/>
    <xs:attribute name="CPSSN962" type="STRING_100"
use="required"/>
    <xs:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
    </xs:complexType>
</xs:element>
<xs:element name="SMRY_Data_Collect_TRDNG">
    <xs:complexType>
    <xs:all>
        <xs:element name="CPSSLD43" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD44" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD45" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD46" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD47" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD48" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD49" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD50" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD51" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD53" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLD54" type="STRING_50"

```

[illegible]

```
<xs:element name="CPSSLD55" type="STRING_50"
<xs:element name="CPSSLD56" type="STRING_50"
<xs:element name="CPSSLD58" type="STRING_50"
<xs:element name="CPSSLD59" type="STRING_50"
<xs:element name="CPSSLD60" type="STRING_50"
<xs:element name="CPSSLD61" type="STRING_50"
<xs:element name="CPSSLD62" type="STRING_50"
<xs:element name="CPSSLD63" type="STRING_50"
<xs:element name="CPSSLD64" type="STRING_50"
<xs:element name="CPSSLD65" type="STRING_50"
<xs:element name="CPSSLD67" type="STRING_50"
<xs:element name="CPSSLD68" type="STRING_50"
<xs:element name="CPSSLD69" type="STRING_50"
<xs:element name="CPSSLD70" type="STRING_50"
<xs:element name="CPSSLD71" type="STRING_50"
<xs:element name="CPSSLD72" type="STRING_50"
<xs:element name="CPSSLD73" type="STRING_50"
<xs:element name="CPSSLD74" type="STRING_50"
<xs:element name="CPSSLD75" type="STRING_50"
<xs:element name="CPSSLD76" type="STRING_50"
<xs:element name="CPSSLD77" type="STRING_50"
<xs:element name="CPSSLD78" type="STRING_50"
<xs:element name="CPSSLD79" type="STRING_50"
<xs:element name="CPSSLD81" type="STRING_50"
<xs:element name="CPSSLD82" type="STRING_50"
<xs:element name="CPSSLD83" type="STRING_50"
<xs:element name="CPSSLD84" type="STRING_50"
<xs:element name="CPSSLD85" type="STRING_50"
<xs:element name="CPSSLD86" type="STRING_50"
<xs:element name="CPSSLD87" type="STRING_50"
<xs:element name="CPSSLD88" type="STRING_50"
<xs:element name="CPSSLD89" type="STRING_50"
```

[illegible]

```
<xs:element name="CPSSLD90" type="STRING_50"
<xs:element name="CPSSLD93" type="STRING_50"
<xs:element name="CPSSLD94" type="STRING_50"
<xs:element name="CPSSLD95" type="STRING_50"
<xs:element name="CPSSLD96" type="STRING_50"
<xs:element name="CPSSLD97" type="STRING_50"
<xs:element name="CPSSLD98" type="STRING_50"
<xs:element name="CPSSLD99" type="STRING_50"
<xs:element name="CPSSLE00" type="STRING_50"
<xs:element name="CPSSLE01" type="STRING_50"
<xs:element name="CPSSLE03" type="STRING_50"
<xs:element name="CPSSLE04" type="STRING_50"
<xs:element name="CPSSLE05" type="STRING_50"
<xs:element name="CPSSLE06" type="STRING_50"
<xs:element name="CPSSLE07" type="STRING_50"
<xs:element name="CPSSLE08" type="STRING_50"
<xs:element name="CPSSLE09" type="STRING_50"
<xs:element name="CPSSLE10" type="STRING_50"
<xs:element name="CPSSLE11" type="STRING_50"
<xs:element name="CPSSLE13" type="STRING_50"
<xs:element name="CPSSLE14" type="STRING_50"
<xs:element name="CPSSLE15" type="STRING_50"
<xs:element name="CPSSLE16" type="STRING_50"
<xs:element name="CPSSLE17" type="STRING_50"
<xs:element name="CPSSLE18" type="STRING_50"
<xs:element name="CPSSLE19" type="STRING_50"
<xs:element name="CPSSLE20" type="STRING_50"
<xs:element name="CPSSLE21" type="STRING_50"
<xs:element name="CPSSLE22" type="STRING_50"
<xs:element name="CPSSLE23" type="STRING_50"
<xs:element name="CPSSLE24" type="STRING_50"
<xs:element name="CPSSLE26" type="STRING_50"
```

```

minOccurs="0"/>
        <xs:element name="CPSSLE27" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLE28" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLE30" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLE31" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLE32" type="STRING_50"
minOccurs="0"/>
        <xs:element name="CPSSLE33" type="STRING_50"
        </xs:all>
        <xs:attribute name="ID_RSSD" type="INTEGER" use="required"/>
        <xs:attribute name="D_DT" type="DATE_TIME" use="required"/>
        <xs:attribute name="CCARP006" type="STRING_100"
use="required"/>
        <xs:attribute name="CPSSLD41" type="PL_CATEGORY"
use="required"/>
        <xs:attribute name="TRANSTYPE" type="TRANSTYPE_IUD"
use="required"/>
    </xs:complexType>
</xs:element>
<xs:element name="SMRY_Data_Collect">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="SMRY_Data_Collect_ACT" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element ref="SMRY_Data_Collect_PROJ" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element ref="SMRY_Data_Collect_VINT" minOccurs="0"
maxOccurs="unbounded"/>
            <xs:element ref="SMRY_Data_Collect_CAP_PROJ"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element ref="SMRY_Data_Collect_OTTI_ACT"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element ref="SMRY_Data_Collect_OTTI_PROJ"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element ref="SMRY_Data_Collect_OTTI_CUSIP"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element ref="SMRY_Data_Collect_OTTI_MV"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element ref="SMRY_Data_Collect_OPSRISK"
minOccurs="0" maxOccurs="unbounded"/>
            <xs:element ref="SMRY_Data_Collect_TRDNG" minOccurs="0"
maxOccurs="unbounded"/>
        </xs:sequence>
        <xs:attribute name="DATA_ASOF_TSTMP" type="xs:dateTime"
use="required"/>
        <xs:attribute name="LAST_ASOF_TSTMP" type="xs:dateTime"
use="optional"/>
    </xs:complexType>
</xs:element>
</xs:schema>

```