

Hemovigilance Module Adverse Reaction Hypotensive Transfusion Reaction

***Required for saving**

*Facility ID#: _____ NHSN Adverse Reaction #: _____

Patient Information

*Patient ID: _____

*Date of Birth: ____/____/____

*Sex: ☐ M ☐ F

Social Security #: _____

Secondary ID: _____

Medicare #: _____

Last Name: _____

First Name: _____

Middle Name: _____

Ethnicity (Specify): ☐ Hispanic or Latino ☐ Not Hispanic or Latino ☐ Unknown ☐ Declined to respond

Race (Select all that apply): ☐ American Indian or Alaska Native ☐ Asian ☐ Black or African American ☐ Middle Eastern or North African ☐ Native Hawaiian or Pacific Islander ☐ White ☐ Unknown ☐ Declined to respond

Preferred Language (Specify from the list provided): _____ Interpreter Needed: ☐ Yes ☐ No ☐ Unknown ☐ Declined to Respond

*Blood Group: ☐ A- ☐ A+ ☐ B- ☐ B+ ☐ AB- ☐ AB+ ☐ O- ☐ O+ ☐ Blood type not done ☐ Transitional ABO / Rh + ☐ Transitional ABO / Rh - ☐ Rh ☐ Group A/Transitional Rh ☐ Group B/Transitional Rh ☐ Group O/Transitional Rh ☐ Group AB/Transitional Rh

Patient Medical History

List the patient's admitting diagnosis. (Use ICD-10 Diagnostic codes/descriptions)

Code: _____ Description: _____

Code: _____ Description: _____

Code: _____ Description: _____

List the patient's underlying indication for transfusion. (Use ICD-10 Diagnostic codes/descriptions)

Code: _____ Description: _____

Code: _____ Description: _____

Code: _____ Description: _____

List the patient's comorbid conditions at the time of the transfusion related to the adverse reaction. (Use ICD-10 Diagnostic codes/descriptions) ☐ UNKNOWN ☐ NONE

Code: _____ Description: _____

Code: _____ Description: _____

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). CDC 57.312 Rev.3, v9.2

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering, and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).

Code: _____

Description: _____

List the patient's relevant medical procedure including past procedures and procedures to be performed during the current hospital or outpatient stay. (Use ICD-10 Procedure codes/descriptions)

☐ UNKNOWN
☐ NONE

Code: _____ Description: _____

Code: _____ Description: _____

Code: _____ Description: _____

Additional Information _____

Transfusion History

Has the patient received a previous transfusion? ☐ YES ☐ NO ☐ UNKNOWN

Blood Product: ☐ WB ☐ RBC ☐ Platelet ☐ Plasma ☐ Cryoprecipitate ☐ Granulocyte

Date of Transfusion: ____/____/____ ☐ UNKNOWN

Was the patient's adverse reaction transfusion-related? ☐ YES ☐ NO

If yes, provide information about the transfusion adverse reaction.

Type of transfusion adverse reaction: ☐ Allergic ☐ AHTR ☐ DHTR ☐ DSTR ☐ FNHTR

☐ HTR ☐ TTI ☐ PTP ☐ TACO ☐ TAD ☐ TA-GVHD ☐ TRALI ☐ UNKNOWN

☐ OTHER Specify _____

Reaction Details

*Date reaction occurred: ____/____/____ *Time reaction occurred: ____:____ ☐ Time unknown

*Facility location where patient was transfused: _____

Is this reaction associated with an incident? ☐ Yes ☐ No If Yes, Incident #: _____

Investigation Results

*☐ Hypotensive transfusion reaction

*Case Definition

Check all that occurred during or within 1 hour of cessation of transfusion:

☐ All other adverse reactions presenting with hypotension are excluded.

☐ Hypotension

Check all that apply:

☐ Hypotension occurs, does not meet the criteria above. Other, more specific reaction definitions do not apply.

Other signs and symptoms: (check all that apply)

Generalized: ☐ Chills/rigors ☐ Fever ☐ Nausea/vomiting

Cardiovascular: ☐ Shock

Cutaneous: ☐ Edema ☐ Flushing ☐ Jaundice
☐ Other rash ☐ Pruritus (itching) ☐ Urticaria (hives)

Hemolysis/Hemorrhage: ☐ Disseminated intravascular coagulation ☐ Hemoglobinemia
☐ Positive antibody screen

Pain: ☐ Abdominal pain ☐ Back pain ☐ Flank pain ☐ Infusion site pain

Renal: ☐ Hematuria ☐ Hemoglobinuria ☐ Oliguria

Respiratory: ☐ Bilateral infiltrates on chest x-ray ☐ Bronchospasm ☐ Cough
☐ Hypoxemia ☐ Shortness of breath

☐ Other: (specify) _____

*Severity

Did the patient receive or experience any of the following?

- | | |
|---|---|
| <input type="checkbox"/> No treatment required | <input type="checkbox"/> Symptomatic treatment only |
| <input type="checkbox"/> Hospitalization, including prolonged hospitalization | <input type="checkbox"/> Life-threatening reaction |
| <input type="checkbox"/> Disability and/or incapacitation | <input type="checkbox"/> Congenital anomaly or birth defect(s) of the fetus |
| <input type="checkbox"/> Other medically important conditions | <input type="checkbox"/> Death <input type="checkbox"/> Unknown or not stated |

*Imputability

Which best describes the relationship between the transfusion and the reaction?

- ☐ The patient has no other conditions that could explain hypotension.
- ☐ There are other potential causes present that could explain hypotension, but transfusion is the most likely cause.
- ☐ Other conditions that could readily explain hypotension are present.
- ☐ Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded.
- ☐ There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion.
- ☐ The relationship between the adverse reaction and the transfusion is unknown or not stated.

How did the patient respond to the cessation of transfusion and supportive treatment?

- ☐ Responds rapidly (i.e., within 10 minutes) to cessation of transfusion and supportive treatment.
- ☐ The patient does not respond rapidly to cessation of transfusion and supportive treatment.

Did the transfusion occur at your facility? ☐ YES ☐ NO

When did the reaction occur in relation to the transfusion?

- ☐ Occurs less than 15 minutes after the start of the transfusion.
- ☐ Onset is between 15 minutes after start and 1 hour after cessation of transfusion.

Module-generated Designations

NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN application based on responses in the corresponding investigation results section above.

***Do you agree with the case definition designation?** ☐ YES ☐ NO

^Please indicate your designation _____

***Do you agree with the severity designation?** ☐ YES ☐ NO

^Please indicate your designation _____

***Do you agree with the imputability designation?** ☐ YES ☐ NO

^Please indicate your designation _____

Patient Treatment

Did the patient receive treatment for the transfusion reaction? ☐ YES ☐ NO ☐ UNKNOWN

If yes, select treatment(s):

- ☐ Medication (Select the type of medication)
- | | | | | |
|---------------------------------------|---|---|---|------------------------------------|
| <input type="checkbox"/> Antipyretics | <input type="checkbox"/> Antihistamines | <input type="checkbox"/> Inotropes/Vasopressors | <input type="checkbox"/> Bronchodilator | <input type="checkbox"/> Diuretics |
| <input type="checkbox"/> Intravenous | <input type="checkbox"/> Intravenous steroids | <input type="checkbox"/> Corticosteroids | <input type="checkbox"/> Antibiotics | |

Immunoglobulin
☐ Antithymocyte globulin ☐ Cyclosporin ☐ Other

☐ Volume resuscitation (Intravenous colloids or crystalloids)

☐ Respiratory support (*Select the type of support*)

☐ Mechanical ventilation ☐ Noninvasive ventilation ☐ Oxygen

☐ Renal replacement therapy (*Select the type of therapy*)

☐ Hemodialysis ☐ Peritoneal ☐ Continuous Veno-Venous Hemofiltration

☐ Phlebotomy

☐ Other Specify: _____

Outcome
***Outcome:** ☐ Death ☐ Major or long-term sequelae ☐ Minor or no sequelae ☐ Not determined

Date of Death: ____/____/____

^If recipient died, relationship of transfusion to death:

☐ Definite ☐ Probable ☐ Possible ☐ Doubtful ☐ Ruled Out ☐ Not determined

Cause of death: _____

 Was an autopsy performed? ☐ Yes ☐ No

Component Details
***Was a particular unit implicated in (i.e., responsible for) the adverse reaction?**
☐ Yes ☐ No ☐ N/A

Transfusion Start and End Date/Time	*Component code (check system used)	Amount transfused at reaction onset	^Unit number (Required for Infection and TRALI)	*Unit expiration Date/Time	*Blood group of unit	Implicated Unit?
^IMPLICATED UNIT						
____/____/____ ____:____:____ ____/____/____ ____:____:____	<input type="checkbox"/> ISBT-128 <input type="checkbox"/> Codabar _____	<input type="checkbox"/> Entire unit <input type="checkbox"/> Partial unit mL _____	_____ _____ _____ _____	____/____/____ ____:____:____ ____/____/____ ____:____:____	<input type="checkbox"/> A- <input type="checkbox"/> A+ <input type="checkbox"/> B- <input type="checkbox"/> B+ <input type="checkbox"/> AB- <input type="checkbox"/> AB+ <input type="checkbox"/> O- <input type="checkbox"/> O+ <input type="checkbox"/> N/A	Y
____/____/____ ____:____:____ ____/____/____ ____:____:____	<input type="checkbox"/> ISBT-128 <input type="checkbox"/> Codabar _____	<input type="checkbox"/> Entire unit <input type="checkbox"/> Partial unit mL _____	_____ _____ _____ _____	____/____/____ ____:____:____ ____/____/____ ____:____:____	<input type="checkbox"/> A- <input type="checkbox"/> A+ <input type="checkbox"/> B- <input type="checkbox"/> B+ <input type="checkbox"/> AB- <input type="checkbox"/> AB+ <input type="checkbox"/> O- <input type="checkbox"/> O+ <input type="checkbox"/> N/A	N

Custom Fields

Label	Label
_____	_____

Comments

