

## Hemovigilance Module Adverse Reaction Allergic Transfusion Reaction

\*Required for saving

Required for Saviii	9				
*Facility ID#:	NHSN Adverse Reaction #:				
<b>Patient Informatio</b>					
*Patient ID:		*Date of Birth:/			
*Sex: M F					
Social Security #:	Secondary ID:	Medicare #:			
Last Name:	First Name:	Middle Name:			
Ethnicity (Specify):	Hispanic or Latino Not Hispa	nic or Unknown Declined to respond			
Race (Select all that apply):	American Indian or Asian Alaska Native Native Hawaiian or White Pacific Islander	Black or African American African Onknown Declined to respond			
Preferred Language (	Specify from the list provided):	Interpreter Needed: Yes No Unknow Declined to Respond n			
*Blood Group: A Tra Group A/Transition: Rh	nsitional ABO / Rh + Transitional ABO / Rh	Transitional ABO / Transitional			
Patient Medical Hi		·			
List the patient's ac	dmitting diagnosis. (Use ICD-10 Diagr	nostic codes/descriptions)			
Code:	Description:				
Code:					
Code:					
		se ICD-10 Diagnostic codes/descriptions)			
Code:	,				
Code:					
Code:					
List the patient's co	omorbid conditions at the time of the ti -10 Diagnostic codes/descriptions)				
Code:	Description:				
Code:					
Code:					

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). CDC 57.308 Rev. 3, v9.2

Public reporting burden of this collection of information is estimated to average 22 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering, and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).







	medical procedure including past procedures and procedures to be ent hospital or outpatient stay. (Use ICD-10 Procedure  NONE
Code:	Description:
Code:	
Code:	
Additional Information	
Transfusion History	
Has the patient received a	a previous transfusion? YES NO UNKNOWN
Blood Product:	WB RBC Platelet Plasma Cryoprecipitate Granulocyte
Date of Transfusion:	// UNKNOWN
Was the patient's advers	se reaction transfusion-related? YES NO
If yes, provide information	on about the transfusion adverse reaction.
Type of transfusion adve	erse reaction: Allergic AHTR DHTR DSTR FNHTR
HTR TTI	PTP TACO TAD TA-GVHD TRALI UNKNOWN
OTHER Spec	cify
Reaction Details	
*Date reaction occurred:	_// *Time reaction occurred: : : Time unknown
*Facility location where pat	ient was transfused:
Is this reaction associated wi	th an incident? Yes No If Yes, Incident #:
Investigation Results	
Investigation Results  * Allergic reaction, includes:	ıding anaphylaxis
	ıding anaphylaxis
* Allergic reaction, inclu *Case Definition	uding anaphylaxis occurred during or within 4 hours of cessation of transfusion:
* Allergic reaction, inclu  *Case Definition  Check the following that of	
* Allergic reaction, inclu  *Case Definition  Check the following that of the conjunctival edema	occurred during or within <b>4 hours</b> of cessation of transfusion:
* Allergic reaction, inclu  *Case Definition  Check the following that of Conjunctival edema  Erythema and edema	occurred during or within <b>4 hours</b> of cessation of transfusion:  Bedema of lips, tongue and uvula Localized angioedema Hypotension
* Allergic reaction, inclus  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing	ccurred during or within <b>4 hours</b> of cessation of transfusion:  Bedema of lips, tongue and uvula Localized angioedema Hypotension a of the periorbital area Respiratory distress; bronchospasm Urticaria  Maculopapular rash Pruritus
* Allergic reaction, inclu  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms	ccurred during or within <b>4 hours</b> of cessation of transfusion:  Bedema of lips, tongue and uvula Localized angioedema Hypotension a of the periorbital area Respiratory distress; bronchospasm Urticaria  Maculopapular rash Pruritus  Check all that apply)
* Allergic reaction, inclu  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms  Generalized:	ccurred during or within <b>4 hours</b> of cessation of transfusion:  Edema of lips, tongue and uvula Localized angioedema Hypotension a of the periorbital area Respiratory distress; bronchospasm Urticaria Maculopapular rash Pruritus  : (check all that apply)  Chills/rigors Fever Nausea/vomiting
* Allergic reaction, inclus  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms  Generalized:  Cardiovascular:	ccurred during or within <b>4 hours</b> of cessation of transfusion:    Edema of lips, tongue and uvula   Localized angioedema   Hypotension a of the periorbital area   Respiratory distress; bronchospasm   Urticaria   Maculopapular rash   Pruritus    (check all that apply)   Chills/rigors   Fever   Nausea/vomiting   Shock
* Allergic reaction, inclu  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms  Generalized:	ccurred during or within <b>4 hours</b> of cessation of transfusion:  Edema of lips, tongue and uvula Localized angioedema Hypotension a of the periorbital area Respiratory distress; bronchospasm Urticaria Maculopapular rash Pruritus  : (check all that apply)  Chills/rigors Fever Nausea/vomiting Shock Jaundice
* Allergic reaction, inclus  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms  Generalized:  Cardiovascular:	ccurred during or within 4 hours of cessation of transfusion:    Edema of lips, tongue and uvula   Localized angioedema   Hypotension a of the periorbital area   Respiratory distress; bronchospasm   Urticaria   Maculopapular rash   Pruritus    (check all that apply)   Chills/rigors   Fever   Nausea/vomiting   Shock   Jaundice     Disseminated intravascular coagulation   Hemoglobinemia
* Allergic reaction, inclus  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms  Generalized:  Cardiovascular:  Cutaneous:  Hemolysis/Hemorrhage:	ccurred during or within 4 hours of cessation of transfusion:    Edema of lips, tongue and uvula   Localized angioedema   Hypotension a of the periorbital area   Respiratory distress; bronchospasm   Urticaria   Maculopapular rash   Pruritus    Check all that apply     Chills/rigors   Fever   Nausea/vomiting     Shock     Jaundice     Disseminated intravascular coagulation   Hemoglobinemia     Positive antibody screen
* Allergic reaction, inclus  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms  Generalized:  Cardiovascular:  Cutaneous:  Hemolysis/Hemorrhage:  Pain:	ccurred during or within 4 hours of cessation of transfusion:  Edema of lips, tongue and uvula Localized angioedema Hypotension a of the periorbital area Respiratory distress; bronchospasm Urticaria Maculopapular rash Pruritus  (check all that apply)  Chills/rigors Fever Nausea/vomiting Shock Jaundice Disseminated intravascular coagulation Hemoglobinemia Positive antibody screen Abdominal pain Back pain Flank pain Infusion site pain
* Allergic reaction, inclus  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms  Generalized:  Cardiovascular:  Cutaneous:  Hemolysis/Hemorrhage:	ccurred during or within 4 hours of cessation of transfusion:  Edema of lips, tongue and uvula Localized angioedema Hypotension a of the periorbital area Respiratory distress; bronchospasm Urticaria Maculopapular rash Pruritus  (check all that apply)  Chills/rigors Fever Nausea/vomiting Shock Jaundice Disseminated intravascular coagulation Hemoglobinemia Positive antibody screen Abdominal pain Back pain Flank pain Infusion site pain Hematuria Hemoglobinuria Oliguria
* Allergic reaction, inclus  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms  Generalized:  Cardiovascular:  Cutaneous:  Hemolysis/Hemorrhage:  Pain:	ccurred during or within 4 hours of cessation of transfusion:  Edema of lips, tongue and uvula Localized angioedema Hypotension a of the periorbital area Respiratory distress; bronchospasm Urticaria  Maculopapular rash Pruritus  : (check all that apply)  Chills/rigors Fever Nausea/vomiting  Shock  Jaundice  Disseminated intravascular coagulation Hemoglobinemia  Positive antibody screen  Abdominal pain Back pain Flank pain Infusion site pain  Hematuria Hemoglobinuria Oliguria  Bilateral infiltrates on chest x-ray Cough
* Allergic reaction, inclus  *Case Definition  Check the following that of the conjunctival edema  Erythema and edema  Generalized flushing  Other signs and symptoms  Generalized:  Cardiovascular:  Cutaneous:  Hemolysis/Hemorrhage:  Pain:  Renal:	ccurred during or within 4 hours of cessation of transfusion:  Edema of lips, tongue and uvula Localized angioedema Hypotension a of the periorbital area Respiratory distress; bronchospasm Urticaria Maculopapular rash Pruritus  (check all that apply)  Chills/rigors Fever Nausea/vomiting Shock Jaundice Disseminated intravascular coagulation Hemoglobinemia Positive antibody screen Abdominal pain Back pain Flank pain Infusion site pain Hematuria Hemoglobinuria Oliguria



*Severity
Did the patient receive or experience any of the following?
No treatment required Symptomatic treatment only
Hospitalization, inlcuding prolonged hospitalization Life-threatening reaction
Disability and/or incapacitation Congenital anomaly or birth defect(s) of the fetus
Other medically important conditions Death Unknown or not stated
*Imputability
Which best describes the relationship between the transfusion and the reaction?
No other evidence of environmental, drug or dietary risks.
There are other potential causes present that could explain acute hemolysis, but transfusion is the most
likely cause.
Other present causes are most likely, but transfusion cannot be ruled out.
Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded.
There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion.
The relationship between the adverse reaction and the transfusion is unknown or not stated.
Did the transfusion occur at your facility?
When did the reaction occur in relation to the transfusion?
Occurred during or within 2 hours of cessation of transfusion.
Occurred 2 - 4 hours after cessation of transfusion.
Did the same reaction occur after the transfusion was restarted (rechallenge)?
· · · · · · · · · · · · · · · · · · ·
Module-generated Designations  NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN
application based on responses in the corresponding investigation results section above.
*Do you agree with the <u>case definition</u> designation? YES NO
^Please indicate your designation
*Do you agree with the <u>severity</u> designation?
^Please indicate your designation
- Todoo Marodio your deeligitation
*Do you agree with the <i>imputability</i> designation?
^Please indicate your designation
Detient Treetment
Patient Treatment
Did the patient receive treatment for the transfusion reaction?  YES NO UNKNOWN
If yes, select treatment(s):
Medication (Select the type of medication)
Antipyretics Antihistamines Inotropes/Vasopressors Bronchodilator Diuretics

Form Approved OMB No. 0920-0666 Exp. Date: 12/31/2027

	ETWORK						www.c	dc.gov	/nhsn
In	Intravenous munoglobulin	In	ntraver	nous steroids	S Cortico	steroids	Anti	biotic	s
	Antithymocyte globulin Cyclosporin Other								
Volume resuscitation (Intravenous colloids or crystalloids)									
Res	Respiratory support (Select the type of support)								
Mechanical ventilation Noninvasive ventilation Oxygen									
Ren	al replacement therap	oy <i>(Select the ty</i> Peritoneal	<u>-</u>		no-Venous Hen	nofiltratior	า		
Phle	ebotomy								
Oth	er Specify:								
Outcome					7				
*Outcome:	Death M	lajor or long-terr	m seai	lelae se	∫ Minor or no guelae		Not d	etern	nined
Date of		/	ooqi	30.00	quoido			0.0	
^lf r	ecipient died, relation	 ship of transfus	ion to	death:					
☐ Definite ☐ Probable ☐ Possible ☐ Doubtful ☐ Ruled Out ☐ Not determined									
Cause of death:									
Was an autopsy performed? Yes No									
Component	Details								
	Details cular unit implicated	d in (i.e., respo	onsibl	e for) the a	idverse	Yes	No		N/A
*Was a partic reaction? Transfusion Start and End	cular unit implicated *Component code	Amount transfused at	^Unit (Requ	number uired for ion and	*Unit expiration	*Blood	l group		Implic ated
*Was a partice reaction?  Transfusion Start and End Date/Time	*Component code (check system used)	Amount	^Unit	number uired for ion and	*Unit		l group		Implic
*Was a partic reaction? Transfusion Start and End	*Component code (check system used)	Amount transfused at	^Unit (Requ	number uired for ion and	*Unit expiration	*Blood	l group		Implic ated
*Was a partice reaction?  Transfusion Start and End Date/Time	*Component code (check system used) UNIT  ISBT-128	Amount transfused at reaction onset	^Unit (Requ	number uired for ion and	*Unit expiration	*Blood of unit	I group		Implic ated
*Was a partice reaction?  Transfusion Start and End Date/Time	*Component code (check system used)	Amount transfused at reaction onset	^Unit (Requ	number uired for ion and	*Unit expiration	*Blood of unit	l group		Implic ated
*Was a partice reaction?  Transfusion Start and End Date/Time	*Component code (check system used) UNIT  ISBT-128	Amount transfused at reaction onset	^Unit (Requ	number uired for ion and	*Unit expiration Date/Time	*Blood of unit	I group		Implic ated Unit?
*Was a partice reaction?  Transfusion Start and End Date/Time	*Component code (check system used) UNIT  ISBT-128	Amount transfused at reaction onset  Entire unit Partial unit	^Unit (Requ	number uired for ion and	*Unit expiration Date/Time	*Blood of unit	d group	B-	Implic ated Unit?
*Was a partice reaction?  Transfusion Start and End Date/Time	*Component code (check system used) UNIT  ISBT-128	Amount transfused at reaction onset  Entire unit Partial unit	^Unit (Requ	number uired for ion and	*Unit expiration Date/Time	*Blood of unit	AH-	B-	Implic ated Unit?
*Was a partice reaction?  Transfusion Start and End Date/Time	*Component code (check system used) UNIT  ISBT-128  Codabar	Amount transfused at reaction onset  Entire unit Partial unitmL	^Unit (Requ	number uired for ion and	*Unit expiration Date/Time	*Blood of unit	AH-	B-	Implic ated Unit?
*Was a partice reaction?  Transfusion Start and End Date/Time	*Component code (check system used) UNIT  ISBT-128  Codabar  ISBT-128	Amount transfused at reaction onset  Entire unit Partial unitmL  Entire unitmL	^Unit (Requ	number uired for ion and	*Unit expiration Date/Time	*Blood of unit	A+ O+ A+	B- AB+ N/A	Implic ated Unit?
*Was a partice reaction?  Transfusion Start and End Date/Time	*Component code (check system used) UNIT  ISBT-128  Codabar  ISBT-128	Amount transfused at reaction onset  Entire unit Partial unitmL	^Unit (Requ	number uired for ion and	*Unit expiration Date/Time	*Blood of unit	A+ AB-	B- AB+ N/A B- AB+	Implic ated Unit?
*Was a partic reaction?  Transfusion Start and End Date/Time  ^IMPLICATED	*Component code (check system used) UNIT ISBT-128 Codabar ISBT-128 Codabar	Amount transfused at reaction onset  Entire unit Partial unitmL  Entire unitmL	^Unit (Requ	number uired for ion and	*Unit expiration Date/Time	*Blood of unit	A+ O+ A+	B- AB+ N/A	Implic ated Unit?
*Was a partice reaction?  Transfusion Start and End Date/Time  ^IMPLICATED	*Component code (check system used) UNIT ISBT-128 Codabar ISBT-128 Codabar	Amount transfused at reaction onset  Entire unit Partial unitmL  Entire unitmL	^Unit (Requ	t number uired for ion and !)	*Unit expiration Date/Time	*Blood of unit	A+ AB-	B- AB+ N/A B- AB+	Implic ated Unit?
*Was a partic reaction?  Transfusion Start and End Date/Time  ^IMPLICATED	*Component code (check system used) UNIT ISBT-128 Codabar ISBT-128 Codabar	Amount transfused at reaction onset  Entire unit Partial unitmL  Entire unitmL	^Unit (Requ	number uired for ion and	*Unit expiration Date/Time	*Blood of unit	A+ AB-	B- AB+ N/A B- AB+	Implic ated Unit?



Comments	