### **Kidney Minimum Acceptance Criteria**

OPTN Policy requires kidney transplant programs to report minimum acceptance criteria for their kidney candidates annually. The acceptance criteria kidney section contains a list of criteria questions specific to renal transplant at your center.

The questions will be used by the UNOS Organ Center to efficiently place the placement of kidneys from donors with unusual or extraordinary circumstances. They should be answered so as to accurately reflect the acceptance criteria used by the kidney transplant program for imported kidneys.

The kidney minimum acceptance criteria do not apply to offers from within 250 NM or imported zero antigen mismatch (0-ABDR) offers or offers to highly sensitized candidates.

#### **Donor History & Management**

What is the maximum donor age your center will consider?: Enter the maximum donor age in years.

Will your center consider kidneys from a donor with an unknown cause of death?: Select Yes or No.

Will your center consider kidneys from a donor with a history of cancer (other than a primary brain tumor): Select Yes or No for each of the following:

- less than one year ago?
- 1 to 5 years ago?
- 6 to 10 years ago?
- more than ten years ago?

<u>Will your center consider kidneys from a donor with a primary brain tumor that is:</u> Select **Yes** or **No** for each of the following:

- malignant (i.e. Glioblastoma, Astrocytoma, Medulloblastoma)?
- non-malignant (i.e. Meningioma, Ependymoma, Neuroblastoma)?

## Will your center consider kidneys from a donor with meningitis as the cause of death?: Select Yes or No.

Will your center consider kidneys from a donor with any of the following exposures within the last 30 days: Select Yes or No for each of the following:

- sex (i.e., any method of sexual contact, including vaginal, anal, and oral) with a person known or suspected to have HIV, HBV, or HCV infection
- man who has had sex with another man
- sex in exchange for money or drugs
- sex with a person who had sex in exchange for money or drugs
- drug injection for nonmedical reasons
- sex with a person who injected drugs for nonmedical reasons

- incarceration (confinement in jail, prison, or juvenile correction facility) for ≥72 consecutive hours
- child breastfed by a mother with HIV infection
- child born to a mother with HIV, HBV, or HCV infection
- unknown medical or social history

Will your center consider kidneys from a donor with a positive result from any of the following infectious disease tests: Select Yes or No for each of the following:

- Hepatitis B Surface Antigen?
- Hepatitis B Core Antibody with no IGG/IGM testing?
- Hepatitis B Core Antibody with IGM testing?
- HBV NAT?
- Anti-HCV?
- HCV NAT?
- HTLV I or II?
- Syphilis?

What is the maximum Levophed dosage and duration your center will consider?: Enter the dosage in mcg/kg/min and the duration in hours.

Averaging the Dopamine dosage over the last 12 hours, what is the highest dosage your center will consider?: Enter the dosage in mcg/kg/min.

What is the maximum amount of warm ischemic time your center will consider?: Enter the time in minutes.

<u>Will your center consider kidneys from a donor with</u>: Select **Yes** or **No** for each of the following:

- signs of infection that include elevated WBC (final > 17000) and temperature (greater than or equal to 100 degrees for 12 hours)?
- a perforated colon, small bowel, or stomach?

Will your center consider kidneys from a donor with DIC that was: Select Yes or No for each of the following:

- corrected?
- not corrected?

For the following durations, will your center consider an adult kidney donor with prolonged hypotension (<70 mm/Hg systolic): Select Yes or No for each of the following:

- less than 1 hour?
- 1 to 3 hours?
- 4 to 8 hours?
- 9 to 12 hours?
- more than 12 hours?

What is the minimum donor creatinine clearance level either measured or estimated based on serum creatinine upon donor's admission your center will consider?: Enter the value in mL/min corrected to 1.73 M<sup>2</sup>.

#### Anatomy

Will your center consider an adult kidney donor with any of these abnormalities: Select **Yes** or **No** for each of the following:

- horseshoe kidney?
- polycystic kidney disease?
- infarcted kidney (>20%)?
- decapsulated kidney (complete)?

<u>Will your center consider a kidney from a donor with soft plaque in the renal artery</u> <u>described as</u>: Select **Yes** or **No** for each of the following:

- mild
- moderate
- severe

Will your center consider a kidney from a donor with hard plaque in the renal artery described as: Select Yes or No for each of the following:

- mild
- moderate
- severe
- ulcerative

Based on the length of the kidney, will your center consider a donor kidney that is 2 or more centimeters smaller than the kidney on the opposite side?: Select Yes or No.

#### **Donation after Circulatory Death (DCD)**

Will your center consider a kidney recovered from: Select Yes or No for each of the following:

- a controlled DCD donor?
- an uncontrolled DCD donor?
- a DCD donor with no kidney biopsy report?

What is the maximum duration of hypotension (<90 systolic) prior to cardiac arrest that your center will consider?: Enter the duration in minutes.

Age Specific (Donor Age)

Questions within this section should be answered for each of the 4 donor age groups (<45 years, 45–54 years, 55–64 years, and >64 years).

# Identify the duration for which your center will consider donor kidneys for the specified circumstance:

- With a history of hypertension and compliant with medication?
- With a history of hypertension and period(s) of non-compliance within the last 5 years?
- Who is an insulin dependent diabetic?
- With diabetes and requires oral medication?

will not consider 0–5 years 6–10 years 11–20 years >20 years

Identify the maximum acceptable amount of cardiac arrest (downtime) for which your center will consider donor kidneys:

- With CPR?
- Without CPR?

will not consider <10 min 10–15 min 16–20 min 21–30 min >30 min

<u>What is the maximum acceptable peak serum creatinine level?</u>: Enter the value in mg/dL. <u>What is the maximum cold ischemic time (based on arrival time) on cold storage?</u>: Enter the value in hours.

What is the maximum acceptable percentage of sclerotic glomeruli for a biopsied kidney?: Enter the percentage value.

**Public Burden Statement:** The private, non-profit Organ Procurement and Transplantation Network (OPTN) collects this information in order to perform the following OPTN functions: to assess whether applicants meet OPTN Bylaw requirements for membership in the OPTN; and to monitor compliance of member organizations with OPTN Obligations. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number for this information collection is 0915-0157 and it is valid until XX/XX/202X. This information collection is required to obtain or retain a benefit per 42 CFR §121.11(b)(2). All data collected will be subject to Privacy Act protection (Privacy Act System of Records #09-15-0055). Data collected by the private non-profit OPTN also are well protected by a number of the Contractor's security features. The Contractor's security system meets or exceeds the requirements as prescribed by OMB Circular A-130, Appendix III, Security of Federal Automated Information Systems, and the Departments Automated Information Systems Security Program Handbook.

The public reporting burden for this collection of information is estimated to average 0.27 hours per response, including the time for reviewing instructions, searching existing data sources, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to HRSA Information Collection Clearance Officer, 5600 Fishers Lane, Room 14N39, Rockville, Maryland, 20857 or paperwork@hrsa.gov.