

Form Approved

OMB NO: 0920-1365

Exp. Date: 7/31/2025 Public reporting burden of this collection of information is estimated at 5 hours per response information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a unique identifier. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/Information Collection Review Office, 1600 Clifton Road, NE, MS D-74.

This spreadsheet is to be used for the calculation and submission of the death related Injury Indicator Rates for 2022.

Please keep the following items in mind as you complete the spreadsheets.

- The spreadsheet should be completed after individual indicator case counts have been determined using the data collection tool.
- Only cells outlined in red will accept data input. Information copied on subsequent pages does not appear in a red box. To update information in these cells, you must return to the original red-outlined cell.
- Please answer all the questions on the background information sheet.
- Please do not insert lines into the spreadsheet pages. Additional information may be highlighted in footnotes.
- All case count cells should be populated.
  - o Small case counts (<5) will be suppressed at CDC.
  - o Age-adjusted rates, while calculated on this spreadsheet, will not be presented for categories with small case counts.
- Rates will not auto-calculate until the population data has been entered. The default rate of 0 will be replaced with the calculated rate.
- The spreadsheet file should be renamed inserting the appropriate state postal abbreviation into the file name. If more than one submission is required, then the 01 should be updated to reflect submission number.

State Injury Indicators

State Population Data

State:

2022 State Population

| Age         | Both sexes | Males | Females |
|-------------|------------|-------|---------|
| <1 year     |            |       |         |
| 1-4 years   |            |       |         |
| 5-9 years   |            |       |         |
| 10-14 years |            |       |         |
| 15-19 years |            |       |         |
| 20-24 years |            |       |         |
| 25-34 years |            |       |         |
| 35-44 years |            |       |         |
| 45-54 years |            |       |         |
| 55-64 years |            |       |         |
| 65-74 years |            |       |         |
| 75-84 years |            |       |         |
| 85+ years   |            |       |         |
| TOTAL       | 0          | 0     | 0       |

Population Data Source

Please answer the following questions by putting an "x" to the right of the data source you used.

| Source                   | YES |
|--------------------------|-----|
| State Demographic Center |     |
| US Census Bureau         |     |
| Other (please specify)   |     |

Footnote - if you want to add information



State Injury Indicators

Death Data

0

Enter the full name of your health agency

|

Footnote - if you want to add information

Footnote for Credit

Individuals to be Credited (please list all names and include degrees):

|

**Injury Fatalities****Injury Fatalities--Overall**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

**Injury Fatalities--Males**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



### Injury Fatalities--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Unintentional Drowning Fatalities

### Unintentional Drowning Fatalities--Overall

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Unintentional Drowning Fatalities--Males

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Unintentional Drowning Fatalities--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

**Unintentional Fall-related Fatalities****Unintentional Fall-related Fatalities--Overall**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

**Unintentional Fall-related Fatalities--Males**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



### Unintentional Fall-related Fatalities--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

**Unintentional Fire-related Fatalities****Unintentional Fire-related Fatalities--Overall**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

**Unintentional Fire-related Fatalities--Males**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



### Unintentional Fire-related Fatalities--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

**Firearm-related Fatalities****Firearm-related Fatalities--Overall**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

**Firearm-related Fatalities--Males**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



### Firearm-related Fatalities--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

**Homicides****Homicides--Overall**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

**Homicides--Males**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



### Homicides--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Unintentional Motor Vehicle Traffic-related (MVT) Fatalities

### Unintentional Motor Vehicle Traffic-related (MVT) Fatalities--Overall

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Unintentional Motor Vehicle Traffic-related (MVT) Fatalities--Males

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Unintentional Motor Vehicle Traffic-related (MVT) Fatalities--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

**Nondrug Poisoning Fatalities****Nondrug Poisoning Fatalities--Overall**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

**Nondrug Poisoning Fatalities--Males**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



### Nondrug Poisoning Fatalities--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

**Suicides****Suicides--Overall**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

**Suicides--Males**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



### Suicides--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

**Traumatic Brain Injury (TBI) Fatalities****Traumatic Brain Injury Fatalities--Overall**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

**Traumatic Brain Injury Fatalities--Males**

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

**Footnote - if you want to add information**



### Traumatic Brain Injury Fatalities--Females

| Age         | State<br>population | Number of<br>Deaths | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|---------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                     | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                     | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                     | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                     | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                     | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                     | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                     | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                     | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                     | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                     | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                     | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                     | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                     | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                   |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

State Injury Indicators-2022

Death Data

State:  
0

Overall Data

| Indicator                                      | Number | Age Adjusted Rate |
|------------------------------------------------|--------|-------------------|
| Injury Fatalities                              | 0      | 0.0               |
| Unintentional Drowning Fatalities              | 0      | 0.0               |
| Unintentional Fall-related Fatalities          | 0      | 0.0               |
| Unintentional Fire-related Fatalities          | 0      | 0.0               |
| Firearm-related Fatalities                     | 0      | 0.0               |
| Homicides                                      | 0      | 0.0               |
| Unintentional Motor Vehicle Traffic Fatalities | 0      | 0.0               |
| Nondrug Poisoning Fatalities                   | 0      | 0.0               |
| Suicides                                       | 0      | 0.0               |
| Traumatic Brain Injury Fatalities              | 0      | 0.0               |

Sex-Specific Data

| Indicator                                      | Male   |                   | Female |                   |
|------------------------------------------------|--------|-------------------|--------|-------------------|
|                                                | Number | Age Adjusted Rate | Number | Age Adjusted Rate |
| Injury Fatalities                              | 0      | 0.0               | 0      | 0.0               |
| Unintentional Drowning Fatalities              | 0      | 0.0               | 0      | 0.0               |
| Unintentional Fall-related Fatalities          | 0      | 0.0               | 0      | 0.0               |
| Unintentional Fire-related Fatalities          | 0      | 0.0               | 0      | 0.0               |
| Firearm-related Fatalities                     | 0      | 0.0               | 0      | 0.0               |
| Homicides                                      | 0      | 0.0               | 0      | 0.0               |
| Unintentional Motor Vehicle Traffic Fatalities | 0      | 0.0               | 0      | 0.0               |
| Nondrug Poisoning Fatalities                   | 0      | 0.0               | 0      | 0.0               |
| Suicides                                       | 0      | 0.0               | 0      | 0.0               |

|                                   |   |     |   |     |
|-----------------------------------|---|-----|---|-----|
| Traumatic Brain Injury Fatalities | 0 | 0.0 | 0 | 0.0 |
|-----------------------------------|---|-----|---|-----|

Footnote - if you want to add information