

Form Approved

OMB NO: 0920-1365

Exp. Date: 7/31/2025 Public reporting burden of this collection of information is estimated at 5 hours per response information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a unique identifier. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/Information Collection Review Office, 1600 Clifton Road, NE, MS D-74.

This spreadsheet is to be used for the calculation and submission of the emergency department visit-related Injury Indicator R

Please keep the following items in mind as you complete the spreadsheets.

- The spreadsheet should be completed after individual indicator case counts have been determined using t
- Only cells outlined in red will accept data input. Information copied on subsequent pages does not appear in a red box. To update information in these cells, you must return to the original red-outlined cell.
- Please answer all the questions on the background information sheets.
- Please do not insert lines into the spreadsheet pages. Additional information may be highlighted in footno
- All case count cells should be populated.
  - o Small case counts (<5) will be suppressed at CDC.
  - o Age-adjusted rates, while calculated on this spreadsheet, will not be presented for categories
- Rates will not auto-calculate until the population data has been entered. The default rate of 0 will be replac
- The spreadsheet file should be renamed inserting the appropriate state postal abbreviation into the file na  
If more than one submission is required, then the 01 should be updated to reflect submission number.

State Injury Indicators

State Population Data

State:

2022 State Population

| Age         | Both sexes | Males | Females |
|-------------|------------|-------|---------|
| <1 year     |            |       |         |
| 1-4 years   |            |       |         |
| 5-9 years   |            |       |         |
| 10-14 years |            |       |         |
| 15-19 years |            |       |         |
| 20-24 years |            |       |         |
| 25-34 years |            |       |         |
| 35-44 years |            |       |         |
| 45-54 years |            |       |         |
| 55-64 years |            |       |         |
| 65-74 years |            |       |         |
| 75-84 years |            |       |         |
| 85+ years   |            |       |         |
| TOTAL       | 0          | 0     | 0       |

Population Data Source

Please answer the following questions by putting an "x" to the right of the data source you used.

| Source                   | YES |
|--------------------------|-----|
| State Demographic Center |     |
| US Census Bureau         |     |
| Other (please specify)   |     |

Footnote - if you want to add information



## State Injury Indicators

### Emergency Department (ED) Data

State:

0

The answers to the following questions will be used to better understand the completeness and comp emergency department data sets. *Please complete all questions, including the Footnote for Credit.*

Number of ED visits with an injury diagnosis (Table 4 in "State Injury Indicators: Instructions for Preparing 2022 Data") OR an external cause of injury code (Table 5 in "State Injury Indicators: Instructions for Preparing 2022 Data")

|  |
|--|
|  |
|--|

*This is the total number of cases in the injury subset*

No injury diagnosis code

Injury diagnosis code (Table 4 in "State Injury Indicators: Instructions for Preparing 2022 Data")

|                                         |                                                                                                                                      |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| No external cause of injury information | Code that contains external cause of injury information (Table 6 in "State Injury Indicators: Instructions for Preparing 2022 Data") |
|                                         |                                                                                                                                      |
|                                         |                                                                                                                                      |

Percentage of ED injury visits with external-cause-of-injury coding

**Factors Affecting Representativeness of State Emergency Department Data Sets for Injury Surveillance**  
*Please answer the following questions by putting an "X" in the appropriate column.*

#### QUESTION

YES

NO

Do you estimate that all required hospitals are participating in the system?

|  |  |
|--|--|
|  |  |
|--|--|

Are sufficient numbers of your state's residents who are injured treated in neighboring states (cross-border ED visits) such that it affects your rates?

|  |  |
|--|--|
|  |  |
|--|--|

Are ED visits that result in hospital admission included?

|  |  |
|--|--|
|  |  |
|--|--|

Are follow-up visits and transfers from other EDs included?

|  |  |
|--|--|
|  |  |
|--|--|

Do you receive data on state residents treated in other states? (If yes, please include them in your data.)

|  |  |
|--|--|
|  |  |
|--|--|

Did use the test dataset to check your programming code? (This is not required. We are just tracking usage of the tool.)

|  |  |
|--|--|
|  |  |
|--|--|

If so, what did you find useful and/or how would you improve it?

|  |
|--|
|  |
|--|

**Footnote - if you want to add information**

|  |
|--|
|  |
|--|

**Footnote for Credit**

**Individuals to be Credited (please list all names and include degrees):**

|  |
|--|
|  |
|  |
|  |
|  |

parability of state

0.0%

ce



# Nonfatal Emergency Department (ED) Visits for All Injuries--Overall

## Nonfatal ED Visits for All Injuries--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal ED Visits for All Injuries--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal ED Visits for All Injuries--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Drowning-related Emergency Department (ED) Visits

### Nonfatal Drowning-related ED Visits--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Drowning-related ED Visits--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal Drowning-related ED Visits--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Unintentional Fall-related Emergency Department (ED) Visits

### Nonfatal Unintentional Fall-related ED Visits--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Unintentional Fall-related ED Visits--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal Unintentional Fall-related ED Visits--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

0

# Nonfatal Fall-related Hip Fracture Emergency Department (ED) Visits in Persons Aged 65 Years and

## Nonfatal Fall-related Hip Fracture ED Visits in Persons Aged 65 Years and Older--Overall

| Age   | State<br>population | Number of ED<br>Visits | Rate per<br>100,000 | 2000<br>population | Weight   | Adjusted rate |
|-------|---------------------|------------------------|---------------------|--------------------|----------|---------------|
| 65-74 | 0                   |                        | 0.0                 | 18,136             | 0.522501 | 0.0           |
| 75-84 | 0                   |                        | 0.0                 | 12,315             | 0.354797 | 0.0           |
| 85+   | 0                   |                        | 0.0                 | 4,259              | 0.122702 | 0.0           |
| total | 0                   | 0                      |                     | 34,710             | 1        | 0.0           |

## Nonfatal Fall-related Hip Fracture ED Visits in Persons Aged 65 Years and Older--Males

| Age   | State<br>population | Number of ED<br>Visits | Rate per<br>100,000 | 2000<br>population | Weight   | Adjusted rate |
|-------|---------------------|------------------------|---------------------|--------------------|----------|---------------|
| 65-74 | 0                   |                        | 0.0                 | 18,136             | 0.522501 | 0.0           |
| 75-84 | 0                   |                        | 0.0                 | 12,315             | 0.354797 | 0.0           |
| 85+   | 0                   |                        | 0.0                 | 4,259              | 0.122702 | 0.0           |
| total | 0                   | 0                      |                     | 34,710             | 1        | 0.0           |

Footnote - if you want to add information

Older

Nonfatal Fall-related Hip Fracture ED Visits in Persons Aged 65 Years and Older

| Age   | State population | Number of ED Visits | Rate per 100,000 | 2000 population | Weight   |
|-------|------------------|---------------------|------------------|-----------------|----------|
| 65-74 | 0                |                     | 0.0              | 18,136          | 0.522501 |
| 75-84 | 0                |                     | 0.0              | 12,315          | 0.354797 |
| 85+   | 0                |                     | 0.0              | 4,259           | 0.122702 |
| total | 0                | 0                   |                  | 34,710          | 1        |

Older--Females

Adjusted rate

0.0

0.0

0.0

|  |     |
|--|-----|
|  | 0.0 |
|--|-----|

# Nonfatal Unintentional Fire-related Injury Emergency Department (ED) Visits

## Nonfatal Unintentional Fire-related Injury ED Visits--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Unintentional Fire-related Injury ED Visits--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal Unintentional Fire-related Injury ED Visits--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Firearm-related Emergency Department (ED) Visits

### Nonfatal Firearm-related ED Visits--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

### Nonfatal Firearm-related ED Visits--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal Firearm-related ED Visits--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

# Nonfatal Assault-related Emergency Department (ED) Visits

## Nonfatal Assault-related ED Visits--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Assault-related ED Visits--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal Assault-related ED Visits--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

# Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Emergency Department (ED) Visits

## Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) ED Visits--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) ED Visits--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) ED Visits--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

# Nonfatal Nondrug Poisoning Emergency Department (ED) Visits

## Nonfatal Nondrug Poisoning ED Visits--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Nondrug Poisoning ED Visits--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal Nondrug Poisoning ED Visits--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

# Nonfatal Intentional Self-Harm Emergency Department (ED) Visits

## Nonfatal Intentional Self-Harm ED Visits--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Intentional Self-Harm ED Visits--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal Intentional Self-Harm ED Visits--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

# Nonfatal Traumatic Brain Injury (TBI) Emergency Department (ED) Visits--Proposed Case Definition

## Nonfatal Traumatic Brain Injury (TBI) ED Visits--Proposed Case Definition--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Traumatic Brain Injury (TBI) ED Visits--Proposed Case Definition--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



### Nonfatal Traumatic Brain Injury (TBI) ED Visits--Proposed Case Definition--Females

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

# Nonfatal Traumatic Brain Injury (TBI) Emergency Department (ED) Visits--S09.90 as Only TBI Code

## Nonfatal Traumatic Brain Injury (TBI) ED Visits--S09.90 as Only TBI Code--Overall

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

## Nonfatal Traumatic Brain Injury (TBI) ED Visits--S09.90 as Only TBI Code--Males

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



**Nonfatal Traumatic Brain Injury (TBI) ED Visits--S09.90 as Only TBI Code--Females**

| Age         | State<br>population | Number of ED<br>Visits | Rate | 2000<br>population | Weight   | Adjusted<br>rate |
|-------------|---------------------|------------------------|------|--------------------|----------|------------------|
| <1 year     | 0                   |                        | 0.0  | 3,795              | 0.013818 | 0.0              |
| 1-4 years   | 0                   |                        | 0.0  | 15,192             | 0.055317 | 0.0              |
| 5-9 years   | 0                   |                        | 0.0  | 19,920             | 0.072533 | 0.0              |
| 10-14 years | 0                   |                        | 0.0  | 20,057             | 0.073032 | 0.0              |
| 15-19 years | 0                   |                        | 0.0  | 19,820             | 0.072169 | 0.0              |
| 20-24 years | 0                   |                        | 0.0  | 18,257             | 0.066478 | 0.0              |
| 25-34 years | 0                   |                        | 0.0  | 37,233             | 0.135573 | 0.0              |
| 35-44 years | 0                   |                        | 0.0  | 44,659             | 0.162613 | 0.0              |
| 45-54 years | 0                   |                        | 0.0  | 37,030             | 0.134834 | 0.0              |
| 55-64 years | 0                   |                        | 0.0  | 23,961             | 0.087247 | 0.0              |
| 65-74 years | 0                   |                        | 0.0  | 18,136             | 0.066037 | 0.0              |
| 75-84 years | 0                   |                        | 0.0  | 12,315             | 0.044841 | 0.0              |
| 85+ years   | 0                   |                        | 0.0  | 4,259              | 0.015508 | 0.0              |
| TOTAL       | 0                   | 0                      |      | 274,634            | 1        | 0.0              |

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

State Injury Indicators-2022  
Emergency Department (ED) Data

State:  
0

Overall Data

| Indicator                                                      | Number | Age Adjusted Rate |
|----------------------------------------------------------------|--------|-------------------|
| Nonfatal ED Visits for All Injuries                            | 0      | 0.0               |
| Nonfatal Drowning-related ED Visits                            | 0      | 0.0               |
| Nonfatal Unintentional Fall-related ED Visits                  | 0      | 0.0               |
| Nonfatal Fall-related Hip Fracture ED Visits in 65+            | 0      | 0.0               |
| Nonfatal Unintentional Fire-related Injury ED Visits           | 0      | 0.0               |
| Nonfatal Firearm-related ED Visits                             | 0      | 0.0               |
| Nonfatal Assault-related ED Visits                             | 0      | 0.0               |
| Nonfatal Unintentional Motor Vehicle Traffic-related ED Visits | 0      | 0.0               |
| Nonfatal Nondrug Poisoning ED Visits                           | 0      | 0.0               |
| Nonfatal Intentional Self-Harm ED Visits                       | 0      | 0.0               |
| TBI ED Visits--Proposed Case Definition                        | 0      | 0.0               |
| TBI ED Visits--S09.90 as Only TBI Code                         | 0      | 0.0               |

Sex-Specific Data

| Indicator                                            | Male   |                   | Female |                   |
|------------------------------------------------------|--------|-------------------|--------|-------------------|
|                                                      | Number | Age Adjusted Rate | Number | Age Adjusted Rate |
| Nonfatal ED Visits for All Injuries                  | 0      | 0.0               | 0      | 0.0               |
| Nonfatal Drowning-related ED Visits                  | 0      | 0.0               | 0      | 0.0               |
| Nonfatal Unintentional Fall-related ED Visits        | 0      | 0.0               | 0      | 0.0               |
| Nonfatal Fall-related Hip Fracture ED Visits in 65+  | 0      | 0.0               | 0      | 0.0               |
| Nonfatal Unintentional Fire-related Injury ED Visits | 0      | 0.0               | 0      | 0.0               |
| Nonfatal Firearm-related ED Visits                   | 0      | 0.0               | 0      | 0.0               |
| Nonfatal Assault-related ED Visits                   | 0      | 0.0               | 0      | 0.0               |

|                                                                |   |     |   |     |
|----------------------------------------------------------------|---|-----|---|-----|
| Nonfatal Unintentional Motor Vehicle Traffic-related ED Visits | 0 | 0.0 | 0 | 0.0 |
| Nonfatal Nondrug Poisoning ED Visits                           | 0 | 0.0 | 0 | 0.0 |
| Nonfatal Intentional Self-Harm ED Visits                       | 0 | 0.0 | 0 | 0.0 |
| TBI ED Visits--Proposed Case Definition                        | 0 | 0.0 | 0 | 0.0 |
| TBI ED Visits--S09.90 as Only TBI Code                         | 0 | 0.0 | 0 | 0.0 |

**Footnote - if you want to add information**