

Form Approved

OMB NO: 0920-1365

Exp. Date: 7/31/2025 Public reporting burden of this collection of information is estimated at 5 hours per response information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/Information Collection Review Office, 1600 Clifton Road, NE, MS D-74.

This spreadsheet is to be used for the calculation and submission of the emergency department visit-related Injury Indicator R

Please keep the following items in mind as you complete the spreadsheets.

- The spreadsheet should be completed after individual indicator case counts have been determined using t
- Only cells outlined in red will accept data input. Information copied on subsequent pages does not appear in a red box. To update information in these cells, you must return to the original red-outlined cell.
- Please answer all the questions on the background information sheets.
- Please do not insert lines into the spreadsheet pages. Additional information may be highlighted in footno
- All case count cells should be populated.
 - o Small case counts (<5) will be suppressed at CDC.
 - o Age-adjusted rates, while calculated on this spreadsheet, will not be presented for categories
- Rates will not auto-calculate until the population data has been entered. The default rate of 0 will be replac
- The spreadsheet file should be renamed inserting the appropriate state postal abbreviation into the file na
If more than one submission is required, then the 01 should be updated to reflect submission number.

State Injury Indicators

State Population Data

State:

2022 State Population

Age

<1 year

1-4 years

5-9 years

10-14 years

15-19 years

20-24 years

25-34 years

35-44 years

45-54 years

55-64 years

65-74 years

75-84 years

85+ years

TOTAL

Both sexes

0

Males

0

Females

0

Population Data Source

Please answer the following questions by putting an "x" to the right of the data source you used.

Source

YES

State Demographic Center

US Census Bureau

Other (please specify)

Footnote - if you want to add information

--

State Injury Indicators

Emergency Department (ED) Data

State:

0

The answers to the following questions will be used to better understand the completeness and emergency department data sets. *Please complete all questions, including the Footnote for Credit.*

Number of ED visits with an injury diagnosis (Table 4 in "State Injury Indicators: Instructions for Preparing 2022 Data") OR an external cause of injury code (Table 5 in "State Injury Indicators: Instructions for Preparing 2022 Data")

--

This is the total number of cases in the injury subset

No injury diagnosis code

Injury diagnosis code (Table 4 in "State Injury Indicators: Instructions for Preparing 2022 Data")

No external cause of injury information	Code that contains external cause of injury information (Table 6 in "State Injury Indicators: Instructions for Preparing 2022 Data")

Percentage of ED injury visits with external-cause-of-injury coding

Factors Affecting Representativeness of State Emergency Department Data Sets for Injury Surveillance

Please answer the following questions by putting an "X" in the appropriate column.

QUESTION

YES

NO

Do you estimate that all required hospitals are participating in the system?

--	--

Are sufficient numbers of your state's residents who are injured treated in neighboring states (cross-border ED visits) such that it affects your rates?

--	--

Are ED visits that result in hospital admission included?

--	--

Are follow-up visits and transfers from other EDs included?

--	--

Do you receive data on state residents treated in other states? (If yes, please include them in your data.)

--	--

Did use the test dataset to check your programming code? (This is not required. We are just tracking usage of the tool.)

--	--

If so, what did you find useful and/or how would you improve it?

--

Footnote - if you want to add information

--

Footnote for Credit

Individuals to be Credited (please list all names and include degrees):

parability of state

0.0%

ce

Nonfatal Emergency Department (ED) Visits for All Injuries--Overall

Nonfatal ED Visits for All Injuries--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal ED Visits for All Injuries--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal ED Visits for All Injuries--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Drowning-related Emergency Department (ED) Visits

Nonfatal Drowning-related ED Visits--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Drowning-related ED Visits--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Drowning-related ED Visits--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Fall-related Emergency Department (ED) Visits

Nonfatal Unintentional Fall-related ED Visits--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Fall-related ED Visits--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Unintentional Fall-related ED Visits--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

0

Nonfatal Fall-related Hip Fracture Emergency Department (ED) Visits in Persons Aged 65 Years and

Nonfatal Fall-related Hip Fracture ED Visits in Persons Aged 65 Years and Older--Overall

Age	State population	Number of ED Visits	Rate per 100,000	2000 population	Weight	Adjusted rate
65-74	0		0.0	18,136	0.522501	0.0
75-84	0		0.0	12,315	0.354797	0.0
85+	0		0.0	4,259	0.122702	0.0
total	0	0		34,710	1	0.0

Nonfatal Fall-related Hip Fracture ED Visits in Persons Aged 65 Years and Older--Males

Age	State population	Number of ED Visits	Rate per 100,000	2000 population	Weight	Adjusted rate
65-74	0		0.0	18,136	0.522501	0.0
75-84	0		0.0	12,315	0.354797	0.0
85+	0		0.0	4,259	0.122702	0.0
total	0	0		34,710	1	0.0

Footnote - if you want to add information

Older

Nonfatal Fall-related Hip Fracture ED Visits in Persons Aged 65 Years and Older

Age	State population	Number of ED Visits	Rate per 100,000	2000 population	Weight
65-74	0		0.0	18,136	0.522501
75-84	0		0.0	12,315	0.354797
85+	0		0.0	4,259	0.122702
total	0	0		34,710	1

Older--Females

Adjusted rate

0.0

0.0

0.0

	0.0
--	-----

Nonfatal Unintentional Fire-related Injury Emergency Department (ED) Visits

Nonfatal Unintentional Fire-related Injury ED Visits--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Fire-related Injury ED Visits--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Unintentional Fire-related Injury ED Visits--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Firearm-related Emergency Department (ED) Visits

Nonfatal Firearm-related ED Visits--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Firearm-related ED Visits--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Firearm-related ED Visits--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Assault-related Emergency Department (ED) Visits

Nonfatal Assault-related ED Visits--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Assault-related ED Visits--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Assault-related ED Visits--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Emergency Department (ED) Visits

Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) ED Visits--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) ED Visits--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) ED Visits--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Nondrug Poisoning Emergency Department (ED) Visits

Nonfatal Nondrug Poisoning ED Visits--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Nondrug Poisoning ED Visits--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Nondrug Poisoning ED Visits--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Intentional Self-Harm Emergency Department (ED) Visits

Nonfatal Intentional Self-Harm ED Visits--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Intentional Self-Harm ED Visits--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Intentional Self-Harm ED Visits--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Traumatic Brain Injury (TBI) Emergency Department (ED) Visits--Proposed Case Definition

Nonfatal Traumatic Brain Injury (TBI) ED Visits--Proposed Case Definition--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Traumatic Brain Injury (TBI) ED Visits--Proposed Case Definition--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Traumatic Brain Injury (TBI) ED Visits--Proposed Case Definition--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Traumatic Brain Injury (TBI) Emergency Department (ED) Visits--S09.90 as Only TBI Code

Nonfatal Traumatic Brain Injury (TBI) ED Visits--S09.90 as Only TBI Code--Overall

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Traumatic Brain Injury (TBI) ED Visits--S09.90 as Only TBI Code--Males

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Traumatic Brain Injury (TBI) ED Visits--S09.90 as Only TBI Code--Females

Age	State population	Number of ED Visits	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

State Injury Indicators-2022
Emergency Department (ED) Data

State:
0

Overall Data

Indicator	Number	Age Adjusted Rate
Nonfatal ED Visits for All Injuries	0	0.0
Nonfatal Drowning-related ED Visits	0	0.0
Nonfatal Unintentional Fall-related ED Visits	0	0.0
Nonfatal Fall-related Hip Fracture ED Visits in 65+	0	0.0
Nonfatal Unintentional Fire-related Injury ED Visits	0	0.0
Nonfatal Firearm-related ED Visits	0	0.0
Nonfatal Assault-related ED Visits	0	0.0
Nonfatal Unintentional Motor Vehicle Traffic-related ED Visits	0	0.0
Nonfatal Nondrug Poisoning ED Visits	0	0.0
Nonfatal Intentional Self-Harm ED Visits	0	0.0
TBI ED Visits--Proposed Case Definition	0	0.0
TBI ED Visits--S09.90 as Only TBI Code	0	0.0

Sex-Specific Data

Indicator	Male		Female	
	Number	Age Adjusted Rate	Number	Age Adjusted Rate
Nonfatal ED Visits for All Injuries	0	0.0	0	0.0
Nonfatal Drowning-related ED Visits	0	0.0	0	0.0
Nonfatal Unintentional Fall-related ED Visits	0	0.0	0	0.0
Nonfatal Fall-related Hip Fracture ED Visits in 65+	0	0.0	0	0.0
Nonfatal Unintentional Fire-related Injury ED Visits	0	0.0	0	0.0
Nonfatal Firearm-related ED Visits	0	0.0	0	0.0
Nonfatal Assault-related ED Visits	0	0.0	0	0.0

Nonfatal Unintentional Motor Vehicle Traffic-related ED Visits	0	0.0	0	0.0
Nonfatal Nondrug Poisoning ED Visits	0	0.0	0	0.0
Nonfatal Intentional Self-Harm ED Visits	0	0.0	0	0.0
TBI ED Visits--Proposed Case Definition	0	0.0	0	0.0
TBI ED Visits--S09.90 as Only TBI Code	0	0.0	0	0.0

Footnote - if you want to add information