

Form Approved

OMB NO: 0920-1365

Exp. Date: 7/31/2025 Public reporting burden of this collection of information is estimated at 5 hours per response information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a unique identifier. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/Information Collection Review Office, 1600 Clifton Road, NE, MS D-74,

This spreadsheet is to be used for the calculation and submission of the hospitalization related Injury Indicator Rates for 2022.

Please keep the following items in mind as you complete the spreadsheets.

- The spreadsheet should be completed after individual indicator case counts have been determined using the data collection tool.
- Only cells outlined in red will accept data input. Information copied on subsequent pages does not appear in a red box. To update information in these cells, you must return to the original red-outlined cell.
- Please answer all the questions on the background information sheets.
- Please do not insert lines into the spreadsheet pages. Additional information may be highlighted in footnotes.
- All case count cells should be populated.
 - o Small case counts (<5) will be suppressed at CDC.
 - o Age-adjusted rates, while calculated on this spreadsheet, will not be presented for categories with small case counts.
- Rates will not auto-calculate until the population data has been entered. The default rate of 0 will be replaced with the calculated rate.
- The spreadsheet file should be renamed inserting the appropriate state postal abbreviation into the file name. If more than one submission is required, then the 01 should be updated to reflect submission number.

State Injury Indicators

State Population Data

State:

2022 State Population

Age	Both sexes	Males	Females
<1 year			
1-4 years			
5-9 years			
10-14 years			
15-19 years			
20-24 years			
25-34 years			
35-44 years			
45-54 years			
55-64 years			
65-74 years			
75-84 years			
85+ years			
TOTAL	0	0	0

Population Data Source

Please answer the following questions by putting an "x" to the right of the data source you used.

Source	YES
State Demographic Center	
US Census Bureau	
Other (please specify)	

Footnote - if you want to add information

State Injury Indicators

Hospital Discharge Data (HDD)

State:

0

The answers to the following questions will be used to better understand the completeness of hospital discharge data sets. *Please complete all questions, including the Footnote for Credibility*

Number of hospital discharges with an injury primary diagnosis (Table 2 in "State Injury Indicators: Instructions for Preparing 2022 Data")

This is the total number of cases in the injury subset

Number of discharges that have an injury primary diagnosis AND a code that contains external cause of injury information (Table 3 in "State Injury Indicators: Instructions for Preparing 2022 Data")

Percentage of HDD injury hospitalizations with external-cause-of-injury coding

Factors Affecting Representativeness of State Hospital Discharge Data Sets for Injury Surveillance

Please answer the following questions by putting an "X" in the appropriate column.

QUESTION

YES

NO

Do you estimate that all required hospitals are participating in the system?

----------------------	----------------------

Are sufficient numbers of your state's residents hospitalized in neighboring states (cross-border hospitalization) such that it affects your injury rates?

----------------------	----------------------

Did you include re-admissions and transfers?

----------------------	----------------------

Do you receive data on state residents hospitalized in other states? (If yes, please include them in your data.)

----------------------	----------------------

Did you use the test dataset to check your programming code? (This is not required. We are just tracking usage of the tool.)

----------------------	----------------------

If so, what did you find useful and/or how would you improve it?

--

Footnote - if you want to add information

--

Footnote for Credit

Individuals to be Credited (please list all names and include degrees):

nd comparability of state
it.



lance

Nonfatal Hospitalizations for All Injuries--Overall

Nonfatal Hospitalizations for All Injuries--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Hospitalizations for All Injuries--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Hospitalizations for All Injuries--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0		0	274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Drowning-related Hospitalizations

Nonfatal Drowning-related Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Drowning-related Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Drowning-related Hospitalizations--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Fall-related Hospitalizations

Nonfatal Unintentional Fall-related Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Fall-related Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Unintentional Fall-related Hospitalizations--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

0

Nonfatal Fall-related Hip Fracture Hospitalizations in Persons Aged 65 Years and Older

Nonfatal Fall-related Hip Fracture Hospitalizations in Persons Aged 65 Years and Older--Overall

Age	State population	Number of hospitalizations	Rate per 100,000	2000 population	Weight	Adjusted rate
65-74	0		0.0	18,136	0.522501	0.0
75-84	0		0.0	12,315	0.354797	0.0
85+	0		0.0	4,259	0.122702	0.0
total	0	0		34,710	1	

Nonfatal Fall-related Hip Fracture Hospitalizations in Persons Aged 65 Years and Older--Males

Age	State population	Number of hospitalizations	Rate per 100,000	2000 population	Weight	Adjusted rate
65-74	0		0.0	18,136	0.522501	0.0
75-84	0		0.0	12,315	0.354797	0.0
85+	0		0.0	4,259	0.122702	0.0
total	0	0		34,710	1	

Footnote - if you want to add information

Nonfatal Fall-related Hip Fracture Hospitalizations in Persons Aged 65 Yea

Age	State population	Number of hospitalizations	Rate per 100,000	2000 population	Weight
65-74	0		0.0	18,136	0.522501
75-84	0		0.0	12,315	0.354797
85+	0		0.0	4,259	0.122702
total	0	0		34,710	1

rs and Older--Females

Adjusted rate

0.0

0.0

0.0

	0.0
--	-----

Nonfatal Unintentional Fire-related Injury Hospitalizations

Nonfatal Unintentional Fire-related Injury Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Fire-related Injury Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Unintentional Fire-related Injury Hospitalizations--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Firearm-related Hospitalizations

Nonfatal Firearm-related Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Firearm-related Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Firearm-related Hospitalizations--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Assault-related Hospitalizations

Nonfatal Assault-related Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Assault-related Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Assault-related Hospitalizations--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Hospitalizations

Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Unintentional Motor Vehicle Traffic-related (MVT) Hospitalizations--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Nondrug Poisoning Hospitalizations

Nonfatal Nondrug Poisoning Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Nondrug Poisoning Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Nondrug Poisoning Hospitalizations--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Intentional Self-Harm Hospitalizations

Nonfatal Intentional Self-Harm Hospitalizations--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Intentional Self-Harm Hospitalizations--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Intentional Self-Harm Hospitalizations--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--Proposed Case Definition

Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--Proposed Case Definition--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--Proposed Case Definition--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--Proposed Case Definition--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--S09.90 as Only TBI Code

Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--S09.90 as Only TBI Code--Overall

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G19 will be the age-adjusted rate (per 100,000) for the given indicator

Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--S09.90 as Only TBI Code--Males

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box G40 will be the age-adjusted rate (per 100,000) for the given indicator

Footnote - if you want to add information



Nonfatal Traumatic Brain Injury (TBI) Hospitalizations--S09.90 as Only TBI Code--Females

Age	State population	Number of hospitalizations	Rate	2000 population	Weight	Adjusted rate
<1 year	0		0.0	3,795	0.013818	0.0
1-4 years	0		0.0	15,192	0.055317	0.0
5-9 years	0		0.0	19,920	0.072533	0.0
10-14 years	0		0.0	20,057	0.073032	0.0
15-19 years	0		0.0	19,820	0.072169	0.0
20-24 years	0		0.0	18,257	0.066478	0.0
25-34 years	0		0.0	37,233	0.135573	0.0
35-44 years	0		0.0	44,659	0.162613	0.0
45-54 years	0		0.0	37,030	0.134834	0.0
55-64 years	0		0.0	23,961	0.087247	0.0
65-74 years	0		0.0	18,136	0.066037	0.0
75-84 years	0		0.0	12,315	0.044841	0.0
85+ years	0		0.0	4,259	0.015508	0.0
TOTAL	0	0		274,634	1	0.0

Note: Box O40 will be the age-adjusted rate (per 100,000) for the given indicator

State Injury Indicators-2022
Hospital Discharge Data (HDD)

State:
0

Overall Data

Indicator	Number	Age Adjusted Rate
Nonfatal Hospitalizations for All Injuries	0	0.0
Nonfatal Drowning-related Hospitalizations	0	0.0
Nonfatal Unintentional Fall-related Hospitalizations	0	0.0
Nonfatal Fall-related Hip Fracture Hospitalizations in 65+	0	0.0
Nonfatal Unintentional Fire-related Injury Hospitalizations	0	0.0
Nonfatal Firearm-related Hospitalizations	0	0.0
Nonfatal Assault-related Hospitalizations	0	0.0
Nonfatal Unintentional Motor Vehicle Traffic-related Hospitalizations	0	0.0
Nonfatal Nondrug Poisoning Hospitalizations	0	0.0
Nonfatal Intentional Self-Harm Hospitalizations	0	0.0
TBI Hospitalizations--Proposed Case Definition	0	0.0
TBI Hospitalizations--S09.90 as Only TBI Code	0	0.0

Sex-Specific Data

Indicator	Male		Female	
	Number	Age Adjusted Rate	Number	Age Adjusted Rate
Nonfatal Hospitalizations for All Injuries	0	0.0	0	0.0
Nonfatal Drowning-related Hospitalizations	0	0.0	0	0.0
Nonfatal Unintentional Fall-related Hospitalizations	0	0.0	0	0.0
Nonfatal Fall-related Hip Fracture Hospitalizations in 65+	0	0.0	0	0.0
Nonfatal Unintentional Fire-related Injury Hospitalizations	0	0.0	0	0.0
Nonfatal Firearm-related Hospitalizations	0	0.0	0	0.0
Nonfatal Assault-related Hospitalizations	0	0.0	0	0.0

Nonfatal Unintentional Motor Vehicle Traffic-related Hospitalizations	0	0.0	0	0.0
Nonfatal Nondrug Poisoning Hospitalizations	0	0.0	0	0.0
Nonfatal Intentional Self-Harm Hospitalizations	0	0.0	0	0.0
TBI Hospitalizations--Proposed Case Definition	0	0.0	0	0.0
TBI Hospitalizations--S09.90 as Only TBI Code	0	0.0	0	0.0

Footnote - if you want to add information