

Form Approved OMB No. 0920-0666 Exp. Date:12/31/2026 www.cdc.gov/nhsn

Hemovigilance Module Monthly Incident Summary

		-	
*Ren	uured	t∩r	saving
			JUVIII

*Facility ID#:	*Month:	*Year:	
All reporting is facility-wide In	clude numbers of individual incident re	norts in the totals	

*Process Code	*Incident Code	*Total Incidents	*Total Adverse Reactions
PC: Product Check-	PC 00 Detail not specified		
In	PC 01 Data entry incomplete/incorrect/not performed		
(Transfusion Service)	PC 02 Shipment incomplete/incorrect		
Events that occur during the	PC 03 Products and paperwork do not match		
shipment and receipt of	PC 04 Shipped/transported under inappropriate conditions		
products into the transfusion service from the	PC 05 Inappropriate return to inventory		
supplier, another hospital	PC 06 Product confirmation incorrect/not performed		
site, satellite storage, or	PC 07 Administrative check not incorrect/not performed (record review/audit)		
clinical area.	PC 08 Product label incorrect/missing		
LIC: Draduat Starage	US 00 Detail not specified		
US: Product Storage (Transfusion Service)	US 01 Incorrect storage conditions		
Events that occur during	US 03 Inappropriate monitoring of storage device		
product storage by the	US 04 Unit stored on incorrect shelf (e.g., ABO/autologous/directed)		
transfusion service.	US 05 Incorrect storage location		
	IM 00 Detail not specified		
IM: Inventory	IM 01 Inventory audit incorrect/not performed		
Management	IM 02 Product status incorrectly/not updated online (e.g., available/discarded)		
(Transfusion Service)	IM 03 Supplier recall/traceback not appropriately addressed/not performed		
Events that involve quality	IM 04 Product order incorrectly/not submitted to supplier		
management of the blood	IM 05 Outdated product in available inventory		
product inventory.	IM 06 Recalled/quarantined product in available inventory		
	PR 00 Detail not specified		
PR: Product/Test	PR 01 Order for wrong patient		
Request	PR 02 Order incompletely/incorrectly ordered (online order entry)		
(Clinical Service)	PR 03 Special processing needs not indicated (e.g., CMV negative, autologous)		
Events that occur when the	PR 04 Order not done		
clinical service orders	PR 05 Inappropriate/unnecessary (intended) test ordered		
patient tests or blood products for transfusion.	PR 06 Inappropriate/unnecessary (intended) blood product ordered		
products for transfusion.	PR 07 Incorrect (unintended) test ordered		
	PR 08 Incorrect (unintended) blood product ordered		
OE: Product/Test	OE 00 Detail not specified		
	OE 01 Order entered for wrong patient		
Order Entry (Transfusion Service)	OE 02 Order incompletely/incorrectly entered online		
Events that occur when the	OE 03 Special processing needs not entered (e.g., CMV-, autologous)		
transfusion service receives	OE 04 Order entry not done		
a patient order. This	OE 05 Inappropriate/unnecessary (intended) test order entered		
process may be excluded if clinical service uses online	OE 06 Inappropriate/unnecessary (intended) blood product order entered		
	OE 07 Incorrect (unintended) test ordered		
ordering.	OE 08 Incorrect (unintended) blood product ordered		
*Process Code	*Incident Code	*Total Incidents	*Total Adverse Reactions
	SC 00 Detail not specified	ioidelito	. 1040110113

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). CDC 57.302 Rev. 4, v9.2

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering, and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).



		www.cdc.gov/n
	SC 01 Sample labeled with incorrect patient ID (intended patient drawn)	
SC: Sample Collection	SC 02 Sample not labeled	
	SC 03 Wrong patient collected (sample labeled for intended patient)	
	SC 04 Sample collected in wrong tube type	
(Service collecting the	SC 05 Sample quantity not sufficient (QNS)	
samples)	SC 06 Sample hemolyzed	
Events that occur during	SC 07 Sample label incomplete/illegible for patient identifiers	
patient sample collection.	SC 08 Sample collected in error (e.g., unnecessary/duplicate)	
	SC 09 Patient sample not collected (in error)	
	SC 10 Patient wristband incorrect/not available	
	SC 11 Sample contaminated	
	SH 00 Detail not specified	
	SH 01 Sample sent without requisition	
CII. Commis	SH 02 Requisition and sample label don't match	
SH: Sample	SH 03 Patient ID incomplete/illegible on requisition	
Handling	SH 04 No Patient ID on requisition	
(Service collecting the samples)	SH 05 No phlebotomist/witness identification	
Events that occur when a	SH 06 Sample sent with incorrect requisition type	
patient sample is sent for	SH 07 Patient information (other than ID) missing/incorrect on requisition	
testing.	SH 08 Requisition sent without sample	
	SH 09 Data entry incorrect/incomplete/not performed	
	SH 10 Sample transport issue (e.g., sample broken/inappropriate conditions)	
	SH 11 Duplicate sample sent in error	
CD. Comple Descint	SR 00 Detail not specified	
SR: Sample Receipt (Transfusion Service)	SR 01 Sample accepted in error	
Events that occur when a	SR 02 Historical review incorrect/not performed	
sample is received by the	SR 03 Demographic review/ data entry incorrect/not performed	
transfusion service.	SR 04 Sample incorrectly accessioned	
	ST 00 Detail not specified	
	ST 01 Data entry incomplete/incorrect/not performed	
	ST 02 Appropriate sample checks incomplete/incorrect/not performed	
	ST 03 Computer warning overridden in error or outside SOP	
	ST 05 Sample test tube incorrectly accessioned	
	ST 07 Sample test tubes mixed up	
	ST 09 Sample test tube mislabeled (wrong patient identifiers)	
ST: Sample Testing	ST 10 Equipment problem/failure/not properly QC'd	
(Transfusion Service)	ST 12 Sample testing not performed	
Events that occur during	ST 13 Incorrect sample testing method chosen	
patient sample testing by	ST 14 Sample testing performed incorrectly	
the transfusion service.	ST 15 Sample test result misinterpreted	
	ST 16 Reagents used were incorrect/inappropriate/expired/not properly QC'd	
	ST 17 ABO/Rh error caught on final check	
1	ST 18 Current/historical ABO/Rh mismatch	
1	ST 19 Additional testing not performed	
	ST 20 Confirmatory check incorrect/not performed (at time work performed)	
	ST 21 Administrative check incorrect/not performed (record review/audit)	
	ST 22 Sample storage incorrect/inappropriate	
	31 22 Sample Storage incorrectinappropriate	

*Process Code	*Incident Code	*Total Incidents	*Total Adverse Reactions
UM: Product	UM 00 Detail not specified		
Manipulation/	UM 01 Data entry incomplete/incorrect/not performed		
Processing/Testing	UM 02 Record review incomplete/incorrect/not performed		
(Transfusion Service)	UM 03 Incorrect product (type) selected		
Events that occur while	UM 04 Incorrect product (patient) selected		



		w	ww.cdc.gov/n
	UM 05 Product labeled incorrectly (new/updated)		
	UM 06 Computer warning overridden in error or outside SOP		
	UM 07 Special processing needs not checked		
	UM 08 Special processing needs misunderstood or misinterpreted		
	UM 09 Special processing needs performed incorrectly		
	UM 10 Special processing needs not performed		
	UM 11 Equipment problem/failure/not properly QC'd		
	UM 12 Reagents used were incorrect/inappropriate/expired/not properly QC'd		
	UM 13 Confirmatory check incorrect/not performed (at time work performed)		
	UM 14 Administrative check incorrect/not performed (record review/audit)		
	NB 01 Inventory less than usual par level due to supplier unable to meet usual steady demand		
	NB 02 Demand for blood product exceeding usual par inventory level		
No Blood	NB 03 Incompatible/inappropriate units issued due to inventory constraints when demand for blood product exceeds usual par inventory levels.		
	NB 04 Suboptimal dose (less than optimal quantity) transfusion or no transfusion due to inventory constraints when demand for blood product		
	exceeds usual par inventory levels.		
RP: Request for	RP 00 Detail not specified		
Pick-Up	RP 01 Request for pick-up on wrong patient		
(Clinical Service)	RP 02 Incorrect product requested for pick-up	ļ	
Events that occur when the	RP 03 Product requested prior to obtaining consent		
clinical service requests	RP 04 Product requested for pick-up, but patient not available		
pick-up of a blood product	RP 05 Product requested for pick-up, but IV not ready		
from the transfusion service.	RP 06 Request for pick-up incomplete (e.g., patient ID/product type missing)		
Scivice.	RP 07 Pick-up slip did not match patient information on product		
	UI 00 Detail not specified		
	UI 01 Data entry incomplete/incorrect/not performed		
	UI 02 Record review incomplete/incorrect/not performed		
	UI 03 Product issued for wrong patient		
	UI 04 Product issued out of order		
	UI 05 Product issue delayed		
	UI 06 LIS warning overridden in error or outside SOP	1	
UI: Product Issue	UI 07 Computer issue not completed		
(Transfusion Service)	UI 08 Issued visibly defective product (e.g., clots/aggregates/particulate matter)		
Events that occur when the	UI 09 Not/incorrect checking of unit and/or patient information		
transfusion service issues	UI 10 Product transport issues (e.g., delayed) by transfusion service		
blood product to the clinical service.	UI 11 Unit delivered to incorrect location by transfusion service		
	UI 12 Product transport issue (from transfusion service to clinical area)		
	UI 18 Wrong product issued for intended patient (e.g., incompatible)		
	UI 19 Inappropriate product issued for patient (e.g., not irradiated, CMV+)		
	UI 20 Confirmatory check incorrect/not performed (at time work performed)		
	UI 21 Administrative check incorrect/not performed (record review/audit)		
	UI 22 Issue approval not obtained/documented		
	UI 23 Receipt verification not performed (pneumatic tube issue)		
	5. 25 . 1555.pt formation not performed (prioring table 1556)		

*Process Code	*Incident Code	*Total Incidents	*Total Adverse Reactions
	CS 00 Detail not specified		
CS: Satellite Storage	CS 01 Incorrect storage conditions of product in clinical area		
(Clinical Service)	CS 02 Incorrect storage location in the clinical area		
Events that occur while product is stored and handled by the clinical service.	CS 03 Labeling issue (by clinical staff)		
	CS 04 Floor/clinic did not check for existing products in their area		
	CS 05 Product transport issues (to or between clinical areas)		
	CS 06 Monitoring of satellite storage incorrect/incomplete/not performed		
	CS 07 Storage tracking/documentation incorrect/incomplete/not performed		



UT: Product Administration (Clinical Service) Events that occur during the administration of blood products.	UT 00 Detail not specified UT 01 Administered intended product to wrong patient UT 02 Administered wrong product to intended patient UT 03 Transfusion not performed in error UT 05 Bedside check (patient ID confirmation) incomplete/not performed UT 06 Transfused product with incompatible IV fluid UT 07 Transfusion delayed beyond pre-approved timeframe UT 09 Transfused unsuitable product (e.g., outdated/inappropriately stored) UT 10 Administered components in wrong order UT 11 Appropriate monitoring of patient not performed UT 14 Transfusion volume too low (per order or SOP) UT 15 Transfusion volume too high (per order or SOP) UT 16 Transfusion rate too slow (per order or SOP) UT 17 Transfusion rate too fast (per order or SOP) UT 18 Inappropriate preparation of product UT 19 Transfusion protocol not followed (not otherwise specified) UT 22 Order/consent check incorrect/not performed UT 23 Transfusion documentation incorrect/incomplete/not performed UT 24 Transfusion documentation not returned to transfusion service	
	UT 23 Transfusion documentation incorrect/incomplete/not performed	
MS: Other	UT 26 Transfusion reaction protocol not followed MS 99 Other	
MO. Other	Total	