

ISSN: 1949-159X

Prospective Plantings

Released March 31, 2023, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, United States Department of Agriculture (USDA).

Corn Planted Acreage Up 4 Percent from 2022 Soybean Acreage Up Slightly All Wheat Acreage Up 9 Percent All Cotton Acreage Down 18 Percent

Corn planted area for all purposes in 2023 is estimated at 92.0 million acres, up 4 percent or 3.42 million acres from last year. Compared with last year, planted acreage is expected to be up or unchanged in 40 of the 48 estimating States.

Soybean planted area for 2023 is estimated at 87.5 million acres, up slightly from last year. Compared with last year, planted acreage is up or unchanged in 15 of the 29 estimating States.

All wheat planted area for 2023 is estimated at 49.9 million acres, up 9 percent from 2022. The 2023 winter wheat planted area, at 37.5 million acres, is up 13 percent from last year and up 2 percent from the previous estimate. Of this total, about 26.0 million acres are Hard Red Winter, 7.80 million acres are Soft Red Winter, and 3.71 million acres are White Winter. Area expected to be planted to other spring wheat for 2023 is estimated at 10.6 million acres, down 2 percent from 2022. Of this total, about 9.95 million acres are Hard Red Spring wheat. Durum planted area for 2023 is expected to total 1.78 million acres, up 9 percent from the previous year.

All cotton planted area for 2023 is estimated at 11.3 million acres, down 18 percent from last year. Upland area is estimated at 11.1 million acres, down 18 percent from 2022. American Pima area is estimated at 154,000 acres, down 16 percent from 2022.

This report was approved on March 31, 2023.

Lon Montaino prene

Secretary of Agriculture Designate Gloria M. Greene

Agricultural Statistics Board Chairperson Joseph L. Parsons

Contents

Principal Crops Area Planted – States and United States: 2021-2023	5
Corn Area Planted – States and United States: 2021-2023	6
Corn and Soybean Planted Acreage – United States Chart	7
Sorghum Area Planted – States and United States: 2021-2023	7
Oat Area Planted – States and United States: 2021-2023	8
Barley Area Planted – States and United States: 2021-2023	9
All Wheat Area Planted – States and United States: 2021-2023	10
Winter Wheat Area Planted – States and United States: 2021-2023	11
Durum Wheat Area Planted – States and United States: 2021-2023	12
Other Spring Wheat Area Planted – States and United States: 2021-2023	12
All Hay Area Harvested – States and United States: 2021-2023	13
Rice Area Planted by Class – States and United States: 2021-2023	14
Canola Area Planted – States and United States: 2021-2023	14
Soybean Area Planted – States and United States: 2021-2023	15
Peanut Area Planted – States and United States: 2021-2023	15
Sunflower Area Planted by Type – States and United States: 2021-2023	16
Flaxseed Area Planted – States and United States: 2021-2023	16
Cotton Area Planted by Type – States and United States: 2021-2023	17
Sugarbeet Area Planted – States and United States: 2021-2023	18
Tobacco Area Harvested – States and United States: 2021-2023	18
Tobacco Area Harvested by Class and Type – States and United States: 2021-2023	19
Dry Edible Bean Area Planted – States and United States: 2021-2023	20
Chickpea Area Planted – States and United States: 2021-2023	21
Lentil Area Planted – States and United States: 2021-2023	22
Dry Edible Pea Area Planted – States and United States: 2021-2023	22

Crop Area Planted and Harvested, Yield, and Production in Domestic Units – United States: 2022 and 2023	23
Crop Area Planted and Harvested, Yield, and Production in Metric Units – United States: 2022 and 2023	25
Winter Weather Summary	27
Crop Comments	29
Statistical Methodology	32
Reliability of Prospective Plantings Planted Acreage Estimates	33
Information Contacts	34

Principal Crops Area Planted – States and United States: 2021-2023

[Crops included in area planted are corn, sorghum, oats, barley, rye, winter wheat, Durum wheat, other spring wheat, rice, soybeans, peanuts, sunflower, cotton, dry edible beans, chickpeas, potatoes, sugarbeets, canola, and proso millet. Harvested acreage is used for all hay, tobacco, and sugarcane in computing total area planted. Values for 2023 were carried forward from 2022 for potatoes, proso millet, rye, and sugarcane. Includes double cropped acres and unharvested small grains planted as cover crops]

State	2021	2022	2023 ¹
	(1,000 acres)	(1,000 acres)	(1,000 acres)
Alabama	2,125	2,120	2,190
Alaska	25	26	25
Arizona	598	599	592
Arkansas	7,020	6,992	7,044
California	2,393	2,202	2,260
Colorado	6,235	5,664	6,168
Connecticut	70	77	78
Delaware	422	442	437
Florida	1,077	1,071	1,045
Georgia	3,393	3,396	3,417
	5,555	3,390	3,417
Idaho	4,051	4,071	4,170
Illinois	22,830	22,805	23,070
Indiana	11,930	11,910	12,060
lowa	24,390	24,330	24,470
Kansas	24,421	24,101	24,276
Kentucky	6,078	5,994	6,234
Louisiana	3,055	3,217	3,167
Maine	238	252	257
Maryland	1,537	1,558	1,614
Massachusetts	69	74	74
Michigan	6,377	6,308	6,431
Minnesota	19,471	19,100	19,353
Mississippi	4,233	4,210	4,305
Missouri	13,644	13,820	14,045
Montana	9,364	9,396	9,349
Nebraska	19,810	19,299	19,336
Nevada	355	414	413
New Hampshire	55	55	55
New Jersey	299	321	310
New Mexico	775	771	839
New York	2,744	2,837	3,024
North Carolina	4,399	4,425	4,637
North Dakota	24,085	21,616	23.076
Ohio	9,945	9,890	10.050
Oklahoma	9,553	9,666	9,721
-	1,813	1,733	1,828
Oregon Pennsylvania	3,740	3,723	3,860
5	3,740	9	3,800
Rhode Island	9 1,476	-	1,522
South Dakota	16,693	1,462 16,627	17,137
Tennessee	4,952	4,960	5,138
Texas	22,797	22,029	22,195
Utah	868	880	897
Vermont	245	255	267
Virginia	2,495	2,493	2,653
Washington	3,715	3,585	3,549
West Virginia	569	611	660
Wisconsin	8,099	7,966	8,060
Wyoming	1,282	1,442	1,425
United States ²	317,119	312,113	318,100

¹ Intended plantings in 2023 as indicated by reports from farmers.
 ² States do not add to United States due to rye unallocated acreage.

Corn Area Planted – States and United States: 2021-2023

	Area planted			
State	2021	2022	2023 ¹	Percent of previous year
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)
Alabama	350	300	350	117
Arizona	95	80	100	125
Arkansas	850	710	810	123
California	400	370	380	103
Colorado	1,380	1,350	1,400	103
Connecticut	24	25	25	100
Delaware	175	170	175	103
Florida	95	85	80	94
Georgia	480	425	490	115
Idaho	380	320	390	122
Illinois	11,000	10,800	11,000	102
Indiana	5,400	5,250	5,500	105
lowa	12,900	12,900	13,100	102
Kansas	5,700	5,500	5,600	102
Kentucky	1,550	1,440	1,600	111
Louisiana	580	450	510	113
Maine	30	29	28	97
Maryland	470	440	460	105
Massachusetts	14	14	14	100
Michigan	2,350	2,350	2,400	102
Minnesota	8,400	8,000	8,350	104
Mississippi	730	580	700	121
Missouri	3,600	3,350	3,450	103
Montana	120	130	120	92
Nebraska	9,900	9,600	9,500	99
Nevada	15	14	13	93
New Hampshire	13	13	12	92
New Jersey	78	76	85	112
New Mexico	120	100	110	110
New York	1,040	1,030	1,100	107
North Carolina	960	830	960	116 127
North Dakota	4,100 3,550	2,950 3,400	3,750 3,450	
Ohio Oklahoma	340	3,400	3,450	101 101
Oregon	95	75	85	113
Pennsylvania	1,330	1,180	1,310	113
Rhode Island	2	2	2	100
South Carolina	400	320	370	116
South Dakota	6,150	5,750	5,900	103
Tennessee	1,010	840	960	114
Texas	2,150	2,150	2,050	95
Utah	70	70	75	107
Vermont	85	90	92	102
Virginia	510	450	540	120
Washington	165	130	160	123
West Virginia	51	46	50	109
Wisconsin	3,950	3,950	3,950	100
Wyoming	95	95	85	89
United States	93,252	88,579	91,996	104

Corn and Soybean Planted Acreage - United States



Sorghum Area Planted – States and United States: 2021-2023

	Area planted			
State	2021	2022	2023 ¹	Percent of previous year
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)
Colorado Kansas Nebraska Oklahoma South Dakota Texas	495 3,600 320 430 310 2,150	545 3,300 320 430 280 1,450	510 3,150 260 350 255 1,450	94 95 81 81 91 100
United States	7,305	6,325	5,975	94

Oat Area Planted – States and United States: 2021-2023

[Includes area planted in preceding fall]

	Area planted				
State	2021	2022	2023 ¹	Percent of previous year	
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)	
Arkansas	10	10	8	80	
California	100	105	100	95	
Georgia	80	75	70	93	
Idaho	50	50	40	80	
Illinois	60	60	45	75	
lowa	130	130	200	154	
Kansas	115	110	130	118	
Maine	22	26	26	100	
Michigan	55	50	60	120	
Minnesota	180	200	190	95	
Missouri	50	45	40	89	
Montana	60	85	55	65	
Nebraska	120	125	140	112	
New York	55	68	80	118	
North Carolina	33	40	40	100	
North Dakota	355	345	290	84	
Ohio	45	50	30	60	
Oklahoma	80	50	100	200	
Oregon	15	20	20	100	
Pennsylvania	85	87	78	90	
South Dakota	215	260	310	119	
Texas	460	450	440	98	
Wisconsin	175	140	175	125	
United States	2,550	2,581	2,667	103	

Barley Area Planted – States and United States: 2021-2023

[Includes area planted in preceding fall]

	Area planted			
State	2021	2022	2023 ¹	Percent of previous year
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)
Alaska	6	6	7	117
Arizona	18	16	21	131
California	40	40	35	88
Colorado	52	61	65	107
Delaware	21	21	21	100
Idaho	530	560	590	105
Kansas	14	15	12	80
Maine	12	11	11	100
Maryland	33	28	34	121
Michigan	10	9	8	89
Minnesota	55	65	55	85
Montana	970	1,030	1,090	106
New York	9	9	9	100
North Carolina	13	16	17	106
North Dakota	580	740	610	82
Oregon	40	36	40	111
Pennsylvania	45	41	37	90
South Dakota	30	28	25	89
Utah	18	20	22	110
Virginia	30	30	30	100
Washington	83	72	85	118
Wisconsin	15	14	18	129
Wyoming	84	77	80	104
United States	2,708	2,945	2,922	99

All Wheat Area Planted – States and United States: 2021-2023

[Includes area planted in preceding fall]

	Area planted			
State	2021	2022	2023 ¹	Percent of previous year
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)
Alabama	175	180	210	117
Arizona	60	85	40	47
Arkansas	210	220	230	105
California	385	380	355	93
Colorado	2,200	1,950	2,250	115
Delaware	60	80	80	100
Georgia	220	200	170	85
Idaho	1,227	1,157	1,195	103
Illinois	670 340	650 290	880 440	135
Indiana	340	290	440	152
Kansas	7,300	7,300	8,100	111
Kentucky	510	530	610	115
Maryland	345	355	370	104
Michigan	610	460	670	146
Minnesota	1,210	1,250	1,180	94
Mississippi	95	100	120	120
Missouri	640	630	860	137
Montana	5,520	5,460	5,330	98
Nebraska New Jersey	920 23	980 26	1,150 30	117 115
	-			
New Mexico	380	355	390	110
New York	155	140	170	121
North Carolina	450	480	510	106
North Dakota	6,470	6,195 510	6,310	102
Ohio	580 4,400	4,300	650 4,600	127 107
Oklahoma Oregon	4,400 720	4,300 730	4,600	107
Pennsylvania	270	270	290	103
South Carolina	125	120	110	92
South Dakota	1,520	1,560	1,660	106
Tennessee	400	410	470	115
Texas	5,500	5,300	6,700	126
Utah	5,500	110	100	91
Virginia	205	230	230	100
Washington	2.330	2,325	2,240	96
Wisconsin	2,000	305	290	95
Wyoming	115	115	115	100
United States	46,740	45,738	49,855	109

Winter Wheat Area Planted – States and United States: 2021-2023

[Includes area planted in preceding fall]

	Area planted				
State	2021	2022	2023	Percent of previous year	
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)	
Alabama	175	180	210	117	
Arkansas	210	220	230	105	
California	360	340	330	97	
Colorado	2,200	1,950	2,250	115	
Delaware	60	80	80	100	
Georgia	220	200	170	85	
Idaho	710	770	770	100	
Illinois	670	650	880	135	
Indiana	340	290	440	152	
Kansas	7,300	7,300	8,100	111	
Kentucky	510	530	610	115	
Maryland	345	355	370	104	
Michigan	610	460	670	146	
Mississippi	95	100	120	120	
Missouri	640	630	860	137	
Montana	1,950	2,050	2,000	98	
Nebraska	920	980	1,150	117	
New Jersey	23	26	30	115	
New Mexico	380	355	390	110	
New York	155	140	170	121	
North Carolina	450	480	510	106	
North Dakota	90	105	130	124	
Ohio	580	510	650	127	
Oklahoma	4,400	4,300	4,600	107	
Oregon	720	730	750	103	
Pennsylvania	270	270	290	107	
South Carolina	125	120	110	92	
South Dakota	800	830	930	112	
Tennessee	400	410	470	115	
Texas	5,500	5,300	6,700	126	
Utah	110	110	100	91	
Virginia	205	230	230	100	
Washington	1,750	1,850	1,800	97	
Wisconsin	290	305	290	95	
Wyoming	115	115	115	100	
United States	33,678	33,271	37,505	113	

Durum Wheat Area Planted – States and United States: 2021-2023

[Includes area planted in preceding fall in Arizona and California]

	Area planted			
State	2021	2022	2023 ¹	Percent of previous year
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)
Arizona California Idaho Montana North Dakota	25	85 40 7 710 790	40 25 5 730 980	47 63 71 103 124
United States	1,642	1,632	1,780	109

¹ Intended plantings in 2023 as indicated by reports from farmers.

Other Spring Wheat Area Planted – States and United States: 2021-2023

		Area p	planted	
State	2021	2022	2023 ¹	Percent of previous year
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)
Idaho	510	380	420	111
Minnesota	1,210	1,250	1,180	94
Montana	2,900	2,700	2,600	96
North Dakota	5,500	5,300	5,200	98
South Dakota	720	730	730	100
Washington	580	475	440	93
United States	11,420	10,835	10,570	98

All Hay Area Harvested – States and United States: 2021-2023

	Area harvested			
State	2021	2022	2023 ¹	Percent of previous year
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)
Alabama	700	680	680	100
Alaska	19	20	18	90
Arizona	305	315	315	100
Arkansas	1,183	1,093	1,130	103
California	830	830	790	95
Colorado	1,480	1,140	1,350	118
Connecticut	46	52	53	102
Delaware	11	11	11	100
Florida	300	310	290	94
Georgia	540	550	570	104
Idaho	1,240	1,410	1,370	97
Illinois	500	495	345	70
Indiana	540	520	520	100
lowa	1,260	1,200	1,070	89
Kansas	2,690	2,610	2,500	96
Kentucky	2,120	2,030	2,080	102
Louisiana	370	390	410	105
Maine	120	134	140	104
Maryland	199	215	220	102
Massachusetts	55	60	60	100
Michigan	790	790	800	101
Minnesota	1,090	1,220	1,170	96
Mississippi	620	590	620	105
Missouri	3,140	3,180	3,140	99
Montana	2,290	2,290	2,400	105
Nebraska	2,560	2,140	2,200	103
Nevada	340	400	400	100
New Hampshire	42	42	43	102
New Jersey New Mexico	98 225	109 225	95 255	87 113
New York	1,160	1,240	1,310	106
North Carolina	683	656	760	116
North Dakota	2,020	2,150	2,000	93
Ohio	870	830	820	99
Oklahoma	2,950	3,020	3,000	99
Oregon	890	820	880	107
Pennsylvania	1,220	1,350	1,360	101
Rhode Island	7	7	5	71
South Carolina	270	270	280	104
South Dakota	2,400	2,950	3,200	108
Tennessee	1,705	1,712	1,760	103
Texas	5,600	4,190	4,800	115
Utah	670	680 165	700	103
Vermont	160	165	175	106
Virginia	1,030 710	1,030 650	1,150 660	112 102
Washington	518	650 565	610	
West Virginia Wisconsin	1,230	565 1,100	1,030	108 94
Wyoming	940	1,110	1,100	94 99
United States	50,736	49,546	50,645	102
	55,.50	.0,010	55,010	.02

¹ Intended area harvested in 2023 as indicated by reports from farmers.

Rice Area Planted by Class – States and United States: 2021-2023

	Area planted					
Class and State	2021	2022	2023 ¹	Percent of previous year		
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)		
Long grain						
Arkansas	1,095	1,000	1,140	114		
California	7	7	7	100		
Louisiana	380	370	390	105		
Mississippi	105	85	100	118		
Missouri	195	150	190	127		
Texas	188	190	130	68		
United States	1,970	1,802	1,957	109		
Medium grain						
Arkansas	115	105	160	152		
California	365	220	365	166		
Louisiana	40	55	60	109		
Mississippi	-	-	-	(X)		
Missouri	4	5	5	100		
Texas	2	5	3	60		
United States	526	390	593	152		
Short grain						
Arkansas	1	1	1	100		
California ²	35	29	32	110		
United States	36	30	33	110		
All						
Arkansas	1,211	1,106	1,301	118		
California	407	256	404	158		
Louisiana	420	425	450	106		
Mississippi	105	85	100	118		
Missouri	199	155	195	126		
Texas	190	195	133	68		
United States	2,532	2,222	2,583	116		

Represents zero.
 (X) Not applicable.
 ¹ Intended plantings in 2023 as indicated by reports from farmers.
 ² Includes sweet rice.

Canola Area Planted – States and United States: 2021-2023

		Area planted				
State	2021	1 2022		Percent of previous year		
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)		
Kansas Minnesota Montana North Dakota Oklahoma Washington	7.0 63.0 185.0 1,750.0 12.0 135.0	9.0 71.0 180.0 1,800.0 18.0 135.0	5.0 60.0 170.0 1,900.0 5.0 130.0	56 85 94 106 28 96		
United States	2,152.0	2,213.0	2,270.0	103		

Soybean Area Planted – States and United States: 2021-2023

		Area pl	Area planted				
State	2021	2022	2023 ¹	Percent of previous year			
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)			
Alabama	310	360	380	106			
Arkansas	3,040	3,180	3,050	96			
Delaware	155	160	150	94			
Georgia	140	165	170	103			
Illinois	10,600	10,800	10,800	100			
Indiana	5,650	5,850	5,600	96			
lowa	10,100	10,100	10,100	100			
Kansas	4,850	5,050	4,600	91			
Kentucky	1,850	1,950	1,900	97			
Louisiana	1,080	1,260	1,170	93			
Maryland	490	520	530	102			
Michigan	2,150	2,250	2,100	93			
Minnesota	7,650	7,450	7,550	101			
Mississippi	2,220	2,310	2,350	102			
Missouri	5,700	6,100	6,000	98			
Nebraska	5,600	5,750	5,750	100			
New Jersey	100	110	100	91			
New York	325	350	355	101			
North Carolina	1,650	1,700	1,750	103			
North Dakota	7,250	5,700	6,550	115			
Ohio	4,900	5,100	5,100	100			
Oklahoma	580	545	500	92			
Pennsylvania	600	600	590	98			
South Carolina	395	405	430	106			
South Dakota	5,450	5,100	5,300	104			
Tennessee	1,550	1,650	1,600	97			
Texas	110	155	150	97			
Virginia	600	620	580	94			
Wisconsin	2,100	2,160	2,300	106			
United States	87,195	87,450	87,505	100			

¹ Intended plantings in 2023 as indicated by reports from farmers.

Peanut Area Planted – States and United States: 2021-2023

		Area p	Area planted			
State	2021	2022	2023 ¹	Percent of previous year		
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)		
Alabama	185.0	165.0	170.0	103		
Arkansas	36.0	33.0	35.0	106		
Florida	165.0	150.0	165.0	110		
Georgia	755.0	685.0	740.0	108		
Mississippi	18.0	15.0	15.0	100		
New Mexico	11.2	7.3	6.0	82		
North Carolina	115.0	117.0	130.0	111		
Oklahoma	16.0	18.0	16.0	89		
South Carolina	69.0	71.0	85.0	120		
Texas	180.0	160.0	155.0	97		
Virginia	30.0	29.0	30.0	103		
United States	1,580.2	1,450.3	1,547.0	107		

Sunflower Area Planted by Type – States and United States: 2021-2023

	Area planted					
Varietal type and State	2021	2022	2023 ¹	Percent of previous year		
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)		
Oil						
California	45.0	33.0	30.0	91		
Colorado	41.0	52.0	22.0	42		
Kansas	25.0	32.0	52.0	163		
Minnesota	54.0	69.0	50.0	72		
Nebraska	35.0	50.0	27.0	54		
North Dakota	460.0	660.0	590.0	89		
South Dakota	485.0	610.0	400.0	66		
Texas	35.0	44.0	32.0	73		
United States	1,180.0	1,550.0	1,203.0	78		
Non-oil						
California	1.0	0.5	1.0	200		
Colorado	12.0	10.0	12.0	120		
Kansas	10.0	10.0	12.0	120		
Minnesota	3.0	8.5	8.0	94		
Nebraska	6.5	7.0	10.0	143		
North Dakota	34.0	57.0	69.0	121		
South Dakota	38.0	42.0	40.0	95		
Texas	6.0	8.0	6.0	75		
United States	110.5	143.0	158.0	110		
All						
California	46.0	33.5	31.0	93		
Colorado	53.0	62.0	34.0	55		
Kansas	35.0	42.0	64.0	152		
Minnesota	57.0	77.5	58.0	75		
Nebraska	41.5	57.0	37.0	65		
North Dakota	494.0	717.0	659.0	92		
South Dakota	523.0	652.0	440.0	67		
Texas	41.0	52.0	38.0	73		
United States	1,290.5	1,693.0	1,361.0	80		

¹ Intended plantings in 2023 as indicated by reports from farmers.

Flaxseed Area Planted – States and United States: 2021-2023

		Area planted				
State	2021	2021 2022		Percent of previous year		
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)		
Montana North Dakota	135 190	98 165	65 110	66 67		
United States	325	263	175	67		

Cotton Area Planted by Type – States and United States: 2021-2023

Type and State Upland Alabama Arizona Arizona California Florida Georgia Kansas Louisiana Mississippi	2021 (1,000 acres) 405.0 120.0 480.0 26.0 92.0 1,170.0	2022 (1,000 acres) 435.0 88.0 640.0	2023 ¹ (1,000 acres) 400.0	Percent of previous year (percent)
Alabama Arizona Arkansas California Florida Georgia Kansas Louisiana Mississippi	405.0 120.0 480.0 26.0 92.0	435.0 88.0 640.0	400.0	(percent)
Alabama Arizona Arkansas California Florida Georgia Kansas Louisiana Mississippi	120.0 480.0 26.0 92.0	88.0 640.0		
Arizona Arkansas California Florida Georgia Kansas Louisiana Mississippi	120.0 480.0 26.0 92.0	88.0 640.0		
Arkansas California Florida Georgia Kansas Louisiana Mississippi	480.0 26.0 92.0	640.0	400.0	92
California Florida Georgia Kansas Louisiana Mississippi	26.0 92.0		100.0	114
California Florida Georgia Kansas Louisiana Mississippi	26.0 92.0		480.0	75
Florida Georgia Kansas Juisiana Mississippi	92.0	20.0	15.0	75
Georgia Cansas ouisiana ⁄lississippi		106.0	90.0	8
Kansas ouisiana ⁄lississippi		1,290.0	1,200.0	9:
ouisiana Iississippi	110.0	165.0	115.0	7
/lississippi	110.0	195.0	130.0	6
	445.0	530.0	400.0	7
/issouri	315.0	360.0	360.0	10
	010.0	000.0	000.0	
lew Mexico	36.0	65.0	65.0	10
lorth Carolina	375.0	470.0	360.0	7
Oklahoma	495.0	670.0	530.0	7
outh Carolina	210.0	270.0	240.0	8
ennessee	275.0	335.0	335.0	10
exas	6,350.0	7,850.0	6,200.0	7
irginia	75.0	91.0	82.0	ç
nited States	11,089.0	13,580.0	11,102.0	8
merican Pima				
rizona	9.0	15.0	16.0	10
alifornia	88.0	116.0	90.0	7
ew Mexico	12.5	19.0	13.0	
exas	17.0	33.0	35.0	10
Inited States	126.5	183.0	154.0	8
All				
labama	405.0	435.0	400.0	g
rizona	129.0	103.0	116.0	11
rkansas	480.0	640.0	480.0	
alifornia	114.0	136.0	105.0	-
lorida	92.0	106.0	90.0	3
eorgia	1,170.0	1,290.0	1,200.0	(
ansas	110.0	165.0	115.0	-
Duisiana	110.0	195.0	130.0	
	445.0	530.0	400.0	-
ississippi issouri	315.0	360.0	360.0	
	315.0	300.0	360.0	10
ew Mexico	48.5	84.0	78.0	9
orth Carolina	375.0	470.0	360.0	-
klahoma	495.0	670.0	530.0	7
outh Carolina	210.0	270.0	240.0	8
ennessee	275.0	335.0	335.0	1(
exas	6,367.0	7,883.0	6,235.0	7
irginia	75.0	91.0	82.0	ç
Inited States	11,215.5	13,763.0	11,256.0	8

Sugarbeet Area Planted – States and United States: 2021-2023

[Relates to year of intended harvest in all States except California]

		Area p	blanted	
State	2021	2022 2023 ¹		Percent of previous year
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)
California ²	24.0	18.0	18.0	100
Colorado	24.3	23.4	23.0	98
Idaho	173.0	173.0	175.0	101
Michigan	155.0	139.0	133.0	96
Minnesota	427.0	434.0	433.0	100
Montana	43.7	33.6	24.0	71
Nebraska	44.4	46.8	49.0	105
North Dakota	226.0	251.0	214.0	85
Oregon	10.5	9.4	10.0	106
Washington	1.8	2.0	1.8	90
Wyoming	31.2	29.3	30.0	102
United States	1,160.9	1,159.5	1,110.8	96

¹ Intended plantings in 2023 as indicated by reports from processors.
 ² Relates to year of planting for overwintered beets in southern California.

Tobacco Area Harvested – States and United States: 2021-2023

		Area harvested				
State	2021	2022	2023 ¹	Percent of previous year		
	(acres)	(acres)	(acres)	(percent)		
Georgia	7,700	6,000	7,000	117		
Kentucky	47,500	43,600	44,100	101		
North Carolina	119,200	116,160	110,160	95		
Pennsylvania	5,350	5,000	4,700	94		
South Carolina	7,300	5,800	7,000	121		
Tennessee	12,000	12,700	12,700	100		
Virginia	14,810	12,500	11,410	91		
United States	213,860	201,760	197,070	98		

¹ Intended area harvested in 2023 as indicated by reports from farmers.

Tobacco Area Harvested by Class and Type – States and United States: 2021-2023

	Area harvested			
Class, type, and State	2021	2022	2023 ¹	Percent of previous year
	(acres)	(acres)	(acres)	(percent)
Class 1, Flue-cured (11-14)				
Georgia	7,700	6,000	7,000	117
North Carolina	119,000	116,000	110,000	95
South Carolina	7,300	5,800	7,000	121
Virginia	14,300	12,100	11,000	91
United States	148,300	139,900	135,000	96
Class 2, Fire-cured (21-23)				
Kentucky	8,700	9,800	8,100	83
Tennessee	6,000	6,300	6,300	100
Virginia	150	150	200	133
United States	14,850	16,250	14,600	90
Class 3A, Light air-cured				
Type 31, Burley				
Kentucky	33,000	28,000	31,000	111
North Carolina	200	160	160	100
Pennsylvania	2,500	1,300	1,000	77
Tennessee	2,500	2,700	3,000	111
Virginia	360	250	210	84
United States	38,560	32,410	35,370	109
Type 32, Southern Maryland				
Pennsylvania	350	100	100	100
United States	350	100	100	100
Total light air-cured (31-32)	38,910	32,510	35,470	109
Class 3B, Dark air-cured (35-37)				
Kentucky	5,800	5,800	5,000	86
Tennessee	3,500	3,700	3,400	92
United States	9,300	9,500	8,400	88
Class 4, Cigar filler				
Type 41, Pennsylvania Seedleaf				
Pennsylvania	2,500	3,600	3,600	100
United States	2,500	3,600	3,600	100
All tobacco				
United States	213,860	201,760	197,070	98

¹ Intended area harvested in 2023 as indicated by reports from farmers.

Dry Edible Bean Area Planted – States and United States: 2021-2023

[Excludes beans grown for garden seed]

		Area p	Area planted			
State	2021	2022	2022 2023 ¹			
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)		
California	16.0	12.0	18.0	150		
Colorado	33.0	35.0	38.0	109		
Idaho	58.0	45.0	45.0	100		
Michigan	210.0	215.0	215.0	100		
Minnesota	240.0	215.0	190.0	88		
Nebraska	120.0	115.0	85.0	74		
North Dakota	660.0	570.0	590.0	104		
Washington	40.0	27.0	30.0	111		
Wyoming	17.0	16.0	15.0	94		
United States	1,394.0	1,250.0	1,226.0	98		

Chickpea Area Planted – States and United States: 2021-2023

	Area planted					
Size and State	2021	2022	2023 ¹	Percent of previous year		
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)		
Small chickpeas ² California Idaho Montana	(D) 9.0 31.0	(D) 15.0 35.0	(D) 30.0 50.0	(D) 200 143		
North Dakota Washington	(D) 14.0	(D) 24.0	(D) 27.0	(D) 113		
Other States ³	5.3	5.7	6.5	114		
United States	59.3	79.7	113.5	142		
Large chickpeas ⁴ California Idaho Montana North Dakota Washington	(D) 69.0 144.0 (D) 81.0	(D) 46.0 152.0 (D) 65.0	(D) 40.0 110.0 (D) 60.0	(D) 87 72 (D) 92		
Other States ³	14.2	10.4	17.0	163		
United States	308.2	273.4	227.0	83		
All chickpeas California Idaho Montana North Dakota Washington	3.2 78.0 175.0 16.3 95.0	2.2 61.0 187.0 13.9 89.0	4.5 70.0 160.0 19.0 87.0	205 115 86 137 98		
United States	367.5	353.1	340.5	96		

(D) Withheld to avoid disclosing data for individual operations.
 ¹ Intended plantings in 2023 as indicated by reports from farmers.
 ² Chickpeas 20/64 inches or smaller.
 ³ Includes data withheld above.
 ⁴ Chickpeas larger than 20/64 inches.

Lentil Area Planted – States and United States: 2021-2023

	Area planted					
State	2021 2022		2023 ¹	Percent of previous year		
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)		
Idaho Montana North Dakota Washington	20.0 530.0 120.0 38.0	15.0 500.0 100.0 45.0	23.0 375.0 90.0 31.0	153 75 90 69		
United States	708.0	660.0	519.0	79		

¹ Intended plantings in 2023 as indicated by reports from farmers.

Dry Edible Pea Area Planted – States and United States: 2021-2023

	Area planted						
State	2021	2022 2023 ¹		Percent of previous year			
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(percent)			
Idaho	29.0	28.0	30.0	107			
Montana	565.0	535.0	570.0	107			
Nebraska	29.0	33.0	32.0	97			
North Dakota	255.0	230.0	290.0	126			
South Dakota	26.0	14.0	8.0	57			
Washington	68.0	79.0	70.0	89			
United States	972.0	919.0	1,000.0	109			

Crop Area Planted and Harvested, Yield, and Production in Domestic Units – United States: 2022 and 2023

[Data are the latest estimates available, either from the current report or from previous reports. Current year estimates are for the full 2023 crop year. Blank data cells indicate estimation period has not yet begun]

	Area planted		Area harvested		
Сгор	2022	2023	2022	2023	
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	
Grains and hay					
Barley	2,945	2,922	2,433		
Corn for grain ¹	88,579	91,996	79,207		
Corn for silage	(NA)	,	6,860		
Hay, all	(NA)	(NA)	49,546	50,645	
Alfalfa	(NA)	()	14,913	,	
All other	(NA)		34,633		
Oats	2,581	2,667	890		
Proso millet	637	2,007	507		
Rice	2,222	2,583	2.172		
	2,222	2,505	341		
Rye		E 075	-		
Sorghum for grain ¹	6,325	5,975	4,570		
Sorghum for silage	(NA)	40.055	525		
Wheat, all	45,738	49,855	35,480		
Winter	33,271	37,505	23,459		
Durum	1,632	1,780	1,581		
Other spring	10,835	10,570	10,440		
Oilseeds					
Canola	2,213.0	2,270.0	2,169.0		
Cottonseed	(X)		(X)		
Flaxseed	263	175	244		
Mustard seed	221.0		182.0		
Peanuts	1,450.3	1,547.0	1,385.4		
Rapeseed	10.9		10.4		
Safflower	150.2		135.3		
Soybeans for beans	87,450	87,505	86,336		
Sunflower	1,693.0	1,361.0	1,607.0		
Cotton, tobacco, and sugar crops					
Cotton, all	13,763.0	11,256.0	7,440.7		
Upland	13,580.0	11,102.0	7,262.5		
American Pima	183.0	154.0	178.2		
Sugarbeets	1,159.5	1,110.8	1,137.1		
Sugarcane	(NA)	.,	930.2		
Tobacco	(NA)	(NA)	201.8	197.1	
Dry beans, peas, and lentils					
Chickpeas	353.1	340.5	341.9		
Dry edible beans	1,250.0	1.226.0	1.223.0		
Dry edible peas	919.0	1,000.0	862.0		
Lentils	660.0	519.0	602.0		
Potatoes and miscellaneous					
Hops	(NA)		59.8		
Maple syrup	(NA)		(NA)		
Mushrooms	(NA)		(NA)		
Peppermint oil	(NA)		34.0		
Potatoes	901.0		895.6		
Spearmint oil	(NA)		13.7		
			13.7		

See footnote(s) at end of table.

--continued

Crop Area Planted and Harvested, Yield, and Production in Domestic Units – United States: 2022 and 2023 (continued)

[Data are the latest estimates available, either from the current report or from previous reports. Current year estimates are for the full 2023 crop year. Blank data cells indicate estimation period has not yet begun]

0	Yield per acre		Production	
Сгор	2022 2023		2022 20	
			(1,000)	(1,000)
Grains and hay				
Barleybushels	71.7		174,333	
Corn for grainbushels	173.3		13,729,719	
Corn for silagetons	18.7		128,567	
Hay, alltons	2.28		112,801	
Alfalfa tons	3.22		47,958	
All other	1.87		64.843	
Dats	64.8		57,655	
Proso milletbushels	18.5		9,403	
			'	
Rice ² cwt	7,383		160,368	
Ryebushels	36.1		12,301	
Sorghum for grainbushels	41.1		187,785	
Sorghum for silage tons	10.8		5,662	
Vheat, allbushels	46.5		1,649,878	
Winterbushels	47.0		1,103,707	
Durumbushels	40.5		63,981	
Other springbushels	46.2		482,190	
Dilseeds				
Canolapounds	1,762		3,821,810	
Cottonseed tons	(X)		4,455.0	
laxseedbushels	17.6		4,304	
Austard seedpounds	557		101,290	
Peanutspounds	4,019		5,568,150	
Rapeseedpounds	1,863		19,380	
	1,003		164,054	
Safflowerpounds			-	
Soybeans for beansbushels Sunflowerpounds	49.5 1,750		4,276,123 2,812,540	
Sotton tobacco and sugar arong				
Cotton, tobacco, and sugar crops	947		14,680.0	
	-		-	
Upland ² bales	939		14,206.0	
American Pima ² bales	1,277		474.0	
Sugarbeetstons	28.6		32,574	
Sugarcane tons	37.3		34,671	
obaccopounds	2,217		447,367	
Dry beans, peas, and lentils				
Chickpeas ²	1,070		3,658	
Dry edible beans ² cwt	2,113		25,847	
Dry edible peas ² cwt	1,751		15,092	
entils ² cwt	912		5,489	
Potatoes and miscellaneous				
lopspounds	1,694		101,286.3	
Aaple syrupgallons	(NA)		5,028	
Jushroomspounds	(NA)		702,391	
Peppermint oilpounds	99		3,349	
Potatoescwt	438		392,243	
	438		532,245	

(NA) Not available.
 (X) Not applicable.
 ¹ Area planted for all purposes.
 ² Yield in pounds.

Crop Area Planted and Harvested, Yield, and Production in Metric Units – United States: 2022 and 2023

[Data are the latest estimates available, either from the current report or from previous reports. Current year estimates are for the full 2023 crop year. Blank data cells indicate estimation period has not yet begun]

	Area pla	inted	Area harvested		
Сгор	2022	2023	2022	2023	
	(hectares)	(hectares)	(hectares)	(hectares)	
Grains and hay					
Barley	1,191,810	1,182,500	984,610		
Corn for grain ¹	35,847,040	37,229,860	32,054,280		
Corn for silage	(NA)		2,776,170		
Hay, all ²	(NA)	(NA)	20,050,770	20,495,530	
Alfalfa	(NA)		6,035,140		
All other	(NA)		14,015,630		
Oats	1,044,500	1,079,310	360,170		
Proso millet	257,790		205,180		
Rice	899,220	1,045,310	878,990		
Rye	880,200		138,000		
Sorghum for grain ¹	2,559,660	2,418,020	1,849,430		
Sorghum for silage	(NA)		212,460		
Wheat, all ²	18,509,710	20,175,820	14,358,400		
Winter	13,464,440	15,177,900	9,493,620		
Durum	660,450	720,350	639,810		
Other spring	4,384,820	4,277,570	4,224,960		
Oilseeds					
Canola	895,580	918,650	877,770		
Cottonseed	(X)	,	(X)		
Flaxseed	106,430	70,820	98,74Ó		
Mustard seed	89,440	-	73,650		
Peanuts	586,920	626,060	560,660		
Rapeseed	4,410	-	4,210		
Safflower	60,780		54,750		
Soybeans for beans	35,390,140	35,412,400	34,939,320		
Sunflower	685,140	550,780	650,340		
Cotton, tobacco, and sugar crops					
Cotton, all ²	5,569,750	4,555,190	3,011,180		
Upland	5,495,690	4,492,870	2,939,060		
American Pima	74,060	62,320	72,120		
Sugarbeets	469,240	449,530	460,170		
Sugarcane	(NA)	-	376,440		
Тобассо	(NA)	(NA)	81,650	79,750	
Dry beans, peas, and lentils					
Chickpeas	142,900	137,800	138,360		
Dry edible beans	505,860	496,150	494,940		
Dry edible peas	371,910	404,690	348,840		
Lentils	267,100	210,030	243,620		
Potatoes and miscellaneous					
Hops	(NA)		24,190		
Maple syrup	(NA)		(NA)		
Mushrooms	(NA)		(NA)		
Peppermint oil	(NA)		13,760		
Potatoes	364,630		362,440		
Spearmint oil	(NA)		5,540		
	. ,		, -		

See footnote(s) at end of table.

--continued

Crop Area Planted and Harvested, Yield, and Production in Metric Units – United States: 2022 and 2023 (continued)

[Data are the latest estimates available, either from the current report or from previous reports. Current year estimates are for the full 2023 crop year. Blank data cells indicate estimation period has not yet begun]

Crop 2022	2023		
		2022	2023
(metric tons) (metric	metric tons)	(metric tons)	(metric tons)
Grains and hay			
Barley		3,795,650	
Corn for grain		348,750,930	
Corn for silage		116,634,020	
Hay, all ²		102,331,350	
Álfalfa 7.21		43,506,770	
All other		58,824,580	
Oats		836,860	
Proso millet 1.04		213,260	
Rice		7,274,170	
Rye		312,460	
Sorghum for grain		4,769,960	
Sorghum for silage		5,136,480	
Wheat, all ²		44,902,320	
Winter		30,037,980	
Durum		1,741,280	
Other spring		13,123,060	
		13,123,000	
Oilseeds			
Canola 1.97		1,733,540	
Cottonseed(X)		4,041,510	
Flaxseed 1.11		109,330	
Mustard seed 0.62		45,940	
Peanuts 4.50		2,525,670	
Rapeseed 2.09		8,790	
Safflower 1.36		74,410	
Soybeans for beans		116,377,000	
Sunflower 1.96		1,275,750	
Cotton, tobacco, and sugar crops			
Cotton, all ² 1.06		3,196,190	
Upland 1.05		3,092,990	
American Pima 1.43		103,200	
Sugarbeets		29,550,640	
Sugarcane		31,453,000	
Tobacco 2.49		202,920	
Dry beans, peas, and lentils			
Chickpeas 1.20		165,920	
Dry edible beans		1,172,400	
Dry edible peas 1.96		684,560	
Lentils 1.02		248,980	
Potatoes and miscellaneous			
Hops 1.90		45,940	
Maple syrup (NA)		25,140	
Mushrooms (NA)		318,600	
Peppermint oil		1,520	
Potatoes		17,791,840	
Spearmint oil 0.13		750	

(NA) Not available.

(X) Not applicable.
 ¹ Area planted for all purposes.
 ² Total may not add due to rounding.

Winter Weather Summary

Highlights: Drought coverage in the continental United States decreased from an autumn 2022 peak of 62.95 percent on October 25 to 38.46 percent by February 28, according to the *Drought Monitor*. As a result, the Nation's record-setting streak with at least 40 percent drought coverage ended at 126 weeks (September 29, 2020 – February 21, 2023), although serious drought impacts persisted on the central and southern Plains.

Notably, the central and southern Plains continued to suffer from soil moisture shortages and poor rangeland, pasture, and winter wheat conditions. By February 26, at least 40 percent of the winter wheat was rated in very poor to poor condition in Kansas (51 percent), Texas (49 percent), Oklahoma (41 percent), and Nebraska (40 percent). On the same date, statewide topsoil moisture in Texas was rated 72 percent very short to short, while rangeland and pastures were rated 68 percent very poor to poor. Western Texas dealt with a pair of late-winter dust storms, the second of which (on February 26) featured wind gusts of 60 to 100 mph or higher.

In contrast, a phenomenal winter wet season unfolded across the West—excluding areas from the Pacific Northwest to the northern Rockies—with periods of intense precipitation concentrated in early December, late December to mid-January, and during the final days of February. By March 1, the average water equivalency of the Sierra Nevada snowpack grew to nearly 45 inches, on par with end-of-season values in California's last two wet winters—2016-17 and 2018-19— according to the California Department of Water Resources.

The band of unusually stormy weather extended northeastward across portions of the northern Plains and upper Midwest, where some locations that received snow in November retained coverage throughout the winter. With wintry conditions lingering through the end of winter in the north-central United States, some farmers struggled through the early stages of lambing and calving season. Additionally, livestock producers in parts of the eastern Corn Belt contended with muddy conditions.

Although much of the winter was cold in the West and mild across the South, East, and lower Midwest, there were notable exceptions. Winter's harshest cold outbreak struck for about a week during the second half of December, resulting in freezes in nearly all areas east of the Rockies, except southern Florida. Another cold wave arrived as January ended and February began, contributing to a multi-day ice storm from central Texas into the mid-South. Later in February, an extended spell of record-setting warmth across the South contributed to an increased risk of spring freezes causing damage to blooming fruit crops.

Historical Perspective: According to preliminary data provided by the National Centers for Environmental Information, the winter of 2022-23 was mild and wet, based on national statistics. The contiguous United States experienced its 17th-warmest, 21st-wettest December-February period in the last 128 years. The national average temperature of 34.9°F was 2.7°F above the 1901-2000 mean, while precipitation averaged 7.69 inches—113 percent of normal. State temperature rankings ranged from the 31st-coolest winter in California to the warmest winter on record in Massachusetts. In fact, top-ten rankings for winter warmth were noted in Arkansas, Louisiana, Missouri, and Texas, along with every state east of the Mississippi River, except Wisconsin. Meanwhile, state precipitation rankings ranged from the 23rd-driest winter in Florida to the wettest winter on record in Wisconsin. Additionally, it was among the ten wettest winters on record in Iowa, Minnesota, Nebraska, Nevada, South Dakota, and Utah. For California, the sporadic nature of heavy precipitation—short bursts of rain and snow, followed by stretches of mostly dry weather—led to the 11th-wettest winter in the last 128 years, although it was the second-wettest December-February period of the 21st century, behind only 2016-17.

December: Significant December precipitation in the West, as well as the South, East, northern Plains, and lower Midwest, further chipped away at expansive drought. Some of the most impressive December storminess occurred in the Far West, including northern and central California. According to the California Department of Water Resources, the average water equivalency of the Sierra Nevada snowpack grew from about 3 to 17 inches in December, with the bulk of the precipitation falling during the first half of the month and in the year's final days. The 17-inch equivalency was about 175 percent of the early-January average and roughly two-thirds of the typical end-of-season value.

In the Northwest, some winter wheat-production areas-especially in eastern Washington-retained a protective snow

cover for the entire month. Snow also blanketed the northern Plains, insulating wheat from a harsh cold snap that sent temperatures into the range of -20 to -40°F, with the Arctic outbreak peaking for several days starting around December 20. The central and southern Plains were not as fortunate, with only patchy snow providing limited protection from sub-zero temperatures. Due to drought and temperature extremes, one-quarter to one-half of the winter wheat was rated in very poor to poor condition at the end of December in Oklahoma (27 percent), Nebraska (36 percent), and Kansas (49 percent).

The Arctic outbreak, which lasted through the holiday weekend (December 24-26), also potentially harmed a variety of crops in the Deep South. In the wake of multiple freezes, Southern producers monitored cover crops, winter grains, and forages, some of which were burned back by low temperatures. Southern Florida escaped the freeze, but crops such as citrus, sugarcane, and strawberries in winter agricultural regions from Deep South Texas to Louisiana and central Florida were subjected to temperatures below 32°F. Another cold-related impact was an epic Great Lake-effect snow and wind event, especially in parts of western New York.

On the strength of the cold wave, monthly temperatures averaged 5 to 15°F below normal in numerous locations from the interior Northwest to the northern Plains. Elsewhere, temperatures were closer to normal due to the offsetting effects of early-month warmth and the subsequent Arctic outbreak, although monthly readings averaged more than 5°F above normal in parts of northern New England.

With wet December weather in parts of the South, muddy field conditions developed. By the end of December, topsoil moisture was rated 60 percent surplus in Arkansas and Louisiana. At the same time, topsoil moisture was at least one-half very short to short in a variety of states across the Plains and Rockies, including New Mexico (76 percent), Nebraska (73 percent), Kansas (69 percent), Oklahoma (58 percent), and Wyoming (56 percent).

The combination of long-term drought in the central United States and the late-December cold wave led to ongoing lower-than-normal river levels in much of the Mississippi River drainage basin. Due to the late-month formation of ice (and ice jams) in the middle Missouri River, record-low water levels developed in the lower Missouri River. On December 30-31 in Missouri, river stages along the Missouri River dipped to -0.98 and -2.88 feet, respectively, in Hermann and Jefferson City. Previous records had been -0.90 foot in Hermann (on December 21, 1878) and -1.10 feet in Jefferson City (on February 3, 1908).

January: Three weeks of frenetically stormy weather from the Sierra Nevada to the western slopes of the central Rockies ensured above-average snowfall for the 2022-23 winter wet season. The extraordinary stormy spell, which had begun in late December, helped to fill some smaller reservoirs but also caused extensive damage, primarily in California due to river flooding and debris flows. Some of the worst large-scale flooding occurred in the heavily agricultural Salinas Valley, which endured breached levees and inundation of fields, roads, and farm infrastructure and equipment.

Given the cold (monthly temperatures locally averaging more than 4°F below normal), stormy weather in the West, almost all the high-elevation precipitation went into building snowpack. According to the California Department of Water Resources, the average water equivalency of the Sierra Nevada snowpack stood near 34 inches at month's end, more than twice the late-January normal and nearly 130 percent of the typical end-of-season average.

Periodically significant precipitation affected other areas of the West, although January totals were below average in parts of the southern Rockies and the Northwest. Farther east, a stripe of heavy precipitation extended across the Plains and upper Midwest, with some of the heaviest snow blanketing Nebraska and portions of neighboring states. In fact, it was the snowiest January on record in Nebraska locations such as Valentine (28.3 inches) and North Platte (22.6 inches).

Most other areas of the Plains also received periods of beneficial January precipitation, although winter wheat continued to exhibit stress due to poor crop establishment and effects from episodic cold waves. An Arctic outbreak in late January delivered sub-0°F temperatures as far south as the central High Plains—but was neither as long-lasting nor severe as a December cold blast. By late January, more than one-third of the winter wheat was rated in very poor to poor condition in Texas (52 percent), Kansas (47 percent), Nebraska (40 percent), and Oklahoma (34 percent). Nearly one-quarter of the wheat—24 percent—was rated very poor to poor in Colorado and South Dakota. Among those six states, only Colorado exhibited a significant improvement in condition, as compared with late-November 2022.

Farther east, mild, wet weather dominated areas east of the Mississippi River, with monthly temperatures averaging at least 4 to 8°F above normal in many locations. In fact, it was the warmest January on record in numerous Northeastern communities. Exceptions to the Eastern wetness included southeastern Louisiana and peninsular Florida. Mid-winter snow was notably scarce in the mid-Atlantic, with New York City setting a record for its latest first accumulation of the season—0.4 inch on February 1. Farther south, however, spring-like thunderstorms spawned dozens of tornadoes, especially from January 2-4, 11-12, and 24-25. Tornadoes were reported as far north as central Illinois (on January 3) and eastern Iowa (on January 16). The first tornado-related deaths of the year occurred on January 12, with seven fatalities in Autauga County, Alabama, and one in Spalding County, Georgia. The Nation's preliminary monthly count of 168 tornadoes was second only to 214 in January 1999.

February: Continuing an active pattern that developed last autumn, frequent major storms further eroded long-term drought. Beneficiaries of the late-winter storminess included California and the Great Basin, Intermountain West, Midwest, and parts of the Plains. Despite the overall reduction in drought coverage, some areas remained critically dry as meteorological spring began. Notably, the central and southern Plains continued to suffer from soil moisture shortages and poor rangeland, pasture, and winter wheat conditions. Other regions experiencing dry weather during February included Florida's peninsula and the lower Rio Grande Valley.

Meanwhile, a subtle Northwestern drying trend contrasted with the sudden return of exceptionally stormy weather across California. Following about a month of relatively tranquil weather, California's late-month storms were accompanied by unusually cold conditions and low-elevation snow. Parts of southern California endured record-setting snowfall, leaving entire mountain communities stranded as the calendar turned to March.

Cold February weather in California and throughout the West contrasted with record-setting warmth across the South. Monthly temperatures averaged at least 5 to 10°F below normal at numerous locations across California, the Great Basin, and the Intermountain West. Colder-than-normal conditions extended across the northwestern half of the Plains and into the far upper Midwest. Meanwhile, warmer-than-normal weather dominated the eastern one-third of the United States, with readings broadly averaging 5 to 10°F above normal from the lower half of the Mississippi Valley to the middle and southern Atlantic States. For several Southeastern communities, it was the warmest-ever February, in some cases toppling records that had been established just 5 years ago, in 2018. Southern and Eastern warmth promoted unusually early development of pastures, winter grains, and fruit crops.

Elsewhere, highly variable Midwestern conditions ranged from mild, damp weather in the southern and eastern Corn Belt to cold, snowy weather farther northwest. In the far upper Midwest, where snow has been on the ground since November, late-winter storminess occasionally contributed to difficult conditions tending livestock, including early stages of lambing and calving season. Conversely, some livestock producers in the eastern Corn Belt contended with increasingly muddy fields and feedlots.

Crop Comments

Corn: Growers intend to plant 92.0 million acres of corn for all purposes in 2023, an increase of 4 percent from last year.

Compared with last year, planted acreage is expected to be up or unchanged in 40 of the 48 estimating States. After a planted acreage decline of 1.15 million acres from 2021 to 2022 in North Dakota, planted in 2023 is expected to increase 800,000 acres from the previous year. Acreage increases of 150,000 acres or more from last year are also expected in Illinois, Indiana, Iowa, Kentucky, Minnesota, and South Dakota.

Record high acreage is expected in Arizona and Idaho. Record low acreage is expected in Massachusetts and Rhode Island.

Sorghum: Growers intend to plant 5.98 million acres of sorghum for all purposes in 2023, down 6 percent from last year. Kansas, the leading sorghum-producing State, is expecting 5 percent less sorghum acres in 2023 than last year. Texas growers are expecting to plant the same amount of sorghum acres as last year. As of March 19, Texas growers had planted 28 percent of their expected acreage, even with last year and the 5-year average.

Oats: Area expected to be seeded to oats for the 2023 crop year is estimated at 2.67 million acres, up 3 percent from 2022. If realized, the United States planted area will be the fifth lowest on record. Record low planted acreage is expected in Idaho and Ohio.

Barley: Producers intend to seed 2.92 million acres of barley for the 2023 crop year, down 1 percent from the previous year. In Montana, the largest barley State, acreage is expected to increase by 6 percent, from last year. Record low barley acres are expected in California, Michigan, Minnesota, New York, and South Dakota.

Winter wheat: The 2023 winter wheat planted area is estimated at 37.5 million acres, up 2 percent from the previous estimate and up 13 percent from last year. If realized this represents the highest winter wheat planted area since 2015, as growers look to capitalize on strong prices. Of the total acreage, approximately 26.0 million acres are Hard Red Winter, 7.80 million acres are Soft Red Winter, and 3.71 million acres are White Winter. Much of the Central Plains to the Ohio Valley are expecting increased planted acres from 2022. Utah is expecting a record low winter wheat acreage.

Durum wheat: Area seeded to Durum wheat for 2023 is estimated at 1.78 million acres, up 9 percent from 2022. If realized this would be the highest Durum wheat acreage since 2018. As of March 26, heading of Durum wheat in Arizona was 35 percent complete, 8 percentage points behind last year, but 4 percentage points ahead of the 5-year average pace. Idaho is expecting a record low Durum wheat acreage.

Other spring wheat: Growers intend to plant 10.6 million acres of other spring wheat, down 2 percent from 2022. If realized this level of other spring wheat acreage would be the lowest since 1972. Of this total, about 9.95 million acres are expected to be Hard Red Spring wheat. Planted area in North Dakota, the largest spring wheat-producing State, is estimated at 5.20 million acres, down 2 percent from last year.

Hay: Producers intend to harvest 50.6 million acres of all hay in 2023, up 2 percent from 2022. Record low all hay harvested area is expected in California, Delaware, Illinois, North Dakota, Ohio, Rhode Island, and Wisconsin.

Rice: Area planted to rice in 2023 is expected to total 2.58 million acres, up 16 percent from 2022. Arkansas, the largest long grain rice-producing State, is expected to increase long grain acres by 14 percent from the previous year. Compared with last year, medium grain acres are expected to increase 52 percent and short grain acres are expected to increase 10 percent. California, the largest medium and short grain-producing State, is expected to increase medium grain planted area by 66 percent and increase short grain planted area by 10 percent in 2023. If realized, planted area in Texas will be a record low.

Canola: Producers intend to plant a record high 2.27 million acres in 2023, up 3 percent from last year's planted area. Compared with last year, planted area is expected to decline in five of the six major canola-producing States, with North Dakota representing the only State expecting an increase. Planted area in North Dakota, the leading canola-producing State, is expected to increase 6 percent from last year to a record high 1.90 million acres. If realized, planted area will be 100,000 acres higher than the previous record high for North Dakota established in 2022.

Soybeans: Growers intend to plant 87.5 million acres in 2023, up slightly from last year. Compared with last year, planted acreage intentions are up or unchanged in 15 of the 29 estimating States. Increases of 100,000 acres or more are anticipated in Minnesota, North Dakota, South Dakota, and Wisconsin. These increases are balanced by decreases of 100,000 acres or more in Arkansas, Indiana, Kansas, Michigan, and Missouri. If realized, the planted area in Illinois, Nebraska, New York, Ohio, and Wisconsin will be the largest on record.

Peanuts: Growers intend to plant 1.55 million acres in 2023, up 7 percent from 2022. Planted acreage is expected to be up or unchanged across peanut-producing States with the exception of New Mexico, Oklahoma, and Texas. In Georgia, the largest peanut-producing State, expected planted area is up 8 percent from 2022.

Sunflower: Growers intend to plant 1.36 million acres in 2023, a decrease of 20 percent from 2022. This will represent the fourth lowest planted area on record for the Nation since 1976, if realized. Compared with last year, growers in seven of the eight major sunflower-producing States expect a decline in planted acreage this year, with Kansas representing the

only State that is expecting an increase from 2022. Planted area in North Dakota is expected to decrease 8 percent from last year to 659,000 acres, which will represent the seventh lowest area since 1975 for the State. Record low planted area is expected in California, Colorado, and Nebraska.

Area intended for oil type varieties, at 1.20 million acres, is down 22 percent from 2022 and will be the fifth lowest since 1976, if realized. Of the eight major sunflower-producing States, only Kansas is expecting an increase in acreage planted to oil type varieties of sunflower. Area intended for non-oil varieties, at 158,000 acres, is up 10 percent from last year but will still represent the sixth lowest acreage on record for the Nation, if realized. Compared with last year, growers in five of the eight major sunflower-producing States expect an increase in acreage for non-oil type varieties. The only States expecting a decline from last year are Minnesota, South Dakota, and Texas.

Flaxseed: Growers intend to plant 175,000 acres of flaxseed in 2023, a decrease of 33 percent from 2022 planted acres and will represent the lowest total for the Nation since 1997, if realized. Planted acreage in North Dakota, the largest flaxseed-producing State, is expected to be down 33 percent, or 55,000 acres from 2022. Planted acreage in Montana is expected to decrease 34 percent from the previous year.

Cotton: Growers intend to plant 11.3 million acres in 2023, down 18 percent from last year. Upland area is expected to total 11.1 million acres, down 18 percent from 2022. American Pima area is expected to total 154,000 acres, down 16 percent from 2022.

Compared with last year, acreage decreases are expected in most cotton-estimating States, except Arizona, Missouri, and Tennessee. Arizona is the only State expected to plant more cotton acres in 2023. Texas, the largest cotton-producing State, is expecting the largest decline in cotton planted area, down 1.65 million acres from last year. If realized, Upland cotton planted area in California will be a record low.

Sugarbeets: Area expected to be planted to sugarbeets for the 2023 crop year is estimated at 1.11 million acres, down 4 percent from 2022. Intended acreages are expected to be the lowest since 2008. Record low planted area is expected in Montana.

Tobacco: United States all tobacco area for harvest in 2023 is expected to total 197,070 acres, down 2 percent from 2022. If realized, this will be the second lowest tobacco harvested area on record. Flue-cured tobacco, at 135,000 acres, is down 4 percent from 2022 and accounts for 69 percent of this year's total expected tobacco acreage. Total light air-cured tobacco type area, at 35,470 acres, is up 9 percent from 2022. The burley portion of light air-cured tobacco, at 35,370 acres, is up 9 percent from last year. Fire-cured tobacco, at 14,600 acres, is down 10 percent from 2022. Dark air-cured tobacco, at 8,400 acres, is down 12 percent from last year. Cigar filler tobacco, at 3,600 acres, is unchanged from the previous year.

Dry edible beans: Growers intend to plant 1.23 million acres in 2023, down 2 percent from the previous year. Planted area is expected to be below last year in Minnesota, Nebraska, and Wyoming.

Chickpeas: Growers intend to plant 340,500 acres of chickpeas, down 4 percent from the previous year. Small chickpea expected planted area is estimated at 113,500 acres, up 42 percent from 2022. Area expected to be planted for large chickpeas in 2023 is estimated at 227,000 acres, a 17 percent decrease from the previous year.

Lentils: Growers intend to plant 519,000 acres in 2023, down 21 percent from 2022. Planted area is expected to increase in Idaho.

Dry edible peas: Growers intend to plant 1.00 million acres in 2023, up 9 percent from 2022. Planted area is expected to increase in Idaho, Montana, and North Dakota.

Statistical Methodology

Survey Procedures: The acreage estimates in this report are based primarily on surveys conducted during the first two weeks of March. The March Agricultural Survey is a probability survey that includes a sample of approximately 72,900 farm operators selected from a list of producers that ensures all operations in the United States have a chance to be selected. Data from operators was collected by mail, internet, or telephone to obtain information on crop acreage intentions for the 2023 crop year.

Estimating Procedures: National, Regional, State, and grower reported data were reviewed for reasonableness and consistency with historical estimates. Each Regional Field Office submits their analysis of the current situation to the Agricultural Statistics Board (ASB). Survey data are compiled to the National level and are reviewed at this level independently of each State's review. Acreage estimates were based on survey data and the historical relationship of official estimates to the survey data.

Revision Policy: Acreage estimates in the *Prospective Plantings* report will not be revised. These estimates are intended to reflect grower intentions as of the survey period. New acreage estimates will be made based on surveys conducted in June when crop acreages have been established or planting intentions are firm. These new estimates will be published in the *Acreage* report scheduled for June 30, 2023. Winter wheat is an exception. Since winter wheat was seeded prior to the March survey, any changes in estimates in this report are considered revisions. The estimate of the harvested acreage of winter wheat will be published on May 12, 2023, along with the first production forecast of the crop year.

Reliability: The survey used to make acreage estimates is subject to sampling and non-sampling errors that are common to all surveys. Sampling errors represent the variability between estimates that would result if many different samples were surveyed at the same time. Sampling errors for major crops are generally between 1.0 and 3.0 percent, but they cannot be applied directly to the acreage published in this report to determine confidence intervals because the official estimates represent a composite of information from more than a single source.

Non-sampling errors cannot be measured directly. They may occur due to incorrect reporting and/or recording, data omissions or duplications, and errors in processing. To minimize non-sampling errors, vigorous quality controls are used in the data collection process and all data are carefully reviewed for consistency and reasonableness.

To assist users in evaluating the reliability of acreage estimates in this report, the "Root Mean Square Error," a statistical measure based on past performance, is computed. The deviations between the acreage estimates in this report and the final estimates are expressed as a percentage of the final estimates. The average of squared percentage deviations for the latest 20 year period is computed. The square root of the average becomes statistically the "Root Mean Square Error." Probability statements can be made concerning expected differences in the current estimates relative to the final end of season estimates, assuming that factors affecting this year's estimates are not different from those influencing recent years. For example, the "Root Mean Square Error" for the corn planted estimate is 2.2 percent. This means that chances are 2 out of 3 that the current corn acreage estimate will not be above or below the final estimate by more than 2.2 percent. Chances are 9 out of 10 (90 percent confidence level) that the difference will not exceed 3.8 percent.

Also, shown in the following table is a 20 year record for selected crops of the difference between the *Prospective Plantings* planted acreage estimates and the final estimates. Using corn again as an example, changes between the intentions estimates and the final estimates during the past 20 years have averaged 1.39 million acres, ranging from 32,000 acres to 6.34 million acres. The prospective plantings estimates have been below the final estimate 10 times and above 10 times. This does not imply that the planted estimate this year is likely to understate or overstate the final estimate.

Reliability of Prospective Plantings Planted Acreage Estimates

[Based on data for the past twenty years]

	Root mean square error	90 percent confidence interval	Difference between forecast and final estimate				
Crop			Thousand acres			Years	
			Average	Smallest	Largest	Below final	Above final
	(percent)	(percent)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(number)	(number)
Barley	7.4	12.9	196	4	401	8	12
Corn	2.2	3.8	1,390	32	6,338	10	10
Hay ¹	2.8	4.8	1,261	34	3,769	1	19
Oats	6.5	11.3	144	3	490	7	13
Peanuts	7.7	13.2	97	8	216	11	9
Rice	6.8	11.8	160	16	329	10	10
Sorghum	8.0	13.8	431	31	1,114	11	9
Soybeans	3.2	5.6	1,636	156	8,517	8	12
Sugarbeets	1.7	3.0	16	(Z)	46	9	11
Upland cotton	7.5	12.9	737	13	2,115	12	8
Wheat							
Winter wheat	1.8	3.1	579	21	1,242	6	14
Durum wheat	21.6	37.3	245	45	1,028	13	7
Other spring	5.5	9.6	537	86	2,083	7	13

(Z) Less than half of the unit shown. ¹ Harvested acreage.

USDA, National Agricultural Statistics Service Information Contacts

Listed below are the commodity statisticians in the Crops Branch of the National Agricultural Statistics Service to contact for additional information. E-mail inquiries may be sent to nass@usda.gov

Lance Honig, Chief, Crops Branch	(202) 720-2127
Chris Hawthorn, Head, Field Crops Section	(202) 720-2127
Irwin Anolik – Crop Progress and Condition	
Joshua Bates – Hemp, Oats, Soybeans	
Natasha Bruton – Barley, Cotton System Consumption and Stocks, Grain Crushings	(202) 690-1042
David Colwell – Fats and Oils, Flour Milling Products	
Michelle Harder – County Estimates, Hay	
James Johanson – Rye, Wheat	(202) 720-8068
Chris Hawthorn – Corn, Flaxseed, Proso Millet	(202) 720-2127
Becky Sommer – Cotton, Cotton Ginnings, Sorghum	(202) 720-5944
Travis Thorson – Sunflower, Other Oilseeds	(202) 720-7369
Lihan Wei – Peanuts, Rice	(202) 720-7688
Fleming Gibson, Head, Fruits, Vegetables and Special Crops Section	(202) 720-2127
Deonne Holiday – Almonds, Asparagus, Carrots, Coffee, Cranberries, Onions,	
Plums, Prunes, Sweet Corn, Tobacco	(202) 720-4288
Robert Little – Apricots, Dry Beans, Lettuce, Macadamia, Maple Syrup,	
Nectarines, Pears, Snap Beans, Spinach, Tomatoes	(202) 720-3250
Krishna Rizal – Artichokes, Cauliflower, Celery, Garlic, Grapefruit, Kiwifruit,	
Lemons, Mandarins and tangerines, Mint, Mushrooms, Olives,	
Oranges, Pistachios	(202) 720-5412
Chris Singh – Apples, Blueberries, Cucumbers, Hazelnuts, Potatoes, Pumpkins,	
Raspberries, Squash, Strawberries, Sugarbeets, Sugarcane, Sweet Potatoes	(202) 720-4285
Antonio Torres – Cantaloupes, Dry Edible Peas, Green Peas, Honeydews, Lentils,	
Papayas, Peaches, Sweet Cherries, Tart Cherries, Walnuts, Watermelons	(202) 720-2157
Chris Wallace – Avocados, Bell Peppers, Broccoli, Cabbage, Chickpeas,	
Chile Peppers, Dates, Floriculture, Grapes, Hops, Pecans	(202) 720-4215

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: <u>www.nass.usda.gov.</u>
- Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit <u>www.nass.usda.gov</u> and click on "National" or "State" in upper right corner above "search" box to create an account and select the reports you would like to receive.
- Cornell's Mann Library has launched a new website housing NASS's and other agency's archived reports. The new website, <u>https://usda.library.cornell.edu</u>. All email subscriptions containing reports will be sent from the new website, <u>https://usda.library.cornell.edu</u>. To continue receiving the reports via e-mail, you will have to go to the new website, create a new account and re-subscribe to the reports. If you need instructions to set up an account or subscribe, they are located at: <u>https://usda.library.cornell.edu/help</u>. You should whitelist <u>notifications@usda-esmis.library.cornell.edu</u> in your email client to avoid the emails going into spam/junk folders.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: <u>nass@usda.gov</u>.

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers, employees, and applicants for employment on the basis of race, color, national origin, age, disability, sex, gender identity, religion, reprisal, and where applicable, political beliefs, marital status, familial or parental status, sexual orientation, or all or part of an individual's income is derived from any public assistance program, or protected genetic information in employment or in any program or activity conducted or funded by the Department. (Not all prohibited bases will apply to all programs and/or employment activities.)

If you wish to file a Civil Rights program complaint of discrimination, complete the <u>USDA Program Discrimination</u> <u>Complaint Form</u> (PDF), found online at <u>www.ascr.usda.gov/filing-program-discrimination-complaint-usda-customer</u>, or at any USDA office, or call (866) 632-9992 to request the form. You may also write a letter containing all of the information requested in the form. Send your completed complaint form or letter to us by mail at U.S. Department of Agriculture, Director, Office of Adjudication, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, by fax (202) 690-7442 or email at <u>program.intake@usda.gov</u>.



TO THE 2022 CENSUS OF AGRICULTURE nass.usda.gov/AgCensus

2023 USDA Spring Data Users' Meeting April 18, 2023

FREE AND OPEN TO THE PUBLIC

Learn more and register at nass.usda.gov/go/Data_Users