

NEWS RELEASE

United States Department of Agriculture NATIONAL AGRICULTURAL STATISTICS SERVICE UTAH FIELD OFFICE P.O. BOX 150969 · Lakewood, CO 80215-0969



FOR IMMEDIATE RELEASE February 15, 2023 Contact: John Hilton (800) 392-3202

UTAH SHEEP & LAMB LOSSES - 2022

Utah sheep and lamb producers lost 44,500 animals to weather, predators, disease, and other causes during 2022, representing a total value of \$10.06 million, according to a survey conducted by USDA, National Agricultural Statistics Service, Mountain Regional Field Office. This study was undertaken at the request of the Utah Department of Agriculture and Food who also provided funding. The total number of sheep and lambs lost was 2,500 head more than last year and the total value of inventory lost was 3 percent more than a year ago. The January 1, 2022, inventory totaled 270,000 head. The lamb crop for 2022 was estimated at 225,000 head. Lambs lost before docking during 2022 equaled 19,500 head. Sheep and lamb deaths for 2022 amounted to 8.7 percent of the 2022 sheep and lamb supply (inventory plus lamb crop plus lambs lost before docking; 514,500 head).

The number of sheep and lambs lost to all predators totaled 32,900 head, up 5,100 head from last year. Lamb losses by all predators amounted to 27,200 head, up 14 percent from last year. The number of sheep lost to all predators totaled 5,700 head, up 1,800 head from a year ago. Predators caused an estimated \$7.43 million in losses in 2022, up 15 percent from the previous year. Losses due to predators amounted to 6.4 percent of the 2022 sheep and lamb supply and 73.9 percent of all sheep and lamb deaths. Coyotes remained the largest predator for both sheep and lambs. Coyotes accounted for 57.4 percent of the predator caused losses and 42.5 percent of all death losses in the state. The value of losses attributed to coyotes was \$4.27 million.

The total value of non-predatory losses was \$2.63 million in 2022, compared with \$3.28 million in 2021. Non-predatory losses accounted for 26.1 percent of all losses. The largest non-predatory cause of losses was due to weather conditions, at 2,600 head. Sheep lost to non-predatory factors totaled 3,300 head, down 800 head from 2021. Non-predatory lamb losses came in at 8,300 head, 1,800 head less than a year ago.

Lambs lost to all unknown causes totaled 3,200 head, compared with 3,600 head last year. Unknown causes claimed 700 sheep, down 100 head from last year.

The sheep and lamb survey utilized multi-frame sampling procedures. The survey involved drawing a random sample from a list of livestock producers maintained by the USDA, National Agricultural Statistics Service, Utah Field Office. In addition, sheep producers living in a selected sample of area segments were interviewed. This procedure assures complete coverage of sheep producers by accounting for ranchers/farmers who may not be on the list.

Sheep and lamb loss estimates published by the USDA include sheep losses for the entire year, but include only those lamb losses that occur after docking. This special report also includes an estimate of lambs lost before docking.

Losses of Lambs Before Docking, by Cause: Utah, 2017-2022

	2017	2018	2019	2020	2021	2022	
Cause of Loss	Number of Head						
Bears	200	200	800	1,500	500	900	
Bobcats/Lynx	400	500	100	(D)	(D)	300	
Coyotes	5,700	6,900	5,400	5,200	7,000	8,300	
Dogs	200	500	100	(D)	(D)	(D)	
Mountain Lions	700	800	1,100	600	1,100	1,100	
Foxes	400	500	100	400	400	800	
Wolves	(D)	(D)	(D)	(D)	(D)	(D)	
Eagles	500	600	400	1,200	1,100	1,200	
Ravens	400	400	200	700	400	600	
Other/Unknown ¹	100	200	400	300	200	200	
Total Predators	8,600	10,600	8,600	9,900	10,700	13,400	
Diseases	(D)	(D)	(D)	200	100	500	
Enterotoxaemia	100	100	100	100	100	100	
Weather Conditions	3,000	3,800	2,800	3,600	2,600	2,100	
Lambing Complications	2,200	3,000	2,200	900	2,800	1,600	
Old Age	NA	NA	NA	NA	NA	NA	
On Back	(D)	(D)	(D)	(D)	(D)	(D)	
Poison	(D)	(D)	(D)	300	(D)	100	
Theft	100	100	(D)	100	(D)	(D)	
Other/Unknown ¹	2,000	2,400	3,300	1,400	1,700	1,700	
Total Non-Predators	7,400	9,400	8,400	6,600	7,300	6,100	
Total Losses	16,000	20,000	17,000	16,500	18,000	19,500	

Footnotes at bottom of page

Losses of Lambs After Docking, by Cause: Utah, 2017-2022

Cause of Loss	2017	2018	2019	2020	2021	2022
Number of Head		·	He	ad	·	
Bears	1,600	2,000	1,800	1,000	1,400	1,800
Bobcats/Lynx	400	400	300	(D)	400	(D)
Coyotes	7,700	10,100	6,700	8,400	7,900	7,800
Dogs	200	500	300	200	200	400
Mountain Lions	2,800	3,500	2,000	1,500	2,600	3,100
Foxes	500	600	200	200	100	100
Wolves	200	200	(D)	(D)	(D)	(D)
Eagles	100	100	100	100	200	200
Ravens	(D)	(D)	100	(D)	200	(D)
Other/Unknown ¹	100	200	300	200	200	400
Total Predators	13,600	17,600	11,800	11,600	13,200	13,800
Diseases	(D)	100	(D)	(D)	200	100
Enterotoxaemia	100	100	300	100	300	200
Weather Conditions	900	1,200	1,200	300	600	400
Lambing Complications	NA	NA	NA	NA	NA	NA
Old Age	NA	NA	NA	NA	NA	NA
On Back	(D)	(D)	(D)	(D)	(D)	(D)
Poison	400	500	300	400	200	400
Theft	100	200	(D)	(D)	(D)	200
Other/Unknown ¹	900	1,300	1,400	600	1,500	900
Total Non-Predators	2,400	3,400	3,200	1,400	2,800	2,200
Total Losses	16,000	21,000	15,000	13,000	16,000	16,000

(D) indicates Un-published: i.e. less than 100 head. ¹ Other/Unknown includes Other and Unknown causes combined with Un-published causes.

Totals may not add due to rounding.

Losses of Sheep and Lambs Combined, by Cause: Utah, 2017-2022¹

Losses of Sheep and Lamb	s Combined, by Cause: Utah, 2017-2022							
Cause of Loss	2017	2018	2019	2020	2021	2022		
	Number of Head							
Bears	2,700	3,000	3,600	3,200	2,500	4,000		
Bobcats/Lynx	800	900	400	(D)	400	300		
Coyotes	16,300	20,300	14,200	15,700	17,100	18,900		
Dogs	600	1,500	500	400	400	900		
Mountain Lions	4,300	5,000	4,100	2,800	4,400	5,200		
Foxes	900	1,100	300	600	500	900		
Wolves	300	200	(D)	(D)	(D)	(D)		
Eagles	600	700	500	1,300	1,300	1,400		
Ravens	400	400	300	700	600	600		
Other/Unknown ²	400	600	700	800	600	700		
Total Predators	27,300	33,700	24,600	25,500	27,800	32,900		
Diseases	100	200	300	400	400	700		
Enterotoxaemia	200	300	500	200	500	400		
Weather Conditions	4,400	5,600	4,200	4,200	3,400	2,600		
Lambing Complications	2,900	3,800	2,900	1,400	3,200	2,300		
		· · · ·		· · · ·		,		
Old Age	1,200	1,400	900	1,500	1,900	1,200		
On Back	300	300	200	100	200	(D)		
Poison	1,100	1,200	1,000	1,400	800	800		
Theft	200	400	(D)	100	(D)	400		
Other/Unknown ²	3,300	4,100	5,400	2,700	3,800	3,200		
Total Non-Predators	13,700	17,300	15,400	12,000	14,200	11,600		
Total Losses	41,000	51,000	40,000	37,500	42,000	44,500		
Percent of Total by Cause			Per	cent				
Bears	6.6	5.9	9.0	8.5	6.0	9.0		
Bobcats/Lynx	2.0	1.8	1.0	(D)	1.0	0.7		
Covotes	39.8	39.8	35.5	41.9	40.7	42.5		
Dogs	1.5	2.9	1.3	1.1	1.0	2.0		
Mountain Lions	10.5	9.8	10.3	7.5	10.5	11.7		
Foxes	2.2	2.2	0.8	1.6	1.2	2.0		
Wolves	0.7	0.4	(D)	(D)	(D)	(D)		
Eagles	1.5	1.4	1.3	3.5	3.1	3.1		
Ravens	1.0	0.8	0.8	1.9	1.4	1.3		
Other/Unknown ²	1.0	1.2	1.8	2.1	1.4	1.6		
Total Predators	66.6	66.1	61.5	68.0	66.2	73.9		
Diseases	0.2	0.4	0.8	1.1	1.0	1.6		
Enterotoxaemia	0.5	0.6	1.3	0.5	1.2	0.9		
Weather Conditions	10.7	11.0	10.5	11.2	8.1	5.8		
Lambing Complications	7.1	7.5	7.3	3.7	7.6	5.2		
Old Age	2.9	2.7	2.3	4.0	4.5	2.7		
On Back	0.7	0.6	0.5	0.3	0.5	(D)		
Poison	2.7	2.4	2.5	3.7	1.9	1.8		
Theft	0.5	0.8	(D)	0.3	(D)	0.9		
Other/Unknown ²	8.0	8.0	13.5	7.2	9.0	7.2		
Total Non-Predators	33.4	33.9	38.5	32.0	33.8	26.1		
Total Losses	100.0	100.0	100.0	100.0	100.0	100.0		
Total Loss as a Percent of Supply ³	7.9	9.6	7.4	7.1	8.0	8.7		
Dollar Value of Losses by Cause		0.0		dollars	0.0	•		
Bears	475	532	642	655	579	907		
Bobcats/Lynx	126	146	66	(D)	94	68		
Coyotes	2,727	3,480	2,443	3,200	3,986	4,267		
Dogs	106	271	87	83	91	205		
Mountain Lions	721	851	724	574	1,024	1,175		
Foxes	142	179	50	122	118	203		
Wolves	53	33	(D)	(D)	(D)	(D)		
Eagles	95	114	83	263	306	315		
Ravens	63	65	50	142	141	135		
Other/Unknown ²	74	109	116	165	138	158		
Total Predators	4,581	5,775	4,259	5,204	6,475	7,431		
Diseases	21	38	64	83	93	158		
Enterotoxaemia	32	54	87	41	116	91		
Weather Conditions	721	943	703	854	796	586		
Lambing Complications	495	662	512	289	746	521		
Old Age	255	305	191	319	418	276		
On Back	64	65	43	21	44	(D)		
Poison	212	234	198	291	179	182		
Thaft	32	71	(D)	20	(D)	91		
Theft								
Other/Unknown ²	542	688	924	554	884	723		
				554 2,471	884 3,276	723 2,627		

(D) indicates Un-published: i.e. less than 100 head.

¹ Lamb losses include both before and after docking losses.

² Other/Unknown includes Other and Unknown causes combined with Un-published causes.
 ³ Supply equals beginning January 1st inventory plus lamb crop plus before docking death loss. Totals may not add due to rounding.

Losses of Sheep, by Cause: Utah, 2017-2022

Cause of Loss	2017	2018	2019	2020	2021	2022		
Cause of Loss	Number of Head							
Bears	900	800	1,000	700	600	1,300		
Bobcats/Lynx	(D)	(D)	(D)	(D)	(D)	(D)		
Coyotes	2,900	3,300	2,100	2,100	2,200	2,800		
Dogs	200	500	100	200	200	500		
Mountain Lions	800	700	1,000	700	700	1,000		
Foxes	(D)	(D)	(D)	(D)	(D)	(D)		
		. ,				. ,		
Wolves	100	(D)	(D)	(D)	(D)	(D)		
Eagles	(D)	(D)	(D)	(D)	(D)	(D)		
Ravens	(D)	(D)	(D)	(D)	(D)	(D)		
Other/Unknown ¹	200	200	(D)	300	200	100		
Total Predators	5,100	5,500	4,200	4,000	3,900	5,700		
Diseases	100	100	300	200	100	100		
Enterotoxaemia	(D)	100	100	(D)	100	100		
	· · ·							
Weather Conditions	500	600	200	300	200	100		
Lambing Complications	700	800	700	500	400	700		
Old Age	1,200	1,400	900	1,500	1,900	1,200		
On Back	300	300	200	100	200	(D)		
Poison	700	700	700	700	600	300		
Theft	(D)	100	(D)	(D)	(D)	200		
Other/Unknown ¹	400	400	700	700	600	600		
Total Non-Predators	3,900	4,500	3,800	4,000	4,100	3,300		
Total Losses	9,000	10,000	8,000	8,000	8,000	9,000		
Percent of Total by Cause				cent				
Bears	10.0	8.0	12.5	8.8	7.5	14.4		
Bobcats/Lynx	(D)	(D)	(D)	(D)	(D)	(D)		
Coyotes	32.2	33.0	26.3	26.3	27.5	31.1		
Dogs	2.2	5.0	1.3	2.5	2.5	5.6		
Mountain Lions	8.9	7.0	12.5	8.8	8.8	11.1		
		-						
Foxes	(D)	(D)	(D)	(D)	(D)	(D)		
Wolves	1.1	(D)	(D)	(D)	(D)	(D)		
Eagles	(D)	(D)	(D)	(D)	(D)	(D)		
Ravens	(D)	(D)	(D)	(D)	(D)	(D)		
Other/Unknown ¹	2.2	2.0	(D)	3.8	2.5	1.1		
Total Predators	56.7	55.0	52.5	50.0	48.8	63.3		
Diseases	1.1	1.0	3.8	2.5	1.3	1.1		
Enterotoxaemia	(D)	1.0	1.3	(D)	1.3	1.1		
Weather Conditions	5.6	6.0	2.5	3.8	2.5	1.1		
Lambing Complications	7.8	8.0	8.8	6.3	5.0	7.8		
Old Age	13.3	14.0	11.3	18.8	23.8	13.3		
On Back	3.3	3.0	2.5	1.3	2.5	(D)		
Poison	7.8	7.0	8.8	8.8	7.5	3.3		
Theft	(D)	1.0	(D)	(D)	(D)	2.2		
Other/Unknown ¹	4.4	4.0	8.8	8.8	7.5	6.7		
Total Non-Predators	43.3	45.0	47.5	50.0	51.3	36.7		
Total Losses	100.0	100.0	100.0	100.0	100.0	100.0		
Dollar Value of Losses by Cause			1,000 0	dollars				
Bears	191	174	213	149	132	299		
Bobcats/Lynx	(D)	(D)	(D)	(D)	(D)	(D)		
Coyotes	616	718	446	446	484	644		
Dogs	43	109	21	43	44	115		
	170	152	213	149	154	230		
Mountain Lions				-				
Foxes	(D)	(D)	(D)	(D)	(D)	(D)		
Wolves	21	(D)	(D)	(D)	(D)	(D)		
Eagles	(D)	(D)	(D)	(D)	(D)	(D)		
Ravens	(D)	(D)	(D)	(D)	(D)	(D)		
Other/Unknown ¹	43	44	(D)	64	44	23		
Total Predators	1,084	1,196	893	850	858	1,311		
					22			
Diseases	21	22	64	43		23		
Enterotoxaemia	(D)	22	21	(D)	22	23		
Weather Conditions	106	131	43	64	44	23		
Lambing Complications	149	174	149	106	88	161		
Old Age	255	305	191	319	418	276		
On Back	64	65	43	21	44	(D		
						•		
Poison	149	152	149	149	132	69		
Theft	(D)	22	(D)	(D)	(D)	46		
	85	87	149	149	132	138		
Other/Unknown ¹								
Total Non-Predators	829	979	808	850	902	759		

(D) indicates Un-published: i.e. less than 100 head.
 (D) for /Unknown includes Other and Unknown causes combined with Un-published causes.
 Totals may not add due to rounding.

Losses of All Lambs, by Cause: Utah, 2017-2022¹

	2017	2018	2019	2020	2021	2022	
Cause of Loss	Number of Head						
Bears	1,800	2,200	2,600	2,500	1,900	2,70	
Bobcats/Lynx	800	900	400	(D)	400	30	
Coyotes	13,400	17,000	12,100	13,600	14,900	16,10	
Dogs	400	1,000	400	200	200	40	
Mountain Lions	3,500	4,300	3,100	2,100	3,700	4,20	
Foxes	900	1,100	300	600	500	-,20	
	200	200					
Wolves			(D)	(D)	(D)])	
Eagles	600	700	500	1,300	1,300	1,40	
Ravens	400	400	300	700	600	60	
Other/Unknown ²	200	400	700	500	400	60	
Total Predators	22,200	28,200	20,400	21,500	23,900	27,20	
Diseases	(D)	100	(D)	200	300	60	
Enterotoxaemia	200	200	400	200	400	30	
Weather Conditions	3,900	5,000	4,000	3,900	3,200	2,5	
Lambing Complications	2,200	3,000	2,200	900	2,800	1,60	
Old Age	NA	NA	NA	NA	NA	Ń	
On Back	(D)	(D)	(D)	(D)	(D)	(
Poison	400	500	300	700	200	5	
Theft	200	300	(D)	100	(D)	2	
Other/Unknown ²	2,900	3,700	4,700	2,000	3,200	2,6	
Total Non-Predators	9,800	12,800	11,600	8,000	10,100	8,3	
Fotal Losses	32,000	41,000	32,000	29,500	34,000	35,5	
Percent of Total by Cause			Perc	cent			
Bears	5.6	5.4	8.1	8.5	5.6	7	
Bobcats/Lynx	2.5	2.2	1.3	(D)	1.2	(
Coyotes	41.9	41.5	37.8	46.1	43.8	45	
Dogs	1.3	2.4	1.3	0.7	0.6	1	
Mountain Lions	10.9	10.5	9.7	7.1	10.9	11	
Foxes	2.8	2.7	0.9	2.0	1.5	2	
Wolves	0.6	0.5	(D)	(D)	(D)		
	1.9	1.7	1.6	4.4	3.8		
Eagles							
Ravens	1.3	1.0	0.9	2.4	1.8		
Other/Unknown ²	0.6	1.0	2.2	1.7	1.2	1	
Total Predators	69.4	68.8	63.8	72.9	70.3	76	
Diseases	(D)	0.2	(D)	0.7	0.9	1	
Enterotoxaemia	0.6	0.5	1.3	0.7	1.2	(
Weather Conditions	12.2	12.2	12.5	13.2	9.4	7	
Lambing Complications	6.9	7.3	6.9	3.1	8.2	4	
Old Age	NA	NA	NA	NA	NA	1	
On Back	(D)	(D)	(D)	(D)	(D)	(
Poison	1.3	1.2	0.9	2.4	0.6		
Theft	0.6	0.7	(D)	0.3	(D)	(
Other/Unknown ²	9.1	9.0	14.7	6.8	9.4	7	
Total Non-Predators	30.6	31.2	36.3	27.1	29.7	23	
Fotal Losses	100.0	100.0	100.0	100.0	100.0	100	
Dollar Value of Losses by Cause			1,000 c	Iollars			
Bears	284	358	429	506	447	6	
Bobcats/Lynx	126	146	66	(D)	94		
Coyotes	2,111	2,763	1,997	2,754	3,502	3,6	
Dogs	63	163	66	41	47		
Mountain Lions	551	699	512	425	870	9	
Foxes	142	179	50	122	118	2	
Wolves	32	33	(D)	(D)	(D)		
	95		• •	263	306		
Eagles	95 63	114 65	83 50	142	141	3	
Ravens							
Other/Unknown ²	32	65	116	101	94	1	
Total Predators	3,497	4,583	3,366	4,354	5,617	6,1	
Diseases	(D)	16	(D)	41	71	1	
Enterotoxaemia	32	33	66	41	94		
Weather Conditions	614	813	660	790	752	5	
Lambing Complications	347	488	363	182	658	3	
Old Age	NA	NA	NA	NA	NA	Ĩ	
On Back	(D)	(D)	(D)	(D)	(D)		
		• •		• •		(
Poison	63	81	50	142	47	1	
Theft	32	49	(D)	20	(D)	_	
	457	601	776	405	752	5	
Other/Unknown ²							
Total Non-Predators	1,544	2,080	1,914	1,620	2,374	1,8	

 (D) indicates Un-published: i.e. less than 100 head.
 5,040
 6,663

 ¹ Lamb losses include both before and after docking losses.
 2 Other/Unknown includes Other and Unknown causes combined with Un-published causes. Totals may not add due to rounding.