MINIMUM DATA SET (MDS) - Version 3.0 RESIDENT ASSESSMENT AND CARE SCREENING Swing Bed PPS (SP) Item Set						
Section	Section A - Identification Information					
A0050.	Type of Record					
Enter Code	 Add new record → Continue to A0100, Facility Provider Numbers Modify existing record → Continue to A0100, Facility Provider Numbers Inactivate existing record → Skip to X0150, Type of Provider 					
A0100.	Facility Provider Numbers					
	A. National Provider Identifier (NPI): B. CMS Certification Number (CCN): C. State Provider Number:					
A0200.	Type of Provider					
Enter Code	Type of provider 1. Nursing home (SNF/NF) 2. Swing Bed					
A0310.	Type of Assessment					
Enter Code	 A. Federal OBRA Reason for Assessment 01. Admission assessment (required by day 14) 02. Quarterly review assessment 03. Annual assessment 04. Significant change in status assessment 05. Significant correction to prior comprehensive assessment 06. Significant correction to prior quarterly assessment 99. None of the above 					
Enter Code	 B. PPS Assessment PPS Scheduled Assessment for a Medicare Part A Stay 01. 5-day scheduled assessment PPS Unscheduled Assessment for a Medicare Part A Stay 08. IPA - Interim Payment Assessment Not PPS Assessment 99. None of the above 					
Enter Code	 E. Is this assessment the first assessment (OBRA, Scheduled PPS, or Discharge) since the most recent admission/entry or reentry? 0. No 1. Yes 					
Enter Code	 F. Entry/discharge reporting 01. Entry tracking record 10. Discharge assessment - return not anticipated 11. Discharge assessment - return anticipated 12. Death in facility tracking record 99. None of the above 					

_____ Date ____

Section	on A - Identification Information						
A0310.	Type of Assessment - Continued						
Enter Code	 G. Type of discharge - Complete only if A0310F = 10 or 11 1. Planned 2. Unplanned 						
Enter Code	 G1. Is this a SNF Part A Interrupted Stay? 0. No 1. Yes 						
Enter Code	 H. Is this a SNF Part A PPS Discharge Assessment? 0. No 1. Yes 						
A0410.	Unit Certification or Licensure Designation						
Enter Code	 Unit is neither Medicare nor Medicaid certified and MDS data is not required by the State Unit is neither Medicare nor Medicaid certified but MDS data is required by the State Unit is Medicare and/or Medicaid certified 						
A0500.	Legal Name of Resident						
	A. First name: B. Middle initial:						
	C. Last name: D. Suffix:						
A0600.	Social Security and Medicare Numbers						
	A. Social Security Number:						
	B. Medicare Number:						
A0700.	Medicaid Number Enter "+" if pending, "N" if not a Medicaid recipient						
A0810.	Sex						
Enter Code	1. Male 2. Female						
A0900.	Birth Date						
	Month Day Year						

Section A - Identification Information A1005. Ethnicity Are you of Hispanic, Latino/a, or Spanish origin? Check all that apply ↓ \square A. No, not of Hispanic, Latino/a, or Spanish origin Β. Yes, Mexican, Mexican American, Chicano/a \square Yes, Puerto Rican C. Yes, Cuban D. Yes, another Hispanic, Latino/a, or Spanish origin Ε. Χ. Resident unable to respond Υ. Resident declines to respond A1010. Race What is your race? Check all that apply ↓ White Α. \square Β. Black or African American \square C. American Indian or Alaska Native D. Asian Indian Ε. Chinese F. Filipino G. Japanese Η. Korean \square I. Vietnamese Other Asian J. Κ. Native Hawaiian Guamanian or Chamorro L. Μ. Samoan Ν. Other Pacific Islander Χ. Resident unable to respond \square Υ. Resident declines to respond \square Z. None of the above A1110. Language A. What is your preferred language? Enter Code Do you need or want an interpreter to communicate with a doctor or health care staff? В. 0. No Yes 1. 9. Unable to determine

____Identifier __

Section A - Identification Information						
A1200.	Marital Status					
Enter Code	 Never married Married Widowed Separated Divorced 					
A1255.	Transportation Complete only if A2300 minus A1900 is less than 366 days					
Enter Code	 In the past 12 months, has lack of reliable transportation kept you from medical appointments, meetings, work or from getting things needed for daily living? 0. Yes 1. No 7. Resident declines to respond 8. Resident unable to respond 					
A1300.	Optional Resident Items					
	 B. Medical Record number: B. Room number: C. Name by which resident prefers to be addressed: D. Lifetime occupation(s) - put "/" between two occupations: 					
	Most Recent Admission/Entry or Reentry into this Facility					
A1600.	Entry Date					
	Month Day Year					
A1700.	Type of Entry					
Enter Code	1. Admission					

Transportation item has been derived from the national PRAPARE® social drivers of health assessment tool (2016), which was developed and is owned by the National Association of Community Health Centers (NACHC). This tool was developed in collaboration with the Association of Asian Pacific Community Health Organizations (AAPCHO) and the Oregon Primary Care Association (OPCA). For additional information, please visit <u>www.prapare.org</u>. Used with permission.

2. Reentry

_____Identifier ____

Section A - Identification Information

A1805.	Entered From						
Enter Code	 Home/Community (e.g., private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements) Nursing Home (long-term care facility) Skilled Nursing Facility (SNF, swing beds) Short-Term General Hospital (acute hospital, IPPS) Long-Term Care Hospital (LTCH) Inpatient Rehabilitation Facility (IRF, free standing facility or unit) Intermediate Care Facility (ID/DD facility) Hospice (home/non-institutional) Hospice (institutional facility) Critical Access Hospital (CAH) Home under care of organized home health service organization Not listed 						
A1900.	Admission Date (Date this episode of care in this facility began)						
	Month Day Year						
A2000.	Discharge Date Complete only if A0310F = 10, 11, or 12						
	$\square = \square = \square = \square $ Month Day Year						
A2105.	Discharge Status Complete only if A0310F = 10, 11, or 12						
Enter Code	 Home/Community (e.g., private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements) → Skip to A2123, Provision of Current Reconciled Medication List to Resident at Discharge Nursing Home (long-term care facility) Skilled Nursing Facility (SNF, swing beds) Short-Term General Hospital (acute hospital, IPPS) Long-Term Care Hospital (LTCH) Inpatient Rehabilitation Facility (IRF, free standing facility or unit) Inpatient Psychiatric Facility (psychiatric hospital or unit) Intermediate Care Facility (ID/DD facility) Hospice (home/non-institutional) Critical Access Hospital (CAH) Home under care of organized home health service organization Deceased Not listed → Skip to A2123, Provision of Current Reconciled Medication List to Resident at Discharge 						
A2121.	Provision of Current Reconciled Medication List to Subsequent Provider at Discharge Complete only if A0310H = 1 and A2105 = 02–12						
Enter Code	 At the time of discharge to another provider, did your facility provide the resident's current reconciled medication list to the subsequent provider? No - Current reconciled medication list not provided to the subsequent provider → Skip to A2300, Assessment Reference Date Yes - Current reconciled medication list provided to the subsequent provider 						

Section	on A - Identification Information								
A2122.	Route of Current Reconciled Medication List Transmission to Subsequent Provider Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider. Complete only if A2121 = 1								
Ļ	Check all that apply								
	Route of Transmission								
	A. Electronic Health Record								
	B. Health Information Exchange								
	C. Verbal (e.g., in-person, telephone, video conferencing)								
	D. Paper-based (e.g., fax, copies, printouts)								
	E. Other methods (e.g., texting, email, CDs)								
A2123.	Provision of Current Reconciled Medication List to Resident at Discharge Complete only if A0310H = 1 and A2105 = 01, 99								
Enter Code	At the time of discharge, did your facility provide the resident's current reconciled medication list to the resident, family and/or caregiver?								
	 No - Current reconciled medication list not provided to the resident, family and/or caregiver → Skip to A2300, Assessment Reference Date 								
	 Yes - Current reconciled medication list provided to the resident, family and/or caregiver 								
A2124.	Route of Current Reconciled Medication List Transmission to Resident Indicate the route(s) of transmission of the current reconciled medication list to the resident/family/caregiver. Complete only if A2123 = 1								
\downarrow	Check all that apply								
	Route of Transmission								
	A. Electronic Health Record (e.g., electronic access to patient portal)								
	B. Health Information Exchange								
	C. Verbal (e.g., in-person, telephone, video conferencing)								
	D. Paper-based (e.g., fax, copies, printouts)								
	E. Other methods (e.g., texting, email, CDs)								
A2300.	Assessment Reference Date								
	Observation end date:								
A2400.	Medicare Stay								
Enter Code	 A. Has the resident had a Medicare-covered stay since the most recent entry? 0. No → Skip to B0100, Comatose 1. Yes → Continue to A2400B, Start date of most recent Medicare stay 								
	B. Start date of most recent Medicare stay:								
	C. End date of most recent Medicare stay - Enter dashes if stay is ongoing:								

Look back period for all items is 7 days unless another time frame is indicated				
Sectio	on B - Hearing, Speech, and Vision			
B0100.	Comatose			
Enter Code	 Persistent vegetative state/no discernible consciousness 0. No → Continue to B0200, Hearing 1. Yes → Skip to GG0100, Prior Functioning: Everyday Activities 			
B0200.	Hearing			
Enter Code	 Ability to hear (with hearing aid or hearing appliances if normally used) Adequate - no difficulty in normal conversation, social interaction, listening to TV Minimal difficulty - difficulty in some environments (e.g., when person speaks softly or setting is noisy) Moderate difficulty - speaker has to increase volume and speak distinctly Highly impaired - absence of useful hearing 			
B0300.	Hearing Aid			
Enter Code	 Hearing aid or other hearing appliance used in completing B0200, Hearing 0. No 1. Yes 			
B0600.	Speech Clarity			
Enter Code	Select best description of speech pattern 0. Clear speech - distinct intelligible words 1. Unclear speech - slurred or mumbled words 2. No speech - absence of spoken words			
B0700.	Makes Self Understood			
Enter Code	 Ability to express ideas and wants, consider both verbal and non-verbal expression Understood Usually understood - difficulty communicating some words or finishing thoughts but is able if prompted or given time Sometimes understood - ability is limited to making concrete requests Rarely/never understood 			
B0800.	Ability To Understand Others			
Enter Code	 Understanding verbal content, however able (with hearing aid or device if used) Understands - clear comprehension Usually understands - misses some part/intent of message but comprehends most conversation Sometimes understands - responds adequately to simple, direct communication only Rarely/never understands 			
B1000.	Vision			
Enter Code	 Ability to see in adequate light (with glasses or other visual appliances) Adequate - sees fine detail, such as regular print in newspapers/books Impaired - sees large print, but not regular print in newspapers/books Moderately impaired - limited vision; not able to see newspaper headlines but can identify objects Highly impaired - object identification in question, but eyes appear to follow objects Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects 			
B1200.	Corrective Lenses			
Enter Code	 Corrective lenses (contacts, glasses, or magnifying glass) used in completing B1000, Vision 0. No 1. Yes 			

Section B - Hearing, Speech, and Vision

B1300. Health Literacy

Complete only if A0310B = 01 or A0310G = 1 and A0310H = 1

Enter Code How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy? 0. Never 1. Rarely 2. Sometimes

3. Often

4. Always

7. Resident declines to respond

8. Resident unable to respond

The Single Item Literacy Screener is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

Section C - Cognitive Patterns

_____ Identifier

C0100. Should Brief Interview for Mental Status (C0200–C0500) be Conducted? Attempt to conduct interview with all residents Enter Code No (resident is rarely/never understood) → Skip to and complete C0700–C1000, Staff Assessment for Mental Status 0. **Yes** \rightarrow Continue to C0200, Repetition of Three Words 1. Brief Interview for Mental Status (BIMS) C0200. **Repetition of Three Words** Enter Code Ask resident: "I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue, and bed. Now tell me the three words." Number of words repeated after first attempt None 0. One 1. 2. Two 3. Three After the resident's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may repeat the words up to two more times. C0300. **Temporal Orientation** (orientation to year, month, and day) Ask resident: "Please tell me what year it is right now." Enter Code A. Able to report correct year 0. Missed by > 5 years or no answer Missed by 2–5 years 1. 2. Missed by 1 year 3. Correct Ask resident: "What month are we in right now?" Enter Code B. Able to report correct month 0. Missed by > 1 month or no answer Missed by 6 days to 1 month 1. Accurate within 5 days 2. Ask resident: "What day of the week is today?" Enter Code C. Able to report correct day of the week Incorrect or no answer 0 Correct 1. C0400. Recall Ask resident: "Let's go back to an earlier question. What were those three words that I asked you to repeat?" If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word. Enter Code Able to recall "sock" Α. 0. No - could not recall 1. Yes, after cueing ("something to wear") 2. Yes, no cue required Enter Code B. Able to recall "blue" 0. No - could not recall Yes, after cueing ("a color") 1. 2. Yes, no cue required Enter Code C. Able to recall "bed" 0. No - could not recall Yes, after cueing ("a piece of furniture") 1. 2. Yes, no cue required C0500. **BIMS Summary Score** Enter Score Add scores for questions C0200–C0400 and fill in total score (00–15) Enter 99 if the resident was unable to complete the interview

Sectio	n C - Cognitive Patterns
C0600.	Should the Staff Assessment for Mental Status (C0700–C1000) be Conducted?
Enter Code	 No (resident was able to complete Brief Interview for Mental Status) → Skip to C1310, Signs and Symptoms of Delirium Yes (resident was unable to complete Brief Interview for Mental Status) → Continue to C0700, Short-term Memory OK
	Staff Assessment for Mental Status
Do not co	nduct if Brief Interview for Mental Status (C0200–C0500) was completed
C0700.	Short-term Memory OK
Enter Code	Seems or appears to recall after 5 minutes 0. Memory OK 1. Memory problem
C0800.	Long-term Memory OK
Enter Code	Seems or appears to recall long past 0. Memory OK 1. Memory problem
C0900.	Memory/Recall Ability
Ļ	Check all that the resident was normally able to recall
	A. Current season
	B. Location of own room
	C. Staff names and faces
	D. That they are in a nursing home/hospital swing bed
	Z. None of the above were recalled
C1000.	Cognitive Skills for Daily Decision Making
Enter Code	 Made decisions regarding tasks of daily life Independent - decisions consistent/reasonable Modified independence - some difficulty in new situations only Moderately impaired - decisions poor; cues/supervision required Severely impaired - never/rarely made decisions

Identifier

Section C - Cognitive Patterns Delirium C1310. Signs and Symptoms of Delirium (from CAM[©]) Code after completing Brief Interview for Mental Status or Staff Assessment, and reviewing medical record Enter Code A. Acute Onset Mental Status Change Is there evidence of an acute change in mental status from the resident's baseline? ٥ No 1. Yes Coding: **Enter Codes in Boxes** T 0. Behavior not present B. Inattention - Did the resident have difficulty focusing attention, for example, being easily distractible or having difficulty keeping track of what was being said? 1. Behavior continuously present, does not fluctuate C. Disorganized Thinking - Was the resident's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or 2. Behavior present, fluctuates (comes and unpredictable switching from subject to subject)? goes, changes in severity) D. Altered Level of Consciousness - Did the resident have altered level of consciousness, as indicated by any of the following criteria? • vigilant - startled easily to any sound or touch • lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch

- stuporous very difficult to arouse and keep aroused for the interview
- comatose could not be aroused

Adapted from: Inouye SK, et al. Ann Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission.

Section D - Mood					
D0100. Should Resident Mood Interview be Conducted? Attempt to conduct interview with all residents					
Enter Code 0. No (resident is rarely/never understood) → Skip to and complete D0500–D0600, Staff Assessment of Resident Mood (PHQ-9-OV)					
$\square \qquad 1. \textbf{Yes} \rightarrow \textbf{Continue to D0150, Resident Mood Intervie}$	w (PHQ-2 to 9 [©])				
D0150. Resident Mood Interview (PHQ-2 to 9 [©])					
Say to resident: "Over the last 2 weeks, have you been bothered b If symptom is present, enter 1 (yes) in column 1, Symptom Presence.	y any of the following problems?"				
If yes in column 1, then ask the resident: <i>"About how often have you be</i> Read and show the resident a card with the symptom frequency choice	-	ency			
1. Symptom Presence	2. Symptom Frequenc				
0. No (enter 0 in column 2)	0. Never or 1 day				
1. Yes (enter 0–3 in column 2)	1. 2–6 days (several days)				
9. No response (leave column 2 blank)	2. 7–11 days (half or more of the days)				
	3. 12–14 days (nearly every day)				
	Enter Scores in Boxes	1. Symptom Presence	2. Symptom Frequency		
A. Little interest or pleasure in doing things					
B. Feeling down, depressed, or hopeless					
If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D01	50B2 are coded 0 or 1, END the PHQ interview; o	otherwise, c	ontinue.		
C. Trouble falling or staying asleep, or sleeping too much					
D. Feeling tired or having little energy					
E. Poor appetite or overeating					
F. Feeling bad about yourself - or that you are a failure or have let yourself or your family down					
G. Trouble concentrating on things, such as reading the newspaper or watching television					
H. Moving or speaking so slowly that other people could have noticed. Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual					
I. Thoughts that you would be better off dead, or of hurting yourself in some way					
D0160. Total Severity Score					
Enter Score Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items).					

_____ Identifier ____

Section D - Mood					
D0500. Staff Assessment of Resident Mood (PHQ-9-OV*) Do not conduct if Resident Mood Interview (D0150–D0160) was completed					
Over the last 2 weeks, did the resident have any of the following problems or behaviors? If symptom is present, enter 1 (yes) in column 1, Symptom Presence. Then move to column 2, Symptom Frequency, and indicate symptom frequency.					
1. Symptom Presence 2. Symptom Frequency					
0. No (enter 0 in column 2)	0. Never or 1 day				
1. Yes (enter 0–3 in column 2)	1. 2–6 days (several days)				
	2. 7–11 days (half or more of the days)				
	3. 12–14 days (nearly every day)				
	Enter Scores in Boxes	1. Symptom Presence	2. Symptom Frequency		
A. Little interest or pleasure in doing things					
B. Feeling or appearing down, depressed, or hopeless					
C. Trouble falling or staying asleep, or sleeping too much					
D. Feeling tired or having little energy					
E. Poor appetite or overeating					
F. Indicating that they feel bad about self, are a failure, or have let self or family down					
G. Trouble concentrating on things, such as reading the newsp	G. Trouble concentrating on things, such as reading the newspaper or watching television				
H. Moving or speaking so slowly that other people have noticed. Or the opposite - being so fidgety or restless that they have been moving around a lot more than usual					
I. States that life isn't worth living, wishes for death, or attemp	I. States that life isn't worth living, wishes for death, or attempts to harm self				
J. Being short-tempered, easily annoyed					
D0600. Total Severity Score					
Enter Score Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 30.					
D0700. Social Isolation					

Enter Code How often do you feel lonely or isolated from those around you? 0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 7. Resident declines to respond 8. Resident unable to respond

* Copyright © Pfizer Inc. All rights reserved.

Section E - Behavior					
E0100.	Potential Indicators of Psychosis				
\downarrow	Check all that apply				
	A. Hallucinations (perceptual experiences in the absence of real external sensory stimuli)				
	B. Delusions (misconceptions or	beliefs th	at are firmly held, contrary to reality)		
	Z. None of the above				
Behavio	oral Symptoms				
E0200. Behavioral Symptom - Presence and Frequency Note presence of symptoms and their frequency					
	Coding:	Ļ	Enter Codes in Boxes		
 Behavior not exhibited Behavior of this type occurred 1 to 3 days Behavior of this type occurred 4 to 6 days, but less than daily Behavior of this type occurred daily 			A. Physical behavioral symptoms directed toward others (e.g., hitting, kicking, pushing, scratching, grabbing, abusing others sexually)		
			B. Verbal behavioral symptoms directed toward others (e.g., threatening others, screaming at others, cursing at others)		
			C. Other behavioral symptoms not directed toward others (e.g., physical symptoms such as hitting or scratching self, pacing, rummaging, public sexual acts, disrobing in public, throwing or smearing food or bodily wastes, or verbal/vocal symptoms like screaming, disruptive sounds)		
E0800.	Rejection of Care - Presend	ce and I	Frequency		
Enter Code	 Did the resident reject evaluation or care (e.g., bloodwork, taking medications, ADL assistance) that is necessary to achieve the resident's goals for health and well-being? Do not include behaviors that have already been addressed (e.g., by discussion or care planning with the resident or family), and determined to be consistent with resident values, preferences, or goals. 0. Behavior not exhibited 1. Behavior of this type occurred 1 to 3 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily 				
E0900.	Wandering - Presence and	Freque	ncy		
Enter Code	Has the resident wandered? 0. Behavior not exhibited 1. Behavior of this type occurred 1 to 3 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily				

Section GG - Functional Abilities

GG0100. Prior Functioning: Everyday Activities

Indicate the resident's usual ability with everyday activities prior to the current illness, exacerbation, or injury

Coding:	↓ Enter Codes in Boxes			
3. Independent - Resident completed the activities by themself, with or without an	A. Self-Care: Code the resident's need for assistance with bathing, dressing, using the toilet, or eating prior to the current illness, exacerbation, or injury.			
assistive device, with no assistance from a helper.	B. Indoor Mobility (Ambulation): Code the resident's need for assistance with walkin from room to room (with or without a device such as cane, crutch, or walker) prior to			
2. Needed Some Help - Resident needed partial assistance from another person to	the current illness, exacerbation, or injury.			
complete activities.	C. Stairs: Code the resident's need for assistance with internal or external stairs (with			
 Dependent - A helper completed the activities for the resident. 	or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.			
8. Unknown.	D. Functional Cognition: Code the resident's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the			
9. Not Applicable.	current illness, exacerbation, or injury.			
GG0110. Prior Device Use				

Indicate devices and aids used by the resident prior to the current illness, exacerbation, or injury

\downarrow	Check all that apply			
	A.	. Manual wheelchair		
	В.	B. Motorized wheelchair and/or scooter		
	C.	Mechanical lift		
	D.	. Walker		
	Ε.	Orthotics/Prosthetics		
	z.	None of the above		
GG0115.	GG0115. Functional Limitation in Range of Motion Code for limitation that interfered with daily functions or placed resident at risk of injury in the last 7 days			
Coding: L Enter Codes in Boxes			Enter Codes in Boxes	
0. No impairment			A. Upper extremity (shoulder, elbow, wrist, hand)	
1. Impairment on one side				
2. Impairment on both sides			B. Lower extremity (hip, knee, ankle, foot)	

Section GG - Functional Abilities - Admission

GG0130. Self-Care (Assessment period is the first 3 days of the stay) The stay begins on A2400B.

Code the resident's usual performance at the start of the stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the stay (admission), code the reason.

		Coding:	
		ality of Performance - If helper assistance is required because resident's unsafe or of poor quality, score according to amount of assistance provided.	
Activities	may	be completed with or without assistive devices.	If activity was not attempted, code reason:
06. Ind	epen	dent - Resident completes the activity by themself with no assistance from a helper.	07. Resident refused
	 Setup or clean-up assistance - Helper sets up or cleans up; resident completes activity. Not applicable - Not attempted and the resident did not perform this activity 		
toud	 O4. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently. O4. Supervision or touching assistance - Helper provides verbal cues and/or or injury O4. Supervision or touching assistance - Helper provides verbal cues and/or or injury O4. Supervision or touching assistance - Helper provides verbal cues and/or or injury O4. Supervision or touching assistance - Helper provides verbal cues and/or or injury O4. Supervision or touching assistance - Helper provides verbal cues and/or or injury O4. Supervision or touching assistance - Helper provides verbal cues and/or or injury O4. Supervision or touching assistance as resident completes activity. 		or injury 10. Not attempted due to environmental
		noderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, supports trunk or limbs, but provides less than half the effort.	limitations (e.g., lack of equipment, weather constraints)
 Substantial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. 88. Not attempted due to medical con or safety concerns 		88. Not attempted due to medical condition or safety concerns	
	01. Dependent - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.		
1. Admission Performance	1	Enter Codes in Boxes	
	A.	Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth placed before the resident.	and swallow food and/or liquid once the meal is
	В.	Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applica into and from the mouth, and manage denture soaking and rinsing with use of equ	, ,
	C.	Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before managing an ostomy, include wiping the opening but not managing equipment.	and after voiding or having a bowel movement. If
	E.	Shower/bathe self: The ability to bathe self, including washing, rinsing, and dryin not include transferring in/out of tub/shower.	ng self (excludes washing of back and hair). Does
	F.	Upper body dressing: The ability to dress and undress above the waist; includin	g fasteners, if applicable.
	G.	Lower body dressing: The ability to dress and undress below the waist, including	g fasteners; does not include footwear.
	H.	Putting on/taking off footwear: The ability to put on and take off socks and show mobility; including fasteners, if applicable.	es or other footwear that is appropriate for safe

Section GG - Functional Abilities - Admission

GG0170. Mobility (Assessment period is the first 3 days of the stay) The stay begins on A2400B.

Code the resident's usual performance at the start of the stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the stay (admission), code the reason.

 06. Independent - Resident completes the activity by themself with no assistance from a helper. 05. Setup or clean-up assistance - Helper sets up or cleans up; resident completes activity. 09. Supervision or touching assistance - Helper provides verbal cues and/or touching/stead/ing and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently. 09. Partial/moderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort. 09. Substantial/maximal assistance - Helper does LESS THAN HALF the effort. Helper lifts, holds trunk or limbs, and provides mere than half the effort. 09. Dependent - Helper does ALL of the effort. Resident does none of the effort to complete the activity. 10. Dependent - Helper does ALL of the effort. Resident does none of the effort to complete the activity. 10. Assistance of 2 or more helpers is required for the resident to complete the activity. 10. State to be adding to react the adding on black to left and right side, and return to lying on black on the bed. 10. Stit to lying: The ability to roll from lying on black to left and right side, and return to lying on black on the bed. 10. Stit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed. 11. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair). 12. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair). 13. To liet transfer: The ability to transfer in and out of a car or an on the passenger side. Does not include the ability to open/cld doe or fasten seat belt. 14. Welk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is code		Coding:		
 1. Additional of the second second				
05. Setup or clean-up assistance - Helper sets up or cleans up; resident completes activity. 99. Not applicable - Not attempted and the resident did not perform this activation or touching statance - Helper provides verbal cues and/or touching/steadying and/or contact yard assistance as resident completes activity. 99. Not applicable - Not attempted and the resident did not perform this activation or houching/steadying and/or contact yard assistance as resident completes activity. 03. Partial/moderate assistance - Helper does LES TAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort. 10. Not attempted due to environmen limitations (e.g., lack of equipment, weather constraints) 01. Dependent - Helper does LLS THAN HALF the effort. Helper lifts, or holds runk or limbs and provides more than half the effort. 80. Not attempted due to medical con or holds trunk or limbs and provides more than half the effort. 01. Dependent - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity. 80. Not attempted aud to medical con or safety concerns 11. A Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed. 10. 12. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed. 10. 13. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed. 10. 14. Chair/bed-to-chair transfer: The ability	Activities ma	ay be completed with or without assistive devices.	If activity was not attempted, code reason:	
Helper assists only prior to or following the activity. In the resident did not perform this activity. 64. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently. In the resident did not perform this activity. Assistance may be provides less than half the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort. Helper lifts. In Not attempted due to environment limitations (e.g., lack of equipment, weather constraints) 83. Not attempted due to medical consort or holds trunk or limbs, and provides more than half the effort. In Not attempted due to medical consort activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity. In Not attempted due to medical consort activity or, the assistance of 2 or more helpers is required for the resident to complete the activity. 1 ¹ Performance Enter Codes in Boxes In A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed. In Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed. Image: Description of the ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed. Image: Description of the ability to get on and off a toilet or commode. Image: Description or fasten seat belt. Image: Description or fasten	06. Indep	. Independent - Resident completes the activity by themself with no assistance from a helper. 07. Resident refused		
 Weather constraints) Not attempted due to medical consort of holds trunk or limbs, but provides less than half the effort. Dependent - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity. Anticident - Helper does ALL of the effort. Resident does none of the effort to complete the activity. Anticident - Helper does ALL of the effort. Resident does none of the effort to complete the activity. A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed. B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed. C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed and with no back support. D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed. E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair). F. Tollet transfer: The ability to get on and off a tollet or commode. G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/old door or fasten seat belt. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb) Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns. 	Helper 04. Super touching	Helper assists only prior to or following the activity.the resident did not perform this activity prior to the current illness, exacerbation, or injury04.Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity.the resident did not perform this activity prior to the current illness, exacerbation, or injury		
Value Substantial indexination assistance - heigher does worker in all the effort. Index index in the index index work in all the effort. Index i				
activity. Or, the assistance of 2 or more helpers is required for the resident to complete the activity. 1* Admission 1* Performance A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed. Image: Description of the ability to move from sitting on side of bed to lying flat on the bed. Image: Description of the ability to move from sitting on side of bed to lying flat on the bed. Image: Description of the ability to move from sitting on side of bed to lying flat on the bed. Image: Description of the ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed. Image: Description of the ability to get on and off a toilet or commode. Image: Description of the ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/cld door or fasten seat belt. Image: Description of the ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/cld door or fasten seat belt. Image: Description of the two turns: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 -> Skip to GG0170M, 1 step (curb) Image: Description and two turns: Once standing, the ability to walk at least 50 feet and make two turns.			88. Not attempted due to medical condition or safety concerns	
Performance A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed. B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed. C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed and with no back support. D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed. E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair). F. Toilet transfer: The ability to get on and off a toilet or commode. G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/cld door or fasten seat belt. I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb) J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.				
Image: Site of the second state of	1. Admission Performance	Enter Codes in Boxes		
Image: Constraint of the sector of the s		A. Roll left and right: The ability to roll from lying on back to left and right side, and	return to lying on back on the bed.	
back support. D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed. E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair). F. Toilet transfer: The ability to get on and off a toilet or commode. G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/cld door or fasten seat belt. I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb) J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.		B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed		
Image: Line Sector			ing on the side of the bed and with no	
F. Toilet transfer: The ability to get on and off a toilet or commode. □ G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/clodor or fasten seat belt. □ I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb) □ J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.		D. Sit to stand: The ability to come to a standing position from sitting in a chair, whe	elchair, or on the side of the bed.	
G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/clo door or fasten seat belt. Image: Instant in the image:		E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).	
door or fasten seat belt. Image: Mark 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb) Image: Mark 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.		F. Toilet transfer: The ability to get on and off a toilet or commode.		
If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb) J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.			de. Does not include the ability to open/close	
K Walk 150 facts Once standing the ability to walk at least 150 fact in a corrider or similar space		J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet an	nd make two turns.	
N. Waik 150 feet: Once standing, the ability to waik at least 150 feet in a corridor or similar space.		K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or	similar space.	

Section GG - Functional Abilities - Admission

GG0170. Mobility (Assessment period is the first 3 days of the stay) The stay begins on A2400B.

Code the resident's usual performance at the start of the stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the stay (admission), code the reason.

	Coding:		
	d Quality of Performance - If helper assistance is required because resident's ce is unsafe or of poor quality, score according to amount of assistance provided.		
Activities may be completed with or without assistive devices. If activity was not attempted, code reason:			
06. Inde	06. Independent - Resident completes the activity by themself with no assistance from a helper. 07. Resident refused		
Helpo 04. Supe touch	Helper assists only prior to or following the activity. the resident did not perform this activity prior to the current illness, exacerbation.		
	ial/moderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, s, or supports trunk or limbs, but provides less than half the effort.	limitations (e.g., lack of equipment, weather constraints)	
	 02. Substantial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. 88. Not attempted due to medical condition or safety concerns 		
	endent - Helper does ALL of the effort. Resident does none of the effort to complete the ty. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.		
1. Admission Performance	Enter Codes in Boxes		
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sl or gravel.	oping surfaces (indoor or outdoor), such as turf	
	M. 1 step (curb): The ability to go up and down a curb and/or up and down one step. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object		
	N. 4 steps: The ability to go up and down four steps with or without a rail. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object		
	0. 12 steps: The ability to go up and down 12 steps with or without a rail.		
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a	a small object, such as a spoon, from the floor.	
Enter Code	Ler CodeQ1.Does the resident use a wheelchair and/or scooter?0.No \rightarrow Skip to GG0130, Self Care - Discharge1.Yes \rightarrow Continue to GG0170R, Wheel 50 feet with two turns		
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to v	wheel at least 50 feet and make two turns.	
Enter Code	RR1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized		
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 1	50 feet in a corridor or similar space.	
Enter Code	ter Code SS1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized		

Section GG - Functional Abilities - Discharge

GG0130. Self-Care (Assessment period is the last 3 days of the stay)

Complete column 3 when A0310F = 10 or 11 or when A0310H = 1.

When A2400C minus A2400B is greater than 2 and A2105 is not = 04, the stay ends on A2400C.

For all other Discharge assessments, the stay ends on A2000.

Code the resident's usual performance at the end of the stay for each activity using the 6-point scale. If an activity was not attempted at the end of the stay, code the reason.

			Coding:	
-			ality of Performance - If helper assistance is required because resident's unsafe or of poor quality, score according to amount of assistance provided.	
Activit	ties n	nay b	e completed with or without assistive devices.	If activity was not attempted, code reason:
06. I	Indep	bend	ent - Resident completes the activity by themself with no assistance from a helper.	07. Resident refused
	Helper assists only prior to or following the activity. the resident did not perform this activity			the resident did not perform this activity
t	touching/steadying and/or contact guard assistance as resident completes activity.			•
			oderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, supports trunk or limbs, but provides less than half the effort.	limitations (e.g., lack of equipment, weather constraints)
	88 Not attempted due to medical condition			88. Not attempted due to medical condition or safety concerns
			nt - Helper does ALL of the effort. Resident does none of the effort to complete the , the assistance of 2 or more helpers is required for the resident to complete the activity.	
3. Dischar Perform	rge nance		Enter Codes in Boxes	
		A.	Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth placed before the resident.	and swallow food and/or liquid once the meal is
		В.	Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applica into and from the mouth, and manage denture soaking and rinsing with use of equ	· · · ·
		C.	Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before managing an ostomy, include wiping the opening but not managing equipment.	and after voiding or having a bowel movement. If
		E.	Shower/bathe self: The ability to bathe self, including washing, rinsing, and dryin not include transferring in/out of tub/shower.	g self (excludes washing of back and hair). Does
		F.	Upper body dressing: The ability to dress and undress above the waist; including	g fasteners, if applicable.
		G.	Lower body dressing: The ability to dress and undress below the waist, including	g fasteners; does not include footwear.
		H.	Putting on/taking off footwear: The ability to put on and take off socks and show mobility; including fasteners, if applicable.	es or other footwear that is appropriate for safe

Section GG - Functional Abilities - Discharge

GG0170. Mobility (Assessment period is the last 3 days of the stay)

Complete column 3 when A0310F = 10 or 11 or when A0310H = 1.

When A2400C minus A2400B is greater than 2 and A2105 is not = 04, the stay ends on A2400C.

For all other Discharge assessments, the stay ends on A2000.

Code the resident's usual performance at the end of the stay for each activity using the 6-point scale. If an activity was not attempted at the end of the stay, code the reason.

	Coding:			
			ality of Performance - If helper assistance is required because resident's unsafe or of poor quality, score according to amount of assistance provided.	
Activ	vities m	nay b	e completed with or without assistive devices.	If activity was not attempted, code reason:
06.	. Independent - Resident completes the activity by themself with no assistance from a helper. 07. Resident refused			
05. 04.	 Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. 			
03.	limitations (e.g. lack of equipment			limitations (e.g., lack of equipment, weather constraints)
02.			ial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts runk or limbs and provides more than half the effort.	88. Not attempted due to medical condition or safety concerns
01.			nt - Helper does ALL of the effort. Resident does none of the effort to complete the , the assistance of 2 or more helpers is required for the resident to complete the activity.	
3. Disch Perfo	narge ormance		Enter Codes in Boxes	
		A.	Roll left and right: The ability to roll from lying on back to left and right side, and	return to lying on back on the bed.
		В.	Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.	
		C.	Lying to sitting on side of bed: The ability to move from lying on the back to sitti back support.	ing on the side of the bed and with no
		D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.		elchair, or on the side of the bed.
		E.	Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
		F.	Toilet transfer: The ability to get on and off a toilet or commode.	
		G.	Car transfer: The ability to transfer in and out of a car or van on the passenger side door or fasten seat belt.	de. Does not include the ability to open/close
		I.	Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor If discharge performance is coded 07, 09, 10, or $88 \rightarrow \text{Skip}$ to GG0170M, 1 step (c	•
		J.	Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet ar	nd make two turns.
		К.	Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or a	similar space.

Section GG - Functional Abilities - Discharge

GG0170. Mobility (Assessment period is the last 3 days of the stay)

Complete column 3 when A0310F = 10 or 11 or when A0310H = 1.

When A2400C minus A2400B is greater than 2 and A2105 is not = 04, the stay ends on A2400C.

For all other Discharge assessments, the stay ends on A2000.

Code the resident's usual performance at the end of the stay for each activity using the 6-point scale. If an activity was not attempted at the end of the stay, code the reason.

	Coding:		
	Safety and Quality of Performance - If helper assistance is required because resident's performance is unsafe or of poor quality, score according to amount of assistance provided.		
Activities r	Activities may be completed with or without assistive devices. If activity was not attempted, code reason:		
06. Inde	06. Independent - Resident completes the activity by themself with no assistance from a helper. 07. Resident refused		
Helpo 04. Supe	 Helper assists only prior to or following the activity. Supervision or touching assistance - Helper provides verbal cues and/or the resident did not perform this activity prior to the current illness, exacerbation, or injury. 		
Assis 03. Parti	 touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently. Partial/moderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, holds, or supports trunk or limbs, but provides less than half the effort. 		
	stantial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts Ids trunk or limbs and provides more than half the effort.	88. Not attempted due to medical condition or safety concerns	
•	endent - Helper does ALL of the effort. Resident does none of the effort to complete the ty. Or, the assistance of 2 or more helpers is required for the resident to complete the activity.		
3. Discharge Performance	Enter Codes in Boxes		
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or slo or gravel.	oping surfaces (indoor or outdoor), such as turf	
	M. 1 step (curb): The ability to go up and down a curb and/or up and down one step. If discharge performance is coded 07, 09, 10, or $88 \rightarrow $ Skip to GG0170P, Picking up object		
	N. 4 steps: The ability to go up and down four steps with or without a rail. If discharge performance is coded 07, 09, 10, or $88 \rightarrow 3$ Skip to GG0170P, Picking up object		
	0. 12 steps: The ability to go up and down 12 steps with or without a rail.		
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a	small object, such as a spoon, from the floor.	
Enter Code	Q3. Does the resident use a wheelchair and/or scooter?		
	 No → Skip to H0100, Appliances Yes → Continue to GG0170R, Wheel 50 feet with two turns 		
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to v	vheel at least 50 feet and make two turns.	
Enter Code	RR3. Indicate the type of wheelchair or scooter used.		
	1. Manual 2. Motorized		
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 1	50 feet in a corridor or similar space.	
Enter Code	SS3. Indicate the type of wheelchair or scooter used.		
	1. Manual 2. Motorized		

Section	Section H - Bladder and Bowel		
H0100.	Appliances		
\downarrow	Check all that apply		
	A. Indwelling catheter (including suprapubic catheter and nephrostomy tube)		
	B. External catheter		
	C. Ostomy (including urostomy, ileostomy, and colostomy)		
	D. Intermittent catheterization		
	Z. None of the above		
H0200.	Urinary Toileting Program		
Enter Code	 A. Has a trial of a toileting program (e.g., scheduled toileting, prompted voiding, or bladder training) been attempted on admission/entry or reentry or since urinary incontinence was noted in this facility? 0. No → Skip to H0300, Urinary Continence 1. Yes → Continue to H0200C, Current toileting program or trial 9. Unable to determine → Continue to H0200C, Current toileting program or trial 		
Enter Code	 Current toileting program or trial - Is a toileting program (e.g., scheduled toileting, prompted voiding, or bladder training) currently being used to manage the resident's urinary continence? No 1. Yes 		
H0300.	Urinary Continence		
Enter Code	 Urinary continence - Select the one category that best describes the resident Always continent Occasionally incontinent (less than 7 episodes of incontinence) Frequently incontinent (7 or more episodes of urinary incontinence, but at least one episode of continent voiding) Always incontinent (no episodes of continent voiding) Not rated, resident had a catheter (indwelling, condom), urinary ostomy, or no urine output for the entire 7 days 		
H0400.	Bowel Continence		
Enter Code	 Bowel continence - Select the one category that best describes the resident Always continent Occasionally incontinent (one episode of bowel incontinence) Frequently incontinent (2 or more episodes of bowel incontinence, but at least one continent bowel movement) Always incontinent (no episodes of continent bowel movements) Not rated, resident had an ostomy or did not have a bowel movement for the entire 7 days 		
H0500.	Bowel Toileting Program		
Enter Code	Is a toileting program currently being used to manage the resident's bowel continence? 0. No 1. Yes		

Section	on I - Active Diagnoses
10020.	Indicate the resident's primary medical condition category
Enter Code	 Indicate the resident's primary medical condition category that best describes the primary reason for admission 01. Stroke 02. Non-Traumatic Brain Dysfunction 03. Traumatic Brain Dysfunction 04. Non-Traumatic Spinal Cord Dysfunction 05. Traumatic Spinal Cord Dysfunction 06. Progressive Neurological Conditions 07. Other Neurological Conditions 08. Amputation 09. Hip and Knee Replacement 10. Fractures and Other Multiple Trauma 11. Other Orthopedic Conditions 12. Debility, Cardiorespiratory Conditions 13. Medically Complex Conditions
	10020B. ICD Code
Active I	Diagnoses in the last 7 days
	that apply. s listed in parentheses are provided as examples and should not be considered as all-inclusive lists
	Cancer
	I0100. Cancer (with or without metastasis)
	Heart/Circulation
	I0200. Anemia (e.g., aplastic, iron deficiency, pernicious, and sickle cell)
	10400. Coronary Artery Disease (CAD) (e.g., angina, myocardial infarction, and atherosclerotic heart disease (ASHD))
	I0600. Heart Failure (e.g., congestive heart failure (CHF) and pulmonary edema)
	10700. Hypertension
	10800. Orthostatic Hypotension
	10900. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)
	Gastrointestinal
	11300. Ulcerative Colitis, Crohn's Disease, or Inflammatory Bowel Disease
	Genitourinary
	11500. Renal Insufficiency, Renal Failure, or End-Stage Renal Disease (ESRD)
	11550. Neurogenic Bladder
	11650. Obstructive Uropathy

Active Diagnoses in the last 7 days continued on next page

Image: Fractures of the trochanter and femoral neck) Image: Fracture fracture Image: Fracture fracture Image: Fracture fracture fracture Image: Fracture fracture fracture Image: Fracture fracture fracture fracture Image: Fracture fractu	Sectio	Section I - Active Diagnoses		
In 1700. Multidrug-Resistant Organism (MDRO) Image: International Content of Conten of Content of Content of Content of Content o	Active D	iagnos	es in the last 7 days - Continued	
2000. Pneumonia 2100. Septicenia 2100. Septicenia 2200. Tuberculosis 2200. Tuberculosis 2200. Urinary Tract Infection (UTI) (LAST 30 DAYS) 2200. Diabetes Mellitus (DM) (e.g., diabetic relinopathy, nephropathy, and neuropathy) 1 1200. 1 1200. 1 1200. 1 1200. 1 1200. 1 1200. 1 1200. 1 1200. 1 1300. 1 1300. 1 1300. 1 1300. 1 1300. 1 1300. 1 1300. 1 1300. 1 1300. 1 1300. 1 1300. 1 1300. 1 1300. 1 1400. 1 1400. 1 1400. 1 1400. 1 1400		Infectio	ons	
2100. Septicemia 1200. Tuberculosis 1200. Utrary Tract Infection (UTI) (LAST 30 DAYS) 1200. Virnary Tract Infection (other than foot) 1200. Visual Infection (other than foot) 1200. Diabetes Mellitus (DM) (e.g., diabetic relinopathy, nephropathy, and neuropathy) 13100. Hyponatromia 13200. Hyperkalemia 13200. Hyperkalemia (e.g., hypercholesterolemia) 13200. Hyperkolestal 13200. Hyperkolestal 13200. Hip Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, an fractures of the trochanter and femoral neck) 1 H400. Corebral Palsy 1 H400. Corebral CVA), Transient lacked to stroke, Parkinson's or CreutZfeldL-Jakob diseases) 1 H400. Non-Atzheimer's Dementia (e.g. Lowy body deme		11700.	Multidrug-Resistant Organism (MDRO)	
Image: Instant State St		12000.	Pneumonia	
Image: State Stat		I2100.	Septicemia	
B250. Wound Infection (other than foot) B250. Wound Infection (other than foot) B250. Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy) B300. Hypenatremia B300. Hyperkalemia B300. Hyperkalemia Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Image: Comparison of the trochanter and femoral neck) Musculoskeletal Comparison of the trochanter and femoral neck) Musculoskeletal Comparison of the trochanter and femoral neck		12200.	Tuberculosis	
Metabolic 1290. Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy) 1310. Hypentaremia 1320. Hyperkalemia 1330. Hyperlipidemia (e.g., hypercholesterolemia) Musculoskeletai Image: Status (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck) 1400. Other Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck) 1400. Other Fracture 1400. Other Fracture 1400. Cerebral Paisy 14400. Cerebral Paisy 14500. Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke 14900. Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia sub as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases) 1490. Hemiplegia or Hemiparesis 1500. Paraplegia 1500. Quadriplegia 1520. Multiple Sclerosis (MS) 1520. Huntington's Disease 1520. Huntington's Disease 1530. Parkinson's Disease		12300.	Urinary Tract Infection (UTI) (LAST 30 DAYS)	
Image:		12500.	Wound Infection (other than foot)	
Isito. Hyporatremia Isito. Hyperkalemia Isito. Hyperkalemia Isito. Hyperlipidemia (e.g., hypercholesterolemia) Musculoskeletal Image: Imag		Metabo	blic	
Image: Section of the section of th		12900.	Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)	
I3300. Hyperlipidemia (e.g., hypercholesterolemia) Musculoskeletal I3900. Hip Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, at fractures of the trochanter and femoral neck) I4000. Other Fracture I4000. Other Fracture I4300. Aphasia I4400. Cerebral Palsy I4400. Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke I4800. Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases) I4900. Hemiplegia or Hemiparesis I5000. Paraplegia I5000. Paraplegia I5300. Parkinson's Disease I5300. Seizure Disorder or Epilepsy		13100.	Hyponatremia	
Musculoskeletal I3900. Hip Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck) I4000. Other Fracture Neurological I4300. Aphasia I4400. Cerebral Palsy I4500. Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke I4800. Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases) I5000. Paraplegia I5100. Quadriplegia I5200. Multiple Sclerosis (MS) I5300. Parkinson's Disease I5300. Parkinson's Disease I5300. Parkinson's Disease I5300. Seizure Disorder or Epilepsy		13200.	Hyperkalemia	
I3900. Hip Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck) I4000. Other Fracture Neurological H400. I4000. Cerebral Palsy I4000. Cerebral Palsy I4000. Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke I4800. Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases) I4900. Hemiplegia or Hemiparesis I5000. Paraplegia I5000. Parkinson's Disease I5000. Isase I5000. Parkinson's Disease I5000. Parkinson's Disease I5000. Seizure Disorder or Epi		13300.	Hyperlipidemia (e.g., hypercholesterolemia)	
Image: Instant of the fracture of the trochanter and femoral neck) Image: Ima		Musculoskeletal		
Neurological Image: I		13900.	Hip Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck)	
I4300. Aphasia Image: IA300. Aphasia Image: IA400. Cerebral Palsy Image: IA400. Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke Image: IA400. Kerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke Image: IA400. Kerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke Image: IA400. Kerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke Image: IA400. Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases) Image: IA400. Hemiplegia or Hemiparesis Image: IIA400. Hemiplegia or Hemiparesis Image: IIA400. Paraplegia Image: IIA400. Quadriplegia Image: IIA400. Quadriplegia Image: IIIA400. Multiple Sclerosis (MS) Image: IIIA400. Parkinson's Disease Image: IIIA400. Parkinson's Disease Image: IIIA400. Seizure Disorder or Epilepsy		14000.	Other Fracture	
Image: International state Image:		Neurol	ogical	
Image: Section of the section of th		14300.	Aphasia	
I4800. Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases) I4900. Hemiplegia or Hemiparesis I500. Paraplegia I510. Quadriplegia I5200. Multiple Sclerosis (MS) I5200. Huntington's Disease I5300. Parkinson's Disease I5300. Seizure Disorder or Epilepsy		14400.	Cerebral Palsy	
dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases) 14900. 15000. Paraplegia 15100. Quadriplegia 15200. Multiple Sclerosis (MS) 15250. Huntington's Disease 15300. Parkinson's Disease 15350. Tourette's Syndrome 15400. Seizure Disorder or Epilepsy		14500.	Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke	
Isooo.ParaplegiaIsooo.QuadriplegiaIsooo.Multiple Sclerosis (MS)Isoo.Huntington's DiseaseIsoo.Parkinson's DiseaseIsoo.Parkinson's DiseaseIsoo.SyndromeIsoo.Seizure Disorder or Epilepsy		14800.		
Image: State of the state		14900.	Hemiplegia or Hemiparesis	
Image: Second		15000.	Paraplegia	
Image: Second State of Condition State of Condition State of Condition State of		15100.	Quadriplegia	
I5300. Parkinson's Disease I5350. Tourette's Syndrome I5400. Seizure Disorder or Epilepsy		15200.	Multiple Sclerosis (MS)	
Isase Isase Is		15250.	Huntington's Disease	
☐ I5400. Seizure Disorder or Epilepsy		15300.	Parkinson's Disease	
		15350.	Tourette's Syndrome	
I5500. Traumatic Brain Iniury (TBI)		15400.	Seizure Disorder or Epilepsy	
		15500.	Traumatic Brain Injury (TBI)	

Active Diagnoses in the last 7 days continued on next page

Sectio	Section I - Active Diagnoses			
Active D	iagnos	es in the last 7 days - Continued		
	Nutritio	onal		
	15600.	Malnutrition (protein or calorie) or at risk for malnutrition		
	Psychi	atric/Mood Disorder		
	15700.	Anxiety Disorder		
	15800.	Depression (other than bipolar)		
	15900.	Bipolar Disorder		
	15950.	Psychotic Disorder (other than schizophrenia)		
	16000.	Schizophrenia (e.g., schizoaffective and schizophreniform disorders)		
	l6100.	Post Traumatic Stress Disorder (PTSD)		
	Pulmo	nary		
	16200.	Asthma, Chronic Obstructive Pulmonary Disease (COPD), or Chronic Lung Disease (erestrictive lung diseases such as asbestosis)	.g., chronic bronchitis and	
	16300.	Respiratory Failure		
	None o	f Above		
	17900.	None of the above active diagnoses within the last 7 days		
	Other			
	18000.	Additional active diagnoses Enter diagnosis on line and ICD code in boxes. Include the decimal for the code in the appro	priate box.	
	Α.			
	В.			
	C.			
	D.			
	E.			
	F.			
	G.			
	Н.			
	I.			
	J.			

Section J - Health Conditions

Identifier ____

J0100.	Pain Management
	Complete for all residents, regardless of current pain level
Enter Code	At any time in the last 5 days, has the resident: A. Received scheduled pain medication regimen?
	0. No 1. Yes
Enter Code	B. Received PRN pain medications OR was offered and declined?0. No
	1. Yes
Enter Code	 C. Received non-medication intervention for pain? 0. No 1. Yes
J0200.	Should Pain Assessment Interview be Conducted? Attempt to conduct interview with all residents. If resident is comatose, skip to J1100, Shortness of Breath (dyspnea)
Enter Code	 No (resident is rarely/never understood) → Skip to and complete J0800, Indicators of Pain or Possible Pain Yes → Continue to J0300, Pain Presence
	Pain Assessment Interview
J0300.	Pain Presence
Enter Code	Ask resident: "Have you had pain or hurting at any time in the last 5 days?"
	 No → Skip to J1100, Shortness of Breath (dyspnea) Yes → Continue to J0410, Pain Frequency
10.440	9. Unable to answer \rightarrow Skip to J0800, Indicators of Pain or Possible Pain
J0410.	Pain Frequency
Enter Code	Ask resident: "How much of the time have you experienced pain or hurting over the last 5 days?" 1. Rarely or not at all
	2. Occasionally 3. Frequently
	 Almost constantly Unable to answer
J0510.	Pain Effect on Sleep
Enter Code	Ask resident: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?"
	 Rarely or not at all Occasionally
	 Frequently Almost constantly
	8. Unable to answer
J0520.	Pain Interference with Therapy Activities
Enter Code	Ask resident: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?"
	 Does not apply - I have not received rehabilitation therapy in the past 5 days Rarely or not at all
	2. Occasionally
	 Frequently Almost constantly
	9. Unable to answer

Pain Assessment Interview continued on next page

Section J - Health Conditions

Pain Assessment Interview - Continued

J0530.	Pain Interference with Day-to-Day Activities
Enter Code	 Ask resident: "Over the past 5 days, how often have you limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?" 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer
J0600.	Pain Intensity Administer ONLY ONE of the following pain intensity questions (A or B)
Enter Rating	 A. Numeric Rating Scale (00–10) Ask resident: "Please rate your worst pain over the last 5 days on a zero to ten scale, with zero being no pain and ten as the worst pain you can imagine." (Show resident 00–10 pain scale) Enter two-digit response. Enter 99 if unable to answer.
Enter Code	 B. Verbal Descriptor Scale Ask resident: "Please rate the intensity of your worst pain over the last 5 days." (Show resident verbal scale) Mild Moderate Severe Very severe, horrible Unable to answer
J0700.	Should the Staff Assessment for Pain be Conducted?
Enter Code	 No (J0410 = 1 thru 4) → Skip to J1100, Shortness of Breath (dyspnea) Yes (J0410 = 9) → Continue to J0800, Indicators of Pain or Possible Pain
	Staff Assessment for Pain
J0800.	Indicators of Pain or Possible Pain in the last 5 days
Ļ	Check all that apply
	A. Non-verbal sounds (e.g., crying, whining, gasping, moaning, or groaning)
	B. Vocal complaints of pain (e.g., that hurts, ouch, stop)
	C. Facial expressions (e.g., grimaces, winces, wrinkled forehead, furrowed brow, clenched teeth or jaw)
	D. Protective body movements or postures (e.g., bracing, guarding, rubbing or massaging a body part/area, clutching or holding a body part during movement)
	Z. None of these signs observed or documented \rightarrow If checked, skip to J1100, Shortness of Breath (dyspnea)
J0850.	Frequency of Indicator of Pain or Possible Pain in the last 5 days
Enter Code	 Frequency with which resident complains or shows evidence of pain or possible pain Indicators of pain or possible pain observed 1 to 2 days Indicators of pain or possible pain observed 3 to 4 days Indicators of pain or possible pain observed daily

Section	on J - Health Conditions
Other H	ealth Conditions
J1100.	Shortness of Breath (dyspnea)
\downarrow	Check all that apply
	A. Shortness of breath or trouble breathing with exertion (e.g., walking, bathing, transferring)
	B. Shortness of breath or trouble breathing when sitting at rest
	C. Shortness of breath or trouble breathing when lying flat
	Z. None of the above
J1400.	Prognosis
Enter Code	Does the resident have a condition or chronic disease that may result in a life expectancy of less than 6 months? (Requires physician documentation) 0. No 1. Yes
J1550.	Problem Conditions
\downarrow	Check all that apply
	A. Fever
	B. Vomiting
	C. Dehydrated
	D. Internal bleeding
	Z. None of the above
J1700.	Fall History on Admission/Entry or Reentry Complete only if A0310A = 01 or A0310E = 1
Enter Code	 A. Did the resident have a fall any time in the last month prior to admission/entry or reentry? 0. No 1. Yes 9. Unable to determine
Enter Code	 B. Did the resident have a fall any time in the last 2–6 months prior to admission/entry or reentry? 0. No 1. Yes 9. Unable to determine
Enter Code	 C. Did the resident have any fracture related to a fall in the 6 months prior to admission/entry or reentry? 0. No 1. Yes 9. Unable to determine
J1800.	Any Falls Since Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS), whichever is more recent
Enter Code	 Has the resident had any falls since admission/entry or reentry or the prior assessment (OBRA or Scheduled PPS), whichever is more recent? 0. No → Skip to J2000, Prior Surgery 1. Yes → Continue to J1900, Number of Falls Since Admission/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS)

Section J - Health Conditions						
J1900.		er of Falls Since Adn	nission	n/Entry or Reentry or Prior Assessment (OBRA or Scheduled PPS),		
	C	oding:	Ļ	Enter Codes in Boxes		
0. None 1. One 2. Two or	' more			A. No injury - no evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the resident; no change in the resident's behavior is noted after the fall		
				B. Injury (except major) - skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the resident to complain of pain		
				C. Major injury - bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma		
J2000.	Prior	Surgery				
Enter Code	Did the 0. 1. 8.	resident have major surgery No Yes Unknown	' during th	the 100 days prior to admission?		
J2100.	Recer	nt Surgery Requiring	Active	SNF Care		
Enter Code	Did the 0. 1. 8.	resident have a major surgio No Yes Unknown	cal proced	edure during the prior inpatient hospital stay that requires active care during the SNF stay?		
Surgica	l Proce	dures				
Complete	only if J2	100 = 1				
Ļ	Check	all that apply				
	Major .	Joint Replacement				
	J2300.	Knee Replacement - part	ial or tota	al		
	J2310.	Hip Replacement - partia	l or total			
	J2320.	Ankle Replacement - par	tial or tota	tal		
	J2330.	Shoulder Replacement -	partial or	or total		
	Spinal	Surgery				
	J2400.	Involving the spinal core	l or majo	or spinal nerves		
	J2410.	Involving fusion of spina	l bones	1		
	J2420.	Involving lamina, discs,	or facets	s		
	J2499.	Other major spinal surge	ery			

Surgical Procedures continued on next page

Section	on J -	Health Conditions
Surgica	l Proce	dures - Continued
Complete	only if J2	100 = 1
Ļ	Check	all that apply
	Other 0	Drthopedic Surgery
	J2500.	Repair fractures of the shoulder (including clavicle and scapula) or arm (but not hand)
	J2510.	Repair fractures of the pelvis, hip, leg, knee, or ankle (not foot)
	J2520.	Repair but not replace joints
	J2530.	Repair other bones (such as hand, foot, jaw)
	J2599.	Other major orthopedic surgery
	Neurol	ogical Surgery
	J2600.	Involving the brain, surrounding tissue or blood vessels (excludes skull and skin but includes cranial nerves)
	J2610.	Involving the peripheral or autonomic nervous system - open or percutaneous
	J2620.	Insertion or removal of spinal or brain neurostimulators, electrodes, catheters, or CSF drainage devices
	J2699.	Other major neurological surgery
	Cardio	pulmonary Surgery
	J2700.	Involving the heart or major blood vessels - open or percutaneous procedures
	J2710.	Involving the respiratory system, including lungs, bronchi, trachea, larynx, or vocal cords - open or endoscopic
	J2799.	Other major cardiopulmonary surgery
	Genito	urinary Surgery
	J2800.	Involving genital systems (such as prostate, testes, ovaries, uterus, vagina, external genitalia)
	J2810.	Involving the kidneys, ureters, adrenal glands, or bladder - open or laparoscopic (includes creation or removal of nephrostomies or urostomies)
	J2899.	Other major genitourinary surgery
	Other M	Major Surgery
	J2900.	Involving tendons, ligaments, or muscles
	J2910.	Involving the gastrointestinal tract or abdominal contents from the esophagus to the anus, the biliary tree, gall bladder, liver, pancreas, or spleen - open or laparoscopic (including creation or removal of ostomies or percutaneous feeding tubes, or hernia repair)
	J2920.	Involving the endocrine organs (such as thyroid, parathyroid), neck, lymph nodes, or thymus - open
	J2930.	Involving the breast
	J2940.	Repair of deep ulcers, internal brachytherapy, bone marrow or stem cell harvest or transplant
	J5000.	Other major surgery not listed above

Se	ctio	n K -	Swallov	ving/Nutritional Stat	us				
K010	00.		wing Disor and symptoms	der of possible swallowing disorder					
Ļ		Check all that apply							
]	A. Los	ss of liquids/s	olids from mouth when eating or o	drinking				
]	B. Ho	lding food in n	nouth/cheeks or residual food in r	nouth after meals				
]	C. Coughing or choking during meals or when swallowing medications							
]	D. Complaints of difficulty or pain with swallowing							
]	Z. No	ne of the abov	e					
K02(00.	-	t and Weigh neasuring, if t	it he number is X.1–X.4 round dow	n; X.5 or greater round	up			
Inch	es		ight (in inches) cord most recer	nt height measure since the most rec	cent admission/entry or ree	entry			
Pour	nds	Bas		s) ost recent measure in last 30 days; n before meal, with shoes off, etc.)	neasure weight consistent	y, according	to standard f	acility practi	ce (e.g., in
K030	00.	Weigh	t Loss						
Enter C	Code	 Loss of 5% or more in the last month or loss of 10% or more in last 6 months 0. No or unknown 1. Yes, on physician-prescribed weight-loss regimen 2. Yes, not on physician-prescribed weight-loss regimen 							
K03 ²	10.	Weigh	t Gain						
Enter C	Code	 Gain of 5% or more in the last month or gain of 10% or more in last 6 months 0. No or unknown 1. Yes, on physician-prescribed weight-gain regimen 2. Yes, not on physician-prescribed weight-gain regimen 							
K052	20.		ional Appro	aches wing nutritional approaches that	annly				
	1 0	_		G 11	appiy 3. While a Resi	idont	1	At Discha	(a o
1. On Admission2. While Not a ResidentAssessment period is days 1 through 3 of the SNF PPS Stay starting with A2400BPerformed while NOT a resident of this facility and within the last 7 daysOnly check column 2 if resident entered (admission or reentry) IN THE LAST 7 DAYS. If resident last entered 7 or more days ago, leave column 2 blank.		3. While a Rest Performed <i>while a res</i> this facility and within t <i>days</i>	<i>ident</i> of Assessment period is the last 3			the last 3			
					Check all that apply	1. On Admission	2. While Not a Resident	3. While a Resident	4. At Discharge
Α.		iteral/IV							
В.		-		ric or abdominal (PEG))					
C.			altered diet - r ood, thickened I	equire change in texture of food or li iquids)	quids				
D.	Thera	peutic d	liet (e.g., low sa	alt, diabetic, low cholesterol)					
Ζ.	None	of the al	bove						

_____ Date _____

Section	on K - Swallowing/Nutritional Statu	IS		
K0710.	Percent Intake by Artificial Route Complete K0710 only if Column 2 and/or Column 3 are	checked for K0520A and/or K0520B		
	2. While a Resident	3. During Entire 7 Days	5	
Performed	while a resident of this facility and within the last 7 days	Performed during the entire <i>last 7 days</i>		
		Enter Codes	2. While a Resident	3. During Entire 7 Days
	 A. Proportion of total calories the resident received th 1. 25% or less 2. 26-50% 3. 51% or more 	rough parenteral or tube feeding		
	 B. Average fluid intake per day by IV or tube feeding 1. 500 cc/day or less 2. 501 cc/day or more 			

Section M - Skin Conditions				
Rep	ort based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage			
M0100.	Determination of Pressure Ulcer/Injury Risk			
Ļ	Check all that apply			
	A. Resident has a pressure ulcer/injury, a scar over bony prominence, or a non-removable dressing/device			
	B. Formal assessment instrument/tool (e.g., Braden, Norton, or other)			
	C. Clinical assessment			
	Z. None of the above			
M0150.	Risk of Pressure Ulcers/Injuries			
Enter Code	Is this resident at risk of developing pressure ulcers/injuries? 0. No 1. Yes			
M0210.	Unhealed Pressure Ulcers/Injuries			
Enter Code	 Does this resident have one or more unhealed pressure ulcers/injuries? No → Skip to M1030, Number of Venous and Arterial Ulcers Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage 			
M0300.	Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage			
	1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a blanching; in dark skin tones only it may appear with persistent blue or purple hues			
Enter Number	1. Number of Stage 1 pressure injuries			
	2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as act or open/ruptured blister			
Enter Number	1. Number of Stage 2 pressure ulcers - If $0 \rightarrow$ Skip to M0300C, Stage 3			
Enter Number	2. Number of these Stage 2 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry			
	3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but not obscure the depth of tissue loss. May include undermining and tunneling			
Enter Number	1. Number of Stage 3 pressure ulcers - If $0 \rightarrow \text{Skip}$ to M0300D, Stage 4			
Enter Number	 Number of <u>these</u> Stage 3 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry 			
	4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. includes undermining and tunneling			
Enter Number	1. Number of Stage 4 pressure ulcers - If $0 \rightarrow$ Skip to M0300E, Unstageable - Non-removable dressing/device			
Enter Number	2. Number of these Stage 4 pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry			

M0300 continued on next page

Section	on	M - Skin Conditions
M0300.	Cur	rent Number of Unhealed Pressure Ulcers/Injuries at Each Stage - Continued
E. Unsta	ageal	ole - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device
Enter Number	1.	Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If $0 \rightarrow \text{Skip}$ to M0300F, Unstageable - Slough and/or eschar
Enter Number	2.	Number of <u>these</u> unstageable pressure ulcers/injuries that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry
F. Unsta	ageal	ole - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar
Enter Number	1.	Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If $0 \rightarrow$ Skip to M0300G, Unstageable - Deep tissue injury
Enter Number	2.	Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry
G. Unsta	ageal	ole - Deep tissue injury:
Enter Number	1.	Number of unstageable pressure injuries presenting as deep tissue injury - If $0 \rightarrow$ Skip to M1030, Number of Venous and Arterial Ulcers
Enter Number	2.	Number of these unstageable pressure injuries that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry
M1030.	Nu	Imber of Venous and Arterial Ulcers
Enter Number	Ent	er the total number of venous and arterial ulcers present

Section	on M - Skin Conditions
M1040.	Other Ulcers, Wounds and Skin Problems
Ļ	Check all that apply
	Foot Problems
	A. Infection of the foot (e.g., cellulitis, purulent drainage)
	B. Diabetic foot ulcer(s)
	C. Other open lesion(s) on the foot
	Other Problems
	D. Open lesion(s) other than ulcers, rashes, cuts (e.g., cancer lesion)
	E. Surgical wound(s)
	F. Burn(s) (second or third degree)
	G. Skin tear(s)
	H. Moisture Associated Skin Damage (MASD) (e.g., incontinence-associated dermatitis (IAD), perspiration, drainage)
	None of the Above
	Z. None of the above were present
M1200.	Skin and Ulcer/Injury Treatments
Ļ	Check all that apply
	A. Pressure reducing device for chair
	B. Pressure reducing device for bed
	C. Turning/repositioning program
	D. Nutrition or hydration intervention to manage skin problems
	E. Pressure ulcer/injury care
	F. Surgical wound care
	G. Application of nonsurgical dressings (with or without topical medications) other than to feet
	H. Applications of ointments/medications other than to feet
	I. Application of dressings to feet (with or without topical medications)
	Z. None of the above were provided

Diuretic

Opioid

Antiplatelet

Anticonvulsant

None of the above

Hypoglycemic (including insulin)

G.

Н.

I.

J.

Κ.

Z.

Section N - Medications					
N0300.	. Injections				
Enter Days	Record the number of days that injections of any type were received during the last 7 days or since admission/entry or reentry if less than 7 days. If $0 \rightarrow Skip$ to N0415, High-Risk Drug Classes: Use and Indication				
N0350.	. Insulin				
Enter Days	A. Insulin injections Record the number of days that insulin injections we less than 7 days	ere received during the last 7 days or since admission	on/entry or	reentry if	
Enter Days	B. Orders for insulin Record the number of days the physician (or authorized assistant or practitioner) changed the resident's insulin orders during the last 7 days or since admission/entry or reentry if less than 7 days				
N0415.	High-Risk Drug Classes: Use and Indication				
	1. Is taking				
	I. IS LAKING	2. Indication noted			
classific	f the resident is taking any medications by pharmacological cation, not how it is used, during the last 7 days or since on/entry or reentry if less than 7 days	2. Indication noted If Column 1 is checked, check if there is an indica medications in the drug class	tion noted t	for all	
classific	f the resident is taking any medications by pharmacological cation, not how it is used, during the last 7 days or since	If Column 1 is checked, check if there is an indica	tion noted t 1. Is taking	for all 2. Indication noted	
classific admissi	f the resident is taking any medications by pharmacological cation, not how it is used, during the last 7 days or since	If Column 1 is checked, check if there is an indica medications in the drug class	1. ls	2. Indication	
classific admissi A. Ar	f the resident is taking any medications by pharmacological cation, not how it is used, during the last 7 days or since on/entry or reentry if less than 7 days	If Column 1 is checked, check if there is an indica medications in the drug class	1. ls	2. Indication	
classific admissi A. Ar B. Ar	f the resident is taking any medications by pharmacological cation, not how it is used, during the last 7 days or since on/entry or reentry if less than 7 days	If Column 1 is checked, check if there is an indica medications in the drug class	1. ls	2. Indication	
classific admissi A. Ar B. Ar C. Ar	f the resident is taking any medications by pharmacological cation, not how it is used, during the last 7 days or since on/entry or reentry if less than 7 days ntipsychotic ntianxiety	If Column 1 is checked, check if there is an indica medications in the drug class	1. ls	2. Indication	
A. Ar B. Ar C. Ar D. Hy	f the resident is taking any medications by pharmacological cation, not how it is used, during the last 7 days or since on/entry or reentry if less than 7 days ntipsychotic ntianxiety ntidepressant	If Column 1 is checked, check if there is an indica medications in the drug class Check all that apply	1. ls	2. Indication	
A. Ar B. Ar C. Ar D. Hy E. Ar	f the resident is taking any medications by pharmacological cation, not how it is used, during the last 7 days or since on/entry or reentry if less than 7 days ntipsychotic ntianxiety ntidepressant ypnotic	If Column 1 is checked, check if there is an indica medications in the drug class Check all that apply	1. ls	2. Indication	
Section	on N - Medications				
------------	--	--	--	--	
N2001.	Drug Regimen Review				
Enter Code	 Did a complete drug regimen review identify potential clinically significant medication issues? 0. No - No issues found during review 1. Yes - Issues found during review 9. N/A - Resident is not taking any medications 				
N2003.	Medication Follow-up Complete only if N2001 = 1				
Enter Code	 Did the facility contact a physician (or physician-designee) by midnight of the next calendar day and complete prescribed/recommended actions in response to the identified potential clinically significant medication issues? 0. No 1. Yes 				
N2005.	Medication Intervention Complete only if A0310H = 1				
Enter Code	 Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission? 0. No 1. Yes 9. N/A - There were no potential clinically significant medication issues identified since admission or resident is not taking any medications 				

____ Identifier __

Section O - Special Treatments, Procedures, and Programs

00110. Special Treatments, Procedures, and Programs

Check all of the following treatments, procedures, and programs that were performed

	a. On Admission	b. While a Resident		c. At Dis	scharge	
	t period is days 1 through 3 of the tay starting with A2400B	Performed while a resident of this facility and within the last 14 days	Assessmen SNF PPS S			s of the
Cancer Trea	Check all that apply					c. At Discharge
A1. Chemo	otherapy					
A2. IV						
A3. O	ral					
A10. O	ther					
B1. Radiat	tion					
Respiratory	Treatments					
C1. Oxyge	en therapy					
C2. C	ontinuous					
C3. In	termittent					
	igh-concentration					
D1. Suctio	-					
	cheduled					
	s needed					
	eostomy care	r er reepireter)				
	ve Mechanical Ventilator (ventilato nvasive Mechanical Ventilator	i or respirator)				
G1. Non-ir G2. B						
G2. B G3. C						
Other						
	lications					
	asoactive medications					
	ntibiotics					
	nticoagulant					
H10. O						
I1. Transf	usions					
J1. Dialys	is					
J2. H	emodialysis					
J3. P	eritoneal dialysis					
K1. Hospie	ce care					
M1. Isolati	on or quarantine for active infecti	ious disease (does not include standard body/fluid	precautions)			
01. IV Acc	ess					
02. P	eripheral					
O3. M						
	entral (e.g., PICC, tunneled, port)					
None of the	Above					
Z1. None of	of the above					

Section	on O - Special Treatments, Procedures, and Programs
O0250.	Influenza Vaccine Refer to current version of RAI manual for current influenza vaccination season and reporting period
Enter Code	 A. Did the resident receive the influenza vaccine in this facility for this year's influenza vaccination season? 0. No → Skip to O0250C, If influenza vaccine not received, state reason 1. Yes → Continue to O0250B, Date influenza vaccine received
	B. Date influenza vaccine received \rightarrow Complete date and skip to O0300A, Is the resident's Pneumococcal vaccination up to date? $\square \qquad = \qquad \square \qquad \qquad = \qquad \square \qquad \qquad = \qquad \square \qquad \qquad \qquad \qquad$
Enter Code	 C. If influenza vaccine not received, state reason: Resident not in this facility during this year's influenza vaccination season Received outside of this facility Not eligible - medical contraindication Offered and declined Not offered Inability to obtain influenza vaccine due to a declared shortage None of the above
O0300.	Pneumococcal Vaccine
Enter Code	 A. Is the resident's Pneumococcal vaccination up to date? 0. No → Continue to O0300B, If Pneumococcal vaccine not received, state reason 1. Yes → Skip to O0350, Resident's COVID-19 vaccination is up to date
Enter Code	 B. If Pneumococcal vaccine not received, state reason: 1. Not eligible - medical contraindication 2. Offered and declined 3. Not offered
O0350.	Resident's COVID-19 vaccination is up to date
Enter Code	 No, resident is not up to date Yes, resident is up to date
O0390.	Therapy Services Indicate therapies administered for at least 15 minutes a day on one or more days in the last 7 days
\downarrow	Check all that apply
	A. Speech-Language Pathology and Audiology Services
	B. Occupational Therapy
	C. Physical Therapy
	D. Respiratory Therapy
	E. Psychological Therapy
	Z. None of the above

Section O - Special Treatments, Procedures, and Programs

00400. Therapies

Complete only if O0390D is checked

D. Respiratory Therapy

Enter Number of Days

2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days

O0425. Part A Therapies

Complete only if A0310H = 1

A. Speech-Language Pathology and Audiology Services

Enter Number of Minutes	1.	Individual minutes - record the total number of minutes this therapy was administered to the resident individually since the start date of the resident's most recent Medicare Part A stay (A2400B)
Enter Number of Minutes	2.	Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident since the start date of the resident's most recent Medicare Part A stay (A2400B)
Enter Number of Minutes	3.	Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents since the start date of the resident's most recent Medicare Part A stay (A2400B)
		If the sum of individual, concurrent, and group minutes is zero, \rightarrow skip to O0425B, Occupational Therapy
Enter Number of Minutes	4.	Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in co-treatment sessions since the start date of the resident's most recent Medicare Part A stay (A2400B)
Enter Number of Days	5.	Days - record the number of days this therapy was administered for at least 15 minutes a day since the start date of the resident's most recent Medicare Part A stay (A2400B)

B. Occupational Therapy

Enter Number of Minutes	1.	Individual minutes - record the total number of minutes this therapy was administered to the resident individually since the start date of the resident's most recent Medicare Part A stay (A2400B)
Enter Number of Minutes	2.	Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident since the start date of the resident's most recent Medicare Part A stay (A2400B)
Enter Number of Minutes	3.	Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents since the start date of the resident's most recent Medicare Part A stay (A2400B)
		If the sum of individual, concurrent, and group minutes is zero, \rightarrow skip to O0425C, Physical Therapy
Enter Number of Minutes	4.	Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in co-treatment sessions since the start date of the resident's most recent Medicare Part A stay (A2400B)
Enter Number of Days	5.	Days - record the number of days this therapy was administered for at least 15 minutes a day since the start date of the resident's most recent Medicare Part A stay (A2400B)

00425 continued on next page

Section O - Special Treatments, Procedures, and Programs

00425. Part A Therapies - Continued

C. Physical Therapy

-	
Enter Number of Minutes	1. Individual minutes - record the total number of minutes this therapy was administered to the resident individually since the start date of the resident's most recent Medicare Part A stay (A2400B)
Enter Number of Minutes	 Concurrent minutes - record the total number of minutes this therapy was administered to the resident concurrently with one other resident since the start date of the resident's most recent Medicare Part A stay (A2400B)
Enter Number of Minutes	3. Group minutes - record the total number of minutes this therapy was administered to the resident as part of a group of residents since the start date of the resident's most recent Medicare Part A stay (A2400B)
	If the sum of individual, concurrent, and group minutes is zero, \rightarrow skip to O0430, Distinct Calendar Days of Part A Therapy
Enter Number of Minutes	 Co-treatment minutes - record the total number of minutes this therapy was administered to the resident in co-treatment sessions since the start date of the resident's most recent Medicare Part A stay (A2400B)
Enter Number of Days	 Days - record the number of days this therapy was administered for at least 15 minutes a day since the start date of the resident's most recent Medicare Part A stay (A2400B)
	nct Calendar Days of Part A Therapy lete only if A0310H = 1
Enter Number of Days	Record the number of calendar days that the resident received Speech-Language Pathology and Audiology Services, Occupational Therapy, or Physical Therapy for at least 15 minutes since the start date of the resident's most recent Medicare Part A stay (A2400B)
Recor	prative Nursing Programs d the number of days each of the following restorative programs was performed for at least 15 minutes a day in st 7 calendar days (enter 0 if none or less than 15 minutes daily)
Technique	e
↓ Number o	of Days
A. Range	e of motion (passive)
B. Range	e of motion (active)
C. Splint	or brace assistance
Training a	Ind Skill Practice In:
↓ Number o	of Days
D. Bed n	nobility
E. Trans	fer
F. Walki	ng
G. Dress	ing and/or grooming
H. Eating	g and/or swallowing
I. Ampu	tation/prostheses care
J. Comn	nunication

Section P - Restraints and Alarms

P0100. Physical Restraints

Physical restraints are any manual method or physical or mechanical device, material or equipment attached or adjacent to the resident's body that the individual cannot remove easily which restricts freedom of movement or normal access to one's body

Coding:	↓ Enter Codes in Boxes
0. Not used	Used in Bed
1. Used less than daily 2. Used daily	A. Bed rail
	B. Trunk restraint
	C. Limb restraint
	D. Other
	Used in Chair or Out of Bed
	E. Trunk restraint
	F. Limb restraint
	G. Chair prevents rising
	H. Other

Section	on Q - Participation in Assessment and Goal Setting
Q0110.	Participation in Assessment and Goal Setting Identify all active participants in the assessment process
\downarrow	Check all that apply
	A. Resident
	B. Family
	C. Significant other
	D. Legal guardian
	E. Other legally authorized representative
	Z. None of the above
Q0310.	Resident's Overall Goal Complete only if A0310E = 1
Enter Code	 A. Resident's overall goal for discharge established during the assessment process 1. Discharge to the community 2. Remain in this facility 3. Discharge to another facility/institution 9. Unknown or uncertain
Enter Code	 B. Indicate information source for Q0310A 1. Resident 2. Family 3. Significant other 4. Legal guardian 5. Other legally authorized representative 9. None of the above
Q0400.	Discharge Plan
Enter Code	 A. Is active discharge planning already occurring for the resident to return to the community? 0. No 1. Yes → Skip to Q0610, Referral
Q0490.	Resident's Documented Preference to Avoid Being Asked Question Q0500B Complete only if A0310A = 02, 06, or 99
Enter Code	 Does resident's clinical record document a request that this question (Q0500B) be asked only on a comprehensive assessment? 0. No 1. Yes → Skip to Q0610, Referral
Q0500.	Return to Community
Enter Code	 B. Ask the resident (or family or significant other or guardian or legally authorized representative only if resident is unable to understand or respond): "Do you want to talk to someone about the possibility of leaving this facility and returning to live and receive services in the community?" 0. No 1. Yes 9. Unknown or uncertain
Enter Code	 C. Indicate information source for Q0500B 1. Resident 2. Family 3. Significant other 4. Legal guardian 5. Other legally authorized representative 9. None of the above

Sectio	on Q - Participation in Assessment and Goal Setting
Q0550.	Resident's Preference to Avoid Being Asked Question Q0500B
Enter Code	 A. Does resident (or family or significant other or guardian or legally authorized representative only if resident is unable to understand or respond) want to be asked about returning to the community on all assessments? (Rather than on comprehensive assessments alone) 0. No - then document in resident's clinical record and ask again only on the next comprehensive assessment 1. Yes 8. Information not available
Enter Code	 C. Indicate information source for Q0550A 1. Resident 2. Family 3. Significant other 4. Legal guardian 5. Other legally authorized representative 9. None of the above
Q0610.	Referral
Enter Code	 A. Has a referral been made to the Local Contact Agency (LCA)? 0. No 1. Yes
Q0620.	Reason Referral to Local Contact Agency (LCA) Not Made Complete only if Q0610 = 0
Enter Code	Indicate reason why referral to LCA was not made 1. LCA unknown 2. Referral previously made 3. Referral not wanted 4. Discharge date 3 or fewer months away 5. Discharge date more than 3 months away

Identifier

Section X - Correction Request

Complete Section X only if A0050 = 2 or 3

Identification of Record to be Modified/Inactivated

The following items identify the existing assessment record that is in error. In this section, reproduce the information EXACTLY as it appeared on the existing erroneous record, even if the information is incorrect.

This information is necessary to locate the existing record in the National MDS Database.

X0150. Type of Provider (A0200 on existing record to be modified/inactivated)

Enter Code	Type of provider 1. Nursing home (SNF/NF) 2. Swing Bed
X0200.	Name of Resident (A0500 on existing record to be modified/inactivated)
	A. First name:
	C. Last name:
X0310.	Sex (A0810 on existing record to be modified/inactivated)
Enter Code	1. Male 2. Female
X0400.	Birth Date (A0900 on existing record to be modified/inactivated)
	Month – Day – Year
X0500.	Social Security Number (A0600A on existing record to be modified/inactivated)

Section	Section X - Correction Request				
X0600.	Type of Assessment (A0310 on existing record to be modified/inactivated)				
Enter Code	 A. Federal OBRA Reason for Assessment 01. Admission assessment (required by day 14) 02. Quarterly review assessment 03. Annual assessment 04. Significant change in status assessment 05. Significant correction to prior comprehensive assessment 06. Significant correction to prior quarterly assessment 99. None of the above 				
Enter Code	 B. PPS Assessment PPS Scheduled Assessment for a Medicare Part A Stay 01. 5-day scheduled assessment PPS Unscheduled Assessment for a Medicare Part A Stay 08. IPA - Interim Payment Assessment Not PPS Assessment 99. None of the above				
Enter Code	 F. Entry/discharge reporting 01. Entry tracking record 10. Discharge assessment - return not anticipated 11. Discharge assessment - return anticipated 12. Death in facility tracking record 99. None of the above 				
Enter Code	 H. Is this a SNF Part A PPS Discharge Assessment? 0. No 1. Yes 				
X0700.	Date on existing record to be modified/inactivated Complete one only				
	A. Assessment Reference Date (A2300 on existing record to be modified/inactivated) - Complete only if X0600F = 99 $ \begin{array}{c} \hline \\ \hline \\ Month \end{array} = \begin{array}{c} \hline \\ Day \end{array} = \begin{array}{c} \hline \\ Year \end{array} $				
	B. Discharge Date (A2000 on existing record to be modified/inactivated) - Complete only if X0600F = 10, 11, or 12				
	C. Entry Date (A1600 on existing record to be modified/inactivated) - Complete only if X0600F = 01 $ \prod_{Month} - \prod_{Day} - \prod_{Year} $				

Section X - Correction Request

Correction Attestation Section

Complete this section to explain and attest to the modification/inactivation request

X0800.	Correction Number
Enter Number	Enter the number of correction requests to modify/inactivate the existing record, including the present one
X0900.	Reasons for Modification Complete only if Type of Record is to modify a record in error (A0050 = 2)
Ļ	Check all that apply
	A. Transcription error
	B. Data entry error
	C. Software product error
	D. Item coding error
	Z. Other error requiring modification If "Other" checked, please specify:
X1050.	Reasons for Inactivation Complete only if Type of Record is to inactivate a record in error (A0050 = 3)
Ļ	Check all that apply
	A. Event did not occur
	Z. Other error requiring inactivation If "Other" checked, please specify:
X1100.	RN Assessment Coordinator Attestation of Completion
	A. Attesting individual's first name:
	B. Attesting individual's last name:
	C. Attesting individual's title:
	D. Signature
	E. Attestation date

_____ Identifier ____



Section Z - Assessment Administration

Z0400. Signature of Persons Completing the Assessment or Entry/Death Reporting

I certify that the accompanying information accurately reflects resident assessment information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.

Signature		Title	Sections	Date Section Completed
Α.				
В.				
C.				
D.				
E.				
F.				
G.				
Н.				
I.				
J.				
К.				
L.				
Z0500. Signature of RN Assessment Coordinator Verifying Assessment Completion				
A. Signature:			B. 1	Date RN Assessment Coordinator signed assessment as complete:

Legal Notice Regarding MDS 3.0 - Copyright 2011 United States of America and interRAI. This work may be freely used and distributed solely within the United States. Portions of the MDS 3.0 are under separate copyright protections; Pfizer Inc. holds the copyright for the PHQ-9; Confusion Assessment Method. © 1988, 2003, Hospital Elder Life Program. All rights reserved. Adapted from: Incuye SK et al. Ann Intern Med. 1990; 113:941-8. Question on transportation has been derived from the national PRAPARE® social drivers of health assessment tool (2016), for which the National Association of Community Health Centers (NACHC) holds the copyright. Pfizer Inc., the Hospital Elder Life Program, LLC, and NACHC have granted permission to use these instruments in association with the MDS 3.0. All rights reserved.