

---

# **Unemployment Insurance Data Validation Operations Guide**

*ETA Operations Guide 411*

U.S. Department of Labor  
Employment and Training Administration  
Office of Unemployment Insurance

---

---

OMB No: 1205-0431  
OMB Expiration Date: October 31, 2025  
Estimated Average Response Time: 730 hours.

**OMB Approval.** The reporting requirements for ETA Handbook 361 are approved by OMB according to the Paperwork Reduction Act of 1995 under OMB No. 1205-0431 to expire October 31, 2025. The respondents' obligation to comply with the reporting requirements is required to obtain or retain benefits (Section 303(a)(6), SSA). Persons are not required to respond to this collection of information unless it displays a currently valid OMB control number.

**Burden Disclosure.** SWA response time for this collection of information is estimated to average 730 hours per response (this is the average of a full validation every third year with an estimated burden of 900 hours, and partial validations in the two intervening years), including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to the U. S. Department of Labor, Employment and Training Administration, Office of Workforce Security (Attn: Rachel Beistel), 200 Constitution Avenue, NW, Room S-4522, Washington, D.C. 20210 (Paperwork Reduction Project 1205-0431).

---

# TABLE OF CONTENTS

---

<b>Chapter 1 .....</b>	<b>1</b>
<b>About This Operations Guide.....</b>	<b>1</b>
<b>Technical Support.....</b>	<b>1</b>
<b>Typographic Conventions .....</b>	<b>1</b>
<b>Software Requirements .....</b>	<b>1</b>
<b>The Data Validation Program .....</b>	<b>2</b>
<b>Navigating the System .....</b>	<b>3</b>
<b>Definitions.....</b>	<b>4</b>
<b>Chapter 2 .....</b>	<b>6</b>
<b>Logging On .....</b>	<b>6</b>
<b>Chapter 3 .....</b>	<b>10</b>
<b>Viewing the Record Layouts.....</b>	<b>10</b>
<b>Chapter 4 .....</b>	<b>13</b>
<b>Importing an Extract File .....</b>	<b>13</b>
<b>Cancelling a Load .....</b>	<b>24</b>
<b>Chapter 5 .....</b>	<b>26</b>
<b>Viewing Errors .....</b>	<b>26</b>
<b>Viewing Duplicate Records .....</b>	<b>29</b>
<b>Chapter 6 .....</b>	<b>33</b>

# TABLE OF CONTENTS

---

<b>Viewing the Source Table.....</b>	<b>33</b>
<b>Chapter 7 .....</b>	<b>37</b>
<b>Viewing Validation Counts .....</b>	<b>37</b>
<b>Chapter 8 .....</b>	<b>40</b>
<b>Viewing the Report Validation Screen.....</b>	<b>40</b>
<b>Chapter 9 .....</b>	<b>44</b>
<b>Viewing Samples .....</b>	<b>44</b>
<b>Printing Sample Worksheets.....</b>	<b>48</b>
<b>Entering Validation Results for Non-random Samples (Minimum, Missing     Subpopulations and Outliers) .....</b>	<b>53</b>
<b>Entering Validation Results for Random Samples.....</b>	<b>58</b>
First Tier .....	58
Second Tier.....	60
<b>Viewing the Data Element Validation Report.....</b>	<b>63</b>
<b>Chapter 10 .....</b>	<b>65</b>
<b>Viewing Data Element Sorts in Tax .....</b>	<b>65</b>
<b>Entering Data Element Sorts Results .....</b>	<b>67</b>
Query Screen.....	68
Frequency Distribution Screen.....	71
<b>Chapter 11 .....</b>	<b>75</b>
<b>Viewing the Wage Item Validation Screen in Tax.....</b>	<b>75</b>
<b>Chapter 12 .....</b>	<b>80</b>
<b>Submitting Results to DOL .....</b>	<b>80</b>
<b>Adding Comments.....</b>	<b>80</b>

# TABLE OF CONTENTS

---

Transmitting Population Results .....	84
Transmitting Wage Item Validation Results .....	91
APPENDIX A .....	1
APPENDIX B .....	1
APPENDIX C .....	1
APPENDIX D .....	1

## Chapter 1

### About This Operations Guide




This guide explains how to navigate the Benefits and Tax applications of the Data Validation (DV) State Web Software Version 4.2.5.

### Technical Support

If any problems are encountered with the software, contact the Office of Unemployment Insurance (OUI) Technical Support Staff (Hotline) at 1-800-473-0188 or send an email to [hotline@uis.doleta.gov](mailto:hotline@uis.doleta.gov).

### Typographic Conventions

This document uses the following typographic conventions.

Visual Cue	Meaning
<b>1</b> <b>2</b>	Sequenced steps to follow when completing a task
<b>Black bold type</b>	Button
<b>Blue type</b>	Box title
<u>Purple underlined type</u>	Links on the software that you can click on
<u>Blue underline type</u>	Web or email address
<i>Italics</i>	Documents, screen names and menu options
	Indicates where to click on the software screen
	Note with additional information
	Tip

### Software Requirements

To use the Data Validation State Web Software you will need a computer with Internet Explorer Version 6.0 or later.

You will also need a user name and a password which you should obtain from your system administrator.

In order to perform data validation you need to load extract files into the software. Specifications on how to build these extract files are available in *Appendix A, UI Benefits Record Layouts* and *Appendix B, UI Tax Record Layouts* of this Operations Guide. All extract files to be loaded into the software must be copied to the “/opt/dv/data/” directory in your state SUN server. Extract file names must have a .txt extension and contain no spaces.

## The Data Validation Program

Welcome to the world of data validation! This operations guide is both an introduction to the Data Validation automated system and a reference source for continual use.

States are required to file a series of standardized reports on their Unemployment Insurance (UI) operations with the Employment and Training Administration (ETA) of the U.S. Department of Labor (DOL). Reports covered by the data validation program are required on a monthly or quarterly basis.

These reports are used to establish the volume of activity conducted by state UI administrations and are a factor in establishing funding levels. They provide information about state compliance with UI requirements. They also provide information about the amount of benefits paid, the number of claimants served and other information useful in measuring the U.S. economy and projecting trends.

Since state programs differ significantly within established parameters and states utilize a variety of accounting and data processing arrangements, the issue of the comparability among state reports has emerged. State reporting requirements are standardized, but states use a variety of reporting procedures and must interpret reporting requirements within the context of their own laws and accounting conventions.

The UI Data Validation (DV) program was established in an attempt to identify and address discrepancies in reported numbers. The program requires that states recreate reported numbers independently from their reporting process and compare these numbers with actual numbers reported to DOL. States must address any discrepancies found that exceed the established tolerance error rate. The DV program also requires that states examine a sample of reported cases to verify that the correct information is being counted.

The Data Validation State Web Software facilitates the validation process and generates standardized outputs which document the state data validation results.

The data validation process is divided into two main validation processes: Report Validation (RV) and Data Element Validation (DEV). RV verifies that reported numbers in ETA reports are accurate, i.e., that the process which the state uses to count transactions is correct. DEV refers to the investigation of samples of records to establish that the information in individual records is accurate and conforms to federal reporting requirements, i.e., that the state is counting the right transactions.

The Benefits application uses random, missing, minimum and outliers samples for the DEV process. The Tax application uses minimum samples, formerly known as “File Integrity Validation” or FIV samples, which consist of two records per sub-population within an extract file. The sample frame for each sample consists of a set of specific sub-populations within an extract file. Records included in a sample are displayed along with the data elements to be validated in a data entry screen. Investigators review each record, identify any elements found to be erroneous, and data-enter this information into the system. In Tax, even one error causes a sample to fail.

The Tax application also provides a sort utility for Populations 1 – 4 as part of the DEV process. It tests whether any secondary codes or Employer Account Number values support the primary codes (such as A for Active or C for Contributory employers) used to classify extracted transactions. Sorts pass if fewer than 2% of the sorted of the sorted transactions involve discrepancies. Tax Population 5 has no sort utility.

The Tax application includes a Wage Item Validation component that requires validation of incoming information provided by employers pertaining to wages paid to individuals on a quarterly basis (wage Records). This information is not included in extract files. Validation of wage record information requires a review of incoming information and a comparison of reported numbers included in ETA 581 Report count with re-constructed counts. This information is key-entered into the software and forwarded to DOL.

## Navigating the System

The DV software is a web-based application with certain characteristics that the user should be aware of.

- *Multiple users.* The software supports multiple, concurrent users. However, it was not designed to allow, for example, update of a single table by multiple users at the same time.
- *Time Out.* You will be automatically logged out from the application if you are inactive for more than 59 minutes. To maintain your session hit a



keystroke or move your mouse. You should perform “save” operations frequently if there is a danger of work being lost due to inactivity. During the extract loading operation, the time-out parameter is set to four hours, to allow large extract files to be loaded without interruption.

- *Exit from Screens.* The user can exit from a secondary window within the application through use of the “X” in the upper right corner of the window. Be aware that the “X” at the extreme upper corner of the screen will exit the user from the entire application. This will require the user to sign on again and may result in lost data.
- Use of the **Back** button. The Internet browser has a **Back** button that allows the user to return to a previous screen. Users should be aware that use of this button may result in unexpected results. This problem can be avoided by using the links on the software screens that were designed to navigate to previous screens. For example, the [Home](#) link at the bottom of a screen will take you back to the *Benefits Selection Criteria* screen.
- *<Control End> and <Control Home>.* <Control End> will take you immediately to the bottom of any screen and <Control Home> to the top.
- *Print Function.* To print screens, use the print function on your browser or if available, the print button at the bottom of the screen. Some screen sizes exceed the width of a portrait print. In this case try the landscape option on your printer. You can also try copying the screen to Word, Excel or some other utility and print from there. System administrators should be able to assist you if you encounter problems.
- *Save and Save As Functions.* Use the **Save** button to save data in the DV application. Data for a given population saved using the **Save** button are overwritten when a new extract file for that population is loaded. The **Save As** button allows you to save a screen shot of the current software screen outside the DV software. Screen shots saved outside the application are not affected by loading new extract files. The **Save As** button can be used to save screen shots of summary reports and DEV worksheets to satisfy audit requirements.
- *Help functions.* The application has [Help](#) links on certain screens. Click on this link to display information relevant to the data or functions available on the screen.

## Definitions

Certain terms used in the validation process have a specialized meaning within the context of the DV program:


1. *Extract Files.* These files consist of information *extracted* from state production databases. Each state UI transaction is represented as a row of comma-separated data fields that allow it to be identified as a countable transaction and classified into the report cells being validated. The extract files are used as input for the DV software.
2. *Record Layouts.* These documents provide detailed information on how to build the extract files. They can be found in the software (see Viewing the Record Layouts section) or in *Appendix A, UI Benefits Record Layouts* or *Appendix B, UI Tax Record Layouts* of this guide.
3. *Module 3.* State-specific document used to map the data elements in the record layouts and samples to elements in individual state systems.
4. *Populations.* Populations are sets of unique, non-overlapping types of transactions or statuses that relate to reportable benefits or tax operations. Benefits validation uses 15 such populations, of which 12 are transactions during a reporting period (e.g., Population 1, Weeks Claimed) and three are statuses at the end of a reporting period (e.g., Population 10, Age of Pending Lower Authority Appeals). Tax validation uses five populations. An extract file must be constructed for each population. Records in some populations may be used to validate counts from only one UI report (e.g. Benefits Population 1 records validate only Weeks Claimed on the ETA 5159 report); others are used to validate multiple reports (e.g., Benefits Population 4 records validate parts of four benefits reports.)
5. *Subpopulation.* Populations are divided into mutually exclusive subsets called subpopulations. Subpopulations are defined in such a way that they can be used to reconstruct report counts; some are used in the reconstruction of more than one reported count. Each record from a population extract file can be assigned to only one subpopulation. For example, in Benefits Population 1, UI weeks claimed records are assigned to Subpopulation 1.1 and UCFE weeks claimed records are assigned to Subpopulation 1.2.

## Chapter 2

### Logging On

To log on to the data validation software, follow the next steps.

- 1 Go to your state Unemployment Insurance *Applications Menu* screen, select [Data Validation](#), and then select [Validation Software](#).



- 2 On the *Data Validation* login screen, enter your **User Name**. Example: dv3

A screenshot of a web browser window titled "Data Validation Login". The page has a header "DATA VALIDATION". The main form contains two input fields for "User Name" and "Password". Below these are radio buttons for "Benefits" (selected) and "Tax". At the bottom of the form are "Login" and "Clear Query" buttons. A footer section contains OMB information: "OMB No.: 1205-0431", "OMB Expiration Date: 07/31/2014", and "OMB Burden Minu". Below this is a paragraph of text: "OMB Burden Statements: SWA response time for this collection of information is estimated to average 550 hours; average of a full validation every third year with an estimated burden of 900 hours, and partial validations in the two int the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and com collection of information. Send comments regarding this burden estimate or any other aspect of this collection of infor".



Screen shots in this operations guide might look different (fonts and colors) than your screen due to your desktop and browser settings.

**3** Enter your **Password**.

The screenshot shows a web browser window with the title "DATA VALIDATION". Inside the window is a login form with the following elements:

- A "User Name" label next to a text input field containing the text "dv3".
- A "Password" label next to a password input field filled with ten black dots.
- Below the password field, there are two radio buttons: "Benefits" (which is selected) and "Tax".
- At the bottom of the form are two buttons: "Login" and "Clear Query".



User name and password are assigned by your state system administrator.



Passwords are case-sensitive, i.e., the operator must use capital letters or special characters such as (#,\*, or %) if these are part of the password.

- 4** Select the application you want to log on to, i.e. **Benefits** or **Tax** (Benefits is selected by default)

**DATA VALIDATION**

User Name	dv3
Password	.....
Benefits <input checked="" type="radio"/> Tax <input type="radio"/>	
Login Clear Query	

- 5** Click on the **Login** button.

**DATA VALIDATION**

User Name	dv3
Password	.....
Benefits <input checked="" type="radio"/> Tax <input type="radio"/>	
Login Clear Query	

The [State Menu](#) link at the bottom of the screen returns you to the state menu. The [Feedback](#) link accesses contact information for technical problems. The [Help](#) link accesses information on all available functions on the screen.

- 6** You should see the *Benefits Selection Criteria* or the *Tax Selection Criteria* screen, depending on the application you selected.

**DATA VALIDATION - BENEFITS**

**Benefits Selection Criteria**

Population Validation

<a href="#">Population</a>	<input type="text"/>
<a href="#">Choose Function</a>	<input type="text"/>

qt2.uis.doleta.gov:8080/DV-WS-DV/taxmain.jsp

**DATA VALIDATION - TAX**

**Tax Selection Criteria**

Population Validation

<a href="#">Population</a>	<input type="text"/>
<a href="#">Choose Function</a>	<input type="text"/>

**Other Validations**

☐ Wage Item Validation

The [Login](#) link at the bottom of the screen will take you back to the login screen. Click on [Population](#) and [Choose Function](#) for additional information on these parameters.

## Chapter 3

### Viewing the Record Layouts

In order to use the data validation software, you need to have an extract file which contains the required data for the reporting period you want to validate. The data in the file should be extracted from your state production system in accordance to the specifications described in *Appendix A, UI Benefits Record Layouts*, or *Appendix B, UI Tax Record Layouts* of this guide. You will need 15 extract files; one for each benefit population, and 5 extract files; one for each tax population.

The record layouts, i.e. the extract file specifications, are also available in the software. To view them, follow the next steps.

- 1 On the *Benefits Selection Criteria* or the *Tax Selection Criteria* screen, click on the [Population](#) link.

**DATA VALIDATION - BENEFITS**


**Benefits Selection Criteria**

Population Validation	
<a href="#">Population</a>	<input type="text"/>
<a href="#">Choose Function</a>	<input type="text"/>
<input type="button" value="Go"/>	

qt2.uis.doleta.gov:8080/DV-W5-DV/taxmain.jsp

## DATA VALIDATION - TAX

### Tax Selection Criteria

 **Population Validation**

<a href="#">Population</a>	<input type="text"/>
<a href="#">Choose Function</a>	<input type="text"/>
<input type="button" value="Go"/>	

**Other Validations**

☐ Wage Item Validation

- 2** To see the record layout of a population click on the population's link.  
(Benefits are used in the example; Tax will list valid Tax populations.)

#### Population Field Help

The **Population** field has the following characteristics:

- **Name:** POPULATION.
- **Definition:** The [Population](#) is a required query parameter.  
  
The Population field identifies the Population for which the application will generate the report.
- **Form Field Type:** Drop Down List.  
  
The list of all the Populations (Population # and Population name) is displayed when the user clicks on the drop down menu button Populations to select a Population.
- **Form Field Edits:**
  - The valid Populations are:
    - [Weeks Claimed \(Population 1\)](#)
    - [Final Payments \(Population 2\)](#)
    - [Claims Filed \(Population 3\)](#)
    - [Additional Claims Filed \(Population 3a\)](#)
    - [Payments \(Population 4\)](#)
    - [Nonmonetary Determinations \(Population 5\)](#)
    - [Appeals Filed, Lower Authority \(Population 6\)](#)
    - [Appeals Filed, Higher Authority \(Population 7\)](#)
    - [Appeals Decisions, Lower Authority \(Population 8\)](#)
    - [Appeals Decisions, Higher Authority \(Population 9\)](#)
    - [Appeals Aging, Lower Authority \(Population 10\)](#)
    - [Appeals Aging, Higher Authority \(Population 11\)](#)
    - [Overpayments Established by Cause \(Population 12\)](#)
    - [Overpayments Reconciliation Activities \(Population 13\)](#)
    - [Age of Overpayments \(Population 14\)](#)
    - [Overpayments Established by Method \(Population 15\)](#)



The record layout for the population will be displayed.

Benefits Population 1 Weeks Claimed Record Layout				
This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data is provided in the record layout. The Data Type/Format column indicates the generic values for text fields. <b>These must be followed by a dash and</b> The Module 3 reference indicates the step where the state - specific values are documented.				
Example : If the state - specific code for UI program Type is 01 , then the data format would be UI - 01.				
Number	Field Name	Module 3 Reference	Field Description	
1	OBS		State assigned sequential unique identifier for each record in the extract file.	
2	Claim Week ending Date	Step 1A - Rule 2	The week-ending date of the week claimed	

## Chapter 4

### Importing an Extract File

To use the data in an extract file to validate reported counts, you first need to import the file into the software. To import an extract file, follow these steps:

- 1 Select a population from the **Population** drop-down menu on the *Benefits* or the *Tax Selection Criteria* screen.

qt2.uis.doleta.gov:8080/DV-W5-DV/auth.jsp

### DATA VALIDATION - BENEFITS

#### Benefits Selection Criteria

Population Validation

Population

Choose Function

1-Weeks Claimed

2-Final Payments

3-Claims Filed

3a-Additional Claims Filed

4-Payments

qt2.uis.doleta.gov:8080/DV-W5-DV/auth.jsp

### DATA VALIDATION - TAX ⓘ

#### Tax Selection Criteria

Population Validation

Population

Choose Function

1-Active Employers

2-Report Filing

3-Status Determination

4-Accounts Receivable

5-Field Audits

#### Other Validations

☐ Wage Item Validation

When you select a population, on the lower left corner of the screen you will see the last date this population was imported and which user imported it. If you have never imported this population it will display “Never”.

**Benefits Selection Criteria**

Population Validation	
<u>Population</u>	1-Weeks Claimed
<u>Choose Function</u>	

If you have already imported the population, you will see the last day it was imported and the user that imported it. You will also see the last date when validation results were transmitted to DOL. If validation results have not been transmitted to DOL you will see “Never”.

- 2 Select *Import Data* from the Choose Function drop-down menu and click **Go**.

**Population Validation**

<u>Population</u>	1-Weeks Claimed
<u>Choose Function</u>	<div> <div>Import Data</div> <div>View Validation Counts</div> <div>View Report Validation</div> </div>

When you select *Import Data* in Benefits, the fields Period Start Date, Period End Date and Import From Extract File will be displayed.

Population Validation	
<a href="#">Population</a>	2-Final Payments
<a href="#">Choose Function</a>	Import Data
<a href="#">Period Start Date</a>	
<a href="#">Period End Date</a>	
<a href="#">Import From Extract File</a>	

Import Clear Query

You can click on [Period Start Date](#), [Period End Date](#) and [Import From Extract File](#) for additional information on these parameters.

When you select *Import Data* in Tax, the fields [Report Quarter](#) and [Year](#), will be displayed.

Population Validation	
<a href="#">Population</a>	1-Active Employers
<a href="#">Period Start Date</a>	
<a href="#">Period End Date</a>	
<a href="#">Import From Extract File</a>	

Import Clear Query

You can click on [Report Quarter](#) and [Year](#) for additional information on these parameters.

If you are loading Tax Population 2, the *Tax Selection Criteria* screen will also display boxes for [Contributory](#) and [Reimbursing Dates](#). (These boxes do not display for other tax populations.)

**DATA VALIDATION - TAX**

**Tax Selection Criteria**

Population Validation	
<a href="#">Population</a>	2 Report Filing
<a href="#">Choose Function</a>	Import Data
<a href="#">Report Quarter</a>	Year
<a href="#">Contributory Date</a>	

The report due date is a state-designated date after which the state assesses penalty or late charges to employers. The software allows separate dates for contributory and reimbursing reports because some states have different due dates for contributory and reimbursing reports.

**3** Enter the reporting period you want to validate.

In Benefits, you need to enter the [Period Start Date](#) and [Period End Date](#) using MM/DD/YYYY format. For example, January 1<sup>st</sup>, 2008 must be entered as "01/01/2008."

**DATA VALIDATION - BENEFIT**

**Benefits Selection Criteria**

Population Validation	
<a href="#">Population</a>	1-Weeks Claimed
<a href="#">Choose Function</a>	Import Data
<a href="#">Period Start Date</a>	03/01/2012
<a href="#">Period End Date</a>	03/31/2012
<a href="#">Import From Extract File</a>	

You can also click on the calendar icons on the right to select start and end dates from a calendar.

**DATA VALIDATION - BENEFITS**

**Benefits Selection Criteria**

Population Validation	
<u>Population</u>	1-Weeks Claimed
<u>Choose Function</u>	Import Data
<u>Period Start Date</u>	03/01/2010
<u>Period End Date</u>	08/30/2012
<u>Import From Extract File</u>	

Import Clear


**Calendar - Windows Int...**

August 2012

[<<] [<] [Print] [>] [>>]

Sun	Mon	Tue	Wed	Thu	Fri
			1	2	3
5	6	7	8	9	10
12	13	14	15	16	17
19	20	21	22	23	24
26	27	28	29	30	31

Use the double arrows on the calendar to scroll through years and the single arrows to scroll through months and then click on the day you want to use as start or end date.



In Tax, select the **Report Quarter** and insert **Year** corresponding to your extract file, using the drop-down menu next to Report Quarter and type in year using YYYY format.

**DATA VALIDATION - TAX**

**Tax Selection Criteria**

**Population Validation**

<a href="#">Population</a>	1-Active Employers
<a href="#">Choose Function</a>	Import Data
<a href="#">Report Quarter</a>	Third Quarter
<a href="#">Year</a>	2012
<a href="#">Import From Extract File</a>	

For Tax Population 2, also enter report due dates, using MM/DD/YYYY format.

**DATA VALIDATION - TAX**

**Tax Selection Criteria**

**Population Validation**

<a href="#">Population</a>	2-Report Filing
<a href="#">Choose Function</a>	Import Data
<a href="#">Report Quarter</a>	Second Quarter
<a href="#">Year</a>	2012
<a href="#">Contributory Date</a>	07/31/2012

You can also click on the calendar icon on the right of each due date to select the report due date from a calendar, the same way you would select the reporting dates from the calendar in Benefits.



The time period entered or selected should be the same used to construct the extract file you are going to load.



In Benefits, the software allows you to load extract files that do not conform to actual reporting time periods. This option is included for diagnostic purposes only. You should only submit to DOL data validation results that correspond to time periods which match the time period covered by an actual report (e.g., the ETA 5159 Report for January 1 – 31, 2008).




The reporting dates are needed only for the import function. Once a population is loaded, the user may choose any other function without entering these dates.

- 4 Enter the full path where the file is located and the name of the extract file into the **Import From Extract File** box (example: /opt/dv/data/pop1.txt).

DATA VALIDATION - BENEFIT	
Benefits Selection Criteria	
Population Validation	
<a href="#">Population</a>	1-Weeks Claimed
<a href="#">Choose Function</a>	Import Data
<a href="#">Period Start Date</a>	03/01/2012
<a href="#">Period End Date</a>	03/31/2012





**DATA VALIDATION - TAX**

**Tax Selection Criteria**

Population Validation	
<a href="#">Population</a>	2-Report Filing
<a href="#">Choose Function</a>	Import Data
<a href="#">Report Quarter</a>	Second Quarter Year 2012
<a href="#">Contributory Date</a>	07/31/2012

The **Clear Query** button on the bottom of the screen will reset the *Benefits* or *Tax Selection Criteria* screen.



All extract files must be copied to the /opt/dv/data/ directory; hence the path name will always be /opt/dv/data/*filename.txt*. This directory was created on the Sun servers exclusively for data validation use.



The software will only accept files in *text* format. File names cannot contain spaces and must end in ".txt".

- 5 Click on the **Import** button to load the extract file into the system.

Population Validation	
<a href="#">Population</a>	1-Weeks Claimed
<a href="#">Choose Function</a>	Import Data
<a href="#">Period Start Date</a>	03/01/2012
<a href="#">Period End Date</a>	03/01/2012

This will take you to the *Import Messages* screen for information on the loading procedure.

IMPORT MESSAGES  
for user dv3

Loading benefits population 1 started @: Fri Mar 12 10:52:45 EST 2010
Rows processed: 5000, Errors: 6 for benefits population 1. Still loading...
Rows processed: 10000, Errors: 29 for benefits population 1. Still loading...
Rows processed: 15000, Errors: 803 for benefits population 1. Still loading...
Rows processed: 20000, Errors: 1581 for benefits population 1. Still loading...
Rows processed: 20000, Errors: 1581 for benefits population 1. Checking data this may take a few min
Rows processed: 20000, Total Errors: 1581 for benefits population 1
Load of benefits population 1 ended @: Fri Mar 12 10:53:43 EST 2010

On this screen you can see which user is loading the population, the start and end times of the load, the number of errors found in the file, and the total number of rows processed (including records in error).



Incoming extract files are subjected to various tests to identify  
1) Syntax errors, 2) logic errors, and 3) duplicate records.

For large files, a new import message line will appear for each 5,000

records.



Load times vary depending on the number of records in the extract file. The time-out parameter is set to 12 hours while the software is loading to allow ample time for loading large files. Load times are affected by the size of the file, the population being loaded, and the number of error conditions encountered during the load.



The software allows different populations to be resident in the application at the same time, but only one data set for each population.



If the same population is loaded a second time, the new data set will over-write the former. Re-loading the same extract file will produce identical results for report validation, but different samples.

While the file is loading you can go back to the *Benefits* or *Tax Selection Criteria* screen and access screens for other populations. You cannot, however, load another population or access any of the screens of the population being loaded. A message in red will appear on the screen letting you know that the population is being loaded and the user that is loading it.

Population Validation


Population	<input type="text"/>
Choose Function	<input type="text"/>

Go

Loading Benefits population 1 by dv3 .Wait for it t  
Further loads

In addition, the **Population** drop-down menu will not display the population being loaded and the **Choose Function** drop-down menu will not display the *Import* function.

To return to the *Import Messages*, select *View Import Messages* from the [Choose A Function](#) drop-down menu on the *Benefits Selection Criteria* screen. You don't need to select a [Population](#).



Population Validation	
Population	<input type="text"/>
Choose Function	<div><div></div><div>View Validation Counts</div><div>View Report Validation</div></div>



Messages displayed on the *Import Messages* screen are available during the loading operation, but are not available after the file has been loaded and the user has left this screen. Information about previous population loads is not available. Users have the option of printing this screen when it is displayed, for future reference.




To accurately validate Benefits Population 3 reported numbers, i.e., RV, the extract file for Benefits Population 3a must also be loaded on the software for the same reporting period. When the software generates the RV for Benefits Population 3, it retrieves validation counts for new and transitional claims from the Benefits Population 3 extract file and additional claim counts from the Benefits Population 3a extract file. For more information, please refer to *Appendix A, UI Benefits Report Validation Specifications* of the *ETA Handbook 361-A Benefits*.


## Cancelling a Load

To cancel a load in progress, follow the next steps.

- 1 To cancel a load in progress, click the **Cancel Import** button on the *Import Messages* screen.



You should get a message saying that the load was cancelled and the time it was cancelled.



When you return to the *Benefits* or the *Tax Selection Criteria* screen, using the [Home](#) link, you will see a message in red indicating that the load was cancelled and the *Last Import* date will display “Cancelled.”

Population Validation	
<a href="#">Population</a>	4-Payments
<a href="#">Choose Function</a>	Import Data
<a href="#">Period Start Date</a>	
<a href="#">Period End Date</a>	
<a href="#">Import From Extract File</a>	

When you cancel a load, the only screen available for the population for which the load was cancelled is the *Errors* screen.

If



you are loading a large file and the number of errors is excessive, you don't need to wait until the load finishes, to check the type of errors you are getting. Instead, cancel the load and check the *Errors* screen. You will be able to see the errors that were processed up to the point where you cancelled the load.

## Chapter 5

### Viewing Errors

When extract files are loaded, the software reads each record to ensure that all fields are valid with reference to specifications provided in the *ETA Handbook 361 Benefits and 361 Tax*.

There are three kinds of error conditions detected during the import and loading process:

**Syntax errors.** This refers to records that are not formatted according to instructions in the population-specific record layouts. Example: alpha characters in the social security number field or dollars field.

**Parsing errors.** This refers to records that cannot be assigned to a subpopulation because the values in the fields do not match the required criteria for any of the subpopulations.

**Duplicate records.** This refers to records that are found to be duplicates based on the criteria described in *Appendix C, UI Benefits Duplicate Detection Criteria* or *Appendix D, UI Tax Duplicate Detection Criteria*, of this guide.

All records with errors are loaded to the *Errors* table. Records in the *Errors* table are not included in any of the validation screens and hence cannot be validated. You should inspect these records and determine whether the extract file was not constructed correctly or there is a problem in the state database from which the data was extracted. If the extract file was not constructed correctly, fix the file and load it again. If the problem is in your state database, for example a field is not being captured; your office needs to take steps to fix it. In your review, you must try to distinguish between (a) incorrectly built records that represent countable transactions, and (b) records that do not represent countable transactions. Examples of the latter are one of a set of two duplicate transactions and records with dates putting them out of range for validating the quarter you are trying to validate. Rebuild the file to correct errors of a type (a); you may eliminate errors of type (b) from the extract file or just ignore them as they do not enter into validation counts or appear in samples.

The *Errors* screen allows the user to view the records that were found to have errors during the loading operation. To view the *Errors* screen follow the next steps.

- 1 In the *Benefits* or *Tax Selection Criteria* screen, select the [Population](#) for which you want to see the errors table. Benefits screens will be displayed in the following examples.

**DATA VALIDATION - BENEFITS**

**Benefits Selection Criteria**

Population Validation	
<a href="#">Population</a>	
<a href="#">Choose Function</a>	<div> 1-Weeks Claimed  2-Final Payments  3-Claims Filed  3a-Additional Claims Filed  4-Payments </div>


- 2 Select *View Errors* from the [Choose Function](#) drop-down menu and click **Go**.

**Benefits Selection Criteria**

Population Validation	
<a href="#">Population</a>	1-Weeks Claimed
<a href="#">Choose Function</a>	<div> Import Data  View Validation Counts  View Errors </div>



The *Errors* screen displays records with errors along with an error message for each record.




**ERRORS**  
Benefits Population 1

Period: 10/01/2000 - 12/31/2000

Obs	Week Claimed	SSN	Type UI Program	Program Type	Interstate/Intrastate	Date WeekClaimed	Monerarily Eligible/Pending	Earnings	Weekly Benefit Allowance
21	10/28/2000	000-00-0021	Workshare-1	UI-0	Intrastate-02	11/01/2000	eligible-2	0	235

The Errors screen displays 100 records at a time. To see the next 100 records, click on the [Next](#) link at the bottom of the screen. This link is visible only when there are more than 100 records. If the loaded file contains more than 1,000 errors only the first 1,000 can be viewed, and the software will display a red message to inform you of this.



100000099	05/24/2003	100-00-0098	REGULAR UI -2	UI -0	INTERSTATE AGENT -1	06/14/2003	ELIGIBLE -0	00000	000
100000100	05/31/2003	100-00-0099	REGULAR UI -2	UI -0	INTERSTATE AGENT -1	06/14/2003	ELIGIBLE -0	00000	000

When a file with no errors is loaded, the Errors screen displays “No Rows Found” in red.






address <http://uisqt2.uis.doleta.gov:8080/DV-W5-DV/options.jsp>

ERRORS									
Benefits Population 1									
Period: 11/01/2005 - 11/30/2005									
Obs	Week Claimed	SSN	Type UI Program	Program Type	Interstate/ Intrastate	Date WeekClaimed	Monerarily Eligible/ Pending	Earnings	Weekly Benefit Allowance
No Rows Found.									

## Viewing Duplicate Records

Duplicate errors are displayed in the *Errors* screen along with all other errors, but can be viewed separately by accessing the *Duplicate Detection Report* screen. To access this screen follow the steps below.

- 1 Click on the [Duplicate Detection Report](#) link at the bottom of the *Errors* screen.

Google  Go  Bookmarks  Check  AutoFill 

ERRORS									
Benefits Population 1									
Period: 10/01/2000 - 12/31/2000									
Obs	Week Claimed	SSN	Type UI Program	Program Type	Interstate/ Intrastate	Date WeekClaimed	Monerarily Eligible/ Pending	Earnings	Weekly Benefit Allowance
21	10/28/2000	000-00-0021	Workshare-1	UI-0	Intrastate-02	11/01/2000	eligible-2	0	235

The *Duplicate Detection Report* screen displays duplicates only.

DUPLICATE DETECTION REPORT Benefits Population 1									
Period: 12/01/2004 - 12/31/2004									
Obs	Week Claimed	SSN	Type UI Program	Program Type	Interstate/ Intrastate	Date WeekClaimed	Monerarily Eligible/ Pending	Earnings	Week Benef Allowa
19242	12/11/2004	392727795	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/22/2004	INVALID DET- INVMD	0.00	0.00
19241	12/11/2004	392727795	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/29/2004	VALID REDET- VLDRO	0.00	493.0
19243	12/18/2004	392727795	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/22/2004	INVALID DET- INVMD	0.00	0.00
72686	12/11/2004	470135093	REGULAR UI-UI	UI - MN	INTRASTATE- 0171	12/22/2004	VALID REDET- VLDRO	0.00	340.0
72648	12/11/2004	470135093	REGULAR UI-UI	UI - MN	INTRASTATE- 0171	12/15/2004	INVALID DET- INVMD	0.00	0.00
217901	12/11/2004	640786728	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/14/2004	10 BY WBA- 10XWB	0.00	0.00
217892	12/11/2004	640786728	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/21/2004	VALID REDET- VLDRO	0.00	113.0

Like in the *Errors* screen, the screen displays only 100 records at a time. To see the next 100 records, click on the [Next](#) link at the bottom of the screen. This link is visible only when there are more than 100 records. If the loaded file contains more than 1,000 duplicates only the first 1,000 can be viewed, and the software will display a red message to inform you of this.

To go back to the *Errors* screen click on the [All Errors](#) link at the bottom of the screen.

DUPLICATE DETECTION REPORT Benefits Population 1									
Period: 12/01/2004 - 12/31/2004									
Obs	Week Claimed	SSN	Type UI Program	Program Type	Interstate/ Intrastate	Date WeekClaimed	Monerarily Eligible/ Pending	Earnings	Week Benef Allowa
19242	12/11/2004	392727795	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/22/2004	INVALID DET- INVMD	0.00	0.00
19241	12/11/2004	392727795	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/29/2004	VALID REDET- VLDRD	0.00	493.0
19243	12/18/2004	392727795	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/22/2004	INVALID DET- INVMD	0.00	0.00
72686	12/11/2004	470135093	REGULAR UI-UI	UI - MN	INTRASTATE-0171	12/22/2004	VALID REDET- VLDRD	0.00	340.0
72648	12/11/2004	470135093	REGULAR UI-UI	UI - MN	INTRASTATE-0171	12/15/2004	INVALID DET- INVMD	0.00	0.00
217901	12/11/2004	640786728	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/14/2004	10 BY WBA- 10XWB	0.00	0.00
217892	12/11/2004	640786728	REGULAR UI-UI	UI - MN	INTERSTATE LIABLE-00	12/21/2004	VALID REDET- VLDRD	0.00	113.0

When a file with no duplicates is loaded, the Duplicate Detection Report screen displays “No Rows Found” in red.

address: <http://disq2.uis.dileta.gov:8080/DV-W3-DV/displayerrorsservice?pc=dupes&population=1&popnType=benefits>

DUPLICATE DETECTION REPORT Benefits Population 1									
Period: 12/01/2004 - 12/31/2004									
Obs	Week Claimed	SSN	Type UI Program	Program Type	Interstate/ Intrastate	Date WeekClaimed	Monerarily Eligible/ Pending	Earnings	Weekly Benefit Allowance
No Rows Found.									
<a href="#">All Errors</a>									

## Chapter 6

### Viewing the Source Table

The *Source Table* displays all the records that were successfully loaded to the application. To access the *Source Table* follow the steps below.

- 1 From the *Benefits* or *Tax Selection Criteria* screen select a **Population** that has been loaded. Benefits screens will be displayed in the following examples.

**DATA VALIDATION - BENEFITS**

**Benefits Selection Criteria**

Population Validation	
Population	1-Weeks Claimed
Choose Function	2-Final Payments
	3-Claims Filed
	3a-Additional Claims Filed
	4-Payments
	5-Nonmonetary Determinations

- 2 Select *View Source Table* from the **Choose Function** drop-down menu and click **Go**.

**DATA VALIDATION - BENEFITS**

**Benefits Selection Criteria**

Population Validation	
Population	1-Weeks Claimed
Choose Function	View Source Table
	Import Data
	View Validation Counts
	View Report Validation

The Source Table screen contains all records parsed, but displays only 100 records at a time. At the bottom of the Source *Table* screen, you can see a count of the number of errors found during the loading process and the error rate. You can access the *Errors* screen from the *Source Table* screen by clicking on the [Show Errors](#) link at the bottom of the screen.




SOURCE TABLE  
Benefits Population 1

Weeks Claimed

Obs	Week Claimed	SSN	Type U I Program	Program Type	Intrastate/ Interstate	Date Week Claimed	Monetary Eligible/ Pending	Earnings
1	10/21/2005	000-00-0022	REGULAR UI-1	UI-0	INTRASTATE-02	10/31/2005	ELIGIBLE-2	0.0
2	10/28/2005	000-02-8690	REGULAR UI-1	UCFE-1	INTRASTATE-02	10/31/2005	ELIGIBLE-2	0.0
4	10/21/2010	000-02-9099	REGULAR UI-1	UI-0	INTERSTATE LIABLE-00	10/31/2005	ELIGIBLE-2	0.0
7	10/28/2005	123-56-	REGULAR	UCFE-1	INTERSTATE	10/13/2005	ELIGIBLE-2	0.0

You can sort records by any field by clicking at the field header. Click once to sort in ascending order, and twice for descending. (Applies only to Benefits)



SOURCE TABLE  
Benefits Population 1

Weeks Claimed

Obs	Week Claimed ▼	SSN	Type U I Program	Program Type	Intrastate/ Interstate	Date Week Claimed	Monetary Eligible/ Pending	Earnings
1	10/21/2005	000-00-0022	REGULAR UI-1	UI-0	INTRASTATE-02	10/31/2005	ELIGIBLE-2	0.0
2	10/28/2005	000-02-8690	REGULAR UI-1	UCFE-1	INTRASTATE-02	10/31/2005	ELIGIBLE-2	0.0
7	10/28/2005	123-56-7456	REGULAR UI-1	UCFE-1	INTERSTATE AGENT	10/13/2005	ELIGIBLE-2	0.0
		000-	REGULAR		INTERSTATE			



You can sort records by a field to quickly find records with outlier values. For example, sort on [Weekly Benefit Allowance](#) (WBA) to find records with values exceeding the state established WBA.

The *Source Table* screen displays 100 records at a time. To see the next 100 records, click on the [Next](#) link at the bottom of the screen. This link is visible only when there are more than 100 records. If the table contains more than 1,000 records only the first 1,000 can be viewed.

225	100-00-0225	0000000000	REGULAR UI	UI ONLY -0	INTRASTATE	FIRST PAYMENT	TOTAL	0.00	292.00	292.00
226	100-00-0226	0000000000	REGULAR UI	UI ONLY -0	INTRASTATE	CONTINUED PAYMENT	TOTAL	0.00	292.00	292.00
236	100-00-0236	0000000000	REGULAR UI	UI ONLY -0	INTERSTATE	CONTINUED PAYMENT	TOTAL	0.00	304.00	280.00
240	100-00-0240	0000000000	REGULAR UI	UI ONLY -0	INTERSTATE	CONTINUED PAYMENT	TOTAL	0.00	283.00	243.00
241	100-00-0241	0000000000	REGULAR UI	UI ONLY -0	INTERSTATE	CONTINUED PAYMENT	TOTAL	0.00	283.00	283.00
254	100-00-0254	0000000000	REGULAR UI	UI ONLY -0	INTRASTATE	CONTINUED PAYMENT	TOTAL	0.00	330.00	330.00
255	100-00-0255	0000000000	REGULAR UI	UI ONLY -0	INTRASTATE	CONTINUED PAYMENT	TOTAL	0.00	330.00	330.00

The *Source Table* screen shows the number of errors found during the loading process and the error rate at the bottom of the screen. You can access the *Errors* screen from the *Source Table* screen by clicking on the [Show Errors](#) link at the bottom of the screen.

0	C-NO	04/01/1977			05/25/1977	8	71428.0
0	C-NO	11/01/1999	11/01/1999		11/01/1999	8	0.0
0	C-NO	01/01/1947			07/25/1947	8	1995281.0
0	C-NO	04/01/2007	04/01/2007		04/01/2007	5	86283.0
0	C-NO	07/01/1950			08/12/1950	8	0.0
0	C-NO	04/01/1976			09/14/1976	8	0.0
0	C-NO	11/17/2000			11/17/2000	8	3771145.0

If no record was successfully loaded, the *Source Table* screen displays a warning message in red.



SOURCE TABLE  
Benefits Population 4

Payments

<a href="#">Obs</a>	<a href="#">SSN</a>	<a href="#">Check Number</a>	<a href="#">Type UI Program</a>	<a href="#">Program Type</a>	<a href="#">Intrastate/ Interstate</a>	<a href="#">Type of Compensation</a>	<a href="#">Partial/Total</a>	<a href="#">Earnings</a>	<a href="#">W B A</a>	<a href="#">UI Amount</a>	<a href="#">U C F Amou</a>
---------------------	---------------------	------------------------------	---------------------------------	------------------------------	--	--------------------------------------	-------------------------------	--------------------------	-----------------------	---------------------------	----------------------------


No Rows Found! Please check import errors and re-import.

## Chapter 7

### Viewing Validation Counts

The *Validation Counts* screen displays all the subpopulations in the population and the number of records from the extract file that were assigned to each subpopulation. To view the Validation Counts screen, follow the next steps.

- 1 From the *Benefits* or *Tax Selection Criteria* screen select a **Population** that has been loaded. Benefits screens will be displayed in the following examples.



- 2 Select *View Validation Counts* from the **Choose Function** drop- down menu and click on **Go**.

**Population Validation**

Population 1-Weeks Claimed

Choose Function

Import Data  
**View Validation Counts**

The screen displays the subpopulations, the report cells for which they are used, the type of values expected for records in them, and the number of records assigned to each.

Address http://uisqt2.uis.doleta.gov:8080/DV-W5-DV/options.jsp

**VALIDATION COUNTS**  
**Benefits Population 1**  
Period: 11/01/2005 - 11/30/2005

Subpop	ETA Report/Line/Column	(Step 2) Type of UI Program	(Step 4) Program Type	(Step 5) Intra/Inter
<a href="#">1.1</a>	5159A-201-10	Regular UI	UI	Intrastate
<a href="#">1.2</a>	5159A-202-10	Regular UI	UCFE	Intrastate
<a href="#">1.3</a>	5159A-203-10	Regular UI	UCX	Intrastate
<a href="#">1.4</a>	5159A-201-12	Regular UI	UI	Interstate received as Liable State
<a href="#">1.5</a>	5159A-202-12	Regular UI	UCFE	Interstate received as Liable State
<a href="#">1.6</a>	5159A-203-12	Regular UI	UCX	Interstate received as Liable State
<a href="#">1.7</a>	5159A-201-11	Regular UI	UI	Interstate filed from Agent state

- 3** Click on the subpopulation number to view records that were parsed into that subpopulation.

View Validation Counts - Microsoft Internet Explorer									
SUBPOPULATION 1.1									
<a href="#">OBS</a>	<a href="#">Claim Week End</a>	<a href="#">SSN</a>	<a href="#">Type UI Program</a>	<a href="#">Program Type</a>	<a href="#">Intra/Inter</a>	<a href="#">Date Week Claimed</a>	<a href="#">Eligible/Pending</a>	<a href="#">Earnings</a>	<a href="#">WBA</a>
65	10/15/2005	100-00-0016	REGULAR UI	UI	INTRASTATE	11/01/2005		50	100

You can sort records by any field by clicking at the field header. Click once to sort in ascending order, and twice for descending.

You can print the screen by clicking on the **Print** button at the bottom of the screen.

The screen displays 100 records at a time. To see the next 100 records, click on the [Next](#) link at the bottom of the screen. This link is displayed only when there are more than 100 records.

773	100-00-0772	0000	REGULAR UI -2	UI -0	11037	283	39	Y
779	100-00-0778	0000	REGULAR UI -2	UI -0	7592	292	26	Y
780	100-00-0779	0000	REGULAR UI -2	UI -0	7592	292	26	Y
786	100-00-0785	0000	REGULAR UI -2	UI -0	7878	303	26	Y
792	100-00-0792	0000	REGULAR UI -2	UI -0	7878	303	26	Y

- 4** Click on the "X" in the upper right hand corner of the screen to close the screen and return to the Validation Counts screen.

View Validation Counts - Microsoft Internet Explorer									
SUBPOPULATION 1.1									
<a href="#">OBS</a>	<a href="#">Claim Week End</a>	<a href="#">SSN</a>	<a href="#">Type UI Program</a>	<a href="#">Program Type</a>	<a href="#">Intra/Inter</a>	<a href="#">Date Week Claimed</a>	<a href="#">Eligible/Pending</a>	<a href="#">Earnings</a>	<a href="#">WBA</a>
65	10/15/2005	100-00-0016	REGULAR UI	UI	INTRASTATE	11/01/2005		50	100

## Chapter 8

### Viewing the Report Validation Screen

Report validation (RV) consists of establishing the extent to which reported numbers match report counts reproduced through the data validation process. This comparison process is automated and requires no additional input from state staff.

The software retrieves reported numbers from the state UI database and compares them to the validation numbers derived from the extract files. In Benefits, percent errors are displayed for each report cell, but pass/fail scores are displayed for groups. A group passes validation if the percent error is 2% or less, except for groups which contain report cells that are used for Government Performance and Results Act (GPRA) measures, which should have a percent error of 1% or less (i.e., Groups 4.01, 4.02 and 12.04). If all groups pass, the population passes report validation; otherwise, it fails; except in Populations 10 and 11, where there are individual report cells that must also pass in addition to the groups.

In Tax, percent errors are displayed for each report cell. A report cell passes validation if the percent error is 2% or less, except for cells which are used for Government Performance and Results Act (GPRA) measures, which should have a percent error of 1% or less (ETA 581, cells 11 and 61). If all cells pass, the population passes report validation; otherwise, it fails.

The *Report Validation* screen displays the results of report validation. To display the screen follow the steps below.

- 1 From the *Benefits* or *Tax Selection Criteria* screen select a [Population](#) that has been loaded. Tax screens will be displayed in the following examples, unless otherwise noted.

**DATA VALIDATION - TAX**

**Tax Selection Criteria**

Population Validation	
<a href="#">Population</a>	<input type="text" value=""/>
<a href="#">Choose Function</a>	<input type="text" value="1-Active Employers"/>

- 2 Select *View Report Validation* from the [Choose Function](#) drop-down menu and click on **Go**.

**Tax Selection Criteria**

Population Validation	
<a href="#">Population</a>	<input type="text" value="1-Active Employers"/>
<a href="#">Choose Function</a>	<input type="text" value="View Report Validation"/>

The *Report Validation* screen displays each report cell in the population, its description, validation count (derived from the extract file), reported count (retrieved from the UI database), count difference, and percent difference, cumulative counts for some groups of report cells, and pass/fail scores for items that are used to determine the score of RV. If any scored item fails, the RV fails.

In Benefits, at the right bottom corner of the *Report Validation* screen you can see the *Report Validation Status* of the population.

12					
Group 1.02	5159 Interstate Liable Weeks Claimed Total	7	1,080	1,073	
5159A-201-11	UI, Filed from Agent	2	2,556	2,554	
5159A-202-11	UCFE, Filed from Agent	3	157	154	
5159A-203-11	UCX, Filed from Agent	2	35	33	
	Interstate Weeks Claimed from				


In Tax, the failure of even one count shown on the table will result in the RV Status to Fail, while in Benefits a failure in one group will result in the status to Fail.

w Report validation					
<p align="center"><b>REPORT VALIDATION</b>  Reported Counts  Tax Population 1</p> <p align="center">Period: 01/01/2006 - 03/31/2006</p>					
Report Cell	Description	Validation Counts	Reported Counts	Difference	
581-101-01	Active contributory employers	210	34,804	34,594	
581-101-02	Active reimbursing employers	171	928	757	
Group	Active Employers	381	35,732	35,351	
					Report


At the bottom of the screen there is a button to access the *View Population Scores* screen. Click on it to display the status of the RV and DEV, which are the two components used to calculate the population score. In Tax, DEV is composed of Sorts and Minimum samples, and in Benefits, it's composed of all random samples for the population. For more information on this screen, see section on submitting results to DOL.

To save a screen shot of the *Report Validation* screen outside the software, follow the next steps.

- 3 Select **Save As** from the drop-down menu *File* on the top left corner of your browser.



- 4 Select the location where you want to save the screen shot and write in the **File Name** box the name you want to give the file and click save.





## Chapter 9

### Viewing Samples

Data element validation (DEV) consists of the investigation of samples drawn from extract files to verify that the information in the records is accurate. Four kinds of samples are drawn: random, missing subpopulations, outliers, and minimum,

- *Random.* These samples are drawn from specific subpopulations within extract files. These were designed as two-tier samples so that the second tier of the sample does not have to be investigated if the results of the investigation of the first tier are conclusive. The samples are either 30/100 or 60/200, where the first number indicates the size of the first tier and the second number the size of the whole sample. So, for example, in a 30/100 sample, 30 cases are investigated in the first tier and 70 on the second, for a total of 100 records. These samples pass with an error rate of 5% or less.
- *Missing subpopulations.* These samples are dependent on the random samples. Each sample consists of one case from each subpopulation that is in the universe of the related random sample but was not selected in the random sample.
- *Minimum.* These samples consist of two cases from each subpopulation included in the sample frame.
- *Outliers.* These samples consist of 10 records with extreme values: the five largest and five smallest values for the variable of interest in the data set.

Benefits DV uses all four samples, and Tax DV only uses minimum, but Tax DEV also includes sorts. In Benefits only random samples are scored and submitted to DOL. The other samples in Benefits are included for diagnostic purposes, but failure of a non-random sample does not require corrective action. States should investigate them and keep a record of their results for auditing purposes.

Tax Data Element Validation (DEV) has two parts: Minimum Samples (previously known as File Integrity Validation (FIV) samples), and Data Element Sorts validation (refer to Chapter 10 for more information). The minimum samples are so small; that in order to pass this aspect of DEV all sampled records must be free of errors.

For both Benefits and Tax, the RV of a population is not valid unless the population passes all applicable DEV tests.

To view the samples of a population follow the next steps.

- 1 From the *Benefits or Tax Selection Criteria* screen select a **Population** that has been loaded. Benefits screens will be displayed in the following examples.

**DATA VALIDATION - BENEFITS**

**Benefits Selection Criteria**

Population Validation

Population

Choose Function

1-Weeks Claimed  
2-Final Payments  
3-Claims Filed  
3a-Additional Claims Filed  
4-Payments  
5-Nonmonetary Determinations

- 2 Select *View Samples* from the **Choose Function** drop-down menu and click on **Go**.

**DATA VALIDATION - BENEFITS**

**Benefits Selection Criteria**

Population Validation

Population


Choose Function

1-Weeks Claimed

Import Data  
View Validation Counts  
View Report Validation  
View Source Table  
View Samples


Last Import: 04/14/2010 by dv3 Transmitted: 05/14

The *Sample ID* number on the *Samples* screen identifies the specific sample. *Sample Type* describes it as one of the four types of samples described above (random, minimum, outlier or missing subpopulations). *Sample Description* is a narrative explanation of the subpopulations included in the sample frame for each sample.



Sample ID	Sample Type	Sample Description
<a href="#">100</a>	Random	Intrastate Weeks Claimed
<a href="#">110</a>	Random	Interstate Liable Weeks Claimed
<a href="#">120</a>	Minimum	Interstate Weeks Claimed from Agent

- 3** Click on the Sample ID of the sample you want to view.



Sample ID	Sample Type	Sample Description
<a href="#">100</a>	Random	Intrastate Weeks Claimed
<a href="#">110</a>	Random	Interstate Liable Weeks Claimed
<a href="#">120</a>	Minimum	Interstate Weeks Claimed from Agent

The *Sample Validation* screen displays the records selected in the sample that are to be investigated. The number and description of the sample are displayed at the top of the screen.

Sample Validation - Microsoft Internet Explorer

**SAMPLE VALIDATION**  
Population 1

120 (Interstate Weeks Claimed from Agent) - Minimum

Save Save As... Print Preview Print Worksheets Add Comments View Population S

Save Final Validation Results

Check All <input type="checkbox"/>	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week-Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type	Pass/Fail	6 (Step 5) Intrastate/ Interstate	Pass/Fail	7 (Step 6) Days of Week
Pass Row <input type="checkbox"/>	1	100003831	1.7	2003-05-24	100-00-3830	<input type="text"/>	REGULAR UI -2	<input type="text"/>	UI -0	<input type="text"/>	INTERSTATE AGENT -1	<input type="text"/>	24 01
Pass Row <input type="checkbox"/>	2	100001574	1.7	2003-06-28	100-00-1573	<input type="text"/>	REGULAR UI -2	<input type="text"/>	UI -0	<input type="text"/>	INTERSTATE AGENT -1	<input type="text"/>	24 31
Pass Row <input type="checkbox"/>	3	100001914	1.8	2003-05-24	100-00-1913	<input type="text"/>	REGULAR UI -2	<input type="text"/>	UCFE-5	<input type="text"/>	INTERSTATE AGENT -1	<input type="text"/>	24 01
Pass Row <input type="checkbox"/>	4	100002867	1.8	2003-05-31	100-00-2866	<input type="text"/>	REGULAR UI -2	<input type="text"/>	UCFE-5	<input type="text"/>	INTERSTATE AGENT -1	<input type="text"/>	24 01
Pass Row <input type="checkbox"/>	5	100005265	1.9	2003-06-28	100-00-5264	<input type="text"/>	REGULAR UI -2	<input type="text"/>	UCX -7	<input type="text"/>	INTERSTATE AGENT -1	<input type="text"/>	24 31

This screen is used to enter the results of the investigation. The step numbers on the headers of the columns refer to the steps in *Module 3* of the data validation handbook.

## Printing Sample Worksheets

Before you start investigating each record in a sample it is recommended that you print the worksheets for all records. You can annotate validation results in these worksheets and later enter all results in the *Sample Validation* screen. To print the worksheets follow the next steps. Benefits screens will be displayed in the following examples.

- 1 Click the **Print Worksheets** button. This button is displayed at the top and bottom of the Sample Validation screen. Click on either button.

Sample Validation - Microsoft Internet Explorer

Population 1

120 (Interstate Weeks Claimed from Agent) - Minimum

Save Save As... Print Preview **Print Worksheets** Add Comments View Population

Save Final Validation Results

Check All <input type="checkbox"/>	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week-Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type	Pass/Fail	6 (Step 5) Intrastate/ Interstate	Pass/Fail	7 (Step Rule Date Week Claim)
Pass Row <input type="checkbox"/>	1	7	1.7	2005-10-28	000-03-0324	<input type="text"/>	REGULAR UI-1	<input type="text"/>	UI-0	<input type="text"/>	INTERSTATE AGENT	<input type="text"/>	2005-13
Pass Row <input type="checkbox"/>	2	13	1.7	2005-10-23	100-00-0004	<input type="text"/>	REGULAR UI-02	<input type="text"/>	UI-01	<input type="text"/>	INTERSTATE AGENT-02	<input type="text"/>	2005-01
Pass Row <input type="checkbox"/>	3	17	1.8	2005-10-12	100-00-0008	<input type="text"/>	REGULAR UI-02	<input type="text"/>	UCFE-02	<input type="text"/>	INTERSTATE AGENT	<input type="text"/>	2005-13
Pass Row <input type="checkbox"/>	4	8	1.8	2005-10-28	000-03-0325	<input type="text"/>	REGULAR UI-1	<input type="text"/>	UCFE-1	<input type="text"/>	INTERSTATE AGENT	<input type="text"/>	2005-13
Pass Row <input type="checkbox"/>	5	9	1.9	2005-10-28	000-03-0326	<input type="text"/>	REGULAR UI-1	<input type="text"/>	UCX-2	<input type="text"/>	INTERSTATE AGENT	<input type="text"/>	2005-30
Pass Row <input type="checkbox"/>	6	10	1.9	2005-10-	100-00-	<input type="text"/>	REGULAR	<input type="text"/>	UCX-	<input type="text"/>	INTERSTATE	<input type="text"/>	2005-

- 2** **Start Row** and **End Row** boxes will be displayed at the bottom of the screen. Enter the range of rows that you want to print and click **Go**. For example, enter “1” in **Start Row** and “4” in **End Row** and click **Go**, to print sample worksheets for rows 1 to 4.

Sample Validation - Microsoft Internet Explorer

Save Save As... Print Preview Print Worksheets Add Comments View Popu

Save Final Validation Results

Check All	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week-Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type	Pass/Fail	6 (Step 5) Intrastate/ Interstate	Pass/Fail	7 (S (R D, W C)
Pass Row	1	7	1.7	2005-10-28	000-03-0324		REGULAR UI-1		UI-0		INTERSTATE AGENT		20 13
Pass Row	2	13	1.7	2005-10-23	100-00-0004		REGULAR UI-02		UI-01		INTERSTATE AGENT-02		20 03
Pass Row	3	8	1.8	2005-10-28	000-03-0325		REGULAR UI-1		UCFE-1		INTERSTATE AGENT		20 13
Pass Row	4	20	1.8	2005-10-21	100-00-0011		REGULAR UI-01		UCFE		INTERSTATE AGENT-01		20 13
Pass Row	5	12	1.9	2005-10-20	100-00-0003		REGULAR UI-01		UCX		INTERSTATE AGENT		20 30
Pass Row	6	9	1.9	2005-10-28	000-03-0326		REGULAR UI-1		UCX-2		INTERSTATE AGENT		20 30
Match Errors		Type of UI Program		Program Type		Intra/Inter		Date Week Claimed		Elig/Pending		Excessive Earnings	
0		0		0		0		0		0		0	



To print the worksheet of only one record, enter the row number of the record in the **Start Row** and **End Row** boxes. For example, to print the record in the second row, enter “2” in both the **Start Row** and **End Row** boxes.

The worksheets display the records with all fields and corresponding values in portrait orientation.

UI Sample Validation - Benefits Population 4		
Period: 06/01/2006 - 06/30/2006		
Data Element	Value	Pass/Fail
Row #	1	
1 OBS	1523	
Subpop	4.43	
2 (Step 1C) (Rule 1) SSN	400-50-1523	
3 (Step 1C) (Rule 2)	785522	Not Yet

**3** Scroll to the end of the screen and click on **Print Preview**.

UI Amount		
12 (Step 12B) UCFE Amount	0.00	
13 (Step 12C) UCX Amount	0.00	
14 (Step 12D) CWC Amount	0.00	
15 (Step 12E) Self-Employment Amount	4,444.00	Not Yet
16 (Step 13) Week Ending Date	2006-06-01	Not Yet
17		

If instead of printing you want to add more records to print, click on **Get More Rows**. **Start Row** and **End Row** boxes will be displayed at the bottom of the screen. Enter the range of rows that you want to add and click **Go**.


UI Amount		
12 (Step 12B) UCFE Amount	0.00	
13 (Step 12C) UCX Amount	0.00	
14 (Step 12D) CWC Amount	0.00	
15 (Step 12E) Self-Employment Amount	4,444.00	Not Yet
16 (Step 13) Week Ending Date	2006-06-01	Not Yet
17		

14 (Step 12D) CWC Amount	0.00	
15 (Step 12E) Self-Employment Amount	4,444.00	Not Yet
16 (Step 13) Week Ending Date	2006-06-01	Not Yet
17 (Step 14) Mail Date	2006-06-04	Not Yet
Time Lapse	0	


Then click on **Print Preview**.



- 4** Click the **Printer** symbol on the left top corner of the screen.



- 5** Select a printer and click **Print**.



You can keep worksheets for samples you submit to the DOL as evidence of the work done, in case you are subject to an Office of Inspector General (OIG) audit.

## Entering Validation Results for Non-random Samples (Minimum, Missing Subpopulations and Outliers)

After you investigate each record, you need to enter the results of the validation into the software. To enter results for non-random samples, go to the *Sample Validation* screen of the sample you are investigating and follow the next steps.

- 1 For each data element, go to the box next to it, click on the drop-down menu and select pass or fail according to your findings. Tax screens will be displayed in the following examples, unless otherwise noted.

Sample Validation - Microsoft Internet Explorer

SAMPLE VALIDATION  
Population 1

10000 (Active Employers) - Minimum

Save Save As... Print Preview Print Worksheets Add Comments View Population

Check All <input type="checkbox"/>	Row #	1 OBS	Subpop	2 (Step 1A) Employer Account Number (EAN)	Pass/Fail	3 (Step 3A) Employer Status	Pass/Fail	4 (Step 2A) (Step 2B) Employer Type	Pass/Fail	5 (Step 14) Liability Date (Met Threshold)	Pass/Fail	6 (Step 16) Reactivation Processing Date
Pass Row <input type="checkbox"/>	1	320792	1.1	002701864	<input type="text"/>	A	<input type="text"/>	C	<input type="text"/>	2006-06-01	<input type="text"/>	
Pass Row <input type="checkbox"/>	2	262438	1.1	002571198	<input type="text"/>	A	<input type="text"/>	C	<input type="text"/>	2004-12-01	<input type="text"/>	
Pass Row <input type="checkbox"/>	3	465789	1.2	009952150	<input type="text"/>	A	Pass Fail	R	<input type="text"/>	1995-05-23	<input type="text"/>	
Pass Row <input type="checkbox"/>	4	464990	1.2	009950535	<input type="text"/>	A	<input type="text"/>	R	<input type="text"/>	1978-05-	<input type="text"/>	

If all elements in a record have passed you don't have to enter results individually for each data element. You can instead click on the [Pass Row](#) box at the beginning of the row and all boxes for that row will be filled with "Pass".

SAMPLE VALIDATION  
Population 1

10000 (Active Employers) - Minimum

Save Save As... Print Preview Print Worksheets Add Comments View Population

Check All <input type="checkbox"/>	Row #	1 OBS	Subpop	2 (Step 1A) Employer Account Number (EAN)	Pass/Fail	3 (Step 3A) Employer Status	Pass/Fail	4 (Step 2A) (Step 2B) Employer Type	Pass/Fail	5 (Step 14) Liability Date (Met Threshold)	Pass/Fail	6 (Step 16) Reactivation Processing Date
Pass Row <input type="checkbox"/>	1	320792	1.1	002701864	<input type="text"/>	A	<input type="text"/>	C	<input type="text"/>	2006-06-01	<input type="text"/>	



For a record that has only a few elements failed and the rest of the elements passed, you can select “Fail” for the elements that failed and then check the **Pass Row** box at the beginning of the row to change the remaining blank boxes to “Pass”.

If all of the records within the sample have passed all data elements you can select the **Check All** box on the top left corner of the table to change all blank boxes to “Pass”.

**SAMPLE VALIDATION**  
Population 1

10000 (Active Employers) - Minimum

Check All	Row #	1 OBS	Subpop	2 (Step 1A) Employer Account Number (EAN)	Pass/Fail	3 (Step 3A) Employer Status	Pass/Fail	4 (Step 2A) (Step 2B) Employer Type	Pass/Fail	5 (Step 14) Liability Date (Met Threshold)	Pass/Fail	6 (Step 16) Reactivation Date
<input checked="" type="checkbox"/>	1	320792	1.1	002701864	<input type="text" value="Pass"/>	A	<input type="text" value="Pass"/>	C	<input type="text" value="Pass"/>	2006-06-01	<input type="text" value="Pass"/>	
<input type="checkbox"/>	2	262438	1.1	002571198	<input type="text" value="Pass"/>	A	<input type="text" value="Pass"/>	C	<input type="text" value="Pass"/>	2004-12-01	<input type="text" value="Pass"/>	



You can enter “Fail” for the elements that have failed for the whole sample and then click the **Check All** box to change the remaining blank boxes to “Pass”.

- Click **Save** to save all entered results. When you click **Save** the software will display a summary of your results at the bottom of the screen, including the number of cases reviewed and the number of cases in error.

<input type="checkbox"/>	2	262438	1.1	002571198	<input type="text" value="Pass"/>	A	<input type="text" value="Pass"/>	C	<input type="text" value="Pass"/>	2004-12-01	<input type="text" value="Pass"/>	
<input type="checkbox"/>	3	465789	1.2	009952150	<input type="text" value="Pass"/>	A	<input type="text" value="Pass"/>	R	<input type="text" value="Pass"/>	1995-05-23	<input type="text" value="Pass"/>	
<input type="checkbox"/>	4	464990	1.2	009950535	<input type="text" value="Pass"/>	A	<input type="text" value="Pass"/>	R	<input type="text" value="Pass"/>	1978-05-30	<input type="text" value="Pass"/>	

The **Save** button will save your results in the software. You can use this button to save partial results if you need to log out from the software. When you return to this screen, all results you have entered so far will be

displayed. (for Taxes the **Save** button saves your data to your state's database).

- 3 When you finish validating all records, click on the **Save Final Validation Results (only appears on Benefits screen)** button at the top or bottom of the screen, to save your data in your state's database.

**SAMPLE VALIDATION**  
Population 1

120 (Interstate Weeks Claimed from Agent) - Minimum

Save Save As... Print Preview **Print Worksheet** Add Comments View Population S

Save Final Validation Results

Check All	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week-Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type	Pass/Fail	6 (Step 5) Intrastate/ Interstate	Pass/Fail	7 (Step 11) Date Week Claimed
<input type="checkbox"/>	1	7	1.7	2005-10-28	000-03-0324	Pass	REGULAR UI-1	Pass	UI-0	Pass	INTERSTATE AGENT	Pass	2005-11-13
<input type="checkbox"/>	2	13	1.7	2005-10-23	100-00-0004	Pass	REGULAR UI-02	Pass	UI-01	Pass	INTERSTATE AGENT-02	Pass	2005-11-01
<input type="checkbox"/>	3	17	1.8	2005-10-12	100-00-0008	Pass	REGULAR UI-02	Pass	UCFE-02	Pass	INTERSTATE AGENT	Pass	2005-11-13
<input type="checkbox"/>	4	8	1.8	2005-10-28	000-03-0325	Pass	REGULAR UI-1	Pass	UCFE-1	Pass	INTERSTATE AGENT	Pass	2005-11-13
<input type="checkbox"/>	5	9	1.9	2005-10-28	000-03-0326	Pass	REGULAR UI-1	Pass	UCX-2	Pass	INTERSTATE AGENT	Pass	2005-11-30
<input type="checkbox"/>				2005-10-	100-00-		REGULAR				INTERSTATE		2005-11-

Click **OK**.

**SAMPLE VALIDATION**  
Population 1

120 (Interstate Weeks Claimed from Agent) - Minimum

Save Save As... Print Preview Print Worksheets Add Comments View F

Save Final Validation Results

Check All	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week-Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type	Pass/Fail	6 (Step 5) Intrastate/ Interstate	Pass/Fail	7 (Step 11) Date Week Claimed
<input type="checkbox"/>	1	7	1.7	2005-10-28	000-03-0324	Pass	REGULAR UI-1	Pass	UI-0	Pass	INTERSTATE AGENT	Pass	2005-11-13
<input type="checkbox"/>	2	13	1.7	2005-10-23	100-00-0004								
<input type="checkbox"/>	3	17	1.8	2005-10-12	100-00-0008								
<input type="checkbox"/>	4	8	1.8	2005-10-28	000-03-0325								
<input type="checkbox"/>	5	9	1.9	2005-10-28	000-03-0326	Pass	REGULAR UI-1	Pass	UCX-2	Pass	INTERSTATE AGENT	Pass	2005-11-30

Microsoft Internet Explorer  
? You are about to save Final Validation Results to DV state database. Continue?  
OK Cancel

Click **OK**.

**SAMPLE VALIDATION**  
Population 1

120 (Interstate Weeks Claimed from Agent) - Minimum

Save Save As... Print Preview Print Worksheets Add Comments View P

Save Final Validation Results

Check All	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week-Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type	Pass/Fail	6 (Step 5) Intrastate/Interstate	Pass/Fail
Pass Row	1	7	1.7	2005-10-28	000-03-0324	Pass	RI U:				IRSTATE NT	Pass
Pass Row	2	13	1.7	2005-10-23	100-00-0004	Pass	RI U:				IRSTATE NT-02	Pass
Pass Row	3	17	1.8	2005-10-12	100-00-0008	Pass	RI UI-02	Pass	DCPE-02	Pass	AGENT	Pass
Pass Row				2005-10-	000-03-		REGULAR				INTERSTATE	

You can later access these data by querying your database, but the data will be erased from the software when the population is reloaded.

The **Save As** button displayed at the top and bottom of the screen can be used to save a screen shot of your results outside the software. To do this, follow the next steps.

#### 4 Click on **Save As**.


**SAMPLE VALIDATION**  
Population 1

10000 (Active Employers) - Minimum


Save Save As... Print Preview Print Worksheets Add Comments View Pop

Check All	Row #	1 OBS	Subpop	2 (Step 1A) Employer Account Number (EAN)	Pass/Fail	3 (Step 3A) Employer Status	Pass/Fail	4 (Step 2A) (Step 2B) Employer Type	Pass/Fail	5 (Step 14) Liability Date (Met Threshold)	Pass/Fail	6 (Step Reacti) Procce Date
Pass Row	1	320792	1.1	002701864	Pass	A	Pass	C	Pass	2006-06-01	Pass	
Pass Row	2	262438	1.1	002571198	Pass	A	Pass	C	Pass	2004-12-01	Pass	
Pass Row	3	465789	1.2	009952150	Pass	A	Pass	R	Pass	1995-05-23	Pass	
Pass Row										1978-05-		


- 5** Select the location where you want to save the screen shot and write in the **File name** box the name you want to give the file. Click on **Save**.



- 6** When you finish entering and saving your sample validation results, close the *Sample Validation* screen by clicking the **X** in the upper right-hand corner.



Click OK



## Entering Validation Results for Random Samples

When validating random samples (Benefits) you first have to validate records on the first tier of the sample. If the results are conclusive, you don't need to validate the second tier (rest of the sample). If results are inconclusive you need to go to the second tier and enter results for the rest of the sample. To enter results for random samples follow the next steps.

### First Tier

- 1 When you first open the *Sample Validation* screen for a random sample you will see the records in the first tier of the sample, i.e., the first 30 records for a 30/100 sample or the first 60 records for a 60/200 sample. Enter validation results for all records on the screen by following the instructions described in Step 1 of the previous section for non-random samples.

**SAMPLE VALIDATION**  
Population 1

100 (Intrastate Weeks Claimed) - Rand

Check All <input type="checkbox"/>	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week- Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type
Pass Row <input type="checkbox"/>	1	1	1.1	2005-10-21	000-00-0022	Pass	REGULAR UI-1	Fail	UI-0
Pass Row <input type="checkbox"/>	2	10	1.1	2005-10-07	100-00-0001	Pass	REGULAR UI	Pass	UI
Pass Row <input type="checkbox"/>	3	2	1.2	2005-10-28	000-02-8690	Pass	REGULAR UI-1	Fail	UCFE-1




If the sample's universe size is less than 100 for 30/100 samples or 200 for 60/200 samples, i.e., if the extract file has less than 100 or 200 records respectively from which to select that sample, you will see all records selected for the sample on the screen and you will not have to complete a second tier. The software will use the error rates in Table B.2 of the Benefits Handbook to score the sample.



- 2** Click **Save**. If the results are conclusive, the screen will display a summary of your results at the bottom of the page, along with a pass or fail score. You have finished the validation and don't need to complete the second tier. If the sample universe is smaller than the 30- or 60-case tier one sample, the results will be conclusive regardless of the number of errors.

Pass Row	28	118067	1.4	2004-11-27	461-74-1258	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTERSTATE LIABLE-00	Pass	2
Pass Row	29	25937	1.4	2004-12-11	439-94-5612	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTERSTATE LIABLE-00	Pass	2
Pass Row	30	209042	1.4	2004-12-	526-04-	Pass	REGULAR	Pass	UI - MN	Pass	INTERSTATE	Pass	2

If the results are inconclusive, clicking on **Save** will bring up the following pop-up window informing you that you need to go to the second tier. Click **OK**.



If you need to exit the software before entering all your results, click **Save** before you do so, so that you don't lose any of your results. Also, if you are inactive for more than 59 minutes (the time-out limit), save your work before, to avoid losing your results.



## Second Tier

- 3** To go to the second tier, click on one of the **Switch to Tier 2** buttons available at the top and bottom of the screen.

**SAMPLE VALIDATION**  
Population 1

110 (Interstate Liable Weeks Claimed) - Random

Save Save As... Print Preview Print Worksheets Add Comments View Population Score

Check All	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week-Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type	Pass/Fail	6 (Step 5) Intrastate/Interstate	Pass/Fail
<input type="checkbox"/>				2004-12-	472-49-		REGULAR				INTERSTATE	

The first tier's records are going to be disabled but still visible on the screen and the records for the second tier are going to be displayed.

Sample Validation - Microsoft Internet Explorer

Pass Row	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week-Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type	Pass/Fail	6 (Step 5) Intrastate/Interstate	Pass/Fail
<input type="checkbox"/>	26	25096	1.4	2004-12-18	427-41-4900	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTERSTATE LIABLE-00	Pass
<input type="checkbox"/>	27	217686	1.4	2004-12-11	638-22-9152	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTERSTATE LIABLE-00	Pass
<input type="checkbox"/>	28	118067	1.4	2004-11-27	461-74-1258	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTERSTATE LIABLE-00	Pass
<input type="checkbox"/>	29	25937	1.4	2004-12-11	439-94-5612	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTERSTATE LIABLE-00	Pass
<input type="checkbox"/>	30	209042	1.4	2004-12-18	526-04-5771	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTERSTATE LIABLE-00	Pass
<input type="checkbox"/>	31	223699	1.4	2004-11-27	494-60-7723		REGULAR UI-UI		UI - MN		INTERSTATE LIABLE-00	
<input type="checkbox"/>	32	26644	1.4	2004-12-18	450-48-0773		REGULAR UI-UI		UI - MN		INTERSTATE LIABLE-00	
<input type="checkbox"/>	33	217585	1.4	2004-12-18	638-54-6836		REGULAR UI-UI		UI - MN		INTERSTATE LIABLE-00	
<input type="checkbox"/>	34	27865	1.4	2004-12-11	455-85-8855		REGULAR UI-UI		UI - MN		INTERSTATE LIABLE-00	
<input type="checkbox"/>	35	30270	1.4	2004-11-27	465-62-1436		REGULAR UI-UI		UI - MN		INTERSTATE LIABLE-00	

If you want to edit results for any records on the first tier, you can click on either of the **Back to Tier 1** buttons available at the top and bottom of the screen.

Check All	Row #	1 OBS	Subpop	2 (Step 1A) (Rule 2) Claim Week-Ending Date	3 (Step 1A) (Rule 1) SSN	Pass/Fail	4 (Step 2) Type of UI Program	Pass/Fail	5 (Step 4) Program Type	Pass/Fail	6 (Step 5) Intrastate/Interstate	Pass/Fail	7 (Step Rule Date Week Claim)
<input type="checkbox"/>	1	104408	1.4	2004-12-18	472-49-1843	Fail	REGULAR UI-UI	Pass	UI - MN	Pass	INTERSTATE LIABLE-00	Pass	2004-27
<input type="checkbox"/>													

However, if you had entered any results for records on the second tier, you will lose them. The software will give you a warning before going back to tier 1. Click **OK** if you want to go to tier 1 or **Cancel** to return to Tier 2. Be aware that returning to tier 1 from tier 2 might take a long time.

You are about to switch to tier 1 of sample worksheet. You will lose all data entered

OK Cancel

- 4 Enter results for all records on the second tier the same way you entered results on the first tier. Follow the first tier instructions described under Step 1.
- 5 When you finish entering results click **Save**. A summary of your results will be displayed at the bottom of the page along with a pass or fail score.

Row <input type="checkbox"/>	196	131600	1.1	2004-11-27	474-12-0337	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTRASTATE-0100	Pass	2004-13
Pass Row <input type="checkbox"/>	197	8863	1.1	2004-12-04	324-70-2005	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTRASTATE-0141	Pass	2004-13
Pass Row <input type="checkbox"/>	198	149146	1.1	2004-11-27	475-17-9717	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTRASTATE-0580	Pass	2004-06
Pass Row <input type="checkbox"/>	199	67442	1.1	2004-12-25	475-77-0245	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTRASTATE-0161	Pass	2004-30

- 6** If you want to save a screen shot click **Save As** and follow the steps described in the previous section.

## Viewing the Data Element Validation Report

The *Data Element Validation Report* screen provides summary information about completed sample investigations for a given population. This report is for informational purposes only. It provides, for example, the number of cases in error and the derived percent of errors established through the sample investigation process. The report can be printed and/or saved outside the application, but there is no **Transmit** button for export to DOL. To access this screen follow the next steps.

- 1 Click on the link *Data Element Validation Report* screen located at the bottom of the *Samples* screen.

SAMPLES Data Element Validation Population 1		
Sample ID	Sample Type	Sample Description
<a href="#">100</a>	Random	Intrastate Weeks Claimed
<a href="#">110</a>	Random	Interstate Liabilities Weeks Claimed
<a href="#">120</a>	Minimum	Interstate Weeks Claimed from Agent

The screen will show results that you have entered for all samples. You can print this screen by clicking on **Print** and save it outside the software by clicking on **Save As**.

Data Element Validation Report					
Population 1					
Sample ID	100	110	120		
Sample Name	Intrastate Weeks Claimed	Interstate Liable Weeks Claimed	Interstate Weeks Claimed from Agent		
Sample Type	Random	Random	Minimum		
Size	60/200	30/100	6		
Universe (subpops)	1.1 - 1.3	1.4 - 1.6	1.7 - 1.9		
Cases Reviewed	60	30	0		
Cases in Error	0	6	0		
% Error	0%	20%	0%		
Pass/Fail	Pass	Fail	N/A		
<b>Invalid Weeks Claimed</b>			100	110	120
1&2 (Step 1A) Match			Cases in Error	0	2
			% Error	0%	6.67%
6 (Step 11) Rule 1 Date Week Claimed			Cases in Error	0	1
			% Error	0%	3.33%
7 (Step 11) Rule 2 Mon. Elig or Pending			Cases in Error	0	0
			% Error	0%	0%
8&9 (Step 11) Rule 3 Excess Earnings			Cases in Error	0	0
			% Error	0%	0%
<b>Reporting Errors</b>			100	110	120
3 (Step 2) Type UI Program			Cases in Error	0	2
			% Error	0%	6.67%
4 (Step 4) Prog Type			Cases in Error	0	2
			% Error	0%	6.67%
5 (Step 5) Intra/Inter			Cases in Error	0	0
			% Error	0%	0%

## Chapter 10

### Viewing Data Element Sorts in Tax

The purpose of data element sorts validation is to determine whether the generic primary codes used to assign transactions (e.g. C (Contributory) and R (Reimbursing) in Populations 1 and 2) are accurately supported by state-specific secondary codes or specific ranges of employer account numbers (EANs). If a state's database does not have more than one state-specific code for a given generic code, or does not use EAN ranges, these tests do not apply. Also, these tests do not apply to Population 5.

A data element passes sort validation if no more than 2% of the sorted transactions include an incorrect state-specific code. For detailed information on data element sort validation check Module 2.3 of the tax handbook.

The following table illustrates the relationship between tax populations, sorts, and sub-populations. The *Test Data Element* column identifies the data element used by the software to perform the sort.


**Tax Populations, Sorts and Sub-populations**

Population	Sort	Subpopulations Examined	Test Data Element
1	S1.1	1.1 (Contributory Employers)	EAN
1	S1.2	1.2 (Reimbursing Employers)	EAN
1	S1.3	1.1 + 1.2 (All employers)	Employer Status Indicator
1	S1.4	1.1 (Contributory Employers)	Employer Type Indicator
1	S1.5	1.2 (Reimbursing Employers)	Employer Type Indicator
2	S2.1	2.1 – 2.8 (Contributory Employers)	EAN
2	S2.2	2.9 – 2.16 (Reimbursing Employers)	EAN
2	S2.3	2.1 – 2.8 (Contributory Employers)	Employer Type Indicator
2	S2.4	2.9 – 2.16 (Reimbursing Employers)	Employer Type Indicator
3	S3.1	3.1 – 3.3 (New Status Det.)	Status Determination Type
3	S3.2	3.4 – 3.6 (Successor Status Det.)	Status Determination Type
3	S3.3	3.7 (Inactivation Det.)	Status Determination Type
3	S3.4	3.8 (Termination Det.)	Status Determination Type
4	S4.1	4.1, 4.9 (Establishment Transaction)	Transaction Type Indicator
4	S4.2	4.2, 4.10 (Liquidation Transaction)	Transaction Type Indicator
4	S4.3	4.3, 4.4, 4.11, 4.12 (Uncollectible Transactions)	Transaction Type Indicator

The software has two different sorting methods to determine which employers or transactions are out of range: query and frequency distribution. The query is available for EANs and the frequency distribution for all other data elements. The next sections will explain each method in detail.

To access the *Data Element Sorts* screen follow the next steps.

- 1 From the *Tax Selection Criteria* screen select a **Population** that has been loaded.



qt2.uis.doleta.gov:8080/DV-W5-DV/taxmain.jsp

## DATA VALIDATION - TAX i

### Tax Selection Criteria

#### Population Validation


<a href="#">Population</a>	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px;">1-Active Employers</div> <div style="padding: 2px;">2-Report Filing</div> <div style="padding: 2px;">3-Status Determination</div> <div style="padding: 2px;">4-Accounts Receivable</div> <div style="padding: 2px;">5-Field Audits</div> </div>
<a href="#">Choose Function</a>	

Last Import: 04/02/2010 by dv3 Last T

#### Other Validations

☐ Wage Item Validation

- 2 Select *View Data Element Sorts* from the **Choose Function** drop-down menu and click **Go**.



qt2.uis.doleta.gov:8080/DV-W5-DV/auth.jsp

## DATA VALIDATION - TAX i

### Tax Selection Criteria

#### Population Validation

<a href="#">Population</a>	<div style="border: 1px solid gray; padding: 2px;"> <div style="background-color: #f0f0f0; padding: 2px;">1-Active Employers</div> </div>
<a href="#">Choose Function</a>	<div style="border: 1px solid gray; padding: 2px;"> <div style="padding: 2px;">Import Data</div> <div style="padding: 2px;">View Validation Counts</div> <div style="padding: 2px;">View Report Validation</div> <div style="padding: 2px;">View Source Table</div> <div style="padding: 2px;">View Samples</div> <div style="background-color: #f0f0f0; padding: 2px;">View Data Element Sorts</div> <div style="padding: 2px;">View Import Messages</div> <div style="padding: 2px;">View Errors</div> <div style="padding: 2px;">View Population Scores</div> </div>

Last Import: 04/05/2010 by dv4 Transm

#### Other

☐ Wage Item Validation

The *Data Element Sorts* screen displays each data element to be sorted, the corresponding step in Module 3 that is used to validate it, and the number of cases to be validated. Each data element has a sort number

assigned to it, e.g., S1.1. The sort numbers are displayed as links that take you to the sorting function.

DATA ELEMENT SORTS Tax Population 1							
Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors	Status
<input type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1	210		
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	165		
<input type="checkbox"/>	120	<a href="#">S1.3</a>	Employer Status - Active	3A/1	375		
<input type="checkbox"/>	130	<a href="#">S1.4</a>	Employer Type - Contributory	2A/1	210		
<input type="checkbox"/>	140	<a href="#">S1.5</a>	Employer Type - Reimbursing	2B/1	165		
Data Element Sorts Status							

## Entering Data Element Sorts Results

To enter results for data element sorts follow the next steps.

- 1 If your state does not have secondary codes for the data element, you cannot do sort validation for that data element. In that case, click on the N/A box next to the data element.

DATA ELEMENT SORTS Tax Population 1							
Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors	Status
<input checked="" type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1			
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	165		

The data element is disabled and the *Status* column displays "N/A".



- 2** If your state has secondary codes for the data element or assigns EAN ranges to contributory and reimbursing employers, click on the sort number link. For example, click on [S1.1](#).

DATA ELEMENT SORTS Tax Population 1							
Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors	P E
<input type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1	25		
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	26		

If the data element is EAN, you will get a query screen. For other data elements you will get a screen showing a frequency distribution of codes.

### Query Screen

If your state assigns a certain range of EAN numbers to contributory employers and another range to reimbursing employers, you can query against the EANs in your extract file to determine if there are any numbers out of range.

Select the type of query you want to execute and the parameters for the query. The software offers three possible queries: *starts with*, *ends with* and *is between*.

*Starts with* retrieves all employers whose EANs begin with the sequence you identify. For example, to get all the records with an EAN starting with 3000, click the *starts with* option, and enter 3000 in the first box.

☒ starts with
 ☐ ends with
 ☐ is between

Values:  and

*Ends with* retrieves all employers whose EAN ends with the sequence you identify. For example, to get all the records with an EAN ending in 1230, click the *ends with* option, and enter 1230 in the first box.

*Is between* allows you to specify a range starting with an EAN value in the first box and an ending value in the second box. The query returns the set of employers that falls within the specified range. For example, to get all the records with an EAN between 3000 and 502222, click the *is between* option, enter 3000 in the first box and 502222 in the second box.

You can save your parameters by clicking on **Save Parameters**.

Click on the **Query** button.

Row#	OBS	EAN	Emp Status	Subpop	Emp Liability	React	Inactive	Act	#	
					Typedate	date	date	Proc date,	Lia qtr	
1	1	3000	C	1.1	A	2002-11-30			2002-11-29	8
2	2	4006	C	1.1	A	2002-12-01			2002-11-29	8

Total Count: 2

The software displays a screen with all records that satisfy the query parameters. At the bottom of the screen the total number of records retrieved is displayed.



If the number returned by the query exceeds 10,000, the software displays the first 10,000, beginning with the lowest EAN.

If you query for valid values, for example if your state's EANs always start with 4, and you query for those records, then the records the software retrieves are all correct. In this case, compare the number of records retrieved with the number of cases in the *Data Element Sort* screen.

http://disqaz.uis.odeca.gov:8080/ucava/options.jsp

DATA ELEMENT SORTS Tax Population 1						
Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors
<input type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1	12	
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	0	
<input type="checkbox"/>	120	<a href="#">S1.3</a>	Employer Status - Active	3A/1	12	
<input type="checkbox"/>	130	<a href="#">S1.4</a>	Employer Type -	2A/1	12	

The difference between these numbers equals the number of records that have an incorrect EAN, i.e. the number of errors. For example, if you retrieved 4 correct records using the query and the number of cases is 12, then there are 8 records in error.

If you query for invalid values, for example if all EANs in your state can end in any digit but 9 and you query for all EANs ending in 9, then the total number of records retrieved equals the number of errors.



In some cases you might want to execute multiple queries to find the number of errors. For example, if the EANs in your state should be between 007900000 and 007999999, then you can query for records above the upper limit and below the lower limit of your state's EAN range, i.e., run a query for records beginning with 000000000 and ending with 007899999 and another query for 008000000 and above. Add the number of records returned by both queries to get the total number of errors.

## Frequency Distribution Screen

If your state has multiple codes for active employers, employer type, or types of transactions, you can determine which records have an incorrect code by looking at their frequency distribution of codes.

- 1 After you click on the sort number link of a data element that is not an EAN, a window will come up showing a frequency distribution of all codes. Look at all the codes and determine whether these are correct. Add up all the counts of incorrect codes to determine the total number of errors for the data element you are validating.

Data Element Distribution for Tax population 3	
Status Determination	Count
<a href="#">Inactive-305</a>	590
<a href="#">Inactive-306</a>	457
<a href="#">Inactive-307</a>	127
<a href="#">Inactive-315</a>	8
<a href="#">Inactive-316</a>	3

For example, in the previous screen, if you are validating Inactive codes and 315 and 316 are not Inactive codes in your state system, then you have a total of 11 (8+3) errors for Inactive.


- 2 To view all records that were counted for a code, click on the code link.

Data Element Distribution for Tax population 1	
Employer Status	Count
<a href="#">Active-1</a>	187

The software can only display the first 10,000 records.

Active-2

188

 Tax Population Distribution - Details - Microsoft Internet Explorer

Data Element Distribution for Tax Population 1

Row#	OBS	EAN	Emp Type	Subpop	Emp Status	Liability date	React date	Inactive date	Act Proc date,	# Liab qtrs	Q w
1	1	3000	C-1	1.1	A-1	1999-08-10			1999-08-11	8	48
2	3	9008	C-1	1.1	A-1	1999-08-10	1999-08-11		1999-08-24	8	48
3	5	28002	C-1	1.1	A-1	1999-08-10		2006-04-01	1999-08-24	8	48

After you determine how many errors you have for a data element, either by querying or by using the codes frequency distribution, enter that number in the *Data Element Sorts* screen. To do this, follow the next steps.

- 3 Enter the number of records in error for the data element you are validating, in the *# of Errors* field on the *Data Element Sorts* screen.

http://uisqt2.uis.doleta.gov:8080/DV-WS-DV/options.jsp							
DATA ELEMENT SORTS Tax Population 1							
Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors	
<input type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1	210	2	
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	165		
<input type="checkbox"/>	120	<a href="#">S1.3</a>	Employer Status - Active	3A/1	375		
<input type="checkbox"/>	130	<a href="#">S1.4</a>	Employer Type - Contributory	2A/1	210		
<input type="checkbox"/>	140	<a href="#">S1.5</a>	Employer Type - Reimbursing	2B/1	165		


- 4 Click the **Save** button at the bottom of the screen.

http://uisqt2.uis.doleta.gov:8080/DV-W5-DV/options.jsp

### DATA ELEMENT SORTS Tax Population 1

Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors
<input type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1	210	2
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	165	
<input type="checkbox"/>	120	<a href="#">S1.3</a>	Employer Status - Active	3A/1	375	
<input type="checkbox"/>	130	<a href="#">S1.4</a>	Employer Type - Contributory	2A/1	210	
<input type="checkbox"/>	140	<a href="#">S1.5</a>	Employer Type - Reimbursing	2B/1	165	

- 5 You will get a pop up window confirming that you have saved the data. Click **OK**.



The software calculates the percentage of errors and determines whether the data element passed sort validation. It also calculates the *Data Element Sorts Status*.

http://uisqt2.uis.doleta.gov:8080/DV-W5-DV/processSorts.jsp?action=update

### DATA ELEMENT SORTS Tax Population 1

Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors
<input type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1	210	50
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	165	
<input type="checkbox"/>	120	<a href="#">S1.3</a>	Employer Status - Active	3A/1	375	
<input type="checkbox"/>	130	<a href="#">S1.4</a>	Employer Type - Contributory	2A/1	210	
<input type="checkbox"/>	140	<a href="#">S1.5</a>	Employer Type - Reimbursing	2B/1	165	

Data Element Sorts

If you haven't completed all the sorts, the status will display "Incomplete". In order to submit results to the DOL, you first need to complete all sorts, by either entering the number of errors or checking the N/A box, and click **Save**.

When you complete and save all sorts for a population, the status field will display Pass or Fail.

http://uisqt2.uis.dolleta.gov:8080/DV-W5-DV/processsorts.jsp?action=update

DATA ELEMENT SORTS Tax Population 1						
Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors
<input type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1	210	2
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	165	0
<input checked="" type="checkbox"/>	120	<a href="#">S1.3</a>	Employer Status - Active	3A/1		
<input type="checkbox"/>	130	<a href="#">S1.4</a>	Employer Type - Contributory	2A/1	210	3
<input type="checkbox"/>	140	<a href="#">S1.5</a>	Employer Type - Reimbursing	2B/1	165	1

Data Element So

## Chapter 11

### Viewing the Wage Item Validation Screen in Tax

Wage item validation consists of reviewing counts of wage record transactions which appear on the ETA 581 report to verify their accuracy. A wage record is the listing of an individual's earnings in covered employment. Employers are required to provide this information to the Unemployment Insurance program four times per year.

To validate wage items you need to compare counts from the ETA 581 with reconstructed counts produced under controlled conditions. You should test that every wage item is counted and that the count does not include corrections (counted twice), incomplete wage records or duplicate records. You can find a detailed explanation in *Module 5 of the ETA Handbook 361- Tax*.

To enter wage item validation results into the software follow the next steps.


- 1** Select *Wage Item Validation* from the Other Validations box on the *Tax Selection Criteria* screen and click **View**.

The screenshot shows a web application window titled "Tax" with a sub-header "DATA VALIDATION - TAX". Below this is the "Tax Selection Criteria" section. It contains a "Population Validation" box with two dropdown menus labeled "Population" and "Choose Function", and a "Go" button. Below the "Population Validation" box is the "Other Validations" section, which is partially visible. A red arrow points to the "Other Validations" section.

When you select [Wage Item Validation](#), you will see the date results were last transmitted to the National Office at the bottom of the *Other Validations* box. If you have not transmitted any results, the *Last Transmitted* field will display "Never".



- 2** Click on View to get to the *Wage Item Validation* screen.




Go

Last Import: 10/30/2008 by dv2 Last Tra

**Other Validations**

If you have never entered results before you might get a screen with no wage items.



Wage Item Validation


WAGE ITEM VALIDATION  
Validation Worksheet

Report Quarter: Choose a Quarter

Year:

Mode Type	Mode	Sample Size	Cases Reviewed	Validation Count	Reported Count	Difference	Pass/Fail
-----------	------	-------------	----------------	------------------	----------------	------------	-----------

- 3** Select the quarter from the Report Quarter drop down menu, then input year (year must be 4 characters long).



Wage Item Validation

WAGE ITEM VALIDATION  
Validation Worksheet

Report Quarter: First Quarter

Year: 2010

Mode Type	Mode	Sample Size	Cases Reviewed	Validation Count	Reported Count	Difference	Pass/Fail
-----------	------	-------------	----------------	------------------	----------------	------------	-----------


If you have previously entered results, you will see them and you can edit or delete them. Wage items do not get overwritten when you load extract files and are not dependent on any population.

- 4** To add a wage item. Click on the **Add Wage Item** button located at the bottom of the screen.

- 5** In the *Add Wage Items for Validation* pop up window enter the information for the wage item you want to add and click **Save**.

- Select the **Mode Type**; from the drop down menu this is a general description of the item you are validating.
- Enter the **Mode**; this is a brief description of the item you are validating. If **Mode Type** is used more than once each Mode should have a unique name/description. For example, if CD/Diskette is selected twice as your **Mode Type** the **Mode** could be entered as CD1 and CD2 with a brief description like CD1 – First Month, CD2 Second Month.
- Next, enter **Sample Size**; which cannot be zero or greater than 150. If **Sample Size** is less than 150 the software will automatically fill in the **Cases Reviewed** field with the same number as the **Sample Size**. If 150 is entered as the **Sample Size**, then for the **Cases Reviewed** field you must enter 50 if you are reviewing Stage 1 or enter 150 if you are reviewing Stage 2. Refer to UI DV Handbook 361, Tax for more information on when Stage 1 or Stage 2 are required.
- Enter the recount for that category in the **Validation Count** field.
- Enter the counts for the applicable time period that are reflected in the ETA 581 Report in the **Reported Count** field.

When you save the item, the *Wage Item Validation* screen displays the item added and calculates the **Difference** between the **Reported Count** and **Validation Count** fields, and whether the item **Passed or Failed** validation.




The screenshot shows the 'WAGE ITEM VALIDATION Validation Worksheet' window. At the top, there are dropdowns for 'Report Quarter' (set to 'First Quarter') and 'Year' (set to '2011'). Below these is a table with the following data:

Mode Type	Mode	Sample Size	Cases Reviewed	Validation Count	Reported Count	Difference	Pass/Fail
CD/Diskette	CD1	50	50	49	50	1	Pass

A red circle is drawn around the 'Reported Count' field (50) in the first row of the table.

Repeat this procedure to ensure that you have validated wage items for every mode your state's employers use to submit them.

- 6** To update any field of a wage item other than the **Mode Type** and **Mode** fields, click on the field box you want to edit and edit the field. Then click the **Save** button at the bottom of the screen to save your changes.



The screenshot shows the 'WAGE ITEM VALIDATION Validation Worksheet' window with two items in the table:

Mode Type	Mode	Sample Size	Cases Reviewed	Validation Count	Reported Count	Difference	Pass/Fail
CD/Diskette	CD1	50	50	50	50	0	Pass
CD/Diskette	CD 2	50	50	49	50	1	Pass

A red arrow points to the 'Sample Size' field (50) in the second row of the table.

You cannot update the **Mode Type** or **Mode** fields. Instead, you need to delete the wage item and add a new one with the correct **Mode**.

- 7** To delete a wage item click on the **Delete** button next to the wage item, located on the column **Delete Wage Item?**

Mode Type	Mode	Sample Size	Cases Reviewed	Validation Count	Reported Count	Difference	Pass/Fail
CD/Diskette	CD1	50	50	50	50	0	Pass
CD/Diskette	CD 2	50	50	49	50	1	Pass

A pop-up window will be displayed to confirm your request. Click **OK** to delete the item or **Cancel** if you don't want to delete it.



- 8** After you finish entering your validation results, click the **Save** button at the bottom of the screen to save your work.

Mode Type	Mode	Sample Size	Cases Reviewed	Validation Count	Reported Count	Difference	Pass/Fail
CD/Diskette	CD1	50	50	50	50	0	Pass
CD/Diskette	CD 2	50	50	49	50	1	Pass

## Chapter 12

### Submitting Results to DOL

#### Adding Comments

You can add individual comments to your RV, samples, sorts, and wage items results before transmitting them to DOL by using the **Comments** buttons on the *Report Validation*, *Sample Validation*, *Data Element Sorts*, and *Wage Item Validation* screens. To add comments, follow the steps below. Tax screens will be displayed in the following examples.

- 1 From the *Benefits* or *Tax Selection Criteria* screen select the [Population](#) for which you want to add comments.

The screenshot shows a web application interface for 'DATA VALIDATION - TAX'. The main heading is 'Tax Selection Criteria'. Below this, there is a section titled 'Population Validation'. This section contains two rows of input fields. The first row has a label 'Population' and a dropdown menu. A red arrow points to the dropdown menu, which is currently set to '1-Active Employers'. The second row has a label 'Choose Function' and a dropdown menu. The dropdown menu is currently set to '2-Report Filing'.

Population Validation	
Population	<input type="text" value="1-Active Employers"/>
Choose Function	<input type="text" value="2-Report Filing"/>

- 2 Select the screen for which results you want to add comments from the [Choose Function](#) drop-down menu and click on **Go**.

**Tax Selection Criteria**

Population Validation	
<a href="#">Population</a>	1-Active Employers
<a href="#">Choose Function</a>	<div> <div></div> <div>Import Data</div> <div>View Validation Counts</div> <div>View Report Validation</div> </div>

For adding comments to wage item validation results, select *View Wage Item Validation* from the Other Validations box on the *Tax Selection Criteria* screen and click **View**.

**Go**

Last Import: 03/29/2010 by dv3

**Other Validations**

☒ Wage Item Validation

**3** Click on the **Add Comments** button.

In the *Report Validation* screen, the **Add Comments** button is located at the bottom of the screen.

http://uisqt2.uis.doleta.gov:8080/DV-WS-DV/options.jsp

REPORT VALIDATION Reported Counts Tax Population 1					
Period: 01/01/2006 - 03/31/2006					
Report Cell	Description	Validation Counts	Reported Counts	Difference	
581-101-01	Active contributory employers	210	34,804	34,594	
581-101-02	Active reimbursing employers	165	928	763	
Group	Active Employers	375	35,732	35,357	

In the *Sample Validation* screen, the **Add Comments** button is displayed at the top and bottom of the screen. Click on either one.

Sample Validation - Microsoft Internet Explorer

SAMPLE VALIDATION Population 1									
10000 (Active Employers) - Minimum									
<div> <div>Save</div> <div>Save As...</div> <div>Print Preview</div> <div>Print Worksheets</div> <div>Add Comments</div> </div>									
Check All <input type="checkbox"/>	Row #	1 OBS	Subpop	2 (Step 1A) Employer Account	Pass/Fail	3 (Step 3A) Employer	Pass/Fail	4 (Step 2A) (Step 2B)	Pass/Fail

In both the *Data Element Sorts* and the *Wage Item Validation* screens, only available in Tax, the **Add Comments** button is displayed at the bottom of the screen.

**DATA ELEMENT SORTS**  
Tax Population 1

Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors
<input type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1	210	
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	165	
<input type="checkbox"/>	120	<a href="#">S1.3</a>	Employer Status - Active	3A/1	375	
<input type="checkbox"/>	130	<a href="#">S1.4</a>	Employer Type - Contributory	2A/1	210	
<input type="checkbox"/>	140	<a href="#">S1.5</a>	Employer Type - Reimbursing	2B/1	165	

**Data Element Sorts St**

Wage Item Validation

**WAGE ITEM VALIDATION**  
Validation Worksheet

Report Quarter:


Year:

Mode Type	Mode	Sample Size	Cases Reviewed	Validation Count	Reported Count	Difference	Pass/Fail
CD/Diskette	CD1	50	50	50	50	0	Pass
CD/Diskette	CD 2	50	50	49	50	1	Pass


Click on the Add Comment button to bring up the comment box.



- 4** Write your comments in the comment box and click **Save**. You have a limit of 512 characters. Only saved comments will be transmitted.



- 5** Close the comments window by clicking on the X located on the top right corner of the window.



The **Clear** button at the bottom of the *Comments* screen will erase the contents of the comment box. The **Reset** button will erase any additional comments written after the comments were last saved.

## Transmitting Population Results

After you complete RV and DEV, you can transmit the results to DOL with or without comments. Only completed and conclusive sample investigations can be transmitted. Results are transmitted jointly for RV and DEV samples.



You may choose not to submit the results of a validation exercise, but keep in mind that any results resident in the software for a given population will be lost when a new extract file for that population is imported it overwrites the prior data.



When you transmit results to DOL, only summary information and comments are transmitted. Detailed information from individual records is not transmitted to DOL. This means that sensitive information, such as SSNs, stays at the state level.

You can forward RV and DEV results to DOL using the **Transmit** button at the bottom of the *Population Scores* screen. Submissions are transferred to DOL overnight, so they will be received the next day. To submit results along with comments saved, if any, follow the next steps.

- 1 From the *Benefits* or *Tax Selection Criteria* screen select the [Population](#) for which you want to submit results.

**DATA VALIDATION - BENEFIT**

**Benefits Selection Criteria**

Population Validation	
<a href="#">Population</a>	
<a href="#">Choose Function</a>	<div>1-Weeks Claimed</div> <div>2-Final Payments</div> <div>3-Claims Filed</div> <div>3a-Additional Claims Filed</div> <div>4-Payments</div>

- 2 Select *View Population Scores* from the **Choose Function** drop-down menu and click on **Go**.

**Benefits Selection Criteria**

**Population Validation**

Population 1-Weeks Claimed

Choose Function

- Import Data
- View Validation Counts
- View Report Validation

The *Population Scores* screen can also be accessed from the *Report Validation*, *Sample Validation* or *Data Element Sorts* (Tax only) screens by clicking on the **View Population Scores** button.

5159A-202-12	UCFE, Received as liable	36	109	73
5159A-203-12	UCX, Received as liable	32	4	28
Group 1.02	5159 Interstate Liable Weeks Claimed Total	11,162	1,202	9,960
5159A-201-11	UI, Filed from Agent	0	3,398	3,398
5159A-202-11	UCFE, Filed from Agent	0	298	298
5159A-203-11	UCX, Filed from Agent		36	36
Interstate Weeks Claimed from				

Pass Row	196	131600	1.1	2004-11-27	474-12-0337	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTRASTATE-0100	Pass	2004-13
Pass Row	197	8863	1.1	2004-12-04	324-70-2005	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTRASTATE-0141	Pass	2004-13
Pass Row	198	149146	1.1	2004-11-27	475-17-9717	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTRASTATE-0580	Pass	2004-06
Pass Row	199	67442	1.1	2004-12-25	475-77-0245	Pass	REGULAR UI-UI	Pass	UI - MN	Pass	INTRASTATE-0161	Pass	2004-30

DATA ELEMENT SORTS Tax Population 1							
Check if N/A	Sort ID	Sort Number	Sort Key	Step/Rule in Handbook	# of Cases	# of Errors	
<input type="checkbox"/>	100	<a href="#">S1.1</a>	EAN - Contributory	1A/1	210		
<input type="checkbox"/>	110	<a href="#">S1.2</a>	EAN - Reimbursing	1A/1	165		
<input type="checkbox"/>	120	<a href="#">S1.3</a>	Employer Status - Active	3A/1	375		
<input type="checkbox"/>	130	<a href="#">S1.4</a>	Employer Type - Contributory	2A/1	210		
<input type="checkbox"/>	140	<a href="#">S1.5</a>	Employer Type - Reimbursing	2B/1	165		
Data Element Sorts St							

In Benefits, the *Population Scores* screen displays scores for the RV and all the random samples, and an overall score for the population. It also displays the date when results for the population were last transmitted to the National Office.

POPULATION SCORES Benefits Population 1	
Period: 12/01/2004 - 12/31/2004	
Data Validation Item	
Report Validation	Fail
Sample 100	Pass
Sample 110	Incomplete
Overall Population Score	


In Tax, the *Population Scores* screen displays scores for the RV, minimum sample, and sorts, and an overall score for the population. It also displays the date when results for the population were last transmitted to the National Office.

POPULATION SCORES Tax Population 1	
Period: 01/01/2006 - 03/31/2006	
Data Validation Item	Score
Report Validation	Fail
Minimum Samples	Incomplete
Data Element Sorts	Incomplete
Overall Population Score	

- 3 Click on the **Transmit** button located at the bottom of the screen.

POPULATION SCORES Benefits Population 1	
Period: 12/01/2004 - 12/31/2004	
Data Validation Item	Score
Report Validation	Fail
Sample 100	Pass
Sample 110	Incomplete
Overall Population Score	

You can only transmit results if you have completed DEV. If you haven't, you will get the following message.



Click **OK** and complete all samples and sorts (if applicable). After you complete all DEV return to the *Population Scores* screen. Click on the **Transmit** button to submit your results.


oleta.gov:8080/DV-WS-DV/options.jsp

POPULATION SCORES  
Benefits Population 1


Period: 12/01/2004 - 12/31/2004

Data Validation Item	
Report Validation	Fail
Sample 100	Pass
Sample 110	Pass
Overall Population Score	

- 4** Click **OK** on the pop up window if you want to transmit the results. Click **Cancel** if you don't.



You will get a message confirming that your results were submitted. Click **OK**.



In the *Population Scores of Benefits* or *Tax Selection Criteria* screens, the *Last Transmitted* date should reflect the date when you last transmitted results for the population. If you have never submitted results the field would display “Never”.

js.doleta.gov:8080/DV-W5-DV/viewScores.jsp?showMessage=Y&linked=yes&population=1&popType

<p>POPULATION SCORES Benefits Population 1</p> <p>Period: 12/01/2004 - 12/31/20</p>	
Data Validation Item	
Report Validation	Fail
Sample 100	Pass
Sample 110	Pass
Overall Popu	

## DATA VALIDATION - BENEFIT

### Benefits Selection Criteria

Population Validation

<u>Population</u>	1-Weeks Claimed
<u>Choose Function</u>	View Population Scores ▼

## Transmitting Wage Item Validation Results

You submit wage item validation results to DOL using the **Transmit** button at the bottom of the *Wage Item Validation* screen. To transmit wage item validation results follow the next steps.

- 1** Click on the **Transmit** button. The **Transmit** button is located at the bottom of the *Wage Item Validation* screen.

WAGE ITEM VALIDATION  
Validation Worksheet

Report Quarter: First Quarter  
 Year: 2011


Mode Type	Mode	Sample Size	Cases Reviewed	Validation Count	Reported Count	Difference	Pass/Fail
CD/Diskette	CD 1	50	50	50	50	0	Pass
CD/Diskette	CD 2	50	50	49	50	1	Pass




Clicking the transmit button multiple times or closing the application before the submission process is complete could cause problems with your submission. Click only one time and wait until you get the window saying "Wage Item Validation has been submitted".



- 2** Click **OK** on the pop up window if you want to transmit the results. Click **Cancel** if you don't.



You will get a pop up window confirming your action. Click **OK**.



When you return to the *Tax Selection Criteria* screen, the *Last Transmitted* field at the bottom of the *Other Validations* box will be updated.

A screenshot of a web application interface titled 'DATA VALIDATION - TAX'. Below the title is a section titled 'Tax Selection Criteria'. This section contains a 'Population Validation' box with two dropdown menus: 'Population' (set to '1-Active Employers') and 'Choose Function' (set to 'View Population Scores'). There is a 'Go' button below these menus. Below the 'Go' button, it says 'Last Import: 04/05/2010 by dv4' and 'Last Transm'. At the bottom of the screen, there is a section titled 'Other Validations' which is highlighted with a red oval. Below this section, there is a radio button labeled 'Wage Item Validation'.

# APPENDIX A

## **EXPLANATION OF UI BENEFITS DATA FORMATS**

There are five types of data formats referred to in Appendix A.

1. **Required.** These fields cannot be blank. They may be mandatory dates and dollar values.
2. **Text.** These fields have text values that must be entered, such as UI, partial, voluntary quit, etc. All of the allowable generic text values for each field are listed in the record layout. The generic text values must be followed by a dash and the corresponding state-specific value.
3. **Optional (these fields are gray in Appendix A).** The software does not look at these fields at all. Any values can be entered or they can be left blank.
4. **Must be blank.** These are text or date fields where the presence of data indicates an error. Therefore, they must be left blank (such as monetary date where the subpopulation is for a claim with no monetary determination or a UCFE amount for a UI only payment).
5. **Must be blank or 0.** These are numeric fields where the presence of data other than "0" indicates an error.

Some values are abbreviated in the record layouts (Appendix A) but are shown in the report validation specifications (Appendix A) in their entirety for informational purposes.

### **Notes:**

For most steps referenced in Appendix A column headers, Rule 1 is the indicator in the state system. However, if a state does not maintain the indicator specified in Rule 1, then the state programmer must review the other rules in that step in order to develop the required validation logic.

Unique ID is required for populations 2, 4, 6, 7, 8, 9, 10, and 11 and optional for populations 5, 12, 13, and 14 because not all states maintain the indicators for these four populations. There is no unique ID field for populations 1 and 3.

Federal Wages are required in certain situations. In population 4, for Joint UI/Federal payments UCFE amount and/or UCX amount is required. In population 4 for UCFE or UCFE/UCX payments, UCX amount is only required for joint UCFE and UCX claims. In populations 12, 13 and 14 federal amount is required for UI overpayments when there are also federal wages.

## BENEFITS RECORD LAYOUT FOR POPULATION 1

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for UI Program Type is 01, then the data format would be UI-01.

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	Claim Week-ending Date	Step 1A - Rule 2	The week-ending date of the week claimed.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
3	SSN	Step 1A - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
4	Type of UI Program	Regular UI: Step 2A - Rule 1	Regular UI claim.	Text - Regular UI (Required)	CHAR (20)	NOT NULL
5	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1	UI, UCFE, or UCX.	Text - UI UCFE UCX (Required)	CHAR (30)	NOT NULL
6	Intrastate/ Interstate	Intrastate: Step 5A - Rules 1 and 2 Interstate Received as Liable State: Step 5B - Rules 1 and 2 Interstate Filed From Agent State: Step 5D - Rules 1 and 2	Intrastate, Interstate received as liable state, or Interstate filed from agent state.	Text - Intrastate Interstate liable Interstate agent (Required)	CHAR (30)	NOT NULL
7	Date Week Claimed	Step 11 - Rule 1	The date the week was claimed.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
8	Monetarily Eligible or Pending	Step 11 - Rule 2	Claimant is monetarily eligible for benefits when the week was claimed if: benefits have not been exhausted or monetary eligibility is pending, i.e. eligibility has not been finally determined.	Text - Eligible Pending (Optional)	CHAR (30)	
9	Earnings	Step 11 - Rule 3	Earnings for the week claimed except for interstate filed from agent state claims.	Number - 0000000.00 (Required except optional for Interstate filed from agent state claims)	DECIMAL (9,2)	
10	WBA	Step 11 - Rule 3	Weekly benefit allowance	Number - 0000000.00 (Required)	DECIMAL (9,2)	NOT NULL
11	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 2

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for UCFE is 5, then the data format would be UCFE-5.

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
1	OBS		Sequential number, start at 1. Provides for a unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1C - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Check Number Unique ID	Step 1C - Rule 2	The check number or other unique ID.	Number - 0000000000 (Required)	CHAR (30)	NOT NULL
4	Type of UI Program	Regular UI: Step 2A - Rule 1	Regular UI claim.	Text - Regular UI (Required)	CHAR (20)	NOT NULL
5	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1	UI, UCFE or UCX.	Text - UI UCFE UCX (Required)	CHAR (30)	NOT NULL
6	MBA	Step 9A and 9B - Rule 1	The maximum benefit allowance.	Number - 0000000.00 (Required)	DECIMAL (9,2)	NOT NULL
7	WBA	Step 7 - Rules 1 and 2	The weekly benefit allowance.	Number - 0000000.00 (Required)	DECIMAL (9,2)	NOT NULL
8	Actual Weeks of Duration	Step 9A - Rules 1 and 2	The number of actual weeks of duration of the claim.	Number - 00 (Required except optional for UCFE and UCX claims)	INTEGER	

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
9	Maximum Weeks of Duration	Steps 9B and 9C - Rule 1	The number of actual weeks of duration at the maximum or not.	Text - Y N (Required except optional for UCFE and UCX claims)	CHAR (20)	
10	Mail Date of Final Payment	Step 10C - Rule 3	The mail date of the final payment.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
11	Balance	Step 10C - Rule 2	The balance left on the claim at the time of the final payment.	Number - 0000000.00(Required)	DECIMAL (9,2)	NOT NULL
12	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## ***BENEFITS RECORD LAYOUT FOR POPULATION 3***

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Transitional claim is T, then the data format would be TRANSITIONAL-5.

<b><i>No.</i></b>	<b><i>Field Name</i></b>	<b><i>Module 3 Reference</i></b>	<b><i>Field Description</i></b>	<b><i>Data Format</i></b>	<b><i>Data Type</i></b>	<b><i>Constraint</i></b>
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1B - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Date Claim Filed/IB-4 Sent	Step 3A - Rules 1 and 6 Step 3C - Rule 1	The date the claim was filed in person, by mail or telephone, or by other means.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
4	Type of UI Program	Regular UI: Step 2A - Rule 1	Regular UI claim.	Text - Regular UI (Required)	CHAR (20)	NOT NULL



<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
5	Type of Claim	New: Step 3A - Rule 2 Transitional: Step 3C - Rule 2 Entering Self-Employment: Step 3D - Rule 2 Additional: Step 3B - Rule 2 Reopened: Step 3B - Rule 7 New CWC claim: Step 3A - Rule 6 New CWC claim filed in prior quarter: Step 3A - Rule 7 New claim filed in prior quarter: Step 3A - Rule 5	New claim, Transitional claim, Entering self-employment, Additional claim, Reopened claim, New CWC claim, New CWC claim filed in a prior quarter, or New claim filed in a prior quarter.	Text - New Transitional Entering Self-Employment Additional Reopened CWC New Prior Qtr New CWC Prior Qtr New Claim (Required)	CHAR (30)	NOT NULL
6	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1	UI, UCFE or UCX.	Text - UI UCFE UCX (Required except optional for CWC and entering self-employment program claims)	CHAR (30)	

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
7	Intrastate/ Interstate	Intrastate: Step 5A - Rules 1 and 2 Interstate Received as Liable State: Step 5B - Rules 1 and 2 Interstate Taken as Agent State: Step 5C - Rules 1 and 2 Interstate Filed From Agent State: Step 5D - Rules 1 and 2 Intrastate CWC: Step 5E - Rules 1 and 2 Interstate CWC: Step 5F - Rules 1 through 4	Intrastate, Interstate received as liable, Interstate taken as agent, Interstate filed from agent state, Intrastate combined wage claim, or Interstate combined wage claim.	Text - Intrastate Interstate liable Interstate taken Interstate agent CWC Intrastate CWC Interstate (Required except optional for transitional claims, new claims filed during a prior quarter, and entering self-employment program claims)	CHAR (30)	
8	Date of Original Monetary	Step 6A - Rules 1 and 2 Step 6B - Rule 1	Date the original determination was made on whether the claimant has sufficient base- period wages and/or employment to establish a benefit year.	Date - MM/DD/YYYY (Required except must be blank for "No Monetary" claim and CWC claims with insufficient wages and optional for UCFE, UCX, interstate filed from agent state, interstate taken as agent state, and entering self-employment program claims)	DATE	

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
9	Sufficient/ Insufficient/ Combined Wages	Sufficient Wages: New Benefit Year: Step 6C - Rules 1 and 2 Sufficient Wages - No New Benefit Year: Step 6C - Rule 3 Insufficient Wages: Step 6D - Rule 1 New CWC Wages: Step 6C - Rule 4 No New CWC Wages: Step 6D - Rules 2 and 3	The status of the new UI or CWC claim at the time the 218 report was run: Sufficient-new benefit year established; Sufficient-no new benefit year established; Insufficient; Sufficient-new CWC benefit year established.	Text - Insufficient Sufficient New BY Sufficient No BY Sufficient New CWC BY (Required except must be blank for "No Monetary" claim and optional for UCFE, UCX, interstate filed from agent state, interstate taken as agent state, and entering self- employment program claims)	CHAR (30)	
10	WBA	Step 7 - Rules 1 and 2	Weekly benefit allowance is the maximum or less than maximum.	Text - Maximum Less than Maximum (Required except must be blank for insufficient, sufficient but no benefit year, and "No Monetary" claim, and optional for UCFE, UCX, interstate filed from agent state, interstate taken as agent state, CWC, and entering self- employment program claims)  (States should include the WBA after the dash which follows the generic federal value.)	CHAR (30)	

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
11	MBA	Steps 8A and 8B - Rule 1	Maximum benefit allowance	Number - 0000000.00 (Required except must be blank or 0 for insufficient, sufficient but no benefit year, and "No Monetary" claim, and optional for UCFE, UCX, interstate filed from agent state, interstate taken as agent state, CWC, and entering self-employment program claims)	DECIMAL (9,2)	
12	Potential Weeks of Duration	Step 8A - Rule 1	The number of full weeks of benefits for which a claimant is determined to be eligible within a benefit year.	Number - 00 (Required except must be blank or 0 for insufficient, sufficient but no benefit year, and "No Monetary" claim, and optional for UCFE, UCX, interstate filed from agent state, interstate taken as agent state, CWC, and entering self-employment program claims)	INTEGER	

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
13	Potential Weeks Maximum Duration	Step 8B - Rules 1 and 2	The duration of the benefit year is or is not the maximum for the State.	Text - Y N (Required except must be blank for insufficient, sufficient but no benefit year, and "No Monetary" claim, and optional for UCFE, UCX, interstate filed from agent state, interstate taken as agent state, CWC, and entering self-employment program claims)	CHAR (20)	
14	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## ***BENEFITS RECORD LAYOUT FOR POPULATION 3a***

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Additional Claim is A, then the data format would be ADDITIONAL-A.

<b><i>No.</i></b>	<b><i>Field Name</i></b>	<b><i>Module 3 Reference</i></b>	<b><i>Field Description</i></b>	<b><i>Data Format</i></b>	<b><i>Data Type</i></b>	<b><i>Constraint</i></b>
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1B - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Date Claim Filed	Step 3B - Rule 1	The date the claim was filed in person, by mail or telephone.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
4	Type of UI Program	Regular UI: Step 2A - Rule 1	Regular UI claim.	Text - Regular UI (Required)	CHAR (20)	NOT NULL
5	Type of Claim	Additional: Step 3B - Rule 2	Additional claim.	Text - Additional (Required)	CHAR (20)	NOT NULL
6	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1	Program type is UI, UCFE or UCX.	Text - UI UCFE UCX (Required)	CHAR (30)	NOT NULL
7	Intrastate/ Interstate	Intrastate: Step 5A - Rules 1 and 2 Interstate Received as Liable State: Step 5B - Rules 1 and 2	Claim is intrastate, or interstate received as liable.	Text - Intrastate Interstate liable (Required)	CHAR (30)	NOT NULL

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
8	Unclaimed Week	Step 3B - Rule 3	The week-ending date of the unclaimed week prior to the additional claim.	Date - MM/DD/YYYY (Optional)	DATE	
9	Separation Date	Step 3B - Rule 4	The date of separation from an employer since the last claim was filed.	Date - MM/DD/YYYY(Required)	DATE	NOT NULL
10	Last Employer	Step 3B - Rule 5	The name of the separating employer.	Text (Required)	CHAR (50)	NOT NULL
11	Separation Reason	Step 3B - Rule 6	The reason for separation.	Text (Required)	CHAR (30)	NOT NULL
12	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 4

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Adjustment payment is 13, then the data format would be ADJUSTMENT-13.

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1C - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Check Number Unique ID	Step 1C - Rule 2	The check number ID or other unique check ID. For offsets assign a unique ID number.	Number - 0000000000 (Required)	CHAR (30)	NOT NULL
4	Type of UI Program	Regular UI: Step 2A - Rule 1	Regular UI claim.	Text - Regular UI (Required)	CHAR (20)	NOT NULL
5	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX Only: Step 4C - Rule 1 UI/Federal: Step 4D - Rule 1 Self-Employment: Step 4E - Rule 1	Type of Program is UI only, UCFE, UCFE/UCX, UCX only, Joint UI/Federal, or Self-Employment.	Text - UI Only UCFE Only UCFE/UCX UCX Only Joint UI/Federal Self-employ (Required except optional for CWC payments)	CHAR (30)	



<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
6	Intrastate/ Interstate	Intrastate: Step 5A - Rule 1 Interstate Received as Liable State: Step 5B - Rule 1 Intrastate CWC: Step 5E - Rule 1 Interstate CWC: Step 5F - Rule 1	Intrastate, Interstate, Intrastate CWC, or Interstate CWC claim.	Text - InterstateIntrastateIntrastate CWC Interstate CWC(Required except optional for UCFE only, UCFE/UCX, and UCX only adjustments)	CHAR (30)	
7	Type of Compensation	First: Step 10A - Rule 1 Continued: Step 10B - Rule 1 Adjustment: Step 10F - Rule 1 Prior Weeks Compensated: Step 10G - Rule 1	First Payment, Continued Payment, Adjustment, Self-Employment, Prior Weeks Compensated.	Text - First Payment Continued Payment Adjustment Self-Employment Prior Weeks Compensated (Required)	CHAR (50)	NOT NULL
8	Partial/Total Weeks of Unemployment	Partial: Step 10D - Rule 1 Total: Step 10E - Rule 1	Week of partial or total unemployment.	Text - Partial Total (Required except optional for UCFE only, UCFE/UCX, and UCX only adjustments, and for self-employment and CWC payments)	CHAR (20)	
9	Earnings	Step 10D - Rule 2 Step 10E - Rule 2	The earnings for the week claimed.	Number - 0000000.00 (Required except optional for UCFE only, UCFE/UCX, and UCX only adjustments, and self-employment and CWC payments)	DECIMAL (9,2)	

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
10	WBA	Step 10D - Rule 3 Step 10E - Rule 3	The weekly benefit allowance.	Number - 0000000.00 (Required except optional for UCFE only, UCFE/UCX, and UCX only adjustments, and self-employment and CWC payments)	DECIMAL (9,2)	
11	UI Amount	Step 12A - Rule 1	The amount of benefits paid from State Unemployment Funds.	Number - 0000000.00 (Required except must be blank or 0 for UCFE only, UCFE/UCX, UCX only, self-employment, and CWC payments)	DECIMAL (9,2)	
12	UCFE Amount	Step 12B - Rule 1	The amount of benefits paid from Federal Funds.	Number - 0000000.00 (Required for UCFE only, Joint UI/Federal, and UCFE/UCX payments; must be blank or 0 for all other payment types)	DECIMAL (9,2)	
13	UCX Amount	Step 12C - Rule 1	The amount of benefits paid from military funds.	Number - 0000000.00 (Required for UCX only, Joint UI/Federal, and UCFE/UCX payments; must be blank or 0 for all other payment types)	DECIMAL (9,2)	

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
14	CWC Amount	Step 12D - Rule 1	The amount of benefits paid for a combined wage claim payment.	Number - 0000000.00 (Required for all CWC payments; must be blank or 0 for all other payment types)	DECIMAL (9,2)	
15	Self-Employ Amount	Step 12E - Rule 1	The total dollars paid under the SEA program.	Number - 0000000.00 (Required for self-employment payments; must be blank or 0 for all other payment types)	DECIMAL (9,2)	
16	Week End Date	Step 13 - Rule 1	The week-ending date of the week compensated.	Date - MM/DD/YYYY (Required except optional for adjustment, self-employment, and all CWC payments with the exception of CWC first payments)	DATE	
17	Mail Date	Step 14 - Rule 1	The date on which the payment is actually mailed to the claimant.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
18	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 5

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for UI Program Type is 01, then the data format would be UI-01

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1D - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Issue Number (Unique ID)	Step 1D - Rule 2	The unique issue number or other unique number assigned to the nonmonetary determination.	Number - 000000 (Required if State maintains a unique ID)	CHAR (50)	
4	Type of UI Program	Regular UI: Step 2A - Rule 1 Workshare: Step 2B - Rule 1	Regular UI claim or Workshare claim.	Text - Regular UI Workshare (Required)	CHAR (20)	NOT NULL
5	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1	UI, UCFE, or UCX.	Text - UI UCFE UCX (Required except optional for multi-claimants)	CHAR (30)	

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
6	Intrastate/ Interstate	Intrastate: Step 5A - Rule 1 Interstate Received as Liable State: Step 5B - Rule 1	Intrastate or interstate.	Text - Intrastate Interstate (Required except optional for multi-claimants)	CHAR (30)	
7	Determination/ Redetermination	Step 16A - Rule 1Step 16B - Rule 1	The decision made by the authority on an issue was a determination or redetermination.	Text - Determination Redetermination (Required)	CHAR (30)	NOT NULL
8	Type of Determination	Step 17A - Rules 1 and 2 Step 17B - Rule 1	The determination was based upon facts related to an individual situation or to groups of similarly situated individuals.	Text - Single Multi (Required)	CHAR (20)	NOT NULL

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
9	Issue Types	VL: Step 18A - Rule 1 MC: Step 18B - Rule 1 Sep/Other: Step 18C - Rule 1 A & A: Step 18D - Rule 1 Ded. Income: Step 18E - Rule 1 Suitable Work: Step 18F - Rule 1 Reporting: Step 18G - Rule 1 Profiling: Step 18H - Rule 1 Other/Nonsep: Step 18I - Rule 1 Labor Dispute: Step 18J - Rule 1 Other Multiclaimgaint Issues: Step 18K - Rule 1	The separating issue was voluntary leaving, misconduct, or other separation issue. The nonseparation issue was able and available for work, deductible income, suitable work refusal, reporting requirements, profiling, other nonseparation issue, or labor dispute or other multi-claimant issue.	Text - VL MC Sep/Other A & A Ded. Income Suitable Work Reporting Profiling Other Nonsep Labor Dispute Other Multiclaimgaint (Required)	CHAR (50)	NOT NULL
10	First Week Affected	Step 19 - Rules 1 and 2	The week-ending date of the first week in a claim series to which a notice of nonmonetary determination applies.	Date - MM/DD/YYYY (Required except optional for redeterminations)	DATE	
11	Detection Date	Step 20 - Rule 1	The earliest date that the agency is in possession of information indicating the existence of a nonmonetary issue.	Date - MM/DD/YYYY (Required except optional for redeterminations)	DATE	

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
12	Notice Date	Step 21 - Rule 1	The date the determination notice is mailed or, if no notice is required, the date payment is authorized, waiting week credit is given, or an offset is applied.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
13	Allow or Deny	Step 23A - Rules 1 and 2 Step 23B - Rules 1 and 2	The outcome of the nonmonetary determination was an allow or a deny.	Text - Allow Deny (Required)	CHAR (20)	NOT NULL
14	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 6

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Single Claimant is N, then the data format would be S-N.

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1E - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Docket Number Unique ID	Step 1E - Rule 2	The Docket Number of the lower authority appeal.	Number - 0000000000 (Required)	CHAR (30)	NOT NULL
4	Appeal Level	Step 24A - Rule 1	The appeal type was a lower authority appeal.	Text - Lower (Required)	CHAR (20)	NOT NULL
5	Type of Appeal (Single or Multiclaimgant)	Single: Step 25A - Rule 1 Multi: Step 25B - Rule 1	The appeals case involves one or more than one claimant.	Text - S M (Required)	CHAR (20)	NOT NULL



<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
6	Number of Claimants	Step 25B - Rules 3 and 5	The number of claimants in a multclaimant appeal.If the State stores a single record for a multi-claimant appeal with a field for the number of claimants, insert the number in this field. If the State stores a record for each claimant involved in a multi-claimant appeal, include all of the records in the file and insert a '1' in this field.	Number => 1(Required for mutiple claimant appeals; optional for single claimant appeals)	INTEGER	
7	Filed Date	Step 32 - Rule 1	The date on which the appeal was filed.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
8	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## ***BENEFITS RECORD LAYOUT FOR POPULATION 7***

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Higher Authority Appeal is B, then the data format would be Higher-B.

<b><i>No.</i></b>	<b><i>Field Name</i></b>	<b><i>Module 3 Reference</i></b>	<b><i>Field Description</i></b>	<b><i>Data Format</i></b>	<b><i>Data Type</i></b>	<b><i>Constraint</i></b>
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1F - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Docket Number Unique ID	Step 1F - Rule 2	The Docket Number of the higher authority appeal.	Number - 0000000000 (Required)	CHAR (30)	NOT NULL
4	Appeal Level	Step 24B - Rule 1	The appeal type was a higher authority appeal.	Text - Higher (Required)	CHAR (20)	NOT NULL
5	Type of Appeal (Single or Multiclient)	Single: Step 25A - Rule 1 Multi: Step 25B - Rule 1	The appeals case involves one or more than one claimant.	Text - S M (Required)	CHAR (20)	NOT NULL

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
6	Number of Claimants	Step 25B - Rules 3 and 5	The number of claimants in a multiclaimant appeal. If the State stores a single record for a multi-claimant appeal with a field for the number of claimants, insert the number in this field. If the State stores a record for each claimant involved in a multi-claimant appeal, include all of the records in the file and insert a '1' in this field.	Number => 1 (Required for multiple claimant appeals; optional for single claimant appeals)	INTEGER	
7	Filed Date	Step 32 - Rule 1	The date on which the appeal was filed.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
8	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 8

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for UI Program Type is 01, then the data format would be UI-01.

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1E - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Docket Number Unique ID	Step 1E - Rule 2	The Docket Number or other unique ID assigned to the appeal.	Number - 0000000000 (Required)	CHAR (30)	NOT NULL
4	Type of UI Program	Regular UI: Step 2A - Rule 1 Workshare: Step 2B - Rule 1	Regular UI claim or Workshare claim.	Text - Regular UI Workshare (Required)	CHAR (20)	NOT NULL
5	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1	UI, UCFE, or UCX.	Text - UI UCFE UCX (Required)	CHAR (20)	NOT NULL
6	Intrastate/ Interstate	Intrastate: Step 5A - Rules 1 and 2 Interstate Received as Liable State: Step 5B - Rules 1 and 2	Intrastate or Interstate.	Text - Intrastate Interstate (Required)	CHAR (30)	NOT NULL
7	Appeal Level	Step 24A - Rule 1	The appeal type is a lower authority appeal.	Text - Lower (Required)	CHAR (20)	NOT NULL

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
8	Type of Appeal (Single or Multiclient)	Single: Step 25A - Rule 1 Multi: Step 25B - Rule 1	<p>The determination is based upon facts related to an individual situation or to groups of similarly situated individuals.</p> <p>States which maintain a single record for multi-client appeals with a field for the number of claimants involved should insert a text prefix of 'M-1' for a multi-client appeal with only one record for the whole appeal.</p> <p>States which maintain multiple records (one for each claimant) for a multi-client appeal should designate one of the records as the lead claimant. States should insert a text prefix of 'M-Lead' in this field for the lead claimant record. Both of these types of records will be assigned to subpopulations 8.45 to 8.52 (lower) or 9.13 to 9.20 (higher). States which maintain multiple records should insert a prefix of 'M-Nonlead' in the multi-client field for the non-lead claimants. These records will be assigned to subpopulations 8.53 (lower) or 9.21 (higher).</p>	Text - S M-1 M-Lead M-Nonlead (Required)	CHAR (20)	NOT NULL

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
9	Number of Claimants in Multiclaimgant Appeal	Step 25B - Rules 3 and 5	The number of claimants involved in a multiclaimgant appeal (could be one if separate records are provided for each participating claimant)	Number => 1 (Required for multiple claimant appeals; must be blank or 0 for single claimant appeals)	INTEGER	
10	Appellant	Claimant: Step 26A - Rule 1 Employer: Step 26B - Rule 1 Other: Step 26C - Rule 1	The appellant is the claimant, employer, or other than claimant or employer.	Text - Claimant Employer Other (Required except optional for UCFE, UCX, and non-lead multi-claimant claims)	CHAR (20)	
11	In Favor of Appellant	In Favor: Step 27A - Rule 1 Not in Favor: Step 27B - Rule 1	The decision was or was not in favor of the appellant.	Text - Y N (Required except optional for UCFE, UCX, and non-lead multi-claimant claims)	CHAR (20)	
12	Filed Date	Step 32 - Rule 1	The date on which the appeal was filed.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
13	Decision Date	Step 28 - Rule 1	The date the decision was mailed to the interested parties concerned.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
14	Disposed of by Decision	By Decision: Step 30A - Rule 1 Not by Decision: Step 30B - Rule 1	The appeals case was disposed of by a written ruling.	Text - Y N (Optional)	CHAR (20)	

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
15	Issue Code	VL: Step 31A - Rule 1 MC: Step 31B - Rule 1 Suit: Step 31C - Rule 1 A&A: Step 31D - Rule 1 Other: Step 31E - Rule 1 Labor Disp: Step 31F - Rule 1	The issue code of the appeal was voluntary leaving, misconduct, refusal of suitable work, able and available to work, other issues, or labor dispute.	Text - VL MC Suit A & A Other Labor Disp (Required except optional for UCFE and UCX claims)	CHAR (30)	
16	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 9

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for In Favor Of is F, then the data format would be Y-F.

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1F - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Docket Number Unique ID	Step 1F - Rule 2	The Docket ID or other unique number assigned to the appeal.	Number - 0000000000 (Required)	CHAR(30)	NOT NULL
4	Type of UI Program	Regular UI: Step 2A - Rule 1 Workshare: Step 2B - Rule 1	Regular UI claim or Workshare claim.	Text - Regular UI Workshare (Required)	CHAR(20)	NOT NULL
5	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1	UI, UCFE, or UCX.	Text - UI UCFE UCX (Required)	CHAR (20)	NOT NULL
6	Intrastate/ Interstate	Intrastate: Step 5A - Rules 1 and 2 Interstate Received as Liable State: Step 5B - Rules 1 and 2	Intrastate or interstate.	Text - Intrastate Interstate (Required except optional for non-lead claimant multi-claimant appeals)	CHAR (20)	
7	Appeal Level	Step 24B - Rule 1	The appeal is a higher authority appeal.	Text - Higher (Required)	CHAR (20)	NOT NULL



<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
8	Type of Appeal (Single or Multiclient)	Single: Step 25A - Rule 1 Multi: Step 25B - Rule 1	<p>The determination is based upon facts related to an individual situation or to groups of similarly situated individuals.</p> <p>States which maintain a single record for multi-client appeals with a field for the number of claimants involved should insert a text prefix of 'M-1' for a multi-client appeal with only one record for the whole appeal.</p> <p>States which maintain multiple records (one for each client) for a multi-client appeal should designate one of the records as the lead client. States should insert a text prefix of 'M-Lead' in this field for the lead client record. Both of these types of records will be assigned to subpopulations 8.45 to 8.52 (lower) or 9.13 to 9.20 (higher). States which maintain multiple records should insert a prefix of 'M-Nonlead' in the multi-client field for the non-lead claimants. These records will be assigned to subpopulations 8.53 (lower) or 9.21 (higher).</p>	Text - SM-1M-LeadM-Nonlead (Required)	CHAR (20)	NOT NULL

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
9	Number of Claimants in Multiclaimgant Appeal	Step 25B - Rules 3 and 5	The number of claimants involved in a multiclaimgant appeal (could be one if separate records are provided for each participating claimant)	Number => 1 (Required for multiple claimant appeals; must be blank or 0 for single claimant appeals)	INTEGER	
10	Appellant	Claimant: Step 26A - Rule 1 Employer: Step 26B - Rule 1 Other: Step 26C - Rule 1	The appellant is the claimant, employer, or other than claimant or employer.	Text - Claimant Employer Other (Required except optional for UCFE and UCX claims, and non-lead multi-claimant appeals)	CHAR (30)	
11	In Favor of Appellant	In Favor: Step 27A - Rule 1 Not in Favor: Step 27B - Rule 1	The decision was or was not in favor of the appellant.	Text - Y N (Required except optional for UCFE and UCX claims, and non-lead multi-claimant appeals)	CHAR (20)	
12	Filed Date	Step 32 - Rule 1	The date on which the appeal was filed.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
13	Decision Date	Step 28 - Rule 1	The date the decision was mailed to the interested parties concerned.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
14	Disposed of by Decision	By Decision: Step 30A - Rule 1 Not by Decision: Step 30B - Rule 1	The appeals case was disposed of by a written ruling.	Text - Y N (Optional)	CHAR (20)	

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
15	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 10

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Lower Authority Appeal is 100, then the data format would be LOWER-100.

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1E - Rule1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Docket Number Unique ID	Step 1E - Rule 2	The Docket Number or other unique number assigned to the appeal.	Number - 0000000000 (Required)	CHAR (30)	NOT NULL
4	Appeal Level	Step 24A - Rule 1	The appeal was a lower authority appeal.	Text - Lower (Required)	CHAR (20)	NOT NULL
5	Appeal Pending	Step 30B - Rule 1	No decision has been made on an appeal.	Text - No Decision (Optional)	CHAR (30)	
6	Filed Date	Step 32 - Rule 1	The date on which the appeal was filed.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
7	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 11

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Higher Authority Appeal is 200, then the data format would be Higher-200.

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1F - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Docket Number Unique ID	Step 1F - Rule 2	The Docket Number or other unique number assigned to the appeal.	Number - 0000000000 (Required)	CHAR (30)	NOT NULL
4	Appeal Level	Step 24B - Rule 1	The appeal was a higher authority appeal.	Text - Higher (Required)	CHAR (20)	NOT NULL
5	Appeal Pending	Step 30B - Rule 1	No decision has been made on an appeal.	Text - No Decision (Optional)	CHAR (30)	
6	Filed Date	Step 32 - Rule 1	The date on which the appeal was filed.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
7	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 12

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Fraud is F, then the data format would be FRAUD-F.

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1G - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Unique ID	Step 1G - Rule 2	The unique ID of the overpayment.	Number - 0000000000 (Required if State maintains a unique ID)	CHAR (30)	
4	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1 EB: Step 4F - Rule 1	Type of program is UI, UCFE, or UCX or EB.	Text - UI, UCFE, UCX, EB (Required)	CHAR (30)	NOT NULL
5	Type of Overpayment	Fraud: Step 33A - Rule 1 Nonfraud: Step 33B - Rule 1 Penalty: Step 33C - Rule 1	The type of overpayment is Fraud, Nonfraud or Penalty.	Text - Fraud Nonfraud Penalty (Required)	CHAR (20)	NOT NULL

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
6	Cause of Overpayment	Multi Claimant Scheme: Step 34A - Rule 1 Single Claimant: Step 34H - Rule 1 Agency Employee Benefit Fraud: Step 34I - Rule 1 Reversal (JAVA): Step 34B - Rule 1 State Agency: Step 34C - Rule 1 Employer: Step 34D - Rule 1 Claimant: Step 34E - Rule 1 Other: Step 34F - Rule 1 and 3 Penalty: Step 34G - Rule 1	The cause of the overpayment was a fraud committed by Multi Claimant Scheme, Single Claimant, or Agency Employee; or a nonfraud by Reversals, State Agency Errors, Employer Errors, Claimant Errors, or Other cause.	Text - Multiclient; Single Claimant; Agency Employee; Reversals; State Agency; Employer; Claimant; Other (Required except optional for penalties)	CHAR (30)	
7	Date Established	Step 36 - Rule 1	The date that the overpayment was established.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
8	UI Amount	Step 37A - Rule 1	The amount of benefits paid from State Unemployment Funds.	Number - 0000000.00 (Required for UI claims; must be blank or 0 for UCFE or UCX or EB claims)	DECIMAL (9,2)	
9	Federal Amount	Step 37B - Rule 1	The amount of benefits paid from Federal Funds.	Number - 0000000.00 (Required for UCFE, UCX, or joint claims; must be blank or 0 for UI or EB claims)	DECIMAL (9,2)	
10	EB Amount	Step 37C - Rule 1	The amount of benefits paid through the permanent Extended Benefits (EB) program.	Number - 000000000.00 (Required for EB claims; must be blank or 0 for UI or UCFE or UCX claims)	CHAR (100)	

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
11	Accumulated UI Amount	Step 45A	The UI fraud or nonfraud overpayment amount that the UI claim has accumulated from previous quarters and that is used to calculate a High Dollar Overpayment. If in the previous quarter the claim was classified as a High Dollar Overpayment, then the accumulated amount is reset to 0.	Number - 0000000.00 (Required for UI claims; must be blank or 0 for UCFE or UCX or EB claims)	DECIMAL (9.2)	
12	Accumulated Federal Amount	Step 45B	The Federal fraud or nonfraud overpayment amount that the UCFE, UCX or joint claim has accumulated from previous quarters and that is used to calculate a High Dollar Overpayment. If in previous quarter the claim was classified as a High Dollar Overpayment, then the accumulated amount is reset to 0.	Number - 0000000.00 (Required for UCFE, UCX, or joint claims; must be blank or 0 for UI or EB claims)	DECIMAL (9.2)	NOT NULL
13	Accumulated EB Amount	Step 45C	The EB fraud or nonfraud overpayment amount that the EB claim has accumulated from previous quarters and that is used to calculate a High Dollar Overpayment. If in previous quarter the claim was classified as a High Dollar Overpayment, then the accumulated amount is reset to 0.	Number - 000000000.00 (Required for EB claims; must be blank or 0 for UI or UCFE or UCX claims)	DECIMAL (9,2)	
14	Date of Original Monetary	Step 6A - Rules 1 and 3 Step 6B - Rule 1	Date the original determination was made on whether the claimant has sufficient base-period wages and/or employment to establish a benefit year.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL



<b><i>No.</i></b>	<b><i>Field Name</i></b>	<b><i>Module 3 Reference</i></b>	<b><i>Field Description</i></b>	<b><i>Data Format</i></b>	<b><i>Data Type</i></b>	<b><i>Constraint</i></b>
15	User		User defined field. Can be used for any additional data element. Not mandatory.	CHAR (100) Text (Optional)		

## BENEFITS RECORD LAYOUT FOR POPULATION 13

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Recovered Cash is C, then the data format would be CASH-C.

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1H - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Unique ID	Step 1H - Rule 2	The unique ID of the overpayment.	Number - 0000000000 (Required if State maintains a unique ID)	CHAR (30)	
4	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1 EB: Step 4F - Rule 1	The program type is UI, UCFE, UCX or EB.	Text - UI UCFE UCX EB (Required)	CHAR (30)	NOT NULL
5	Type of Overpayments	Fraud: Step 33A - Rule 1 Nonfraud: Step 33B - Rule 1	The type of overpayment is Fraud or Nonfraud.	Text - Fraud Nonfraud (Required)	CHAR (20)	NOT NULL

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
6	Type of Reconciliation Activity	Recovered Cash: Step 38A - Rule 1 Recovered Offset: Step 38B - Rule 1 State Income Tax Offset: Step 38C - Rule 1 By Other State: Step 38D - Rule 1 Write-Off: Step 38G - Rule 1 Waived: Step 38F - Rule 1 Additions: Step 38H - Rule 1 Subtractions: Step 38I - Rule 1 Other: Step 38E - Rule 1 Federal Income Tax Offset: Step 38J - Rule 1	The reconciliation activity was cash, benefit offset, state income tax offset, Federal Income tax offset, other states, write-off, waived addition, or subtraction.	Text - Cash Benefit Offset State Tax Offset Federal Tax Offset By Other State Write-off Waived Addition Subtraction Other (Required)	CHAR (30)	NOT NULL
7	Date of Reconciliation Activity	Step 39 - Rule 1	Indicate the date of the Overpayment Activity.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
8	UI Reconciliation Amount	Step 40A - Rule 1	The reconciled amount of State Unemployment Funds.	Number - 0000000.00 (Required for UI claims; must be blank or 0 for UCFE or UCX claims)	DECIMAL (9,2)	
9	Federal Reconciliation Amount	Step 40B - Rule 1	The reconciled amount of Federal Funds.	Number - 0000000.00 (Required for UCFE, UCX, or joint claims; must be blank or 0 for UI claims)	DECIMAL (9,2)	

<b>No</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
10	EB Reconciliation Amount	Step 40C - Rule 1	The reconciled amount of Extended benefits funds.	Number - 0000000.00 (Required for EB)	DECIMAL (9.2)	
11	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 14

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Nonfraud is NF, then the data format would be NONFRUAD-NF.

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1G - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Unique ID	Step 1G - Rule 2	The unique ID of the overpayment.	Number - 0000000000 (Required if State maintains a unique ID)	CHAR (30)	
4	Date Established	Step 36 - Rule 1	The date the overpayment was established	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
5	Program Type	UI: Step 4A - Rule 1 UCFE: Step 4B - Rule 1 UCX: Step 4C - Rule 1 EB: Step 4F - Rule 1	The program type is UI, UCFE, UCX or EB.	Text - UI UCFE UCX EB (Required)	CHAR (30)	NOT NULL

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
6	Active Collection	Yes or blank: Step 44A - Rule 1 No: Step 44B - Rule 1 Dropped: Step 44C - Rule 1	Indicate Y if overpayment is in process of recovery; use N if overpayment is no longer in process of recovery; use D if the established date is more than nine (9) quarters prior to the report quarter and the overpayment was in process of recovery in the quarter before the report quarter but recovery was dropped in the report quarter.	Text - Y; N; D (Required for overpayments with balances more than 450 days past due; optional for other overpayment balances)	CHAR (20)	
7	Type of Overpayments	Fraud: Step 33A - Rule 1 Nonfraud: Step 33B - Rule 1	The type of overpayment is Fraud or Nonfraud.	Text - Fraud Nonfraud (Required for overpayments with balances more than 8 quarters past due; optional for other overpayment balances)	CHAR (20)	
8	UI Balance at End of Qtr	Step 42A - Rule 1	The State Unemployment funds overpayment balance at the end of the quarter.	Number - 0000000.00 (Required for UI claims; must be blank or 0 for UCFE and UCX claims)	DECIMAL (9,2)	
9	Federal Balance at the End of Qtr	Step 42B - Rule 1	The Federal funds overpayment balance at the end of the quarter.	Number - 0000000.00 (Required for UCFE, UCX, and joint claims; must be blank or 0 for UI claims)	DECIMAL (9,2)	

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
10	EB Balance at the End of Qtr	Step 42C - Rule 1	The EB funds overpayment balance at the end of the quarter.	Number - 000000000.00 (Required for EB; must be blank or 0 for UI, UCFE, UCX and joint claims)	DECIMAL (9.2)	
11	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## BENEFITS RECORD LAYOUT FOR POPULATION 15

This record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Nonfraud is NF, then the data format would be NONFRUAD-NF.

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
1	OBS		State assigned sequential unique identifier for each record in the extract file.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	SSN	Step 1G - Rule 1	Social Security Number	Number - 000000000 (Required)	CHAR (9)	NOT NULL
3	Unique ID	Step 1G - Rule 2	The unique ID of the overpayment.	Number - 0000000000 (Required if State maintains a unique ID)	CHAR (30)	
4	Type of Overpayments	Fraud: Step 33A - Rule 1 Nonfraud: Step 33B - Rule 1	The type of overpayment is Fraud or Nonfraud	Text - Fraud; Nonfraud Must be blank if investigation establishes no overpayment (Required)	CHAR (20)	

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
------------	-------------------	---------------------------	--------------------------	--------------------	------------------	-------------------



5	Detection Method	Wage/Benefit Crossmatch: Step 35A - Rule 1 IB Crossmatch: Step 35B - Rule 1 National Directory of New Hires: Step 35H - Rule 1 State Directory of New Hires: Step 35C - Rule 1 Multi-Claimant Scheme Systems: Step 35D - Rule 1 Special Project: Step 35E - Rule 1 Other Controllable: Step 35F - Rule 1 Noncontrollable: Step 35G - Rule 1	The Detection Method used to establish the overpayment was Wage/Benefit Crossmatch, IB Crossmatch, National Directory of New Hires (NDNH), State Directory of New Hires (SDNH), Multi-Claimant Scheme Systems, Special Project, Other Controllable, and Noncontrollable activity.	Text - Wage Crossmatch; IB Crossmatch; NDNH; SDNH; Multi-Claimant; Special; Other Controllable; Noncontrollable (Required)	CHAR (30)	NOT NULL
6	Date Established	Step 36 - Rule 1	The date the investigation was concluded or overpayment was established.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
7	Overpayment Amount	Step 37A - Rule 1 Step 37B - Rule 1	The amount of benefits paid from State and Federal Unemployment Funds	Number - 000000000.00	DECIMAL (9.2)	
8	Overpayment Established by Investigation	Step 46 - Rule 1	Whether a completed investigation established an overpayment.	Text - Y, N (Optional for Other Controllable and Noncontrollable)	CHAR (20)	Conditionally Required
9	User		User defined field. Can be used for any additional data element. Not mandatory.	Text (Optional)	CHAR (100)	

## **APPENDIX B**

## EXPLANATION OF UI TAX DATA FORMATS

There are 6 types of data formats referred to in Appendix B.

1. **Required.** These fields cannot be blank. They may be mandatory codes, dates or dollar values. Required cells in Appendix A tables indicate the required code, date, or dollar value parameters, or display the word “Required.”

Required text fields have code values that must be entered, such as A, C, R, etc. All of the allowable generic values for each field are listed in the Data Type/Format column on the record layout. The generic values must be followed by a dash and the corresponding state-specific value.

2. **Conditionally required.** Data are included in these fields if the data are present in the state’s system. Applies to date and wages fields.
3. **Optional.** These fields are gray in Appendix B and the word “Optional” is displayed. The software does not look at these fields at all. Any values can be entered or they can be left blank.
4. **Must be blank.** These are text or date fields where the presence of data indicates an error. Therefore, they must be left blank (such as population 4 transaction date for balance subpopulations 4.7, 4.8, 4.15, and 4.16).
5. **Must be blank or 0.** These are numeric fields where the presence of data other than 0 indicates an error. In tax these are primarily wages fields in populations 4 and 5.
6. **System generated.** These fields are generated by the DV software and data should not be placed in these fields in the extract files. These fields are primarily time lapse and age fields.

Notes:

For most steps referenced in Appendix B column headers, Rule 1 is the indicator in the state system. However, if a state does not maintain the indicator specified in Rule 1, then the state programmer must review the other rules in that step in order to develop the required validation logic.

The extract file type is ASCII, comma delimited. Data must be in the order listed in the record layouts.

## TAX RECORD LAYOUT FOR POPULATION 1

The record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The Data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for an Active Employer is 01, then the data format would be A-01.

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
1	OBS		Assign to each record. Use sequential numbers starting at 1.	Number - 00000000 (Required)	INTEGER	NOT NULL
2	EAN	Step 1A	Employer Account Number	Number - 000000000 (Required)	CHAR (20)	NOT NULL
3	Employer Status Indicator	Step 3A	Indicate that the employer is an active employer.	Text - A (Required)	CHAR (20)	NOT NULL
4	Employer Type	Step 2A Step 2B	Indicate whether the employer type is contributory or reimbursable.	Text - C R (Required)	CHAR (20)	NOT NULL
5	Liability Date (Met Threshold)	Step 14	Indicate the most recent date on which the employing unit met the State law definition of a newly established or successor employer.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
6	Reactivation Processing Date	Step 16	Indicate the date on which an employer account was updated on the State's system to reflect the reactivation of a previously inactivated or terminated employer.	Date - MM/DD/YYYY	DATE	
7	Inactive/Terminated "as of" Date	Step 5	Indicate the effective date for the termination or inactivation status of the employer.	Date - MM/DD/YYYY	DATE	
8	Activation Processing Date	Step 15	Indicate the date on which an account was established on the State's system for an 'employer,' under the State unemployment compensation law.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
9	Number of Liable Quarters	Step 7B	Indicate the number of consecutive quarters between the date the employer was activated or reactivated on the State's system and the quarter prior to the report quarter being validated. If the number of liable quarters is eight or more, the value should be reported as eight. If the employer was activated or reactivated during the report quarter, then the number of liable quarters is zero.	Number - 0 1 2 3 4 5 6 7 8 (Required)	INTEGER	NOT NULL
10	Wages in Quarter 1	Step 7A	Total wages for the employer in the quarter prior to the report quarter. Enter 0.00 for either zero wage reports or reports that weren't filed.	Number- 0000000000000.00 (Conditionally Required)	DECIMAL (15,2)	
11	Wages in Quarter 2	Step 7A	Total wages for the employer in the second quarter prior to the report quarter. Enter 0.00 for either zero wage reports or reports that weren't filed.	Number- 0000000000000.00 (Conditionally Required)	DECIMAL (15,2)	

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
12	Wages in Quarter 3	Step 7A	Total wages for the employer in the third quarter prior to the report quarter. Enter 0.00 for either zero wage reports or reports that weren't filed.	Number - 0000000000000.00 (Conditionally Required)	DECIMAL (15,2)	
13	Wages in Quarter 4	Step 7A	Total wages for the employer in the fourth quarter prior to the report quarter. Enter 0.00 for either zero wage reports or reports that weren't filed.	Number - 0000000000000.00 (Conditionally Required)	DECIMAL (15,2)	
14	Wages in Quarter 5	Step 7A	Total wages for the employer in the fifth quarter prior to the report quarter. Enter 0.00 for either zero wage reports or reports that weren't filed.	Number - 0000000000000.00 (Conditionally Required)	DECIMAL (15,2)	
15	Wages in Quarter 6	Step 7A	Total wages for the employer in the sixth quarter prior to the report quarter. Enter 0.00 for either zero wage reports or reports that weren't filed.	Number - 0000000000000.00 (Conditionally Required)	DECIMAL (15,2)	
16	Wages in Quarter 7	Step 7A	Total wages for the employer in the seventh quarter prior to the report quarter. Enter 0.00 for either zero wage reports or reports that weren't filed.	Number - 0000000000000.00 (Conditionally Required)	DECIMAL (15,2)	

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
17	Wages in Quarter 8	Step 7A	Total wages for the employer in the eighth quarter prior to the report quarter. Enter 0.00 for either zero wage reports or reports that weren't filed.	Number - 0000000000000.00 (Conditionally Required)	DECIMAL (15,2)	
18	User Field		User defined field. Can be used for any additional data element.	Text (Optional)	CHAR (100)	



## **TAX RECORD LAYOUT FOR POPULATION 2**

The record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The Data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Contributory Employer Type is A, then the data format would be C-A.

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
1	OBS		Sequential number, start at 1	Number - 00000000 (Required)	INTEGER	NOT NULL
2	EAN	Step 1B	Employer Account Number	Number - 000000000 (Required)	CHAR (20)	NOT NULL
3	Employer Report Quarter (ERQ)	Step 1B	Indicate the calendar quarter of business activity covered by an employer's contributions report.	Number - YYYYQQ (Required)	CHAR (6)	NOT NULL
4	Employer Type	Step 2A Step 2B	Indicate whether the employer type is contributory or reimbursable.	Text - C R (Required)	CHAR (20)	NOT NULL
5	Received Date	Step 9	Indicate the date of receipt by the agency of the contributions report from a subject employer.	Date - MM/DD/YYYY (Conditionally Required)	DATE	
6	Final Assessment Date	Step 10	Indicate the date a final assessment becomes legally due and collectible.	Date - MM/DD/YYYY (Conditionally Required)	DATE	

## Unemployment Insurance Data Validation Operations Guide

---

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
7	Liability Date (Initial or Reopen)	Step 4A Step 4B	Indicate the date on which an employing unit meets the State's legal definition of an employer and is registered and required to file reports.	Date - MM/DD/YYYY (Conditionally Required)	DATE	
8	Liability Date (Met Threshold)	Step 14	Indicate the most recent date on which the employing unit met the State law definition of a newly established or successor employer.	Date - MM/DD/YYYY (Conditionally Required)	DATE	
9	Inactive/ Terminated "as of" Date	Step 5	Indicate the effective date for termination or inactivation status of the employer.	Date - MM/DD/YYYY (Conditionally Required)	DATE	
10	Suspended "as of" Quarter	Step 5	Indicate the specific ERQ for which the State has suspended the employer's report filing requirement.	Number - YYYYQQ	CHAR (6)	
11	Inactivation /Termination Processing Date	Step 6A Step 6B Step 6C	Indicate the processing date for the inactivation or termination status of the employer.	Date - MM/DD/YYYY (Conditionally Required)	DATE	
12	User Field		User defined field. Can be used for any additional data element.	Text (Optional)	CHAR (100)	

## **TAX RECORD LAYOUT FOR POPULATION 3**

The record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The Data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for New Status Determination is NEW, then the data format would be N-NEW.

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
1	OBS		Sequential number, start at 1	Number - 00000000 (Required)	INTEGER	NOT NULL
2	EAN	Step 1C	Employer Account Number	Number - 000000000 (Required)	CHAR (20)	NOT NULL
3	Employer Type	Step 2A Step 2B	Indicate whether the employer type is contributory or reimbursable.	Text - C R (Required)	CHAR (20)	NOT NULL
4	Status Determination Type Indicator	Step 11A Step 11B Step 11C Step 11D	Indicate status determination type by New, Successor, Inactivation or Termination.	Text - N S I T (Required)	CHAR (10)	NOT NULL
5	Time Lapse	Step 12	Place a zero (0) in this field. (Software generates the time lapse)	Number - 0	INTEGER	

**Unemployment Insurance Data Validation Operations Guide**

---

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
6	Status Determination Date	Step 13	Indicate the date of any recorded administrative action that establishes, modifies, changes, inactivates, or terminates an employing unit's liability as an employer.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
7	Liability Date (Met Threshold)	Step 14	Indicate the most recent date on which the employing unit met the State law definition of a newly established or successor employer.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
8	End of Liable Quarter	Step 14	Indicate the last day of the quarter in which the employing unit met the State law definition of a newly established or successor employer. States that do not have this should leave the field blank; the value will then be calculated by the software.	Date - MM/DD/YYYY (Conditionally Required)	DATE	
9	Activation Processing Date	Step 15	Indicate the date on which an account was established on the State's system for an 'employer,' under the State unemployment compensation law.	Date - MM/DD/YYYY	DATE	

**Unemployment Insurance Data Validation Operations Guide**

---

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
10	Reactivation Processing Date	Step 16	Indicate the date on which an employer account was updated on the State's system to reflect the reactivation of a previously inactivated or terminated employer.	Date - MM/DD/YYYY	DATE	
11	Successorship Processing Date	Step 17	Indicate the date on which an employer account was established or updated to reflect an acquisition by the employer which met the State law definition of successorship.	Date - MM/DD/YYYY	DATE	
12	Predecessor Account Number	Step 18	Indicate the account number for an employing unit that has been acquired by another employer.	Number - 000000000	CHAR (20)	
13	Inactivation Processing Date	Step 6A or Step 6B	Indicate the processing date for the inactivation status of the employer.	Date - MM/DD/YYYY	DATE	
14	Termination Processing Date	Step 6A or Step 6C	Indicate the processing date for the termination status of the employer.	Date - MM/DD/YYYY	DATE	

**Unemployment Insurance Data Validation Operations Guide**

---

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
15	User Field		User defined field. Can be used for any additional data element.	Text (Optional)	CHAR (100)	

## **TAX RECORD LAYOUT FOR POPULATION 4**

The record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The Data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for Receivables Established is R, then the data format would be E-R.

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
1	OBS		Sequential number, start at 1	Number - 00000000 (Required)	INTEGER	NOT NULL
2	EAN	Step 1D	Employer Account Number	Number - 000000000 (Required)	CHAR (20)	NOT NULL
3	Employer Type	Step 2A Step 2B	Indicate whether the employer type is contributory or reimbursable.	Text - C R (Required)	CHAR (20)	NOT NULL
4	Transaction Date	Step 19A	Indicate the date that a transaction was entered into the system.	Date - MM/DD/YYYY	DATE	
5	Established Q/Date	Step 19B	Indicate the date that a past due contribution was entered into the system.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL
6	Employer Report Quarter (ERQ)	Step 1D	Indicate the calendar quarter of business activity covered by an employer's contributions report.	Number - YYYYQQ	CHAR (6)	
7	Due Date	Step 20	Indicate the date after which the State imposes interest and penalty for late payment.	Date - MM/DD/YYYY	DATE	

**Unemployment Insurance Data Validation Operations Guide**

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
8	Transaction Type/Indicator	Step 21A Step 21B Step 21C	Indicate the transaction type code for receivables established, liquidated, declared uncollectible or removed. Use a code of B for records of account balances at the end of the RQ.	Text - E L U R B (Required)	CHAR (20)	NOT NULL
9	Amount Established in RQ	Step 22	Indicate the amount of contributions or payments determined to be past due during the report quarter.	Number - 0000000000000.00	DECIMAL (15,2)	
10	Amount Liquidated	Step 23	Indicate the amount of receivables liquidated during the report quarter.	Number - 0000000000000.00	DECIMAL (15,2)	
11	Amount Uncollectible	Step 24	Indicate the amount of receivables declared uncollectible during the report quarter.	Number - 0000000000000.00	DECIMAL (15,2)	
12	Amount Removed	Step 25	Indicate the amount of receivables removed during the report quarter.	Number - 0000000000000.00	DECIMAL (15,2)	



**Unemployment Insurance Data Validation Operations Guide**

---

<b>No.</b>	<b>Field Name</b>	<b>Module 3 Reference</b>	<b>Field Description</b>	<b>Data Format</b>	<b>Data Type</b>	<b>Constraint</b>
13	Balance at End of RQ	Step 26	Indicate the total amount of past due contributions as of the last day of the report quarter being validated. For aging, States should capture a separate record for each employer report quarter that has a balance, rather than an aggregate balance.	Number - 0000000000000.00	DECIMAL (15,2)	
14	Age of Receivable	Step 27A Step 27B	Indicate the age of receivable in days for receivable balances at the end of the report quarter.	Number - 0000000000000 (Optional)	INTEGER	
15	User Field		User defined field. Can be used for any additional data element.	Text (Optional)	CHAR (100)	

## TAX RECORD LAYOUT FOR POPULATION 5

The record layout provides the format for the validation extract file. The extract file type must be ASCII, comma delimited columns. Data must be in the order listed in the record layout. The Data Format column indicates the generic values for text fields. **These must be followed by a dash and the state-specific value.** The Module 3 reference indicates the step where the state-specific values are documented.

Example: If the state-specific code for a Large Employer is Y, then the data format would be L-Y.

No.	Field Name	Module 3 Reference	Field Description	Data Format	Data Type	Constraint
1	OBS		Sequential number, start at 1	Number - 00000000 (Required)	INTEGER	NOT NULL
2	EAN	Step 1E	Employer Account Number	Number - 000000000 (Required)	CHAR (20)	NOT NULL
3	Audit ID #	Step 1E	Indicate the audit identification number.	Number - 00000000 (Required)	CHAR (20)	NOT NULL
4	Employer Size	Step 28A Step 28B	Indicate whether the employer size is large or small.	Text - L S (Required)	CHAR (20)	NOT NULL
5	Change Audit	Step 29A Step 29B	Indicate whether an audit resulted in a discovery of wages, contributions or employees not previously reported.	Text - Y N (If field is blank, software will determine if record has value not equal to 0 in any one of record layout fields 9, 10, 14, 15, 19, 20. Software will then place a Y-DVWS in field.)	CHAR (20)	
6	Audit Completion Date	Step 30	Indicate the date the audit was completed and recorded or posted as such.	Date - MM/DD/YYYY (Required)	DATE	NOT NULL

## Unemployment Insurance Data Validation Operations Guide

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
7	Total Wages Pre-Audit	Step 31A	Indicate the full amount of pre-audit total wages reported for quarters audited.	Number - 0000000000000.00 (Required)	DECIMAL (15,2)	NOT NULL
8	Total Wages Post-Audit	Step 31B	Indicate the full amount of total wages recorded in audit summaries for audited quarters.	Number - 0000000000000.00 (Required)	DECIMAL (15,2)	NOT NULL
9	Total Wages Under-Reported	Step 31C	Indicate the full amount of under reported total wages discovered as a result of the audit.	Number - 0000000000000.00	DECIMAL (15,2)	
10	Total Wages Over-Reported	Step 31D	Indicate the full amount of over reported total wages discovered as a result of the audit.	Number - 0000000000000.00	DECIMAL (15,2)	
11	Total Wages Reconciliation Amount	Step 31E	Place a zero (0) in this field. (Software generates amount)	Number - 0	DECIMAL (15,2)	
12	Taxable Wages Pre-Audit	Step 32A	Indicate the full amount of pre-audit taxable wages reported for quarters audited.	Number - 0000000000000.00 (Optional)	DECIMAL (15,2)	
13	Taxable Wages Post-Audit	Step 32B	Indicate the full amount of post-audit taxable wages for quarters audited.	Number - 0000000000000.00 (Optional)	DECIMAL (15,2)	
14	Taxable Wages Under-Reported	Step 32C	Indicate the full amount of under reported taxable wages discovered as a result of the audit.	Number - 0000000000000.00	DECIMAL (15,2)	

## Unemployment Insurance Data Validation Operations Guide

<i>No.</i>	<i>Field Name</i>	<i>Module 3 Reference</i>	<i>Field Description</i>	<i>Data Format</i>	<i>Data Type</i>	<i>Constraint</i>
15	Taxable Wages Over-Reported	Step 32D	Indicate the full amount of over reported taxable wages discovered as a result of the audit.	Number - 0000000000000.00	DECIMAL (15,2)	
16	Taxable Wages Reconciliation Amount	Step 32E	Place a zero (0) in this field. (Software generates amount)	Number - 0	DECIMAL (15,2)	
17	Contributions Pre-Audit	Step 33A	Indicate the full amount of pre-audit contributions reported for quarters audited.	Number - 0000000000000.00 (Optional)	DECIMAL (15,2)	
18	Contributions Post-Audit	Step 33B	Indicate the full amount of post-audit contributions reported for quarters audited.	Number - 0000000000000.00 (Optional)	DECIMAL (15,2)	
19	Contributions Under-Reported	Step 33C	Indicate the full amount of under reported contributions discovered as a result of the audit.	Number - 0000000000000.00	DECIMAL (15,2)	
20	Contributions Over-Reported	Step 33D	Indicate the full amount of over reported contributions discovered as a result of the audit.	Number - 0000000000000.00	DECIMAL (15,2)	
21	Contributions Reconciliation Amount	Step 33E	Place a zero (0) in this field. (Software generates amount)	Number - 0	DECIMAL (15,2)	
22	User Field		User defined field. Can be used for any additional data element.	Text (Optional)	CHAR (100)	

## **APPENDIX C**

## **BENEFITS DUPLICATE DETECTION CRITERIA**

<i><b>Population</b></i>	<i><b>Reporting Rule</b></i>	<i><b>Relevant Data Elements from Extract file</b></i>	<i><b>Duplicate Detection Criteria</b></i>	<i><b>Comments</b></i>
1. Weeks Claimed	The same week of unemployment can only be claimed once.	SSN, Claim Week-Ending Date (Field 2)	Remove as duplicates all multiple records with the same SSN and Claim Week Ending Date.	
2. Final Payments	A Benefit Year normally has only one final payment, unless wages were added/returned after initial exhaustion.	SSN, Mail Date, Check #/Unique ID	Remove as duplicates all multiple records with the same SSN, check number/unique ID and mail date.	The mail date criterion would falsely reject the unlikely but legitimate case of two Final Payments for separate claims that exhaust on the same day. In such a case, the validator can append an extra unique character to the Unique ID field value (e.g. -1, -2, -3) to each of the valid records, so that the software will not reject them.

## ***Unemployment Insurance Data Validation Operations Guide***

---

<i>Population</i>	<i>Reporting Rule</i>	<i>Relevant Data Elements from Extract file</i>	<i>Duplicate Detection Criteria</i>	<i>Comments</i>
-------------------	-----------------------	---	---	-----------------

<p>3. Claims</p>	<p>Report each legitimate claim once. Most claim types will be reportable only once in a quarter. Multiple UI New or Transitional claims may be legitimate; however, there can be only one claim with a <i>sufficient</i> monetary per SSN within the same quarter, unless a claim with a sufficient monetary that does not establish a benefit year (BY) is followed by one that does establish a benefit year. Although there can be more than one with an <i>insufficient</i> monetary, none may follow a claim with a <i>sufficient</i> monetary.</p>	<p>SSN (Field 2); Date Claim Filed, (Field 3); Program Type (Field 6); Claim Type, (Field 5); Sufficient / Insufficient" (Field 9)</p>	<p>1. <b>For all Claim Type and Program Type combinations:</b> Remove as duplicates all multiple records with the same SSN, Date Claim Filed, and Claim Type.</p> <p>2. <b>For UI New and Transitional Claims:</b> Remove as duplicates</p> <ul style="list-style-type: none"> <li>all multiple records for which SSN and Claim Type are the same for multiple records where Field 9 = Sufficient New BY or Sufficient No BY but the same filed date; and</li> <li>all multiple records for which SSN and Claim Type are the same for multiple records where Field 9 for one record = Sufficient New BY and another with a later filed date has Field 9 = Sufficient No BY; and</li> <li>all records for the same SSN and Claim type with Field 9 = Insufficient with a Claim Filed Date later than the same SSN and Claim Type with Field 9 = Sufficient.</li> </ul>	<p>The duplicate detection function in Population 3 must distinguish (a) multiple claims that may be legitimately counted from (b) multiple instances of claims that may be counted only once (true duplicates). Situation (a) arises mostly for UI New and Transitional claims. To define legitimate UI New and Transitional claims, the decision was made to allow only one Sufficient determination that establishes a BY in the same quarter for the same claim type and not to allow an Insufficient claim to follow a Sufficient claim for the same SSN and claim type. Two claims with sufficient monetary determinations may occur in the same quarter as long as the claim that does not establish a BY precedes the one that does establish a BY.</p>
------------------	---	--	---	---



<i>Population</i>	<i>Reporting Rule</i>	<i>Relevant Data Elements from Extract file</i>	<i>Duplicate Detection Criteria</i>	<i>Comments</i>
3.a Additional Claims	Every additional claim is associated with a week of unemployment and involves at least a 1-week break in the claims series due to intervening employment and separation from an employer.	SSN, Date Claim Filed, Separation Date	Remove as duplicates all multiple records with the same SSN, Date Claim Filed, and Separation Date.	SSN plus Separation Date represent “hard” or definitive criteria for duplicates. SSN and Date Claim Filed could be used as “soft” duplicate detection criteria that identify potential instances of duplication. If used, the validator must manually determine which claims are countable, taking a sample of all records of multiple instances of the same SSN and Date Claim Filed if the number of cases is considerably large.

<i>Population</i>	<i>Reporting Rule</i>	<i>Relevant Data Elements from Extract file</i>	<i>Duplicate Detection Criteria</i>	<i>Comments</i>
4. Payments	There can only be one countable regular week compensated for a given week. Where there is a CWC payment, there is a separate count of one CWC payment per week. There is no rule limiting the number of adjustment checks.	SSN, Intra/Interstate, Week-End Date (Field 16), Mail Date (Field 17)	<ol style="list-style-type: none"> <li><b>1. For all but CWC payments and adjustments (i.e., for subpops 4.1-4.32 and 4.43):</b> Remove as duplicates all multiple records where SSN, Intra/Interstate, Mail Date and Week End Date are the same.</li> <li><b>2. For CWC only:</b> Remove as duplicates all multiple records where SSN and Week End Date are the same.</li> <li><b>3. For Adjustment Payments:</b> No duplicate check</li> </ol>	A week compensated cannot be counted twice for the same week ending date. Since the week can be counted both as a regular week and a CWC week, the software performs the check separately for both groups. Because states may issue multiple adjustment checks as needed to correct a claimant's prior benefits, no duplicate detection is needed for multiple adjustments.

<i>Population</i>	<i>Reporting Rule</i>	<i>Relevant Data Elements from Extract file</i>	<i>Duplicate Detection Criteria</i>	<i>Comments</i>
5. Nonmonetary Determinations	Count every monetary determination once.	SSN, Unique ID, Issue Type (Field 9), Notice Data (Field 12).	<p>Remove as duplicates all multiple records with the same SSN, Unique ID, Issue Code, and Mail Date.</p> <ul style="list-style-type: none"> <li>When state has Unique ID, this will definitively identify duplicate records.</li> <li>When Unique ID is null, validator must manually remove duplicates from the extract file, assign a Unique ID (e.g., 1, 2, and 3) to each legitimate multiple transaction in the file, and then reload it into the software.</li> </ul>	Records with the same SSNs, Issue Code and Mail Date, but no Unique ID, should be manually checked to determine whether they are duplicates.
6. Lower Authority Appeals Filed	Count every appeal once.	SSN, Docket #/Unique ID	Remove as duplicates all multiple records with the same SSN and Docket Number/Unique ID.	If the same SSN and docket number appears more than once only one record should be included in the extract file.
7. Higher Authority Appeals Filed	Count every appeal once.	SSN, Docket #/Unique ID	Remove as duplicates all multiple records with the same SSN and Docket Number/Unique ID.	If the same SSN and docket number appears more than once, only one record should be included in the extract file.

<i>Population</i>	<i>Reporting Rule</i>	<i>Relevant Data Elements from Extract file</i>	<i>Duplicate Detection Criteria</i>	<i>Comments</i>
8. Lower Authority Appeals Decisions	Count every appeal once.	SSN, Docket #/Unique ID	Remove as duplicates all multiple records with the same SSN and Docket Number/Unique ID.	If the same SSN and docket number appears more than once, only one record should be included in the extract file.
9. Higher Authority Appeals Decisions	Count every appeal once.	SSN, Docket #/Unique ID	Remove as duplicates all multiple records with the same SSN and Docket Number/Unique ID.	If the same SSN and docket number appears more than once, only one record should be included in the extract file.
10. Lower Authority Appeals Case Aging	Count every appeal once.	SSN, Docket #/Unique ID	Remove as duplicates all multiple records with the same SSN and Docket Number/Unique ID.	If the same SSN and docket number appears more than once, only one record should be included in the extract file.
11. Higher Authority Appeals Case Aging	Count every appeal once.	SSN, Docket #/Unique ID	Remove as duplicates all multiple records with the same SSN and Docket Number/Unique ID.	If the same SSN and docket number appears more than once, only one record should be included in the extract file.

<i>Population</i>	<i>Reporting Rule</i>	<i>Relevant Data Elements from Extract file</i>	<i>Duplicate Detection Criteria</i>	<i>Comments</i>
12. Overpayments Established	Count each overpayment only once.	SSN, Date Overpayment Established, Unique ID	<p>Remove as duplicates all multiple records with the same SSN, Date Overpayment Established, and Unique ID.</p> <ul style="list-style-type: none"><li>• If state has Unique ID this definitively identifies duplicates.</li><li>• If Unique ID is null, validator must manually remove duplicates from the extract file, assign a Unique ID (e.g., 1, 2, and 3) to each legitimate multiple transaction in the file, and then reload it into the software.</li></ul>	Records with the same SSN and Date Overpayment Established, but no Unique ID, should be manually checked to determine whether they are duplicates.

<i>Population</i>	<i>Reporting Rule</i>	<i>Relevant Data Elements from Extract file</i>	<i>Duplicate Detection Criteria</i>	<i>Comments</i>
13. Overpayment Reconciliation	Count each transaction only once.	SSN, Unique ID, Activity Type, Date of Activity	<p>Remove as duplicates all multiple records with the same SSN, Unique ID, Date of Activity, and Activity Type.</p> <ul style="list-style-type: none"><li>• If state has Unique ID this definitively identifies duplicates.</li><li>• If Unique ID is null, validator must manually remove duplicates from the extract file and assign a Unique ID (e.g., 1, 2, and 3) to each legitimate multiple transaction in the file, and then reload it into the software.</li></ul>	Records with the same SSN, Date of Activity, and Activity Type, but no Unique ID, should be manually checked to determine whether they are duplicates.

<i>Population</i>	<i>Reporting Rule</i>	<i>Relevant Data Elements from Extract file</i>	<i>Duplicate Detection Criteria</i>	<i>Comments</i>
14. Overpayments Case Aging	Count each overpayment once.	SSN, Unique ID	<p>Remove as duplicates all multiple records with the same SSN and Unique ID.</p> <ul style="list-style-type: none"> <li>• If state has Unique ID this definitively identifies duplicates.</li> <li>• If Unique ID is null, validator must manually remove duplicates from the extract file and assign a Unique ID (e.g., 1, 2, and 3) to each legitimate multiple transaction in the file, and then reload it into the software.</li> </ul>	Records with the same SSN but no Unique ID should be manually checked to determine whether they are duplicates.
15. Overpayments Established by Detection Method	Count each overpayment once.	SSN, Date Established, Unique ID	<p>Remove as duplicates all multiple records with the same SSN, Date Overpayment Established, and Unique ID.</p> <p>If state has Unique ID this definitively identifies duplicates.</p> <p>Unique ID is null, validator must manually remove duplicates from the extract file, assign a Unique ID (e.g., 1, 2, and 3) to each legitimate multiple transaction in the file, and then reload it into the software.</p>	Records with the same SSN and Date Overpayment Established, but no Unique ID, should be manually checked to determine whether they are duplicates.

## **APPENDIX D**



## **TAX DUPLICATE DETECTION CRITERIA**

<i><b>Population</b></i>	<i><b>ETA 581 Reporting Rule</b></i>	<i><b>Relevant Data Elements from Extract File (by Field Number)</b></i>	<i><b>Data Validation Duplicate Detection Rule Applied to Extract File</b></i>	<i><b>Comments</b></i>
1. Active Employers	Count each employer once. Multi-unit employers are counted as one employer.	2. Employer Account Number (EAN)	If the EAN is identical in two or more records, all of those records are rejected.	As long as EANs are only assigned at the parent level, this should identify units from the same multi-unit employer.
2. Report Filing	Each employer owes only one report for each employer report quarter (ERQ). This report is counted a maximum of 3 times – timely, secured, and resolved. If an employer submits reports for multiple ERQs at the same time, only the report for the ERQ immediately preceding the report quarter (RQ) is countable as timely (if applicable) and secured. Only the report for the ERQ two quarters prior to the RQ is countable as resolved. Reports from multi-unit employers are counted as one report.	2. EAN 3. Employer Report Quarter (ERQ)	If the EAN and ERQ are identical in two or more records, all of those records are rejected.	As long as EANs are only assigned at the parent level, this should identify units from the same multi-unit employer.

<i>Population</i>	<i>ETA 581 Reporting Rule</i>	<i>Relevant Data Elements from Extract File (by Field Number)</i>	<i>Data Validation Duplicate Detection Rule Applied to Extract File</i>	<i>Comments</i>
3. Status Determinations	<p>Each status determination transaction should be counted only once.</p> <p>Individual EANs may appear more than once. For example, there might be two transactions listed for a single EAN if an employer acquires two businesses at different times during the quarter, resulting in two successorship determinations.</p> <p>Multiple determinations may be legitimate, as long as they do not reflect clerical errors.</p>	<p>2. EAN</p> <p>4. Status Determination Type Indicator</p> <p>6. Status Determination Date</p> <p>12. Predecessor Account Number</p>	<p>If the status determination type indicator is:</p> <p>NEW (subpops 3.1 - 3.3), and the EAN and status determination date are identical in two or more records, all of those records are rejected.</p> <p>SUCCESSOR (subpops 3.4 - 3.6), and the EAN and status determination date and predecessor account number are identical in two or more records, all of those records are rejected.</p> <p>INACTIVATION or TERMINATION (subpops 3.7 and 3.8), and the EAN and status determination date are identical in two or more records, all of those records are rejected.</p>	

<i>Population</i>	<i>ETA 581 Reporting Rule</i>	<i>Relevant Data Elements from Extract File (by Field Number)</i>	<i>Data Validation Duplicate Detection Rule Applied to Extract File</i>	<i>Comments</i>
4. Accounts Receivable	No transaction should be listed more than once.	2. EAN  4. Transaction Date  5. Established Date 6. Employer Report Quarter (cont.)  7. Due Date (reimb.)  8. Transaction Type  9. Transaction Amount (established)  10. Transaction Amount (liquidated)  11. Transaction Amount (uncollectible)  12. Removed Amount  13. Balance at End of Report Quarter	<p>If the transaction type is:</p> <p>E (subpops 4.1 and 4.9), and the EAN, transaction date, established date, ERQ (cont.) or Due Date (reimb.), and amount established are identical in two or more records, all of those records are rejected.</p> <p>L or U (subpops 4.2-4.4 and 4.10-4.12), and the EAN, transaction date, ERQ (cont.) or Due Date (reimb.), transaction type, and transaction amount are identical in two or more records, all of those records are rejected.</p> <p>R (subpops 4.5-4.6, 4.13-4.14), and the EAN, ERQ (cont.) or Due Date (reimb.), and removed amount are identical in two or more records, all of those records are rejected.</p> <p>B (subpop 4.7-4.8, 4.15-4.16), and the EAN, ERQ (cont.) or Due Date (reimb.), and balance are identical in two or more records, all of those records are rejected.</p>	Currently, the UI Tax DVWS does not check for duplicates in Population 4. State IT staff now is responsible for ensuring that the extract file does not include duplicate transactions. DVWS 1.1 will be modified to include the new duplicate detection criteria.

<i>Population</i>	<i>ETA 581 Reporting Rule</i>	<i>Relevant Data Elements from Extract File (by Field Number)</i>	<i>Data Validation Duplicate Detection Rule Applied to Extract File</i>	<i>Comments</i>
5. Field Audits	Each field audit should be counted once.	2. EAN 3. Audit ID Number	If the EAN and Audit ID Number are identical in two or more records, all of those records are rejected.	