

NLSY27 Screening Instruments
Eligibility Screener Specs
CAWI & CATI

Preloads

ADDRESS1: Preloaded addressline1

ADDRESS2: Preloaded addressline2

CITY: Preloaded city

STATE: Preloaded state

ZIP: Preloaded zip code

Paradata

DOI_YEAR: Capture year of screener interview (2026, 2027, or 2028)

MODE: CAWI or CATI

Capture item level timing

Include a time/date stamp at beginning and end of screener

General Notes

- Do not display DK and REF on each screen at loading.
 - If R tries to move forward without providing a response, display DK ('Don't know') and REF ('Prefer not to answer') on screen.
 - Unless otherwise noted, include a soft prompt for R to respond or select DK/REF option (in red font and sentence case): **"Your answers are very important. Please consider selecting a response. Otherwise, please select "Don't know" or "Prefer not to answer."**
 - If R still tries to move forward again without answering, assign REF code to missing response.

ES005	
ASK	All respondent
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Welcome! RTI International, a non-profit research organization, is conducting a nationwide study sponsored by the U.S. Bureau of Labor Statistics (BLS). We would like to ask you a few questions to see if anyone in your household is eligible to participate. As a token of appreciation, we will send you \$5 for completing these questions. First, please confirm your home address is: ^ {ADDRESS1} ^ {ADDRESS2} ^ {CITY} ^ {STATE} ^ {ZIP} 1. Yes, this address is correct 0. No, this address is not correct
SPANISH	¡Le damos la bienvenida! RTI International, una organización de investigación sin fines de lucro, está llevando a cabo un estudio a escala nacional patrocinado por la Oficina de Estadísticas Laborales de EE. UU. (BLS). Quisiéramos hacerle algunas preguntas para saber si alguien de su hogar cumple los requisitos para participar. Como muestra de agradecimiento, le enviaremos \$5 por completar estas preguntas. En primer lugar, confirme que su domicilio es: ^ {ADDRESS1} ^ {ADDRESS2} ^ {CITY} ^ {STATE} ^ {ZIP} 1 Sí, esta dirección es correcta 0 No, esta dirección no es correcta
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Do not display DK or REF on this screen at all. If MODE = CAWI & ES005 = 1, set disposition code 511 CAWI ES - 1210 Web Interview Started. If MODE = CAWI & ES005 = 0, set disposition code 511 CAWI ES - 1049 Invalid Address. If MODE = CATI & ES005 = 0, set disposition code 551 - CATI ES - 1049 Invalid Address.
CHECK (ENG)	If item is left blank, display hard check: This information is required to proceed with the survey.

CHECK (SPAN)	If item is left blank, display hard check: Esta información es necesaria para continuar con la encuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	
NEXT	If ES005 = 1: ES006 Else: ES005A

ES005A		
ASK	If ES005 = 0	
QUESTION TYPE	Textbox	
FILLS (ENG)		
FILLS (SPAN)		
ENGLISH	What is your correct home address? Address Line 1: Address Line 2: City: Zip Code:	
SPANISH	¿Cuál es su dirección de domicilio correcta? Address Line 1: Address Line 2: City: Zip Code:	
RANGE		
LIMITS		
LOOP MAX		
PROGRAM. NOTES		
CHECK (ENG)		
CHECK (SPAN)		
HELP TEXT (ENG)		
HELP TEXT (SPAN)		
MODE	CAWI/CATI	
NOTES		
LEAD-IN		
NEXT	ES049	

ES006	
ASK	If ES005 = 1
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ES006 If STATE = AL or NE, FILL_ES006: '19' Else, FILL_ES006: '18'
FILLS (SPAN)	
ENGLISH	Are you ^{FILL_ES006} years old or older? 1. Yes 0. No
SPANISH	¿Tiene ^{FILL_ES006} años o más? 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Do not display DK or REF on this screen at all.
CHECK (ENG)	If item is left blank, display hard check: This information is required to proceed with the survey.
CHECK (SPAN)	If item is left blank, display hard check: Esta información es necesaria para continuar con la encuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES005
NEXT	If ES006 = 1: ES008 Else: ES049

ES008	
ASK	All respondents
QUESTION TYPE	Numeric with radio special answer option
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How many people usually live in this household, including yourself? This means people who live with you at least half the time, including those who are currently traveling, away at school or college, or in hospital, prison or jail, or any other type of institution. It also includes foster children, small children, or babies, as well as people you employ, such as live-in nannies or au pairs. Number of household members: ____ REF. Prefer not to provide this information.
SPANISH	¿Cuántas personas viven habitualmente en este hogar, incluido(a) usted? Nos referimos a las personas que viven con usted al menos la mitad del tiempo, incluidas las que están actualmente de viaje, en la escuela o la universidad, o en el hospital, la prisión o la cárcel, o cualquier otro tipo de institución. También incluye a los niños de acogida, los niños pequeños o los bebés, así como a las personas a las que emplee, como niñeros que viven con usted o <i>au pairs</i>. Cantidad de miembros del hogar: ____ REF. Prefer not to provide this information.
RANGE	1-20
LIMITS	
LOOP MAX	
PROGRAM. NOTES	From this question on, 'All respondents' refer to those who responded ES006 = 1 (i.e., confirmed they were 18+/19+ and thus eligible to complete the screener). Create variable, HHROSTERNUM, to record the number of household members reported in ES008. Do not display standard DK or REF on this screen at all. Use special REF option for this item. Do not display special REF option on loading. If item is left blank, refresh page and display special REF option plus hard check message.
CHECK (ENG)	<i>If item is left blank, display hard check:</i> The number of household members is needed to proceed with the survey. If you do not provide this information, the survey will end. <i>If ES008 is out of range, display hard check:</i> You have entered a number outside the expected range. Please enter a number between 1 and 20. If more than 20 people live in your household, we will only be able to record information for up to 20.
CHECK (SPAN)	<i>If item is left blank, display hard check:</i> Se necesita el número de miembros del hogar para continuar con la encuesta. Si no proporciona esta información, la encuesta finalizará. <i>If ES008 is out of range, display hard check:</i> Ha ingresado un número fuera del rango esperado. Por favor, ingrese un número entre 1 y 20. Si en su hogar viven más de 20 personas, solo podremos registrar información de hasta 20 de ellas.
HELP TEXT (ENG)	

HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES006
NEXT	If ES008 = REF: ES049 Else: ES009

ES009	
ASK	If ES008 != REF
QUESTION TYPE	Textbox with radio special answer option
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your first name? Name: _____ REF. Prefer not to provide this information.
SPANISH	¿Cuál es su nombre? Nombre: _____ REF. Prefer not to provide this information.
RANGE	
LIMITS	Max 20 characters
LOOP MAX	
PROGRAM. NOTES	Create variable, ESINFORMANTNAME: Record name entered in ES009. Create roster variable, HHROSTER, to track information about each household member. Assign the R to line 1 of HHROSTER. Update roster variable, HHROSTER: Create new fields: HH_UID: Assign unique ID number. HH_NAME: Record name entered in ES009. Create variable, ESINFORMANT_UID: Set to HH_UID of R on line 1 of HHROSTER. Do not display standard DK or REF on this screen at all. Use special REF option for this item. Do not display special REF option on loading. If item is left blank, refresh page and display special REF option plus hard check message.
CHECK (ENG)	<i>If item is left blank, display hard check:</i> Your name is needed to proceed with the survey. You may provide a nickname if you prefer. If no name is provided, the survey will end.
CHECK (SPAN)	<i>If item is left blank, display hard check:</i> Necesitamos su nombre para continuar con la encuesta. Puede proporcionar un apodo si lo prefiere. Si no proporciona su nombre, la encuesta finalizará.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES008
NEXT	If HHROSTERNUM = 1: ES011 Else if ES009 = REF: ES049 Else: f_ES010

f_ES010 ES010_#	
ASK	If HHROSTERNUM > 1 (Begin/End ES LOOP 1)
QUESTION TYPE	Textbox with radio special answer options
FILLS (ENG)	Create fill, FILL_ES010INTRO If HHROSTERNUM = 2, FILL_ES010INTRO: empty Else if HHROSTERNUM > 2 & LOOP NUM = 1, FILL_ES010INTRO: "Next, please enter the first names of the other people who usually live in your household, beginning with the oldest and ending with the youngest. Do not include yourself." Else, FILL_ES010INTRO: empty Create fill, FILL_ES010LOOP If LOOP NUM = 1, FILL_ES010LOOP: empty If LOOP NUM = 2, FILL_ES010LOOP: "second" If LOOP NUM = 3, FILL_ES010LOOP: "third" ... etc. ... If LOOP NUM = 20, FILL_ES010LOOP: "twentieth" Create fill, FILL_ES010 If HHROSTERNUM = 2, FILL_ES010: "Next, what is the first name of the other person who usually lives in your household?" Else if ES011 = 1, FILL_ES010: "Who else lives in your household?" Else, FILL_ES010: "What is the first name of the ^{FILL_ES010LOOP} oldest person living in your household?"
FILLS (SPAN)	Create fill, FILL_ES010INTRO If HHROSTERNUM = 2, FILL_ES010INTRO: empty Else, FILL_ES010INTRO: "A continuación, quisiera recopilar los nombres de las demás personas que suelen vivir aquí, empezando por la mayor y terminando por la más joven. No se incluya a usted mismo(a)." Create fill, FILL_ES010LOOP If LOOP NUM = 1, FILL_ES010LOOP: empty If LOOP NUM = 2, FILL_ES010LOOP: "segunda" If LOOP NUM = 3, FILL_ES010LOOP: "tercera" If LOOP NUM = 4, FILL_ES010LOOP: "cuarta" If LOOP NUM = 5, FILL_ES010LOOP: "quinta" If LOOP NUM = 6, FILL_ES010LOOP: "sexta" If LOOP NUM = 7, FILL_ES010LOOP: "séptima" If LOOP NUM = 8, FILL_ES010LOOP: "octava" If LOOP NUM = 9, FILL_ES010LOOP: "novena" If LOOP NUM = 10, FILL_ES010LOOP: "décima" If LOOP NUM = 11, FILL_ES010LOOP: "undécima" If LOOP NUM = 12, FILL_ES010LOOP: "duodécima" If LOOP NUM = 13, FILL_ES010LOOP: "decimotercera" If LOOP NUM = 14, FILL_ES010LOOP: "decimocuarta" If LOOP NUM = 15, FILL_ES010LOOP: "decimoquinta" If LOOP NUM = 16, FILL_ES010LOOP: "decimosexta" If LOOP NUM = 17, FILL_ES010LOOP: "decimoséptima" If LOOP NUM = 18, FILL_ES010LOOP: "decimooctava" If LOOP NUM = 19, FILL_ES010LOOP: "decimonovena" If LOOP NUM = 20, FILL_ES010LOOP: "vigésima"

	Create fill, FILL_ES010 If HHROSTERNUM = 2, FILL_ES010: "A continuación, ¿podría decirme el nombre de la otra persona que suele vivir aquí?" Else if ES011 = 1, FILL_ES010: "¿Quién más vive en su hogar?" Else, FILL_ES010: "¿Cuál es el nombre de la ^{FILL_ES010LOOP} mayor persona que vive aquí?"
ENGLISH	^{FILL_ES010INTRO} ^{FILL_ES010} Name of household member: _____ -8. No more people live in this household. REF. Prefer not to provide this information.
SPANISH	^{FILL_ES010INTRO} ^{FILL_ES010} Nombre del(la) miembro del hogar: _____ -8 No viven más personas en este hogar. REF. Prefer not to provide this information.
RANGE	
LIMITS	Max 20 characters
LOOP MAX	20
PROGRAM. NOTES	Do not display standard DK or REF on this screen at all. Use special REF option for this item. Do not display special REF option on loading. If item is left blank, refresh page and display special REF option plus hard check message. Loop through ES LOOP 1 (ES010_#) for each household member until HHROSTERNUM <u>minus 1</u> is reached (to exclude the R whose name was already provided in ES009), with a max of 20 times. If option "-8" is selected, end the loop and proceed to ES011. Update roster variable, HHROSTER: For each name entered, add a new roster line with HH_UID (assign new ID number) and HH_NAME (use name entered in ES010_#). If returned to this screen from ES011 (= 1), update variable, HHROSTERNUM, to reflect new number of household members.
CHECK (ENG)	<i>If item is left blank, display hard check: This person's name is needed to proceed with the survey. You may provide a nickname if you prefer. If no name is provided, the survey will end.</i> <i>If name entered duplicates name provided in ES009 or earlier loops of ES010_#, display soft check: This name has already been used for a different member of the household. If this person goes by another name, please update it. Otherwise, click 'Next' to continue.</i>
CHECK (SPAN)	<i>If ES010_# = REF or DK, display soft check: Necesitamos su nombre para continuar con la encuesta. Puede proporcionar un apodo si lo prefiere. Si no proporciona su nombre, la encuesta finalizará.</i> <i>If name entered duplicates name provided in ES009 or earlier loops of ES010_#, display soft check: Este nombre ya se ha usado para otro(a) miembro del hogar. Si esta persona</i>

	tiene otro nombre, actualícelo. De lo contrario, haga clic en “Next” o “Siguiente” para continuar.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES009
NEXT	If ES010_# = REF: ES049 Else: ES011

ES011	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ES011: List all HH_NAME(s) from HHROSTER Create fill, FILL_CAT11 If MODE = CATI, FILL_CAT11: 'INTERVIEWER: READ LIST OF HOUSEHOLD MEMBER NAMES' Else, FILL_CAT11: empty Create fill, FILL_ES011_20LOOP If HHROSTERNUM = 20, FILL_ES011_20LOOP: 'You've listed 20 people who usually live in your household. This is the maximum number we can record. Are there any other people who live in your household that you weren't able to include?' Else, FILL_ES011_20LOOP: 'Is anyone missing from this list?'
FILLS (SPAN)	Create fill, FILL_ES011: List all HH_NAME(s) from HHROSTER Create fill, FILL_CAT11 If MODE = CATI, FILL_CAT11: 'INTERVIEWER: READ LIST OF HOUSEHOLD MEMBER NAMES' Else, FILL_CAT11: empty Create fill, FILL_ES011_20LOOP If HHROSTERNUM = 20, FILL_ES011_20LOOP: Ha enumerado a 20 personas que suelen vivir en su hogar. Este es el número máximo que podemos registrar. ¿Hay otras personas que viven en su hogar que no haya podido incluir? Else, FILL_ES011_20LOOP: ¿Falta alguien en esta lista?
ENGLISH	Here are the people who live in your household: ^{FILL_CAT11} ^{FILL_ES011} ^{FILL_ES011_20LOOP} 1. Yes, someone is missing 0. No, this is everyone
SPANISH	Aquí están las personas que viven en su hogar: ^{FILL_CAT11} ^{FILL_ES011} ^{FILL_ES011_20LOOP} 1 Sí, falta alguien 0 No, esas son todas las personas
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If returned to this screen from ES010 more than once, make sure fill has been updated to reflect the updated list of HH_NAMES on the HHROSTER.

	Create variable, HHROSTER20MAX: If ES011 = 1 & HHROSTERNUM = 20, set HHROSTER20MAX = 1; else, set to 0.
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES010
<i>NEXT</i>	If ES011 = 1 & HHROSTERNUM < 20: f_ES010 Else: f_ES013

f_ES013 ES013_#	
ASK	All respondents (Begin ES LOOP 2)
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill, FILL_HHNAME: Fill HH_NAME from HHROSTER. Create fill, FILL_YOURHHNAME If LOOP NUM = 1, FILL_YOURHHNAME: 'your' Else, FILL_YOURHHNAME: '^{FILL_HHNAME}'s' Create fill, FILL_ES013 If LOOP NUM = 1, FILL_ES013: empty Else, FILL_ES013: "If the household member is less than one year old, please enter their age as 0."
FILLS (SPAN)	Create fill, FILL_HHNAME: Fill HHNAME from HHROSTER. Create fill, FILL_YOURHHNAME131S If LOOP NUM = 1, FILL_YOURHHNAME131S: 'A continuación, ¿cuál es su edad?' Else, FILL_YOURHHNAME131S: 'A continuación, ¿cuál es la edad de ^{FILL_HHNAME}?' Create fill, FILL_ES013 If LOOP NUM = 1, FILL_ES013: empty Else, FILL_ES013: "Si el(la) miembro del hogar tiene menos de un año, ingrese su edad como 0."
ENGLISH	Next, what is ^{FILL_YOURHHNAME} age? ^{FILL_ES013} Age: __ years old
SPANISH	^{FILL_YOURHHNAME131S} ^{FILL_ES013} Edad: __ años
RANGE	0-120
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. Update roster variable, HHROSTER: Create new field, HH_AGE, to record household member's age reported in ES013_#.
CHECK (ENG)	If ES013_# is out of range, display hard check: Please enter a valid age between 0 and 120.
CHECK (SPAN)	If ES013_# is out of range, display: Ingrese una edad válida entre 0 y 120.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI

<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES011
<i>NEXT</i>	If LOOP NUM = 1 & (STATE = AL or NE) & ES013_# < 19: ES049 Else if LOOP NUM = 1 & (STATE != AL or NE) & ES013_# < 18: ES049 Else if (DOI_YEAR = 2026 or 2027) & (ES013_# ≥ 11 & ES013_# ≤ 17): f_ES015 Else if (DOI_YEAR = 2028) & (ES013_# ≥ 12 & ES013_# ≤ 18): f_ES015 Else if ES013_# = DK or REF: f_ES014 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES014 ES014_#	
ASK	If ES013_# = DK or REF (Continue ES LOOP 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES014_1 If LOOP NUM = 1, FILL_ES014_1: 'Are you...' Else, FILL_ES014_1: 'Is ^{FILL_HHNAME}...' Create fill, FILL_ES014_2 If DOI_YEAR = 2026 or 2027, FILL_ES014_2: '1. 10 or younger 2. 11 to 17 3. 18 to 23' Else, FILL_ES014_2: '1. 11 or younger 2. 12 to 18 3. 19 to 23'
FILLS (SPAN)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES014_1 If LOOP NUM = 1, FILL_ES014_1: '¿Tiene usted...?' Else, FILL_ES014_1: '¿Tiene^{FILL_HHNAME}...?' Create fill, FILL_ES014_2 If DOI_YEAR = 2026 or 2027, FILL_ES014_2: '1 10 años o menos 2 De 11 a 17 años 3 De 18 a 23 años Else, FILL_ES014_2: '1 11 años o menos 2 De 12 a 18 años 3 De 19 a 23 años
ENGLISH	^{FILL_ES014_1} ^{FILL_ES014_2} 4. 24 to 31 5. 32 to 40, or 6. 41 or older?
SPANISH	^{FILL_ES014_1} ^{FILL_ES014_2} 4 De 24 a 31 años 5 De 32 a 40 años, o 6 41 años o más
RANGE	
LIMITS	

<i>LOOP MAX</i>	20
<i>PROGRAM. NOTES</i>	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. Update roster variable, HHROSTER: Create new field, HH_AGERANGE, to record household member's age range reported in ES014_#.
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES013
<i>NEXT</i>	If LOOP NUM = 1 & (DOI_YEAR = 2026 or 2027) & ES014_# = 1 or 2: ES049 Else if ES014_# = 2: f_ES015 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES015 ES015M_# / ES015DD_# / ES015YYYY_#	
<i>ASK</i>	If ((DOI_YEAR = 2026 or 2027) & (ES013_# ≥ 11 & ES013_# ≤ 17)) or (DOI_YEAR = 2028 & (ES013_# ≥ 12 & ES013_# ≤ 18)) or ES014_# = 2 (Continue ES LOOP 2)
<i>QUESTION TYPE</i>	Dropdown
<i>FILLS (ENG)</i>	Use fill from f_ES013: FILL_YOURHHNAME
<i>FILLS (SPAN)</i>	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_YOURHHNAME151S If LOOP NUM = 1, FILL_YOURHHNAME151S: 'su' Else, FILL_YOURHHNAME151S: 'la' Create fill, FILL_YOURHHNAME152S If LOOP NUM = 1, FILL_YOURHHNAME152S: EMPTY Else, FILL_YOURHHNAME152S: 'de ^{FILL_HHNAME}'
<i>ENGLISH</i>	What is ^{FILL_YOURHHNAME} date of birth? Month: { - Select - } [ES015M_#] Day: { - Select - } [ES015DD_#] Year: { - Select - } [ES015YYYY_#]
<i>SPANISH</i>	¿Cuál es ^{FILL_YOURHHNAME151S} fecha de nacimiento ^{FILL_YOURHHNAME152S}? Month: { - Select - } [ES015M_#] Day: { - Select - } [ES015DD_#] Year: { - Select - } [ES015YYYY_#]

<i>RANGE</i>	ES015DD_#: List days in order: 1-31 ES015M_#: List months in order: 1 = "January", 2 = "February", ... 12 = "December" ES015YYYY_#: List years 2006-2017 in reverse chronological order: 2017, 2016, 2015... 2006
<i>LIMITS</i>	
<i>LOOP MAX</i>	20
<i>PROGRAM. NOTES</i>	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. Create variable, HH_DOB, on HHROSTER: Set HH_DOB = ES015DD_#/ES015M_#/ES015YYYY_#. If any in ES015_# = DK or REF, set HH_DOB = empty. Create variable, HH_DOBYEAR on HHROSTER: Set HH_DOBYEAR = ES015YYYY_#. If ES015YYYY_# = DK or REF, set HH_DOBYEAR = empty. Create variable, HH_DOBMONTH on HHROSTER: Set HH_DOBMONTH = ES015M_#. If ES015M_# = DK or REF, set HH_DOBMONTH = empty. Create variable, HH_DOBDAY on HHROSTER: Set HH_DOBDAY = ES015M_#. If ES015DD_# = DK or REF, set HH_DOBDAY = empty. Create variable, YOUTH_AGE: Calculate age based on date of birth reported in ES015_#. If any in ES015_# = DK or REF, set YOUTH_AGE = empty.
<i>CHECK (ENG)</i>	<i>If date combination does not exist (e.g., February 30), display hard check: Please enter a valid date.</i>
<i>CHECK (SPAN)</i>	<i>If date combination does not exist (e.g., February 30), display hard check: Ingrese una fecha válida.</i>
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES013, f_ES014
<i>NEXT</i>	If ((ES013_# != DK or REF) & YOUTH_AGE != empty & YOUTH_AGE != ES013_#) or ((ES013_# = DK or REF) & YOUTH_AGE != empty & YOUTH_AGE not in HH_AGERANGE): f_ES015a Else if ES015YYYY_# = DK or REF: f_ES017 Else: f_ES016

f_ES015a ES015a_#	
ASK	If ((ES013_# != DK or REF) & YOUTH_AGE != empty & YOUTH_AGE != ES013_#) or ((ES013_# = DK or REF) & YOUTH_AGE != empty & YOUTH_AGE not in HH_AGERANGE) (Continue ES LOOP 2)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from f_ES013: FILL_HHNAME Use fill from f_ES015: FILL_YOURHHNAME Create fill, FILL_ES015a If LOOP NUM != 1, FILL_ES015a: ' for ^{FILL_HHNAME}' Else, FILL_ES015a: empty Create fill, FILL_YOURTHEIR If LOOP NUM = 1, FILL_YOURTHEIR: 'your' Else, FILL_YOURTHEIR: 'their' Create fill, FILL_ES015aM: Fill month selected in ES015M_# Create fill, FILL_ES015aD: Fill day selected in ES015DD_# Create fill, FILL_ES015aY: Fill year selected in ES015YYYY_# Create fill, FILL_YOUTHEY If LOOP NUM = 1, FILL_YOUTHEY: 'you' Else, FILL_YOUTHEY: 'they' Create fill, FILL_YOUTHAGE: Fill age recorded in YOUTH_AGE. Create fill, FILL_013AGE If ES013_# != DK or REF, FILL_013AGE: Fill age reported in ES013_#. Else, FILL_013AGE: Fill age range reported in ES014_#.
FILLS (SPAN)	Use fill from f_ES013: FILL_HHNAME Use fill from f_ES015: FILL_YOURHHNAME Create fill, FILL_ES015a If LOOP NUM != 1, FILL_ES015a: ' for ^{FILL_HHNAME}' Else, FILL_ES015a: empty Create fill, FILL_YOURTHEIR If LOOP NUM = 1, FILL_YOURTHEIR: 'su' Else, FILL_YOURTHEIR: 'su' Create fill, FILL_ES015aM: Fill month selected in ES015M_# Create fill, FILL_ES015aD: Fill day selected in ES015DD_# Create fill, FILL_ES015aY: Fill year selected in ES015YYYY_# Create fill, FILL_YOUTHEY If LOOP NUM = 1, FILL_YOUTHEY: 'usted' Else, FILL_YOUTHEY: 'ela/ella' Create fill, FILL_YOUTHAGE: Fill age recorded in YOUTHAGE.

	Create fill, FILL_013AGE If ES013_# != DK or REF, FILL_013AGE: Fill age reported in ES013_#. Else, FILL_013AGE: Fill age range reported in ES014_#.
ENGLISH	This birthdate does not match the age you previously provided ^{FILL_ES015a}. If ^{FILL_YOURTHEIR} birthdate is ^{FILL_ES015aM} ^{FILL_ES015aD}, ^{FILL_ES015aY}, that means ^{FILL_YOUTHEY} are currently ^{FILL_YOUTHAGE} years old. However, you stated earlier that ^{FILL_YOUTHEY} are ^{FILL_013AGE}. Please confirm ^{FILL_YOURHHNAME} date of birth. Month: { - Select - } [ES015aM_#] Day: { - Select - } [ES015aDD_#] Year: { - Select - } [ES015aYYYY_#]
SPANISH	Esta fecha de nacimiento no coincide con la edad que proporcionó anteriormente ^{FILL_ES015a}. Si la fecha de nacimiento de ^{FILL_YOURTHEIR} es ^{FILL_ES015aM} ^{FILL_ES015aD}, ^{FILL_ES015aY}, significa que ^{FILL_YOUTHEY} tiene actualmente ^{FILL_YOUTHAGE} años. Sin embargo, antes indicó que ^{FILL_YOUTHEY} tiene ^{FILL_013AGE}. Por favor, confirma la fecha de nacimiento de ^{FILL_YOURHHNAME}. Month: { - Select - } [ES015aM_#] Day: { - Select - } [ES015aDD_#] Year: { - Select - } [ES015aYYYY_#]
RANGE	ES015aDD_#: List days in order: 1-31 ES015aM_#: List months in order: 1 = "JANUARY", 2 = "FEBRUARY", ... 12 = "DECEMBER" ES015aYYYY_#: List years 2006-2017 in reverse chronological order: 2016, 2015, 2014... 2009
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. Update variable, HH_DOB: Set HH_DOB = ES015aDD_#/ES015aM_#/ES015aYYYY_#. If any in ES015a_# = DK or REF, do not update HH_DOB. Update variable, HH_DOBYEAR: Set HH_DOBYEAR = ES015aYYYY_#. If ES015aYYYY_# = DK or REF, do not update HH_DOBYEAR. Update variable, HH_DOBMONTH: Set HH_DOBMONTH = ES015aM_#. If ES015aM_# = DK or REF, do not update HH_DOBMONTH. Update variable, HH_DOBDAY: Set HH_DOBDAY = ES015aDD_#. If ES015aDD_# = DK or REF, do not update HH_DOBDAY. Update variable, YOUTH_AGE: Re-calculate age based on date of birth reported in ES015a_#. If any in ES015a_# = DK or REF, do not update YOUTH_AGE.
CHECK (ENG)	If date combination does not exist (e.g., February 30), display hard check: Please enter a valid date.
CHECK (SPAN)	If date combination does not exist (e.g., February 30), display hard check: Ingrese una fecha válida.
HELP TEXT (ENG)	

<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES015
<i>NEXT</i>	If ES015a_# = DK or REF: f_ES015b Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES015b ES015b_#	
ASK	If any in ES015a_# = DK or REF (Continue ES LOOP 2)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from f_ES015: FILL_YOURHHNAME
FILLS (SPAN)	
ENGLISH	What is ^{FILL_YOURHHNAME} age? Age: ____ years old
SPANISH	¿Cuántos años tiene ^{FILL_YOURHHNAME}? Edad: ____ años
RANGE	0-120
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. Update variable, YOUTHAGE: Set YOUTH_AGE = ES015b_#. If ES015b_# = DK or REF, do not update YOUTH_AGE.
CHECK (ENG)	If (ES015b != DK or REF) & ES013_# is out of range, display hard check: Please enter a valid age between 0 and 120.
CHECK (SPAN)	If (ES015b != DK or REF) & ES013_# is out of range, display hard check: Ingrese una edad válida entre 0 y 120.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES015a
NEXT	If ES015b_# != DK or REF: f_ES017 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES016 ES016_#	
ASK	If ES015YYYY_# != DK or REF (Continue ES LOOP 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES015: FILL_YOURHHNAME Create fill, FILL_ES016M: Fill month selected in ES015M_# Create fill, FILL_ES016D: Fill day selected in ES015DD_# Create fill, FILL_ES016Y: Fill year selected in ES015YYYY_# Create fill, FILL_ES016MISS If ES015M_# = empty, FILL_ES016MISS: 'birth year as ^{FILL_ES016Y}' If ES015DD_# = empty & ES015M_# != empty, FILL_ES016MISS: 'date of birth as ^{FILL_ES016M} ^{FILL_ES016Y}' Else, FILL_ES016MISS: 'date of birth as ^{FILL_ES016M} ^{FILL_ES016D} , ^{FILL_ES016Y}'
FILLS (SPAN)	Create fill, FILL_YOURHHNAME161S If LOOP NUM = 1, FILL_YOURHHNAME161S: 'su' Else, FILL_YOURHHNAME161S: 'el' Create fill, FILL_YOURHHNAME162S If LOOP NUM = 1, FILL_YOURHHNAME162S: EMPTY Else, FILL_YOURHHNAME162S: 'de ^{FILL_HHNAME}' Create fill, FILL_ES016M: Fill month selected in ES015M_# Create fill, FILL_ES016D: Fill numeric response to ES015DD_# Create fill, FILL_ES016Y: Fill numeric response to ES015YYYY_# Create fill, FILL_ES016MISS1S If ES015M_# = empty, FILL_ES016MISS1S: 'año de nacimiento' Else, FILL_ES016MISS1S: 'fecha de nacimiento' Create fill, FILL_ES016MISS2S If ES015M_# = empty, FILL_ES016MISS2S: 'que' ^{FILL_ES016Y}' If ES015DD_# = empty & ES015M_# != empty, FILL_ES016MISS2S: 'como ^{FILL_ES016M} de ^{FILL_ES016Y}' Else, FILL_ES016MISS2S: 'que ^{FILL_ES016D} de ^{FILL_ES016M} , ^{FILL_ES016Y}'
ENGLISH	You gave ^{FILL_YOURHHNAME} ^{FILL_ES016MISS}. Is that correct? 1. Yes 0. No
SPANISH	Usted ingresó ^{FILL_YOURHHNAME161S} ^{FILL_ES016MISS1S} ^{FILL_YOURHHNAME162S} ^{FILL_ES016MISS2S}. ¿Es eso correcto? 1 Sí 0 No
RANGE	
LIMITS	

<i>LOOP MAX</i>	20
<i>PROGRAM. NOTES</i>	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times.
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES015
<i>NEXT</i>	If ES016_# = 0: f_ES015 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES017 ES017_#	
ASK	If (ES015YYYY_# = DK or REF) or ES015b_# != DK or REF (Continue ES LOOP 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES017 If LOOP NUM = 1, FILL_ES017: 'Have you' Else, FILL_ES017: 'Has ^{FILL_HHNAME}'
FILLS (SPAN)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES017 If LOOP NUM = 1, FILL_ES017: 'Usted ha' Else, FILL_ES017: '^{FILL_HHNAME} ha'
ENGLISH	^{FILL_ES017} had a birthday since January 1st of this year? 1. Yes 0. No
SPANISH	¿^{FILL_ES017} cumplido años desde el 1 de enero de este año? 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES015
NEXT	If ES014_# = 2: f_ES018 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES018 ES018_#	
ASK	If ES014_# = 2 (End ES LOOP 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES018_1 If LOOP NUM = 1, FILL_ES018_1: 'Are you' Else, FILL_ES018_1: 'Is ^{FILL_HHNAME}' Create fill, FILL_ES018_2 If DOI_YEAR = 2026 or 2027, FILL_ES018_2: 'Is ^{FILL_HHNAME} age 11, 17, or in between?' 1. 11 2. 17 3. In between' Else, FILL_ES018_2: '^{FILL_ES018_1} age 12, 18, or in between?' 1. 12 2. 18 3. In between'
FILLS (SPAN)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES018_1 If LOOP NUM = 1, FILL_ES018_1: 'Tiene usted' Else, FILL_ES018_1: 'Tiene ^{FILL_HHNAME}' Create fill, FILL_ES018_2 If DOI_YEAR = 2026 or 2027, FILL_ES018_2: '¿Tiene ^{FILL_HHNAME} 11, 17 años o una edad intermedia?' 1 11 2 17 3 Una edad intermedia' Else, FILL_ES018_2: '¿^{FILL_ES018_1} 12, 18 años o una edad intermedia?' 1 12 2 18 3 Una edad intermedia'
ENGLISH	^{FILL_ES018_2}
SPANISH	^{FILL_ES018_2}
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. If ES018_# = 1 or 2, then update YOUTH_AGE with age selected in ES018_#.
CHECK (ENG)	
CHECK (SPAN)	

<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES017
<i>NEXT</i>	If LOOP NUM = 1 & DOI_YEAR = 2028 & (ES018_# = 1 or 3): ES049 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

ES_ELIGCHECK	
ASK	All respondents
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	This is a program check. Do not show screen to R. Update roster variable, HHROSTER: Create new field, HH_ELIGIBLEYOUTH. Set HH_ELIGIBLEYOUTH = 1 if: (DOI_YEAR = 2026 & (HH_DOB ≥ 01/01/2009 & HH_DOB ≤ 12/31/2014)) or ((DOI_YEAR = 2027 2028) & (HH_DOB ≥ 01/01/2010 & HH_DOB ≤ 12/31/2015)) or ((DOI_YEAR = 2026 2027) & (YOUTH_AGE ≥ 12 & YOUTH_AGE ≤ 16)) or (DOI_YEAR = 2028 & (YOUTH_AGE ≥ 13 & YOUTH_AGE ≤ 17)) or ((DOI_YEAR = 2026 2027) & (YOUTH_AGE = 11) & ES017_# = 0) or (DOI_YEAR = 2028 & (YOUTH_AGE = 12) & ES017_# = 0) or ((DOI_YEAR = 2026 2027) & (YOUTH_AGE = 17) & ES017_# = 1) or (DOI_YEAR = 2028 & (YOUTH_AGE = 18) & ES017_# = 1) or ES018 = 3; Else, set HH_ELIGIBLEYOUTH = 0. Create roster variable, YOUTHROSTER: Copy household members from HHROSTER if HH_ELIGIBLEYOUTH = 1. Copy variable YOUTH_AGE. Update roster variable, YOUTHROSTER: Create new fields for each eligible youth: YOUTH_UID: Copy HH_UID and rename to YOUTH_UID. YOUTH_NAME: Copy HH_NAME and rename to YOUTH_NAME. YOUTH_DOB: Copy HH_DOB and rename to YOUTH_DOB. YOUTH_DOBYEAR: Copy HH_DOBYEAR and rename to YOUTH_DOBYEAR. YOUTH_DOBMONTH: Copy HH_DOBMONTH and rename to YOUTH_DOBMONTH. YOUTH_DOBDAY: Copy HH_DOBDAY and rename to YOUTH_DOBDAY. Create variable, YOUTHROSTERNUM: Calculate total number of eligible youth in YOUTHROSTER. Create roster variable, ADULTROSTER: Copy household members from HHROSTER if HH_ELIGIBLEYOUTH = 0 & (((STATE = AL or NE) & HH_AGE ≥ 19) or (STATE != AL or NE) & HH_AGE ≥ 18))) or (HH_AGERANGE = DK or REF). Copy fields HH_UID, HH_NAME, and HH_AGE but do not rename. Create variable, ADULTROSTERNUM: Calculate total number of adults in the ADULTROSTER. Create roster variable, NONYOUTHROSTER: Copy household members from HHROSTER if HH_ELIGIBLEYOUTH = 0. Copy fields HH_UID, HH_NAME, and HH_AGE but do not rename.

	Create variable YOUTHINFORMANT: Set YOUTHINFORMANT = 1 if HHROSTER LINE = 1 & HH_ELIGIBLEYOUTH = 1; else, set YOUTHINFORMANT = 0. If ADULTROSTERNUM = 0, set disposition code 511 ES CAWI - 2340 No Adults at Address If ADULTROSTERNUM = 0, set disposition code 551 ES CATI - 2340 No Adults at Address
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES013, f_ES014, f_ES016, f_ES017, f_ES018
<i>NEXT</i>	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER: ES019 Else if MODE = CATI: ES047b Else: ES047c

ES019	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from ES011: FILL_CAT11 Create fill, FILL_ES019_1 If YOUTHROSTERNUM = 1, FILL_ES019_1: 'person may be' Else, FILL_ES019_1: 'people may be' Create fill, FILL_ES019_2: List YOUTH_NAME(s) from YOUTHROSTER Create fill, FILL_ES019_3: If YOUTHINFORMANT = 1 & YOUTHROSTERNUM = 1, FILL_ES019_3: 'you' Else if YOUTHINFORMANT = 1 & YOUTHROSTERNUM > 1, FILL_ES019_3: 'you and them' Else, FILL_ES019_3: 'them'
FILLS (SPAN)	Use fill from ES011: FILL_CAT11 Create fill, FILL_ES019_1 If YOUTHROSTERNUM = 1, FILL_ES019_1: 'La siguiente persona cumple los requisitos' Else, FILL_ES019_1: 'Las siguientes personas cumplen los requisitos' Create fill, FILL_ES019_2: List YOUTHNAME(s) from YOUTHROSTER Create fill, FILL_ES019_3: If YOUTHINFORMANT = 1 & YOUTHROSTERNUM = 1, FILL_ES019_3: 'usted puede ser' Else if YOUTHINFORMANT = 1 & YOUTHROSTERNUM > 1, FILL_ES019_3: 'usted y esas personas pueden ser' Else, FILL_ES019_3: 'esas personas'
ENGLISH	The following ^{FILL_ES019_1} eligible for this study: ^{FILL_CAT11} ^{FILL_ES019_2} We have a few more questions about ^{FILL_ES019_3}.
SPANISH	^{FILL_ES019_1} para este estudio: ^{FILL_CAT11} ^{FILL_ES019_2} Tenemos algunas preguntas más sobre ^{FILL_ES019_3}.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	

<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	ES_ELIGCHECK
<i>NEXT</i>	If YOUTHINFORMANT = 1 & ADULTROSTERNUM $\geq$ 1: f_ES022 Else if YOUTHINFORMANT = 1 & ADULTROSTERNUM = 0: f_ES024 Else: f_ES020

f_ES020 ES020_#	
ASK	If (HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER) & (YOUTHINFORMANT != 1) (Begin ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_YOUTHNAME: Fill YOUTH_NAME from YOUTHROSTER Create fill, FILL_ES020 If YOUTHROSTERNUM > 1 & LOOP NUM = 1, FILL_ES020: 'Let's start with ^{FILL_YOUTHNAME}: ' Else if YOUTHROSTERNUM > 1 & LOOP NUM > 1, FILL_ES020: 'Let's move on to ^{FILL_YOUTHNAME}: ' Else, FILL_ES020: empty
FILLS (SPAN)	Create fill, FILL_YOUTHNAME: Fill YOUTHNAME from YOUTHROSTER Create fill, FILL_ES020 If YOUTHROSTERNUM > 1, FILL_ES020: 'Empecemos con ^{FILL_YOUTHNAME}: ' Else if YOUTHROSTERNUM > 1 & LOOP NUM > 1, FILL_ES020: 'Pasemos a ^{FILL_YOUTHNAME}: ' Else, FILL_ES020: empty
ENGLISH	^{FILL_ES020} Are you a parent or other legal guardian of ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	^{FILL_ES020} ¿Es usted padre/madre u otro(a) tutor(a) legal de ^{FILL_YOUTHNAME}? 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES019
NEXT	If ES020_# = 1 & ADULTROSTERNUM = 1: f_ES024 Else if ES020_# = 1: f_ES022 Else: f_ES021

f_ES021 ES021_#	
ASK	If YOUTHINFORMANT != 1 & ES020 != 1 (Continue ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME
ENGLISH	Are you a caregiver for ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿Es usted cuidador(a) de ^{FILL_YOUTHNAME}? 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES020
NEXT	If ES021_# = 1 & ADULTROSTERNUM = 1: f_ES024 Else: f_ES022

f_ES022 ES022_#	
ASK	If (ADULTROSTERNUM > 1 & (ES020_# = 1 or ES021_# = 1)) or (ES021_# = 2 or DK or REF) or (YOUTHINFORMANT = 1 & ADULTROSTERNUM ≥ 1) (Continue ES LOOP 3)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Use fill from ES011: FILL_CATI1 Create fill, FILL_ES022_1 If ES020 = 1, FILL_ES022_1: 'else ' Else, FILL_ES022_1: empty Create fill, FILL_ES022_2 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES022_2: 'your parent or other legal guardian' Else, FILL_ES022_2: 'a parent or other legal guardian of ^{FILL_YOUTHNAME}' Create fill, FILL_ES022_3 If ES020 != 1 & MODE = CAWI & ADULTROSTERNUM > 2, FILL_ES022_3: 'Select all that apply.' If ES020 != 1 & MODE = CATI & ADULTROSTERNUM > 2, FILL_ES022_3: 'You can name more than one person.' Else, FILL_ES022_3: empty Create fill, FILL_ADULTLIST: If YOUTHINFORMANT = 1, FILL_ADULTLIST: Checkbox list of HH_NAME(s) from ADULTROSTER Else, FILL_ADULTLIST: Checkbox list of HH_NAME(s) from ADULTROSTER <u>minus HH_NAME on line 1</u> (i.e., do not include the informant's name on the list) Create fill, FILL_ES022_4 If ES020 = 1, FILL_ES022_4: 'other ' Else, FILL_ES022_4: empty

FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Use fill from ES011: FILL_CAT11 Create fill, FILL_ES022_1 If ES020 = 1, FILL_ES022_1: 'más' Else, FILL_ES022_1: empty Create fill, FILL_ES022_2 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES022_2: 'su padre/madre u otro(a) tutor(a) legal' Else, FILL_ES022_2: 'un(a) padre/madre u otro(a) tutor(a) legal de ^{FILL_YOUTHNAME}' Create fill, FILL_ES022_3 If ES020 != 1 & MODE = CAWI & ADULTROSTERNUM > 2, FILL_ES022_3: 'Seleccione todas las que correspondan.' If ES020 != 1 & MODE = CATI & ADULTROSTERNUM > 2, FILL_ES022_3: 'Puede nombrar a más de una persona.' Else, FILL_ES022_3: empty Create fill, FILL_ADULTLIST: Checkbox list of HHNAME(s) from ADULTROSTER <u>minus HHNAME on line 1</u> (i.e., do not include the informant's name on the list) Create fill, FILL_ES022_4 If ES020 = 1, FILL_ES022_4: 'otro(a)' Else, FILL_ES022_4: empty
ENGLISH	Who ^{FILL_ES022_1} from the household is ^{FILL_ES022_2}? ^{FILL_ES022_3} ^{FILL_CAT11} ^{FILL_ADULTLIST} -8. No ^{FILL_ES022_4} parent or legal guardian lives in this household.
SPANISH	¿Quién ^{FILL_ES022_1} del hogar es ^{FILL_ES022_2}? ^{FILL_ES022_3} ^{FILL_CAT11} ^{FILL_NONYOUTHLIST} -8 No hay ningún(a) ^{FILL_ES022_4} padre/madre o tutor(a) legal viviendo en este hogar.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached. Code each name on NONYOUTHROSTER list as 1 if checked, 0 if not checked. Do not allow “-8” to be selected in combination with other options. Do not display DK or REF on this screen at all.

<i>CHECK (ENG)</i>	<i>If item is left blank, display hard check:</i> This information is required to proceed with the survey. <i>If MODE = CATI and -8 is selected in combination with other options, display hard check:</i> THIS RESPONSE CANNOT BE SELECTED WITH OTHERS. <i>If MODE = CAWI and -8 is selected in combination with other options, display hard check:</i> This response cannot be selected with others.
<i>CHECK (SPAN)</i>	<i>If item is left blank, display hard check:</i> Esta información es necesaria para continuar con la encuesta. <i>If MODE = CATI and -8 is selected in combination with other options, display hard check:</i> THIS RESPONSE CANNOT BE SELECTED WITH OTHERS. <i>If MODE = CAWI and -8 is selected in combination with other options, display hard check:</i> Esta respuesta no se puede seleccionar con otras.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	ES019, f_ES020, f_ES021
<i>NEXT</i>	If ES022_# = -8 & (ES021_# = 2 or DK or REF): f_ES023 Else: f_ES024

f_ES023 ES023_#	
ASK	If (ES022_# = -8 & (ES021_# = 2 or DK or REF)) or (YOUTHINFORMANT = 1 & ADULTROSTERNUM ≥ 1 & ES022_# = -8) (Continue ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Use fill from f_ES022: FILL_ADULTLIST Create fill, FILL_ES023_1 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES023_1: 'you' Else, FILL_ES023_1: '^ {FILL_YOUTHNAME}' Create fill, FILL_ES023_2 If MODE = CAWI, FILL_ES023_2: 'Select one name from the list below.' Else, FILL_ES023_2: 'INTERVIEWER: READ LIST ALOUD TO R AND SELECT <u>ONE</u> NAME.'
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Use fill from f_ES022: FILL_ADULTLIST Create fill, FILL_ES023_1 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES023_1: 'usted' Else, FILL_ES023_1: '^ {FILL_YOUTHNAME}' Create fill, FILL_ES023_2 If MODE = CAWI, FILL_ES023_2: 'Seleccione un nombre de la siguiente lista.' Else, FILL_ES023_2: 'INTERVIEWER: READ LIST ALOUD TO R AND SELECT <u>ONE</u> NAME.'
ENGLISH	Who from the household is a caregiver for ^{FILL_ES023_1}? ^{FILL_ES023_2} ^{FILL_ADULTLIST} -8. No caregiver lives in this household.
SPANISH	¿Qué persona del hogar es cuidador(a) de ^{FILL_ES023_1}? ^{FILL_ES023_2} ^{FILL_ADULTLIST} -8 Ningún(a) cuidador(a) vive en este hogar.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached. Do not display DK or REF on this screen at all. Update variable, HH_ELIGIBLEYOUTH, for household member on the HHROSTER: Set HH_ELIGIBLEYOUTH = 0 if ES023_# = -8.
CHECK (ENG)	If item is left blank, display hard check: This information is required to proceed with the survey.

CHECK (SPAN)	If ES023_# = DK or REF, display hard check: Esta información es necesaria para continuar con la encuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES022
NEXT	f_ES024

f_ES024 ES024_#	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER (Continue ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_YOURYOUTHNAME If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_YOURYOUTHNAME: 'your' Else, FILL_YOURYOUTHNAME: '^ {FILL_YOUTHNAME} 's'
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_YOURYOUTHNAME1S If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_YOURYOUTHNAME1S: 'su' Else, FILL_YOURYOUTHNAME1S: 'el' Create fill, FILL_YOURYOUTHNAME2S If LOOP NUM = 1 & YOUTHINFORMANT=1: empty Else, FILL_YOURYOUTHNAME2S: 'de ^ {FILL_YOUTHNAME} '
ENGLISH	What is ^ {FILL_YOURYOUTHNAME} sex? 1. Male 2. Female
SPANISH	¿Cuál es ^ {FILL_YOURYOUTHNAME1S} sexo ^ {FILL_YOURYOUTHNAME2S} ? 1 Masculino 2 Femenino
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES022, f_ES023
NEXT	f_ES025

f_ES025 ES025AMERINDIAN# / ES025ASIAN# / ES025BLACK# / ES025HISPAN# / ES025MIDEAST# / ES025NATIVEHAW# / ES025WHITE#	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER (Continue ES LOOP 3)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Use fill from f_ES024: FILL_YOURYOUTHNAME Create fill, FILL_ES025 If MODE = CAWI, FILL_ES025: 'Select all that apply.' Else, FILL_ES025: 'You may choose more than one answer.'
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Use fill from f_ES024: FILL_YOURYOUTHNAME251S If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_YOURYOUTHNAME251S: 'su' Else, FILL_YOURYOUTHNAME251S: 'la' Create fill, FILL_YOURYOUTHNAME252S If LOOP NUM = 1 & YOUTHINFORMANT252S=1: empty Else, FILL_YOURYOUTHNAME252S: 'de ^{FILL_YOUTHNAME}' Create fill, FILL_ES025 If MODE = CAWI, FILL_ES025: 'Seleccione todas las que correspondan.' Else, FILL_ES025: 'Puede elegir más de una respuesta.'
ENGLISH	What is ^{FILL_YOURYOUTHNAME} race and/or ethnicity? ^{FILL_ES025} 1. American Indian or Alaska Native [ES025AMERINDIAN#] 2. Asian [ES025ASIAN#] 3. Black or African American [ES025BLACK#] 4. Hispanic or Latino [ES025HISPAN#] 5. Middle Eastern or North African [ES025MIDEAST#] 6. Native Hawaiian or Pacific Islander [ES025NATIVEHAW#] 7. White [ES025WHITE#]
SPANISH	¿Cuál es ^{ FILL_YOURYOUTHNAME251S} la raza u origen étnico ^{FILL_YOURYOUTHNAME252S}? ^{FILL_ES025} 1 Indígena de las Américas o nativo(a) de Alaska [ES025AMERINDIAN#] 2 Asiático(a) [ES025ASIAN#] 3 Negro(a) o afroamericano(a) [ES025BLACK#] 4 Hispano(a) o latino(a) [ES025HISPAN#] 5 De Medio Oriente o África del Norte [ES025MIDEAST#] 6 Nativo(a) de Hawái o de otras islas del Pacífico [ES025NATIVEHAW#] 7 Blanco(a) [ES025WHITE#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached. Code each variable in f_ES025 as 1 if checked, 0 if not checked.

<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	American Indian or Alaska Native: For example, Navajo Nation, Blackfeet Tribe of the Blackfeet Indian Reservation of Montana, Native Village of Barrow Inupiat Traditional Government, Nome Eskimo Community, Aztec, Maya, etc. Asian: For example, Chinese, Asian Indian, Filipino, Vietnamese, Korean, Japanese, etc. Black or African American: For example, African American, Jamaican, Haitian, Nigerian, Ethiopian, Somali, etc. Hispanic or Latino: For example, Mexican, Puerto Rican, Salvadoran, Cuban, Dominican, Guatemalan, etc. Middle Eastern or North African: For example, Lebanese, Iranian, Egyptian, Syrian, Iraqi, Israeli, etc. Native Hawaiian or Pacific Islander: For example, Native Hawaiian, Samoan, Chamorro, Tongan, Fijian, Marshallese, etc. White: For example, English, German, Irish, Italian, Polish, Scottish, etc.
<i>HELP TEXT (SPAN)</i>	Indígena de las Américas o nativo(a) de Alaska: Por ejemplo, de la Nación Navajo, Tribu Blackfeet de la Reserva Indígena Blackfeet de Montana, Pueblo Nativo del Gobierno Tradicional Inupiat de Barrow, Comunidad Esquimal Nome, Azteca o Maya. Asiático(a): Por ejemplo, chino(a), indio(a) asiático(a), filipino(a), vietnamita, coreano(a), japonés(a), etc. Negro(a) o afroamericano(a): Por ejemplo, afroamericano(a), jamaicano(a), haitiano(a), nigeriano(a), etíope, somalí, etc. Hispano(a) o latino(a): Por ejemplo, mexicano(a), puertorriqueño(a), salvadoreño(a), cubano(a), dominicano(a), guatemalteco(a), etc. Del Medio Oriente o África del Norte: Por ejemplo, libanés(a), iraní, egipcio(a), sirio(a), iraquí, israelí, etc. Nativo(a) de Hawái o de otras islas del Pacífico: Por ejemplo, nativo(a) hawaiano(a), samoano(a), chamorro(a), tongano(a), fiyiano(a), marshalés(a), etc. Blanco(a): Por ejemplo, inglés(a), alemán(a), irlandés(a), italiano(a), polaco(a), escocés(a), etc.
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES024
<i>NEXT</i>	f_ES026

f_ES026 ES026_#	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER (Continue ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES026 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES026: 'Do you' Else, FILL_ES026: 'Does ^{FILL_YOUTHNAME}'
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES026 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES026: '¿Usted' Else, FILL_ES026: '¿^{FILL_YOUTHNAME}'
ENGLISH	^{FILL_ES026} ...? 1. Live at this address all or most of the time 2. Live at this address about half the time 0. Live somewhere else most of the time
SPANISH	^{FILL_ES026} ...? 1 Vive en esta dirección todo o casi todo el tiempo 2 Vive en esta dirección aproximadamente la mitad del tiempo 0 Vive en otro lugar la mayor parte del tiempo
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached. If ES026_# = 0, set HH_ELIGIBLEYOUTH = 0 Create variable YOUTH_OTHERRES and add to YOUTHROSTER If ES026_# = 2, set YOUTH_OTHERRES = 1; else set YOUTH_OTHERRES = 0
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES025
NEXT	If ES026_# != 1: f_ES028 Else if LOOP NUM < YOUTHROSTERNUM: f_ES020 Else: ES029

f_ES028 ES028_#	
ASK	If ES026_# != 1 (End ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES028_1 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_1: 'a parent figure' Else, FILL_ES028_1: 'a parent figure of ^{FILL_YOUTHNAME}' Create fill, FILL_ES028_2 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_2: 'you also live' Else, FILL_ES028_2: '^{FILL_YOUTHNAME} also lives' Create fill, FILL_ES028_3 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_3: 'your' Else, FILL_ES028_3: 'their'
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES028_1 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_1: 'una figura paterna/materna' Else, FILL_ES028_1: 'una figura paterna/materna de ^{FILL_YOUTHNAME}' Create fill, FILL_ES028_2 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_2: 'también vive usted' Else, FILL_ES028_2: 'también vive ^{FILL_YOUTHNAME}' Create fill, FILL_ES028_3 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_3: 'su' Else, FILL_ES028_3: 'su'
ENGLISH	Does ^{FILL_ES028_1} live in the other place where ^{FILL_ES028_2}? This can be ^{FILL_ES028_3} biological, adoptive, or step-parent. 1. Yes 0. No
SPANISH	¿Vive ^{FILL_ES028_1} en el otro lugar donde ^{FILL_ES028_2}? Puede ser ^{FILL_ES028_3} padre/madre biológico(a), adoptivo(a) o padrastro/madrastra. 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	

HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES026
NEXT	If HH_ELIGIBLEYOUTH = 1 & LOOP NUM < YOUTHROSTERNUM: f_ES020 Else if HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members on HHROSTER: ES047b Else: ES029

ES029	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is your home... - Owned by you or someone in this household (with or without a mortgage) - Rented, or - Occupied without payment or rent?
SPANISH	¿Es su casa...? - Propiedad de usted o de alguien de este hogar (con o sin hipoteca) - Un lugar que alquila, o - Un lugar ocupado sin pagos ni alquiler
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable, PLGINFORMANT: Set PLGINFORMANT = 1 if ES020_# in any loop = 1; else, set PLGINFORMANT = 0. Create variable, CGINFORMANT: Set CGINFORMANT = 1 if ES021_# in any loop = 1; else, set CGINFORMANT = 0. Create variable, NOPLG: Set NOPLG = 1 if (ES022_# in any loop = -8) or (ADULTROSTERNUM = 1 & ES021_# = 1 in all loops) or (YOUTHINFORMANT = 1 & ADULTROSTERNUM = 0); else, set NOPLG = 0. Update roster variable, YOUTHROSTER: Create new fields for each eligible youth: YOUTH_PLGUID1: Assign ID number to 1st parent/guardian selected in ES020_# or ES022_#. YOUTH_PLGNAME1: Record name of 1st parent/guardian selected in ES020_# or ES022_#. YOUTH_PLGUID2: Assign ID number to 2nd parent/guardian selected in ES022_#. YOUTH_PLGNAME2: Record name of 2nd parent/guardian selected in ES022_#. YOUTH_CGUID: Assign ID number to caregiver selected in ES021_# or ES023_#. YOUTH_CGNAME: Record name of caregiver selected in ES021_# or ES023_#. YOUTH_SEX: Set YOUTH_SEX = 1 (Male) if ES024_# = 1; else, set YOUTH_SEX = 2 (Female) if ES024_# = 2. YOUTH_RACE: List variable: If ES025AMERINDIAN_# = 1, append 1 "American Indian"; if ES025ASIAN_# = 1, append 2 "Asian"; if ES025BLACK_# = 1, append 3 "Black"; if ES025HISPAN_# = 1, append 4 "Hispanic"; if ES025MIDEAST_# = 1, append 5 "Middle Eastern "; if ES025NATIVEHAW_# = 1, append 6 "Native Hawaiian"; if ES025WHITE_# = 1, append 7 "White". YOUTH_RESIDENCE: If ES026_# = 1, set YOUTH_RESIDENCE = 1 (Full Time Resident); else, if ES026_# = 2, set YOUTH_RESIDENCE = 2 (Part-Time Resident); else, set YOUTH_RESIDENCE = 0 (Non-Resident). Create variables: HHSRESNAME1 and HHSRESID1:

	If (PLGINFORMANT = 1) or (CGINFORMANT = 1 & NOPLG = 1): Set HHSRESNAME1 = ESINFORMANTNAME Set HHSRESID1 = ESINFORMANT_UID Else if PLGINFORMANT = 0: Iterate through each youth on YOUTHROSTER in order: If YOUTH_PLGNAME1 ≠ empty, set HHSRESNAME1 = YOUTH_PLGNAME1, set HHSRESID1 = YOUTH_PLGUID1, and stop HHSRESNAME2 and HHSRESID2: Iterate through each youth on YOUTHROSTER in order: If YOUTH_PLGNAME2 ≠ empty, set HHSRESNAME2 = YOUTH_PLGNAME2, set HHSRESID2 = YOUTH_PLGUID2, and stop
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES026, f_ES028
NEXT	If MODE = CATI & HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER: ES047b Else if MODE = CAWI & HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER: ES047c Else if PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1): f_ES030 Else: ES035b

f_ES030 ES030PHONE1 / ES030PHONE2	
ASK	If PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Next, we would like to collect your telephone number and email address so we can contact you about the National Longitudinal Survey of Youth. What is the best phone number to reach you? Enter your phone number: ____ - ____ - ____ [ES030PHONE1] Please confirm your number: ____ - ____ - ____ [ES030PHONE2]
SPANISH	A continuación, nos gustaría recopilar su número de teléfono y su dirección de correo electrónico para poder ponernos en contacto con usted en relación con la Encuesta Nacional Longitudinal de Jóvenes. ¿Cuál es el mejor número de teléfono para ponerse en contacto con usted? Ingrese su número de teléfono: ____ - ____ - ____ [ES030PHONE1] Confirme su número: ____ - ____ - ____ [ES030PHONE2]
RANGE	
LIMITS	ES030PHONE1: 10 digits ES030PHONE2: 10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Check phone number is entered in valid format. Create variable, PLGPHONE: Record phone number entered in ES030. Create variable, ESINFORMANTPHONE: Record phone number entered in ES030.
CHECK (ENG)	If either variable is < 10 digits, display hard check: Please enter a valid phone number. If ES030PHONE1 != ES030PHONE2, display hard check: The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes.
CHECK (SPAN)	If either variable is < 10 digits, display: Ingrese un número de teléfono válido. If ES030PHONE1 != ES030PHONE2, display: Los números de teléfono que ingresó no coinciden. Revíselos e ingrese el número de teléfono correcto en ambas casillas.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES029
NEXT	If ES030 = DK or REF: ES034 Else: f_ES031

f_ES031 ES031 / ES031OTHER	
ASK	If ES030 != DK or REF
QUESTION TYPE	ES031: Radio button ES031OTHER: Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What kind of phone is this? 1. Home phone (landline) 2. Cell phone 3. Work phone 4. Other, please tell us: _____ [ES031OTHER]
SPANISH	¿Qué tipo de teléfono es este? 1 Teléfono de casa (fijo) 2 Teléfono móvil 3 Teléfono de trabajo 4 Otro, explique: _____ [ES031OTHER]
RANGE	
LIMITS	ES031OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES030
NEXT	If ES031 = 2: ES032 Else: ES033

ES032	
ASK	If ES031 = 2
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	May we text you with important information about the study at this number? (You may opt out at any time to stop receiving text messages. Carrier messaging and data fees may apply.) 1. Yes 0. No
SPANISH	¿Podemos enviarle mensajes de texto con información importante sobre el estudio a este número? (Puede optar dejar de recibir mensajes de texto en cualquier momento. Pueden aplicarse tarifas de mensajería y datos del operador). 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable PLGTEXTCONSENT and set equal to ES032 Update roster variable, HHROSTER: Create new field: HH_TEXTCONSENT: On roster line 1, set HH_TEXTCONSENT = 1 if ES032 = 1; else, set to 0.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES031
NEXT	ES033

ES033	
ASK	If ES030 != DK or REF
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	May we leave a voicemail with important information about the study at this number? 1. Yes 0. No
SPANISH	¿Podemos dejar un mensaje de voz con información importante sobre el estudio a este número? 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable PLGVMCONSENT and set equal to ES033 Update roster variable, HHROSTER: Create new field: HH_VMCONSENT: On roster line 1, set HH_VMCONSENT = 1 if ES033 = 1; else, set to 0.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES031, ES032
NEXT	f_ES034

ES034	
ES034EMAIL1 / ES034EMAIL2	
ASK	If PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the best email address for contacting you about the study? It should be a personal email and not managed by your employer or school. Enter your email address: _____ [ES034EMAIL1] Please confirm your email address: _____ [ES034EMAIL2]
SPANISH	¿Cuál es la mejor dirección de correo electrónico para ponernos en contacto con usted en relación con el estudio? Debe ser un correo electrónico personal y no gestionado por su empleador ni escuela. Ingrese su dirección de correo electrónico: _____ [ES034EMAIL1] Confirme su dirección de correo electrónico: _____ [ES034EMAIL2]
RANGE	
LIMITS	ES034EMAIL1: 50 characters ES034EMAIL2: 50 characters
LOOP MAX	
PROGRAM. NOTES	Create variable, PLGEMAIL: Record email addressed entered in ES034.
CHECK (ENG)	<i>If email is not in valid format, display hard check:</i> Please enter a valid email address. <i>If ES034EMAIL1 != ES034EMAIL2, display hard check:</i> The email addresses you entered do not match. Please check and make sure the correct email address is entered in both boxes.
CHECK (SPAN)	<i>If email is not in valid format, display:</i> Ingrese una dirección de correo electrónico válida. <i>If ES034EMAIL1 != ES034EMAIL2, display:</i> Las direcciones de correo electrónico que ingresó no coinciden. Revíselas e ingrese la dirección de correo electrónico correcta en ambas casillas.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES030, ES033
NEXT	ES039

ES035b	
ES035bEMAIL1 / ES035bEMAIL2	
ASK	If (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the best email address to reach you? It should be a personal email and not managed by an employer or school. This email will only be used for communication purposes related to the study and will not be shared or used for any other purposes. Enter your email address: _____ [ES035bEMAIL1] Please confirm your email address: _____ [ES035bEMAIL2]
SPANISH	¿Cuál es la mejor dirección de correo electrónico para contactarse con usted? Debe ser un correo electrónico personal y no gestionado por un empleador o una escuela. Este correo electrónico solo se utilizará para fines de comunicación relacionados con el estudio y no se compartirá ni se usará para ningún otro fin. Ingrese su dirección de correo electrónico: _____ [ES035bEMAIL1] Confirme su dirección de correo electrónico: _____ [ES035bEMAIL2]
RANGE	
LIMITS	ES034EMAIL1: 50 characters ES034EMAIL2: 50 characters
LOOP MAX	
PROGRAM. NOTES	Create variable, ESINFORMANTEMAIL: Record email entered in ES035b.
CHECK (ENG)	If email is not in valid format, display hard check: Please enter a valid email address. If ES035bEMAIL1 != ES035bEMAIL2, display hard check: The email addresses you entered do not match. Please check and make sure the correct email address is entered in both boxes.
CHECK (SPAN)	If email is not in valid format, display hard check: Ingrese una dirección de correo electrónico válida. If ES035bEMAIL1 != ES035bEMAIL2, display hard check: Las direcciones de correo electrónico que ingresó no coinciden. Revíselas e ingrese la dirección de correo electrónico correcta en ambas casillas.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES029
NEXT	If YOUTH_PLGUID2 = empty for all eligible youth: ES036a Else: ES036b

ES036a	
ASK	If ((PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)) & YOUTH_PLGUID2 = empty for all eligible youth
QUESTION TYPE	Informational
FILLS (ENG)	Create fill, FILL_ES036a If NOPLG = 1, FILL_ES036a: 'a caregiver' Else, FILL_ES036a: 'a parent or other legal guardian' Create fill, FILL_ALLYOUTHNAME If YOUTHROSTERNUM = 1, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1}' If YOUTHROSTERNUM = 2, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1} and ^{\YOUTHNAME_2}' If YOUTHROSTERNUM = 3, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1}, ^{\YOUTHNAME_2}, and ^{\YOUTHNAME_3}' If YOUTHROSTERNUM = 4, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1}, ^{\YOUTHNAME_2}, ^{\YOUTHNAME_3}, and ^{\YOUTHNAME_4}' ... etc. ...
FILLS (SPAN)	Create fill, FILL_ES036a If NOPLG = 1, FILL_ES036a: 'un(a) cuidador(a)' Else, FILL_ES036a: 'un(a) padre/madre u otro(a) tutor(a) legal' Create fill, FILL_ALLYOUTHNAME: Fill name(s) of eligible youth in the household, i.e. list all YOUTHNAME from YOUTHROSTER
ENGLISH	Finally, we would like to contact ^{FILL_ES036a1} of ^{FILL_ALLYOUTHNAME} to ask a few additional questions for the study. We will let them know that you helped us with answering this first set of questions.
SPANISH	Por último, quisiéramos ponernos en contacto con ^{FILL_ES036a1} de ^{FILL_ALLYOUTHNAME} para hacer algunas preguntas adicionales para el estudio. Le avisaremos que usted nos ha ayudado a responder esta primera serie de preguntas.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES035b
NEXT	f_ES036c

ES036b	
ASK	If ((PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)) & YOUTH_PLGUID2 != empty
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ALLYOUTHNAME: Fill name(s) of eligible youth in the household, i.e. list all YOUTH_NAME from YOUTHROSTER Create fill, FILL_PLGNAME1: Fill YOUTH_PLGNAME1 from YOUTHROSTER Create fill, FILL_PLGNAME2: Fill YOUTH_PLGNAME2 from YOUTHROSTER
FILLS (SPAN)	Create fill, FILL_ALLYOUTHNAME: Fill name(s) of eligible youth in the household, i.e. list all YOUTH_NAME from YOUTHROSTER Create fill, FILL_PLGNAME1: Fill YOUTH_PLGNAME1 from YOUTHROSTER Create fill, FILL_PLGNAME2: Fill YOUTH_PLGNAME2 from YOUTHROSTER
ENGLISH	Finally, we would like to contact a parent or other legal guardian of ^{FILL_ALLYOUTHNAME} to ask a few additional questions for the study. We will let them know that you helped us with answering this first set of questions. Who is the best person for us to contact? 1. ^{FILL_PLGNAME1} 2. ^{FILL_PLGNAME2}
SPANISH	Por último, quisiéramos ponernos en contacto con un(a) padre/madre u otro(a) tutor(a) legal de ^{FILL_ALLYOUTHNAME} para hacer algunas preguntas adicionales para el estudio. Le avisaremos que usted nos ha ayudado a responder esta primera serie de preguntas. ¿Quién es la mejor persona con la que podemos comunicarnos? 1. ^{FILL_PLGNAME1} 2. ^{FILL_PLGNAME2}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Update variables: HHSRESNAME1: If ES036b = 1, set to YOUTH_PLGNAME1; else if ES036b = 2, set to YOUTH_PLGNAME2. HHSRESID1: If ES036b = 1, set to YOUTH_PLGUID1; else if ES036b = 2, set to YOUTH_PLGUID2. HHSRESNAME2: If ES036b = 1, set to YOUTH_PLGNAME2; else if ES036b = 2, set to YOUTH_PLGNAME1. HHSRESID2: If ES036b = 1, set to YOUTH_PLGUID2; else if ES036b = 2, set to YOUTH_PLGUID1.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES035b

[NEXT](#)

[f_ES036c](#)

f_ES036c ES036cPHONE1 / ES036cPHONE2	
ASK	If (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the best phone number for reaching them? Enter phone number: ____-____-____ [ES036cPHONE1] Please confirm phone number: ____-____-____ [ES036cPHONE2]
SPANISH	¿Cuál es el mejor número de teléfono para contactarnos con esa persona? Ingrese el número de teléfono: ____-____-____ [ES036cPHONE1] Confirme el número de teléfono: ____-____-____ [ES036cPHONE2]
RANGE	
LIMITS	ES036cPHONE1: 10 digits ES036cPHONE2: 10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Check phone number is entered in valid format. Create variable, PLGPHONE: Record phone number entered in ES036c.
CHECK (ENG)	If either variable is < 10 digits, display hard check: Please enter a valid phone number. If ES036cPHONE1 != ES036cPHONE2, display hard check: The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes.
CHECK (SPAN)	If either variable is < 10 digits, display: Ingrese un número de teléfono válido. If ES036cPHONE1 != ES036cPHONE2, display: Los números de teléfono que ingresó no coinciden. Revíselos y asegúrese de ingresar el número de teléfono correcto en ambas casillas.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES036a, ES036b
NEXT	If ES036c = DK or REF: ES038 Else: f_ES037

f_ES037 ES037 / ES037OTHER	
ASK	If ES036 != DK or REF
QUESTION TYPE	ES037: Radio button ES037OTHER: Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What kind of phone is this? 1. Home phone (landline) 2. Cell phone 3. Work phone 4. Other, please tell us: _____ [ES037OTHER]
SPANISH	¿Qué tipo de teléfono es este? 1 Teléfono de casa (fijo) 2 Teléfono móvil 3 Teléfono de trabajo 4 Otro, explique: _____ [ES037OTHER]
RANGE	
LIMITS	ES037OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES036c
NEXT	f_ES038

f_ES038 ES038EMAIL1 / ES038EMAIL2	
ASK	If (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the best email address for reaching them? It should be a personal email and not managed by their employer or school. Enter email address: _____ [ES038EMAIL1] Please confirm email address: _____ [ES038EMAIL2]
SPANISH	¿Cuál es la mejor dirección de correo electrónico para contactarnos con esa persona? Debe ser un correo electrónico personal y no gestionado por su empleador o escuela. Ingrese la dirección de correo electrónico: _____ [ES038EMAIL1] Confirme su dirección de correo electrónico: _____ [ES038EMAIL2]
RANGE	
LIMITS	ES038EMAIL1: 50 characters ES038EMAIL2: 50 characters
LOOP MAX	
PROGRAM. NOTES	Create variable, PLGEMAIL: Record email address entered in ES038.
CHECK (ENG)	<i>If email is not in valid format, display hard check:</i> Please enter a valid email address. <i>If ES038EMAIL1 != ES038EMAIL2, display hard check:</i> The email addresses you entered do not match. Please check and make sure the correct email address is entered in both boxes.
CHECK (SPAN)	<i>If email is not in valid format, display:</i> Ingrese una dirección de correo electrónico válida. <i>If ES038EMAIL1 != ES038EMAIL2, display:</i> Las direcciones de correo electrónico que ingresó no coinciden. Revíselas e ingrese la dirección de correo electrónico correcta en ambas casillas.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES037
NEXT	If MODE = CAWI: ES040a Else: ES040

ES039	
ASK	If PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In the future, would you prefer to complete interviews for this study in...? 1. English 2. Spanish 3. No preference
SPANISH	En el futuro, ¿preferiría realizar las entrevistas para este estudio en...? 1 Inglés 2 Español 3 No tengo preferencia
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES034
NEXT	If MODE = CAWI: ES040a Else: ES040

ES040	
ASK	If MODE = CATI & HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER
QUESTION TYPE	Radio button with special answer option
FILLS (ENG)	
FILLS (SPAN)	

ENGLISH	Thank you for taking the time to answer these questions. As a token of appreciation for completing this first step of the study, we would like to send you \$5. Would you prefer to receive...? 1. An electronic gift card. This card is redeemable at a major retailer of your choice and does not expire. Options include online shopping (like Amazon), restaurant chains (like Starbucks), in-store retailers (like Target), or a Mastercard (for online purchases only). 2. Cash mailed to you. Cash will take about 14 days to arrive. REF. Prefer not to receive the \$5.
SPANISH	Gracias por tomarse la molestia de responder estas preguntas. Como muestra de agradecimiento por completar este primer paso del estudio, quisiéramos enviarle \$5. ¿Prefiere recibir...? 1. Una tarjeta de regalo electrónica. Esta tarjeta se puede canjear en una tienda importante de su elección y no caduca. Las opciones incluyen compras en línea (como Amazon), cadenas de restaurantes (como Starbucks), tiendas físicas (como Target) o Mastercard (sólo para compras en línea). 2. Una tarjeta electrónica Mastercard o Visa. Esta tarjeta se puede utilizar únicamente para compras en línea y no caduca. RECHAZAR. Prefiero no recibir los \$5.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Do not display standard DK or REF on this screen at all. Use special REF option for this item. Do not display special REF option on loading. If item is left blank, refresh page and display special REF option plus hard check message.
CHECK (ENG)	If item is left blank, display hard check: This is required to send you the \$5. If you do not select an option, you will not receive the \$5.
CHECK (SPAN)	If ES040 = DK or REF or missing, display soft check: Esto es necesario para enviarle los \$5. Si no selecciona una opción, no recibirá los \$5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CATI
NOTES	
LEAD-IN	f_ES038, ES039
NEXT	If ES040 = 1: ES041 Else if ES040 = 2: ES043 Else: f_ES045

ES040a	
ASK	If MODE = CAWI & HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you for taking the time to answer these questions. As a token of appreciation for completing this first step of the study, we would like to send you a \$5 electronic gift card. This card is redeemable at a major retailer of your choice and does not expire. Options include online shopping (like Amazon), restaurant chains (like Starbucks), in-store retailers (like Target), or a Mastercard (for online purchases only).
SPANISH	Gracias por tomarse el tiempo para responder estas preguntas. Como muestra de agradecimiento por completar este primer paso del estudio, nos gustaría enviarle una tarjeta de regalo electrónica de \$5. Esta tarjeta puede canjearse en una tienda importante de su elección y no tiene fecha de caducidad. Las opciones incluyen compras en línea (como Amazon), cadenas de restaurantes (como Starbucks), tiendas físicas (como Target) o una Mastercard o Visa (solo para compras en línea).
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	f_ES038, ES039
NEXT	ES041

ES047b	
ASK	If MODE = CATI & HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER
QUESTION TYPE	Radio button with special answer option
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you for taking the time to answer these questions. No members of your household are eligible for this study. But as a token of appreciation, we would like to send you \$5. Would you prefer to receive...? 1. An electronic gift card. This card is redeemable at a major retailer of your choice and does not expire. Options include online shopping (like Amazon), restaurant chains (like Starbucks), in-store retailers (like Target), or a Mastercard (for online purchases only). 2. Cash mailed to you. Cash will take about 14 days to arrive. REF. Prefer not to receive the \$5.
SPANISH	Gracias por tomarse la molestia de responder estas preguntas. Ninguna persona en su hogar es elegible para este estudio. Pero como muestra de agradecimiento, quisiéramos enviarle \$5. ¿Preferiría recibir...?? 1. Una tarjeta de regalo electrónica. Esta tarjeta se puede canjear en una tienda importante de su elección y no caduca. Las opciones incluyen compras en línea (como Amazon), cadenas de restaurantes (como Starbucks), tiendas físicas (como Target) o una Mastercard (solo para compras en línea). 2. El efectivo se le enviará por correo. Tardará unos 14 días en llegar. RECHAZAR. Prefiero no recibir los \$5.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Do not display standard DK or REF on this screen at all. Use special REF option for this item. Do not display special REF option on loading. If item is left blank, refresh page and display special REF option plus hard check message.
CHECK (ENG)	<i>If item is left blank, display hard check: This is required to send you the \$5. If you do not select an option, you will not receive the \$5.</i>
CHECK (SPAN)	<i>If ES047b = DK or REF or missing, display soft check: Esto es necesario para enviarle los \$5. Si no selecciona una opción, no recibirá los \$5.</i>
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CATI
NOTES	
LEAD-IN	ES_ELIGCHECK, ES029
NEXT	If ES047b = 1: ES041 Else if ES047b = 2: ES043 Else: ES049

ES047c	
ASK	If MODE = CAWI & HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you for taking the time to answer these questions. No members of your household are eligible for this study. But as a token of appreciation for completing this first step of the study, we would like to send you a \$5 electronic gift card. This card is redeemable at a major retailer of your choice and does not expire. Options include online shopping (like Amazon), restaurant chains (like Starbucks), in-store retailers (like Target), or a Mastercard (for online purchases only).
SPANISH	Gracias por tomarse el tiempo para responder estas preguntas. Ningún miembro de su hogar es elegible para este estudio. Sin embargo, como muestra de agradecimiento por completar este primer paso, le enviaremos una tarjeta de regalo electrónica de \$5. Esta tarjeta puede canjearse en una tienda importante de su elección y no caduca. Las opciones incluyen compras en línea (como Amazon), cadenas de restaurantes (como Starbucks), tiendas físicas (como Target) o una Mastercard o Visa (solo para compras en línea).
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	ES_ELIGCHECK, ES029
NEXT	ES041

ES041	
ASK	If MODE = CAWI or (ES040 = 1) or (ES047b = 1)
QUESTION TYPE	Radio button with special answer option
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Would you like to receive the electronic gift card by email or by text? 1. By email 2. By text REF. Prefer not to receive the \$5.
SPANISH	¿Desea recibir la tarjeta de regalo electrónica por correo electrónico o por mensaje de texto? 1 Por correo electrónico 2 Por mensaje de texto RECHAZAR. Prefiero no recibir los \$5.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Do not display standard DK or REF on this screen at all. Use special REF option for this item. Do not display special REF option on loading. If item is left blank, refresh page and display special REF option plus hard check message.
CHECK (ENG)	If item is left blank, display hard check: This is required to send you the \$5. If you do not select an option, you will not receive the \$5.
CHECK (SPAN)	If ES041 = DK or REF or missing, display soft check: Esto es necesario para enviarle los \$5. Si no selecciona una opción, no recibirá los \$5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES040, ES040a, ES047b, ES047c
NEXT	If ES041 = 1 & ((ES034 != DK or REF or missing) or (ES035 != DK or REF or missing)): ES042a Else if ES041 = 1: ES042b Else if ES041 = 2 & ES031 = 2: ES042c Else if ES041 = 2: ES042d Else if HH_ELIGIBLEYOUTH = 1 & (ES041 = REF): f_ES045 Else: ES049

ES042a	
ASK	If ES041 = 1 & ((ES034 != DK or REF or missing) or (ES035b != DK or REF or missing))
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_EMAIL: Fill email address from ES034 or ES035b
FILLS (SPAN)	Create fill, FILL_EMAIL: Fill email address from ES034 or ES035b
ENGLISH	Earlier, you provided your email address as: ^{FILL_EMAIL} Is this where you would like us to send your \$5 electronic gift card? 1. Yes 0. No
SPANISH	Antes, indicó que su dirección de correo electrónico es ^{FILL_EMAIL} ¿Es aquí donde desea que le enviemos su tarjeta de regalo electrónica de \$5? 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable, ESINCENEMAIL: If ES042a = 1, set ESINCENEMAIL = HH_EMAIL.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES041
NEXT	If ES042a != 1: f_ES042b Else if HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER: ES048 Else if MODE = CATI or (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0): ES044a Else: ES044b

f_ES042b ES042bEMAIL1 / ES042bEMAIL2	
ASK	If (ES042a != 1) or (ES041 = 1 & ((ES034 = DK or REF or missing) or (ES035b = DK or REF or missing)))
QUESTION TYPE	Textbox with radio special answer option
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please provide an email address where you would like us to send your \$5 electronic gift card. Enter email address: _____ [ES042bEMAIL1] Please confirm email address: _____ [ES042bEMAIL2] REF. Prefer not to receive the \$5.
SPANISH	Indique una dirección de correo electrónico a la que desea que le enviemos sus \$5 en forma de una tarjeta de regalo electrónica. Ingresa la dirección de correo electrónico: _____ [ES042bEMAIL1] Confirme la dirección de correo electrónico: _____ [ES042bEMAIL2] RECHAZAR. Prefiero no recibir los \$5.
RANGE	
LIMITS	ES042bEMAIL1: 50 characters ES042bEMAIL2: 50 characters
LOOP MAX	
PROGRAM. NOTES	Do not display standard DK or REF on this screen at all. Use special REF option for this item. Do not display special REF option on loading. If item is left blank, refresh page and display special REF option plus hard check message. Create/update variable, ESINCENEMAIL: Set to ES042bEMAIL.
CHECK (ENG)	If email is not in valid format, display hard check: Please enter a valid email address. If ES042bEMAIL1 != ES042bEMAIL2, display hard check: The email addresses you entered do not match. Please check and make sure the correct email address is entered in both boxes. If item is left blank, display hard check: This is required to send you the \$5.
CHECK (SPAN)	If email is not in valid format, display hard check: Please enter a valid email address. If ES042bEMAIL1 != ES042bEMAIL2, display hard check: Las direcciones de correo electrónico que ingresó no coinciden. Revíselas y asegúrese de ingresar la dirección de correo electrónico correcta en ambas casillas. If ES042bEMAIL1 & ES042bEMAIL2 = DK or REF or missing, display soft check: Esto es necesario para enviarle los \$5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES041, ES042a

<i>NEXT</i>	If HH_ELIGIBLEYOUTH = 1 & (ES042b = REF): f_ES045 Else if ES042b = REF: ES049 Else if HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER: ES048 Else if MODE = CATI or (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0): ES044a Else: ES044b
-------------	--

ES042c	
ASK	If ES041 = 2 & ES031 = 2
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_PHONE: Fill phone number from ES030
FILLS (SPAN)	
ENGLISH	Earlier, you provided your cell phone number as: ^{FILL_PHONE} Is this where you would like us to send your \$5 electronic gift card? 1. Yes 0. No
SPANISH	Antes, dijo que su número de teléfono móvil era: ^{FILL_PHONE} ¿Es aquí donde desea que le enviemos su tarjeta de regalo electrónica de \$5? 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES041
NEXT	If ES042c != 1: f_ES042d Else if HH_ELIGIBLEYOUTH = 0 for all household members in HHROSTER: ES048 Else if MODE = CATI or (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0): ES044a Else: ES044b

f_ES042d ES042dPHONE1 / ES042dPHONE2	
ASK	If (ES042c != 1) or (ES041 = 2 & ES031 != 2)
QUESTION TYPE	Numeric with radio special answer option
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please provide a cell phone number where you would like us to send your \$5 electronic gift card. Enter cell phone number: ____ - ____ - ____ [ES042dPHONE1] Please confirm cell phone number: ____ - ____ - ____ [ES042dPHONE2] REF. Prefer not to receive the \$5.
SPANISH	Indique un número de teléfono móvil al que desee que le enviemos su tarjeta de regalo electrónica de \$5. Ingrese el número de teléfono móvil: ____ - ____ - ____ [ES042dPHONE1] Confirme su número de teléfono móvil: ____ - ____ - ____ [ES042dPHONE2] RECHAZAR. Prefiero no recibir los \$5.
RANGE	
LIMITS	ES042dPHONE1: 10 digits ES042dPHONE2: 10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Check phone number is entered in valid format. Do not display standard DK or REF on this screen at all. Use special REF option for this item. Do not display special REF option on loading. If item is left blank, refresh page and display special REF option plus hard check message.
CHECK (ENG)	If either variable is < 10 digits, display hard check: Please enter a valid cell phone number. If ES042dPHONE1 != ES042dPHONE2, display hard check: The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes. If item is left blank, display hard check: This is required to send you the \$5.
CHECK (SPAN)	If either variable is < 10 digits, display hard check: Ingrese un número de teléfono móvil válido. If ES042dPHONE1 != ES042dPHONE2, display hard check: Los números de teléfono que ingresó no coinciden. Revíselos e ingrese el número de teléfono correcto en ambas casillas. If ES042dPHONE1 & ES042dPHONE2 = DK or REF or missing, display soft check: Esto es necesario para enviarle los \$5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES041, ES042c

<i>NEXT</i>	If HH_ELIGIBLEYOUTH = 1 & (ES042d = REF): f_ES045 Else if ES042d = REF: ES049 Else if HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER: ES048 Else if MODE = CATI or (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0): ES044a Else: ES044b
-------------	--

f_ES043 ES043FN / ES043LN	
ASK	If ES040 = 2 or ES047b = 2
QUESTION TYPE	Textbox with radio special answer option
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please provide your first and last name. First name: _____ [ES043FN] Last name: _____ [ES043LN] REF. Prefer not to receive the \$5.
SPANISH	Indique su nombre y apellido. Nombre: _____ [ES043FN] Apellido: _____ [ES043LN] RECHAZAR. Prefiero no recibir los \$5.
RANGE	
LIMITS	ES043FN: 30 characters ES043LN: 50 characters
LOOP MAX	
PROGRAM. NOTES	Do not display standard DK or REF on this screen at all. Use special REF option for this item. Do not display special REF option on loading. If item is left blank, refresh page and display special REF option plus hard check message.
CHECK (ENG)	If item is left blank, display hard check: This is required to send you the \$5 cash.
CHECK (SPAN)	If item is left blank, display hard check:: Esto es necesario para enviarle los \$5 en efectivo.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES040, ES047b
NEXT	If HH_ELIGIBLEYOUTH = 1 & (ES043 = REF): f_ES045 Else if ES043 = REF: ES049 Else if HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER: ES048 Else: ES044a

ES044a	
ASK	If (MODE = CATI or (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)) & (ES042b != REF or ES042d != REF or ES043 != REF)
QUESTION TYPE	Informational
FILLS (ENG)	Create fill, FILL_INCENTTYPE If ES041 = 1, FILL_INCENTTYPE: 'an email with a link to your \$5 electronic gift card in the next 10 minutes' If ES041 = 2, FILL_INCENTTYPE: 'a text message with a link to your \$5 electronic gift card in the next 10 minutes' Else, FILL_INCENTTYPE: '\$5 cash in the mail in the next 14 days'
FILLS (SPAN)	Use fill from ES041: FILL_GCMC Create fill, FILL_INCENTTYPE If ES041 = 1, FILL_INCENTTYPE: 'un correo electrónico con un enlace a sus \$5 en forma de ^{FILL_GCMC} electrónica en los próximos 10 minutos' If ES041 = 2, FILL_INCENTTYPE: 'un mensaje de texto con un enlace a sus \$5 en forma de ^{FILL_GCMC} electrónica en los próximos 10 minutos' Else, FILL_INCENTTYPE: '\$5 en efectivo por correo en los próximos 14 días'
ENGLISH	Thank you. You should receive ^{FILL_INCENTTYPE}. Since you may have eligible youth in your household, we have a few more questions that will help determine who from your household could be invited to complete an interview for this important study.
SPANISH	Gracias. Debería recibir ^{FILL_INCENTTYPE}. Puesto que en su hogar hay jóvenes que cumplen los requisitos, tenemos algunas preguntas más que le ayudarán a determinar quién de su hogar puede ser invitado(a) a completar una entrevista para este importante estudio.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If MODE = CATI & HH_ELIGIBLEYOUTH = 1 if <u>any</u> household member on HHROSTER, set disposition code 551 - CATI ES - 2611 ES Complete - 1 or more youth eligible.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES042a, f_ES042b, ES042c, f_ES042d, ES043
NEXT	f_ES045

ES044b	
ASK	If (MODE = CAWI & (PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1))) & (ES042b != REF or ES042d != REF or ES043 != REF)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_INCENTTYPE If ES041 = 1, FILL_INCENTTYPE: 'an email with a link to your \$5 electronic gift card in the next 10 minutes' Else, FILL_INCENTTYPE: 'a text message with a link to your \$5 electronic gift card in the next 10 minutes'
FILLS (SPAN)	Create fill, FILL_INCENTTYPE If ES041 = 1, FILL_INCENTTYPE: 'un correo electrónico con un enlace a su tarjeta de regalo electrónica de \$5 en los próximos 10 minutos' Else, FILL_INCENTTYPE: 'un mensaje de texto con un enlace a su tarjeta de regalo electrónica de \$5 en los próximos 10 minutos'
ENGLISH	Thank you. You should receive ^{FILL_INCENTTYPE}. Since you may have eligible youth in your household, we have a few more questions that will help determine who from your household could be invited to complete an interview for this important study. You will receive an additional \$5 for answering these next few questions. Would you like to proceed now? 1. Yes 0. No, not now
SPANISH	Gracias. Debería recibir ^{FILL_INCENTTYPE}. Puesto que en su hogar hay jóvenes que cumplen los requisitos, tenemos algunas preguntas más que le ayudarán a determinar quién de su hogar puede ser invitado(a) a completar una entrevista para este importante estudio. Recibirá \$5 adicionales por responder las siguientes preguntas. ¿Le gustaría proceder ahora? 1 Sí 0 No, ahora no
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If HH_ELIGIBLEYOUTH = 1 if <u>any</u> household member on HHROSTER, set disposition code 511 - CAWI ES - 2611 ES Complete - 1 or more youth eligible.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	ES042a, f_ES042b, ES042c, f_ES042d, ES043
<i>NEXT</i>	If ES044b = 1: HHS003 Else: f_ES045

f_ES045 ES045a / ES045b / ES045c / ES045d / ES045e / ES045f / ES045g	
ASK	If (MODE = CATI & HH_ELIGIBLEYOUTH = 1 for <u>at least</u> one household member) or ((PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)) or (ES044b = 0 or DK or REF) or ES040 = REF or (HH_ELIGIBLEYOUTH = 1 & (ES041 = REF or ES042b = REF or ES042d = REF or ES043 = REF))
QUESTION TYPE	Checkbox grid
FILLS (ENG)	Create fill, FILL_ES045 If ES044b = 0, FILL_ES045: 'you' Else if MODE = CATI & {PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)}: 'you' Else if (PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)) & (ES040 = REF or ES041 = REF or ES042b = REF or ES042d = REF or ES043 = REF): 'you' Else if NOPLG = 1, FILL_ES045: Fill in YOUTH_CGNAME from YOUTHROSTER Else if NOPLG = 0 & ES036b = 2, FILL_ES045: Fill in YOUTH_PLGNAME2 from YOUTHROSTER Else if NOPLG = 0, FILL_ES045: Fill in YOUTH_PLGNAME1 from YOUTHROSTER Else, FILL_ES045: 'someone from the household'
FILLS (SPAN)	Create fill, FILL_ES045 If ES044b = 0, FILL_ES045: 'usted' Else if (PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)) & (ES040 = REF or ES041 = REF or ES042b = REF or ES042d = REF or ES043 = REF): 'you' Else if NOPLG = 1, FILL_ES045: Fill in CGNAME from YOUTHROSTER Else if NOPLG = 0 & ES036b = 2, FILL_ES045: Fill in PLGNAME2 from YOUTHROSTER Else if NOPLG = 0, FILL_ES045: Fill in PLGNAME1 from YOUTHROSTER Else, FILL_ES045: 'alguien del hogar'
ENGLISH	Generally, what would be good days and times for an interviewer to contact ^{FILL_ES045} with further questions about the study? COLUMN HEADERS: 1. Morning (9am – 11:59am) 2. Afternoon (noon – 4:59pm) 3. Evening (5pm – 8pm) ROW ITEMS: a. Mondays [ES045a] b. Tuesdays [ES045b] c. Wednesdays [ES045c] d. Thursdays [ES045d] e. Fridays [ES045e] f. Saturdays [ES045f] g. Sundays [ES045g]
SPANISH	En general, ¿cuáles serían buenos días y horas para que un(a) entrevistador(a) se pusiera en contacto con ^{FILL_ES045} con más preguntas sobre el estudio? COLUMN HEADERS: 1 Por la mañana (de 9:00 a. m. a 11:59 a. m.) 2 Después del mediodía (de 12:00 p. m. a 4:59 p. m.) 3 Por la tarde (de 5:00 p. m. a 8:00 p. m.) ROW ITEMS: - a Lunes [ES045a]

	b Martes [ES045b] c Miércoles [ES045c] d Jueves [ES045d] e Viernes [ES045e] f Sábados [ES045f] g Domingos [ES045g]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES044a, ES044b
NEXT	ES046

ES046	
ASK	If (MODE = CATI & HH_ELIGIBLEYOUTH = 1 for <u>at least</u> one household member) or ((PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)) or (ES044b = 0 or DK or REF) or ES040 = REF or (HH_ELIGIBLEYOUTH = 1 & (ES041 = REF or ES042b = REF or ES042d = REF or ES043 = REF))
QUESTION TYPE	Textbox
FILLS (ENG)	Use fill from f_ES045: FILL_ES045
FILLS (SPAN)	
ENGLISH	Do you have any other information you can share about the best time for an interviewer to contact ^{FILL_ES045}? Please let us know: _____
SPANISH	¿Tiene alguna otra información que pueda compartir sobre el mejor momento para que un(a) entrevistador(a) se ponga en contacto con ^{FILL_ES045}? Avísenos: _____
RANGE	
LIMITS	Max 500 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	

HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	f_ES045
NEXT	ES049

ES048	
ASK	If HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER
QUESTION TYPE	Informational
FILLS (ENG)	Create fill, FILL_INCENTTYPE If ES041 = 1, FILL_INCENTTYPE: 'an email with a link to your \$5 electronic gift card in the next 10 minutes' If ES041 = 2, FILL_INCENTTYPE: 'a text message with a link to your \$5 electronic gift card in the next 10 minutes' Else, FILL_INCENTTYPE: '\$5 cash in the mail in the next 14 days'
FILLS (SPAN)	Create fill, FILL_INCENTTYPE If ES041 = 1, FILL_INCENTTYPE: 'Un correo electrónico con un enlace a su tarjeta de regalo electrónica de \$5 en los próximos 10 minutos' If ES041 = 2, FILL_INCENTTYPE: "Un mensaje de texto con un enlace a tu tarjeta de regalo electrónica de \$5 en los próximos 10 minutos" Else, FILL_INCENTTYPE: "\$5 en efectivo por correo en los próximos 14 días"
ENGLISH	Thank you. You should receive ^{FILL_INCENTTYPE}.
SPANISH	Gracias. Debería recibir ^{FILL_INCENTTYPE}.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If MODE = CAWI & HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER, set disposition code 511 - CAWI ES - 2610 - ES Complete - None eligible. If MODE = CATI & HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER, set disposition code 551 - CATI ES - 2610 - ES Complete - None eligible.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI/CATI
NOTES	
LEAD-IN	ES042a, f_ES042b, ES042c, f_ES042d, ES043
NEXT	ES049

ES049	
ASK	All respondents
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from ES006: FILL_ES006 Create fill, FILL_ENDSCREEN If ES005 = 0 (address incorrect), FILL_ENDSCREEN: 'Unfortunately, we cannot proceed with the survey at this time. This study is limited to people who currently live at the address we have on file.' Else if (ES006 = 0) or (LLOOP NUM = 1 & (STATE = AL or NE) & ES013_# < 19) or (LLOOP NUM = 1 & (STATE != AL or NE) & ES013_# < 18) or (LLOOP NUM = 1 & (DOI_YEAR = 2026 or 2027) & ES014_# = 1 or 2) or (LLOOP NUM = 1 & DOI_YEAR = 2028 & (ES018_# = 1 or 3)), FILL_ENDSCREEN: 'Unfortunately, we cannot proceed with the survey at this time. This survey is only for adults age ^{FILL_ES006} or older.' Else if ES008 = REF or ES009 = REF or ES010_# = REF, FILL_ENDSCREEN: 'Unfortunately, we cannot proceed with the survey at this time.' Else, FILL_ENDSCREEN: 'Your responses have been recorded.' Create fill, FILL_ENDMODE If MODE = CAWI, FILL_ENDMODE: 'You may now close this window.' Else, FILL_ENDMODE: empty
FILLS (SPAN)	Use fill from ES006: FILL_ES006 Create fill, FILL_ENDSCREEN If ES005 = 0 (address incorrect), FILL_ENDSCREEN: 'Lamentablemente, no podemos continuar con la encuesta en este momento. Este estudio se limita a las personas que residen actualmente en la dirección que tenemos registrada.' Else if (ES006 = 0) or (LLOOP NUM = 1 & (STATE = AL or NE) & ES013_# < 19) or (LLOOP NUM = 1 & (STATE != AL or NE) & ES013_# < 18) or (LLOOP NUM = 1 & (DOI_YEAR = 2026 or 2027) & ES014_# = 1 or 2) or (LLOOP NUM = 1 & DOI_YEAR = 2028 & (ES018_# = 1 or 3)), FILL_ENDSCREEN: 'Lamentablemente, no podemos continuar con la encuesta en este momento. Esta encuesta es solo para adultos mayores de ^{FILL_ES006}. Else if ES008 = REF or ES009 = REF or ES010_# = REF, FILL_ENDSCREEN: 'Desafortunadamente no podemos continuar con la encuesta en este momento'. Else, FILL_ENDSCREEN: 'Sus respuestas han sido grabadas.' Create fill, FILL_ENDMODE If MODE = CAWI, FILL_ENDMODE: Ahora puedes cerrar esta ventana. Else, FILL_ENDMODE: empty
ENGLISH	Thank you for answering these questions. ^{FILL_ENDSCREEN} ^{FILL_ENDMODE}
SPANISH	Gracias por contestar estas preguntas. ^{FILL_ENDSCREEN} ^{FILL_ENDMODE}
RANGE	
LIMITS	

<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	Update roster variable, HHROSTER: For each youth household member (HH_ELIGIBLEYOUTH = 1), update field, HH_AGE = YOUTH_AGE, and create new fields: HH_SEX: Copy sex category from YOUTHSEX in YOUTHROSTER. HH_RACE: Copy race/ethnicity category from YOUTH_RACE in YOUTHROSTER. HH_RESIDENCE: Copy residential status from YOUTH_RESIDENCE in YOUTHROSTER. HH_PLGUID1: Copy ID number of parent/guardian from YOUTH_PLGUID1 in YOUTHROSTER. HH_PLGNAME1: Copy name of parent/guardian from YOUTH_PLGNAME1 in YOUTHROSTER. HH_PLGUID2: Copy ID number of parent/guardian from YOUTH_PLGUID2 in YOUTHROSTER. HH_PLGNAME2: Copy name of parent/guardian from YOUTH_PLGNAME2 in YOUTHROSTER. HH_CGUID: Copy ID number of caregiver from YOUTH_CGUID in YOUTHROSTER. HH_CGNAME: Copy name of caregiver from YOUTH_CGNAME in YOUTHROSTER. Update roster variable, HHROSTER: For each non-youth household member (HH_ELIGIBLEYOUTH = 0), create new fields: HH_PLG: If a parent/guardian of 1+ youth, set HH_PLG = 1; else, set HH_PLG = 0. HH_CG: If a caregiver of 1+ youth, set HH_CG = 1; else, set HH_CG = 0. HH_PHONE: If HH_PLG = 1 or HH_CG = 1, add phone number from ES030 or ES036. HH_EMAIL: If HH_PLG = 1 or HH_CG = 1, add email address from ES034 or ES038.
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI/CATI
<i>NOTES</i>	
<i>LEAD-IN</i>	ES005A, ES006, ES008, ES009, ES010, ES013, ES014, ES018, ES047b, ES041, ES042b, ES042d, ES043, ES046, ES048
<i>NEXT</i>	End.