

NLSY27 Specifications Formatting
Household Screener – Web (CAWI)

PRELOADS:

PRELOAD THE FOLLOWING VARIABLES FROM THE ELIGIBILITY SCREENER:

ADDRESS1:

ADDRESS2:

CITY:

STATE:

ZIP:

Samp_HH_Hisp: from the sample file, 0 or 1 for whether to sample household after determining race of youth

Samp_HH_Blk: from the sample file, 0 or 1 for whether to sample household after determining race of youth

Samp_HH_Asian: from the sample file, 0 or 1 for whether to sample household after determining race of youth

Samp_HH_Other: from the sample file, 0 or 1 for whether to sample household after determining race of youth

Samp_HH_VIDEOINT: from the sample file, for assigning interview mode – 1 = video; 0 = in-person

ES044b: Whether HHS was started directly from ES

IMPORTANTLRS: Flag from sample file for “Important” designation attached to additional incentive

HHROSTER: A roster/array variable listing each household (HH) member who lives in the household.

HH_UID: ID number assigned to the HH member in the HHROSTER.

HH_NAME: Name collected for the HH member in the HHROSTER

HH_AGE: Age of household member

HH_AGERANGE: Age range of household member

HH_ELIGIBLEYOUTH: Flag if the HH member is an age-eligible youth. Set to 1 if eligible based on age criteria in loop ES013_# – ES018_# otherwise 0.

HH_PHONE: phone linked to HH member in the ES

HH_EMAIL: email linked to HH member in the ES

HHROSTERNUM: Total number of HH members in HHROSTER.

YOUTHROSTER

- YOUTH_UID: Unique ID for each eligible youth in the household
- YOUTH_NAME: Name of the eligible youth
- YOUTH_AGE: Age (in years) of the eligible youth
- YOUTH_DOB: Date of birth for the eligible youth
- YOUTH_DOBYEAR: Year of birth for the eligible youth
- YOUTH_DOBMONTH: Month of birth for the eligible youth
- YOUTH_DOBDAY: Day of birth for eligible youth
- YOUTH_PLGUID1: ID number of youth’s 1st parent or guardian
- YOUTH_PLGNAME1: Name of youth’s 1st parent or guardian
- YOUTH_PLGUID2: ID number of youth’s 2nd parent or guardian
- YOUTH_PLGNAME2: Name of youth’s 2nd parent or guardian
- YOUTH_CGUID: ID number of youth’s caregiver
- YOUTH_CGNAME: Name of youth’s caregiver
- YOUTH_SEX: Sex (male/female) of the eligible youth
- YOUTH_RACE: Race/ethnicity of the eligible youth
- YOUTH_RACE_1: American Indian or Alaska Native
- YOUTH_RACE_2: Asian
- YOUTH_RACE_3: Black or African American

- YOUTH_RACE_4: Hispanic or Latino
- YOUTH_RACE_5: Middle Eastern or North African
- YOUTH_RACE_6: Native Hawaiian or Pacific Islander
- YOUTH_RACE_7: White
- YOUTH_RESIDENCE: Flag if the youth lives in the household full-time or part-time
- YOUTH_MOTHER: Flag if mother is present in the household (1= bio mom, 2= adoptive mom)
- YOUTH_FATHER: Flag if dad is present in the household (1=bio dad, 2= adoptive dad)
- YOUTH_BIOMOMUID: HH_UID for household member identified as youth's bio mom
- YOUTH_BIODADUID: HH_UID for household member identified as youth's bio dad

YOUTHROSTERNUM: Total number of eligible youth in YOUTHROSTER.

NONYOUTHROSTER: A subset of HHROSTER containing only non-eligible HH members (i.e., where HH_ELIGIBLEYOUTH = 0).

HHID: ID number of the non-eligible HH member in NONYOUTHROSTER.

HHNAME: Name of the non-eligible HH member in NONYOUTHROSTER.

ES020: Whether ESHHSRESNAME1: Name of first Parent/caregiver identified for HHS

HHSRESID1: HH_UID of first Parent/caregiver identified for HHS

HHSRESNAME2: Name of second Parent/caregiver identified for HHS

HHSRESID2: HH_UID of second Parent/caregiver identified for HHS

ESINFORMANTID: UID of household respondent is a parent or legal guardian of eligible youth to ES

PLGVMCONSENT: Flag for whether ES informant consented to receive voicemails about NLSY

PLGTEXTCONSENT: Flag for whether ES informant consented to receive text messages about NLSY

CREATE THE FOLLOWING LISTS FOR DROPDOWN RESPONSES:

COUNTRYLIST

1. Afghanistan
2. Albania
3. Algeria
4. Andorra
5. Angola
6. Antigua and Barbuda
7. Argentina
8. Armenia
9. Australia
10. Austria
11. Azerbaijan
12. The Bahamas
13. Bahrain
14. Bangladesh
15. Barbados
16. Belarus
17. Belgium
18. Belize
19. Benin
20. Bhutan

21. Bolivia
22. Bosnia and Herzegovina
23. Botswana
24. Brazil
25. Brunei
26. Bulgaria
27. Burkina Faso
28. Burundi
29. Cabo Verde
30. Cambodia
31. Cameroon
32. Canada
33. Central African Republic
34. Chad
35. Chile
36. China
37. Colombia
38. Comoros
39. Congo, Democratic Republic of the
40. Congo, Republic of the
41. Costa Rica
42. Côte d'Ivoire
43. Croatia
44. Cuba
45. Cyprus
46. Czech Republic
47. Denmark
48. Djibouti
49. Dominica
50. Dominican Republic
51. East Timor (Timor-Leste)
52. Ecuador
53. Egypt
54. El Salvador
55. Equatorial Guinea
56. Eritrea
57. Estonia
58. Eswatini
59. Ethiopia
60. Fiji
61. Finland
62. France
63. Gabon
64. The Gambia

65. Georgia
66. Germany
67. Ghana
68. Greece
69. Grenada
70. Guatemala
71. Guinea
72. Guinea-Bissau
73. Guyana
74. Haiti
75. Honduras
76. Hungary
77. Iceland
78. India
79. Indonesia
80. Iran
81. Iraq
82. Ireland
83. Israel
84. Italy
85. Jamaica
86. Japan
87. Jordan
88. Kazakhstan
89. Kenya
90. Kiribati
91. Korea, North
92. Korea, South
93. Kosovo
94. Kuwait
95. Kyrgyzstan
96. Laos
97. Latvia
98. Lebanon
99. Lesotho
100. Liberia
101. Libya
102. Liechtenstein
103. Lithuania
104. Luxembourg
105. Madagascar
106. Malawi
107. Malaysia
108. Maldives

109. Mali
110. Malta
111. Marshall Islands
112. Mauritania
113. Mauritius
114. Mexico
115. Micronesia, Federated States of
116. Moldova
117. Monaco
118. Mongolia
119. Montenegro
120. Morocco
121. Mozambique
122. Myanmar (Burma)
123. Namibia
124. Nauru
125. Nepal
126. Netherlands
127. New Zealand
128. Nicaragua
129. Niger
130. Nigeria
131. North Macedonia
132. Norway
133. Oman
134. Pakistan
135. Palau
136. Panama
137. Papua New Guinea
138. Paraguay
139. Peru
140. Philippines
141. Poland
142. Portugal
143. Qatar
144. Romania
145. Russia
146. Rwanda
147. Saint Kitts and Nevis
148. Saint Lucia
149. Saint Vincent and the Grenadines
150. Samoa
151. San Marino
152. São Tomé and Príncipe

153. Saudi Arabia
154. Senegal
155. Serbia
156. Seychelles
157. Sierra Leone
158. Singapore
159. Slovakia
160. Slovenia
161. Solomon Islands
162. Somalia
163. South Africa
164. Spain
165. Sri Lanka
166. Sudan
167. Sudan, South
168. Suriname
169. Sweden
170. Switzerland
171. Syria
172. Taiwan
173. Tajikistan
174. Tanzania
175. Thailand
176. Togo
177. Tonga
178. Trinidad and Tobago
179. Tunisia
180. Turkey (Türkiye)
181. Turkmenistan
182. Tuvalu
183. Uganda
184. Ukraine
185. United Arab Emirates
186. United Kingdom
187. United States or its territories
188. Uruguay
189. Uzbekistan
190. Vanuatu
191. Vatican City
192. Venezuela
193. Vietnam
194. Yemen
195. Zambia
196. Zimbabwe

0. Other

CREATE THE FOLLOWING LISTS FOR DROPDOWN RESPONSES:

SPANISH COUNTRYLIST

1. Afganistán
2. Albania
3. Argelia
4. Andorra
5. Angola
6. Antigua y Barbuda
7. Argentina
8. Armenia
9. Australia
10. Austria
11. Azerbaiyán
12. Las Bahamas
13. Baréin
14. Bangladés
15. Barbados
16. Bielorrusia
17. Bélgica
18. Belice
19. Benín
20. Bután
21. Bolivia
22. Bosnia y Herzegovina
23. Botsuana
24. Brasil
25. Brunéi
26. Bulgaria
27. Burkina Faso
28. Burundi
29. Cabo Verde
30. Camboya
31. Camerún
32. Canadá
33. República Centroafricana
34. Chad
35. Chile
36. China
37. Colombia
38. Comoras
39. República Democrática del Congo
40. República del Congo
41. Costa Rica
42. Costa de Marfil
43. Croacia
44. Cuba
45. Chipre

46. República Checa
47. Dinamarca
48. Yibuti
49. Dominica
50. República Dominicana
51. Timor Oriental (Timor-Leste)
52. Ecuador
53. Egipto
54. El Salvador
55. Guinea Ecuatorial
56. Eritrea
57. Estonia
58. Esuatini
59. Etiopía
60. Fiyi
61. Finlandia
62. Francia
63. Gabón
64. Gambia
65. Georgia
66. Alemania
67. Ghana
68. Grecia
69. Granada
70. Guatemala
71. Guinea
72. Guinea-Bisáu
73. Guyana
74. Haití
75. Honduras
76. Hungría
77. Islandia
78. India
79. Indonesia
80. Irán
81. Irak
82. Irlanda
83. Israel
84. Italia
85. Jamaica
86. Japón
87. Jordania
88. Kazajistán
89. Kenia
90. Kiribati
91. Corea del Norte
92. Corea del Sur
93. Kosovo
94. Kuwait

95. Kirguistán
96. Laos
97. Letonia
98. Líbano
99. Lesoto
100. Liberia
101. Libia
102. Liechtenstein
103. Lituania
104. Luxemburgo
105. Madagascar
106. Malauí
107. Malasia
108. Maldivas
109. Malí
110. Malta
111. Islas Marshall
112. Mauritania
113. Mauricio
114. México
115. Micronesia, Estados Federados de
116. Moldavia
117. Mónaco
118. Mongolia
119. Montenegro
120. Marruecos
121. Mozambique
122. Birmania (Myanmar)
123. Namibia
124. Nauru
125. Nepal
126. Países Bajos
127. Nueva Zelanda
128. Nicaragua
129. Níger
130. Nigeria
131. Macedonia del Norte
132. Noruega
133. Omán
134. Pakistán
135. Palaos
136. Panamá
137. Papúa Nueva Guinea
138. Paraguay
139. Perú
140. Filipinas
141. Polonia
142. Portugal
143. Catar

144. Rumanía
145. Rusia
146. Ruanda
147. San Cristóbal y Nieves
148. Santa Lucía
149. San Vicente y las Granadinas
150. Samoa
151. San Marino
152. Santo Tomé y Príncipe
153. Arabia Saudita
154. Senegal
155. Serbia
156. Seychelles
157. Sierra Leona
158. Singapur
159. Eslovaquia
160. Eslovenia
161. Islas Salomón
162. Somalia
163. Sudáfrica
164. España
165. Sri Lanka
166. Sudán
167. Sudán del Sur
168. Surinam
169. Suecia
170. Suiza
171. Siria
172. Taiwán
173. Tayikistán
174. Tanzania
175. Tailandia
176. Togo
177. Tonga
178. Trinidad y Tobago
179. Túnez
180. Turquía (Türkiye)
181. Turkmenistán
182. Tuvalu
183. Uganda
184. Ucrania
185. Emiratos Árabes Unidos
186. Reino Unido
187. Estados Unidos o sus territorios
188. Uruguay
189. Uzbekistán
190. Vanuatu
191. Ciudad del Vaticano
192. Venezuela

- 193. Vietnam
- 194. Yemen
- 195. Zambia
- 196. Zimbabwe
- 0. Otro

GENERAL PROGRAMMING NOTES:

DISPLAY “Don’t Know” AND “Prefer not to answer” ONLY IF RESPONDENT ATTEMPTS TO ADVANCE WITHOUT SELECTING A RESPONSE, UNLESS OTHERWISE NOTED.

ALL ITEMS ARE REQUIRED. IF ITEM IS LEFT BLANK, DISPLAY HARD CHECK ‘Please enter a response for this question. You may also select “Don’t know” or “Prefer not to answer.”’

ALL ITEMS ARE REQUIRED. IF ITEM IS LEFT BLANK, DISPLAY HARD CHECK ‘Proporcione una respuesta para esta pregunta. También puede seleccionar “No sé” o “Prefiero no contestar.”’

CAPTURE ITEM LEVEL TIMING AND INCLUDE A TIME/DATE STAMP AT BEGINNING AND END OF MODULE.

PARADATA:

DOI_YEAR: Capture year of screener interview (2026, 2027, or 2028)

CAPTURE ITEM LEVEL TIMING.

INCLUDE A TIME/DATE STAMP AT BEGINNING AND END OF MODULE.

HHS000	
ASK	All respondents
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	This is a program check. Do not show screen to R. Create variable YOUTH_CURRENTAGE_# for all on YOUTHROSTER: From ES preload data: If YOUTH_DOB not missing, then calculate YOUTH_CURRENTAGE_# by subtracting YOUTH_DOB from today's date, Else if YOUTH_AGE not missing, set YOUTH_CURRENTAGE_#=YOUTH_AGE Create variable DOI: Set to current date in MM/DD/YYYY format.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	
NEXT	HHS001

HHS001	
ASK	ES044b <> 1
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	We are conducting the National Longitudinal Survey of Youth , sponsored by the U.S. Bureau of Labor Statistics . Someone in this household provided information that indicated members of your household may be eligible for this study. The purpose of this brief survey is to verify this household is eligible and ask a few additional questions to identify who from the household will be selected to complete an interview. The parent or caregiver who agrees to answer these additional questions will receive \$5 as a token of appreciation for their time.
SPANISH	Estamos conduciendo la Encuesta Nacional Longitudinal de Jóvenes , patrocinada por la Oficina de Estadísticas Laborales de EE. UU. Alguien en este hogar proporcionó información que indicaba que miembros de su hogar cumplían los requisitos para participar en este estudio. El propósito de esta breve encuesta es verificar que este hogar cumple los requisitos y hacer algunas preguntas adicionales para identificar cuáles personas del hogar se seleccionarán para completar una entrevista. El/La padre/madre o cuidador(a) que acepte responder estas preguntas adicionales recibirá \$5 como muestra de agradecimiento por su tiempo.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS000
NEXT	HHS002B

HHS002B	
ASK	ES044b <> 1
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ADDRESS1: Fill 'ADDRESS1' from sample preload Create fill, FILL_ADDRESS2: Fill 'ADDRESS2' from sample preload Create fill, FILL_CITY: Fill 'CITY' from sample preload Create fill, FILL_STATE: Fill 'STATE' from sample preload Create fill, FILL_ZIP: Fill 'ZIP' from sample preload
FILLS (SPAN)	
ENGLISH	We have your address recorded as: ^{FILL_ADDRESS1} ^{FILL_ADDRESS2} ^{FILL_CITY} ^{FILL_STATE} ^{FILL_ZIP} Is this correct? 1. Yes 0. No
SPANISH	Tenemos registrada su dirección como: ^{FILL_ADDRESS1} ^{FILL_ADDRESS2} ^{FILL_CITY} ^{FILL_STATE} ^{FILL_ZIP} ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If HHS002B = 1, set disposition code Status 521 – CAWI HHS: 1210 Web Interview Started If HHS002B = 0, set disposition code Status 521 – CAWI HHS: 1049 Invalid Address
CHECK (ENG)	If item left blank, display hard check: "This question is required to proceed with the survey."
CHECK (SPAN)	If item left blank, display hard check: "Esta pregunta es necesaria para continuar con la encuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	

<i>LEAD-IN</i>	HHS001
<i>NEXT</i>	If HHS002HHS002B=1: HHS004 Else: END

HHS003	
ASK	ES044b = 1
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you for your participation in this important study so far.
SPANISH	Gracias por participar en este importante estudio hasta el momento.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable, HHSINFORMANT: Set HHSINFORMANT: 'HHSRESNAME1' Create variable HHSINFORMANT_UID. Set HHSINFORMANT_UID='HHSRESID1' Create variable, HHSINFOPHONE. If HHS004=1, set HHSINFOPHONE=HH_PHONE corresponding to HHSINFORMANT_UID
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	ES044b
NEXT	HHS007

HHS004	
ASK	ES044b <> 1
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_HHSRESNAME1: 'HHSRESNAME1' from preload
FILLS (SPAN)	Create fill, FILL_HHSRESNAME1: 'HHSRESNAME1' from preload
ENGLISH	^{FILL_HHSRESNAME1} was identified as the parent, legal guardian, or caregiver of eligible youth in the home. Is that you? 1. Yes 0. No
SPANISH	Se identificó a ^{FILL_HHSRESNAME1} como padre, madre, tutor legal o cuidador(a) de las personas jóvenes que cumplen los requisitos y viven en el hogar. ¿Es usted? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable, HHSINFORMANT_UID: If HHS004=1, set HHSINFORMANT: 'HHSRESNAME1' Create variable HHSINFORMANT_UID. If HHS004=1, set HHSINFORMANT_UID='HHSRESID1' Create variable, HHSINFOPHONE. If HHS004=1, set HHSINFOPHONE=HH_PHONE corresponding to HHSINFORMANT_UID If HHS004=1, move HH member referenced in HHSRESID1 to the top of the roster (line 1) Do not display DK/REF
CHECK (ENG)	If item left blank, display soft check: "This question is required to proceed with the survey."
CHECK (SPAN)	If item left blank, display soft check: "Esta pregunta es necesaria para continuar con la encuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS002B=1
NEXT	If HHS004=1: HHS007 Else: HHS005

f_HHS005 HHS005_A/HHS005_B/HHS005_C/HHS005_D/HHS005_E/HHS005_F/HHS005_G	
ASK	HHS004=0
QUESTION TYPE	Multi-grid
FILLS (ENG)	Use fill from HHS004: FILL_ HHSRESNAME11
FILLS (SPAN)	
ENGLISH	Generally, what would be good days and times in the next week for an interviewer to contact ^{FILL_ HHSRESNAME1} to confirm information about members of this household? COLUMN HEADERS: 1. Morning (9am-11:59am) 2. Afternoon (noon-4:59pm) 3. Evening (5pm-8pm) ROW ITEMS: a. Mondays [HHS005_A] b. Tuesdays [HHS005_B] c. Wednesdays [HHS005_C] d. Thursdays [HHS005_D] e. Fridays [HHS005_E] f. Saturdays [HHS005_F] g. Sundays [HHS005_G]
SPANISH	En general, ¿cuáles serían días y horarios convenientes la próxima semana para que un(a) entrevistador(a) se ponga en contacto con ^{FILL_ HHSRESNAME1} para confirmar la información sobre los(as) miembros de este hogar? COLUMN HEADERS: 1. Por la mañana (9am a 11:59am) 2. Después del mediodía (mediodía [12pm] a 4:59pm) 3. Por la tarde (5pm a 8pm) ROW ITEMS: a. Lunes [HHS005_A] b. Martes [HHS005_B] c. Miércoles [HHS005_C] d. Jueves [HHS005_D] e. Viernes [HHS005_E] f. Sábados [HHS005_F] g. Domingos [HHS005_G]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1, 2, 3, etc. if response column(s) checked, 0 if nothing is checked in response column.
CHECK (ENG)	If no items are selected, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If no items are selected, display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."

HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS004=0
NEXT	HHS006

HHS006	
ASK	HHS004=0
QUESTION TYPE	Textbox
FILLS (ENG)	Use fill from HHS004: FILL_ HHSRESNAME11
FILLS (SPAN)	Use fill from HHS004: FILL_ HHSRESNAME11
ENGLISH	Do you have any other information you can share about the best way or time to contact ^{FILL_ HHSRESNAME11}? Notes: _____
SPANISH	¿Tiene alguna otra información que pueda compartir sobre la mejor manera o el mejor momento para ponerse en contacto con ^{FILL_ HHSRESNAME11}? Notas: _____
RANGE	
LIMITS	Max 500 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	NONE
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS005
NEXT	END

HHS007	
ASK	HHS004=1 or ES044b=1
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	RTI International, a non-profit research organization, is working with the BLS to conduct interviews for a research study. This address is one of approximately 200,000 households across the U.S. that we expect to speak with. We are contacting your household to determine if anyone who lives here may qualify for a study to learn how youth aged 11-18 experience schooling and work throughout their lives. These questions will only take 10 minutes of your time. Your answers to the questions will be kept private as much as possible according to the law, and your participation is completely optional. You will receive a \$5 gift card for answering these questions. If, after you answer these questions, we select members from your household to take part in the study, they will have the chance to complete separate 60-minute interviews and receive \$50. Under the law, the information you provide for this survey can only be used for statistical purposes. The BLS is a statistical agency only and cannot share individually identifiable data for any other use, including administrative, regulatory, or law enforcement unless the respondent gives written permission. Access to and use of this confidential statistical information is limited to authorized employees and agents of BLS who are legally prohibited from using it for any nonstatistical purpose. You can find more information about how your confidentiality is protected here: 2.11 Confidential Information Protection and Statistical Efficiency Act (2002) CIO.GOV
SPANISH	RTI International, una organización de investigación científica sin fines de lucro, colabora con la Oficina de Estadísticas Laborales (BLS, por sus siglas en inglés) en la realización de entrevistas para un estudio de investigación científica. Esta dirección es uno de los aproximadamente 200,000 hogares de EE. UU. con los que esperamos hablar. Nos ponemos en contacto con su hogar para determinar si alguna de las personas que viven aquí podría cumplir los requisitos para ser parte de un estudio para saber cómo los jóvenes de entre 11 y 18 años experimentan la escolarización y el trabajo a lo largo de su vida. Estas preguntas solo le llevarán 10 minutos de su tiempo. Sus respuestas a las preguntas se mantendrán confidenciales en la medida de lo posible de acuerdo con la ley, y su participación es completamente opcional. Recibirá una tarjeta de regalo de \$5 por responder estas preguntas. Si, después de responder a estas preguntas, seleccionamos a miembros de su hogar para participar en el estudio, tendrán la oportunidad de completar entrevistas separadas de 60 minutos y recibirán \$50. Según la ley, la información que proporcione para esta encuesta solo puede usarse con fines estadísticos. La BLS es únicamente una agencia de estadísticas y no puede compartir datos con los que se pueda identificar a las personas para ningún otro uso, incluidos usos administrativos, normativos o policiales, a menos que la persona encuestada dé su permiso por escrito. El acceso y uso de esta información estadística confidencial está limitado a los empleados y agentes autorizados de la BLS, que tienen legalmente prohibido usarla para cualquier fin no estadístico. Puede encontrar más información sobre cómo se protege su confidencialidad aquí: 2.11 Ley de Protección de Información Confidencial y Eficiencia Estadística (2002) CIO.GOV
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	

<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	Under the law, the information you provide for this survey can only be used for statistical purposes . The BLS is a statistical agency only and cannot share individually identifiable data for any other use, including administrative, regulatory, or law enforcement without written permission from the respondent. Access to and use of this confidential statistical information is limited to authorized employees and agents of BLS who are legally prohibited from using it for any nonstatistical purpose.
<i>HELP TEXT (SPAN)</i>	Según la ley, la información que proporcione para esta encuesta solo puede usarse con fines estadísticos . La BLS es únicamente una agencia de estadísticas y no puede compartir datos con los que se pueda identificar a las personas para ningún otro uso, incluidos usos administrativos, normativos o policiales sin el permiso por escrito de la persona que responde las preguntas. El acceso y uso de esta información estadística confidencial está limitado a los empleados y agentes autorizados de la BLS, que tienen legalmente prohibido usarla para cualquier fin no estadístico.
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS004=1, HHS003
<i>NEXT</i>	HHS008

f_HHS008 HHS008/HHS008_OTHER	
ASK	All respondents
QUESTION TYPE	Radio button and text box
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	The first questions are about your home. Which of the following housing types best describes the residence where you live? 1. House 2. Condominium, townhouse, or rowhouse 3. Apartment or flat 4. Hotel, motel, rooming house or boarding house 7. Trailer 11. Tent or trailer site 12. Farm or Ranch 13. Other (Please specify:) [HHS008_OTHER]
SPANISH	Las primeras preguntas se refieren a su hogar. ¿Cuál de los siguientes tipos de vivienda describe mejor la residencia en la que vive? 1. Casa 2. Condominio, casa adosada o “townhouse” o casa en hilera 3. Apartamento 4. Hotel, motel, pensión o casa de huéspedes 7. Casa rodante 11. Sitio para carpas o casas rodantes 12. Granja o rancho 13. Otra (especificar:) [HHS008_OTHER]
RANGE	
LIMITS	HHS008_OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	If HHS008=13, display HHS008_OTHER text entry box Create variable HOUSING_TYPE, where If HHS008 in (1:3) or HHS008 in (11:13), then HOUSING_TYPE=HHS008
CHECK (ENG)	If item left blank, display soft check ‘Your answers are very important. Please consider selecting a response. Otherwise, please select “Don’t know” or “Prefer not to answer.”’
CHECK (SPAN)	If item left blank, display soft check ‘Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione “No sé” o “Prefiero no contestar.”’
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS007
NEXT	If HHS008=4: HHS009; If HHS008=7: HHS010; Else HHS011

HHS009	
ASK	HHS008=4
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of the following best describes the residence where you live? 4. Housing unit in an extended-stay hotel, motel, etc. 5. Housing unit in a short-term hotel, motel, etc. 6. Housing unit in rooming house 9. Room or quarters that are not a whole housing unit in a rooming or boarding house 10. Room or quarters that are not a whole housing unit in a short-term hotel, motel, etc.
SPANISH	¿Cuál de las siguientes opciones describe mejor la residencia en la que vive? 4. Unidad de alojamiento en un hotel, motel, etc. de larga estadía. 5. Unidad de alojamiento en un hotel, motel, etc. de corta estadía. 6. Unidad de vivienda en casa de huéspedes. 9. Habitación o lugar de alojamiento que no constituye una unidad de vivienda completa en una pensión o casa de huéspedes. 10. Habitación o lugar de alojamiento que no constituye una unidad de vivienda completa en un hotel, motel, etc. de corta estadía
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If HHS009≠ missing, then set variable HOUSING_TYPE=HHS009
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS008=4
NEXT	HHS011

f_HHS010	
ASK	HHS008=7
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is this trailer permanent or mobile? 1. Permanent trailer 2. Mobile trailer
SPANISH	¿La casa rodante se usa de manera permanente en el mismo lugar o es móvil? 1. Permanente 2. Móvil
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS008=7
NEXT	HHS011

HHS011	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS002B: 'FILL_ADDRESS1' Use fill from HHS002B: 'FILL_ADDRESS2' Use fill from HHS002B: 'FILL_CITY' Use fill from HHS002B: 'FILL_STATE' Use fill from HHS002B: 'FILL_ZIP'
FILLS (SPAN)	Use fill from HHS002B: 'FILL_ADDRESS1' Use fill from HHS002B: 'FILL_ADDRESS2' Use fill from HHS002B: 'FILL_CITY' Use fill from HHS002B: 'FILL_STATE' Use fill from HHS002B: 'FILL_ZIP'
ENGLISH	We have your address recorded as: ^{FILL_ADDRESS1} ^{FILL_ADDRESS2} ^{FILL_CITY} ^{FILL_STATE} ^{FILL_ZIP} Is this the same place where you receive mail? 1. YES 0. NO
SPANISH	Tenemos registrada su dirección como: ^{FILL_ADDRESS1} ^{FILL_ADDRESS2} ^{FILL_CITY} ^{FILL_STATE} ^{FILL_ZIP} ¿Es este el mismo lugar donde recibe el correo? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'"

<i>CHECK (SPAN)</i>	If item left blank, display soft check ‘Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione “No sé” o “Prefiero no contestar.”’
<i>HELP TEXT (ENG)</i>	If you usually receive mail through a P.O. box or other place, please respond “No.”
<i>HELP TEXT (SPAN)</i>	Si suele recibir el correo a través de un apartado de correos u otro lugar, responda “No”.
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS008, HHS009, HHS010
<i>NEXT</i>	If HHS011=1: HHS013 Else: HHS012

f_HHS012 HHS012_ADDRESS1/ HHS012_ADDRESS2/HHS012_CITY/HHS012_STATE/HHS012_ZIP	
ASK	If HHS011=0 or DK or REF
QUESTION TYPE	HHS012_ADDRESS1: Text HHS012_ADDRESS2: Text HHS012_CITY: Text HHS012_STATE: Dropdown HHS012_ZIP: Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your mailing address? Address Line 1 [HHS012_ADDRESS1]: Address Line 2 [HHS012_ADDRESS2]: City [HHS012_CITY]: State [HHS012_STATE]: Zip Code [HHS012_ZIP]:
SPANISH	¿Cuál es su dirección postal? Línea 1 de la dirección [HHS012_ADDRESS1]: Línea 2 de la dirección [HHS012_ADDRESS2]: Ciudad [HHS012_CITY]: Estado [HHS012_STATE]: Código postal [HHS012_ZIP]:
RANGE	HHS012_STATE: List states in alphabetical order
LIMITS	HHS012_ADDRESS1: Max 100 characters HHS012_ADDRESS2: Max 100 characters HHS012_CITY: Max 100 characters HHS012_ZIP: Max 5 numbers
LOOP MAX	
PROGRAM. NOTES	Pre-populate City, State and Zip code
CHECK (ENG)	If zip code does not include exactly 5 numbers, display hard check: "Please enter a valid 5-digit zip code" If address lines 1 and 2 left blank, display soft check "Your answers are very important. Please consider entering a response. Otherwise, please select ""Don't know" or "Prefer not to answer.""
CHECK (SPAN)	If zip code does not include exactly 5 numbers, display hard check: "Ingrese un código postal válido de 5 dígitos" If address lines 1 and 2 left blank, display soft check "Sus respuestas son muy importantes. Considere ingresar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.""
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	HHS011
<i>NEXT</i>	HHS013

HHS013	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you have access to the internet at home? 1. Yes 0. No
SPANISH	¿Tiene acceso a internet en casa? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If all items left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know" or "Prefer not to answer."'
CHECK (SPAN)	If all items left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS011; HHS012
NEXT	If HHS013=1: HHS014 Else: HHS016

f_HHS014 HHS014a/HHS014b/HHS014c/HHS014d/HHS014e	
ASK	HHS013=1
QUESTION TYPE	Radio grid
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How do you access the internet at home? Please answer “Yes” or “No” for each. COLUMN HEADERS: - Yes - No ROW ITEMS: - A cellular plan for a smartphone or other mobile device [HHS014a] - Broadband (high speed) internet service such cable, fiber optic, or DSL service installed in your home [HHS014b] - Satellite internet service installed in your home [HHS014c] - Dial-up internet service installed in your home [HHS014d] - Some other service [HHS014e]
SPANISH	¿Cómo accede a internet en casa? Responda “Sí” o “No” para cada opción. COLUMN HEADERS: - Sí - No ROW ITEMS: - Un plan de telefonía móvil para un teléfono inteligente u otro dispositivo móvil [HHS014a] - Servicio de internet de banda ancha (alta velocidad) como cable, fibra óptica o DSL configurado en su casa [HHS014b] - Servicio de internet por satélite configurado en su casa [HHS014c] - Servicio de internet de acceso telefónico configurado en su casa [HHS014d] - Algún otro servicio [HHS014e]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS013=1
NEXT	HHS015

HHS015	
ASK	HHS013=1
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	When you use the internet at home, do you mostly use a cell phone or mostly use some other device like a desktop, laptop or tablet computer, or do you use a cellphone and other device equally? 1. Mostly cellphone 2. Mostly something else 3. Both equally 4. Don't use the internet
SPANISH	Quando utiliza el Internet en casa, ¿usa principalmente un teléfono móvil o usa principalmente algún otro dispositivo, como una computadora de escritorio, computadora portátil o una tableta; o usa el teléfono móvil y otro dispositivo por igual? 1. Principalmente un teléfono móvil 2. Principalmente otra cosa 3. Ambos por igual 4. No uso internet
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If question left blank, display soft check "Your answers are very important. Please consider providing a response. Otherwise, please select "Don't know" or "Prefer not to answer."
CHECK (SPAN)	If question left blank, display soft check "Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS014
NEXT	HHS016

HHS016	
ASK	All respondents
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Next, we will review the information that was provided earlier for each household member and then you will be asked about your relationship to each person. If any information is incorrect, please correct it.
SPANISH	A continuación, revisaremos la información que se proporcionó anteriormente para cada miembro del hogar y luego se le preguntará sobre su relación con cada persona. Si alguna parte de la información es incorrecta, corríjala.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS013=0 OR DK or REF, HHS015
NEXT	HHS017_#

HHS017_#	
ASK	All respondents (Begin HHS Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_YOUTH_NAME: Fill 'YOUTH_NAME' from preload Create fill, FILL_CURRENTAGE: If YOUTH_CURRENTAGE not missing, 'FILL_YOUTH_CURRENTAGE_#,' Else if INTERVIEWYEAR=2027 or 2026, FILL_CURRENTAGE: '11 to 17' Else if INTERVIEWYEAR=2028, FILL '12 to 18' Create fill, FILL_YOUTH_SEX: Fill 'YOUTH_SEX' from preload
FILLS (SPAN)	Create fill, FILL_YOUTH_NAME: Fill 'YOUTH_NAME' from preload Create fill, FILL_CURRENTAGE: If YOUTH_CURRENTAGE not missing, 'FILL_YOUTH_CURRENTAGE_#,' Else if INTERVIEWYEAR=2027 or 2026, FILL_CURRENTAGE: '11 a 17' Else if INTERVIEWYEAR=2028, FILL '12 a 18' Create fill, FILL_YOUTH_SEX: Fill 'YOUTH_SEX' from preload
ENGLISH	There's ^{FILL_YOUTH_NAME} and they are ^{FILL_CURRENTAGE} years old and their sex is ^{FILL_YOUTH_SEX}. Is this correct? - Yes - No
SPANISH	Está ^{FILL_YOUTH_NAME}, que tiene ^{FILL_CURRENTAGE} años y cuyo sexo es ^{FILL_YOUTH_SEX}. ¿Es esto correcto? - Sí - No
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS LOOP 1 (HHS017_# - HHS022_LOOPEND_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM reached, or MAX LOOP = 10. Create variable HHSLOOP1[#].HH_UID=HH_UID_#
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	If question left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "Don't know" or "Prefer not to answer."'
HELP TEXT (SPAN)	If question left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
MODE	CAWI
NOTES	

<i>LEAD-IN</i>	HHS016, HHS021A, HHS022
<i>NEXT</i>	If HHS017=0: HHS018 Else: HHS021

f_HHS018_# HHS018A_#/HHS018B_#/HHS018C_#	
ASK	HHS017=0 (Continue HHS Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What information is incorrect? <i>Please select all that apply.</i> Name [HHS018A_#] Sex [HHS018B_#] Age [HHS018C_#]
SPANISH	¿Qué información es incorrecta? <i>Seleccione todas las que correspondan.</i> Nombre [HHS018A_#] Sexo [HHS018B_#] Edad [HHS018C_#]
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS LOOP 1 (HHS017_# - HHS022_LOOPEND_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM reached, or MAX LOOP = 10. Code each item as 0 if not selected, 1 if selected.
CHECK (ENG)	If question left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know" or "Prefer not to answer."'.
CHECK (SPAN)	If question left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS017=0
NEXT	If HHS018_A=1: HHS019 If HHS018_B=1: HHS020 Else: HHS021

HHS019_#	
ASK	HHS018_A=1 (Continue HHS Loop 1)
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the correct name for this person? If two or more people in your household share the same name, please provide a unique name or nickname for each person to help us tell them apart. Enter first name: _____
SPANISH	¿Cuál es el nombre correcto para esta persona? Si dos o más personas de su hogar comparten el mismo nombre, indique un nombre o apodo único para cada una que nos ayude a distinguirlas. Ingrese el nombre: _____
RANGE	
LIMITS	Max 20 characters
LOOP MAX	10
PROGRAM. NOTES	Loop HHS LOOP 1 (HHS017_# - HHS022_LOOPEND_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM reached, or MAX LOOP = 10. If HHS019 ≠DK or REF, Set YOUTH_NAME='HHS019_#'
CHECK (ENG)	Include a soft error check for duplicate names on roster: "You have already used this name for another member of the household. It is helpful to have unique names as we go through the questions to avoid confusion. Does this person have a nickname or additional name you could add here to make the name unique?" If item HHS019_# left missing display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	Include a soft error check for duplicate names on roster: "Ya ha usado este nombre para otro(a) miembro del hogar. Es útil tener nombres únicos a medida que avanzamos en las preguntas para evitar confusiones. ¿Tiene esta persona algún apodo o nombre adicional que pueda agregar aquí para que el nombre sea único?" If item HHS019_# left missing display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	f_HHS018
NEXT	If HHS018_B=1: HHS020 Else: HHS021

HHS020_#	
ASK	HHS018_B=1 (Continue HHS Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	What is ^{FILL_YOUTH_NAME}'s sex? 1. Male 2. Female
SPANISH	¿Cuál es el sexo de ^{FILL_YOUTH_NAME}? 1. Masculino 2. Femenino
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS LOOP 1 (HHS017_# - HHS022_LOOPEND_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM reached, or MAX LOOP = 10. If HHS020≠DK or REF, then set YOUTH_SEX=HHS020
CHECK (ENG)	If item left missing display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If item left missing display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	f_HHS018, HHS019
NEXT	HHS021

f_HHS021_# HHS021_MONTH_#/HHS021_DAY_#/HHS021_YEAR_#	
ASK	All respondents (Continue HHS Loop 1)
QUESTION TYPE	HHS021_MONTH_#: Dropdown HHS021_DAY_#: Dropdown HHS021_YEAR_#: Dropdown
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Can you please confirm ^{FILL_YOUTH_NAME}'s date of birth? Month: { - Select - } [HHS021_MONTH_#] Day: { - Select - } [HHS021_DAY_#] Year: { - Select - } [HHS021_YEAR_#]
SPANISH	¿Puede confirmar la fecha de nacimiento de ^{FILL_YOUTH_NAME}? Mes: { - Seleccione - } [HHS021_MONTH_#] Día: { - Seleccione - } [HHS021_DAY_#] Año: { - Seleccione - } [HHS021_YEAR_#]
RANGE	HHS021_MONTH_#: List months in order. 1 = "January", 2 = "February", ... 12 = "December" HHS021_DAY_#: List days in order 1-31 HHS021_YEAR_#: List years 2008-2016 in reverse chronological order: 2016, 2015, 2014, ... 2009
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS LOOP 1 (HHS017_# - HHS022_LOOPEND_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM reached, or MAX LOOP = 10.
CHECK (ENG)	If date combination does not exist (e.g. February 30) display hard check: Please enter a valid date.
CHECK (SPAN)	If date combination does not exist (e.g. February 30) display hard check: Ingresa una fecha válida.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS017, f_HHS018, HHS019, HHS020
NEXT	If YOUTH_DobyEAR=HHS021_YEAR and YOUTH_DobMONTH=HHS021_MONTH and YOUTH_DobDAY=HHS021_DAY and HHS017_#=1 and LOOPNUMBER=YOUTHROSTERNUM: HHS023

Else if YOUTH_DobyEAR=HHS021_YEAR and YOUTH_DobMONTH=HHS021_MONTH and YOUTH_DobDAY=HHS021_DAY and HHS017_#=1: Loop again (HHS017) Else if YOUTH_DobyEAR=HHS021_YEAR and YOUTH_DobMONTH=HHS021_MONTH and YOUTH_DobDAY=HHS021_DAY: HHS022VERIFY Else If HHS021_YEAR=DK or REF: HHS021A Else: HHS022
--

HHS021A_#	
ASK	If HHS021_YEAR=DK or REF (Continue HHS Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill, FILL_YOUTH_NAME
FILLS (SPAN)	Use fill, FILL_YOUTH_NAME
ENGLISH	How old was ^{ FILL_YOUTH_NAME } on their last birthday? AGE (IN YEARS): __
SPANISH	¿Qué edad cumplió ^{ FILL_YOUTH_NAME } en su último cumpleaños? EDAD (EN AÑOS): __
RANGE	0-120
LIMITS	Max 3 digits
LOOP MAX	10
PROGRAM. NOTES	Loop HHS LOOP 1 (HHS017_# - HHS022_LOOPEND_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM reached, or MAX LOOP = 10. If HHS021A≠DK or REF, then set YOUTH_AGE=HHS021A; else if HHS021A=DK or REF AFTER SOFT CHECK or if HHS021A not in (11:18), then SET HH_ELIGIBLEYOUTH=0
CHECK (ENG)	If HHS021A=DK OR REF, display soft check: "We need to know this person's age to determine their eligibility for the study. If you are not able to provide an age for this person, we cannot confirm their eligibility and we cannot interview them."
CHECK (SPAN)	If HHS021A=DK OR REF, display soft check: "Necesitamos saber la edad de esta persona para determinar si cumple los requisitos para participar en el estudio. Si no puede darnos la edad de esta persona, no podremos confirmar que cumple los requisitos y no podremos entrevistarla."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS021
NEXT	HHS022VERIFY

f_HHS022_# HHS022_MONTH_#/HHS022_DAY_#/HHS022_YEAR_#	
ASK	YOUTH_DOBYEAR≠HHS021_YEAR or YOUTH_DOBMONTH≠HHS021_MONTH or YOUTH_DOBDAY≠HHS021_DAY (Continue HHS Loop 1)
QUESTION TYPE	HHS022_MONTH_#: Dropdown HHS022_DAY_#: Dropdown HHS022_YEAR_#: Dropdown
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME Create fill FILL_HHS022. If YOUTH_DOB is missing, then FILL_HHS022: empty Else FILL_HHS022: This birth date does not match the one we recorded for ^{FILL_YOUTH_NAME}. Create fill, FILL_YOUTHDOB: Fill “YOUTH_DOBMONTH’ ‘YOUTHDOBDAY’, ‘YOUTH_DOBYEAR” from preload Create fill FILL_HHS022_1: HHS021_MONTH Create fill FILL_HHS022_2: HHS021_DAY Create fill FILL_HHS022_3: HHS021_YEAR
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME Create fill FILL_HHS022. If YOUTH_DOB is missing, then FILL_HHS022: empty Else FILL_HHS022: Esta fecha de nacimiento no coincide con la que registramos para ^{FILL_YOUTH_NAME}. Create fill, FILL_YOUTHDOB: Fill “YOUTH_DOBMONTH’ ‘YOUTHDOBDAY’, ‘YOUTH_DOBYEAR” from preload Create fill FILL_HHS022_1: HHS021_MONTH Create fill FILL_HHS022_2: HHS021_DAY Create fill FILL_HHS022_3: HHS021_YEAR
ENGLISH	Previously reported: ^{FILL_YOUTHDOB} Reported today: ^{FILL_HHS022_1} ^{FILL_HHS022_2}, ^{FILL_HHS022_3} Can you please confirm the correct birthdate for ^{FILL_YOUTH_NAME}? Month: { - Select - } [HHS022_MONTH_#] Day: { - Select - } [HHS022_DAY_#] Year: { - Select - } [HHS022_YEAR_#]

SPANISH	Antes se informó: ^{FILL_YOUTHDOB} Hoy se informó: ^{FILL_HHS022_2} de ^{FILL_HHS022_1} de ^{FILL_HHS022_3} ¿Podría confirmar la fecha de nacimiento correcta de ^{FILL_YOUTH_NAME}? Mes: { - Seleccione - } [HHS022_MONTH_#] Día: { - Seleccione - } [HHS022_DAY_#] Año: { - Seleccione - } [HHS022_YEAR_#]
RANGE	HHS022_MONTH_#: List months in order. 1 = "January", 2 = "February", ... 12 = "December" HHS022_DAY_#: List days in order 1-31 HHS022_YEAR_#: List years 2008-2016 in reverse chronological order: 2016, 2015, 2014, ... 2009
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS LOOP 1 (HHS017_# - HHS022_LOOPEND_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM reached, or MAX LOOP = 10. Update YOUTH_DOB=(HHS022_MONTH)(HHS022_DAY)(HHS022_YEAR) Set YOUTH_DobyYEAR= HHS022_YEAR Update YOUTH_CURRENTAGE_# based on updated YOUTH_DOB If DOI_YEAR=2026 and HHS022_YEAR in (2009:2014) then set HH_ELIGIBLEYOUTH=1; else if DOI_YEAR=2026 and HHS022_YEAR not missing and not in (2009:2014), set ELIGIBLEYOUTH=0. Else if HHS022_YEAR in (2010:2015) then set HH_ELIGIBLEYOUTH=1; else set ELIGIBLEYOUTH=0.
CHECK (ENG)	If date combination does not exist (e.g. February 30) display hard check: Please enter a valid date. If HHS022_MONTH≠HHS021_MONTH or HHS022_DAY≠HHS021_DAY or HHS022_YEAR≠HHS021_YEAR, display soft check: 'Birth dates provided today do not match. Please review your response and correct, if appropriate.'
CHECK (SPAN)	If date combination does not exist (e.g. February 30) display hard check: Ingrese una fecha válida. If HHS022_MONTH≠HHS021_MONTH or HHS022_DAY≠HHS021_DAY or HHS022_YEAR≠HHS021_YEAR, display soft check: 'Las fechas de nacimiento proporcionadas hoy no coinciden. Revise su respuesta y corijala, si corresponde.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI

NOTES	
LEAD-IN	HHS021
NEXT	HHS022_VERIFY

HHS022_VERIFY_#	
ASK	All respondents (End HHS Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill FILL_YOUTH_NAME: Fill 'YOUTH_NAME' from YOUTHROSTER Create fill, FILL_YOUTH_AGE. If YOUTH_AGE not missing, FILL_YOUTH_AGE: 'YOUTH_AGE_#' from YOUTHROSTER Else if HH_AGERANGE=1 and INTERVIEWYEAR=2027 or 2026, FILL_YOUTH_AGE: '10 or younger' Else if HH_AGERANGE=1 and INTERVIEWYEAR=2028, FILL_YOUTH_AGE: '11 or younger' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2027 or 2026, FILL_YOUTH_AGE: '11 to 17' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2028, FILL_YOUTH_AGE: '12 to 18' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2027 or 2026, FILL_YOUTH_AGE: '18 to 23' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2028, FILL_YOUTH_AGE: '19 to 23' Else if HH_AGERANGE=4 FILL_YOUTH_AGE: '24 to 31' Else if HH_AGERANGE=5 FILL_YOUTH_AGE: '32 to 40' Else if HH_AGERANGE=6 FILL_YOUTH_AGE: '41 or older' Else FILL_YOUTH_AGE: 'unknown' Create fill, FILL_YOUTH_SEX: Fill 'YOUTH_SEX' from YOUTHROSTER
FILLS (SPAN)	Create fill FILL_YOUTH_NAME: Fill 'YOUTH_NAME' from YOUTHROSTER Create fill, FILL_YOUTH_AGE. If YOUTH_AGE not missing, FILL_YOUTH_AGE: 'YOUTH_AGE_#' from YOUTHROSTER Else if HH_AGERANGE=1 and INTERVIEWYEAR=2027 or 2026, FILL_YOUTH_AGE: '10 o menos' Else if HH_AGERANGE=1 and INTERVIEWYEAR=2028, FILL_YOUTH_AGE: '11 o menos' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2027 or 2026, FILL_YOUTH_AGE: '11 a 17' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2028, FILL_YOUTH_AGE: '12 a 18' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2027 or 2026, FILL_YOUTH_AGE: '18 a 23' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2028, FILL_YOUTH_AGE: '19 a 23' Else if HH_AGERANGE=4 FILL_YOUTH_AGE: '24 a 31' Else if HH_AGERANGE=5 FILL_YOUTH_AGE: '32 a 40' Else if HH_AGERANGE=6 FILL_YOUTH_AGE: '41 o más' Else FILL_YOUTH_AGE: 'desconocido' Create fill, FILL_YOUTH_SEX: Fill 'YOUTH_SEX' from YOUTHROSTER
ENGLISH	To confirm then, ^{FILL_YOUTH_NAME} is ^{FILL_YOUTH_AGE} years old and their sex is ^{FILL_YOUTH_SEX}. Is this correct? 1. Yes 0. No

<i>SPANISH</i>	Para confirmar, ^{FILL_YOUTH_NAME} tiene ^{FILL_YOUTH_AGE} años y su sexo es ^{FILL_YOUTH_SEX}. ¿Es esto correcto? 1. Sí 0. No
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	10
<i>PROGRAM. NOTES</i>	Loop HHS LOOP 1 (HHS017_# - HHS022_LOOPEND_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM reached, or MAX LOOP = 10. DO NOT DISPLAY DK and REF RESPONSES
<i>CHECK (ENG)</i>	If HHS022VERIFY=0, DISPLAY HARD CHECK WITH LINK TO HHS018_#: Click here to make corrections.
<i>CHECK (SPAN)</i>	If HHS022VERIFY=0, DISPLAY HARD CHECK WITH LINK TO HHS018_#: Haga clic aquí para realizar correcciones.
<i>HELP TEXT (ENG)</i>	If question left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know" or "Prefer not to answer."'
<i>HELP TEXT (SPAN)</i>	If question left blank, display soft check Sus respuestas son muy importantes. Por favor, considere responder. De lo contrario, seleccione "No sé" o "Prefiero no responder".
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS016, HHS021A, HHS022
<i>NEXT</i>	If LOOPNUMBER=YOUTHROSTERNUM: HHS023 Else: Loop again (HHS017)

HHS023_#	
ASK	All respondents (Begin HHS Loop 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, 'FILL_HH_NAME': Fill 'HH_NAME' from sample preload Create fill, FILL_HH_AGE: If HH_AGE not missing, FILL_AGE: 'HH_AGE years old' from sample preload Else if HH_AGERANGE=1 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '10 years old or younger' Else if HH_AGERANGE=1 and INTERVIEWYEAR=2028, FILL_HH_AGE: '11 years old or younger' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '11 to 17 years old' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2028, FILL_HH_AGE: '12 to 18 years old' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '18 to 23 years old' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2028, FILL_HH_AGE: '19 to 23 years old' Else if HH_AGERANGE=4 FILL_HH_AGE: '24 to 31 years old' Else if HH_AGERANGE=5 FILL_HH_AGE: '32 to 40 years old' Else if HH_AGERANGE=6 FILL_HH_AGE: '41 years old or older' Else FILL_HH_AGE: 'of unknown age' Create fill, FILL_HHS023_1 IF ROSTERLINE=1, FILL_HHS023_1: "you, ^{FILL_HH_NAME}" Else, FILL_HHS023_1: {FILL_HH_NAME} Create fill, FILL_HHS023_2 IF ROSTERLINE=1, FILL_HHS023_2: "you" Else, FILL_HHS023_2: "they"
FILLS (SPAN)	Create fill, 'FILL_HH_NAME': Fill 'HH_NAME' from sample preload Create fill, FILL_HH_AGE: If HH_AGE not missing, FILL_AGE: 'HH_AGE years old' from sample preload Else if HH_AGERANGE=1 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '10 o menos' Else if HH_AGERANGE=1 and INTERVIEWYEAR=2028, FILL_HH_AGE: '11 o menos' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '11 a 17' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2028, FILL_HH_AGE: '12 a 18' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '18 a 23' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2028, FILL_HH_AGE: '19 a 23' Else if HH_AGERANGE=4 FILL_HH_AGE: '24 a 31' Else if HH_AGERANGE=5 FILL_HH_AGE: '32 a 40' Else if HH_AGERANGE=6 FILL_HH_AGE: '41 o más' Else FILL_HH_AGE: 'desconocido' Create fill, FILL_HHS023_1 IF ROSTERLINE=1, FILL_HHS023_1: "usted, ^{FILL_HH_NAME}" Else, FILL_HHS023_1: {FILL_HH_NAME}

	Create fill, FILL_HHS023_2 IF ROSTERLINE=1, FILL_HHS023_2: "usted" Else, FILL_HHS023_2: "esa persona"
ENGLISH	There's ^{FILL_HHS023_1} and ^{FILL_HHS023_2} are ^{FILL_HH_AGE}. Is this correct? 1. Yes 0. No
SPANISH	Está ^{FILL_HHS023_1} y ^{FILL_HHS023_2} tiene ^{FILL_CURRENTAGE} años. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. Create variable HHSLOOP2[#].HH_UID=HH_UID_#
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know" or "Prefer not to answer."'
CHECK (SPAN)	If all items left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS022, HHS021A
NEXT	If HHS023=0: HHS024 Else: HHS035

f_HHS024_# HHS024_A_#/HHS024_B_#	
ASK	HHS023=0 or HHS035VERIFY_#=0 (Continue HHS Loop 2)
QUESTION TYPE	Checkbox
FILLS (ENG)	Create FILL_HHS024. If HHS035VERIFY_#=0, FILL_HHS024: 'You will be asked to confirm sex on a later question.' Use FILL_HH_NAME from HHS023 Use FILL_HH_AGE from HHS023
FILLS (SPAN)	Create FILL_HHS024. If HHS035VERIFY_#=0, FILL_HHS024: 'Se le pedirá que confirme el sexo en una pregunta posterior.' Use FILL_HH_NAME from HHS023 Use FILL_HH_AGE from HHS023
ENGLISH	What information is incorrect? Please select all that apply. ^{FILL_HHS024} Name ^{FILL_HH_NAME} [HHS024_A_#] Age ^{FILL_HH_AGE} [HHS024_B_#]
SPANISH	¿Qué información es incorrecta? Seleccione todas las que correspondan. ^{FILL_HHS024} Nombre ^{FILL_HH_NAME} [HHS024_A_#] Edad ^{FILL_HH_AGE} [HHS024_B_#]
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. Code each item in item as 0 if not selected, 1 if selected.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "Don't know" or "Prefer not to answer."'
CHECK (SPAN)	If all items left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS023=0
NEXT	If HHS024_A=1: HHS025 If HHS024_B=1: HHS027 Else: HHS035

HHS025_#	
ASK	HHS024_A =1 (Continue HHS Loop 2)
QUESTION TYPE	Textbox
FILLS (ENG)	Create fill, FILL_HHS025 If ROSTERLINE=1, FILL_HHS025: "What is your correct name?" Else, FILL_HHS025: "What is the correct name for this person?"
FILLS (SPAN)	Create fill, FILL_HHS025 If ROSTERLINE=1, FILL_HHS025: "¿Cuál es su nombre correcto?" Else, FILL_HHS025: "¿Cuál es el nombre correcto de esta persona?"
ENGLISH	^{FILL_HHS025} If two or more people in your household share the same name, please provide a unique name or nickname for each person to help us tell them apart. Enter first name: _____
SPANISH	^{FILL_HHS025} Si dos o más personas de su hogar comparten el mismo nombre, indique un nombre o apodo único para cada una que nos ayude a distinguirlas. Ingresa el nombre: _____
RANGE	
LIMITS	Max 20 characters
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. If HHS025≠DK or REF, Replace 'HH_NAME' with name entered in HHS025
CHECK (ENG)	INCLUDE A SOFT ERROR CHECK FOR DUPLICATE NAMES: "You have already used this name for another member of the household. It is helpful to have unique names as we go through the questions to avoid confusion. Does this person have a nickname or additional name you could add here to make the name unique? If so, please update. If not, please select "Next" to go to the next question."
CHECK (SPAN)	INCLUDE A SOFT ERROR CHECK FOR DUPLICATE NAMES: "Ya ha usado este nombre para otro(a) miembro del hogar. Es útil tener nombres únicos a medida que avanzamos en las preguntas para evitar confusiones. ¿Tiene esta persona algún apodo o nombre adicional que pueda agregar aquí para que el nombre sea único? Si es así, actualícelo. Si no es así, seleccione "Next" o "Siguiente" para pasar a la siguiente pregunta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	f_HHS024

NEXT

If HHS024_B=1: HHS027
Else: HHS035

HHS027_#	
ASK	HHS024_B =1 (Continue HHS Loop 2)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from HHS023_# 'FILL_HH_NAME' Create fill, FILL_HHS027_1 If ROSTER LINE=1, FILL_HHS027_1: "were you" Else, FILL_HHS027_1: "was {FILL_HH_NAME}" Create fill, FILL_HHS027_2 If ROSTER LINE=1, FILL_HHS027_2: "your" Else, FILL_HHS027_2: "their"
FILLS (SPAN)	Use fill from HHS023_# 'FILL_HH_NAME' Create fill, FILL_HHS027_1 If ROSTER LINE=1, FILL_HHS027_1: "cumplió usted" Else, FILL_HHS027_1: "cumplió {FILL_HH_NAME}" Create fill, FILL_HHS027_2 If ROSTER LINE=1, FILL_HHS027_2: "su" Else, FILL_HHS027_2: "su"
ENGLISH	How old ^{FILL_HHS027_1} on ^{FILL_HHS027_2} last birthday? Age in years: ____
SPANISH	¿Qué edad ^{FILL_HHS027_1} en ^{FILL_HHS027_2} último cumpleaños? Edad en años: ____
RANGE	0-120
LIMITS	Max 3 digits
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. If HHS027≠DK or REF, Update 'HH_AGE' = HHS027
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""'
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS025; HHS024
NEXT	If (INTERVIEWYEAR = 2027 or 2026) and HHS027 in (11:17): HHS028 If INTERVIEWYEAR = 2028 and HHS027 in (12:18): HHS028

f_HHS028_# HHS028_MONTH_#/HHS028_DAY_#/HHS028_YEAR_#	
ASK	INTERVIEWYEAR = 2027 or 2026 and HHS027(current age) in (11:17) OR if INTERVIEWYEAR = 2028 and HHS027(current age) in (12:18) (Continue HHS Loop 2)
QUESTION TYPE	HHS028_MONTH_#: Dropdown HHS028_DAY_#: Dropdown HHS028_YEAR_#: Dropdown
FILLS (ENG)	Use fill from HHS021A_#: 'FILL_HH_NAME' Create fill, FILL_HHS028 If ROSTER LINE=1, FILL_HHS028: "your" Else, FILL_HHS028: ^{FILL_HH_NAME}'s
FILLS (SPAN)	Use fill from HHS021A_#: 'FILL_HHNAME' Create fill, FILL_HHS0281S If ROSTER LINE=1, FILL_HHS0281S: "su" Else, FILL_HHS0281S: 'la' Create fill, FILL_HHS0282S If LOOP NUM=1, FILL_HHS0282S: EMPTY Else, FILL_HHS0282S: 'de ^{FILL_HHNAME}'
ENGLISH	What is ^{FILL_HHS028} date of birth? Month: { - Select - } [HHS028_MONTH_#] Day: { - Select - } [HHS028_DAY_#] Year: { - Select - } [HHS028_YEAR_#]
SPANISH	¿Cuál es ^{FILL_HHS0281S} fecha de nacimiento ^{FILL_HHS0282S}? Mes: { - Seleccione - } [HHS028_MONTH_#] Día: { - Seleccione - } [HHS028_DAY_#] Año: { - Seleccione - } [HHS028_YEAR_#]
RANGE	HHS028_MONTH: List months in order. 1 = "January", 2 = "February", ... 12 = "December" HHS028_DAY: List days in order 1-31 HHS028_YEAR: 2008-2017
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20.
CHECK (ENG)	If date combination does not exist (e.g. February 30) display hard check: Please enter a valid date.
CHECK (SPAN)	If date combination does not exist (e.g. February 30) display hard check: Ingrese una fecha válida.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS027
<i>NEXT</i>	If HHS028_YEAR=DK or REF: HHS030 Else: HHS029

HHS029_#	
ASK	HHS028≠DK or REF (Continue HHS Loop 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_HHS028_#: 'FILL_HHS028' Use fill from f_HHS028_#: 'FILL_HHS028_MONTH' Use fill from f_HHS028_#: 'FILL_HHS028_DAY' Use fill from f_HHS028_#: 'FILL_HHS028_YEAR'
FILLS (SPAN)	Create fill, FILL_HHS0291S If LOOP NUM = 1, FILL_HHS0291S: 'su' Else, FILL_HHS0291S: 'la' Create fill, FILL_HHS0292S If LOOP NUM = 1, FILL_HHS0292S: EMPTY Else, FILL_HHS0292S: 'de ^{FILL_HHNAME}' Use fill from f_HHS028_#: 'FILL_HHS028_MONTH' Use fill from f_HHS028_#: 'FILL_HHS028_DAY' Use fill from f_HHS028_#: 'FILL_HHS028_YEAR'
ENGLISH	You have entered ^{FILL_HHS028} birthdate as ^{FILL_HHS028_MONTH} ^{FILL_HHS028_DAY}, ^{FILL_HHS028_YEAR}. Is this correct? 1. Yes 0. No
SPANISH	Ingresó ^{FILL_HHS0291S} fecha de nacimiento ^{FILL_HHS0292S} como ^{FILL_HHS028_DAY} de ^{FILL_HHS028_MONTH}, de ^{FILL_HHS028_YEAR}. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. Set YOUTH_DOB=HHS028 and set YOUTH_AGE based on YOUTH_DOB If HHS029=1 and HHS028_YEAR in (2009:2014) then set HH_ELIGIBLEYOUTH=1; else if HHS029=1 and HHS028_YEAR not in (2009:2014), set ELIGIBLEYOUTH=0. If HH_ELIGIBLEYOUTH=1, add HH_UID to YOUTHROSTER and remove from NONYOUTHROSTER and set: YOUTH_NAME=HH_NAME YOUTHROSTERNUM=(YOUTHROSTERNUM+1)

<i>CHECK (ENG)</i>	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know" or "Prefer not to answer."'
<i>CHECK (SPAN)</i>	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
MODE	CAWI
NOTES	
LEAD-IN	f_HHS028
NEXT	If HHS029=0: HHS028 If HH_ELIGIBLEYOUTH=1: HHS031 ELSE: HHS035

HHS030_#	
ASK	HHS028≠DK or REF (Continue HHS Loop 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill HHS030 If ROSTERLINE=1 HHS030='Have you' Else HHS030= 'Has ^{FILL_HH_NAME}'
FILLS (SPAN)	Create fill HHS030 If ROSTERLINE=1 HHS030='Ha cumplido usted' Else HHS030= 'Ha cumplido ^{FILL_HH_NAME}'
ENGLISH	^{FILL_HHS030} had a birthday since January 1st of this year? 1. Yes 0. No
SPANISH	¿^{FILL_HHS030} años desde el 1.º de enero de este año? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. Set HH_ELIGIBLEYOUTH=1 if ((INTERVIEWYEAR = 2027 or 2026) and HHS027=11) OR (INTERVIEWYEAR = 2028 and HHS027=12) and HHS030=0) OR if ((INTERVIEWYEAR = 2027 or 2026) and HHS027=17) OR ((INTERVIEWYEAR = 2028 and HHS027=18) and HHS030=1); else set HH_ELIGIBLEYOUTH=0. If HH_ELIGIBLEYOUTH=1, add HH_UID to YOUTHROSTER and set: YOUTH_NAME=HH_NAME YOUTHROSTERNUM=(YOUTHROSTERNUM+1)
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	f_HHS028
NEXT	If HH_ELIGIBLEYOUTH=1: HHS031 Else: HHS035

f_HHS031_# HHS031_AMERINDIAN_#/HHS031_ASIAN_#/HHS031_BLACK_#/HHS031_HISPAN_#/HHS031_MIDEAST_#/HHS031_NATIVHAW_#/HHS031_WHITE_#	
ASK	HH_ELIGIBLEYOUTH=1 (yes) (Continue HHS Loop 2)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	What is ^{FILL_YOUTH_NAME}'s race and/or ethnicity? <i>Select all that apply.</i> American Indian or Alaska Native [HHS031_AMERINDIAN_#] Asian [HHS031_ASIAN_#] Black or African American [HHS031_BLACK_#] Hispanic or Latino [HHS031_HISPAN_#] Middle Eastern or North African [HHS031_MIDEAST_#] Native Hawaiian or Pacific Islander [HHS031_NATIVHAW_#] White [HHS031_WHITE_#]
SPANISH	¿Cuál es la raza o el origen étnico de ^{FILL_YOUTH_NAME}? <i>Seleccione todas las opciones que correspondan.</i> Indígena de las Américas o nativo(a) de Alaska [HHS031_AMERINDIAN_#] Asiático(a) [HHS031_ASIAN_#] Negro(a) o afroamericano(a) [HHS031_BLACK_#] Hispano(a) o latino(a) [HHS031_HISPAN_#] De Medio Oriente o África del norte [HHS031_MIDEAST_#] Nativo(a) de Hawái o de otras islas del Pacífico [HHS031_NATIVHAW_#] Blanco(a) [HHS031_WHITE_#]
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. Code each item in item as 0 if not selected, 1 if selected. ADD YOUTH_RACE to YOUTHROSTER: List variable: If HHS031_AMERINDIAN_# = 1, append 1 "American Indian"; if HHS031_ASIAN_# = 1, append 2 "Asian"; if HHS031_BLACK_# = 1, append 3 "Black"; if HHS031_HISPAN_# = 1, append 4 "Hispanic"; if HHS031_MIDEAST_# = 1, append 5 "Middle Eastern "; if HHS031_NATIVEHAW_# = 1, append 6 "Native Hawaiian"; if HHS031_WHITE_# = 1, append "White".
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.''
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.''
HELP TEXT (ENG)	American Indian or Alaska Native: For example, Navajo Nation, Blackfeet Tribe of the Blackfeet Indian Reservation of Montana, Native Village of Barrow Inupiat Traditional Government, Nome Eskimo Community, Aztec, Maya, etc.

	Asian: For example, Chinese, Asian Indian, Filipino, Vietnamese, Korean, Japanese, etc. Black or African American: For example, African American, Jamaican, Haitian, Nigerian, Ethiopian, Somali, etc. Hispanic or Latino: For example, Mexican, Puerto Rican, Salvadoran, Cuban, Dominican, Guatemalan, etc. Middle Eastern or North African: For example, Lebanese, Iranian, Egyptian, Syrian, Iraqi, Israeli, etc. Native Hawaiian or Pacific Islander: For example, Native Hawaiian, Samoan, Chamorro, Tongan, Fijian, Marshallese, etc. White: For example, English, German, Irish, Italian, Polish, Scottish, etc.
HELP TEXT (SPAN)	Indígena de las Américas o nativo(a) de Alaska: Por ejemplo, de la Nación Navajo, Tribu Blackfeet de la Reserva Indígena Blackfeet de Montana, Pueblo Nativo del Gobierno Tradicional Inupiat de Barrow, Comunidad Esquimal Nome, Azteca o Maya. Asiático(a): Por ejemplo, chino(a), indio(a) asiático(a), filipino(a), vietnamita, coreano(a), japonés(a), etc. Negro(a) o afroamericano(a): Por ejemplo, afroamericano(a), jamaicano(a), haitiano(a), nigeriano(a), etíope, somalí, etc. Hispano o latino: Por ejemplo, mexicano(a), puertorriqueño(a), salvadoreño(a), cubano(a), dominicano(a), guatemalteco(a), etc. De Medio Oriente o África del Norte: Por ejemplo, libanés(a), iraní, egipcio(a), sirio(a), iraquí, israelí, etc. Nativo(a) de Hawái o de otras islas del Pacífico: Por ejemplo, nativo(a) hawaiano(a), samoano(a), chamorro(a), tongano(a), fiyiano(a), marshalés(a), etc. Blanco(a): Por ejemplo, inglés(a), alemán(a), irlandés(a), italiano(a), polaco(a), escocés(a), etc.
MODE	CAWI
NOTES	
LEAD-IN	HHS030, HHS029
NEXT	HHS032

HHS032_#	
ASK	HH_ELIGIBLEYOUTH=1 (yes) (Continue HHS Loop 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Does ^{FILL_YOUTH_NAME} live here most of the time, live here about half the time, or live somewhere else most of the time? 1. Lives here most of the time 2. Lives here about half the time 0. Lives somewhere else most of the time
SPANISH	¿^{FILL_YOUTH_NAME} vive aquí la mayor parte del tiempo, vive aquí la mitad del tiempo o vive en otro lugar la mayor parte del tiempo? 1. Vive aquí la mayor parte del tiempo 2. Vive aquí la mitad del tiempo 0. Vive en otro lugar la mayor parte del tiempo
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. If HHS032_#=0 set HH_ELIGIBLEYOUTH=0 Update YOUTH_RESIDENCE=HHS032
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	Please choose "Lives here most of the time" if this is the youth's primary residence, even if they are currently traveling, away at school or college, or in the hospital, prison, or jail, or any other type of institution.
HELP TEXT (SPAN)	Seleccione "Vive aquí la mayor parte del tiempo" si esta es la residencia principal del joven, incluso si actualmente está viajando, estudiando en la escuela o la universidad, o en el hospital, la prisión, la cárcel o cualquier otro tipo de institución.
MODE	CAWI
NOTES	
LEAD-IN	HHS031
NEXT	If HHS032=1: HHS035 Else: HHS033

HHS033_#	
ASK	HHS032#1 (Continue HHS Loop 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Does a biological, adoptive or step-parent or legal guardian of ^{FILL_YOUTH_NAME} live in this household? 1. Yes 0. No
SPANISH	¿Vive en este hogar un(a) padre/madre biológico(a) o adoptivo(a), padrastro/madrastra, o tutor legal de ^{FILL_YOUTH_NAME} ? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. If HHS033_#=0, then set HH_ELIGIBLEYOUTH=0.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
HELP TEXT (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
MODE	CAWI
NOTES	
LEAD-IN	HHS032
NEXT	If HHS033=1: HHS035 Else: HHS034

HHS034_#	
ASK	If HHS033#1 (Continue HHS Loop 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Does a biological, adoptive or step-parent of ^{FILL_YOUTH_NAME} live at the other place where ^{FILL_YOUTH_NAME} also lives? 1. Yes 0. No
SPANISH	¿Vive un(a) padre/madre biológico(a), adoptivo(a) o padrastro/madrastra de ^{FILL_YOUTH_NAME} en el otro lugar donde vive ^{FILL_YOUTH_NAME} también? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS033
NEXT	HHS035

HHS035_#	
ASK	All respondents (Continue HHS Loop 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_HHS028_#: 'FILL_HHS028'
FILLS (SPAN)	Create fill, FILL_HHS0351S If ROSTER LINE=1, FILL_HHS0351S: "su" Else, FILL_HHS0351S: 'el' Create fill, FILL_HHS0352S If LOOP NUM=1, FILL_HHS0352S: EMPTY Else, FILL_HHS0352S: 'de ^{FILL_HHNAME}'
ENGLISH	What is ^{FILL_HHS028} sex? 1. Male 2. Female
SPANISH	¿Cuál es ^{FILL_HHS03581S} sexo ^{FILL_HHS0352S}? 1. Masculino 2. Femenino
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. If HHS035≠DK or REF, Update 'HH_SEX' = HHS035
CHECK (ENG)	If left missing, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If left missing, display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS023, HHS024, HHS025, HHS027, HHS029, HHS030, HHS032=1, HHS033=1, HHS034
NEXT	HHS035VERIFY

HHS035VERIFY_#_#	
ASK	All respondents (End HHS Loop 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS023: FILL_HH_NAME Create fill, FILL_HH_AGE: If HH_AGE not missing, FILL_AGE: 'HH_AGE years old' from sample preload Else if HH_AGERANGE=1 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '10 years old or younger' Else if HH_AGERANGE=1 and INTERVIEWYEAR=2028, FILL_HH_AGE: '11 years old or younger' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '11 to 17 years old' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2028, FILL_HH_AGE: '12 to 18 years old' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '18 to 23 years old' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2028, FILL_HH_AGE: '19 to 23 years old' Else if HH_AGERANGE=4 FILL_HH_AGE: '24 to 31 years old' Else if HH_AGERANGE=5 FILL_HH_AGE: '32 to 40 years old' Else if HH_AGERANGE=6 FILL_HH_AGE: '41 years old or older' Else FILL_HH_AGE: 'of unknown age' Create FILL_HHS035_1. IF ROSTERLINE=1, FILL_HHS035_1: 'you, ^{FILL_HH_NAME}, are' Else, FILL_HHS035_1: '^{FILL_HH_NAME} is' Create FILL_HHS035_2. IF ROSTERLINE=1, FILL_HHS035_2: 'your' Else, FILL_HHS035_2: 'their' Create fill, FILL_HH_SEX If HH_SEX not missing, FILL_HH_SEX : 'HH_SEX' Else FILL_HH_SEX : 'unknown'
FILLS (SPAN)	Use fill from HHS023: FILL_HH_NAME Create fill, FILL_HH_AGE: If HH_AGE not missing, FILL_AGE: 'HH_AGE years old' from sample preload

Else if HH_AGERANGE=1 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '10 o menos' Else if HH_AGERANGE=1 and INTERVIEWYEAR=2028, FILL_HH_AGE: '11 o menos' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '11 a 17' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2028, FILL_HH_AGE: '12 a 18' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '18 a 23' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2028, FILL_HH_AGE: '19 a 23' Else if HH_AGERANGE=4 FILL_HH_AGE: '24 a 31' Else if HH_AGERANGE=5 FILL_HH_AGE: '32 a 40' Else if HH_AGERANGE=6 FILL_HH_AGE: '41 o más' Else FILL_HH_AGE: 'desconocido'' Create FILL_HHS035_1. IF ROSTERLINE=1, FILL_HHS035_1: 'usted, ^{FILL_HH_NAME}' Else, FILL_HHS035_1: '^ {FILL_HH_NAME}' Create FILL_HHS035_2. IF ROSTERLINE=1, FILL_HHS035_2: 'su' Else, FILL_HHS035_2: 'su' Create fill, FILL_HH_SEX If HH_SEX not missing, FILL_HH_SEX : 'HH_SEX' Else FILL_HH_SEX : 'desconocido'	
ENGLISH	To confirm then, ^{FILL_HHS035_1} ^{FILL_HH_AGE} and ^{FILL_HHS035_2} sex is ^{FILL_HH_SEX}. Is this correct? 1. Yes 0. No
SPANISH	Para confirmar, ^{FILL_HHS035_1} tiene ^{FILL_HH_AGE} años y ^{FILL_HHS035_2} sexo es ^{FILL_HH_SEX}. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 2 (HHS023_#- HHS035VERIFY_#) for all in NONYOUTHROSTER until NONYOUTHROSTERNUM reached or MAX LOOPS = 20. DO NOT DISPLAY DK AND REF RESPONSES
CHECK (ENG)	If HHS035VERIFY=0, DISPLAY HARD CHECK WITH LINK TO HHS024_#: Click here to make corrections.
CHECK (SPAN)	If HHS035VERIFY=0, DISPLAY HARD CHECK WITH LINK TO HHS024_#: Haga clic aquí para hacer correcciones.

<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS035
<i>NEXT</i>	If HHROSTER LINE=20 and any household member has HH_ELIGIBLEYOUTH=1: HHS051 Else if HHROSTER LINE=20:HHS050 Else if LOOPNUMBER< NONYOUTHROSTERNUM: Loop again (HHS023) Else HHS036

HHS036	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_HH_NAMES: Display the {HH_NAME} for each household member on its own line.
FILLS (SPAN)	Create fill, FILL_HH_NAMES: Display the {HH_NAME} for each household member on its own line.
ENGLISH	We now have the following people listed for your household: ^{FILL_HH_NAMES} Is there anyone else who usually lives with you that we haven't talked about? 1. Yes 0. No
SPANISH	Actualmente tenemos las siguientes personas listadas para su hogar: ^{FILL_HH_NAMES} ¿Hay alguien más que viva habitualmente con usted de quien no hayamos hablado? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Update YOUTHROSTER to include all HH members with HH_ELIGIBLEYOUTH=1 Sort YOUTHROSTER by YOUTH_DOB (or YOUTH_AGE if YOUTH_DOB missing) Create Variable OLDESTYOUTH=YOUTH_NAME for the first (oldest) youth on the roster
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS035VERIFY
NEXT	If HHS036=1: HHS037 Else if any household member has HH_ELIGIBLEYOUTH=1: HHS050 Else: HHS050a

HHS037_#	
ASK	HHS036=1 OR HHS049a=1 (Begin HHS Loop 3)
QUESTION TYPE	Textbox
FILLS (ENG)	Create fill, FILL_HHS037_1: If first time through loop, FILL_HHS037_1: BLANK Else, FILL_HHS037_1: "next" Create fill, FILL__HHS037. If HHS049a_#=0, FILL_HHS037: 'What is the correct name for this household member?' Else, FILL_HHS037: 'What is the first name of the ^{FILL_HHS037_1} household member not listed? If two or more people in your household share the same name, please provide a unique name or nickname for each person to help us tell them apart.'
FILLS (SPAN)	Create fill, FILL_HHS037_1: If first time through loop, FILL_HHS037_1: BLANK Else, FILL_HHS037_1: "siguiente" Create fill, FILL__HHS037. If HHS049a_#=0, FILL_HHS037: '¿Cuál es el nombre correcto de este miembro del hogar?' Else, FILL_HHS037: '¿Cuál es el nombre del ^{FILL_HHS037_1} miembro del hogar que no aparece en la lista? Si dos o más personas de su hogar comparten el mismo nombre, proporcione un nombre o apodo único para cada una para que podamos distinguirlas.'
ENGLISH	^{FILL_HHS037} Enter first name: _____
SPANISH	^{FILL_HHS037} Ingrese el nombre: _____
RANGE	
LIMITS	Max 20 characters
LOOP MAX	10
PROGRAM. NOTES	Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10. Create new HH_UID for new household member Create variable HHSLOOP3[#].HH_UID=HH_UID_# Update HH_NAME for new HH member and set = HHS037_# Do NOT display DK and REF.
CHECK (ENG)	INCLUDE A SOFT CHECK FOR DUPLICATE NAMES: "You have already used this name for another member of the household. It is helpful to have unique names as we go through the questions to avoid confusion. Does this person have a nickname or additional name you could add here to make the name unique?"

	IF left missing, DISPLAY HARD CHECK: "Please provide a first name or nickname for this person to avoid confusion."
CHECK (SPAN)	INCLUDE A SOFT CHECK FOR DUPLICATE NAMES: "Ya ha usado este nombre para otro(a) miembro del hogar. Es útil tener nombres únicos a medida que avanzamos en las preguntas para evitar confusiones. ¿Tiene esta persona algún apodo o nombre adicional que pueda agregar aquí para que el nombre sea único?" IF left missing, DISPLAY HARD CHECK: "Indique el nombre o apodo de esta persona para evitar confusiones."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS036=1, HHS046=1; HHS048; HHS039; HHS040; HHS044; HHS043
NEXT	HHS038

HHS038_#	
ASK	HHS036=1 (Continue HHS Loop 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill FILL_HHS038: 'HHS037'
FILLS (SPAN)	Create fill FILL_HHS038: 'HHS037'
ENGLISH	What is ^{FILL_HHS038}'s sex? 1. Male 2. Female
SPANISH	¿Cuál es el sexo de ^{FILL_HHS038}? 1. Masculino 2. Femenino
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10. Update HH_SEX for new HH member and set = HHS038_#
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS037
NEXT	HHS039

HHS039_#	
ASK	HHS036=1 (Continue HHS Loop 3)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from HHS038: 'FILL_HHS038'
FILLS (SPAN)	Use fill from HHS038: 'FILL_HHS038'
ENGLISH	What is ^{FILL_HHS038}'s age? Age in years: __
SPANISH	¿Cuál es la edad de ^{FILL_HHS038}? Edad en años: __
RANGE	0-120
LIMITS	Max 3 digits
LOOP MAX	10
PROGRAM. NOTES	Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10. Set HH_AGE= HHS039_# If INTERVIEWYEAR = 2027 or 2026 and HHS039 NOT in (11:17) OR (If INTERVIEWYEAR = 2028 and HHS039 NOT in (12:18)): set HH_ELIGIBLEYOUTH=0
CHECK (ENG)	If HHS039 is out of range, display hard check: Please enter a valid age between 0 and 120. If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""'
CHECK (SPAN)	If HHS039 is out of range, display hard check: Ingrese una edad válida entre 0 y 120. If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS038
NEXT	If HHS039(current age)=missing or DK or REF: HHS040 If INTERVIEWYEAR = 2027 or 2026 and HHS039 in (11:17) OR (If INTERVIEWYEAR = 2028 and HHS039 in (12:18)): HHS041 Else: HHS049a

HHS040_#	
ASK	HHS039=DK or REF (Continue HHS Loop 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS038: 'FILL_HHS038' Create fill, FILL_HHS040_2 If INTERVIEWYEAR=2027 or 2026, FILL "10 or younger" If INTERVIEWYEAR=2028, FILL "11 or younger" Create fill, FILL_HHS040_3 If INTERVIEWYEAR=2026 or 2027, FILL "11 to 17" If INTERVIEWYEAR=2028, FILL "12 to 18" Create fill, FILL_HHS040_4 If INTERVIEWYEAR=2026 or 2027, FILL "18 to 23" If INTERVIEWYEAR=2028 FILL "19 to 23"
FILLS (SPAN)	Use fill from HHS038: 'FILL_HHS038' Create fill, FILL_HHS040_2 If INTERVIEWYEAR=2027 or 2026, FILL "10 años o menos" If INTERVIEWYEAR=2028, FILL "11 años o menos" fill, FILL_HHS040_3 If INTERVIEWYEAR=2026 or 2027, FILL "Entre 11 y 17 años" If INTERVIEWYEAR=2028, FILL "Entre 12 y 18 años" Create fill, FILL_HHS040_4 If INTERVIEWYEAR=2026 or 2027, FILL "Entre 18 y 23 años" If INTERVIEWYEAR=2028 FILL "Entre 19 y 23 años"
ENGLISH	What is ^{FILL_HHS038}'s age range? Would you say they are... 1. ^{FILL_HHS040_2} 2. ^{FILL_HHS040_3} 3. ^{FILL_HHS040_4} 4. 24 to 31 5. 32 to 40, or 6. 41 or older
SPANISH	¿Cuál es el rango de edad de ^{FILL_HHS038}? ¿Diría que tiene...? 1. ^{FILL_HHS040_2} 2. ^{FILL_HHS040_3} 3. ^{FILL_HHS040_4} 4. Entre 24 y 31 años 5. Entre 32 y 40 años, o 6. 41 años o más
RANGE	
LIMITS	

<i>LOOP MAX</i>	10
<i>PROGRAM. NOTES</i>	Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10. If HHS040_#≠2 then Set HH_AGERANGE= 'HHS040_#'
<i>CHECK (ENG)</i>	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know" or "Prefer not to answer."'
<i>CHECK (SPAN)</i>	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS039
<i>NEXT</i>	If HHS040=2: HHS041 Else: HHS049a

f_HHS041_# HHS041_MONTH_#/HHS041_DAY_#/HHS041_YEAR_#	
ASK	(If INTERVIEWYEAR = 2027 or 2026 and HHS039 in (11:17) OR (If INTERVIEWYEAR = 2028 and HHS039 in (12:18)) or if HHS040=2 (Continue HHS Loop 3)
QUESTION TYPE	HHS041_MONTH: Dropdown HHS041_DAY: Dropdown HHS041_YEAR: Dropdown
FILLS (ENG)	Use fill from HHS038: 'FILL_HHS038'
FILLS (SPAN)	Use fill from HHS038: 'FILL_HHS038'
ENGLISH	What is ^{FILL_HHS038}'s date of birth? Month: { - Select - } [HHS041_MONTH] Day: { - Select - } [HHS041_DAY] Year: { - Select - } [HHS041_YEAR]
SPANISH	¿Cuál es la fecha de nacimiento de ^{FILL_HHS038}? Mes: { - Seleccione - } [HHS041_MONTH] Día: { - Seleccione - } [HHS041_DAY] Año: { - Seleccione - } [HHS041_YEAR]
RANGE	HHS041_MONTH: List months in order. 1 = "January", 2 = "February", ... 12 = "December" HHS041_DAY: List days in order 1-31 HHS041_YEAR: List years 2008-2016 in reverse chronological order: 2016, 2015, 2014, ... 2008
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	HHS041_MONTH: List months in order. 1 = "January", 2 = "February", ... 12 = "December" HHS041_DAY: List days in order 1-31 HHS041_YEAR: List years 2008-2016 in reverse chronological order: 2016, 2015, 2014, ... 2008
CHECK (ENG)	If date combination does not exist (e.g. February 30) display hard check: Please enter a valid date.
CHECK (SPAN)	If date combination does not exist (e.g. February 30) display hard check: Ingrese una fecha válida.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS039, HHS040=2, HHS042=0

<i>NEXT</i>	(If HHS041_YEAR= DK or REF) AND (HHS039≠DK or REF): HHS044 (If HHS041_YEAR= DK or REF) AND HHS040=2: HHS043 Else: HHS042
-------------	--

HHS042_#	
<i>ASK</i>	HHS041_YEAR≠DK or REF (Continue HHS Loop 3)
<i>QUESTION TYPE</i>	Radio button
<i>FILLS (ENG)</i>	Use fill from HHS038: 'FILL_HHS038' Use fill from HHS041_MONTH: 'FILL_HHS041_MONTH' Use fill from HHS041_DAY: 'FILL_HHS041_DAY' Use fill from HHS041_YEAR: 'FILL_HHS041_YEAR'
<i>FILLS (SPAN)</i>	Use fill from HHS038: 'FILL_HHS038' Use fill from HHS041_MONTH: 'FILL_HHS041_MONTH' Use fill from HHS041_DAY: 'FILL_HHS041_DAY' Use fill from HHS041_YEAR: 'FILL_HHS041_YEAR'
<i>ENGLISH</i>	You have entered ^{FILL_HHS038}'s birthdate as ^{FILL_HHS041_MONTH} ^{FILL_HHS041_DAY}, ^{FILL_HHS041_YEAR} Is this correct? 1. Yes 0. No
<i>SPANISH</i>	He ingresado la fecha de nacimiento de ^{FILL_HHS038} como el ^{FILL_HHS041_DAY} de ^{FILL_HHS041_MONTH} de ^{FILL_HHS041_YEAR} ¿Es esto correcto? 1. Sí 0. No
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	10
<i>PROGRAM. NOTES</i>	If DOI_YEAR=2026 and if HHS042=1 and HHS041_YEAR in (2009:2014) then set HH_ELIGIBLEYOUTH=1; else if DOI_YEAR=2026 and if HHS042=1 and HHS041_YEAR not in (2009:2014), set ELIGIBLEYOUTH=0. Else if HHS042=1 and HHS041_YEAR in (2010:2015) then set HH_ELIGIBLEYOUTH=1; else if HHS042=1 and HHS041_YEAR not in (2010:2015), set ELIGIBLEYOUTH=0. Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10.
<i>CHECK (ENG)</i>	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""'

	If HHS042=0, DISPLAY HARD CHECK: Click here to update the Date of Birth.
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar." If HHS042=0, DISPLAY HARD CHECK: Haga clic aquí para actualizar la fecha de nacimiento.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS041
NEXT	: If ELIGIBLEYOUTH=1: HHS045 Else: HHS049a

HHS043_#	
ASK	If (HHS041_YEAR=(DK or REF)) AND HHS040=2 (Continue HHS Loop 3)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from HHS038: 'FILL_HHS038'
FILLS (SPAN)	Use fill from HHS038: 'FILL_HHS038'
ENGLISH	How old was ^{FILL_HHS038} on their last birthday? Age in years: __
SPANISH	¿Qué edad cumplió ^{FILL_HHS038} en su último cumpleaños? Edad (en años): __
RANGE	0-120
LIMITS	Max 3 digits
LOOP MAX	10
PROGRAM. NOTES	IF HHS043 in (12:17), set HH_ELIGIBLEYOUTH=1 and set YOUTH_AGE=HHS043_# Else set HH_AGE=HHS043_# Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10.
CHECK (ENG)	If HHS043=DK or REF, display soft check: "We need to know this person's age to determine their eligibility for the study. If you are not able to provide an age for this person, we cannot confirm their eligibility and we cannot interview them."
CHECK (SPAN)	If HHS043=DK or REF, display soft check: "Necesitamos saber la edad de esta persona para determinar si cumple los requisitos para participar en el estudio. Si no puede darnos la edad de esta persona, no podremos confirmar que cumple los requisitos y no podremos entrevistarla."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	
NOTES	
LEAD-IN	HHS041
NEXT	(If INTERVIEWYEAR = 2027 or 2026 and HHS043=11 or 17 OR (If INTERVIEWYEAR = 2028 and HHS043=12 or 18): HHS044 IF HHS043 in (12:17): HHS045 Else: HHS049a

HHS044_#	
ASK	(If INTERVIEWYEAR = 2027 or 2026 and (HHS043=11 or 17 or HHS039=11 or 17)) OR (If INTERVIEWYEAR = 2028 and (HHS043=12 or 18 or HHS039=12 or 18)) (Continue HHS Loop 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS038: 'FILL_HHS038'
FILLS (SPAN)	Use fill from HHS038: 'FILL_HHS038'
ENGLISH	Has ^{FILL_HHS038} had a birthday since January 1st of this year? 1. Yes 0. No
SPANISH	¿^{FILL_HHS038} ha cumplido años desde el 1.º de enero de este año? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Set HH_ELIGIBLEYOUTH=1 If (INTERVIEWYEAR = 2027 or 2026 and (HHS043=11 or HHS039=11)) OR INTERVIEWYEAR = 2028 and (HHS043=12 or HHS039=12)) and HHS044=0) OR ((INTERVIEWYEAR = 2027 or 2026 and (HHS043=17 or HHS039=17)) OR (INTERVIEWYEAR = 2028 and (HHS043=18 or HHS039=18)) and HHS044=1); else set HH_ELIGIBLEYOUTH=0 Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "Don't know" or "Prefer not to answer."'
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS043, HHS039
NEXT	If HH_ELIGIBLEYOUTH=1: HHS045 Else: HHS049a

f_HHS045_# HHS045_AMERINDIAN_#/HHS045_ASIAN_#/HHS045_BLACK_#/HHS045_HISPAN_#/HHS045_MIDEAST_#/HHS045_NATIVHAW_#/HHS045_WHITE_#	
ASK	HH_ELIGIBLEYOUTH=1 (Continue HHS Loop 3)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from HHS038: 'FILL_HHS038'
FILLS (SPAN)	Use fill from HHS038: 'FILL_HHS038'
ENGLISH	What is ^{FILL_HHS038}'s race and/or ethnicity? You may choose more than one answer. American Indian or Alaska Native [HHS045_AMERINDIAN] Asian [HHS045_ASIAN] Black or African American [HHS045_BLACK] Hispanic or Latino [HHS045_HISPAN] Middle Eastern or North African [HHS045_MIDEAST] Native Hawaiian or Pacific Islander [HHS045_NATIVHAW] White [HHS045_WHITE]
SPANISH	¿Cuál es la raza o el origen étnico de ^{FILL_HHS038}? Puede elegir más de una respuesta. Indígena de las Américas o nativo(a) de Alaska [HHS045_AMERINDIAN] Asiático(a) [HHS045_ASIAN] Negro(a) o afroamericano(a) [HHS045_BLACK] Hispano(a) o latino(a) [HHS045_HISPAN] De Medio Oriente o África del Norte [HHS045_MIDEAST] Nativo(a) de Hawái o de otras islas del Pacífico [HHS045_NATIVHAW] Blanco(a) [HHS045_WHITE]
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Code each item in item as 0 if not selected, 1 if selected. Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10. ADD YOUTH_RACE to YOUTHROSTER: List variable: If HHS045_AMERINDIAN_# = 1, append 1 "American Indian"; if HHS045_ASIAN_# = 1, append 2 "Asian"; if HHS045_BLACK_# = 1, append 3 "Black"; if HHS045_HISPAN_# = 1, append 4 "Hispanic"; if HHS045_MIDEAST_# = 1, append 5 "Middle Eastern "; if HHS045_NATIVEHAW_# = 1, append 6 "Native Hawaiian"; if HHS045_WHITE_# = 1, append "White".
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "Prefer not to answer."'
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'

<i>HELP TEXT (ENG)</i>	American Indian or Alaska Native: For example, Navajo Nation, Blackfeet Tribe of the Blackfeet Indian Reservation of Montana, Native Village of Barrow Inupiat Traditional Government, Nome Eskimo Community, Aztec, Maya, etc. Asian: For example, Chinese, Asian Indian, Filipino, Vietnamese, Korean, Japanese, etc. Black or African American: For example, African American, Jamaican, Haitian, Nigerian, Ethiopian, Somali, etc. Hispanic or Latino: For example, Mexican, Puerto Rican, Salvadoran, Cuban, Dominican, Guatemalan, etc. Middle Eastern or North African: For example, Lebanese, Iranian, Egyptian, Syrian, Iraqi, Israeli, etc. Native Hawaiian or Pacific Islander: For example, Native Hawaiian, Samoan, Chamorro, Tongan, Fijian, Marshallese, etc. White: For example, English, German, Irish, Italian, Polish, Scottish, etc.
<i>HELP TEXT (SPAN)</i>	Indígena de las Américas o nativo(a) de Alaska: Por ejemplo, de la Nación Navajo, Tribu Blackfeet de la Reserva Indígena Blackfeet de Montana, Pueblo Nativo del Gobierno Tradicional Inupiat de Barrow, Comunidad Esquimal Nome, Azteca o Maya. Asiático(a): Por ejemplo, chino(a), indio(a) asiático(a), filipino(a), vietnamita, coreano(a), japonés(a), etc. Negro(a) o afroamericano(a): Por ejemplo, afroamericano(a), jamaicano(a), haitiano(a), nigeriano(a), etíope, somalí, etc. Hispano o latino: Por ejemplo, mexicano(a), puertorriqueño(a), salvadoreño(a), cubano(a), dominicano(a), guatemalteco(a), etc. De Medio Oriente o África del Norte: Por ejemplo, libanés(a), iraní, egipcio(a), sirio(a), iraquí, israelí, etc. Nativo(a) de Hawái o de otras islas del Pacífico: Por ejemplo, nativo(a) hawaiano(a), samoano(a), chamorro(a), tongano(a), fiyiano(a), marshalés(a), etc. Blanco(a): Por ejemplo, inglés(a), alemán(a), irlandés(a), italiano(a), polaco(a), escocés(a), etc.
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS042, HHS043, HHS044
<i>NEXT</i>	HHS046

HHS046_#	
<i>ASK</i>	HH_ELIGIBLEYOUTH=1 (Continue HHS Loop 3)
<i>QUESTION TYPE</i>	Radio button
<i>FILLS (ENG)</i>	Use fill from HHS038: 'FILL_HHS038'
<i>FILLS (SPAN)</i>	Use fill from HHS038: 'FILL_HHS038'
<i>ENGLISH</i>	Does ^{FILL_HHS038} live here most of the time, live here about half the time, or live somewhere else most of the time? 1. Lives here most of the time 2. Lives here about half the time 0. Lives somewhere else most of the time

SPANISH	¿^{FILL_HHS038} vive aquí la mayor parte del tiempo, vive aquí la mitad del tiempo o vive en otro lugar la mayor parte del tiempo? 1. Vive aquí la mayor parte del tiempo 2. Vive aquí la mitad del tiempo 0. Vive en otro lugar la mayor parte del tiempo
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10. If HHS046_#=0, then set HH_ELIGIBLEYOUTH=0. Set YOUTH_RESIDENCE=HHS046_#
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS045
NEXT	If HHS046=1: HHS049a Else: HHS047

HHS047_#	
ASK	HHS046#1 (Continue HHS Loop 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS038: 'FILL_HHS038'
FILLS (SPAN)	Use fill from HHS038: 'FILL_HHS038'
ENGLISH	Does a biological, adoptive, or step-parent or legal guardian of ^{FILL_HHS038} live in this household? 1. Yes 0. No
SPANISH	¿Vive en este hogar un(a) padre/madre biológico(a) o adoptivo(a), padrastro/madrastra o tutor legal de ^{FILL_HHS038}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10. If HHS047_#=0, then set HH_ELIGIBLEYOUTH=0.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS046=0 or 2 or DK or REF
NEXT	If HHS047=1: HHS049a Else: HHS048

HHS048_#	
ASK	If HHS047 ≠1(Continue HHS Loop 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS038: 'FILL_HHS038'
FILLS (SPAN)	Use fill from HHS038: 'FILL_HHS038'
ENGLISH	Does a biological, adoptive or step-parent of ^{FILL_HHS038} live at the other place where ^{FILL_HHS038} also lives? 1. Yes 0. No
SPANISH	¿Vive un(a) padre/madre biológico(a), adoptivo(a) o padrastro/madrastra de ^{FILL_HHS038} en el otro lugar donde vive ^{FILL_HHS038} también? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS047
NEXT	HHS049a

HHS049a_#	
ASK	HHS036=1 (End HHS Loop 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill FILL_HH_NAME: Fill 'HH_NAME' from HHROSTER Create fill, FILL_HH_AGE: If HH_AGE not missing, FILL_AGE: 'HH_AGE years old' from sample preload Else if HH_AGERANGE=1 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '10 years old or younger' Else if HH_AGERANGE=1 and INTERVIEWYEAR=2028, FILL_HH_AGE: '11 years old or younger' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '11 to 17 years old' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2028, FILL_HH_AGE: '12 to 18 years old' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '18 to 23 years old' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2028, FILL_HH_AGE: '19 to 23 years old' Else if HH_AGERANGE=4 FILL_HH_AGE: '24 to 31 years old' Else if HH_AGERANGE=5 FILL_HH_AGE: '32 to 40 years old' Else if HH_AGERANGE=6 FILL_HH_AGE: '41 years old or older' Else FILL_HH_AGE: 'of unknown age' Create fill, FILL_HH_SEX If HH_SEX not missing, FILL_HH_SEX : 'HH_SEX' Else FILL_HH_SEX : 'unknown'
FILLS (SPAN)	Create fill FILL_HH_NAME: Fill 'HH_NAME' from HHROSTER Create fill, FILL_HH_AGE: If HH_AGE not missing, FILL_AGE: 'HH_AGE years old' from sample preload Else if HH_AGERANGE=1 and INTERVIEWYEAR=2027 or 2026, FILL_HH_AGE: '10 o menos' Else if HH_AGERANGE=1 and INTERVIEWYEAR=2028, FILL_YOUTH_AGE: '11 o menos' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2027 or 2026, FILL_YOUTH_AGE: '11 a 17' Else if HH_AGERANGE=2 and INTERVIEWYEAR=2028, FILL_YOUTH_AGE: '12 a 18' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2027 or 2026, FILL_YOUTH_AGE: '18 a 23' Else if HH_AGERANGE=3 and INTERVIEWYEAR=2028, FILL_YOUTH_AGE: '19 a 23' Else if HH_AGERANGE=4 FILL_YOUTH_AGE: '24 a 31'

	Else if HH_AGERANGE=5 FILL_YOUTH_AGE: '32 a 40' Else if HH_AGERANGE=6 FILL_YOUTH_AGE: '41 o más' Else FILL_YOUTH_AGE: 'una edad desconocida' Create fill, FILL_HH_SEX If HH_SEX not missing, FILL_HH_SEX : 'HH_SEX' Else FILL_HH_SEX : 'desconocido'
ENGLISH	To confirm then, ^{FILL_HH_NAME} is ^{FILL_HH_AGE} and their sex is ^{FILL_HH_SEX}. Is this correct? 1. Yes 0. No
SPANISH	Para confirmar, ^{FILL_HH_NAME} tiene ^{FILL_HH_AGE} años y su sexo es ^{FILL_HH_SEX}. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS Loop 3 (HHS037_#- HHS049b_#) to add household members to roster until HHS049b=0 or MAX LOOP=10. DO NOT DISPLAY DK and REF
CHECK (ENG)	If HHS049a=0, DISPLAY HARD CHECK WITH LINK TO HHS037_#: Click here to make corrections.
CHECK (SPAN)	If HHS049a=0, DISPLAY HARD CHECK WITH LINK TO HHS037_#: Haga clic aquí para hacer correcciones.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	HHS046=1; HHS048; HHS039; HHS040; HHS044; HHS043
NEXT	HHS049b

HHS049b_#	
ASK	All respondents

QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_HHLIST: Display the {HH_NAME} for each household member on its own line.
FILLS (SPAN)	Create fill, FILL_HHLIST: Display the {HH_NAME} for each household member on its own line.
ENGLISH	We now have the following people listed for your household: ^{ FILL_HHLIST} Is there anyone else who usually lives here that has not been mentioned? 1. Yes 0. No
SPANISH	Ahora tenemos a las siguientes personas en la lista de su hogar: ^{ FILL_HHLIST} ¿Hay alguien más que viva habitualmente aquí que no se haya mencionado? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop HHS Loop 3 (HHS037 #- HHS049b_#) to add household members to roster until HHS049=0 or MAX LOOP=10.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "Don't know" or "Prefer not to answer."
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS049a
NEXT	If HHS049b=1 and HH_ELIGIBLEYOUTH=1 for at least one person on HH roster: HHS051 If HHS049b=1: Loop again (HHS037) HH_ELIGIBLEYOUTH=1 for at least one person on HH roster: HHS050

Else: HHS050a

HHS050_#	
ASK	All respondents with at least one eligible youth in HH
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	THIS IS COMPUTER CHECK. DO NOT DISPLAY. Create new household level variables: Scrn_HH_Hisp Scrn_HH_Blk Scrn_HH_Asian Scrn_HH_Other Select_HH If YOUTH_RACE_1=1 or YOUTH_RACE_5=1 or YOUTH_RACE_6=1 or YOUTH_RACE_7=1 for any youth, then set Scrn_HH_Other=1 If YOUTH_RACE_2=1 for any youth, then set Scrn_HH_Asian=1 If YOUTH_RACE_3=1 for any youth, then set Scrn_HH_Blk=1 If YOUTH_RACE_4=1 for any youth, then set Scrn_HH_Hisp=1 Else if YOUTH_RACE=missing, then set Scrn_HH_Other=1 If Scrn_HH_Hisp = 1 and Samp_HH_Hisp = 1 then Select_HH = 1; else if Scrn_HH_Blk = 1 and Samp_HH_Blk = 1 then Select_HH = 1; else if Scrn_HH_Asian = 1 and Samp_HH_Asian = 1 then Select_HH = 1; else if Scrn_HH_Other = 1 and Samp_HH_Other = 1 then Select_HH = 1; else Select_HH = 0;
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS049a
NEXT	If Select_HH=1: HHS051 Else: HHS050a

[illegible]

HHS051_#	
ASK	Select_HH =1 (Begin HHS Loop 4)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	This is a program check. Do not display screen to R. Create variable HHSLOOP4[#].HH_UID=HH_UID_# Loop HHS Loop 4 (HHS051- HHS064_LOOPEND) through each line of the HHROSTER Lock instrument up to this point (do not allow backward navigation from this item)
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	

<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS050
<i>NEXT</i>	HHS054

HHS054_#_#	
ASK	Select_HH=1 (Begin HHS Loop 4a)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill, FILL_HHS049_NAME from HHS049 Create fill, FILL_HHS051 If LOOP4a=1 AND LOOP4=1 Fill: "The next few questions are about the relationships of members of your household." Else fill: Empty Create fill for the household member selected in Loop HHS 4 , FILL_PERSON_A: 'FILL_HHS049_NAME' Create fill for the household member selected in Loop HHS 4 , FILL_PERSON_APOS: If ROSTERLINE=1, FILL_PERSON_APOS='your' Else FILL_PERSON_APOS='FILL_PERSON_A's' Create fill FILL_HHS054. If ROSTERLINE=1, FILL_HHS054: 'you are' Else FILL_HHS054: '^FILL_PERSON_A} is' Create fill for the household member selected in Loop HHS 4a , FILL_PERSON_B='FILL_HHS049_NAME' for the person who appears later on the household roster
FILLS (SPAN)	Use fill, FILL_HHS049_NAME from HHS049 Create fill, FILL_HHS051 If LOOP4a=1 AND LOOP4=1 Fill: "Las preguntas que siguen se tratan de las relaciones entre los miembros de su hogar." Else fill: Empty Create fill for the household member selected in Loop HHS 4 , FILL_PERSON_A: 'FILL_HHS049_NAME' Create fill for the household member selected in Loop HHS 4 , FILL_PERSON_APOSS1: If ROSTERLINE=1, FILL_PERSON_APOSS1='su' Else FILL_PERSON_APOSS1='la' Create fill for the household member selected in Loop HHS 4 , FILL_PERSON_AS2: If ROSTERLINE=1, FILL_PERSON_AS2= empty Else FILL_PERSON_AS2='de {FILL_HHS049_NAME}' Create fill for the household member selected in Loop HHS 4a , FILL_PERSON_B='FILL_HHS049_NAME' for the person who appears later on the household roster
ENGLISH	^{FILL_HHS_051}

	What is the relationship that best describes ^{FILL_PERSON_APOS} relationship to ^{FILL_PERSON_B}? That is, ^{FILL_HHS054} ^{FILL_PERSON_B}'s... 1. Spouse 2. Partner 3. Biological parent 4. Step-parent 5. Adoptive parent 6. Mother- or Father-in-Law 7. Sibling (Full) 8. Legal ward 9. Foster parent 10. Half-Sibling 11. Step-Sibling 12. Adoptive Sibling 13. Foster Sibling 14. Brother- or Sister-in-Law 15. Grandparent (Biological or Social) 16. Great-Grandparent or Great, Great Grandparent (Biological or Social) 17. Grandchild (Biological or Social) 18. Biological child 19. Step-child 20. Adoptive Child 21. Foster Child 22. Partner's Child 23. Son- or Daughter-in-Law 24. Aunt or Uncle (Biological or Social) 25. Great Aunt or Uncle 26. Nephew or Niece (Biological or Social) 27. Step-Niece or -Nephew 28. Foster Niece or Nephew 29. Cousin (Biological or Social) 30. Great Grandchild 31. Grandparent-in-Law or Great-Grandparent-in-Law 32. Aunt- or Uncle-in-Law 33. Cousin-in-Law 34. Legal guardian 35. Roommate 36. Other relative 37. Other non-relative
SPANISH	^{FILL_HHS_051} ¿Cuál es la relación que mejor describe ^{FILL_PERSON_APOSS1} relación ^{FILL_PERSON_AS2} con ^{FILL_PERSON_B}? Es decir, ^{FILL_PERSON_A} es el/la.... de ^{FILL_PERSON_B}? 1. Cónyuge 2. Pareja 3. Padre/madre biológico(a) 4. Padrastro/madrastra 5. Padre/madre adoptivo(a) 6. Suegro(a)

	7. Hermano(a) (DE SANGRE) 8. Guarda legal 9. Padre/madre de acogida 10. Medio(a) hermano(a) 11. Hermanastro(a) 12. Hermano(a) adoptivo(a) 13. Hermano(a) de acogida 14. Cuñado(a) 15. Abuelo(a) (biológico(a) o social) 16. Bisabuelo(a) (biológico(a) o social) 17. Nieto(a) (biológico(a) o social) 18. Hijo(a) biológico(a) 19. Hijastro(a) 20. Hijo(a) adoptivo(a) 21. Hijo(a) de acogida 22. Hijo(a) de su(s) pareja(s) 23. Yerno o nuera 24. Tío(a) (biológico(a) o social) 25. Tío(a) abuelo(a) 26. Sobrino(a) (biológico(a) o social) 27. Sobrino(a) político(a) 28. Sobrino(a) adoptivo(a) 29. Primo(a) (biológico(a) o social) 30. Bisnieto(a) 31. Abuelo(a) político(a) o bisabuelo(a) político(a) 32. Tío(a) político(a) 33. Primo(a) político(a) 34. Tutor(a) legal 35. Compañero(a) de casa 36. Otro(a) familiar 37. Otro(a) no familiar
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	190
<i>PROGRAM. NOTES</i>	Loop through each line of the HHROSTER, comparing the relationship of household member selected in HHS Loop 4 to the household member selected in HHS Loop 4a where the relationship is not already known. Create variable HHSLOOP4a[#].HH_UID=HH_UID_# Skip with the person on line 1 of the HHROSTER for the inner loop. Begin with the person on line 2, then line 3, then line 4, and so on (PERSON_B: HH_NAME[2], HH_NAME[3], HH_NAME[4] ...). Then move to the person on line 2 of the HHROSTER (PERSON_A: HH_NAME[2]) and compare them with the person on line 3, then line 4, and so on

(PERSON_B: HH_NAME[3], HH_NAME[4] ...). Continue this process until every possible unique pair has been checked.

Set person in Loop 4=PERSON_A

Set person in Loop 4a= PERSON_B

Create variable HH_RELATIONSHIP_# for each person on HH roster, with a value for relationship to each other person on the HH roster.

Set HH_RELATIONSHIP_# for person in Loop 4: person in Loop 4a=HHS054 and set

HH_RELATIONSHIP_# for person in Loop 4a: person in Loop 4 to the inverse relationship:

1: 1

2: 2

3: 18

4: 19

5: 20

6: 23

7: 7

9: 21

10: 10

11: 11

12: 12

13: 13

14: 14

15: 17

16: 30

17: 15

18: 3

19: 4

20: 5

21: 9

22: 37

23: 6

24: 26

25: 26

26: 24

27: 24

28: 24

29: 29

30: 16

31: 17

32: 26

33: 33

34: 8

35: 35

36: 36

37: 37

8: 34

Add following variables to YOUTHROSTER:

If PERSON_B has HH_ELIGIBLEYOUTH=1 and (HHS054=3 or 4 or 5 or 9 or 34) then set YOUTH_PLGHH=1 for PERSON_B

If PERSON_A has HH_ELIGIBLEYOUTH=1 and (HHS054=18 or 19 or 20 or 21 or 8) then set YOUTH_PLGHH=1 for PERSON_A

Add following variables to HHROSTER:

If PERSON_B has HH_ELIGIBLEYOUTH=1 and (HHS054=3 or 4 or 5 or 9 or 34) then set HH_ANYPLG=1 for PERSON_A

If PERSON_A has HH_ELIGIBLEYOUTH=1 and (HHS054=18 or 19 or 20 or 21 or 8) then set HH_ANYPLG=1 for PERSON_B

If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=3 then set YOUTHPLG#=1 for PERSON_A

If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=4 then set YOUTHPLG#=2 for PERSON_A

If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=5 then set YOUTHPLG#=3 for PERSON_A

If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=9 then set YOUTHPLG#=4 for PERSON_A

If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=34 then set YOUTHPLG#=95 for PERSON_A

If PERSON_A has HH_ELIGIBLEYOUTH=1 and HHS054=18 then set YOUTHPLG#=1 for PERSON_B

If PERSON_A has HH_ELIGIBLEYOUTH=1 and HHS054=19 then set YOUTHPLG#=2 for PERSON_B

If PERSON_A has HH_ELIGIBLEYOUTH=1 and HHS054=20 then set YOUTHPLG#=3 for PERSON_B

If PERSON_A has HH_ELIGIBLEYOUTH=1 and HHS054=21 then set YOUTHPLG#=4 for PERSON_B

If PERSON_A has HH_ELIGIBLEYOUTH=1 and HHS054=8 then set YOUTHPLG#=5 for PERSON_B

If PERSON_A has HH_ELIGIBLEYOUTH=1 and HHS054=1 or 6 or 7 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 24 or 25 or 29 or 32 or 33 or 36 then set HH_YOUTHPLG_#=8 for PERSON_B

If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=1 or 6 or 7 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 24 or 25 or 29 or 32 or 33 or 36 then set HH_YOUTHPLG_#=8 for PERSON_A

If PERSON_A has HH_ELIGIBLEYOUTH=1 and HHS054=35 or 37 then set HH_YOUTHPLG_#=9 for PERSON_B

If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=25 or 37 then set HH_YOUTHPLG_#=9 for PERSON_A

If HHS054=1 then set HH_SPOUSEUID (PERSON_B)=HH_UID(PERSON_A) and HH_SPOUSEUID(PERSON_A)=HH_UID(PERSON_B)

If HHS054=2 then set PARTNERID(PERSON_B)=HH_UID(PERSON_A) and PARTNERID(PERSON_A)=HH_UID(PERSON_B)

If HHS054=1 then set SPOUSENAME(PERSON_B)=HH_NAME(PERSON_A) and SPOUSENAME(PERSON_A)=HH_NAME(PERSON_B)

If HHS054=2 then set PARTNERNAME(PERSON_B)= HH_NAME(PERSON_A) and PARTNERNAME(PERSON_A)= HH_NAME(PERSON_B)

	Create Vars YOUTH_MOTHER, YOUTH_FATHER, YOUTH_BIOMOMUID, YOUTH_BIODADUID for all eligible youth and add to YOUTHROSTER If PERSON_A has HH_ELIGIBLEYOUTH=1 and (HHS054=18) and HH_SEX=1(PERSON_B) then set YOUTH_FATHER=1 for PERSON_A and set YOUTH_BIODADUID=HH_UID(PERSON_B) on YOUTHROSTER of PERSON_A If PERSON_A has HH_ELIGIBLEYOUTH=1 and (HHS054=20) and HH_SEX=1(PERSON_B) then set YOUTH_FATHER=2 for PERSON_A If PERSON_A has HH_ELIGIBLEYOUTH=1 and HHS054=18 and HH_SEX=2(PERSON_B) then set YOUTH_MOTHER=1 for PERSON_A and set YOUTH_BIOMOMUID=HH_UID(PERSON_B) on YOUTHROSTER of (PERSON_A) If PERSON_A has HH_ELIGIBLEYOUTH=1 and HHS054=20 and HH_SEX=2(PERSON_B) then set YOUTH_MOTHER=2 for PERSON_A If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=3) and HH_SEX=1(PERSON_A) then set YOUTH_FATHER=1 for PERSON_B and set YOUTH_BIODADUID=HH_UID(PERSON_A) on YOUTHROSTER of (PERSON_B) If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=5 and HH_SEX=1(PERSON_A) then set YOUTH_FATHER=2 for PERSON_B If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=3 and HH_SEX=2(PERSON_A) then set YOUTH_MOTHER=1 for PERSON_B and set YOUTH_BIOMOMUID=HH_UID(PERSON_A) on YOUTHROSTER of PERSON_B If PERSON_B has HH_ELIGIBLEYOUTH=1 and HHS054=5 and HH_SEX=2(PERSON_A) then set YOUTH_MOTHER=2 for PERSON_B Loop HHS Loop 4 (HH054- HHS064_LOOPEND) through all household members to collect missing relationships Do NOT display DK/REF if left blank
CHECK (ENG)	If item left blank, display hard check 'This question is required to continue with the survey.'
CHECK (SPAN)	If item left blank, display hard check 'Esta pregunta es necesaria para continuar con la encuesta.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS051
NEXT	If HHS054=7: HHS055 If HHS054=10: HHS059 If HHS054=15 or 17: HHS060 If HHS054=16 or 30: HHS061 If HHS054=34 AND HH_ELIGIBLEYOUTH(PERSON_B)=1 OR HHS054=8 and HH_ELIGIBLEYOUTH(PERSON A)=1: HHS062 Else: HHS064_LOOPEND

HHS055_#_#	
ASK	HHS054=7 (Continue HHS Loop 4a)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	This is a program check. Do not show screen to R. If PERSON_A or PERSON_B has HH_ELIGIBLEYOUTH=1, then check: (year in YOUTH_DOB (PERSON_A)) = (year in YOUTH_DOB (PERSON_B)) AND (month in YOUTH_DOB (PERSON_A)) -(month in YOUTH_DOB (PERSON_B)) >= -1) AND (month in YOUTH_DOB (PERSON_B)) -(month in YOUTH_DOB (PERSON_A)) >= <= 1)) (are years of birth the same and months within +/- a month?) 1. YES 0. NO Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS054=7
NEXT	If HHS055=1:HHS056 Else: HHS064_LOOPEND

HHS056_#_#	
ASK	HHS055=1 (Continue HHS Loop 4a)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS054_#: FILL_PERSON_B Use fill from HHS054_#: FILL_PERSON_A Create fill for the household member selected in Loop HHS 4 , FILL_HHS056: If ROSTERLINE=1, FILL_HHS056='Were you' Else FILL_HHS056=' Was 'FILL_PERSON_A'
FILLS (SPAN)	Use fill from HHS054_#: FILL_PERSON_B Use fill from HHS054_#: FILL_PERSON_A Create fill for the household member selected in Loop HHS 4 , FILL_HHS056: If ROSTERLINE=1, FILL_HHS056='Usted' Else FILL_HHS056=' 'FILL_PERSON_A'
ENGLISH	^{FILL_HHS056} born at the same time as ^{FILL_PERSON_B}? For example, are they a twin, triplet or part of any other set of multiple births that ^{FILL_PERSON_B} is also part of? 1. Yes 0. No
SPANISH	¿^{FILL_HHS056} nació al mismo tiempo que ^{FILL_PERSON_B}? ¿Por ejemplo, es gemelo(a), trillizo(a) o parte de cualquier otro conjunto de nacimientos múltiples del que ^{FILL_PERSON_B} también forma parte? 1. Yes 0. No
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS055=1
NEXT	If HHS056=1:HHS057 Else: HHS064_LOOPEND

HHS057_#_#	
ASK	HHS056=1 (Continue HHS Loop 4a)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How many babies were born at the same time? - Two (twins) - Three (triplets) - More than three
SPANISH	¿Cuántos bebés nacieron al mismo tiempo? - Dos: gemelos(as)/mellizos(as) - Tres: trillizos(as) - Más de tres
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS056=1
NEXT	HHS058

HHS058_#_#	
ASK	HHS056=1 (Continue HHS Loop 4a)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS054_#: FILL_PERSON_B Use fill from HHS054_#: FILL_PERSON_A Create fill for the household member selected in Loop HHS 4 , FILL_HHS058: If ROSTERLINE=1, FILL_ HHS058='Are you' Else FILL_ FILL_HHS058=' Is 'FILL_PERSON_A'
FILLS (SPAN)	Use fill from HHS054_#: FILL_PERSON_B Use fill from HHS054_#: FILL_PERSON_A Create fill for the household member selected in Loop HHS 4 , FILL_HHS058: If ROSTERLINE=1, FILL_ HHS058='Usted' Else FILL_ FILL_HHS058=' 'FILL_PERSON_A'
ENGLISH	^{FILL_HHS058} identical to ^{FILL_PERSON_B}? 1. Yes 0. No
SPANISH	^{FILL_HHS058} es idéntico(a) a ^{FILL_PERSON_B}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS057
NEXT	HHS064_LOOPEND

HHS059_#_#	
ASK	HHS054=10 (Continue HHS Loop 4a)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS054_#: FILL_PERSON_B Create fill for the household member selected in Loop HHS 4 , FILL_HHS059: If ROSTERLINE=1, FILL_HHS059= 'you' Else FILL_HHS059= 'FILL_PERSON_A'
FILLS (SPAN)	Use fill from HHS054_#: FILL_PERSON_B Create fill for the household member selected in Loop HHS 4 , FILL_HHS059: If ROSTERLINE=1, FILL_HHS059= 'usted' Else FILL_HHS059= 'FILL_PERSON_A'
ENGLISH	Does this mean that ^{FILL_HHS059} and ^{FILL_PERSON_B} have the same biological mother or the same biological father? 1. Same biological mother 2. Same biological father
SPANISH	¿Significa esto que ^{FILL_HHS059} y ^{FILL_PERSON_B} tienen la misma madre biológica o el mismo padre biológico? 1. Misma madre biológica 2. Mismo padre biológico
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	Loop HHS Loop 4a (HHS054- HHS064_LOOPEND) through all household members to collect missing relationships
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "Don't know" or "Prefer not to answer."'
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS054=10
NEXT	HHS064_LOOPEND

HHS060_#_#	
ASK	HHS054=15 (Continue HHS Loop 4a)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is this a... 1. Maternal grandparent? 2. Paternal grandparent? 3. "Social" grandparent, that is not related by blood?
SPANISH	¿Se trata de un(a)... 1. Abuelo(a) materno(a) 2. Abuelo(a) paterno(a) 3. Abuelo(a) "social", que no es pariente de sangre
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS054=15
NEXT	HHS064_LOOPEND

HHS061_#_#	
ASK	HHS054=16 (Continue HHS Loop 4a)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is this a... 1. Maternal great-grandparent? 2. Paternal great-grandparent? 3. 'Social' great-grandparent, that is not related by blood?
SPANISH	¿Se trata de un(a)... 1. Bisabuelo(a) materno(a) 2. Bisabuelo(a) paterno(a) 3. Bisabuelo(a) 'social', que no es pariente de sangre
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS054
NEXT	HHS064_LOOPEND

HHS062_#_#	
ASK	HHS054=34 AND HH_ELIGIBLEYOUTH(PERSON_B)=1 OR HHS054=8 and HH_ELIGIBLEYOUTH(PERSON_A)=1 (Continue HHS Loop 4a)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS054_#: FILL_PERSON_B Use fill from HHS054_#: FILL_PERSON_A Create fill HHS062. If HHS054_#=34, fill: FILL_PERSON_B Else if HHS054_#=8, fill: FILL_PERSON_A
FILLS (SPAN)	Use fill from HHS054_#: FILL_PERSON_B Use fill from HHS054_#: FILL_PERSON_A Create fill HHS062. If HHS054_#=34, fill: FILL_PERSON_B Else if HHS054_#=8, fill: FILL_PERSON_A
ENGLISH	Is ^{FILL_PERSON_A} a relative of ^{FILL_PERSON_B}? 1. Yes 0. No
SPANISH	¿Es este(a) tutor(a) de ^{FILL_PERSON_A} pariente de ^{FILL_PERSON_B}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships Create variable HH_YOUTHRELATIVE. If HHS054_#_#=34 then set HH_YOUTHRELATIVE_#=HHS062_# for PERSON A relative to PERSON B Else if HHS054_#_#=8 then set HH_YOUTHRELATIVE_#=HHS062_# for PERSON B relative to PERSON A
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS054
NEXT	If HHS062=0: HHS063 Else: HHS064_LOOPEND

HHS063_#_#	
ASK	HHS062=0 (Continue HHS Loop 4a)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill HHS063_1. If HHS054_#=34, fill: FILL_PERSON_A Else if HHS054_#=8, fill: FILL_PERSON_B Create fill HHS063_2.Else if HHS054_#=8, fill: FILL_PERSON_A
FILLS (SPAN)	Create fill HHS063_1. If HHS054_#=34, fill: FILL_PERSON_A Else if HHS054_#=8, fill: FILL_PERSON_B Create fill HHS063_2.Else if HHS054_#=8, fill: FILL_PERSON_A
ENGLISH	Is ^{FILL_HHS063_1} a foster parent of ^{FILL_HHS063_2}? 1. Yes 2. No
SPANISH	¿Es ^{FILL_HHS063_1} un(a) padre/madre de acogida de ^{FILL_HHS063_2}? 1. Sí 2. No
RANGE	
LIMITS	
LOOP MAX	190
PROGRAM. NOTES	Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships If HHS063_#_#=1 and HHS054_#_#=34 then set HH_YOUTHPLG_#=4 for PERSON A Else if HHS063_#_#=1 and HHS054_#_#=8 then set HH_YOUTHPLG_#=4 for PERSON B
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS062=0
NEXT	HHS064

HHS064_#_#	
ASK	HHS062=0 or HHS054=9 or 21 (Continue HHS Loop 4a)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from HHS054_#: FILL_PERSON_B Use fill from HHS054_#: FILL_PERSON_A Create fill HHS064_1. If HHS054_#=34 or 9, fill: FILL_PERSON_B Else if HHS054_#=8 or 21, fill: FILL_PERSON_A Create fill HHS064_2. If HHS054_#=34, fill: FILL_PERSON_A Else if HHS054_#=8, fill: FILL_PERSON_B
FILLS (SPAN)	Use fill from HHS054_#: FILL_PERSON_B Use fill from HHS054_#: FILL_PERSON_A Create fill HHS064_1. If HHS054_#=34 or 9, fill: FILL_PERSON_B Else if HHS054_#=8 or 21, fill: FILL_PERSON_A Create fill HHS064_2. If HHS054_#=34, fill: FILL_PERSON_A Else if HHS054_#=8, fill: FILL_PERSON_B
ENGLISH	How many years has ^{FILL_HHS064_1} lived with ^{FILL_HHS064_2}? <i>If less than one year, enter '0.'</i> Number of years: _____
SPANISH	¿Cuántos años lleva ^{FILL_HHS064_1} viviendo con ^{FILL_HHS064_2}? <i>Si es menos de un año, ingrese '0.'</i> Cantidad de años: _____
RANGE	
LIMITS	Max 2 digits
LOOP MAX	190
PROGRAM. NOTES	Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships Create variable HH_YOUTHRES_# to store number of years household member lived with youth, and add to household roster, in reference to youth roster line If HHS054_#=34 or 9 then set HH_YOUTHRES_#=HHS064_#_# for PERSON A Else HHS054_#=8 or 21 then set HH_YOUTHRES_#=HHS064_#_# for PERSON B
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""' If HHS064>YOUTH_AGE, display hard check: Please enter a number of years between 0 and ^{FILL_CURRENTAGE}.

<i>CHECK (SPAN)</i>	If item left blank, display soft check ‘Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione “No sé” o “Prefiero no contestar.”’ If HHS064>YOUTH_AGE, display hard check: Ingrese un número de años entre 0 y ^{FILL_CURRENTAGE}.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS063, HHS054
<i>NEXT</i>	HHS064_LOOPEND

HHS064_LOOPEND_#	
ASK	All respondents (End HHS Loop 4)
QUESTION TYPE	Computer Check
FILLS (ENG)	Use fill from HHS062_#_#: FILL_HHS062
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	This is a computer check, do not display to R. If there are missing relationships between PERSON_A and other people on roster, Loop HHS 4 again. Else if there are additional people on the roster, Loop HHS Loop 4a again. Else go to HHS065_LOOPBEGIN Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships Loop HHS 4 (HH054- HHS064_LOOPEND) through all household members.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS063
NEXT	HHS065_LOOPBEGIN

HHS064_LOOPEND_#	
ASK	Select_HH =1 (End HHS Loop 4)
QUESTION TYPE	Computer Check
FILLS (ENG)	Use fill from HHS062_#_#: FILL_HHS062
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	This is a computer check, do not display to R. If there are missing relationships between PERSON_A and other people on roster, Loop HHS 4 again. Else if there are additional people on the roster, Loop HHS Loop 4a again. Else go to HHS065_LOOPBEGIN Loop HHS Loop 4a (HH054- HHS064_LOOPEND) through all household members to collect missing relationships Loop HHS 4 (HH054- HHS064_LOOPEND) through all household members.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS063
NEXT	HHS065_LOOPBEGIN

HHS065_PCCHECK_#	
ASK	Select_HH =1
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Update ADULTROSTER: Copy household members from HHROSTER if HH_ELIGIBLEYOUTH = 0 & (((STATE = AL or NE) & HH_AGE ≥ 19) or (STATE != AL or NE) & HH_AGE ≥ 18))). Copy fields HH_UID, HH_NAME, and HH_AGE but do not rename. Update variable, ADULTROSTERNUM: Calculate total number of adults in the ADULTROSTER. For each youth on the YOUTHROSTER, order all adults in the household according to the following hierarchy: SPANISH 1. Madre biológicaBiological mother (HH_YOUTHPLG_#=1 and HH_SEX=2) 2. Madre adoptivaAdoptive mother (HH_YOUTHPLG_#=3 and HH_SEX=2) 3. MadrastraStepmother (HH_YOUTHPLG_#=2 and HH_SEX=2) 4. Padre biológicoBiological father (HH_YOUTHPLG_#=1 and HH_SEX=1≠2) 5. Padre adoptivoAdoptive father (HH_YOUTHPLG_#=3 and HH_SEX=1≠2) 6. PadrastroStepfather (HH_YOUTHPLG_#=2 and HH_SEX=1≠2) 7. Tutor, familiarGuardian, relative (HH_YOUTHPLG_#=5 and HH_YOUTHRELATIVE=1) 8. Padre de acogida, con quien el joven convivió durante 2 o más añosFoster parent, youth lived with for 2 or more years (HH_YOUTHPLG_#=4 AND HH_YOUTHRES_#=>2) Select the household member who appears first in the hierarchy as selected parent/caregiver respondent. If another adult in the household, select next household member who appears in the hierarchy as an alternative parent/caregiver respondent. PROGRAMMING NOTE: Output following information for selected parent/caregiver to youth roster for focal youth: SELECTUID_#=HH_UID SELECTNAME_#=HH_NAME Also output following information for alternate parent/caregiver for focal youth, if any: ALTERNATEUID_#=HH_UID ALTERNATENAME_#=HH_NAME Create variable PCSELECT_#. If SELECTUID_#≠missing and ALTERNATEUID_#≠missing set PCSELECT_#=2, else if SELECTID_#≠missing, set PCSELECT_#=1, else set PCSELECT_#=0

	Create variable GUARDMISSING and set to number of youth on YOUTHROSTER for whom: YOUTH_PLGHH#1 and YOUTH_PLGID1=missing Create variable HHSLOOP5[#].YOUTH_UID=YOUTH_UID_#
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS052; HHS053; HHS054; HHS055; HHS056; HHS058; HHS059; HHS060; HHS061; HHS064_LOOPEND
<i>NEXT</i>	If GUARDMISSING>0: HHS065_# (Begin Loop 5) Else if PCSELECT<2 and ADULTROSTERNUM>1: HHS071 Else: HHS080_PCCHECK

HHS065_#	
ASK	GUARDMISSING>0 (Begin Loop 5)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Based on your responses so far, it appears that ^{FILL_YOUTH_NAME} does not have a biological, adopted or stepparent in the household. Does ^{FILL_YOUTH_NAME} have a legal guardian who lives here? 1. Yes 0. No
SPANISH	Según sus respuestas hasta el momento, parece que ^{FILL_YOUTH_NAME} no tiene ningún(a) padre/madre biológico(a), adoptado(a) o padrastro/madrastra en el hogar. ¿Tiene ^{FILL_YOUTH_NAME} un(a) tutor(a) legal que viva aquí? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 5 (HHS065_#- HHS071_#) for all on YOUTHROSTER where YOUTH_PLGHH≠1 and YOUTH_PLGID1=missing If HHS065=0, then set HH_ELIGIBLEYOUTH=0 for the focal youth. Do not display “Don’t know” and “Prefer not to answer” options
CHECK (ENG)	If left missing, display hard check: “This question is required to continue with the survey.”
CHECK (SPAN)	If left missing, display hard check: “Esta pregunta es necesaria para continuar con la encuesta.”
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS065_LOOPBEGIN
NEXT	If HHS065_#=1: HHS066_# Else: HHS080_LOOPEND

HHS066_#	
ASK	HHS065_#=1 (Continue HHS Loop 5)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Is this guardian of ^{FILL_YOUTH_NAME} a relative of ^{FILL_YOUTH_NAME}? 1. Yes 0. No
SPANISH	¿Es este(a) tutor(a) de ^{FILL_YOUTH_NAME} pariente de ^{FILL_YOUTH_NAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 5 (HHS065_#- HHS071_#) for all on YOUTHROSTER where YOUTH_PLGHH≠1 and YOUTH_PLGID1=missing
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS065_#=1
NEXT	If HHS066_#=1: HHS069_# Else: HHS067_#

HHS067_#	
ASK	HHS066_#=0 (Continue HHS Loop 5)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	How many years has ^{FILL_YOUTH_NAME} lived with this guardian? <i>If less than one year, enter '0.'</i> Number of years: _____
SPANISH	¿Cuántos años lleva ^{FILL_YOUTH_NAME} viviendo con este(a) tutor(a)? <i>Si es menos de un año, ingrese '0.'</i> Cantidad de años: _____
RANGE	0-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 5 (HHS065_#- HHS071_#) for all on YOUTHROSTER where YOUTH_PLGHH≠1 and YOUTH_PLGID1=missing
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'" If HHS067>YOUTH_AGE, display hard check: Please enter a number of years between 0 and ^{FILL_CURRENTAGE}.
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'" If HHS067>YOUTH_AGE, display hard check: Ingrese un número de años entre 0 y ^{FILL_CURRENTAGE}.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS066_#≠1
NEXT	HHS068_#

HHS068_#	
ASK	HHS066_#=0 (Continue HHS Loop 5)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is this guardian a foster parent or another non-relative guardian? 1. Foster parent 2. Other nonrelative
SPANISH	¿Es este(a) tutor(a) un(a) padre/madre de acogida u otro(a) tutor(a) que no es pariente? 1. Padre/madre de acogida 2. Otro(a) no pariente
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 5 (HHS065_#- HHS070) for all on YOUTHROSTER where YOUTH_PLGHH#1 and YOUTH_PLGID1=missing
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS067_#
NEXT	HHS069_#

HHS069_#	
ASK	HHS065_#=1 (Continue HHS Loop 5)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME Create fill, FILL_ADULTLIST: Checkbox list of HH_NAME(s) from ADULTROSTER
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from f_ES022: FILL_ADULTLIST
ENGLISH	Please identify ^{FILL_YOUTH_NAME}'s guardian from the following list of household members. ^{FILL_ADULTLIST}
SPANISH	Identifique al(la) tutor(a) de ^{FILL_YOUTH_NAME} de la siguiente lista de miembros del hogar. ^{FILL_ADULTLIST}
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Set HH_YOUTHPLG_#=5 for selected adult in relation to focal youth. If HHS068_#=1 then set HH_YOUTHPLG_#=4 for selected adult in relation to focal youth. Else set HH_YOUTHPLG_#=5 for selected adult in relation to focal youth. Set variable, HH_YOUTHRELATIVE=HHS066_# selected adult in relation to focal youth Set variable HH_YOUTHRES_#=HHS067_# selected adult in relation to focal youth DO NOT DISPLAY 'Don't know' and "Prefer not to answer" responses. Loop HHS Loop 5 (HHS065_#- HHS0870) for all on YOUTHROSTER where YOUTH_PLGHH#1 and YOUTH_PLGID1=missing
CHECK (ENG)	If item HHS069_# = DK OR REF, display hard check: "This question is required to proceed with the survey."
CHECK (SPAN)	If item HHS069_# = DK OR REF, display hard check: "Esta pregunta es necesaria para continuar con la encuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS068_#; HHS066_#=1
NEXT	HHS070_#

HHS070_#	
ASK	HHS065=1 (End HHS Loop 5)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_HHS070: 'HHS069_#' Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Create fill, FILL_HHS070: 'HHS069_#' Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	You have selected ^{FILL_HHS070} as the guardian of ^{FILL_YOUTH_NAME}. Is this correct? 1. Yes 0. No
SPANISH	Usted ha seleccionado a ^{FILL_HHS070} como tutor(a) de ^{FILL_YOUTH_NAME}. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	If HHS070=1 then set SELECTID=HH_UID of selected guardian and set PCSELECT=1 for focal youth Loop HHS Loop 5 (HHS065_#- HHS070) for all on YOUTHROSTER where YOUTH_PLGHH#1 and YOUTH_PLGID1=missing
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""' If HHS070=0, DISPLAY BUTTON LABELED "Return to select legal guardian"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'. If HHS070=0, DISPLAY BUTTON LABELED "Volver a seleccionar tutor legal"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS069_#
NEXT	If LOOPNUMBER=GUARDMISSING and If ADULTROSTERNUM>1: HHS071# (Begin loop 571) Else if LOOPNUMBER=GUARDMISSING: HHS080_LOOPEND Else: Loop again



HHS071_#	
ASK	PCSELECT<2 and ADULTROSTERNUM>1 (Begin HHS Loop 571)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Does ^{FILL_YOUTH_NAME} have a "mother figure" who lives here? By "mother figure" we mean a woman who lives with the child and is "like a mother" to the child. For example, a female relative or friend who is responsible for raising the child? 1. Yes 0. No
SPANISH	¿Tiene ^{FILL_YOUTH_NAME} una “figura materna” que viva aquí? Por “figura materna”, entendemos una mujer que vive con el(la) niño(a) y es “como una madre” para esa persona. Por ejemplo, ¿una familiar o amiga que se encargue de la crianza del(la) niño(a)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where HH_ELIGIBLE=1 and PCSELECT<2
CHECK (ENG)	If item left blank, display soft check ‘Your answers are very important. Please consider providing a response. Otherwise, please select “Don’t know” or “Prefer not to answer.”’
CHECK (SPAN)	If item left blank, display soft check ‘Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione “No sé” o “Prefiero no contestar.”’
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS065_LOOPBEGIN_#, HHS070
NEXT	If HHS071_#=1: HHS072_# Else: HHS076

HHS072_#	
ASK	HHS071=1 (Continue HHS Loop 571)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Is ^{FILL_YOUTH_NAME}'s "mother figure" a relative of ^{FILL_YOUTH_NAME}? 1. Yes 0. No
SPANISH	¿Es la "figura materna" de ^{FILL_YOUTH_NAME} pariente de ^{FILL_YOUTH_NAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where HH_ELIGIBLE=1 and PCSELECT<2
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "Prefer not to answer."'
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS071=1
NEXT	If HHS072_#=1: HHS074_# Else: HHS073_#

HHS073_#	
ASK	HHS072_#=0 or DK or REF (Continue HHS Loop 571)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from HHS017: FILL_CURRENTAGE
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from HHS017: FILL_CURRENTAGE
ENGLISH	For how many years has ^{FILL_YOUTH_NAME} lived with this mother figure? <i>If less than one year, please enter '0.'</i> Number of years: _____
SPANISH	¿Durante cuántos años ^{FILL_YOUTHNAME} ha vivido con esta figura materna? <i>Si es menos de un año, ingrese '0'.</i> Cantidad de años: _____
RANGE	0-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where HH_ELIGIBLE=1 and PCSELECT<2
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'" If HHS073_# OUT OF RANGE OR GREATER THAN YOUTH_CURRENTAGE, DISPLAY HARD CHECK: Please enter a number of years between 0 and ^{FILL_CURRENTAGE}.
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'" If HHS073_# OUT OF RANGE OR GREATER THAN YOUTH_CURRENTAGE, DISPLAY HARD CHECK: Ingrese un número de años entre 0 y ^{FILL_CURRENTAGE}.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS072_#
NEXT	HHS074_#

HHS074_#	
ASK	HHS071_#=1 (Continue HHS Loop 571)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from HHS069, FILL_ADULTLIST
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from HHS069, FILL_ADULTLIST
ENGLISH	Please identify ^{FILL_YOUTH_NAME}'s "mother figure" from the list of household members. ^{FILL_ADULTLIST}
SPANISH	Identifique la "figura materna" de ^{FILL_YOUTH_NAME} de la lista de miembros del hogar. ^{FILL_ADULTLIST}
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Set HH_YOUTHPLG_#=6 for selected adult in relation to focal youth. Set variable, HH_YOUTHRELATIVE=HHS072_# selected adult in relation to focal youth. Set variable HH_YOUTHRES_#=HHS073_# selected adult in relation to focal youth. Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) for all on YOUTHROSTER where HH_ELIGIBLE=1 and HH_YOUTHPLGHH≠1 and YOUTH_PLGID1=missing
CHECK (ENG)	If left missing, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If left missing, display soft check: "Sus respuestas son muy importantes. Considere la posibilidad de proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS072_#=1, HHS073_#
NEXT	HHS075_#

HHS075_#	
ASK	HHS071_#=1 (Continue HHS Loop 571)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill FILL_HHS075: 'HHS074' Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Create fill FILL_HHS075: 'HHS074' Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	You have selected ^{FILL_HHS075} as the mother figure of ^{FILL_YOUTH_NAME}. Is this correct? 2. Yes 0. No
SPANISH	Usted ha seleccionado a ^{FILL_HHS075} como la figura materna de ^{FILL_YOUTH_NAME}. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where HH_ELIGIBLE=1 and PCSELECT<2
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""' If HHS075=0, DISPLAY LINK TO RETURN TO HHS074 LABELED "Return to select mother figure"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'. If HHS075=0, DISPLAY LINK TO RETURN TO HHS074 LABELED "Regreso a la figura materna."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS074_#
NEXT	HHS076

HHS076_#	
ASK	PCSELECT<2 and ADULTROSTERNUM>1 (Continue HHS Loop 571)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Does ^{FILL_YOUTH_NAME} have a "father figure" who lives here? By "father figure" we mean a man who lives with the child and is "like a father" to the child. For example, a male relative or friend who is responsible for raising the child. 1. Yes 0. No
SPANISH	¿Tiene ^{FILL_YOUTH_NAME} una "figura paterna" que viva aquí? Por "figura paterna" entendemos un hombre que vive con el(la) niño(a) y es "como un padre" para esa persona. Por ejemplo, ¿un familiar o amigo que se encargue de la crianza del(la) niño(a)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where HH_ELIGIBLE=1 and PCSELECT<2
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know" or "Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS075_#; HHS071_#
NEXT	If HHS076_#=1: HHS077_# Else: HHS080_LOOPEND

HHS077_#	
ASK	HHS076_#=1 (Continue HHS Loop 571)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Is ^{FILL_YOUTH_NAME}'s "father figure" a relative of ^{FILL_YOUTH_NAME}? 1. Yes 0. No
SPANISH	¿Es la "figura paterna" de ^{FILL_YOUTH_NAME} pariente de ^{FILL_YOUTH_NAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where HH_ELIGIBLE=1 and PCSELECT<2
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.''
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.''
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS076=1
NEXT	If HHS077_#=1: HHS079_# Else: HHS078_#

HHS078_#	
ASK	HHS077_#=0 or DK or REF (Continue HHS Loop 571)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from HHS017: FILL_CURRENTAGE
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from HHS017: FILL_CURRENTAGE
ENGLISH	For how many years has ^{FILL_YOUTH_NAME} lived with this father figure? <i>If less than one year, please enter '0.'</i> Number of years: ____
SPANISH	¿Durante cuántos años ^{FILL_YOUTHNAME} ha vivido con esta figura paterna? <i>Si es menos de un año, ingrese '0'.</i> Cantidad de años: ____
RANGE	0-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where HH_ELIGIBLE=1 and PCSELECT<2
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'" If HHS078_# OUT OF RANGE OR GREATER THAN YOUTH_CURRENTAGE, DISPLAY HARD CHECK: Please enter a number of years between 0 and ^{FILL_CURRENTAGE}.
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'" If HHS078_# OUT OF RANGE OR GREATER THAN YOUTH_CURRENTAGE, DISPLAY HARD CHECK: Ingrese un número de años entre 0 y ^{FILL_CURRENTAGE}.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS077_#
NEXT	HHS079_#

HHS079_#	
ASK	HHS076_#=1 (Continue HHS Loop 571)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from HHS069, FILL_ADULTLIST
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from HHS069, FILL_ADULTLIST
ENGLISH	Please identify ^{FILL_YOUTH_NAME}'s "father figure" from the following list of household members. ^{FILL_ADULTLIST}
SPANISH	Identifique a la "figura paterna" de ^{FILL_YOUTH_NAME} de la siguiente lista de miembros del hogar. ^{FILL_ADULTLIST}
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Set HH_YOUTHPLG_#=7 for selected adult in relation to focal youth. Set variable, HH_YOUTHRELATIVE=HHS077_# selected adult in relation to focal youth Set variable HH_YOUTHRES_#=HHS078_# selected adult in relation to focal youth Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where HH_ELIGIBLE=1 and PCSELECT<2
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know" or "Prefer not to answer."'
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS077_#=1, HHS078_#
NEXT	HHS080_#

HHS080_#	
ASK	HHS076=1 and ADULTROSTERNUM>1 (Continue HHS Loop 5)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill FILL_HHS080: 'HHS079' Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Create fill FILL_HHS080: 'HHS079' Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	You have selected ^{FILL_HHS080} as the father figure of ^{FILL_YOUTH_NAME}. Is this correct? 2. Yes 0. No
SPANISH	Usted ha seleccionado a ^{FILL_HHS080} como la figura paterna de ^{FILL_YOUTH_NAME}. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) for all on YOUTHROSTER where HH_ELIGIBLE=1 and YOUTH_PLGHH#1 and YOUTH_PLGID1=missing
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""' If HHS080=0, DISPLAY BUTTON LABELED "Return to select father figure" to return to HHS079
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'. If HHS080=0, DISPLAY BUTTON LABELED "Volver a seleccionar figura paterna" to return to HHS079
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS079_#
NEXT	If HHS080=0: HHS079 Else HHS080_LOOPEND

HHS080_PCCHECK_#	
ASK	PCSELECT<2 and ADULTROSTERNUM>1 (Continue HHS Loop 571)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	This is a program check. Do not show screen to R. If YOUTH_PLGHH#1 and YOUTH_PLGID1=missing and HHS065_#≠1 for a given youth, Set HH_ELIGIBLEYOUTH=0 For each youth on the YOUTHROSTER with PCSELECT<2, order all adults in the household according to the following hierarchy: 1. Biological mother (HH_YOUTHPLG_#=1 and HH_SEX=2) 2. Adoptive mother (HH_YOUTHPLG_#=3 and HH_SEX=2) 3. Stepmother (HH_YOUTHPLG_#=2 and HH_SEX=2) 4. Biological father (HH_YOUTHPLG_#=1 and HH_SEX≠2) 5. Adoptive father (HH_YOUTHPLG_#=3 and HH_SEX≠2) 6. Stepfather (HH_YOUTHPLG_#=2 and HH_SEX≠2) 7. Guardian, relative (HH_YOUTHPLG_#=5 and HH_YOUTHRELATIVE=1) 8. Foster parent, youth lived with for 2 or more years (HH_YOUTHPLG_#=4 AND HH_YOUTHRES=>2) 9. Mother figure, relative (HH_YOUTHPLG_#=6 and HH_YOUTHRELATIVE=1) 10. Father figure, relative (HH_YOUTHPLG_#=7 and HH_YOUTHRELATIVE=1) 11. Mother-figure, non-relative youth lived with for 2 or more years (HH_YOUTHPLG_#=6 and HH_YOUTHRES_#=>2) 12. Father-figure, non-relative youth lived with for 2 or more years (HH_YOUTHPLG_#=7 and HH_YOUTHRES_#=>2) Select the household member who appears first in the hierarchy as selected parent/caregiver respondent. If another adult in the household, select next household member who appears in the hierarchy as an alternative parent/caregiver respondent. Output following information for selected parent/caregiver to youth roster for focal youth: SELECTUID_#=HH_UID SELECTNAME_#=HH_NAME Also output following information for alternate parent/caregiver for focal youth, if any:

	ALTERNATEUID_#=HH_UID ALTERNATENAME_#=HH_NAME Update variable PCSELECT_#. If SELECTUID_#≠missing and ALTERNATEUID_#≠missing set PCSELECT_#=2, else if SELECTID_#≠missing, set PCSELECT_#=1, else set PCSELECT_#=0 Check if there are any other adults on the HHROSTER who were not identified in the hierarchy for each youth. If so, set NOTPC=1 on the HHROSTER for all such adults in relation to each youth. Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where PCSELECT<2
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS065_LOOPBEGIN; HHS070, HHS076, HHS080
NEXT	If PCSELECT<2 for selected youth and If HH_NOTPC_#=1 for any adult on HHROSTER: HHS080A_# Else: HHS080_LOOPEND_#

HHS080A_#_#	
ASK	HH_NOTPC_#=1 (Begin/End HHS Loop 5a)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME Use fill from HHS023_#: FILL_HH_NAME Create fill FILL_HHS080A: 'FILL_HH_NAME' for selected adult on the HHROSTER with NOTPC=1
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTHNAME Use fill from HHS023_# 'FILL_HHNAME' Create fill FILL_HHS080A: 'FILL_HH_NAME' for selected adult on the HHROSTER with NOTPC=1
ENGLISH	How many years has ^{FILL_YOUTH_NAME} lived with ^{FILL_HHS080A}? <i>If less than one year, enter '0.'</i> Number of years: _____
SPANISH	¿Cuántos años lleva ^{FILL_YOUTHNAME} viviendo con ^{FILL_HHS080A}? <i>Si es menos de un año, ingrese '0.'</i> Cantidad de años: _____
RANGE	0-20
LIMITS	Max 2 digits
LOOP MAX	20
PROGRAM. NOTES	Create variable HHSLOOP5a[#].HH_UID=HH_UID_# Set variable HH_YOUTHRES_#=HHS080_A_#_# for adult in Loop5a in relation to focal youth (Loop 5). Loop HHS Loop 5a (HHS080A_#) through all HH members on ADULTLIST whose HH_UID≠SPCUID and HH_UID≠ALTPCUID
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""' If HHS080A_# OUT OF RANGE OR GREATER THAN YOUTH_CURRENTAGE, DISPLAY HARD CHECK: Please enter a number of years between 0 and ^{FILL_CURRENTAGE}.
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS080A_PCCHECK
<i>NEXT</i>	HHS080_LOOPEND

HHS080_LOOPEND_#	
ASK	Select_HH =1 (End Loop 571)
QUESTION TYPE	Computer Check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 571 (HHS071_#- HHS080_LOOPEND) if ADULTROSTERNUM>1 for all on YOUTHROSTER where PCSELECT<2 For each youth on the YOUTHROSTER with PCSELECT<2, order all adults in the household according to the following hierarchy: 1. Biological mother (HH_YOUTHPLG_#=1 and HH_SEX=2) 2. Adoptive mother (HH_YOUTHPLG_#=3 and HH_SEX=2) 3. Stepmother (HH_YOUTHPLG_#=2 and HH_SEX=2) 4. Biological father (HH_YOUTHPLG_#=1 and HH_SEX#2) 5. Adoptive father (HH_YOUTHPLG_#=3 and HH_SEX#2) 6. Stepfather (HH_YOUTHPLG_#=2 and HH_SEX#2) 7. Guardian, relative (HH_YOUTHPLG_#=5 and HH_YOUTHRELATIVE=1) 8. Foster parent, youth lived with for 2 or more years (HH_YOUTHPLG_#=4 AND HH_YOUTHRES=>2) 9. Mother figure, relative (HH_YOUTHPLG_#=6 and HH_YOUTHRELATIVE=1) 10. Father figure, relative (HH_YOUTHPLG_#=7 and HH_YOUTHRELATIVE=1) 11. Mother-figure, non-relative youth lived with for 2 or more years (HH_YOUTHPLG_#=6 and HH_YOUTHRES_#=>2) 12. Father-figure, non-relative youth lived with for 2 or more years (HH_YOUTHPLG_#=7 and HH_YOUTHRES_#=>2) 13. Other relative, youth lived with for 2 or more years (HH_YOUTHRES=>2 AND HH_RELATIONSHIP_#=1 or 6 or 7 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 24 or 25 or 29 or 32 or 33 or 36) 14. Other non-relative, youth lived with for 2 or more years (HH_YOUTHRES=>2 AND HH_RELATIONSHIP_#=35 or 37) Spanish 1. Madre biológica (HH_YOUTHPLG_#=1 y HH_SEX=2) 2. Madre adoptiva (HH_YOUTHPLG_#=3 y HH_SEX=2) 3. Madrastra (HH_YOUTHPLG_#=2 y HH_SEX=2) 4. Padre biológico (HH_YOUTHPLG_#=1 y HH_SEX=1) 5. Padre adoptivo (HH_YOUTHPLG_#=3 y HH_SEX=1) 6. Padrastro (HH_YOUTHPLG_#=2 y HH_SEX=1) 7. Tutor, familiar (HH_YOUTHPLG_#=5 y HH_YOUTHRELATIVE=1) 8. Padre/madre de acogida, con quien el joven vivió durante 2 años o más (HH_YOUTHPLG_#=4 Y HH_YOUTHRES=>2) 9. Figura materna, familiar (HH_YOUTHPLG_#=6 y HH_YOUTHRELATIVE=1) 10. Figura paterna, familiar (HH_YOUTHPLG_#=7 y HH_YOUTHRELATIVE=1)

	11. Figura materna, no familiar, con quien el joven convivió durante 2 o más años (HH_YOUTHPLG_#=6 y HH_YOUTHRES_#=>2) 12. Figura paterna, no familiar, con quien el joven convivió durante 2 o más años (HH_YOUTHPLG_#=7 y HH_YOUTHRES_#=>2) 13. Otro familiar, joven con quien vivió durante 2 o más años (HH_YOUTHRES=>2 AND HH_RELATIONSHIP_#=1 o 6 o 7 o 10 o 11 o 12 o 13 o 14 o 15 o 16 o 24 o 25 o 29 o 32 o 33 o 36) 14. Otro joven no familiar con quien vivió durante 2 o más años (HH_YOUTHRES=>2 AND HH_RELATIONSHIP_#=35 or 37) Select the household member who appears first in the hierarchy as selected parent/caregiver respondent. If another adult in the household, select next household member who appears in the hierarchy as an alternative parent/caregiver respondent. Output following information for selected parent/caregiver to youth roster for focal youth: SELECTUID_#=HH_UID SELECTNAME_#=HH_NAME Also output following information for alternate parent/caregiver for focal youth, if any: ALTERNATEUID_#=HH_UID ALTERNATENAME_#=HH_NAME Update variable PCSELECT. If SELECTUID_#missing and ALTERNATEUID_#missing set PCSELECT_#=2, else if SELECTID_#missing, set PCSELECT_#=1, else set PCSELECT_#=0
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS080A_#_#, HHS080_PCCHECK_#
NEXT	If HH_YOUTHELIGIBLE=0 for all on HHROSTER: HHS050a Else If LOOPNUMBER=GUARDMISSING: HHS081_LOOPBEGIN Else: Loop again

HHS081_LOOPBEGIN	
ASK	Select_HH=1 and HH_ELIGIBLEYOUTH=1 for at least one person on HH roster (Begin HHS Loop 6)
QUESTION TYPE	Informational
FILLS (ENG)	Create fill, FILL_HH_NAME: 'HH_NAME' of the person being asked about in the loop Create fill, FILL_HHS081_LOOPBEGIN IF FIRST TIME DISPLAYING THIS SCREEN FILL "Now we would like to gather some additional information about each member of the household we have talked about." Else fill "Now, let's talk about ^{FILL_HH_NAME}."
FILLS (SPAN)	Create fill, FILL_HH_NAME: 'HH_NAME' of the person being asked about in the loop Create fill, FILL_HHS081_LOOPBEGIN IF FIRST TIME DISPLAYING THIS SCREEN FILL "Ahora, quisiéramos reunir algo de información adicional sobre cada miembro del hogar de quienes hemos hablado." Else fill " Ahora, hablemos de ^{FILL_HH_NAME}.".
ENGLISH	^{FILL_HHS081_LOOPBEGIN}
SPANISH	^{FILL_HHS081_LOOPBEGIN}
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop HHS Loop 7 (HHS081_LOOPBEGIN-HHS083_LOOPEND) through all people on HHROSTER. Create variable HHSLOOP6[#].HH_UID=HH_UID_# Create Var HH_MART. If HH_SPOUSEUID≠missing set HH_MART=1 Add HH_MART to HHROSTER array
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS080_LOOPEND
NEXT	If HH_AGE>14 or HH_AGERANGE>2 and HH_SPOUSEUID≠missing: HHS082_# Else if HH_AGE>14 or HH_AGERANGE>2: HHS081 Else: HHS083_LOOPEND;

HHS081_#	
ASK	HH_AGE>=15 or HH_AGERANGE AND HH_SPOUSEUID=missing (Continue HHS Loop 6)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS021A_#: 'FILL_HH_NAME' Create fill, FILL_HHS081 If ROSTER LINE=1, FILL_HHS081: "your" Else, FILL_HHS081: {FILL_HH_NAME}'s
FILLS (SPAN)	Use fill from HHS021A_#: 'FILL_HH_NAME' Create fill, FILL_HHS081 If ROSTER LINE=1, FILL_HHS081: "su estado civil actual" Else, FILL_HHS081: "el estado civil actual de {FILL_HH_NAME}"
ENGLISH	What is ^{FILL_HHS081} current marital status? 0. Never married 1. Married 2. Separated 3. Divorced 4. Widowed
SPANISH	¿Cuál es ^{FILL_HHS081}? 0. Nunca se casó 1. Casado(a) 2. Separado(a) 3. Divorciado(a) 4. Viudo(a)
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	If HH_MART=missing, set HH_MART=HHS081 Loop HHS Loop 7 (HHS081_LOOPBEGIN-HHS083) through all people on HHROSTER.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""'
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS081_LOOPBEGIN
NEXT	HHS082_#

HHS082_#	
ASK	HH_AGE>=15 or HH_AGERANGE>2 (Continue HHS Loop 6)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS021A_#: 'FILL_HH_NAME' Create fill, FILL_HHS082 If ROSTER LINE=1, FILL_HHS082: 'Are you' Else, FILL_HHS082: 'Is ^{FILL_HH_NAME}'
FILLS (SPAN)	Use fill from HHS021A_#: 'FILL_HH_NAME' Create fill, FILL_HHS082 If ROSTER LINE=1, FILL_HHS082: 'Usted' Else, FILL_HHS082: '^{FILL_HH_NAME}'
ENGLISH	^{FILL_HHS082} currently working full-time, part-time, or not at all? 1. Full-time 2. Part-time 0. Not at all
SPANISH	¿^{FILL_HHS082} trabaja en este momento a tiempo completo, a tiempo parcial o no trabaja en absoluto? 1. Tiempo completo 2. Tiempo parcial 1. No trabaja
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Create Variable HH_EMPLOY, set HH_EMPLOY=HHS082_# Add HH_EMPLOY to HHROSTER Loop HHS Loop 7 (HHS081_LOOPBEGIN-HHS083) through all people on HHROSTER.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"
HELP TEXT (ENG)	"Working full time means working 35 hours or more each week, on average."
HELP TEXT (SPAN)	"Trabajar a tiempo completo significa trabajar 35 horas o más cada semana, en promedio."
MODE	CAWI
NOTES	
LEAD-IN	HHS081; HHS081_LOOPBEGIN
NEXT	If (HH_AGE >=18 or HH_AGERANGE>2)AND HH_ELIGIBLEYOUTH≠1: HHS083_# Else: HHS083_LOOPEND

HHS083_#	
ASK	HH_AGE>=18 or HH_AGERANGE>2 (Continue HHS Loop 6)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS021A_#: 'FILL_HH_NAME' Create fill, FILL_HHS083 If ROSTERLINE=1, FILL_HHS083: "you have" Else, FILL_HHS083: "{FILL_HH_NAME} has"
FILLS (SPAN)	Use fill from HHS021A_#: 'FILL_HH_NAME' Create fill, FILL_HHS083 If ROSTERLINE=1, FILL_HHS083: "usted" Else, FILL_HHS083: "{FILL_HH_NAME} "
ENGLISH	What is the highest educational degree that ^{FILL_HHS083} received? 0. None 1. High school equivalency such as GED (General Education Development) and HiSET (High School Equivalency Test) 2. High school diploma (Regular 12 year program) 3. Associate/Junior college (AA) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MBA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD)
SPANISH	¿Cuál es el título educativo más alto que ha recibido ^{FILL_HHS083}? 0. Ninguno 1. Título equivalente al de la escuela secundaria, como el Desarrollo de Educación General (GED) y la Prueba de Equivalencia de Escuela Secundaria (HiSET) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA) 4. Título de cuatro años (Bachelor) (BA, BS) 5. Maestría (MA, MBA, MS) 6. Doctorado (PhD, EdD) 7. Título profesional (MD, DDS, JD)
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Create Variable HH_EDUC, set HH_EDUC=HHS083_# Add HH_EDUC to HHROSTER Loop HHS Loop 7 (HHS081_LOOPBEGIN-HHS083_LOOPEND) through all people on HHROSTER.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'"

<i>CHECK (SPAN)</i>	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS082_#
<i>NEXT</i>	HHS083_LOOPEND

HHS083_LOOPEND	
ASK	Select_HH =1 (End HHS Loop 6)
QUESTION TYPE	Loop logic
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Create Var HHPART and add to HHROSTER. If HH_SPOUSEUID≠missing, set HH_PART=1, else if HHS081=1 set HH_PART=2, else if HH_PARTNERUID≠missing set HH_PART=0 Loop HHS Loop 7 (HHS081_LOOPBEGIN-HHS083_LOOPEND) through all people on HHROSTER.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS083_#; HHS081_LOOPBEGIN; HHS082_#
NEXT	If HHS Loop 7 LOOPNUMBER= HHROSTERNUM: HHS084 Else: Loop again (HHS081_LOOPBEGIN)

HHS084_#	
ASK	Select_HH =1 (Begin HHS Loop 7)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	This is a program check. Do not show screen to R. Create variable HHSLOOP7[#].YOUTH_UID=YOUTH_UID_# Check to determine if eligible youth is living somewhere else half of the time: If YOUTH_RESIDENCE=2, HHS084 = 1; else HHS084 = 0 1. CONDITION APPLIES 0. CONDITION DOES NOT APPLY Loop HHS Loop 8 (HHS084-HHS089) for each member of YOUTHROSTER.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS083_LOOPEND
NEXT	If HHS084=1: HHS085 Else if LOOPNUMBER<YOUTHROSTERNUM: Loop again Else: HHS090_SELECTIONPROTOCOL

f_HHS085_# HHS085_#/HHS085_OTHER_#	
ASK	If HHS084=1 (Continue HHS Loop 7)
QUESTION TYPE	HHS085: Radio button HHS085_OTHER: Text box
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	Next there are a few questions about the places where ^{FILL_YOUTH_NAME} lives. Is the other place where ^{FILL_YOUTH_NAME} lives most of the time a...? 1. House, apartment, or mobile home 2. Boarding school 3. Dormitory 4. Military barracks 5. Jail, prison or similar detention facility 6. Hospital, mental health institution, or rehabilitation center 7. Long-term care facility (e.g., nursing home, assisted living) 8. Transitional housing or temporary shelter 9. Some other place (Please tell us:) [HHS085_OTHER_#]
SPANISH	Las siguientes preguntas son sobre los lugares donde vive ^{FILL_YOUTH_NAME}. ¿Es el otro lugar donde vive ^{FILL_YOUTH_NAME} la mayor parte del tiempo un(a)...? 1. Casa, apartamento o casa móvil 2. Internado 3. Dormitorio 4. Cuarteles militares 5. Cárcel, prisión o centro de detención similar 6. Hospital, institución de salud mental o centro de rehabilitación 7. Centro de cuidados de larga duración (por ejemplo, residencia de ancianos, residencia asistida) 8. Vivienda de transición o refugio temporal 9. Otro lugar (especificar): [HHS085_OTHER_#]
RANGE	
LIMITS	HHS085_OTHER_#: 100 characters
LOOP MAX	15
PROGRAM. NOTES	If response 9 is selected, display text box, HHS085_OTHER Loop HHS Loop 8 (HHS084-HHS089) for each member of YOUTHROSTER.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "'Prefer not to answer.'"
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.'"

HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS084
NEXT	If HHS085=1: Loop again (HHS084) Else: HHS086_#

HHS086_#	
ASK	HHS085#1 (Continue HHS Loop 7)
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the name of this place? Enter name: _____
SPANISH	¿Cuál es el nombre de este lugar? Ingrese el nombre: _____
RANGE	
LIMITS	Max 50 characters
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 8 (HHS084-HHS089) for each member of YOUTHROSTER.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "'Don't know"' or "Prefer not to answer."'
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS085
NEXT	HHS087

f_HHS087_# HHS087/HHS087_CONFIRM	
ASK	HHS085#1 (Continue HHS Loop 7)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	What is the telephone number where ^{FILL_YOUTH_NAME} can be reached at this place, including area code? Enter phone number: ____-____-____ [HHS087] Please confirm phone number: ____-____-____ [HHS087_CONFIRM]
SPANISH	¿Cuál es el número de teléfono con el que se puede contactar a ^{FILL_YOUTH_NAME} en este lugar, incluido el prefijo? Ingrese el número de teléfono: ____-____-____ [HHS087] Confirme el número de teléfono: ____-____-____ [HHS087_CONFIRM]
RANGE	
LIMITS	10 digits
LOOP MAX	15
PROGRAM. NOTES	Only allow numbers to be entered. Loop HHS Loop 8 (HHS084-HHS089) for each member of YOUTHROSTER.
CHECK (ENG)	If response is < 10 digits, display hard check: Please enter a valid phone number, including area code. IF HHS087≠HHS087_CONFIRM, DISPLAY HARD CHECK: "The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes." If item left blank, display soft check "Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know"" or ""Prefer not to answer.""
CHECK (SPAN)	If response is < 10 digits, display hard check: INGRESE UN NÚMERO DE TELÉFONO VÁLIDO, INCLUIDO EL PREFIJO. IF HHS087≠HHS087_CONFIRM, DISPLAY HARD CHECK: "Los números de teléfono que ingresó no coinciden. Verifique que el número de teléfono ingresado sea correcto en ambas casillas. If item left blank, display soft check "Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.""
HELP TEXT (ENG)	

HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS086
NEXT	HHS088

f_HHS088_# HHS088_ADDRESS1_#/HHS088_ADDRESS2_#/HHS088_CITY_#/HHS088_STATE_#/HHS088_ZIP_#	
ASK	HHS085#1 (Continue HHS Loop 7)
QUESTION TYPE	HHS088_ADDRESS1_#: Text HHS088_ADDRESS2_#: Text HHS088_CITY_#: Text HHS088_STATE_#: Dropdown HHS088_ZIP_#: Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the address of this place? Street: [HHS088_ADDRESS1_#] Street 2: [HHS088_ADDRESS2_#] City: [HHS088_CITY_#] State: [HHS088_STATE_#] Zip: [HHS088_ZIP_#]
SPANISH	¿Cuál es la dirección de este lugar? Calle: [HHS088_ADDRESS1_#] Calle 2: [HHS088_ADDRESS2_#] Ciudad: [HHS088_CITY_#] Estado: [HHS088_STATE_#] Código postal: [HHS088_ZIP_#]
RANGE	HHS012_STATE: List states in alphabetical order
LIMITS	HHS012_ADDRESS1_#: Max 100 characters HHS012_ADDRESS2_#: Max 100 characters HHS012_CITY_#: Max 100 characters HHS012_ZIP_#: Max 5 numbers
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 8 (HHS084-HHS089) for each member of YOUTHROSTER.
CHECK (ENG)	If zip code does not include exactly 5 digits, display hard check: "Please enter a valid 5-digit zip code." If all fields left blank, display soft check "Your answers are very important. Please consider providing a response. Otherwise, please select ""Don't know" or "Prefer not to answer.""
CHECK (SPAN)	If zip code does not include exactly 5 digits, display hard check: "Ingrese un código postal válido de 5 dígitos." If all fields left blank, display soft check "Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar.""
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	

<i>LEAD-IN</i>	HHS087
<i>NEXT</i>	If at least one field in HHS088_# complete and HHS085_#=4: HHS089_# Else if LOOPNUMBER<YOUTHROSTERNUM: Loop again (HHS084) Else: HHS090_SELECTIONPROTOCOL

HHS089_#	
ASK	If at least one field in HHS088_# complete and HHS085_#=4 (End HHS Loop 7)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is this an APO address? 1. Yes 0. No
SPANISH	¿Es una dirección de Oficina Postal del Ejército (APO)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop HHS Loop 8 (HHS084-HHS089) for each member of YOUTHROSTER.
CHECK (ENG)	If item left blank, display soft check 'Your answers are very important. Please consider providing a response. Otherwise, please select "Don't know" or "Prefer not to answer."'
CHECK (SPAN)	If item left blank, display soft check 'Sus respuestas son muy importantes. Considere proporcionar una respuesta. En caso contrario, seleccione "No sé" o "Prefiero no contestar."'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS088_#
NEXT	If LOOPNUMBER<YOUTHROSTERNUM: Loop again (HHS084) Else: HHS090_SELECTIONPROTOCOL

HHS090_SELECTIONPROTOCOL	
ASK	Select_HH =1
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you for providing all this information. The last few questions are to confirm contact information for the selected participants.
SPANISH	Gracias por proporcionar toda esta información. Las últimas preguntas son para confirmar la información de contacto de los participantes seleccionados.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DO NOT ALLOW BACK NAVIGATION FROM THIS ITEM 1. Create variable YOUTH_CONSENT (string) and add to YOUTHROSTER: list all values for HH_NAME of household members who meet following criteria for a given youth: HH_YOUTHPLG_#=1 or 2 or 3 or 4 or 5 Compare the result of the selection protocol for all youth in the household. If SELECTUID_# is equal for all eligible youth, then set SPC_UID=SELECTUID then if ALTERNATEUID_# is equal for all eligible youth, set ALTPC_UID=ALTERNATE_UID else if there is only unique value for ALTERNATEUID, set ALTUID equal to that value else if more than one unique value for ALTERNATEUID and one of them is equal to HHSINFORMANT_UID then set ALTPC_UID=HHSINFORMANT_UID. else if more than one unique value for ALTERNATEUID, set ALTPC_UID equal to the ALTERNATEUID that occurs more frequently. else if all values for ALTERNATEUID occur an equal number of times, randomly select one ALTERNATUID to set ALTPC_UID ELSE IF only one unique value appears in SELECT_UID or ALTERNATE_UID across eligible youth, then set SPCUID_# equal to that value. If there is only one other unique value for SELECT_UID or ALTERNATE_UID across eligible youth, then set ALTPC_UID equal to this value else if more than one unique value for ALTERNATE_UID and one of them is equal to HHSINFORMANT_UID then set ALTPC_UID=HHSINFORMANT_UID. else if more than one unique value for ALTERNATEUID, randomly select one ALTERNATEUID to set ALTPC_UID ELSE set SELECT_UID=HHSINFORMANT_UID If there is only one other unique value for SELECT_UID or ALTERNATE_UID across eligible youth, then set ALTPC_UID equal to this value. else if more than one unique value for either SELECT_UID or ALTERNATE_UID (not equal to SPC_UID), set ALTPC_UID equal to the UID that occurs more frequently.

	else if more than one unique value for ALTERNATEUID, randomly select one ALTERNATEUID to set ALTPC_UID PROGRAMMING NOTE: Output following information for household member with HH_UID=SPC_UID: SPC_UID=HH_UID SPCNAME=HH_NAME SPCPHONE=HH_PHONE SPCEMAIL =HH_EMAIL SPCSEX=HH_SEX SPCAGE=HH_AGE SPCMART=HH_MART SPCPART=HH_PART SPCEDUC=HH_EDUC SPCSPOUSE=HH_SPOUSENAME SPCPARTNER=HH_PARTNERNAME SPCSPOUSEUID=HH_SPOUSEUID SPCPARTNERID=HH_PARTNERUID Create variable RESSELECT where RESSELECT=1 if SPC_UID= HHSInformant_UID, else RESSELECT=0 Output following information for household member with HH_UID=ALTPC_UID: ALTPC=HH_UID ALTPCNAME=HH_NAME ALTPCPHONE =HH_PHONE ALTPCEMAIL = HH_EMAIL ALTPCSEX=HH_SEX ALTPCAGE=HH_AGE ALTPCMART=HH_MART ALTPCPART=HH_PART ALTPCEDUC=HH_EDUC ALTPCSPOUSE=HH_SPOUSENAME ALTPCPARTNER=HH_PARTNERNAME ALTPCSPOUSEUID=HH_SPOUSEUID ALTPCPARTNERID=HH_PARTNERUID
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	f_HHS088, HHS089, HHS084
NEXT	HHS090

HHS090	
ASK	Select_HH =1
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME Create fill FILL_ELIGIBLELIST: FILL_YOUTH_NAME for all eligible youth on YOUTHROSTER Create fill FILL_YINCTAMT: '{YINCTAMT}' Create fill FILL_PCGINCNTAMT: '{PCGINCNTAMT}' Create fill FILL_YNRFU: If YNRFU = 1, FILL_YNRFU: 'This includes an additional \$10 if the selected youth completes the interview by July 12, 2026.' Else, FILL_YNRFU: empty Create fill, FILL_SPCNAME: Fill 'SPCNAME' from HHS090_SELECTIONPROTOCOL
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME Create fill FILL_ELIGIBLELIST: FILL_YOUTH_NAME for all eligible youth on YOUTHROSTER Create fill FILL_YINCTAMT: '{YINCTAMT}' Create fill FILL_PCGINCNTAMT: '{PCGINCNTAMT}' Create fill FILL_YNRFU: If YNRFU = 1, FILL_YNRFU: 'Esto incluye \$10 adicionales si el joven seleccionado completa la entrevista antes del 12 de julio de 2026.' Else, FILL_YNRFU: empty Create fill, FILL_SPCNAME: Fill 'SPCNAME' from HHS090_SELECTIONPROTOCOL
ENGLISH	Congratulations, people from your household have been selected to participate in this important study. The following people were selected to complete surveys or interviews: ^{FILL_ELIGIBLELIST} ^{FILL_SPCNAME} The selected adult will receive ^{FILL_PCGINCNTAMT} for completing an interview, and each selected youth will receive ^{FILL_YINCTAMT} for completing an interview. ^{FILL_YNRFU}
SPANISH	Felicitaciones, se ha seleccionado a personas de su hogar para participar en este importante estudio. Las siguientes personas fueron seleccionadas para completar encuestas o entrevistas: ^{FILL_ELIGIBLELIST} ^{FILL_SPCNAME} El adulto seleccionado recibirá ^{FILL_PINCTAMT} por completar una entrevista, y cada joven seleccionado recibirá ^{FILL_YINCTAMT} \$50 por completar una entrevista.
RANGE	
LIMITS	

<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	Set disposition code: Status 521 – CAWI HHS: 1621 – HHS Pending – 1 or more Youth Selected Create variable PCGINCNTAMT=\$(25+ (ELIGYOUTHNUM *25)) Create variable YNRFU. If DOI ≥ 06/01/2026, then set YNRFU=1; otherwise, set YNRFU = 0. Create variable YINCTAMT. If IMPORTANTLRS=1 and YNRFU=1, YINCTAMT=\$85 Else if IMPORTANTLRS=1, YINCNTAMT=\$75 Else if IMPORTANTLRS=0 and YNRFU=1, YINCTAMT=\$60 Else YINCNTAMT=\$50 Create variable YINCTBASE. If IMPORTANTLRS=1, set YINCTBASE=\$75 Else YINCTBASE=\$50
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS090_SELECTIONPROTOCOL
<i>NEXT</i>	

HHS090a	
ASK	All respondentsSelect_HH =1
QUESTION TYPE	Text
FILLS (ENG)	Use fill from HHS090, FILL_SPCNAME Create fill, FILL_HHS090a_1. If RESSELECT=1, FILL_HHS090a_1: 'you were' Else FILL_HHS090a_1: '^{\FILL_SPCNAME} was' Create fill, FILL_HHS090a_2. If RESSELECT=1, FILL_HHS090a_2: 'your' Else FILL_HHS090a_1: '^{\FILL_SPCNAME}'s'
FILLS (SPAN)	Use fill from HHS090, FILL_SPCNAME Create fill, FILL_HHS090a_1. If RESSELECT=1, FILL_HHS090a_1: 'fue' Else FILL_HHS090a_1: '^{\FILL_SPCNAME} fue' Create fill, FILL_HHS090a_2. If RESSELECT=1, FILL_HHS090a_2: 'usted' Else FILL_HHS090a_1: '^{\FILL_SPCNAME}'
ENGLISH	For contact purposes, we would now like to collect the last names for the household members who were selected for the study. Since ^{\FILL_HHS090a_1} selected for an interview, can you please provide ^{\FILL_HHS090a_2} last name? Enter last name:
SPANISH	Para contactarnos, nos gustaría recopilar los apellidos de los miembros del hogar seleccionados para el estudio. Dado que ^{\FILL_HHS090a_1} seleccionado para una entrevista, ¿podría proporcionar el apellido de ^{\FILL_HHS090a_2}? Ingresa el apellido:
RANGE	
LIMITS	Max 100 characters

<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	Create variable SPCLAST, set equal to 'HHS090a' DO NOT DISPLAY DK/REF
<i>CHECK (ENG)</i>	If item left blank, display hard check: 'Last name is required to continue with the survey. We will only use this information to contact participants about this important study. All the information you provide is strictly confidential.'
<i>CHECK (SPAN)</i>	If item left blank, display hard check: 'Se requiere el apellido para continuar con la encuesta. Solo utilizaremos esta información para contactar a los participantes sobre este importante estudio. Toda la información que nos proporcione es estrictamente confidencial.'
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS090
<i>NEXT</i>	HHS090b

HHS090b	
ASK	Select_HH =1 (Begin/End HHS Loop 9)
QUESTION TYPE	Text
FILLS (ENG)	Use fill from HHS017_#: FILL_YOUTH_NAME
FILLS (SPAN)	Use fill from HHS017_#: FILL_YOUTH_NAME
ENGLISH	What is ^{FILL_YOUTH_NAME}'s last name? Enter last name:
SPANISH	¿Cuál es el apellido de ^{FILL_YOUTH_NAME}? Enter last name:
RANGE	
LIMITS	Max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Create variable YOUTH_LAST and add to Youth roster, set equal to 'HHS090b' DO NOT DISPLAY DK/REF
CHECK (ENG)	If item left blank, display hard check: 'Last name is required to continue with the survey. We will only use this information to contact participants about this important study. All the information you provide is strictly confidential.'
CHECK (SPAN)	If item left blank, display hard check: Se requiere el apellido para continuar con la encuesta. Solo utilizaremos esta información para contactar a los participantes sobre este importante estudio. Toda la información que nos proporcione es estrictamente confidencial.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS090a
NEXT	If RESSELECT=1 and (SPCPHONE≠ DK or REF): HHS091 Else if RESSELECT=1: HHS092 Else: f_HHS114

HHS091	
ASK	If (RESSELECT=1 AND (SPCPHONE≠ DK or REF))
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_PCPHONE: Fill 'SPCPHONE' from HHS090_SELECTIONPROTOCOL
FILLS (SPAN)	Create fill, FILL_PCPHONE: Fill 'SPCPHONE' from HHS090_SELECTIONPROTOCOL
ENGLISH	We have your preferred phone number recorded as ^{FILL_PCPHONE}. Is that correct? 1. Yes 0. No
SPANISH	Tenemos registrado su número de teléfono preferido como ^{FILL_PCPHONE}. ¿Es eso correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If left missing, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If left missing, display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS090b
NEXT	If HHS091=1: HHS096 Else: HHS092

HHS092	
ASK	(RESSELECT=1 AND ((SPCPHONE= DK or REF) OR HHS091=0))
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the best phone number to reach you, including area code? Enter phone number: ____-____-____ [HHS092] Please confirm phone number: ____-____-____ [HHS092_CONFIRM]
SPANISH	¿Cuál es el mejor número de teléfono para ponerse en contacto con usted, incluido el prefijo? Ingrese el número de teléfono: ____-____-____ [HHS092] Confirme el número de teléfono: ____-____-____ [HHS092_CONFIRM]
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Update SPCPHONE with response to HHS092. DO NOT DISPLAY "Don't know" and "Prefer not to answer" options. If HHS092≠ DK or REF, set HH_PHONE=HHS092 for household respondent. HHS092≠ DK or REF set SPCPHONE=HHS092
CHECK (ENG)	If response is <10 digits, display hard check: Please provide a valid phone number, including area code. If left missing, display hard check: "Your answer is required for your participation in this study. We will never contact for any other reason." Your answer is required for your participation in this study. We will never contact you for any other reason." If HHS092≠HHS092_CONFIRM, DISPLAY HARD CHECK: "The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes."
CHECK (SPAN)	If response is <10 digits, display hard check: Indique un número de teléfono válido, incluido el prefijo. If left missing, display hard check: "Su respuesta es obligatoria para su participación en este estudio. No nos pondremos en contacto por ningún otro motivo." If HHS092≠HHS092_CONFIRM, DISPLAY HARD CHECK: "Los números de teléfono que ingresó no coinciden. Verifique que el número de teléfono ingresado sea correcto en ambas casillas".
HELP TEXT (ENG)	

<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS091; HHS090b
<i>NEXT</i>	HHS095

f_ HHS095 HHS095/HHS095_OTHER	
ASK	[(RESSELECT=1 AND ((SPCPHONE= DK or REF) OR HHS091=0))]
QUESTION TYPE	HHS095: Radio button HHS095_OTHER: text box
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What kind of phone is this? 1. Home phone or landline 2. Personal cell phone 3. Work phone 4. Other (Please specify): [HHS095_OTHER]
SPANISH	¿Qué tipo de teléfono es este? 1. Teléfono de casa o fijo 2. Teléfono móvil personal 3. Teléfono del trabajo 4. Otro (especifique): [HHS095_OTHER]
RANGE	
LIMITS	HHS095_OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	If response 4 is selected, display HHS095_OTHER text box. Store HHS095 as HH_PHONETYPE on the household roster for the selected adult HH member.
CHECK (ENG)	If left missing, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If left missing, display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS092
NEXT	If HHS095=2: HHS096 Else: HHS097

HHS096	
ASK	HHS095=2
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	May we text you at this number with important information about this study? You may opt out at any time to stop receiving text messages. Carrier messaging and data fees may apply. 1. Yes 0. No
SPANISH	¿Podemos enviarle un mensaje de texto a este número con información importante sobre este estudio? Puede optar por dejar de recibir mensajes de texto en cualquier momento. Pueden aplicarse tarifas de mensajería y datos del operador. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable SPCTEXTCONSENT and set equal to HHS096
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS095
NEXT	HHS097

HHS097	
ASK	RESSELECT=1
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	May we leave a voicemail with important information about the study at this number? 1. Yes 0. No
SPANISH	¿Podemos dejar un mensaje de voz con información importante sobre el estudio a este número? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable SPCVMCONSENT and set equal to HHS097
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS095, HHS096
NEXT	HHS098

HHS098	
ASK	RESSELECT=1
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is there another phone number where we can reach you? 1. Yes 0. No
SPANISH	¿Hay algún otro número de teléfono que podamos usar para ponernos en contacto con usted? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS097
NEXT	If HHS098=1: HHS099 Else if SPCEMAIL≠DK or REF: HHS103 Else: HHS104

HHS099	
ASK	HHS098=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the other phone number where we can reach you, including area code? Phone Number: ____ - ____ - ____ [HHS099] Please confirm phone Number: ____ - ____ - ____ [HHS099_CONFIRM]
SPANISH	¿Cuál es el otro número de teléfono con el que podemos ponernos en contacto, incluido el prefijo? Número de teléfono: ____ - ____ - ____ [HHS099] Confirme el número de teléfono: ____ - ____ - ____ [HHS099_CONFIRM]
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Store HHS099 as HH_PHONE2 on the household roster for the selected adult HH member.
CHECK (ENG)	If response is <10 digits, display hard check: Please provide a valid phone number, including area code. IF HHS099≠HHS099_CONFIRM, DISPLAY HARD CHECK: "The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes."
CHECK (SPAN)	If response is <10 digits, display hard check: Indique un número de teléfono válido, incluido el prefijo. IF HHS099≠HHS099_CONFIRM, DISPLAY HARD CHECK: "Los números de teléfono que ingresó no coinciden. Verifique que el número de teléfono ingresado sea correcto en ambas casillas".
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	

<i>LEAD-IN</i>	HHS098
<i>NEXT</i>	If HHS099=DK or REF: HHS103 Else: HHS100

f_HHS100 HHS100/HHS100_OTHER	
ASK	HHS099≠DK or REF
QUESTION TYPE	HHS100: Radio button HHS100_OTHER: text box
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What kind of phone is this? 1. Home phone or landline 2. Personal cell phone 3. Work phone 4. Other, please tell us: [HHS100_OTHER]
SPANISH	¿Qué tipo de teléfono es este? 1. Teléfono de casa o fijo 2. Teléfono móvil personal 3. Teléfono del trabajo 4. Otro, explique: [HHS100_OTHER]
RANGE	
LIMITS	HHS100_OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	If response 4 selected, display text box HHS100_OTHER Store HHS100 as HH_PHONETYPE2 on the household roster for the selected adult HH member.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS099
NEXT	If HHS100=2: HHS101 Else: HHS102

HHS101	
ASK	HHS100=2
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	May we text you at this number with important information about this study? You may opt out at any time to stop receiving text messages. Carrier messaging and data fees may apply. 1. Yes 0. No
SPANISH	¿Podemos enviarle un mensaje de texto a este número con información importante sobre este estudio? Puede optar por dejar de recibir mensajes de texto en cualquier momento. Pueden aplicarse tarifas de mensajería y datos del operador. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS100
NEXT	HHS102

HHS102	
ASK	HHS099≠DK or REF
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	May we leave a voicemail with important information about the study at this number? 1. Yes 0. No
SPANISH	¿Podemos dejar un mensaje de voz con información importante sobre el estudio a este número? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS101, HHS100
NEXT	IF PCEMAIL≠DK or REF: HHS103 Else: HHS104

HHS103	
ASK	RESSELECT=1 and (SPCEMAIL≠DK or REF)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_PCEMAIL: Fill 'SPCEMAIL' from HHS090_SELECTIONPROTOCOL
FILLS (SPAN)	Create fill, FILL_PCEMAIL: Fill 'SPCEMAIL' from HHS090_SELECTIONPROTOCOL
ENGLISH	We have your personal email recorded as ^{FILL_SPCEMAIL}. Is that correct? 1. Yes 0. No
SPANISH	Tenemos registrado su correo electrónico personal como ^{FILL_SPCEMAIL}. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS102; HHS098
NEXT	If HHS103=0: HHS104 Else: HHS107

HHS104	
ASK	IF SPCEMAIL=DK or REF
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you have a personal email address where we could contact you in the future about the NLSY study? Your personal email address should NOT be managed by your employer or school. 1. Yes 0. No
SPANISH	¿Tiene una dirección de correo electrónico personal con la que podamos ponernos en contacto con usted en el futuro sobre el estudio NLSY? Su dirección de correo electrónico personal NO debe ser gestionada por su empleador o escuela. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS103, HHS102, HHS098
NEXT	If HHS104=1: HHS105 If another adult on household roster: HHS109 Else: HHS120

HHS105	
ASK	RESSELECT=1 AND ((SPCEMAIL=DK or REF) OR HHS103=0)
QUESTION TYPE	Text
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your email address where we can contact you? Email address: _____@_____ [HHS105] Please re-enter your email address: Email address: _____@_____ [HHS105_CONFIRM]
SPANISH	¿Con qué dirección de correo electrónico podemos comunicarnos con usted? Dirección de correo electrónico: _____@_____ [HHS105] Vuelva a introducir su dirección de correo electrónico: Dirección de correo electrónico: _____@_____ [HHS105_CONFIRM]
RANGE	
LIMITS	50 characters
LOOP MAX	
PROGRAM. NOTES	Store HHS105 as SPCEMAIL
CHECK (ENG)	If HHS105≠HHS105_CONFIRM, display hard check: "The two email addresses you entered don't match. Please review and make sure you have entered the correct email address in both places." If entry doesn't match email format, display hard check "Please enter a valid email address."
CHECK (SPAN)	If HHS105≠HHS105_CONFIRM, display hard check: "Las dos direcciones de correo electrónico que ingresó no coinciden. Por favor, revise y asegúrese de haber ingresado la dirección de correo electrónico correcta en ambos lugares." If entry doesn't match email format, display hard check "Ingrese una dirección de correo electrónico válida".
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS104, HHS103
NEXT	HHS107

f_HHS107 HHS107_A/HHS107_B/HHS107_C/HHS107_D/HHS107_E/HHS107_F/HHS107_G	
ASK	RESSELECT=1
QUESTION TYPE	Multi-grid
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Generally, what would be good days and times in the next week for an interviewer to contact you to conduct the main interview? COLUMN HEADERS: 1. Morning(9am-11:59am) 2. Afternoon (noon-4:59pm) 3. Evening (5pm-8pm) ROW ITEMS: a. Mondays [HHS107_A] b. Tuesdays [HHS107_B] c. Wednesdays [HHS107_C] d. Thursdays [HHS107_D] e. Fridays [HHS107_E] f. Saturdays [HHS107_F] g. Sundays [HHS107_G]
SPANISH	En general, ¿cuáles serían días y horarios convenientes la próxima semana para que un(a) entrevistador(a) se ponga en contacto con usted para completar la entrevista principal? COLUMN HEADERS: 1. Por la mañana (9:00-11:59) 2. Después del mediodía (12:00-16:59) 3. Por la tarde (17:00-20:00) ROW ITEMS: a. Lunes [HHS107_A] b. Martes [HHS107_B] c. Miércoles [HHS107_C] d. Jueves [HHS107_D] e. Viernes [HHS107_E] f. Sábados [HHS107_F] g. Domingos [HHS107_G]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1, 2, 3, etc. if response column(s) checked, 0 if nothing is checked in response column.
CHECK (ENG)	If no items are selected, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If no items are selected, display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	

<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS103, HHS104, HHS105
<i>NEXT</i>	HHS108

HHS108	
ASK	RESSELECT=1
QUESTION TYPE	Text
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you have any additional information about the best time to contact you? Notes: _____
SPANISH	¿Tiene alguna información adicional sobre el mejor momento para ponerse en contacto con usted? Notas: _____
RANGE	
LIMITS	Max 500 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS107
NEXT	If another adult on household roster: HHS109 Else: HHS120

HHS109	
ASK	If another adult on the household roster
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill FILL_OTHERADULTS: Fill list of adults from ADULTROSTER, but remove HHSINFORMANT
FILLS (SPAN)	Create fill FILL_OTHERADULTS: Fill list of adults from ADULTROSTER, but remove HHSINFORMANT
ENGLISH	In case we are not able to reach you, we'd like to be able to contact another adult in the household. Which of the other adults who lives here could we contact about the study? ^{FILL_OTHERADULTS}
SPANISH	En caso de que no podamos ponernos en contacto con usted, nos gustaría poder contactar a otro adulto del hogar. ¿Con cuál de los otros adultos que viven aquí podríamos ponernos en contacto para hablar del estudio? ^{FILL_OTHERADULTS}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS108
NEXT	If HHS109=DK or REF: HHS120 Else: HHS110

f_HHS110 HHS110/HHS110_CONFIRM	
ASK	RESSELECT=1 and (HHS109≠DK or REF)
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill, FILL_HHS110: Fill 'HH_NAME' of household member selected in HHS109
FILLS (SPAN)	Create fill, FILL_HHS110: Fill 'HH_NAME' of household member selected in HHS109
ENGLISH	Can you please provide ^{FILL_HHS110}'s phone number, including area code? Phone number: ____-____-____ [HHS110] Please re-enter ^{FILL_HHS110}'s phone number. Phone number: ____-____-____ [HHS110_CONFIRM]
SPANISH	¿Puede proporcionarel número de teléfono de ^{FILL_HHS110}, incluido el prefijo? Número de teléfono: ____-____-____ [HHS110] Vuelva a ingresar el número de teléfono de ^{FILL_HHS110}. Número de teléfono: ____-____-____ [HHS110_CONFIRM]
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Store HHS110 as HH_PHONE on the household roster for the selected adult HH member.
CHECK (ENG)	If response is <10 digits, display hard check: Please provide a valid phone number, including area code. If left missing, display soft check: "Your answers are very important in case we are not able to reach you about the study. We will not contact this person for any other reason. Please consider providing a response." If HHS0110≠HHS0110_CONFIRM Display hard check: "The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes."
CHECK (SPAN)	If response is <10 digits, display hard check: Indique un número de teléfono válido, incluido el prefijo. If left missing, display soft check: "Sus respuestas son muy importantes en caso de que no podamos ponernos en contacto con usted sobre el estudio. No nos pondremos en contacto con esta persona por ningún otro motivo. Considere la posibilidad de proporcionar una respuesta." If HHS0110≠HHS0110_CONFIRM Display hard check: "Los números de teléfono que ingresó no coinciden. Verifique que el número de teléfono ingresado sea correcto en ambas casillas".

<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS109
<i>NEXT</i>	If HHS110≠DK or REF: HHS111 Else: HHS112

f_HHS111 HHS111/HHS111_OTHER	
ASK	RESSELECT=1 and (HHS110≠DK or REF)
QUESTION TYPE	Radio button and text box
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What kind of phone is this? 1. Home phone or landline 2. Personal cell phone 3. Work phone 4. Other (Please specify): [HHS111_OTHER]
SPANISH	¿Qué tipo de teléfono es este? 1. Teléfono de casa o fijo 2. Teléfono móvil personal 3. Teléfono del trabajo 4. Otros (especifique): [HHS111_OTHER]
RANGE	
LIMITS	HHS111_OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	If response 4 selected, display text box HHS111_OTHER Store HHS111 as HH_PHONETYPE on the household roster for the selected adult HH member.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS110
NEXT	HHS112

HHS112	
ASK	RESSELECT=1 and (HHS109≠DK or REF)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS110: FILL_HHS110
FILLS (SPAN)	Use fill from HHS110: FILL_HHS110
ENGLISH	Does ^{FILL_HHS110} have a personal email address where we could contact them about the study? 1. Yes 0. No
SPANISH	¿Tiene ^{FILL_HHS110} una dirección de correo electrónico personal con la que podamos ponernos en contacto para comunicarnos sobre el estudio? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS110
NEXT	If HHS112=1: HHS113 Else: HHS120

f_HHS113 HHS113/HHS113_CONFIRM	
ASK	RESSELECT=1 and (HHS112=1)
QUESTION TYPE	Alphanumeric
FILLS (ENG)	Use fill from HHS110: FILL_HHS110
FILLS (SPAN)	Use fill from HHS110: FILL_HHS110
ENGLISH	What is ^{FILL_HHS110}'s personal email address where we can contact them? Email address: _____@_____ [HHS113] Please confirm email address: _____@_____ [HHS113_CONFIRM]
SPANISH	¿Cuál es la dirección de correo electrónico personal de ^{FILL_HHS110} con la que podemos ponernos en contacto? Dirección de correo electrónico: _____@_____ [HHS113] Confirme su dirección de correo electrónico: _____@_____ [HHS113_CONFIRM]
RANGE	
LIMITS	50 characters
LOOP MAX	
PROGRAM. NOTES	Store HHS113 as HH_EMAIL on the household roster for the selected adult HH member.
CHECK (ENG)	If HHS113≠HHS113_CONFIRM, display hard check: "The two email addresses you entered don't match. Please review and make sure you have entered the correct email address in both places." " If entry doesn't match email format, display hard check "Please enter a valid email address."
CHECK (SPAN)	If HHS113≠HHS113_CONFIRM, display hard check: "Las dos direcciones de correo electrónico que ingresó no coinciden. Por favor, revise y asegúrese de haber ingresado la dirección de correo electrónico correcta en ambos lugares." If entry doesn't match email format, display hard check "Ingresa una dirección de correo electrónico válida".
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS112=1
NEXT	HHS120

f_HHS114 HHS114/HHS114_CONFIRM	
ASK	RESSELECT=0
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill, FILL_SPCNAME from HHS090
FILLS (SPAN)	Use fill, FILL_SPCNAME from HHS090
ENGLISH	^{FILL_SPCNAME} has been selected to complete an interview for the study. We would like to be able to contact them directly about the interview. What is the best phone number to reach them? Phone number: ____-____-____ [HHS114] Please confirm their phone number: Phone number: ____-____-____ [HHS114_CONFIRM]
SPANISH	^{FILL_SPCNAME} ha sido seleccionado(a) para completar una entrevista para el estudio. Nos gustaría poder ponernos en contacto con esa persona directamente sobre la entrevista. ¿Cuál es el mejor número de teléfono para contactarla? Número de teléfono: ____-____-____ [HHS114] Confirme su número de teléfono: Número de teléfono: ____-____-____ [HHS114_CONFIRM]
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Store HHS114 as HH_PHONE on the household roster for the selected adult HH member. Update SPCPHONE with response to this item. If SPC_UID=ESINFORMANTID, then set SPCVMCONSENT=PLGVMCONSENT and SPCTEXTCONSENT=PLGTEXTCONSENT.
CHECK (ENG)	If response is <10 digits, display hard check: Please provide a valid phone number, including area code. If missing, display soft check: "This information is very important for our study. We will never contact this person for any reason other than their participation in the study. "
CHECK (SPAN)	If response is <10 digits, display hard check: Indique un número de teléfono válido, incluido el prefijo. If missing, display soft check: "Esta información es muy importante para nuestro estudio. No nos pondremos en contacto con esta persona por ningún motivo que no sea su participación en el estudio. "
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS090
NEXT	If HHS114=DK or REF: HHS116

f_HHS115 HHS115/HHS115_OTHER	
ASK	RESSELECT=0 and (HHS114≠DK or REF)
QUESTION TYPE	HHS115: Radio button HHS115_OTHER: text box
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What kind of phone is this? 1. Home phone or landline 2. Personal cell phone 3. Work phone 4. Other (Please specify:) [HHS115_OTHER]
SPANISH	¿Qué tipo de teléfono es este? 1. Teléfono de casa o fijo 2. Teléfono móvil personal 3. Teléfono del trabajo 4. Otro (especificar:) [HHS115_OTHER]
RANGE	
LIMITS	HHS115_OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	If response 4 selected, display text box HHS115_OTHER Store HHS115 as HH_PHONETYPE on the household roster for the selected adult HH member.
CHECK (ENG)	If missing, display soft check: "This information is very important for our study. We will never contact this person for any reason other than their participation in the study. "
CHECK (SPAN)	If missing, display soft check: "Esta información es muy importante para nuestro estudio. No nos pondremos en contacto con esta persona por ningún motivo que no sea su participación en el estudio. "
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS114
NEXT	HHS116

HHS116	
ASK	RESSELECT=0
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill, FILL_SPCNAME from HHS090
FILLS (SPAN)	Use fill, FILL_SPCNAME from HHS090
ENGLISH	Does ^{FILL_SPCNAME} have a personal email address where we could contact them? 1. Yes 0. No
SPANISH	¿Tiene ^{FILL_SPCNAME} una dirección de correo electrónico personal con la que podamos ponernos en contacto para comunicarnos? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If left missing, display soft check: "We will only use this email address to contact participants about this important study."
CHECK (SPAN)	If left missing, display soft check: "Solo usaremos esta dirección de correo electrónico para comunicarnos con los participantes sobre este importante estudio."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS115, HHS114
NEXT	If HHS116=1: HHS117 Else: HHS118

f_HHS117 HHS117/HHS117_CONFIRM	
ASK	RESSELECT=0 and HHS116=1
QUESTION TYPE	Alphanumeric
FILLS (ENG)	Use fill, FILL_SPCNAME from HHS090
FILLS (SPAN)	Use fill, FILL_SPCNAME from HHS090
ENGLISH	What is ^{FILL_SPCNAME}'s personal email address where we can contact them about the study? <i>We will only use this email address to contact participants about this important study.</i> Email address: _____@_____ [HHS117 Please confirm their email address: _____@_____ [HHS117_CONFIRM]
SPANISH	¿Cuál es la dirección de correo electrónico personal de ^{FILL_SPCNAME} con la que podemos ponernos en contacto sobre el estudio? Solo utilizaremos esta dirección de correo electrónico para comunicarnos con los participantes sobre este importante estudio. Dirección de correo electrónico: _____@_____ [HHS117 Confirme su dirección de correo electrónico: _____@_____ [HHS117_CONFIRM]
RANGE	
LIMITS	50 characters
LOOP MAX	
PROGRAM. NOTES	Store HHS117 as HH_EMAIL on the household roster for the selected adult HH member. Update SPCEMAIL with response to HHS117.
CHECK (ENG)	If HHS117≠HHS117_CONFIRM, display hard check: "The two email addresses you entered don't match. Please review and make sure you have entered the correct email address in both places." If entry doesn't match email format, display hard check "Please enter a valid email address."
CHECK (SPAN)	If HHS117≠HHS117_CONFIRM, display hard check: "Las dos direcciones de correo electrónico que ingresó no coinciden. Por favor, revise y asegúrese de haber ingresado la dirección de correo electrónico correcta en ambos lugares." If entry doesn't match email format, display hard check "ingrese una dirección de correo electrónico válida."
HELP TEXT (ENG)	

HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS116=1
NEXT	f_HHS118

f_HHS118 HHS118_A/HHS118_B/HHS118_C/HHS118_D/HHS118_E/HHS118_F/HHS118_G	
ASK	RESSELECT=0
QUESTION TYPE	Multi-grid
FILLS (ENG)	Use fill, FILL_SPCNAME from HHS090
FILLS (SPAN)	Use fill, FILL_SPCNAME from HHS090
ENGLISH	Generally, what would be good days and times in the next week for an interviewer to contact ^{FILL_SPCNAME} to conduct the main interview? COLUMN HEADERS: 1. Morning (9am-11:59am) 2. Afternoon (noon- 4:59pm) 3. Evening (5pm-8pm) ROW ITEMS: a. Mondays [HHS118_A] b. Tuesdays [HHS118_B] c. Wednesdays [HHS118_C] d. Thursdays [HHS118_D] e. Fridays [HHS118_E] f. Saturdays [HHS118_F] g. Sundays [HHS118_G]
SPANISH	En general, ¿cuáles serían días y horarios convenientes la próxima semana para que un(a) entrevistador(a) se ponga en contacto con ^{FILL_SPCNAME} a fin de realizar la entrevista principal? COLUMN HEADERS: 1. Por la mañana (9:00-11:59) 2. Después del mediodía (12:00-16:59) 3. Por la tarde (17:00-20:00) ROW ITEMS: a. Lunes [HHS118_A] b. Martes [HHS118_B] c. Miércoles [HHS118_C] d. Jueves [HHS118_D] e. Viernes [HHS118_E] f. Sábados [HHS118_F] g. Domingos [HHS118_G]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1, 2, 3, etc. if response column(s) checked, 0 if nothing is checked in response column.
CHECK (ENG)	If no items are selected, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If no items are selected, display soft check: "Sus respuestas son muy importantes. Considere la posibilidad de proporcionar una respuesta."
HELP TEXT (ENG)	

<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS116, HHS117
<i>NEXT</i>	HHS119

HHS119	
ASK	RESSELECT=0
QUESTION TYPE	Textbox
FILLS (ENG)	Use fill, FILL_SPCNAME from HHS090
FILLS (SPAN)	Use fill, FILL_SPCNAME from HHS090
ENGLISH	Do you have any additional information about the best time to contact ^{FILL_SPCNAME}? Notes: _____
SPANISH	¿Tiene alguna información adicional sobre el mejor momento para ponerse en contacto con ^{FILL_SPCNAME}? Notas: _____
RANGE	
LIMITS	Max 500 characters
LOOP MAX	
PROGRAM. NOTES	NOT REQUIRED, Do NOT display DK/REF
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS118
NEXT	HHS120

HHS120	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Will you have a different address for at least one month out of the year? For example, some people spend summers with relatives or stay at a second residence. 1. Yes 0. No
SPANISH	¿Tendrá una dirección diferente durante al menos un mes al año? Por ejemplo, algunas personas pasan los veranos con familiares o se alojan en una segunda residencia. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS103, HHS104, HHS105, HHS109, HHS112, HHS113, HHS119
NEXT	If HHS120=1: HHS121 Else: HHS123

f_HHS121 HHS121_ADDRESS1/HHS121_ADDRESS2/HHS121_CITY/HHS121_STATE/HHS121_ZIP/HHS121_COUNTRY	
ASK	HHS120=1
QUESTION TYPE	HHS121_ADDRESS1: Text HHS121_ADDRESS2: Text HHS121_CITY: Text HHS121_STATE: Dropdown HHS121_ZIP: Numeric HHS121_COUNTRY: Dropdown
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Where will you be living? Please provide whatever information you have even if you are not sure of the details. Street address: [HHS121_ADDRESS1] Street address: [HHS121_ADDRESS2] City: [HHS121_CITY] State: [HHS121_STATE] Zip code: [HHS121_ZIP] Country: [HHS121_COUNTRY]
SPANISH	¿Dónde va a vivir? Brinde la información que tenga, aunque no esté seguro(a) de los detalles. Calle: [HHS121_ADDRESS1] Calle: [HHS121_ADDRESS2] Ciudad: [HHS121_CITY] Estado: [HHS121_STATE] Código postal: [HHS121_ZIP] País: [HHS121_COUNTRY]
RANGE	HHS121_STATE: List states in alphabetical order HHS121_COUNTRY: List countries in alphabetical order, with U.S. at the top of the list
LIMITS	HHS121_ADDRESS1: Max 100 characters HHS121_ADDRESS2: Max 100 characters HHS121_CITY: Max 100 characters HHS121_ZIP: Max 5 numbers
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS120=1
NEXT	f_HHS122

f_HHS122 HHS122_JAN/ HHS122_FEB/ HHS122_MAR/ HHS122_APR/ HHS122_MAY/ HHS122_JUN/ HHS122_JUL/ HHS122_AUG/HHS122_SEP/ HHS122_OCT/ HHS122_NOV/ HHS122_DEC	
ASK	HHS120=1
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What months in the next year do you plan to be at this address? Please select all the months that apply. January [HHS122_JAN] February [HHS122_FEB] March [HHS122_MAR] April [HHS122_APR] May [HHS122_MAY] June [HHS122_JUN] July [HHS122_JUL] August [HHS122_AUG] September [HHS122_SEP] October [HHS122_OCT] November [HHS122_NOV] December [HHS122_DEC]
SPANISH	¿Qué meses del próximo año planea pasar en esta dirección? Seleccione todos los meses que correspondan. Enero [HHS122_JAN] Febrero [HHS122_FEB] Marzo [HHS122_MAR] Abril [HHS122_APR] Mayo [HHS122_MAY] Junio [HHS122_JUN] Julio [HHS122_JUL] Agosto [HHS122_AUG] Septiembre [HHS122_SEP] Octubre [HHS122_OCT] Noviembre [HHS122_NOV] Diciembre [HHS122_DEC]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each item in item as 0 if not selected, 1 if selected.
CHECK (ENG)	If all fields left blank, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If all fields left blank, display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS121
<i>NEXT</i>	HHS123

HHS123	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you expect to move within the next two years? 1. Yes 0. No
SPANISH	¿Espera mudarse dentro de los próximos dos años? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If all fields left blank, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If all fields left blank, display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS122, HHS120
NEXT	If HHS123=1: HHS124 Else: HHS126

f_HHS124 HHS124_ADDRESS1/HHS124_ADDRESS2/HHS124_CITY/HHS124_STATE/HHS124_ZIP/HHS124_COUNTRY	
ASK	HHS123=1
QUESTION TYPE	HHS124_ADDRESS1: Text HHS124_ADDRESS2: Text HHS124_CITY: Text HHS124_STATE: Dropdown HHS124_ZIP: Numeric HHS124_COUNTRY: Dropdown
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Where do you plan to move? Please provide whatever information you have even if you are not sure of the details. Street address: [HHS124_ADDRESS1] Street address: [HHS124_ADDRESS2] City: [HHS124_CITY] State: [HHS124_STATE] Zip code: [HHS124_ZIP] Country: [HHS124_COUNTRY]
SPANISH	¿A dónde planea mudarse? Proporcione la información que tenga, aunque no esté seguro(a) de los detalles. Calle: [HHS124_ADDRESS1] Calle: [HHS124_ADDRESS2] Ciudad: [HHS124_CITY] Estado: [HHS124_STATE] Código postal: [HHS124_ZIP] País: [HHS124_COUNTRY]
RANGE	HHS121_STATE: List states in alphabetical order HHS121_COUNTRY: List countries in alphabetical order, with U.S. at the top of the list
LIMITS	HHS012_ADDRESS1: Max 100 characters HHS012_ADDRESS2: Max 100 characters HHS012_CITY: Max 100 characters HHS012_ZIP: Max 5 numbers
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If all fields left blank, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If all fields left blank, display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS123

[NEXT](#)

[f_HHS125](#)

f_HHS125 HHS125_MONTH/HHS125_YEAR	
ASK	HHS123=1
QUESTION TYPE	Dropdown
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In what month and year do you think you might move? Month: { - Select - } [HHS125_MONTH] Year: { - Select - } [HHS125_YEAR]
SPANISH	¿En qué mes y año cree que podría mudarse? Mes: { - Seleccione - } [HHS125_MONTH] Año: { - Seleccione - } [HHS125_YEAR]
RANGE	HHS125_MONTH: List months in order. 1 = "January", 2 = "February", ... 12 = "December" HHS125_YEAR: List years 2026-2030 in chronological order: 2026, 2027, 2028, ... 2030
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	Display hard check: If month and year combination is in the past "This question asks about moving to a new address in the future. Please enter a future date."
CHECK (SPAN)	Display hard check: If month and year combination is in the past "Esta pregunta se refiere a un cambio de domicilio en el futuro. Ingrese una fecha futura."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS124
NEXT	f_HHS126

f_HHS126 HHS126_FIRST/HHS126_LAST	
ASK	Select_HH=1
QUESTION TYPE	Text
FILLS (ENG)	Create fill HHS126_1 If RESSELECT=1, HHS126_1: "you" Else, HHS126_1: fill 'SPCNAME' Create fill HHS126_2 If RESSELECT=1, HHS126_2: "you" Else, HHS126_2: "them"
FILLS (SPAN)	Create fill HHS126_1 If RESSELECT=1, HHS126_1: "usted" Else, HHS126_1: fill 'SPCNAME' Create fill HHS126_2 If RESSELECT=1, HHS126_2: "usted" Else, HHS126_2: "esa persona"
ENGLISH	In case we are not able to reach ^{FILL_HHS126_1}, can you give me the full name and contact information for an adult who is not part of your household, but who will always know how to contact ^{FILL_HHS126_2}? First Name: [HHS126_FIRST] Last Name: [HHS126_LAST]
SPANISH	En caso de que no podamos comunicarnos con ^{FILL_HHS126_1}, ¿puede darme el nombre completo y la información de contacto de una persona adulta que no forme parte de su hogar, pero que siempre sepa cómo ponerse en contacto con ^{FILL_HHS126_2}? Nombre: [HHS126_FIRST] Apellido: [HHS126_LAST]
RANGE	
LIMITS	HHS126_FIRST: Max 20 characters HHS126_LAST: Max 20 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If all fields left blank, display soft check: "Your answers are very important. Please consider providing a response."
CHECK (SPAN)	If all fields left blank, display soft check: "Sus respuestas son muy importantes. Considere proporcionar una respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS125, HHS123

NEXT

If HHS126_FIRST=DK or REF: HHS133
Else: HHS127

f_HHS127 HHS127/HHS127_CONFIRM	
ASK	HHS126_FIRST≠DK or REF
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill, FILL_HHS127_FIRST: Fill 'HHS126_FIRST'
FILLS (SPAN)	Create fill, FILL_HHS127_FIRST: Fill 'HHS126_FIRST'
ENGLISH	What is ^{FILL_HHS127_FIRST}'s phone number, including area code? Phone number: ____ - ____ - ____ [HHS127] Please confirm phone number: ____ - ____ - ____ [HHS127_CONFIRM]
SPANISH	¿Cuál es el número de teléfono de ^{FILL_HHS127_FIRST}, incluido el prefijo? Número de teléfono: ____ - ____ - ____ [HHS127] Confirme el número de teléfono: ____ - ____ - ____ [HHS127_CONFIRM]
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered.
CHECK (ENG)	If response is <10 digits, display hard check: Please enter a valid phone number, including area code. IF PHONE NUMBERS DO NOT MATCH, DISPLAY: "The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes."
CHECK (SPAN)	If response is <10 digits, display hard check: Ingrese un número de teléfono válido, incluido el prefijo. IF PHONE NUMBERS DO NOT MATCH, DISPLAY: "Los números de teléfono que ingresó no coinciden. Por favor, verifique que el número de teléfono ingresado sea correcto en ambas casillas."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS126
NEXT	If HHS127≠-DK or REF: HHS128 Else: HHS129

f_HHS128 HHS128/ HHS128_OTHER	
ASK	HHS127#DK or REF
QUESTION TYPE	HHS128: Radio button HHS128_OTHER: text box
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What kind of phone is this? 1. Home phone or landline 2. Personal cell phone 3. Work phone 4. Other (Please specify:) [HHS128_OTHER]
SPANISH	¿Qué tipo de teléfono es este? 1. Teléfono de casa o fijo 2. Teléfono móvil personal 3. Teléfono del trabajo 4. Otro (especifique:) [HHS128_OTHER]
RANGE	
LIMITS	HHS128_OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	If response 4 selected, display text box HHS128_OTHER
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS127
NEXT	HHS129

HHS129	
ASK	HHS126_FIRST≠DK or REF
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill, FILL_HHS127_FIRST created in HHS127
FILLS (SPAN)	Use fill, FILL_HHS127_FIRST created in HHS127
ENGLISH	Does ^{FILL_HHS127_FIRST} have a personal email address where we could contact them about the study? 1. Yes 0. No
SPANISH	¿Tiene ^{FILL_HHS127_FIRST} una dirección de correo electrónico personal que podamos usar para comunicarnos sobre el estudio? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If left missing, display soft check: "We will only use this email address to communicate about this important study."
CHECK (SPAN)	If left missing, display soft check: "Solo usaremos esta dirección de correo electrónico para comunicarnos sobre este importante estudio."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS128, HHS127
NEXT	If HHS129=0: HHS131 Else: HHS130

f_HHS130 HHS130/HHS130_CONFIRM	
ASK	HHS129#0
QUESTION TYPE	Alphanumeric
FILLS (ENG)	Use fill, FILL_HHS127_FIRST created in HHS127
FILLS (SPAN)	Use fill, FILL_HHS127_FIRST created in HHS127
ENGLISH	What is ^{FILL_HHS127_FIRST}'s personal email address where we can contact them? Email address: _____@_____ [HHS130] Please confirm email address: _____@_____ [HHS130_CONFIRM]
SPANISH	¿Cuál es la dirección de correo electrónico personal de ^{FILL_HHS127_FIRST} que podemos usar para comunicarnos? Dirección de correo electrónico: _____@_____ [HHS130] Confirme su dirección de correo electrónico: _____@_____ [HHS130_CONFIRM]
RANGE	
LIMITS	50 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If HHS130≠HHS130_CONFIRM, display hard check: "The two email addresses you entered don't match. Please review and make sure you have entered the correct email address in both places." If entry doesn't match email format, display hard check "Please enter a valid email address."
CHECK (SPAN)	If HHS130≠HHS130_CONFIRM, display hard check: "Las dos direcciones de correo electrónico que ingresó no coinciden. Por favor, revise y asegúrese de haber ingresado la dirección de correo electrónico correcta en ambos lugares." If entry doesn't match email format, display hard check "Ingresa una dirección de correo electrónico válida"
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS129
NEXT	HHS131

f_HHS131 HHS131/HHS131_OTHER	
ASK	HHS126≠DK or REF
QUESTION TYPE	HHS131: Radio button HHS131_OTHER: text box
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What do you think is the best way to contact this person? 1. Phone call 2. Text message 3. Email 4. Some other way (Please specify:) [HHS131_OTHER]
SPANISH	¿Cuál cree que es la mejor manera de ponerse en contacto con esta persona? 1. Llamada telefónica 2. Mensaje de texto 3. Correo electrónico 4. De alguna otra forma (especifique:) [HHS131_OTHER]
RANGE	
LIMITS	HHS131_OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	If response 4 is selected, display text box HHS131_OTHER
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS130, HHS129
NEXT	HHS132

f_HHS132 HHS132/HHS132_OTHER	
ASK	HHS126≠DK or REF
QUESTION TYPE	HHS132: Radio button HHS132_OTHER: text box
FILLS (ENG)	Use fill, FILL_HHS127_FIRST created in HHS127
FILLS (SPAN)	Use fill, FILL_HHS127_FIRST created in HHS127
ENGLISH	What is ^{FILL_HHS127_FIRST}'s relationship to you? 1. Spouse or partner 2. Girlfriend or boyfriend 3. Friend 4. Neighbor 5. Mother 6. Father 7. Sibling 8. Child 9. Grandparent 10. Aunt/Uncle 11. Niece/Nephew 12. Cousin 13. In-Law 14. Another relationship (Please specify:) [HHS132_OTHER]
SPANISH	¿Cuál es la relación de ^{FILL_HHS127_FIRST} con usted? 1. Cónyuge o pareja 2. Novio(a) 3. Amigo(a) 4. Vecino(a) 5. Madre 6. Padre 7. Hermano(a) 8. Hijo(a) 9. Abuelo(a) 10. Tío(a) 11. Sobrino(a) 12. Primo(a) 13. Suegro(a) 14. Otra relación (especifique:) [HHS132_OTHER]
RANGE	
LIMITS	HHS132_OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	If response 15 selected, display text box HHS132_OTHER
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	HHS126, HHS131
<i>NEXT</i>	HHS133

HHS133	
ASK	Select_HH=1
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is HH screener respondent the same person as eligibility screener respondent? (HHSINFORMANT_UID=ESINFORMANTID) 1. Condition applies 0. Condition does not apply
SPANISH	Is HH screener respondent the same person as eligibility screener respondent? (HHSINFORMANT_UID=ESINFORMANTID) 1. Condition applies 1. Condition does not apply
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	This is a program check. Do not show screen to R.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS126, HHS132
NEXT	If HHS133=0: HHS134 Else: HHS137a

HHS134	
ASK	HH_UID(HHS respondent)≠HH_UID(ES respondent)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In the future, would you prefer to complete interviews for this study in English or Spanish, or do you have no preference? 1. English 2. Spanish 3. No preference
SPANISH	En el futuro, ¿preferiría realizar las entrevistas para este estudio en inglés o en español, o no tiene ninguna preferencia? 1. Inglés 2. Español 3. Ninguna preferencia
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS133
NEXT	HHS137a

HHS137a	
ASK	Select_HH=1
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you so much for providing this additional information. An interviewer from RTI will be in touch soon about completing the main interview. As a token of appreciation for completing this first step of the study, we would like to send you \$5. You will be sent a link where you will get to choose the format of your \$5. Options include gift cards to major shops and restaurants and Mastercard or Visa cards that can be used for all online purchases. Would you like to receive your \$5 electronic gift card by email or text? 1. By email 2. By text
SPANISH	Muchas gracias por darnos esta información adicional. Un(a) entrevistador(a) de RTI se pondrá en contacto en breve para completar la entrevista principal. Como muestra de agradecimiento por completar este primer paso del estudio, nos gustaría enviarle \$5. Las opciones incluyen tarjetas de regalo para las principales tiendas y restaurantes, así como tarjetas Mastercard o Visa para todas las compras en línea. ¿Desea recibir su tarjeta de regalo electrónica de \$5 por correo electrónico o SMS? 1. Por correo electrónico 2. Por mensaje de texto
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create the following roster arrays: <u>SIBLING ROSTER:</u> FOR EACH ELIGIBLE YOUTH (HH_ELIGIBLEYOUTH = 1), CREATE: 'RESSIBROSTER': EXTRACT MEMBERS FROM HHROSTER WHERE RELATIONSHIP TO ELIGIBLE YOUTH IN HHS054 = 7 (FULL SIBLING) OR 10 (HALF SIBLING). INCLUDE THE FOLLOWING VARIABLES IN ROSTER ARRAY: • CREATE RESSIB_UID= HH_UID • CREATE RESSIB_NAME: SIBNAME = HH_NAME • CREATE RESSIB_AGE: SIBAGE = HH_AGE/YOUTH_CURRENTAGE_# • CREATE RESSIB_SEX: SIBSEX = YOUTH_SEX/HHS035/HHS038 • CREATE RESSIB_RELAT: IF HHS054 = 7 (FULL SIBLING), SIBRELAT = 1; IF HHS054 = 10 (HALF SIBLING), SIBRELAT = 2. CREATE AND ADD FOLLOWING VARIABLES TO THE YOUTHROSTER 'RESSIBROSTERNUM': RESSIBROSTERNUM = TOTAL COUNT OF RESSIBROSTER 'RESSIBFULLNUM':

RESSIBFULLNUM = TOTAL COUNT OF RESSIBROSTER WHERE SIBRELAT = 1 (FULL SIBLING)
RESSIBHALFNUM = TOTAL COUNT OF RESSIBROSTER WHERE SIBRELAT = 2 (HALF SIBLING)

YOUTH MARRIAGE STATUS AND CURRENT SPOUSE/PARTNERS:

FOR EACH ELIGIBLE YOUTH (HH_ELIGIBLEYOUTH = 1), CREATE AND ADD THE FOLLOWING VARIABLES TO THE YOUTH ROSTER:

'YOUTHMARSTAT':

IF HH_MART_# is missing, then YOUTHMARSTAT=0, else
YOUTHMARSTAT=HH_MART_#

'CURRENTSP'

IF HH_PART_# is missing, then CURRENTSP=0, else CURRENTSP=HH_PART_#

'CURRENTSPNAME':

IF HH_SPOUSENAME_# not missing, then CURRENTSPNAME=HH_SPOUSENAME,
else if HH_PARTNERNAME_# not missing, then CURRENTSPNAME=
HH_PARTNERNAME_#

'CURRENTSPID':

IF HH_SPOUSEUID_# not missing, then CURRENTSPID=HH_SPOUSEUID_#, else if
HH_PARTNERUID_# not missing, then CURRENTSPID= HH_PARTNERUID_#

YOUTH CHILD ROSTER

CREATE 'YOUTHCHILDROSTER':

FOR EACH ELIGIBLE YOUTH (HH_ELIGIBLEYOUTH = 1),EXTRACT MEMBERS FROM
HHROSTER WHERE RELATIONSHIP TO HH_ELIGIBLEYOUTH IN HHS054 = 18 (BIOLOGICAL
CHILD) OR 20 (ADOPTIVE CHILD) . INCLUDE THE FOLLOWING VARIABLES IN ROSTER
ARRAY:

CREATE YOUTHCHILD_UID=HH_UID

CREATE YOUTHCHILD_NAME: YOUTHCHILDNAME = HH_NAME

CREATE YOUTHCHILD_AGE: YOUTHCHILDAGE = HH_AGE

CREATE YOUTHCHILD_SEX: YOUTHCHILDSEX = HHS035

CREATE YOUTHCHILD_PARENTALRELAT: IF HHS054 = 18 (BIO CHILD),
PARENTALRELAT = 1; ELSE IF HHS054 = 20 (ADOPTIVE CHILD),
YOUTHCHILD_PARENTALRELAT = 2.

CREATE YOUTHCHILD_RES: Set value = 1 for each child of youth on household
roster; Variable to flag if child resides in HH at DOI.

ADD 'YOUTHCHILDNUM' TO YOUTHROSTER:

YOUTHCHILDNUM = TOTAL COUNT OF YOUTHCHILDROSTER

	Create array HH_YOUTHREL_# and add to household roster for each household member in relation to each eligible youth: If HH_YOUTHPLG_#=1 and HH_SEX=2, then HH_YOUTHREL_#=1 If HH_YOUTHPLG_#=1 and HH_SEX≠2, then HH_YOUTHREL_#=2 If HH_YOUTHPLG_#=2 and HH_SEX=2, then HH_YOUTHREL_#=3 If HH_YOUTHPLG_#=2 and HH_SEX≠2, then HH_YOUTHREL_#=4 If HH_YOUTHPLG_#=3 and HH_SEX=2, then HH_YOUTHREL_#=5 If HH_YOUTHPLG_#=3 and HH_SEX≠2, then HH_YOUTHREL_#=6 If HH_YOUTHPLG_#=4 and HH_SEX=2, then HH_YOUTHREL_#=7 If HH_YOUTHPLG_#=4 and HH_SEX≠2, then HH_YOUTHREL_#=8 If HH_YOUTHPLG_#=5, then HH_YOUTHREL_#=9 If HH_YOUTHPLG_#=6, then HH_YOUTHREL_#=10 If HH_YOUTHPLG_#=7, then HH_YOUTHREL_#=11 If HH_YOUTHPLG_#=8, then HH_YOUTHREL_#=12 If HH_YOUTHPLG_#=9, then HH_YOUTHREL_#=13
CHECK (ENG)	If DK or REF display soft check: “If you do not select a mode of contact for receiving your gift card or Mastercard or Visa, you will not receive the \$5 token of appreciation”
CHECK (SPAN)	If DK or REF display soft check: “Si no selecciona un modo de contacto para recibir su tarjeta de regalo o Mastercard o Visa, no recibirá el token de agradecimiento de \$5.”
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS134
NEXT	If HHS137a=missing: End Else if HHS137a=2: HHS137b Else HHS137c

f_HHS137b HHS137b/HHS137b_CONFIRM	
ASK	HHS137a = 2
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please provide a cell phone number where you would like to receive your \$5 gift card:: Enter cell phone number: ____-____-____ [HHS137b] Please confirm cell phone number ____-____-____ [HHS137b_CONFIRM]
SPANISH	Indique un número de teléfono móvil para recibir su \$5 tarjeta de regalo : Ingrese el número de teléfono móvil: ____-____-____ [HHS137b] Confirme su número de teléfono móvil ____-____-____ [HHS137b_CONFIRM]
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	IF EITHER VARIABLE IS < 10 DIGITS, DISPLAY: "Please enter a valid cell phone number, including area code." IF PHONE NUMBERS DO NOT MATCH, DISPLAY: "The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes." IF HHS137b = DK OR REF, DISPLAY SOFT CHECK: "This is required to send you the \$5 payment."]
CHECK (SPAN)	IF EITHER VARIABLE IS < 10 DIGITS, DISPLAY: "Ingrese un número de teléfono móvil válido, incluido el código de área ." IF PHONE NUMBERS DO NOT MATCH, DISPLAY: "Los números de teléfono que ingresó no coinciden. Revíselos e ingrese el número de teléfono correcto en ambas casillas." IF HHS137b = DK OR REF, DISPLAY SOFT CHECK: "Esto es necesario para enviarle el pago de \$5."]
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS137a=2
NEXT	HHS138

f_HHS137c HHS137c/HHS137c_CONFIRM	
ASK	HHS137a = 1
QUESTION TYPE	Text
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please provide an email address where you would like to receive your \$5 electronic gift card: Email address: _____@_____ [HHS137c] Please confirm email address: _____@_____ [HHS137c_CONFIRM]
SPANISH	Indique una dirección de correo electrónico en la que desee recibir su \$5 tarjeta de regalo electrónica: Dirección de correo electrónico: _____@_____ [HHS137c] Confirme su dirección de correo electrónico: _____@_____ [HHS137c_CONFIRM]
RANGE	
LIMITS	Max 50 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	IF HHS137c≠HHS137c_CONFIRM, DISPLAY: "The email addresses you entered do not match. Please check and make sure the correct email address is entered in both boxes." If entry doesn't match email format, display hard check "Please enter a valid email address." IF HHS137c = DK OR REF, DISPLAY: "This is required to send you the \$5 payment."
CHECK (SPAN)	IF HHS137c≠HHS137c_CONFIRM, DISPLAY: "Las direcciones de correo electrónico que ingresó no coinciden. Revíselas y asegúrese de ingresar la dirección de correo electrónico correcta en ambas casillas." If entry doesn't match email format, display hard check "Ingrese una dirección de correo electrónico válida." IF HHS137c = DK OR REF, DISPLAY: "Esto es necesario para enviarle el pago de \$5 dólares."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS137a
NEXT	HHS138

HHS138		
ASK	Select_HH=1	
QUESTION TYPE	Informational	
FILLS (ENG)	Create fill FILL_HHS138_1: If HHS137a=1, FILL_HHS138_1: 'an email' If HHS137a=2, FILL_HHS138_1: 'a text message'	
FILLS (SPAN)	Create fill FILL_HHS138_1: If HHS137a=1, FILL_HHS138_1: 'un correo electrónico' If HHS137a=2, FILL_HHS138_1: 'un mensaje de texto'	
ENGLISH	Thank you. You should receive ^{FILL_HHS138_1} with a link to redeem your \$5 gift card within the next 10 minutes. You may now close your browser.	
SPANISH	Gracias. Debería recibir ^{FILL_HHS138_1} con un enlace para canjea su tarjeta de regalo de 5\$ dentro de los próximos 10 minutos. Ya puede cerrar su navegador.	
RANGE		
LIMITS		
LOOP MAX		
PROGRAM. NOTES	Set disposition code Status 521 – CAWI HHS: 2621 – HHS Complete – 1 or more Youth Selected Create variable 'MODE': If Samp_HH_VIDEOINT = 1, set MODE = 1 (VIDEO); else, set MODE = 0 (IN-PERSON)	
CHECK (ENG)		
CHECK (SPAN)		
HELP TEXT (ENG)		
HELP TEXT (SPAN)		
MODE	CAWI	
NOTES		
LEAD-IN	HHS137b, HHS 137c	
NEXT	End	

HHS050a	
ASK	Ineligible respondents or Select_HH#1
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you so much for providing this additional information. It appears that no one from your household is eligible to participate in this study. As a token of appreciation for completing this first step of the study, we would like to send you \$5. You will be sent a link where you will get to choose the format of your \$5. Options include gift cards to major shops and restaurants and Mastercard or Visa cards that can be used for all online purchases. Would you like to receive your \$5 electronic gift card by email or text? 1. By email 2. By text
SPANISH	Muchas gracias por proporcionar esta información adicional. Parece que ningún miembro de su hogar cumple los requisitos para participar en este estudio. Como muestra de agradecimiento por completar este primer paso del estudio, le enviamos \$5. Recibirá un enlace donde podrá elegir el formato de sus \$5. Las opciones incluyen tarjetas de regalo para las principales tiendas y restaurantes, y tarjetas Mastercard o Visa para todas las compras en línea. ¿Desea recibir su tarjeta de regalo electrónica de \$5 por correo electrónico o SMS? 1. Por correo electrónico Por mensaje de texto
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Lock instrument up to this point (do not allow backward navigation from this item)
CHECK (ENG)	If DK or REF display soft check: "If you do not select a mode of contact for receiving your gift card or Mastercard or Visa, you will not receive the \$5 token of appreciation"
CHECK (SPAN)	If DK or REF display soft check: Si no selecciona un modo de contacto para recibir su tarjeta de regalo, Mastercard o Visa, no recibirá el token de agradecimiento de \$5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS050, HHS080_LOOPEND
NEXT	If HHS050a=DK or REF: End Else if HHS050a=2: HHS050b

f_HHS050b HHS050b/HHS050b_CONFIRM	
ASK	HHS050a=2
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please provide a cell phone number where you would like to receive your \$5 electronic gift card: Enter cell phone number: ____ - ____ - ____ [HHS050b] Please confirm cell phone number ____ - ____ - ____ [HHS050b_CONFIRM]
SPANISH	Proporcione el número de teléfono celular donde desea recibir su tarjeta de regalo electrónica de \$5: Ingrese el número de celular: ____ - ____ - ____ [HHS050b] Confirme el número de celular: ____ - ____ - ____ [HHS050b_CONFIRM]
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	IF EITHER VARIABLE IS < 10 DIGITS, DISPLAY HARD CHECK: "Please enter a valid cell phone number." IF HHS050b≠HHS050b_CONFIRM, DISPLAY HARD CHECK: "The phone numbers you entered do not match. Please check and make sure the correct phone number is entered in both boxes." IF HHS050b = DK OR REF OR MISSING, DISPLAY: "This is required to send you the \$5 payment."
CHECK (SPAN)	IF EITHER VARIABLE IS < 10 DIGITS, DISPLAY HARD CHECK: "Ingrese un número de teléfono celular válido". IF HHS050b≠HHS050b_CONFIRM, DISPLAY HARD CHECK: "Los números de teléfono que ingresó no coinciden. Por favor, verifique que el número de teléfono ingresado sea correcto en ambas casillas". IF HHS050b = DK OR REF OR MISSING, DISPLAY: "Esto es necesario para enviarle el pago de \$5".
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS050a=2

NEXT

HHS050d

f_HHS050c	
HHS050c/HHS050c_CONFIRM	
ASK	HHS050a=1
QUESTION TYPE	Text
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please provide an email address where you would like to receive your \$5 electronic gift card: Email address: _____@_____ [HHS050c] Please confirm email address: _____@_____ [HHS050c_CONFIRM]
SPANISH	Proporcione la dirección de correo electrónico donde desea recibir su tarjeta de regalo electrónica de \$5: Correo electrónico: _____@_____ [HHS050c] Confirme su correo electrónico: _____@_____ [HHS050c_CONFIRM]
RANGE	
LIMITS	Max 50 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	IF HHS050c≠HHS050c_CONFIRM, DISPLAY HARD CHECK: "The email addresses you entered do not match. Please check and make sure the correct email address is entered in both boxes." If entry does not match email format, display hard check: "Please enter valid email address." IF HHS050c = DK OR REF OR MISSING, DISPLAY: "This is required to send you the \$5 payment."
CHECK (SPAN)	IF HHS050c≠HHS050c_CONFIRM, DISPLAY HARD CHECK: "Las direcciones de correo electrónico que ingresó no coinciden. Por favor, verifique que la dirección de correo electrónico ingresada sea correcta en ambas casillas." If entry does not match email format, display hard check: "Ingresa una dirección de correo electrónico válida." IF HHS050c = DK OR REF OR MISSING, DISPLAY: "Esto es necesario para enviarle el pago de \$5."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS050a

HHS050d	
ASK	Ineligible respondents
QUESTION TYPE	Informational
FILLS (ENG)	Create fill FILL_HHS050d_1: If HHS050a=1, FILL_HHS050_1: 'an email' If HHS050a=2, FILL_HHS050_1: 'a text message'
FILLS (SPAN)	Create fill FILL_HHS050d_1: If HHS050a=1, FILL_HHS050_1: 'un correo electrónico' If HHS050a=2, FILL_HHS050_1: 'un mensaje de texto'
ENGLISH	Thank you. You should receive ^{FILL_HHS050_1} with a link to your \$5 electronic gift card within the next 10 minutes. You may now close your browser.
SPANISH	Gracias. Recibirá ^{FILL_HHS050d_1} con un enlace a su tarjeta de regalo electrónica de \$5 en los próximos 10 minutos. Puede cerrar su navegador.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Set disposition code Status 521 – CAWI HHS: 2620 – HHS Complete – No Youth Selected
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	HHS050b, HHS050c
NEXT	End