

NLSY27 Screening Instruments
Eligibility Screener Specs
CAPI

Preloads:

ADDRESS1: Preloaded addressline1
ADDRESS2: Preloaded addressline2
CITY: Preloaded city
STATE: Preloaded state
ZIP: Preloaded zip code

Paradata:

DOI_YEAR: Capture year of screener interview (2026, 2027, or 2028)
Capture item level timing
Include a time/date stamp at beginning and end of screener

General Notes:

All items are required. If item is left blank, display hard check (in red font and all caps): **'THIS QUESTION IS REQUIRED TO PROCEED WITH THE SURVEY.'**

Display DK and REF options by default on each screen at loading.

ES001	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Hello, my name is _____ with RTI International. We are conducting a nationwide study sponsored by the U.S. Bureau of Labor Statistics (BLS). You should have received a letter about the study. INTERVIEWER: YOUR INTRODUCTION MUST INCLUDE ALL FOUR POINTS (YOUR NAME, YOU REPRESENT RTI INTERNATIONAL, SPONSOR IS THE U.S. BUREAU OF LABOR STATISTICS, AND THE LEAD LETTER). HAND R COPY OF LETTER IF NEEDED. First, just let me verify: Do you live here? 1. YES 0. NO -8. NOBODY IS AVAILABLE TO ANSWER QUESTIONS
SPANISH	Hola, me llamo _____ y trabajo para RTI International. Estamos llevando a cabo un estudio en todo el país patrocinado por la Oficina de Estadísticas Laborales de EE. UU. (BLS, por sus siglas en inglés). Debería haber recibido una carta sobre el estudio. INTERVIEWER: YOUR INTRODUCTION MUST INCLUDE ALL FOUR POINTS (YOUR NAME, YOU REPRESENT RTI INTERNATIONAL, SPONSOR IS THE U.S. BUREAU OF LABOR STATISTICS, AND THE LEAD LETTER). HAND R COPY OF LETTER IF NEEDED. Primero, permítame verificar lo siguiente: ¿Vive usted aquí? 1 YES 0 NO -8. NOBODY IS AVAILABLE TO ANSWER QUESTIONS
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Do not display DK or REF on this screen.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	N/A
NEXT	If ES001 = 1: ES005 Else if ES001 = -8: ES049

[Else: ES002](#)

ES002	
ASK	If ES001 != 1
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please may I speak with an adult who lives here? 1. YES 0. NO, NOBODY IS AVAILABLE
SPANISH	¿Puedo hablar con un adulto que viva aquí? 1. YES 0. NO, NOBODY IS AVAILABLE
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Do not display DK or REF on this screen. "CLICK HERE" in the hard check should link to ES001.
CHECK (ENG)	If ES002 = 1, display hard check: (in red font and all caps): PLEASE RESTART THE INTERVIEW. CLICK HERE TO. If ES002 = 0, display soft check (in red font and all caps): OPEN SCHEDULER AND SCHEDULE RETURN TO THE FIRST SCREEN.VISIT.
CHECK (SPAN)	If ES002 = 1, display hard check: (in red font and all caps): PLEASE RESTART THE INTERVIEW. CLICK HERE TO. If ES002 = 0, display soft check (in red font and all caps): OPEN SCHEDULER AND SCHEDULE RETURN TO THE FIRST SCREEN.VISIT.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES001, ES006, f_ES013, f_ES014, f_ES018
NEXT	If ES002 = 1: ES001 Else: ES049

ES005	
ASK	ES001 = 1
QUESTION TYPE	Radio button
FILLS (ENG)	Fill ADDRESS from sample preload: ADDRESS1, ADDRESS2, CITY, STATE, ZIP
FILLS (SPAN)	
ENGLISH	I just need to verify – is this ^{ADDRESS1}, ^{ADDRESS2}, ^{CITY}, ^{STATE} ^{ZIP}? 1. ADDRESS IS CORRECT 2. ADDRESS IS INCORRECT: INTERVIEWER AT WRONG ADDRESS 3. ADDRESS IS INCORRECT: ADDRESS DOES NOT EXIST
SPANISH	Solo necesito verificar - ¿es esto ^{ADDRESS1}, ^{ADDRESS2}, ^{CITY}, ^{STATE} ^{ZIP}? 1. ADDRESS IS CORRECT 2. ADDRESS IS INCORRECT: INTERVIEWER AT WRONG ADDRESS 3. ADDRESS IS INCORRECT: ADDRESS DOES NOT EXIST
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Do not display DK or REF on this screen. “CLICK HERE TO RETURN TO THE FIRST SCREEN” in the hard check should link to ES001. If ES005 = 3, set disposition code 510 - CAPI Eligibility Screener - 1180 (Unlocatable).
CHECK (ENG)	If ES005 = 2, display hard check (in red font and all caps): THANK R FOR THEIR TIME, LOCATE CORRECT ADDRESS, AND RESTART INTERVIEW. CLICK HERE TO RETURN TO THE FIRST SCREEN.
CHECK (SPAN)	If ES005 = 2, display hard check (in red font and all caps): THANK R FOR THEIR TIME, LOCATE CORRECT ADDRESS, AND RESTART INTERVIEW. CLICK HERE TO RETURN TO THE FIRST SCREEN.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES001
NEXT	If ES005 = 1: ES006 Else if ES005 = 2: ES001 Else: ES005A

ES005A	
ASK	If ES005 = 3
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	INTERVIEWER: ENTER THE ADDRESS WHERE YOU ATTEMPTED THIS INTERVIEW. PROVIDE HOUSE NUMBER, STREET NAME, CITY, AND ZIP IF KNOWN. Address Line 1: Address Line 2: City: Zip Code:
SPANISH	INTERVIEWER: ENTER THE ADDRESS WHERE YOU ATTEMPTED THIS INTERVIEW. PROVIDE HOUSE NUMBER, STREET NAME, CITY, AND ZIP IF KNOWN. Address Line 1: Address Line 2: City: Zip Code:
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	
NEXT	ES049

ES006	
ASK	If ES005 = 1
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from ES003: FILL_ES003
FILLS (SPAN)	
ENGLISH	INTERVIEWER: ASK IF NOT OBVIOUS. And are you ^{FILL_ES003} years old or older? 1. YES 0. NO
SPANISH	INTERVIEWER: ASK IF NOT OBVIOUS. ¿Y tiene usted ^{FILL_ES003} años o más? 1 YES 0 NO
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Do not display DK or REF on this screen at all. “CLICK HERE TO RETURN TO THE FIRST SCREEN” in the hard check should link to ES001.
CHECK (ENG)	If ES006 != 1, display: hard check (in red font and all caps): THE RESPONDENT IS UNDER 18.^{FILL_ES003}. PLEASE RESTART THE INTERVIEW. ASK TO SPEAK WITH AN ADULT WHO IS AGED 18^{FILL_ES003} OR OLDER AND LIVES IN THE HOUSEHOLD. CLICK HERE TO RETURN TO THE FIRST SCREEN.
CHECK (SPAN)	If ES006 != 1, display: hard check (in red font and all caps): THE RESPONDENT IS UNDER 18.^{FILL_ES003}. PLEASE RESTART THE INTERVIEW. ASK TO SPEAK WITH AN ADULT WHO IS AGED 18^{FILL_ES003} OR OLDER AND LIVES IN THE HOUSEHOLD. CLICK HERE TO RETURN TO THE FIRST SCREEN.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES005
NEXT	If ES006 = 1: ES007 Else: ES001

ES007	
ASK	If ES006 = 1
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	I'd like to ask you a few questions to help us determine if anyone in your household is eligible for the study. You will receive \$5 cash for answering these questions.
SPANISH	Quisiera hacerle algunas preguntas para ayudarnos a determinar si algún miembro de su hogar es elegible para el estudio. Recibirá \$5 en efectivo por responder estas preguntas.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES006
NEXT	ES008_CAPI

ES008_CAPI	
ASK	All respondents
QUESTION TYPE	Numeric
FILLS (ENG)	
ENGLISH	How many people usually live in this household, including yourself? This means people who live with you at least half the time, including those who are currently traveling, away at school or college, or in hospital, prison or jail, or any other type of institution. It also includes foster children, small children, or babies, as well as people you employ, such as live-in nannies or au pairs. NUMBER OF HOUSEHOLD MEMBERS: ____
SPANISH	¿Cuántas personas viven habitualmente en este hogar, incluyéndose a usted? Esto se refiere a las personas que viven con usted al menos la mitad del tiempo, incluyendo a quienes están de viaje, estudiando o estudiando en la universidad, hospitalizados, en prisión o en cualquier otra institución. También incluye a niños de acogida, niños pequeños o bebés, así como a las personas que usted emplea, como niñeras o au pairs. NUMBER OF HOUSEHOLD MEMBERS: ____
RANGE	1-20
LIMITS	
LOOP MAX	
PROGRAM. NOTES	From this question on, 'All respondents' refer to those who responded ES007 = 1 (i.e., confirmed they were willing to complete the screener). Create variable, HHROSTERNUM, to record the number of household members reported in ES008_CAPI. If ES008_CAPI = REF, set disposition code 510 - CAPI ES - 1435 Refusal Breakoff.
CHECK (ENG)	If ES008_CAPI = REF or DK, display soft check (in black font and sentence case): The number of household members is needed to proceed with the survey. If you do not provide this information, we will need to end the survey. If (ES008_CAPI != DK or REF) & ES008_CAPI is out of range, display hard check (in red font and all caps): PLEASE ENTER A VALUE BETWEEN 1 AND 20.
CHECK (SPAN)	If ES008_CAPI = REF or DK, display soft check (in black font and sentence case): Se necesita el número de miembros del hogar para continuar con la encuesta. Si no proporciona esta información, tendremos que finalizar la encuesta. If (ES008_CAPI != DK or REF) & ES008_CAPI is out of range, display hard check (in red font and all caps): PLEASE ENTER A VALUE BETWEEN 1 AND 20.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES007
NEXT	If ES008_CAPI = REF or DK: ES049 Else: ES009_CAPI

ES009_CAPI	
ASK	If ES008_CAPI != REF or DK
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your name? You may use just your first name. NAME OF INFORMANT: _____
SPANISH	¿Cuál es su nombre? Puede mencionar solo su primer nombre. NAME OF INFORMANT: _____
RANGE	
LIMITS	Max 20 characters
LOOP MAX	
PROGRAM. NOTES	Create variable, ESINFORMANTNAME: Record name entered in ES009_CAPI. Create roster variable, HHROSTER, to track information about each household member. Assign the R to line 1 of HHROSTER. Update roster variable, HHROSTER: Create new fields: HH_UID: Assign unique ID number. HH_NAME: Record name entered in ES009_CAPI. Create variable, ESINFORMANT_UID: Set to HH_UID of R on line 1 of HHROSTER. If ES009_CAPI = REF, set disposition code 510 - CAPI ES - 1435 Refusal Breakoff.
CHECK (ENG)	If ES009_CAPI = REF or DK, display soft check (display first part in red font and all caps, display second part in black font and sentence case): INTERVIEWER: READ ALOUD TO R: Your name is needed to proceed with the survey. You may provide a nickname if you prefer. If you do not wish to provide your name, we will need to end the survey.
CHECK (SPAN)	If ES009_CAPI = REF or DK, display soft check (display first part in red font and all caps, display second part in black font and sentence case): INTERVIEWER: READ ALOUD TO R: Se necesita su nombre para continuar con la encuesta. Puede proporcionar un apodo si lo prefiere. Si no desea proporcionar su nombre, tendremos que finalizar la encuesta..
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES008_CAPI
NEXT	If HHROSTERNUM = 1: ES011 Else if ES009_CAPI = REF or DK: ES049 Else: f_ES010_CAPI

f_ES010_CAPI ES010_CAPI_#	
ASK	If HHROSTERNUM > 1 (Begin/End ES LOOP 1)
QUESTION TYPE	Textbox with radio special answer options
FILLS (ENG)	Create fill, FILL_ES010INTRO If HHROSTERNUM = 2, FILL_ES010INTRO: empty Else if HHROSTERNUM > 2 & LOOP NUM = 1, FILL_ES010INTRO: "Next, I'd like to collect the names of the other people who usually live here, beginning with the oldest and ending with the youngest." Else, FILL_ES010INTRO: empty Create fill, FILL_ES010LOOP If LOOP NUM = 1, FILL_ES010LOOP: empty If LOOP NUM = 2, FILL_ES010LOOP: "second" If LOOP NUM = 3, FILL_ES010LOOP: "third" ... etc. ... If LOOP NUM = 20, FILL_ES010LOOP: "twentieth" Create fill, FILL_ES010 If HHROSTERNUM = 2, FILL_ES010: "Next, could you tell me the name of the other person who usually lives here?" Else if ES011 = 1, FILL_ES010: "Who else lives in your household?" Else, FILL_ES010: "Not including yourself, what is the name of the ^{FILL_ES010LOOP}oldest person living here?"
FILLS (SPAN)	Create fill, FILL_ES010INTRO If HHROSTERNUM = 2, FILL_ES010INTRO: empty Else if HHROSTERNUM > 2 & LOOP NUM = 1, FILL_ES010INTRO: "A continuación, quisiera recopilar los nombres de las demás personas que suelen vivir aquí, empezando por la mayor y terminando por la más joven." Else, FILL_ES010INTRO: empty Create fill, FILL_ES010LOOP If LOOP NUM = 1, FILL_ES010LOOP: empty If LOOP NUM = 2, FILL_ES010LOOP: "segunda" If LOOP NUM = 3, FILL_ES010LOOP: "tercera" If LOOP NUM = 4, FILL_ES010LOOP: "cuarta" If LOOP NUM = 5, FILL_ES010LOOP: "quinta" If LOOP NUM = 6, FILL_ES010LOOP: "sexta" If LOOP NUM = 7, FILL_ES010LOOP: "séptima" If LOOP NUM = 8, FILL_ES010LOOP: "octava" If LOOP NUM = 9, FILL_ES010LOOP: "novena" If LOOP NUM = 10, FILL_ES010LOOP: "décima" If LOOP NUM = 11, FILL_ES010LOOP: "undécima" If LOOP NUM = 12, FILL_ES010LOOP: "duodécima" If LOOP NUM = 13, FILL_ES010LOOP: "decimotercera" If LOOP NUM = 14, FILL_ES010LOOP: "decimocuarta" If LOOP NUM = 15, FILL_ES010LOOP: "decimoquinta" If LOOP NUM = 16, FILL_ES010LOOP: "decimosexta" If LOOP NUM = 17, FILL_ES010LOOP: "decimoséptima" If LOOP NUM = 18, FILL_ES010LOOP: "decimooctava" If LOOP NUM = 19, FILL_ES010LOOP: "decimonovena" If LOOP NUM = 20, FILL_ES010LOOP: "vigésima"

	Create fill, FILL_ES010 If HHROSTERNUM = 2, FILL_ES010: “A continuación, ¿podría decirme el nombre de la otra persona que suele vivir aquí?” Else if ES011 = 1, FILL_ES010: “¿Quién más vive en su hogar?” Else, FILL_ES010: “Sin incluirse, ¿cuál es el nombre de la ^{FILL_ES010LOOP} mayor persona que vive aquí?”
ENGLISH	^{FILL_ES010INTRO} ^{FILL_ES010} It is fine to use just their first name. NAME OF HOUSEHOLD MEMBER: _____ -8. MISTAKE – NO MORE NAMES TO ADD
SPANISH	^{FILL_ES010INTRO} ^{FILL_ES010} Está bien usar únicamente su nombre. NAME OF HOUSEHOLD MEMBER: _____ -8 MISTAKE – NO MORE NAMES TO ADD
RANGE	
LIMITS	Max 20 characters
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 1 (ES010_CAPI_#) for each household member until HHROSTERNUM <u>minus 1</u> is reached (to exclude the R whose name was already provided in ES009_CAPI), with a max of 20 times. If option “-8” is selected, end the loop and proceed to ES011. Update roster variable, HHROSTER: For each name entered, add a new roster line with HH_UID (assign new ID number) and HH_NAME (use name entered in ES010_#). If returned to this screen from ES011 (= 1), update variable, HHROSTERNUM, to reflect new number of household members. If ES010_# = REF, set disposition code 510 - CAPI ES - 1435 Refusal Breakoff.
CHECK (ENG)	<i>If ES010_CAPI_# = REF or DK, display soft check (display first part in red font and all caps, display second part in black font and sentence case):</i> INTERVIEWER: READ ALOUD TO R: This person’s name is needed to proceed with the survey. You may provide a nickname if you prefer. If you do not wish to provide their name, we will need to end the survey. <i>If name entered duplicates name provided in ES009_CAPI or earlier loops of ES010_CAPI_#, display soft check:</i> This name has already been used for a different member of the household. Is there another name that person goes by? IF R PROVIDES A DIFFERENT NAME, ENTER NEW NAME IN THE BOX. IF R REFUSES TO PROVIDE A DIFFERENT NAME, PROCEED TO THE NEXT QUESTION. check text “This name has already been used for a different member...” in black font and sentence case. Display check text “IF R PROVIDES A DIFFERENT...” in red font and all caps.

CHECK (SPAN)	<i>If ES010_CAPI_# = REF or DK, display soft check (display first part in red font and all caps, display second part in black font and sentence case):</i> INTERVIEWER: READ ALOUD TO R: Necesitamos el nombre de esta persona para continuar con la encuesta. Puede proporcionar un apodo si lo prefiere. Si no desea proporcionar su nombre, tendremos que finalizar la encuesta.. <i>If name entered duplicates name provided in ES009_CAPI or earlier loops of ES010_CAPI_#, display soft check:</i> Este nombre ya se ha usado para otro(a) miembro del hogar. ¿Hay otro nombre por el que se llame a esa persona? IF R PROVIDES A DIFFERENT NAME, ENTER NEW NAME IN THE BOX. IF R REFUSES TO PROVIDE A DIFFERENT NAME, PROCEED TO THE NEXT QUESTION.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES009_CAPI
NEXT	If ES010_CAPI_# = REF or DK: ES049 Else: ES011

ES011	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ES011: List all HH_NAME(s) from HHROSTER Create fill, FILL_ES011_20LOOP If HHROSTERNUM = 20, FILL_ES011_20LOOP: 'You've listed 20 people who usually live in this household. This is the maximum number we can record. Are there any other people who live here that we weren't able to include?' Else, FILL_ES011_20LOOP: 'Have I missed anyone who usually lives in this household?'
FILLS (SPAN)	Create fill, FILL_ES011: List all HH_NAME(s) from HHROSTER Create fill, FILL_ES011_20LOOP If HHROSTERNUM = 20, FILL_ES011_20LOOP: 'Ha enumerado a 20 personas que suelen vivir en este hogar. Este es el número máximo que podemos registrar. ¿Hay otras personas que viven aquí que no hayamos podido incluir?' Else, FILL_ES011_20LOOP: ¿Me he olvidado de alguien que viva habitualmente en esta casa?'
ENGLISH	So I have, ^{FILL_ES011} ^{FILL_ES011_20LOOP} 1. YES 0. NO
SPANISH	Tengo registradas a estas personas: ^{FILL_ES011} ^{FILL_ES011_20LOOP} 1. YES 0. NO
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If returned to this screen from ES010 more than once, make sure fill has been updated to reflect the updated list of HH_NAMES on the HHROSTER. Create variable, HHROSTER20MAX: If ES011 = 1 & HHROSTERNUM = 20, set HHROSTER20MAX = 1; else, set to 0.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES010_CAPI
NEXT	If ES011 = 1 & HHROSTERNUM < 20: f_ES010

	Else: f_ES013	
--	---------------	--

f_ES013 ES013_#	
ASK	All respondents (Begin ES LOOP 2)
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill, FILL_HHNAME: Fill HH_NAME from HHROSTER. Create fill, FILL_ES013 If LOOP NUM = 1, FILL_ES013: 'What is your age?' Else if HHROSTERNUM = 2, FILL_ES013: 'Next, what is ^{FILL_HHNAME}'s age?' Else if LOOP NUM = 2, FILL_ES013: 'Now I would like to ask you about the ages of the other people you just listed. What is ^{FILL_HHNAME}'s age?' Else, FILL_ES013: 'What is ^{FILL_HHNAME}'s age?' Create fill, FILL_ES013_2 If LOOP NUM = 1, FILL_ES013_2: empty Else, FILL_ES013_2: 'INTERVIEWER: IF HOUSEHOLD MEMBER IS LESS THAN ONE YEAR OLD, 0ENTER '0'' Use fill from ES003: FILL_ES003
FILLS (SPAN)	Create fill, FILL_HHNAME: Fill HH_NAME from HHROSTER. Create fill, FILL_ES013 If LOOP NUM = 1, FILL_ES013: '¿Cuál es su edad?' Else if HHROSTERNUM = 2, FILL_ES013: 'A continuación, ¿cuál es la edad de ^{FILL_HHNAME}?' Else if LOOP NUM = 2, FILL_ES013: 'Ahora quisiera hacerle preguntas sobre las edades de las otras personas que acaba de enumerar. ¿Cuál es la edad de ^{FILL_HHNAME}?' Else, FILL_ES013: ¿Cuál es la edad de ^{FILL_HHNAME}?' Create fill, FILL_ES013_2 If LOOP NUM = 1, FILL_ES013_2: empty Else, FILL_ES013_2: 'INTERVIEWER: IF HOUSEHOLD MEMBER IS LESS THAN ONE YEAR OLD, 0ENTER '0'' Use fill from ES003: FILL_ES003
ENGLISH	^{FILL_ES013} ^{FILL_ES013_2} AGE (IN YEARS):
SPANISH	^{FILL_ES013} ^{FILL_ES013_2} AGE (IN YEARS):
RANGE	0-120
LIMITS	

<i>LOOP MAX</i>	20
<i>PROGRAM. NOTES</i>	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. Update roster variable, HHROSTER: Create new field, HH_AGE, to record household member's age reported in ES013_#. "CLICK HERE" in the hard check should link to ES001.
<i>CHECK (ENG)</i>	<i>If (ES013 != DK or REF) & ES013_# is out of range, display hard check: (in red font and all caps): PLEASE ENTER A VALID AGE BETWEEN 0 AND 120.</i> <i>If (LOOP NUM = 1 & (STATE = AL or NE) & ES013_# < 19) or (LOOP NUM = 1 & (STATE != AL or NE) & ES013_# < 18,), display: hard check (in red font and all caps): THE RESPONDENT IS UNDER 18.^{FILL_003}. PLEASE RESTART THE INTERVIEW. ASK TO SPEAK WITH AN ADULT WHO IS AGED 18^{FILL_003} OR OLDER AND LIVES IN THE HOUSEHOLD. CLICK HERE.</i> <i>If LOOP NUM = 1 & ES013_# = DK or REF, display soft check: (in red font and all caps): THE RESPONDENT HAS REFUSED TO PROVIDE THEIR AGE. IF THE RESPONDENT APPEARS TO BE UNDER 18.^{FILL_003}, CLOSE THE INTERVIEW. OTHERWISE, CLICK 'NEXT.'</i>
<i>CHECK (SPAN)</i>	<i>If (ES013 != DK or REF) & ES013_# is out of range, display hard check: (in red font and all caps): PLEASE ENTER A VALID AGE BETWEEN 0 AND 120.</i> <i>If (LOOP NUM = 1 & (STATE = AL or NE) & ES013_# < 19) or (LOOP NUM = 1 & (STATE != AL or NE) & ES013_# < 18,), display: hard check (in red font and all caps): THE RESPONDENT IS UNDER 18.^{FILL_003}. PLEASE RESTART THE INTERVIEW. ASK TO SPEAK WITH AN ADULT WHO IS AGED 18^{FILL_003} OR OLDER AND LIVES IN THE HOUSEHOLD. CLICK HERE.</i> <i>If LOOP NUM = 1 & ES013_# = DK or REF, display soft check: (in red font and all caps): THE RESPONDENT HAS REFUSED TO PROVIDE THEIR AGE. IF THE RESPONDENT APPEARS TO BE UNDER 18.^{FILL_003}, CLOSE THE INTERVIEW. OTHERWISE, CLICK 'NEXT.'</i>
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES011
<i>NEXT</i>	If LOOP NUM = 1 & (STATE = AL or NE) & ES013_# < 19: ES001 Else if LOOP NUM = 1 & (STATE != AL or NE) & ES013_# < 18: ES001 Else if (DOI_YEAR = 2026 or 2027) & (ES013_# ≥ 11 & ES013_# ≤ 17): f_ES015 Else if (DOI_YEAR = 2028) & (ES013_# ≥ 12 & ES013_# ≤ 18): f_ES015 Else if ES013_# = REF or DK: f_ES014 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES014 ES014_#	
ASK	If ES013_# = REF or DK (Continue ES LOOP 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES014_1 If LOOP NUM = 1, FILL_ES014_1: 'Are you...' Else, FILL_ES014_1: 'Is ^{FILL_HHNAME}...' Create fill, FILL_ES014_2 If DOI_YEAR = 2026 or 2027, FILL_ES014_2: '1. 10 or younger 2. 11 to 17 3. 18 to 23' Else, FILL_ES014_2: '1. 11 or younger 2. 12 to 18 3. 19 to 23' Use fill from ES003: FILL_ES003
FILLS (SPAN)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES014_1 If LOOP NUM = 1, FILL_ES014_1: '¿Tiene usted...?' Else, FILL_ES014_1: '¿Tiene ^{FILL_HHNAME}...?' Create fill, FILL_ES014_2 If DOI_YEAR = 2026 or 2027, FILL_ES014_2: '1 10 años o menos 2 De 11 a 17 años 3 De 18 a 23 años' Else, FILL_ES014_2: '1 11 años o menos 2 De 12 a 18 años 3 De 19 a 23 años' Use fill from ES003: FILL_ES003
ENGLISH	^{FILL_ES014_1} ^{FILL_ES014_2} 4. 24 to 31 5. 32 to 40, or 6. 41 or older?
SPANISH	^{FILL_ES014_1} ^{FILL_ES014_2} 4 De 24 a 31 años 5 De 32 a 40 años, o 6 41 años o más

RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. Update roster variable, HHROSTER: Create new field, HH_AGERANGE, to record household member's age range reported in ES014_#.
CHECK (ENG)	If LOOP NUM = 1 & (DOI_YEAR = 2026 or 2027) & ES014_# = 1 or 2, display: (in red font and all caps): THE RESPONDENT IS UNDER 18.^{FILL_003}. PLEASE RESTART THE INTERVIEW. ASK TO SPEAK WITH AN ADULT WHO IS AGED 18^{FILL_003} OR OLDER AND LIVES IN THE HOUSEHOLD.
CHECK (SPAN)	If LOOP NUM = 1 & (DOI_YEAR = 2026 or 2027) & ES014_# = 1 or 2, display: (in red font and all caps): THE RESPONDENT IS UNDER 18.^{FILL_003}. PLEASE RESTART THE INTERVIEW. ASK TO SPEAK WITH AN ADULT WHO IS AGED 18^{FILL_003} OR OLDER AND LIVES IN THE HOUSEHOLD.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES013
NEXT	If LOOP NUM = 1 & (DOI_YEAR = 2026 or 2027) & ES014_# = 1 or 2: ES001 Else if ES014_# = 2: f_ES015 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES015 ES015M_# / ES015DD_# / ES015YYYY_#	
ASK	If ((DOI_YEAR = 2026 or 2027) & (ES013_# ≥ 11 & ES013_# ≤ 17)) or (DOI_YEAR = 2028 & (ES013_# ≥ 12 & ES013_# ≤ 18)) or ES014_# = 2 (Continue ES LOOP 2)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_YOURHHNAME If LOOP NUM = 1, FILL_YOURHHNAME: 'your' Else, FILL_YOURHHNAME: '^{FILL_HHNAME}'s'
FILLS (SPAN)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_YOURHHNAME151S If LOOP NUM = 1, FILL_YOURHHNAME151S: 'su' Else, FILL_YOURHHNAME151S: 'la' Create fill, FILL_YOURHHNAME152S If LOOP NUM = 1, FILL_YOURHHNAME152S: EMPTY Else, FILL_YOURHHNAME152S: 'de ^{FILL_HHNAME}'
ENGLISH	What is ^{FILL_YOURHHNAME} date of birth? MONTH: { - Select - } [ES015M_#] DAY: { - Select - } [ES015DD_#] YEAR: { - Select - } [ES015YYYY_#]
SPANISH	¿Cuál es ^{FILL_YOURHHNAME151S} fecha de nacimiento ^{FILL_YOURHHNAME152S}? MONTH: { - Select - } [ES015M_#] DAY: { - Select - } [ES015DD_#] YEAR: { - Select - } [ES015YYYY_#]
RANGE	ES015DD_#: List days in order: 1-31 ES015M_#: List months in order: 1 = "JANUARY", 2 = "FEBRUARY", ... 12 = "DECEMBER" ES015YYYY_#: List years 2006-2017 in reverse chronological order: 2016, 2015, 2014... 2009
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. Create variable, HH_DOB, on HHROSTER: Set HH_DOB = ES015DD_#/ES015M_#/ES015YYYY_#. If any in ES015_# = DK or REF, set HH_DOB = empty. Create variable, HH_DOBYEAR, on HHROSTER: Set HH_DOBYEAR = ES015YYYY_#. If ES015YYYY_# = DK or REF, set HHDOBYEAR = empty. Create variable, HH_DOBMONTH on HHROSTER: Set HH_DOBMONTH = ES015M_#. If ES015M_# = DK or REF, set HH_DOBMONTH = empty. Create variable, HH_DOBDAY on HHROSTER: Set HH_DOBDAY = ES015M_#. If ES015DD_# = DK or REF, set HH_DOBDAY = empty. Create variable, YOUTH_AGE: Calculate age based on date of birth reported in ES015_#. If any in ES015_# = DK or REF, set YOUTH_AGE = empty.

CHECK (ENG)	If ES015M_# = missing or ES015DD_# = missing or ES015YYYY_# = missing, display soft check: (in red font and all caps): ALL OR PART OF THE BIRTHDATE IS MISSING. PLEASE ENTER THE FULL MONTH, DAY, AND YEAR. If date of birth > DOI, combination does not exist (e.g., February 30), display hard check: THE BIRTHDATE ENTERED IS IN THE FUTURE. PLEASE (in red font and all caps): ENTER A VALID BIRTHDATE.
CHECK (SPAN)	If ES015M_# = missing or ES015DD_# = missing or ES015YYYY_# = missing, display soft check (in red font and all caps): ALL OR PART OF THE BIRTHDATE IS MISSING. PLEASE ENTER THE FULL MONTH, DAY, AND YEAR. If date combination does not exist (e.g., February 30), display hard check (in red font and all caps): ENTER A VALID DATE.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES013, f_ES014
NEXT	If ((ES013_# != DK or REF) & YOUTH_AGE != empty & YOUTH_AGE != ES013_#) or ((ES013_# = DK or REF) & YOUTH_AGE != empty & YOUTH_AGE not in HH_AGERANGE): f_ES015a Else if ES015YYYY_# = REF or DK: f_ES017 Else: f_ES016

f_ES015a ES015a_#	
ASK	If ((ES013_# != DK or REF) & YOUTH_AGE != empty & YOUTH_AGE != ES013_#) or ((ES013_# = DK or REF) & YOUTH_AGE != empty & YOUTH_AGE not in HH_AGERANGE) (Continue ES LOOP 2)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from f_ES013: FILL_HHNAME Use fill from f_ES015: FILL_YOURHHNAME Create fill, FILL_ES015a If LOOP NUM != 1, FILL_ES015a: ' for ^{FILL_HHNAME}' Else, FILL_ES015a: empty Create fill, FILL_YOURTHEIR If LOOP NUM = 1, FILL_YOURTHEIR: 'your' Else, FILL_YOURTHEIR: 'their' Create fill, FILL_ES015aM: Fill month selected in ES015M_# Create fill, FILL_ES015aD: Fill day selected in ES015DD_# Create fill, FILL_ES015aY: Fill year selected in ES015YYYY_# Create fill, FILL_YOUTHEY If LOOP NUM = 1, FILL_YOUTHEY: 'you' Else, FILL_YOUTHEY: 'they' Create fill, FILL_YOUTHAGE: Fill age recorded in YOUTH_AGE. Create fill, FILL_013AGE If ES013_# != DK or REF, FILL_013AGE: Fill age reported in ES013_#. Else, FILL_013AGE: Fill age range reported in ES014_#.
FILLS (SPAN)	Use fill from f_ES013: FILL_HHNAME Use fill from f_ES015: FILL_YOURHHNAME Create fill, FILL_ES015a If LOOP NUM != 1, FILL_ES015a: ' for ^{FILL_HHNAME}' Else, FILL_ES015a: empty Create fill, FILL_YOURTHEIR If LOOP NUM = 1, FILL_YOURTHEIR: 'su' Else, FILL_YOURTHEIR: 'su' Create fill, FILL_ES015aM: Fill month selected in ES015M_# Create fill, FILL_ES015aD: Fill day selected in ES015DD_# Create fill, FILL_ES015aY: Fill year selected in ES015YYYY_# Create fill, FILL_YOUTHEY If LOOP NUM = 1, FILL_YOUTHEY: 'usted' Else, FILL_YOUTHEY: 'el/ella' Create fill, FILL_YOUTHAGE: Fill age recorded in YOUTH_AGE. Create fill, FILL_013AGE

	If ES013_# != DK or REF, FILL_013AGE: Fill age reported in ES013_#. Else, FILL_013AGE: Fill age range reported in ES014_#.
ENGLISH	This birthdate does not match the age you previously provided^{FILL_ES015a}. If ^{FILL_YOURTHEIR} birthdate is ^{FILL_ES015aM} ^{FILL_ES015aD}, ^{FILL_ES015aY}, that means ^{FILL_YOUTHEY} are currently ^{FILL_YOUTHAGE} years old. However, you stated earlier that ^{FILL_YOUTHEY} are ^{FILL_013AGE}. Please confirm ^{FILL_YOURHHNAME} date of birth. MONTH: { - Select - } [ES015aM_#] DAY: { - Select - } [ES015aDD_#] YEAR: { - Select - } [ES015aYYYY_#]
SPANISH	Esta fecha de nacimiento no coincide con la edad que usted proporcionó anteriormente ^{FILL_ES015a}. Si la fecha de nacimiento de ^{FILL_YOURTHEIR} es ^{FILL_ES015aM} ^{FILL_ES015aD}, ^{FILL_ES015aY}, significa que ^{FILL_YOUTHEY} tiene actualmente ^{FILL_YOUTHAGE} años. Sin embargo, antes dijo que ^{FILL_YOUTHEY} tiene ^{FILL_013AGE}. Por favor, confirme la fecha de nacimiento de ^{FILL_YOURHHNAME}. MONTH: { - Select - } [ES015aM_#] DAY: { - Select - } [ES015aDD_#] YEAR: { - Select - } [ES015aYYYY_#]
RANGE	ES015aDD_#: List days in order: 1-31 ES015aM_#: List months in order: 1 = "JANUARY", 2 = "FEBRUARY", ... 12 = "DECEMBER" ES015aYYYY_#: List years 2006-2017 in reverse chronological order: 2016, 2015, 2014... 2009
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. Update variable, HH_DOB: Set HH_DOB = ES015aDD_#/ES015aM_#/ES015aYYYY_#. If any in ES015a_# = DK or REF, do not update HH_DOB. Update variable, HH_DOBYEAR: Set HH_DOBYEAR = ES015aYYYY_#. If ES015aYYYY_# = DK or REF, do not update HH_DOBYEAR. Update variable, HH_DOBMONTH: Set HH_DOBMONTH = ES015aM_#. If ES015aM_# = DK or REF, do not update HH_DOBMONTH. Update variable, HH_DOBDAY: Set HH_DOBDAY = ES015aDD_#. If ES015aDD_# = DK or REF, do not update HH_DOBDAY.

	Update variable, YOUTH_AGE: Re-calculate age based on date of birth reported in ES015a_#. If any in ES015a_# = DK or REF, do not update YOUTH_AGE.
CHECK (ENG)	<i>If ES015aM_# = missing or ES015aDD_# = missing or ES015aYYYY_# = missing, display soft check: (in red font or all caps): ALL OR PART OF THE BIRTHDATE IS MISSING. PLEASE ENTER THE FULL MONTH, DAY, AND YEAR.</i> <i>If date combination does not exist (e.g., February 30), display hard check (in red font and all caps): ENTER A VALID DATE.</i>
CHECK (SPAN)	<i>If ES015aM_# = missing or ES015aDD_# = missing or ES015aYYYY_# = missing, display soft check: (in red font or all caps): ALL OR PART OF THE BIRTHDATE IS MISSING. PLEASE ENTER THE FULL MONTH, DAY, AND YEAR.</i> <i>If date combination does not exist (e.g., February 30), display hard check (in red font and all caps): ENTER A VALID DATE.</i>
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES015
NEXT	If any in ES015a_# = DK or REF: f_ES015b Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES015b ES015b_#	
ASK	If any in ES015a_# = DK or REF (Continue ES LOOP 2)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from f_ES015: FILL_YOURHHNAME
FILLS (SPAN)	
ENGLISH	What is ^{FILL_YOURHHNAME} age? AGE (IN YEARS): ____
SPANISH	¿Cuál es la edad de ^{FILL_YOURHHNAME}?
RANGE	0-120
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. “CLICK HERE” in the hard check should link to ES001. Update variable, YOUTH_AGE: Set YOUTH_AGE = ES015b_#. If ES015b_# = DK or REF, do not update YOUTH_AGE.
CHECK (ENG)	If (ES015b != DK or REF) & ES015b_# is out of range, display hard check (in red font and all caps): PLEASE ENTER A VALID AGE BETWEEN 0 AND 120.
CHECK (SPAN)	If (ES015b != DK or REF) & ES015b_# is out of range, display hard check (in red font and all caps): INTRODUCZA UNA EDAD VÁLIDA ENTRE 0 Y 120.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES015a
NEXT	If ES015b_# != DK or REF: f_ES017 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES016 ES016_#	
ASK	If ES015YYYY_# != REF or DK (Continue ES LOOP 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES015: FILL_YOURHHNAME Create fill, FILL_ES016M: Fill month selected in ES015M_# Create fill, FILL_ES016D: Fill day selected in ES015DD_# Create fill, FILL_ES016Y: Fill year selected in ES015YYYY_# Create fill, FILL_ES016MISS If ES015M_# = empty, FILL_ES016MISS: 'birth year as ^{FILL_ES016Y}' If ES015DD_# = empty & ES015M_# != empty, FILL_ES016MISS: 'date of birth as ^{FILL_ES016M} ^{FILL_ES016Y}' Else, FILL_ES016MISS: 'date of birth as ^{FILL_ES016M} ^{FILL_ES016D}, ^{FILL_ES016Y}'
FILLS (SPAN)	Create fill, FILL_YOURHHNAME161S If LOOP NUM = 1, FILL_YOURHHNAME161S: 'su' Else, FILL_YOURHHNAME161S: 'el' Create fill, FILL_YOURHHNAME162S If LOOP NUM = 1, FILL_YOURHHNAME162S: EMPTY Else, FILL_YOURHHNAME162S: 'de ^{FILL_HHNAME}' Create fill, FILL_ES016M: Fill month selected in ES015M_# Create fill, FILL_ES016D: Fill day selected in ES015DD_# Create fill, FILL_ES016Y: Fill year selected in ES015YYYY_# Create fill, FILL_ES016MISS1S If ES015M_# = empty, FILL_ES016MISS1S: 'año de nacimiento' Else, FILL_ES016MISS1S: 'fecha de nacimiento' Create fill, FILL_ES016MISS2S If ES015M_# = empty, FILL_ES016MISS2S: 'como ^{FILL_ES016Y}' If ES015DD_# = empty & ES015M_# != empty, FILL_ES016MISS2S: 'como ^{FILL_ES016M} de ^{FILL_ES016Y}' Else, FILL_ES016MISS2S: 'como ^{FILL_ES016D} de ^{FILL_ES016M}, ^{FILL_ES016Y}'
ENGLISH	You gave ^{FILL_YOURHHNAME} ^{FILL_ES016MISS}. Is that correct? 1. YES 0. NO
SPANISH	Usted ingresó ^{FILL_YOURHHNAME161S} ^{FILL_ES016MISS1S} ^{FILL_YOURHHNAME162S} ^{FILL_ES016MISS2S}. ¿Es eso correcto? 1 YES 0 NO
RANGE	
LIMITS	

<i>LOOP MAX</i>	20
<i>PROGRAM. NOTES</i>	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times.
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES015
<i>NEXT</i>	If ES016_# = 0: f_ES015 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES017 ES017_#	
ASK	If (ES015YYYY_# = REF or DK) or ES015b_# != DK or REF (Continue ES LOOP 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES017 If LOOP NUM = 1, FILL_ES017: 'Have you' Else, FILL_ES017: 'Has ^{FILL_HHNAME}'
FILLS (SPAN)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES017 If LOOP NUM = 1, FILL_ES017: 'Usted ha' Else, FILL_ES017: '^{FILL_HHNAME} ha'
ENGLISH	^{FILL_ES017} had a birthday since January 1st of this year? 1. YES 0. NO
SPANISH	¿^{FILL_ES017} cumplido años desde el 1 de enero de este año? 1 YES 0 NO
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES015
NEXT	If ES014_# = 2: f_ES018 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

f_ES018 ES018_#	
ASK	If ES014_# = 2 (End ES LOOP 2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES018_1 If LOOP NUM = 1, FILL_ES018_1: 'Are you' Else, FILL_ES018_1: 'Is ^{FILL_HHNAME}' Create fill, FILL_ES018_2 If DOI_YEAR = 2026 or 2027, FILL_ES018_2: 'Is ^{FILL_HHNAME} age 11, 17, or in between? 1. 11 2. 17 3. IN BETWEEN' Else, FILL_ES018_2: '^{FILL_ES018_1} age 12, 18, or in between? 1. 12 2. 18 3. IN BETWEEN'
FILLS (SPAN)	Use fill from f_ES013: FILL_HHNAME Create fill, FILL_ES018_1 If LOOP NUM = 1, FILL_ES018_1: 'Tiene usted' Else, FILL_ES018_1: 'Tiene ^{FILL_HHNAME}' Create fill, FILL_ES018_2 If DOI_YEAR = 2026 or 2027, FILL_ES018_2: '¿Tiene ^{FILL_HHNAME} 11, 17 años o una edad intermedia? 1 11 2 17 3 UNA EDAD INTERMEDIA' Else, FILL_ES018.2: '¿^{FILL_ES018_1} 12, 18 años o una edad intermedia? 1 12 2 18 3 UNA EDAD INTERMEDIA'
ENGLISH	^{FILL_ES018_2}
SPANISH	^{FILL_ES018_2}
RANGE	
LIMITS	
LOOP MAX	20
PROGRAM. NOTES	Loop through ES LOOP 2 (ES013_# – ES018_#) for each roster line in HHROSTER until HHROSTERNUM reached, with a max of 20 times. If ES018_# = 1 or 2, then update YOUTH_AGE with age selected in ES018_#.
CHECK (ENG)	<i>If LOOP NUM = 1 & DOI_YEAR = 2028 & (ES018_# = 1 or 3), display (in red font and all caps): THE RESPONDENT IS UNDER ^{FILL_003}. PLEASE RESTART THE INTERVIEW. ASK TO SPEAK WITH AN ADULT WHO IS AGED ^{FILL_003} OR OLDER AND LIVES IN THE HOUSEHOLD.</i>

<i>CHECK (SPAN)</i>	<i>If LOOP NUM = 1 & DOI_YEAR = 2028 & (ES018_# = 1 or 3), display (in red font and all caps): THE RESPONDENT IS UNDER ^{FILL_003}. PLEASE RESTART THE INTERVIEW. ASK TO SPEAK WITH AN ADULT WHO IS AGED ^{FILL_003} OR OLDER AND LIVES IN THE HOUSEHOLD.</i>
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES017
<i>NEXT</i>	If LOOP NUM = 1 & DOI_YEAR = 2028 & (ES018_# = 1 or 3): ES001 Else if LOOP NUM < HHROSTERNUM: f_ES013 Else: ES_ELIGCHECK

ES_ELIGCHECK	
ASK	All respondents
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	This is a program check. Do not show screen to R. Update roster variable, HHROSTER: Create new field, HH_ELIGIBLEYOUTH. Set HH_ELIGIBLEYOUTH = 1 if: (DOI_YEAR = 2026 & (HH_DOB ≥ 01/01/2009 & HH_DOB ≤ 12/31/2014)) or ((DOI_YEAR = 2027 2028) & (HH_DOB ≥ 01/01/2010 & HH_DOB ≤ 12/31/2015)) or ((DOI_YEAR = 2026 2027) & (YOUTH_AGE ≥ 12 & YOUTH_AGE ≤ 16)) or (DOI_YEAR = 2028 & (YOUTH_AGE ≥ 13 & YOUTH_AGE ≤ 17)) or ((DOI_YEAR = 2026 2027) & (YOUTH_AGE = 11) & (ES017_# = 0 or DK or REF)) or (DOI_YEAR = 2028 & (YOUTH_AGE = 12) & (ES017_# = 0 or DK or REF)) or ((DOI_YEAR = 2026 2027) & (YOUTH_AGE = 17) & (ES017_# = 1 or DK or REF)) or (DOI_YEAR = 2028 & (YOUTH_AGE = 18) & (ES017_# = 1 or DK or REF)) or ES018 = 3; Else, set HH_ELIGIBLEYOUTH = 0. Create roster variable, YOUTHROSTER: Copy household members from HHROSTER if HH_ELIGIBLEYOUTH = 1. Copy variable YOUTH_AGE. Update roster variable, YOUTHROSTER: Create new fields for each eligible youth: YOUTH_UID: Copy HH_UID and rename to YOUTH_UID. YOUTH_NAME: Copy HH_NAME and rename to YOUTH_NAME. YOUTH_DOB: Copy HH_DOB and rename to YOUTH_DOB. YOUTH_DOBYEAR: Copy HH_DOBYEAR and rename to YOUTH_DOBYEAR. YOUTH_DOBMONTH: Copy HH_DOBMONTH and rename to YOUTH_DOBMONTH. YOUTH_DOBDAY: Copy HH_DOBDAY and rename to YOUTH_DOBDAY. Create variable, YOUTHROSTERNUM: Calculate total number of eligible youth in YOUTHROSTER. Create roster variable, ADULTROSTER: Copy household members from HHROSTER if HH_ELIGIBLEYOUTH = 0 & (((STATE = AL or NE) & HH_AGE ≥ 19) or (STATE != AL or NE) & HH_AGE ≥ 18))) or (HH_AGERANGE = DK or REF). Copy fields HH_UID, HH_NAME, and HH_AGE but do not rename. Create variable, ADULTROSTERNUM: Calculate total number of adults in the ADULTROSTER. Create roster variable, NONYOUTHROSTER: Copy household members from HHROSTER if HH_ELIGIBLEYOUTH = 0. Copy fields HH_UID, HH_NAME, and HH_AGE but do not rename.

	Create variable YOUTHINFORMANT: Set YOUTHINFORMANT = 1 if HHROSTER LINE = 1 & HH_ELIGIBLEYOUTH = 1; else, set YOUTHINFORMANT = 0. If ADULTROSTERNUM = 0, set disposition code 510 ES CAPI - 2340 No Adults at Address
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES013, f_ES014, f_ES016, f_ES017, f_ES018
<i>NEXT</i>	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER: ES019 Else: ES047a

ES019	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER
QUESTION TYPE	Informational
FILLS (ENG)	Create fill, FILL_ES019_1 If YOUTHROSTERNUM = 1, FILL_ES019_1: 'person may be' Else, FILL_ES019_1: 'people may be' Create fill, FILL_ES019_2: List YOUTH_NAME(s) from YOUTHROSTER Create fill, FILL_ES019_3: If YOUTHINFORMANT = 1 & YOUTHROSTERNUM = 1, FILL_ES019_3: 'you' Else if YOUTHINFORMANT = 1 & YOUTHROSTERNUM > 1, FILL_ES019_3: 'you and them' Else, FILL_ES019_3: 'them'
FILLS (SPAN)	Create fill, FILL_ES019_1 If YOUTHROSTERNUM = 1, FILL_ES019_1: 'La siguiente persona podría ser elegible' Else, FILL_ES019_1: 'Las siguientes personas podrían ser elegibles' Create fill, FILL_ES019_2: List YOUTH_NAME(s) from YOUTHROSTER Create fill, FILL_ES019_3: If YOUTHINFORMANT = 1 & YOUTHROSTERNUM = 1, FILL_ES019_3: 'usted' Else if YOUTHINFORMANT = 1 & YOUTHROSTERNUM > 1, FILL_ES019_3: 'usted y esas personas' Else, FILL_ES019_3: 'esas personas'
ENGLISH	The following ^{FILL_ES019_1} eligible for this study: ^{FILL_ES019_2} Now I have a few more questions about ^{FILL_ES019_3}.
SPANISH	^{FILL_ES019_1} para este estudio: ^{FILL_ES019_2} Ahora tengo algunas preguntas más sobre ^{FILL_ES019_3}.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	

<i>LEAD-IN</i>	ES_ELIGCHECK
<i>NEXT</i>	If YOUTHINFORMANT = 1: f_ES022_CAPI Else: f_ES020

f_ES020 ES020_#	
ASK	If (HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER) & (YOUTHINFORMANT != 1) (Begin ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_YOUTHNAME: Fill YOUTH_NAME from YOUTHROSTER Create fill, FILL_ES020 If YOUTHROSTERNUM > 1 & LOOP NUM = 1, FILL_ES020: 'Let's start with ^{FILL_YOUTHNAME}: ' Else if YOUTHROSTERNUM > 1 & LOOP NUM > 1, FILL_ES020: 'Let's move on to ^{FILL_YOUTHNAME}: ' Else, FILL_ES020: empty
FILLS (SPAN)	Create fill, FILL_YOUTHNAME: Fill YOUTH_NAME from YOUTHROSTER Create fill, FILL_ES020 If YOUTHROSTERNUM > 1 & LOOP NUM = 1, FILL_ES020: 'Empecemos con ^{FILL_YOUTHNAME}: ' Else if YOUTHROSTERNUM > 1 & LOOP NUM > 1, FILL_ES020: 'Pasemos a ^{FILL_YOUTHNAME}: ' Else, FILL_ES020: empty
ENGLISH	^{FILL_ES020}Are you a parent or other legal guardian of ^{FILL_YOUTHNAME}? 1. YES 0. NO
SPANISH	^{FILL_ES020}¿Es usted padre/madre u otro(a) tutor(a) legal de ^{FILL_YOUTHNAME}? 1. YES 0. NO
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES019
NEXT	If ES020_# = 1 & ADULTROSTERNUM = 1: f_ES024 Else if ES020_# = 1: f_ES022_CAPI Else: f_ES021

f_ES021 ES021_#	
ASK	If YOUTHINFORMANT != 1 & ES020 != 1 (Continue ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME
ENGLISH	Are you a caregiver for ^{FILL_YOUTHNAME}? 1. YES 0. NO
SPANISH	¿Es usted cuidador(a) de ^{FILL_YOUTHNAME}? 1 YES 0 NO
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES020
NEXT	If ES021_# = 1 & ADULTROSTERNUM = 1: f_ES024 Else: f_ES022_CAPI

f_ES022_CAPI ES022_CAPI_#	
ASK	If (ADULTROSTERNUM > 1 & (ES020_# = 1 or ES021_# = 1)) or (ES021_# = 2 or DK or REF) or (YOUTHINFORMANT = 1 & ADULTROSTERNUM ≥ 1) (Continue ES LOOP 3)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES022_1 If ES020 = 1, FILL_ES022_1: 'else' Else, FILL_ES022_1: empty Create fill, FILL_ES022_2 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES022_2: 'your parent or other legal guardian' Else, FILL_ES022_2: 'a parent or other legal guardian of ^{FILL_YOUTHNAME}' Create fill, FILL_ES022_3 If ES020 != 1 & ADULTROSTERNUM > 2, FILL_ES022_3: 'You can name more than one person.' Else, FILL_ES022_3: empty Create fill, FILL_ADULTLIST: If YOUTHINFORMANT = 1, FILL_ADULTLIST: Checkbox list of HHNAMEHH_NAME(s) from ADULTROSTER Else, FILL_ADULTLIST: Checkbox list of HH_NAME(s) from ADULTROSTER <u>minus HHNAMEHH_NAME on line 1</u> (i.e., do not include the informant's name on the list) Create fill, FILL_ES022_4 If ES020 = 1, FILL_ES022_4: 'OTHER ' Else, FILL_ES022_4: empty
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES022_1 If ES020 = 1, FILL_ES022_1: 'más' Else, FILL_ES022_1: empty Create fill, FILL_ES022_2 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES022_2: 'su padre/madre u otro(a) tutor(a) legal' Else, FILL_ES022_2: 'un(a) padre/madre u otro(a) tutor(a) legal de ^{FILL_YOUTHNAME}' Create fill, FILL_ES022_3 If ES020 != 1 & ADULTROSTERNUM > 2, FILL_ES022_3: 'Puede nombrar a más de una persona.' Else, FILL_ES022_3: empty Create fill, FILL_ADULTLIST: If YOUTHINFORMANT = 1, FILL_ADULTLIST: Checkbox list of HHNAMEHH_NAME(s) from ADULTROSTER Else, FILL_ADULTLIST: Checkbox list of HH_NAME(s) from ADULTROSTER <u>minus HHNAMEHH_NAME on line 1</u> (i.e., do not include the informant's name on the list)

	Create fill, FILL_ES022_4 If ES020 = 1, FILL_ES022_4: 'OTHER ' Else, FILL_ES022_4: empty
ENGLISH	Who ^{FILL_ES022_1} from the household is ^{FILL_ES022_2}? ^{FILL_ES022_3} ^{FILL_ADULTLIST} -8. NO ^{FILL_ES022_4} PARENT OR LEGAL GUARDIAN LIVES IN THIS HOUSEHOLD.
SPANISH	¿Quién ^{FILL_ES022_1} del hogar es ^{FILL_ES022_2}? ^{FILL_ES022_3} ^{FILL_ADULTLIST} -8 NO HAY NINGÚN(A) ^{FILL_ES022_4} PADRE/MADRE O TUTOR(A) LEGAL VIVIENDO EN ESTE HOGAR.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached. Code each name on list as 1 if checked, 0 if not checked. Do not allow “-8” to be selected in combination with other options. Require a response for ES022_CAPI_#. If DK or REF is selected, display a hard check.
CHECK (ENG)	If ES022_CAPI_# = DK or REF, display hard check (display first part in red font and all caps, display second part in black font and sentence case): INTERVIEWER: READ ALOUD TO R: This information is required to proceed with the survey.
CHECK (SPAN)	If ES022_CAPI_# = DK or REF, display hard check (display first part in red font and all caps, display second part in black font and sentence case): INTERVIEWER: READ ALOUD TO R: Esta información es necesaria para continuar con la encuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES019, f_ES020, f_ES021
NEXT	If ES022_CAPI_# = -8 & (ES021_# = 2 or DK or REF): f_ES023_CAPI Else: f_ES024

f_ES023_CAPI ES023_CAPI_#	
ASK	If (ES022_CAPI_# = -8 & (ES021_# = 2 or DK or REF)) or (YOUTHINFORMANT = 1 & ADULTROSTERNUM ≥ 1 & ES022_CAPI_# = -8) (Continue ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Use fill from f_ES022_CAPI: FILL_ADULTLIST Create fill, FILL_ES023_1 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES023_1: 'you' Else, FILL_ES023_1: '^ {FILL_YOUTHNAME}'
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Use fill from f_ES022_CAPI: FILL_ADULTLIST Create fill, FILL_ES023_1 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES023_1: 'usted' Else, FILL_ES023_1: '^ {FILL_YOUTHNAME}'
ENGLISH	Who from the household is a caregiver for ^ {FILL_ES023_1}? INTERVIEWER: SELECT <u>ONE</u> NAME FROM LIST BELOW. ^ {FILL_ADULTLIST} -8. NO CAREGIVER LIVES IN THIS HOUSEHOLD.
SPANISH	¿Qué persona del hogar es cuidador(a) de ^ {FILL_ES023_1}? INTERVIEWER: SELECT <u>ONE</u> NAME FROM LIST BELOW. ^ {FILL_ADULTLIST} -8 NINGÚN(A) CUIDADOR(A) VIVE EN ESTE HOGAR.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached. Require a response for ES023_CAPI_#. If DK or REF is selected, display a hard check. Update variable, HH_ELIGIBLEYOUTH, for household member on the HHROSTER: Set HH_ELIGIBLEYOUTH = 0 if ES023_CAPI_# = -8.
CHECK (ENG)	If ES023_CAPI_# = DK or REF, display hard check (display first part in red font and all caps, display second part in black font and sentence case): INTERVIEWER: READ ALOUD TO R: This information is required to proceed with the survey.
CHECK (SPAN)	If ES023_CAPI_# = DK or REF, display hard check (display first part in red font and all caps, display second part in black font and sentence case): INTERVIEWER: READ ALOUD TO R: Esta información es necesaria para continuar con la encuesta.
HELP TEXT (ENG)	

HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES022_CAPI
NEXT	f_ES024

f_ES024 ES024_#	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER (Continue ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_YOURYOUTHNAME If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_YOURYOUTHNAME: 'your' Else, FILL_YOURYOUTHNAME: '^ {FILL_YOUTHNAME} 's'
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_YOURYOUTHNAME1S If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_YOURYOUTHNAME: 'su' Else, FILL_YOURYOUTHNAME: 'el' Create fill, FILL_YOURYOUTHNAME2S If LOOP NUM = 1 & YOUTHINFORMANT=1: empty Else, FILL_YOURYOUTHNAME2S: 'de ^ {FILL_YOUTHNAME} '
ENGLISH	What is ^ {FILL_YOURYOUTHNAME} sex? 1. Male 2. Female
SPANISH	¿Cuál es ^ {FILL_YOURYOUTHNAME1S} sexo ^ {FILL_YOURYOUTHNAME2S} ? 1 Masculino 2 Femenino
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES022_CAPI, f_ES023_CAPI
NEXT	f_ES025

f_ES025 ES025AMERINDIAN# / ES025ASIAN# / ES025BLACK# / ES025HISPAN# / ES025MIDEAST# / ES025NATIVEHAW# / ES025WHITE#	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER (Continue ES LOOP 3)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Use fill from f_ES024: FILL_YOURYOUTHNAME
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_YOURYOUTHNAME251S If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_YOURYOUTHNAME251S: 'su' Else, FILL_YOURYOUTHNAME251S: 'la' Create fill, FILL_YOURYOUTHNAME252S If LOOP NUM = 1 & YOUTHINFORMANT252S=1: empty Else, FILL_YOURYOUTHNAME252S: 'de ^{FILL_YOUTHNAME}'
ENGLISH	What is ^{FILL_YOURYOUTHNAME} race and/or ethnicity? You may choose more than one answer. INTERVIEW: USE THE EXAMPLES IN THE HELP TEXT IF NEEDED. 1. American Indian or Alaska Native [ES025AMERINDIAN#] 2. Asian [ES025ASIAN#] 3. Black or African American [ES025BLACK#] 4. Hispanic or Latino [ES025HISPAN#] 5. Middle Eastern or North African [ES025MIDEAST#] 6. Native Hawaiian or Pacific Islander [ES025NATIVEHAW#] 7. White [ES025WHITE#]
SPANISH	¿Cuál es ^{FILL_YOURYOUTHNAME251S} raza u origen étnico ^{FILL_YOURYOUTHNAME252S}? Puede elegir más de una respuesta. INTERVIEW: USE THE EXAMPLES IN THE HELP TEXT IF NEEDED. 1 Indígena de las Américas o nativo(a) de Alaska [ES025AMERINDIAN#] 2 Asiático(a) [ES025ASIAN#] 3 Negro(a) o afroamericano(a) [ES025BLACK#] 4 Hispano(a) o latino(a) [ES025HISPAN#] 5 De Medio Oriente o África del Norte [ES025MIDEAST#] 6 Nativo(a) de Hawái o de otras islas del Pacífico [ES025NATIVEHAW#] 7 Blanco(a) [ES025WHITE#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached. Code each variable in f_ES025 as 1 if checked, 0 if not checked.
CHECK (ENG)	

<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	American Indian or Alaska Native: For example, Navajo Nation, Blackfeet Tribe of the Blackfeet Indian Reservation of Montana, Native Village of Barrow Inupiat Traditional Government, Nome Eskimo Community, Aztec, Maya, etc. Asian: For example, Chinese, Asian Indian, Filipino, Vietnamese, Korean, Japanese, etc. Black or African American: For example, African American, Jamaican, Haitian, Nigerian, Ethiopian, Somali, etc. Hispanic or Latino: For example, Mexican, Puerto Rican, Salvadoran, Cuban, Dominican, Guatemalan, etc. Middle Eastern or North African: For example, Lebanese, Iranian, Egyptian, Syrian, Iraqi, Israeli, etc. Native Hawaiian or Pacific Islander: For example, Native Hawaiian, Samoan, Chamorro, Tongan, Fijian, Marshallese, etc. White: For example, English, German, Irish, Italian, Polish, Scottish, etc.
<i>HELP TEXT (SPAN)</i>	Indígena de las Américas o nativo(a) de Alaska: Por ejemplo, de la Nación Navajo, Tribu Blackfeet de la Reserva Indígena Blackfeet de Montana, Pueblo Nativo del Gobierno Tradicional Inupiat de Barrow, Comunidad Esquimal Nome, Azteca o Maya. Asiático(a): Por ejemplo, chino(a), indio(a) asiático(a), filipino(a), vietnamita, coreano(a), japonés(a), etc. Negro(a) o afroamericano(a): Por ejemplo, afroamericano(a), jamaicano(a), haitiano(a), nigeriano(a), etíope, somalí, etc. Hispano(a) o latino(a): Por ejemplo, mexicano(a), puertorriqueño(a), salvadoreño(a), cubano(a), dominicano(a), guatemalteco(a), etc. Del Medio Oriente o África del Norte Por ejemplo, libanés(a), iraní, egipcio(a), sirio(a), iraquí, israelí, etc. Nativo(a) de Hawái o de otras islas del Pacífico: Por ejemplo, nativo(a) hawaiano(a), samoano(a), chamorro(a), tongano(a), fiyiano(a), marshalés(a), etc. Blanco(a): Por ejemplo, inglés(a), alemán(a), irlandés(a), italiano(a), polaco(a), escocés(a), etc.
<i>MODE</i>	CAPI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES024
<i>NEXT</i>	f_ES026

f_ES026 ES026_#	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER (Continue ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES026 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES026: 'Do you' Else, FILL_ES026: 'Does ^{FILL_YOUTHNAME}'
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES026 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES026: 'Vive usted' Else, FILL_ES026: 'Vive ^{FILL_YOUTHNAME}'
ENGLISH	^{FILL_ES026} live here all or most of the time, live here about half the time, or live somewhere else most of the time? 1. LIVES HERE ALL OR MOST OF THE TIME 2. LIVES HERE ABOUT HALF THE TIME 0. LIVES SOMEWHERE ELSE MOST OF THE TIME
SPANISH	¿^{FILL_ES026} aquí todo o la mayor parte del tiempo, vive aquí casi la mitad del tiempo o vive en otro lugar la mayor parte del tiempo? 1 VIVE AQUÍ TODO O LA MAYOR PARTE DEL TIEMPO 2 VIVE AQUÍ CASI LA MITAD DEL TIEMPO 0 VIVE EN OTRO LUGAR LA MAYOR PARTE DEL TIEMPO
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached. If ES026_# = 0, set HH_ELIGIBLEYOUTH = 0 Create variable YOUTH_OTHERRES and add to YOUTHROSTER If ES026_# = 2, set YOUTH_OTHERRES = 1; else set YOUTH_OTHERRES = 0
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES025
NEXT	If ES026_# != 1: f_ES028 Else if LOOP NUM < YOUTHROSTERNUM: f_ES020 Else: ES029

f_ES028 ES028_#	
ASK	If ES026_# != 1 (End ES LOOP 3)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES028_1 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_1: 'a parent figure' Else, FILL_ES028_1: 'a parent figure of ^{FILL_YOUTHNAME}' Create fill, FILL_ES028_2 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_2: 'you also live' Else, FILL_ES028_2: '^{FILL_YOUTHNAME} also lives' Create fill, FILL_ES028_3 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_3: 'your' Else, FILL_ES028_3: 'their'
FILLS (SPAN)	Use fill from f_ES020: FILL_YOUTHNAME Create fill, FILL_ES028_1 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_1: 'una figura paterna/materna' 'una figura paterna de ^{FILL_YOUTHNAME}' , Create fill, FILL_ES028_2 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_2: 'también vive usted' Else, FILL_ES028_2: 'también vive ^{FILL_YOUTHNAME}' Create fill, FILL_ES028_3 If LOOP NUM = 1 & YOUTHINFORMANT = 1, FILL_ES028_3: 'su' Else, FILL_ES028_3: 'su'
ENGLISH	Does ^{FILL_ES028_1} live in the other place where ^{FILL_ES028_2}? This can be ^{FILL_ES028_3} biological, adoptive, or step-parent. 1. YES 0. NO
SPANISH	¿Vive ^{FILL_ES028_1} en el otro lugar donde ^{FILL_ES028_2}? Puede ser ^{FILL_ES028_3} padre/madre biológico(a), adoptivo(a) o padrastro/madrastra. 1 YES 0 NO
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through ES LOOP 3 (ES020_# – ES028_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached.
CHECK (ENG)	
CHECK (SPAN)	

<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES026
<i>NEXT</i>	If HH_ELIGIBLEYOUTH = 1 & LOOP NUM < YOUTHROSTERNUM: f_ES020 Else if HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members on HHROSTER: ES047a Else: ES029

ES029	
ASK	If HH_ELIGIBLEYOUTH = 1 for <u>one or more</u> household members in HHROSTER
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is this home... 1. Owned by you or someone in this household (with or without a mortgage) 2. Rented, or 3. Occupied without payment or rent?
SPANISH	¿Esta vivienda es...? 1 Propiedad de usted o de alguien de este hogar (con o sin hipoteca) 2 Un lugar que alquila, o 3 Un lugar ocupado sin pagos ni alquiler
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable, PLGINFORMANT: Set PLGINFORMANT = 1 if ES020_# in any loop = 1; else, set PLGINFORMANT = 0. Create variable, CGINFORMANT: Set CGINFORMANT = 1 if ES021_# in any loop = 1; else, set CGINFORMANT = 0. Create variable, NOPLG: Set NOPLG = 1 if (ES022_CAPI_# in any loop = -8) or (ADULTROSTERNUM = 1 & ES021_# = 1 in all loops) or (YOUTHINFORMANT = 1 & ADULTROSTERNUM = 0); else, set NOPLG = 0. Update roster variable, YOUTHROSTER: Create new fields for each eligible youth: YOUTH_PLGUID1: Assign ID number to 1st parent/guardian selected in ES020_# or ES022_CAPI_#. YOUTH_PLGNAME1: Record name of 1st parent/guardian selected in ES020_# or ES022_CAPI_#. YOUTH_PLGUID2: Assign ID number to 2nd parent/guardian selected in ES022_CAPI_#. YOUTH_PLGNAME2: Record name of 2nd parent/guardian selected in ES022_CAPI_#. YOUTH_CGUID: Assign ID number to caregiver selected in ES021_# or ES023_CAPI_#. YOUTH_CGNAME: Record name of caregiver selected in ES021_# or ES023_CAPI_#. YOUTH_SEX: Set YOUTH_SEX = 1 (Male) if ES024_# = 1; else, set YOUTH_SEX = 2 (Female) if ES024_# = 2. YOUTH_RACE: List variable: If ES025AMERINDIAN_# = 1, append 1 "American Indian"; if ES025ASIAN_# = 1, append 2 "Asian"; if ES025BLACK_# = 1, append 3 "Black"; if ES025HISPAN_# = 1, append 4 "Hispanic"; if ES025MIDEAST_# = 1, append 5 "Middle Eastern "; if ES025NATIVEHAW_# = 1, append 6 "Native Hawaiian"; if ES025WHITE_# = 1, append 7 "White". YOUTH_RESIDENCE: If ES026_# = 1, set YOUTH_RESIDENCE = 1 (Full Time Resident); else, if ES026_# = 2, set YOUTH_RESIDENCE = 2 (Part-Time Resident); else, set YOUTH_RESIDENCE = 0 (Non-Resident). Create variables: HHSRESNAME1 and HHSRESID1: If (PLGINFORMANT = 1) or (CGINFORMANT = 1 & NOPLG = 1): Set HHSRESNAME1 = ESINFORMANTNAME

	Set HHSRESID1 = ESINFORMANT_UID Else if PLGINFORMANT = 0: Iterate through each youth on YOUTHROSTER in order: If YOUTH_PLGNAME1 ≠ empty, set HHSRESNAME1 = YOUTH_PLGNAME1, set HHSRESID1 = YOUTH_PLGUID1, and stop HHSRESNAME2 and HHSRESID2: Iterate through each youth on YOUTHROSTER in order: If YOUTH_PLGNAME2 ≠ empty, set HHSRESNAME2 = YOUTH_PLGNAME2, set HHSRESID2 = YOUTH_PLGUID2, and stop
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_ES026, f_ES028
<i>NEXT</i>	If HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER: ES047a Else if PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1): ES030 Else: ES035

ES030	
ASK	If PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Now we would like to collect your telephone number and email address so we can contact you about the National Longitudinal Survey of Youth. First, what is the best phone number to reach you? INTERVIEWER: PLEASE READ PHONE NUMBER BACK TO THE R TO CONFIRM IT IS CORRECT. PHONE NUMBER: ____ - ____ - ____
SPANISH	Ahora, quisiéramos recopilar su número de teléfono y su dirección de correo electrónico para poder ponernos en contacto con usted en relación con la Encuesta Nacional Longitudinal de Jóvenes. Primero, ¿cuál es el mejor número de teléfono para ponerse en contacto con usted? INTERVIEWER: PLEASE READ PHONE NUMBER BACK TO THE R TO CONFIRM IT IS CORRECT. PHONE NUMBER: ____ - ____ - ____
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Check phone number is entered in valid format. Create variable, PLGPHONE: Record phone number entered in ES030. Create variable, ESINFORMANTPHONE: Record phone number entered in ES030.
CHECK (ENG)	If response is < 10 digits, display hard check (in red font and all caps): PLEASE ENTER A VALID PHONE NUMBER.
CHECK (SPAN)	If response is < 10 digits, display hard check (in red font and all caps): PLEASE ENTER A VALID PHONE NUMBER.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES029
NEXT	If ES030 = REF or DK: ES034 Else: f_ES031

f_ES031 ES031 / ES031OTHER	
ASK	If ES030 != REF or DK
QUESTION TYPE	ES031: Radio button ES031OTHER: Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What kind of phone is this? 1. Home phone (landline) 2. Cell phone 3. Work phone 4. Other (SPECIFY): _____ [ES031OTHER]
SPANISH	¿Qué tipo de teléfono es este? 1 Teléfono de casa (fijo) 2 Teléfono móvil 3 Teléfono de trabajo 4 Otro (ESPECIFIQUE): _____ [ES031OTHER]
RANGE	
LIMITS	ES031OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES030
NEXT	If ES031 = 2: ES032 Else: ES033

ES032	
ASK	If ES031 = 2
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	May we text you with important information about the study at this number? You may opt out at any time to stop receiving text messages. Carrier messaging and data fees may apply. 1. YES 0. NO
SPANISH	¿Podemos enviarle mensajes de texto con información importante sobre el estudio a este número? Puede optar dejar de recibir mensajes de texto en cualquier momento. Pueden aplicarse tarifas de mensajería y datos del operador. 1 SÍ 0 NO
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable, PLGTEXTCONSENT: Set PLGTEXTCONSENT = 1 if ES032 = 1; else, set to 0. Update roster variable, HHROSTER: Create new field: HH_TEXTCONSENT: On roster line 1, set HH_TEXTCONSENT = 1 if ES032 = 1; else, set to 0.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES031
NEXT	ES033

ES033	
ASK	If ES030 != REF or DK
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	May we leave a voicemail with important information about the study at this number? 1. YES 0. NO
SPANISH	¿Podemos dejar un correo de voz con información importante sobre el estudio a este número? 1. YES 0. NO
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create variable, PLGVMCONSENT: Set PLGVMCONSENT = 1 if ES032 = 1; else, set to 0. Update roster variable, HHROSTER: Create new field: HH_VMCONSENT: On roster line 1, set HH_VMCONSENT = 1 if ES033 = 1; else, set to 0.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	f_ES031, ES032
NEXT	ES034

ES034	
ASK	If PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the best email address for contacting you about the study? It should be a personal email and not managed by your employer or school. INTERVIEWER: PLEASE READ EMAIL ADDRESS BACK TO THE R TO CONFIRM IT IS CORRECT. EMAIL ADDRESS: _____
SPANISH	¿Cuál es la mejor dirección de correo electrónico para ponernos en contacto con usted en relación con el estudio? Debe ser un correo electrónico personal y no gestionado por su empleador ni escuela. INTERVIEWER: PLEASE READ EMAIL ADDRESS BACK TO THE R TO CONFIRM IT IS CORRECT. EMAIL ADDRESS: _____
RANGE	
LIMITS	50 characters
LOOP MAX	
PROGRAM. NOTES	Create variable, PLGEMAIL: Record email address entered in ES034.
CHECK (ENG)	If email is not in valid format, display hard check (in red font and all caps): PLEASE ENTER A VALID EMAIL ADDRESS.
CHECK (SPAN)	If email is not in valid format, display hard check (in red font and all caps): PLEASE ENTER A VALID EMAIL ADDRESS.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES033
NEXT	ES039

ES035	
ASK	If (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	RTI may contact you to verify the information you have given us, or to check the quality of my work and confirm I have done my job correctly. What is the best phone number to reach you? INTERVIEWER: PLEASE READ PHONE NUMBER BACK TO THE R TO CONFIRM IT IS CORRECT. PHONE NUMBER: ____ - ____ - ____
SPANISH	Es posible que RTI se ponga en contacto con usted para verificar la información que nos brindó o para comprobar la calidad de mi trabajo y confirmar que he realizado mi labor correctamente. ¿Cuál es el mejor número de teléfono para ponerse en contacto con usted? INTERVIEWER: PLEASE READ PHONE NUMBER BACK TO THE R TO CONFIRM IT IS CORRECT. PHONE NUMBER: ____ - ____ - ____
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Check phone number is entered in valid format.
CHECK (ENG)	If response is < 10 digits, display hard check (in red font and all caps): PLEASE ENTER A VALID PHONE NUMBER. Create variable, ESINFORMANTPHONE: Record phone number entered in ES035.
CHECK (SPAN)	If response is < 10 digits, display hard check (in red font and all caps): PLEASE ENTER A VALID PHONE NUMBER. Create variable, ESINFORMANTPHONE: Record phone number entered in ES035.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES029
NEXT	ES035b

ES035b	
ASK	If (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the best email address to reach you? It should be a personal email and not managed by an employer or school. This email will only be used for communication purposes related to the study and will not be shared or used for any other purposes. INTERVIEWER: PLEASE READ EMAIL ADDRESS BACK TO THE R TO CONFIRM IT IS CORRECT. EMAIL ADDRESS: _____
SPANISH	¿Cuál es la mejor dirección de correo electrónico para contactarse con usted? Debe ser un correo electrónico personal y no gestionado por un empleador o una escuela. Este correo electrónico solo se utilizará para fines de comunicación relacionados con el estudio y no se compartirá ni se usará para ningún otro fin. INTERVIEWER: PLEASE READ EMAIL ADDRESS BACK TO THE R TO CONFIRM IT IS CORRECT. EMAIL ADDRESS: _____
RANGE	
LIMITS	50 characters
LOOP MAX	
PROGRAM. NOTES	Check email is entered in valid format. Create variable, ESINFORMANTEMAIL: Record email entered in ES035b.
CHECK (ENG)	If email is not in valid format, display hard check: (in red font and all caps): PLEASE ENTER A VALID EMAIL ADDRESS.
CHECK (SPAN)	If email is not in valid format, display hard check: (in red font and all caps): PLEASE ENTER A VALID EMAIL ADDRESS.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES035
NEXT	If YOUTH_PLGUID2 = empty for all eligible youth: ES036a Else: ES036b

ES036a	
ASK	If ((PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)) & YOUTH_PLGUID2 = empty for all eligible youth
QUESTION TYPE	Informational
FILLS (ENG)	Create fill, FILL_ES036a If NOPLG = 1, FILL_ES036a: 'a caregiver' Else, FILL_ES036a: 'a parent or other legal guardian' Create fill, FILL_ALLYOUTHNAME If YOUTHROSTERNUM = 1, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1}' If YOUTHROSTERNUM = 2, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1} and ^{\YOUTHNAME_2}' If YOUTHROSTERNUM = 3, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1}, ^{\YOUTHNAME_2}, and ^{\YOUTHNAME_3}' If YOUTHROSTERNUM = 4, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1}, ^{\YOUTHNAME_2}, ^{\YOUTHNAME_3}, and ^{\YOUTHNAME_4}' ... etc. ...
FILLS (SPAN)	Create fill, FILL_ES036a If NOPLG = 1, FILL_ES036a: 'un(a) cuidador(a)' Else, FILL_ES036a: 'un(a) padre/madre u otro(a) tutor(a) legal' Create fill, FILL_ALLYOUTHNAME If YOUTHROSTERNUM = 1, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1}' If YOUTHROSTERNUM = 2, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1} and ^{\YOUTHNAME_2}' If YOUTHROSTERNUM = 3, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1}, ^{\YOUTHNAME_2}, and ^{\YOUTHNAME_3}' If YOUTHROSTERNUM = 4, FILL_ALLYOUTHNAME: '^{\YOUTHNAME_1}, ^{\YOUTHNAME_2}, ^{\YOUTHNAME_3}, and ^{\YOUTHNAME_4}' ... etc. ...
ENGLISH	Finally, we would like to contact ^{FILL_ES036a} of ^{FILL_ALLYOUTHNAME} to ask a few additional questions for the study. We will let them know that you helped us with answering this first set of questions.
SPANISH	Por último, quisiéramos ponernos en contacto con ^{FILL_ES036a} de ^{FILL_ALLYOUTHNAME} para hacer algunas preguntas adicionales para el estudio. Le avisaremos que usted nos ha ayudado a responder esta primera serie de preguntas.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES035

ES036b	
ASK	If ((PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)) & YOUTH_PLGUID2 != empty
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ALLYOUTHNAME: Fill name(s) of eligible youth in the household, i.e. list all YOUTH_NAME from YOUTHROSTER Create fill, FILL_PLGNAME1: Fill YOUTH_PLGNAME1 from YOUTHROSTER Create fill, FILL_PLGNAME2: Fill YOUTH_PLGNAME2 from YOUTHROSTER
FILLS (SPAN)	Create fill, FILL_ALLYOUTHNAME: Fill name(s) of eligible youth in the household, i.e. list all YOUTH_NAME from YOUTHROSTER Create fill, FILL_PLGNAME1: Fill YOUTH_PLGNAME1 from YOUTHROSTER Create fill, FILL_PLGNAME2: Fill YOUTH_PLGNAME2 from YOUTHROSTER
ENGLISH	Finally, we would like to contact a parent or other legal guardian of ^{FILL_ALLYOUTHNAME} to ask a few additional questions for the study. We will let them know that you helped us with answering this first set of questions. Who is the best person for us to contact? 1. ^{FILL_PLGNAME1} 2. ^{FILL_PLGNAME2}
SPANISH	Por último, quisiéramos ponernos en contacto con un(a) padre/madre u otro(a) tutor(a) legal de ^{FILL_ALLYOUTHNAME} para hacer algunas preguntas adicionales para el estudio. Le avisaremos que usted nos ha ayudado a responder esta primera serie de preguntas. ¿Quién es la mejor persona con la que podemos comunicarnos? 1 ^{FILL_PLGNAME1} 2 ^{FILL_PLGNAME2}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Update variables: HHRESNAME1: If ES036b = 1, set to YOUTH_PLGNAME1; else if ES036b = 2, set to YOUTH_PLGNAME2. HHRESID1: If ES036b = 1, set to YOUTH_PLGUID1; else if ES036b = 2, set to YOUTH_PLGUID2. HHRESNAME2: If ES036b = 1, set to YOUTH_PLGNAME2; else if ES036b = 2, set to YOUTH_PLGNAME1. HHRESID2: If ES036b = 1, set to YOUTH_PLGUID2; else if ES036b = 2, set to YOUTH_PLGUID1.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES029

ES036c	
ASK	If (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the best phone number for reaching them? INTERVIEWER: PLEASE READ PHONE NUMBER BACK TO THE R TO CONFIRM IT IS CORRECT. PHONE NUMBER: ____ - ____ - ____
SPANISH	¿Cuál es el mejor número de teléfono para contactarnos con esa persona? INTERVIEWER: PLEASE READ PHONE NUMBER BACK TO THE R TO CONFIRM IT IS CORRECT. PHONE NUMBER: ____ - ____ - ____
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Check phone number is entered in a valid format. Create variable, PLGPHONE: Record number entered in ES036c.
CHECK (ENG)	If response is < 10 digits, display hard check (in red font and all caps): PLEASE ENTER A VALID PHONE NUMBER.
CHECK (SPAN)	If response is < 10 digits, display hard check (in red font and all caps): PLEASE ENTER A VALID PHONE NUMBER.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES036a, ES036b
NEXT	If ES036c = REF or DK: ES038 Else: f_ES037

f_ES037 ES037 / ES037OTHER	
ASK	If ES036 != REF or DK
QUESTION TYPE	ES037: Radio button ES037OTHER: Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What kind of phone is this? 1. Home phone (landline) 2. Cell phone 3. Work phone 4. Other (SPECIFY): _____ [ES037OTHER]
SPANISH	¿Qué tipo de teléfono es este? 1 Teléfono de casa (fijo) 2 Teléfono móvil 3 Teléfono de trabajo 4 Otro (ESPECIFIQUE): _____ [ES037OTHER]
RANGE	
LIMITS	ES037OTHER: 100 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES036c
NEXT	ES038

ES038	
ASK	If (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the best email address for reaching them? It should be a personal email and not managed by their employer or school. INTERVIEWER: PLEASE READ EMAIL ADDRESS BACK TO THE R TO CONFIRM IT IS CORRECT. EMAIL ADDRESS: _____
SPANISH	¿Cuál es la mejor dirección de correo electrónico para contactarnos con esa persona? Debe ser un correo electrónico personal y no gestionado por su empleador o escuela. INTERVIEWER: PLEASE READ EMAIL ADDRESS BACK TO THE R TO CONFIRM IT IS CORRECT. EMAIL ADDRESS: _____
RANGE	
LIMITS	50 characters
LOOP MAX	
PROGRAM. NOTES	Check email is entered in valid format. Create variable, PLGEMAIL: Record email address entered in ES038.
CHECK (ENG)	If email is not in valid format, display hard check (in red font and all caps): PLEASE ENTER A VALID EMAIL ADDRESS.
CHECK (SPAN)	If email is not in valid format, display hard check (in red font and all caps): PLEASE ENTER A VALID EMAIL ADDRESS.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES036c, f_ES037
NEXT	ES044a

ES039	
ASK	If PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In the future, would you prefer to complete interviews for this study in English or Spanish, or do you have no preference? 1. ENGLISH 2. SPANISH 3. NO PREFERENCE
SPANISH	En el futuro, ¿preferiría realizar las entrevistas para este estudio en inglés o en español, o no tiene ninguna preferencia? 1 INGLÉS 2 ESPAÑOL 3 SIN PREFERENCIA
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES034
NEXT	ES044b

ES044a	
ASK	If (PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you for taking the time to answer these questions. Here is \$5 as a thank you for providing information for the study. Since you may have eligible youth in your household, we have a few more questions that will help determine who from your household could be invited to complete an interview for this important study.
SPANISH	Gracias por tomarse la molestia de responder estas preguntas. Aquí tiene \$5 como agradecimiento por facilitar información para el estudio. Puesto que es posible que en su hogar hay jóvenes que cumplen los requisitos, tenemos algunas preguntas más que le ayudarán a determinar quién de su hogar podría ser invitado(a) a completar una entrevista para este importante estudio.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES038
NEXT	ES045_CAPI

ES044b	
ASK	If PLGINFORMANT = 1 or (CGINFORMANT = 1 & NOPLG = 1)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you for taking the time to answer these questions. Here is \$5 as a thank you for providing information for the study. Since you may have eligible youth in your household, we have a few more questions that will help determine who from your household could be invited to complete an interview for this important study. You will receive an additional \$5 for answering these next few questions. Would you like to proceed now? 1. YES 0. NO, NOT NOW
SPANISH	Gracias por tomarse la molestia de responder estas preguntas. Aquí tiene \$5 como agradecimiento por facilitar información para el estudio. Puesto que es posible que en su hogar hay jóvenes que cumplen los requisitos, tenemos algunas preguntas más que ayudarán a determinar quién de su hogar podría ser invitado(a) a completar una entrevista para este importante estudio. Recibirá \$5 adicionales por responder las siguientes preguntas. ¿Le gustaría proceder ahora? 1 SÍ 0 NO, AHORA NO
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES038, ES039
NEXT	If ES044b = 1: HHS003 Else: ES045_CAPI

ES045_CAPI	
ASK	If ((PLGINFORMANT = 0 & CGINFORMANT = 0) or (CGINFORMANT = 1 & NOPLG = 0)) or (ES044b = 0 or DK or REF)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ES045 If ES044b = 0, FILL_ES045: 'you' Else if NOPLG = 1, FILL_ES045: Fill in YOUTH_CGNAME from YOUTHROSTER Else if NOPLG = 0 & ES036b = 2, FILL_ES045: Fill in YOUTH_PLGNAME2 from YOUTHROSTER Else if NOPLG = 0, FILL_ES045: Fill in YOUTH_PLGNAME1 from YOUTHROSTER Else, FILL_ES045: 'someone from the household'
FILLS (SPAN)	Create fill, FILL_ES045 If ES044b = 0, FILL_ES045: 'usted' Else if NOPLG = 1, FILL_ES045: Fill in YOUTH_CGNAME from YOUTHROSTER Else if NOPLG = 0 & ES036b = 2, FILL_ES045: Fill in YOUTH_PLGNAME2 from YOUTHROSTER Else if NOPLG = 0, FILL_ES045: Fill in YOUTH_PLGNAME1 from YOUTHROSTER Else, FILL_ES045: 'alguien de la casa'
ENGLISH	I'd like to schedule a time to come back and speak with ^{FILL_ES045} further about the study. INTERVIEWER: GO TO SCHEDULER (OPENS IN NEW WINDOW). WAS AN APPOINTMENT SCHEDULED? 1. YES 0. NO
SPANISH	Quisiera programar un tiempo para regresar y hablar con ^{FILL_ES045} más sobre el estudio. INTERVIEWER: GO TO SCHEDULER (OPENS IN NEW WINDOW). WAS AN APPOINTMENT SCHEDULED? 1. YES 0. NO
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If ES045_CAPI = 1, set disposition code 520 CAPI HHS - 1292 Hard appointment.
NEXT	If ES045_CAPI = 0: ES046

[illegible]

ES046	
ASK	If ES045_CAPI = 0
QUESTION TYPE	Textbox
FILLS (ENG)	Use fill from f_ES045: FILL_ES045
FILLS (SPAN)	Use fill from f_ES045: FILL_ES045
ENGLISH	Do you have any other information you can share about the best time for an interviewer to contact ^{FILL_ES045}? NOTES: _____
SPANISH	¿Tiene alguna otra información que pueda compartir sobre el mejor momento para que un(a) entrevistador(a) se ponga en contacto con ^{FILL_ES045}? NOTES: _____
RANGE	
LIMITS	Max 500 characters
LOOP MAX	
PROGRAM. NOTES	Do not include a hard check if item is left blank.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES045_CAPI
NEXT	ES049

ES047a	
ASK	If HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thank you for taking the time to answer these questions. No members of your household are eligible for this study. Here is \$5 as a thank you for providing information for the study. My supervisor may want to check the quality of my work and confirm that I have done my job correctly. What is the best phone number to reach you? INTERVIEWER: PLEASE READ PHONE NUMBER BACK TO THE R TO CONFIRM IT IS CORRECT. PHONE NUMBER: ____ - ____ - ____
SPANISH	Gracias por tomarse la molestia de responder estas preguntas. Ninguna persona en su hogar cumple los requisitos para participar en este estudio. Aquí tiene \$5 dólares como agradecimiento por facilitar información para el estudio. Es posible que mi supervisor quiera comprobar la calidad de mi trabajo y confirmar que lo he hecho correctamente. ¿Cuál es el mejor número de teléfono para ponerse en contacto con usted? INTERVIEWER: PLEASE READ BACK THE NUMBER PROVIDED BY THE R TO CONFIRM IT IS CORRECT. PHONE NUMBER: ____ - ____ - ____
RANGE	
LIMITS	10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Check phone number is entered in valid format. If HH_ELIGIBLEYOUTH = 0 for <u>all</u> household members in HHROSTER, set disposition code 510 - CAPI ES - 2610 - ES Complete - None eligible. If HH_ELIGIBLEYOUTH = 1 for <u>any</u> household members in HHROSTER, set disposition code 510 CAPI ES - 2611 - ES Complete - 1 or more youth eligible.
CHECK (ENG)	If response is < 10 digits, display hard check (in red font and all caps): PLEASE ENTER A VALID PHONE NUMBER.
CHECK (SPAN)	If response is < 10 digits, display hard check: INGRESE UN NÚMERO DE TELÉFONO VÁLIDO.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	ES_ELIGCHECK, ES029
NEXT	ES049

ES049	
ASK	All respondents
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	INTERVIEWER: THANK R FOR THEIR TIME AND CLOSE OUT INTERVIEW.
SPANISH	INTERVIEWER: THANK R FOR THEIR TIME AND CLOSE OUT INTERVIEW.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Update roster variable, HHROSTER: For each youth household member (HH_ELIGIBLEYOUTH = 1), update field, HHAGE = YOUTHAGEHH_AGE = YOUTH_AGE, and create new fields: HHSEXHH_SEX: Copy sex category from YOUTHSEXYOUTH_SEX in YOUTHROSTER. HHRACEHH_RACE: Copy race/ethnicity category from YOUTHRACEYOUTH_RACE in YOUTHROSTER. HHRESIDENCEHH_RESIDENCE: Copy residential status from YOUTHRESIDENCEYOUTH_RESIDENCE in YOUTHROSTER. HHPLGID1HH_PLGUID1: Copy ID number of parent/guardian from PLGID1YOUTH_PLGUID1 in YOUTHROSTER. HHPLGNAME1HH_PLGNAME1: Copy name of parent/guardian from YOUTH_PLGNAME1 in YOUTHROSTER. HHPLGID2HH_PLGUID2: Copy ID number of parent/guardian from PLGID2YOUTH_PLGUID2 in YOUTHROSTER. HHPLGNAME2HH_PLGNAME2: Copy name of parent/guardian from YOUTH_PLGNAME2 in YOUTHROSTER. HHCGIDHH_CGUID: Copy ID number of caregiver from CGIDYOUTH_CGUID in YOUTHROSTER. HHCGNAMEHH_CGNAME: Copy name of caregiver from YOUTH_CGNAME in YOUTHROSTER. Update roster variable, HHROSTER: For each non-youth household member (HH_ELIGIBLEYOUTH = 0), create new fields: HHPLGHH_PLG: If a parent/guardian of 1+ youth, set HHPLGHH_PLG = 1; else, set HHPLGHH_PLG = 0. HHCGHH_CG: If a caregiver of 1+ youth, set HHCGHH_CG = 1; else, set HHCGHH_CG = 0. HHPHONEHH_PHONE: If HHPLGHH_PLG = 1 or HHCGHH_CG = 1, add phone number from ES030 or ES036. HHEMAILHH_EMAIL: If HHPLGHH_PLG = 1 or HHCGHH_CG = 1, add email address from ES034 or ES038.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	

<i>LEAD-IN</i>	ES001, ES004, ES005ES005A, ES007, ES008_CAPI, ES009_CAPI, ES010_CAPI, ES046, ES047a
<i>NEXT</i>	End.