

Contents

1. Information
2. Family Background
3. Parent Calendar
4. Parent Health
5. BRIEF2A Placeholder
6. Income
7. Child Calendar
8. Child Health
9. Child Expectations
10. Child Family Background
11. Parent/Caregiver Debrief
12. Parent/Caregiver Restart Interview
13. Parent/Caregiver Breakoff
14. Parent/Caregiver Incentive

NLSY27 Specifications Formatting
Parent Information (PINF)

PRELOADS:

MODE: CAPI for administered via project laptop, CAWI for web administration

HHROSTER: A roster/array variable listing each household (HH) member who lives in the household.

- HH_UID: Unique ID for each member of the household
- HH_NAME: Name of the household member (Confirmed/updated in Parent Information)
- HH_AGE: Age of the household member (Confirmed/updated in Parent Information)
- HH_SEX: Sex (male/female) of the household member (Confirmed/updated in Parent Information)
- HH_RACE: Race/ethnicity of the household member f
- HH_EMPLOY: Current employment status of household member aged 15+
- HH_EDUC: Highest education level of household member (non-eligible youth) aged 18+
- HH_MART: Marital status of household member
- HH_ELIGIBLEYOUTH: Flag if the household member is an eligible youth
- HH_PLG: Flag if the household member is a parent or legal guardian of an eligible youth
- HH_CG: Flag if the household member is a caregiver of an eligible youth
- HH_PLGID1: If ELIGIBLEYOUTH = 1, the ID number of their 1st parent or guardian
- HH_PLGNAME1: If ELIGIBLEYOUTH = 1, the name of their 1st parent or guardian
- HH_PLGID2: If ELIGIBLEYOUTH = 1, the ID number of their 2nd parent or guardian
- HH_PLGNAME2: If ELIGIBLEYOUTH = 1, the name of their 2nd parent or guardian
- 1. HH_CGID: If ELIGIBLEYOUTH = 1, the ID number of their caregiver
- HH_CGNAME: If ELIGIBLEYOUTH = 1, the name of their caregiver
- HH_YOUTHPLG_#: Indicator for relationship of adult household member to eligible youth (_#), where 1= bio parent, 2= step-parent, 3= adoptive parent, 4= foster parent, 5=legal guardian, 6=mother figure, 7=father figure, 8=other relative, 9=other non-relative

RESSELECT: Indicator variable for whether HHS respondent was the parent/caregiver selected for an interview.

HHSINFORMANT_UID: HH_UID of HHS respondent

YOUTHROSTER: Roster of eligible youth in the household created in ES019_LOOP_END

YOUTH_UID_#: Household ID number of the eligible youth.

YOUTH_NAME_#: Name of the eligible youth.

YOUTH_AGE_#: Youth current age

YOUTH_DOB_#: Youth date of birth

YOUTH_DOBYEAR_#: Youth year of birth

YOUTHROSTERNUM: Total number of eligible youth in the household, created in ES019_LOOP_END, updated in HHS

SPCUID: HHID of primary P/C selected for interview

SPCNAME: Name of parent/guardian selected for parent/caregiver interview

SPCSEX: Parent's sex

SPCAGE: Parent's age

SPCMART: Parent's marital status

0. Never-married

1. Married
2. Separated
3. Divorced
4. Widowed

SPCPART: Indicator for residential partner of selected parent/caregiver:

0. None
1. Married and living with spouse
2. Married, no spouse in household
3. Cohabiting with partner

SPCEDUC: Parent's highest level of education

SPCPARTNER: Name of parent/caregiver's partner

SPCSPOUSE: Name of parent/caregiver's spouse

SPCSPOUSEID: HHID of Selected P/C's spouse

SPCPARTNERID: HHID of Selected P/C's partner

SPCPHONE: Phone number of selected P/C from HHS

SPCEMAIL: Email address of selected P/C from HHS

ALTPCUID: HHID of alternate P/C selected for interview

ALTPCNAME: Name of alternate parent/guardian selected for parent/caregiver interview

ALTPCSEX: alternate parent's sex

ALTPCAGE: alternate parent's age

ALTPCMART: alternate parent's marital status

0. Never-married
1. Married
2. Separated
3. Divorced
4. Widowed

ALTPCPART: Indicator for residential partner of alternate parent/caregiver:

0. None
1. Married and living with spouse
2. Married, no spouse in household
3. Cohabiting with partner

ALTPCEDUC: Alternate parent's highest level of education

ALTPCPARTNER: Name of alternate parent/caregiver's partner

ALTPCSPOUSE: Name of alternate parent/caregiver's spouse

ALTPSPOUSEID: HHID of Selected P/C's spouse

ALTPARTNERID: HHID of Selected P/C's partner

ALTPPHONE: Phone number of alternate P/C from HHS

ALTPEMAIL: Email address of alternate P/C from HHS

YOUTH_MOTHER: If bio mom in household MOTHER=1, if adoptive mom in household MOTHER=2

YOUTH_FATHER: If bio or adopted dad in household FATHER=1, if adoptive father in household, FATHER=2

YOUTH_BIOMOMUID: Part of YOUTHROSTER where BIODADID=HHID of person identified as female and biological parent of youth

YOUTH_BIODADUID: Part of YOUTHROSTER where BIODADID=HHID of person identified as male and biological parent of youth

HHSINFORMANT_UID: Roster ID of HHS informant

General Programming Instructions

All items are required.

Display DK "don't know" and REF "prefer not to answer" items only after respondent attempts to advance to the next screen without selecting/entering a response.

Capture item level timing.

Include a time/date stamp at beginning and end of module.

If the FI initiates this module, please start it in CAPI mode. The Disposition code will remain at 540 for the Parent/Caregiver instrument and sub-code 1001. Questions PINF_001 to PINF_010 are designed to be completed by the FI in person using CAPI. Starting at question PINF_011 the instrument switches to CASI for self-administration by the interviewer. In cases when the respondent is not available or cannot complete the interview at that time and the parent needs to complete the survey via the web, the interview will be triggered to switch to CAWI by Disposition code 350 (and sub-code 1001 indicating that the P/C Web Survey invitation email has been initiated). This code will automatically be triggered 1 day after the Disposition code for the CAPI Youth Interview is noted as completed. This will not only help with initiating the web survey for the parent or caregiver but also ensure that their interview is only started after a youth interview has been completed.

PINF_001	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	CREATE FILL_CONDEC: IF MODE = CAPI, FILL_CONDEC: 1. CONTINUE 0. DECLINE ELSE, IF MODE = CAWI, FILL_CONDEC: 1. Continue 0. Decline
FILLS (SPAN)	CREATE FILL_CONDEC: IF MODE = CAPI, FILL_CONDEC: 1. CONTINUE 0. DECLINE ELSE, IF MODE = CAWI, FILL_CONDEC: 1. Continuar 0. Negarse
ENGLISH	The Bureau of Labor Statistics estimates that it will take between 60-90 minutes per respondent to complete this survey. If you have any comments regarding this estimate or any other aspect of the survey including suggestions for reducing the time needed to respond, you may send them to the Bureau of Labor Statistics, National Longitudinal Surveys (OMB No. xxx, Exp. xxx) at NLSY27info@bls.gov. ^{FILL_CONDEC}
SPANISH	La Oficina de Estadísticas Laborales calcula que cada participante tardará entre 60 y 90 minutos en completar esta encuesta. Si tiene algún comentario sobre esta estimación o sobre cualquier otro aspecto de la encuesta, incluidas sugerencias para reducir el tiempo necesario para responder, puede enviarlo a la Oficina de Estadísticas Laborales, Encuestas Longitudinales Nacionales (n.º de OMB xxx, exp. xxx) a NLSY27info@bls.gov. ^{FILL_CONDEC}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI, CAWI
NOTES	
LEAD-IN	CONSENT
NEXT	If PINF_001 = 1: PINF_002 Else END

PINF_002	
ASK	All respondents
QUESTION TYPE	Computer Check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DO NOT DISPLAY SCREEN. RECORD INTERVIEW DATE AS [DOI] UPDATE YOUTH_CURRENTAGE: IF YOUTHDOB NOT MISSING, THEN CALCULATE CURRENTAGE BY SUBTRACTING YOUTH_DOB FROM TODAY'S DATE/365. Else set YOUTH_CURRENTAGE=YOUTH_AGE
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI, CAWI
NOTES	
LEAD-IN	PINF_001
NEXT	PINF_003

PINF_003	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_SPCNAME: Fill with 'SPCNAME' from sample preload CREATE FILL_PCSELECT: IF MODE = CAPI, FILL_PCSELECT: INTERVIEWER: THE PARENT CHOSEN TO RESPOND TO THIS INTERVIEW IS ^{FILL_SPCNAME}. IS THIS THE CORRECT PERSON? 1. YES 0. NO ELSE, IF MODE = CAWI, FILL_PCSELECT: For this interview, we want to ensure that we are talking to the right person. Are you [FILL 'SPCNAME']? 1. Yes 0. No
FILLS (SPAN)	Create fill, FILL_SPCNAME: Fill with 'SPCNAME' from sample preload CREATE FILL_PCSELECT: IF MODE = CAPI, FILL_PCSELECT: INTERVIEWER: THE PARENT CHOSEN TO RESPOND TO THIS INTERVIEW IS ^{FILL_SPCNAME}. IS THIS THE CORRECT PERSON? 1. YES 0. NO ELSE, IF MODE = CAWI, FILL_PCSELECT: Para esta entrevista, queremos asegurarnos de hablar con la persona adecuada. ¿Es usted [FILL 'SPCNAME']? 1. Sí 0. No
ENGLISH	^{FILL_PCSELECT}
SPANISH	^{FILL_PCSELECT}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If PINF_003=1, set: RPC_UID=SPCUID. PCNAME=SPCNAME PCPHONE=SPCPHONE PCEMAIL=SPCEMAIL PCSEX=SPCSEX PCAGE=SPCAGE PCMART=SPCMART PCPART=SPCPART PCEDUC=SPCEDUC PCSPOUSE=SPCSPOUSE

	PCPARTNER=SPCPARTNER PCSPOUSEID=SPCSPOUSEID PCPARTNERID=SPCPARTNERID Create variable YOUTH_RPCPLG and add to the youth roster for each youth. Set YOUTH_RPCPLG= HH_YOUTHPLG_# for the household member with HH_UID=RPC_UID in relation to that youth
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI, CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINF_002
<i>NEXT</i>	If PINF_003 = 1 and If RPC_UID ≠ HHSINFORMANT_UID: PINF_006 Else if PINF_003=1 and RPC_UID = HHSINFORMANT_UID: PINF_010 Else, if CAWI and PINF_003 = 0, DK or REF: PINF_072 Else if ALTPCUID is missing: END Else PINF_004

PINF_004	
ASK	MODE = CAPI AND PINF_003 =0
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ALTPCNAME: 'ALTPCNAME'
FILLS (SPAN)	Create fill, FILL_ALTPCNAME: 'ALTPCNAME'
ENGLISH	INTERVIEWER: IS ^{FILL_ALTPCNAME} AVAILABLE TO COMPLETE THE SURVEY? 1. YES 0. NO
SPANISH	INTERVIEWER: IS ^{FILL_ALTPCNAME} AVAILABLE TO COMPLETE THE SURVEY? 1. YES 0. NO
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	MODE = CAPI, PINF_003 = 0
NEXT	If PINF_004 = 1: PINF_005 Else PINF_071

PINF_005	
ASK	IF PINF_004 = 1
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill, FILL_SPCNAME from PINF_003 Use fill, FILL_ALTPCNAME from PINF_004
FILLS (SPAN)	Use fill, FILL_SPCNAME from PINF_003 Use fill, FILL_ALTPCNAME from PINF_004
ENGLISH	[INTERVIEWER INSTRUCTIONS: FROM THE LIST OF PARENT/CAREGIVER NAMES BELOW, CHOOSE THE CORRECT PERSON SELECTED TO DO THE SURVEY.] 1. ^{Fill_SPCNAME} 2. ^{Fill_ALTPCNAME}
SPANISH	[INTERVIEWER INSTRUCTIONS: FROM THE LIST OF PARENT/CAREGIVER NAMES BELOW, CHOOSE THE CORRECT PERSON SELECTED TO DO THE SURVEY.] 1. ^{Fill_SPCNAME} 2. ^{Fill_ALTPCNAME}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If PINF_005=1, Set: RPC_UID=SPC PCNAME=SPCNAME PCPHONE=SPCPHONE PCEMAIL=SPCEMAIL PCSEX=SPCSEX PCAGE=SPCAGE PCMART=SPCMART PCPART=SPCPART PCEDUC=SPCEDUC PCSPOUSE=SPCSPOUSE PCPARTNER=SPCPARTNER PCSPOUSEID=SPCSPOUSEID PCPARTNERID=SPCPARTNERID Else if PINF_005=2, set: RPC_UID=ALTPC PCNAME=ALTPCNAME PCPHONE=ALTPCPHONE PCEMAIL=ALTPCEMAIL PCSEX=ALTPCSEX PCAGE=ALTPCAGE PCMART=ALTPCMART PCPART=ALTPCPART PCEDUC=ALTPCEDUC

	PCSPOUSE=ALTPCSPOUSE PCPARTNER=ALTPCPARTNER PCSPOUSEID=ALTPSPOUSEID PCPARTNERID=ALTPCPARTNERID Create variable YOUTH_RPCPLG and add to the youth roster for each youth. Set YOUTH_RPCPLG= HH_YOUTHPLG_# for the household member with HH_UID=RPC_UID in relation to that youth
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI
<i>NOTES</i>	
<i>LEAD-IN</i>	If PINF_004 = 1
<i>NEXT</i>	If RPC_UID ≠ HHSINFORMANT_UID: PINF_006 If RPC_UID = HHSINFORMANT_UID: PINF_010

PINF_006	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND (PINF_003=1 or PINF_004=1)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ADDRESS1: Fill with 'ADDRESS1' from sample preload Create fill, FILL_ADDRESS2: Fill with 'ADDRESS1' from sample preload Create fill, FILL_CITY: Fill with 'CITY' from sample preload Create fill, FILL_ZIP: Fill with 'ZIP' from sample preload Create FILL_CAPI: If MODE = CAPI, FILL_CAPI: INTERVIEWER: SHOW ADDRESS BELOW TO PARENT/CAREGIVER. ONLY MINOR CHANGES LIKE CHANGING "APARTMENT" TO "UNIT" SHOULD BE MADE. IF THE PARTICIPANT INDICATES THAT THE ADDRESS NUMBER, STREET, OR UNIT NUMBER IS INCORRECT, YOU SHOULD PAUSE THE INTERVIEW AND CALL YOUR FS. 1. YES 0. NO Else, if MODE = CAWI, FILL_CAPI: 1. Yes 0. No
FILLS (SPAN)	Create fill, FILL_ADDRESS1: Fill with 'ADDRESS1' from sample preload Create fill, FILL_ADDRESS2: Fill with 'ADDRESS1' from sample preload Create fill, FILL_CITY: Fill with 'CITY' from sample preload Create fill, FILL_ZIP: Fill with 'ZIP' from sample preload Create FILL_CAPI: If MODE = CAPI, FILL_CAPI: INTERVIEWER: SHOW ADDRESS BELOW TO PARENT/CAREGIVER. ONLY MINOR CHANGES LIKE CHANGING "APARTMENT" TO "UNIT" SHOULD BE MADE. IF THE PARTICIPANT INDICATES THAT THE ADDRESS NUMBER, STREET, OR UNIT NUMBER IS INCORRECT, YOU SHOULD PAUSE THE INTERVIEW AND CALL YOUR FS. 1. YES 0. NO Else, if MODE = CAWI, FILL_CAPI: 1. Sí 0. No
ENGLISH	The address we have recorded for you is listed below. Is all of your address information correct? ^{FILL_CAPI}

	Street: ^{FILL_ADDRESS1} ^{FILL_ADDRESS2} City: ^{FILL_CITY} Zip code: ^{FILL_ZIP}
SPANISH	La dirección que registramos figura a continuación. ¿Son correctos todos los datos de su dirección? ^{FILL_CAPI} Calle: ^{FILL_ADDRESS1} ^{FILL_ADDRESS2} Ciudad: ^{FILL_CITY} Código postal: ^{FILL_ZIP}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI, CAWI
NOTES	
LEAD-IN	PINF_003 = 1, PINF_005
NEXT	If PINF_006 = 0: f_PINF_007 Else PINF_008

f_PINF_007 ADDRESS1/ADDRESS2/CITY/ZIP	
ASK	PINF_006 = 0
QUESTION TYPE	ADDRESS1: Text and Numeric ADDRESS2: Text and Numeric City: Text Zip: Numeric
FILLS (ENG)	FILL_ADDRESS1: Fill with 'ADDRESS1' from sample preload FILL_ADDRESS2: Fill with 'ADDRESS1' from sample preload FILL_CITY: Fill with 'CITY' from sample preload FILL_ZIP: Fill with 'ZIP' from sample preload Create FILL_INTINST: FILL_INTINST: If MODE = CAPI, FILL_INTINST: INTERVIEWER: USE THE SPACES BELOW TO CORRECT ANY ADDRESS INFORMATION. Else, if MODE = CAWI, FILL_INTINST: Please use the spaces below to correct your address information.
FILLS (SPAN)	FILL_ADDRESS1: Fill with 'ADDRESS1' from sample preload FILL_ADDRESS2: Fill with 'ADDRESS1' from sample preload FILL_CITY: Fill with 'CITY' from sample preload FILL_ZIP: Fill with 'ZIP' from sample preload Create FILL_INTINST: FILL_INTINST: If MODE = CAPI, FILL_INTINST: INTERVIEWER: USE THE SPACES BELOW TO CORRECT ANY ADDRESS INFORMATION. Else, if MODE = CAWI, FILL_INTINST: Use los espacios de abajo para corregir la información de su dirección.
ENGLISH	^ {FILL_INTINST} Street: ^ {FILL_ADDRESS1} [ADDRESS1] ^ {FILL_ADDRESS2} [ADDRESS2] City: ^ {FILL_CITY} [CITY] Zip code: ^ {FILL_ZIP} [ZIP]
SPANISH	^ {FILL_INTINST} Calle: ^ {FILL_ADDRESS1} [ADDRESS1] ^ {FILL_ADDRESS2} [ADDRESS2] Ciudad: ^ {FILL_CITY} [CITY] Código postal: ^ {FILL_ZIP} [ZIP]
RANGE	ZIP: 00001 TO 99999
LIMITS	ADDRESS1: Max 60 characters ADDRESS2: Max 60 characters CITY: Max 60 characters ZIP: Max 5 digits

<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	ALLOW RESPONDENT/INTERVIEWER TO EDIT EACH PIECE OF ADDRESS INFORMATION LISTED ABOVE
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI, CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	If PINF_006 = 0
<i>NEXT</i>	PINF_008

PINF_008	
ASK	RPC_UID ≠ HHSINFORMANT_UID
QUESTION TYPE	Radio
FILLS (ENG)	Create fill, FILL_PCPHONE: Fill with 'PCPHONE' from PINF_005 Create FILL_YESNO: If MODE = CAPI, FILL_YESNO: 1. YES 0. NO Else, if MODE = CAWI, FILL_YESNO: 1. Yes 0. No
FILLS (SPAN)	Create fill, FILL_PCPHONE: Fill with 'PCPHONE' from PINF_005 Create FILL_YESNO: If MODE = CAPI, FILL_YESNO: 1. YES 0. NO Else, if MODE = CAWI, FILL_YESNO: 1. Sí 0. No
ENGLISH	The telephone number we have recorded for you is ^{FILL_PCPHONE} Is your telephone number correct? ^{FILL_YESNO}
SPANISH	El número de teléfono que tenemos registrado es ^{FILL_PCPHONE} ¿Es correcto su número de teléfono? ^{FILL_YESNO}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Phone number should be displayed with hyphens after 3 rd and 6 th digit (XXX-XXX-XXXX)
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI, CAWI
NOTES	
LEAD-IN	PINF_006, PINF_007
NEXT	If PINF_008 = 0: PINF_009; else PINF_009a

PINF_009	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_008 = 0
QUESTION TYPE	Numeric
FILLS (ENG)	Create FILL_CORPHONE: IF MODE = CAPI, FILL_CORPHONE: INTERVIEWER: ENTER THE CORRECT TELEPHONE NUMBER BELOW. ENTER TELEPHONE NUMBER Else, if MODE = CAWI, FILL_CORPHONE: Please use the space below to correct your telephone number. Telephone:
FILLS (SPAN)	Create FILL_CORPHONE: IF MODE = CAPI, FILL_CORPHONE: INTERVIEWER: ENTER THE CORRECT TELEPHONE NUMBER BELOW. ENTER TELEPHONE NUMBER Else, if MODE = CAWI, FILL_CORPHONE: Use el espacio de abajo para corregir su número de teléfono. Teléfono:
ENGLISH	^{FILL_CORPHONE} _____
SPANISH	^{FILL_CORPHONE} _____
RANGE	PINF_009: 0000000001 TO 9999999999
LIMITS	PINF_009: Max 10 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: If less than 10 digits are entered, or if all of the same digit is entered (i.e., 1111111111), display: 'Please enter a valid telephone number, including area code'.
CHECK (SPAN)	HARD CHECK: If less than 10 digits are entered, or if all of the same digit is entered (i.e., 1111111111), display: 'Ingresa un número de teléfono válido e incluya el código de área'.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI, CAWI
NOTES	
LEAD-IN	If PINF_008 = 0
NEXT	Else if RPC_UID=HHSINFORMANT_UID: PINF_010 Else PINF_009a

PINF_009a	
ASK	RPC_UID#HHSINFORMANT_UID
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PINF_008: FILL_YESNO
FILLS (SPAN)	Use fill from PINF_008: FILL_YESNO
ENGLISH	May we text you at this number with important information about this study? You may opt out at any time to stop receiving text messages. Carrier messaging and data fees may apply. ^{FILL_YESNO}
SPANISH	¿Podemos enviarle mensajes de texto a este número con información importante sobre el estudio? Puede optar dejar de recibir mensajes de texto en cualquier momento. Pueden aplicarse tarifas de mensajería y datos del operador. ^{FILL_YESNO}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	I
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	PINF_008, PINF_009
NEXT	PINF_010

PINF_010	
ASK	AIIPINF_003=1 or PINF_004=1
QUESTION TYPE	Informational
FILLS (ENG)	Create FILL_PINFINTRO: If MODE = CAPI: FILL_PINFINTRO: For the rest of the interview, I'll hand you the laptop so that you can enter your answers yourself. After I explain a few of the features that you will be using you will answer the rest of the questions yourself, in private. Else, if MODE = CAWI, FILL_PINFINTRO: Now that we have confirmed your information we will go on to the rest of the interview. Please answer these questions in private. Create FILL_RETURN: IF MODE = CAPI: FILL_RETURN: Then you can return the laptop to me. [INTERVIEWER: CLICK NEXT AND HAND LAPTOP TO RESPONDENT] Else, if MODE = CAWI, FILL_RETURN: BLANK
FILLS (SPAN)	Create FILL_PINFINTRO: If MODE = CAPI: FILL_PINFINTRO: Para el resto de la entrevista, le pasaré la computadora portátil para que usted que pueda ingresar las respuestas por su cuenta. Después de que le explique algunas de las funciones que usará, responderá el resto de las preguntas por su cuenta, en privado. Else, if MODE = CAWI, FILL_PINFINTRO: Ahora que hemos confirmado su información, pasaremos al resto de la entrevista. Responda estas preguntas en privado. Create FILL_RETURN: IF MODE = CAPI: FILL_RETURN: Cuando termine, puede devolverme la computadora portátil. [INTERVIEWER: CLICK NEXT AND HAND LAPTOP TO RESPONDENT] Else, if MODE = CAWI, FILL_RETURN: BLANK
ENGLISH	^{FILL_PINFINTRO} When you are done with the survey and click "Submit," your responses will be locked so that no one can see how you answered the questions. ^{FILL_RETURN}
SPANISH	^{FILL_PINFINTRO} Cuando haya terminado la encuesta y haga clic en "Submit" (Enviar), sus respuestas quedarán bloqueadas para que nadie pueda ver cómo respondió las preguntas. ^{FILL_RETURN}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI, CAWI
NOTES	
LEAD-IN	PINF_005, PINF_009, PINF_008, PINF_009a

[NEXT](#)

[PINF_010a](#)

PINF_010a	
ASK	PINF_003=1 or PINF_004=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	To protect your privacy, if you need to pause the survey for any reason, you will need a PIN to restart the survey where you left off. Please choose a four-digit number you will remember or write the number down somewhere safe. This PIN is unique to you and will help keep your information private. Please do not share it with others. Enter 4-digit PIN: [PINF_010a_PIN] Re-enter PIN: [PINF_010a_CONFIRM]
SPANISH	Para proteger su privacidad, si necesita pausar la encuesta por cualquier motivo, necesitará un PIN para retomar la encuesta en donde la dejó. Elija un número de cuatro dígitos que pueda recordar o anótelos en un lugar seguro. Este PIN es único a usted y le ayudará a mantener la privacidad de su información. No la comparta con nadie. Ingrese su PIN de 4 dígitos: [PINF_010a_PIN] Vuelva a ingresar su PIN: [PINF_010a_CONFIRM]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If PINF_010a_PIN=0000, display hard check: The PIN cannot be all zeros. Please select a different PIN. If PINF_010a_PIN less than 4 digits, display hard check: Please create a pin with 4 digits. If PINF_010a_PIN≠PINF_010a_CONFIRM, display hard check: The PINs you entered don't match. Please re-enter the same 4-digit number to create your PIN.
CHECK (SPAN)	If PINF_010a_PIN=0000, display hard check: El PIN no puede ser todos ceros. Seleccione un PIN diferente. If PINF_010a_PIN less than 4 digits, display hard check: Cree un PIN de 4 dígitos. If PINF_010a_PIN≠PINF_010a_CONFIRM, display hard check: Los PIN que ingresó no coinciden. Vuelva a ingresar el mismo número de 4 dígitos para crear su PIN.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CAPI, CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINF_010
<i>NEXT</i>	PINF_011

PINF_011	
ASK	PINF_003=1 or PINF_004=1
QUESTION TYPE	Informational
FILLS (ENG)	Create FILL_PINFINTRO2: If MODE = CAPI: FILL_PINFINTRO2: click the [Back] button. If you have questions about how to use the laptop, please ask me now. Otherwise, click the [Next] button to continue on your own. Else, if MODE = CAWI, FILL_PINFINTRO2: click the [Back] button.
FILLS (SPAN)	Create FILL_PINFINTRO2: If MODE = CAPI: FILL_PINFINTRO2: haga clic el botón "Back" (Atrás). Si tiene alguna duda sobre cómo usar la computadora portátil, pregúnteme ahora. De lo contrario, haga clic el botón "Next" (Siguiente) para continuar por su cuenta. Else, if MODE = CAWI, FILL_PINFINTRO2: click the [Back] button.
ENGLISH	Now we will go over a few instructions that will help you complete the survey. Most questions in this section allow you to click on your response. However, some questions will require you to type in a number for your response. For these questions, please click on the text box for your answer, and type in your response. When you are done, please click the [Next] button to continue. If you want to go back to a previous question, ^{FILL_PINFINTRO2}
SPANISH	Ahora, repasaremos algunas instrucciones que lo(a) ayudarán a completar la encuesta. La mayoría de las preguntas de esta sección le permiten hacer clic en su respuesta. Sin embargo, algunas preguntas requerirán que escriba un número para su respuesta. Para estas preguntas, haga clic en el cuadro de texto para escribir su respuesta. Cuando termine, haga clic en el botón "Next" (Siguiente) para continuar. Si desea volver a una pregunta anterior, ^{FILL_PINFINTRO2}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_010a
NEXT	If RPC_UID ≠ HHSINFORMANT_UID: PINF_012; Else: PINF_031_LOOP_BEGIN

PINF_012	
ASK	RPC_UID ≠ HHSINFORMANT_UID
QUESTION TYPE	Radio
FILLS (ENG)	Create fill, FILL_HHSInformant: Fill with 'HHSInformant' from sample preload Use fill created in PINF_003, FILL_PCNAME Create fill, FILL_PCSEX: If PCSEX=1 then FILL_PCSEX: 'male' Else if PCSEX=2 then FILL_PCSEX: 'female' Else FILL_PCSEX: 'unknown' Create fill, If PCAGE not missing, FILL_PCAGE: 'PCAGE' from PINF_005 Else FILL_PCAGE: 'unknown' Create fill, FILL_SPOUSENAME: Fill with 'PCSPOUSE' from PINF_005 Create fill, FILL_PCPARTNER: Fill with 'PCPARTNER' from PINF_005 Create fill, FILL_PCEDUC: If PCEDUC=0, FILL_PCEDUC= 'none' Else if PCEDUC=1, FILL_PCEDUC= 'high school equivalency, such as GED (General Education Development) or HiSET (High School Equivalency Test)' Else if PCEDUC=2, FILL_PCEDUC= 'a high school diploma (Regular 12-year program)' Else if PCEDUC=3, FILL_PCEDUC= 'Associate/Junior college (AA, AS)' Else if PCEDUC=4, FILL_PCEDUC= 'a bachelor's degree (BA, BS)' Else if PCEDUC=5, FILL_PCEDUC= 'a master's degree (MA, MBA, MS)' Else if PCEDUC=6, FILL_PCEDUC= 'a doctoral degree (PhD, EdD)' Else if PCEDUC=7, FILL_PCEDUC= 'a professional degree (MD, DDS, JD)' Else FILL_PCEDUC= 'unknown' Create fill, FILL_PCMARSTAT. If PCMART=1, FILL_PCMARSTAT= 'You are married' Else if PCMART=2, FILL_PCMARSTAT= 'You are separated' Else if PCMART=3, FILL_PCMARSTAT= 'You are divorced' Else if PCMART=4, FILL_PCMARSTAT= 'You are widowed' Else if PCMART=0, FILL_PCMARSTAT= 'You are never married' Else FILL_PCMARSTAT= 'Your marital status was not reported' Create fill, FILL_PCPART: If PCSPOUSE not missing, FILL_PCPART: ' to ^{FILL_SPOUSENAME}.'; Else, if PCPART = 1 or 2, FILL_PCPART: '' Else, if PCPART = 3, FILL_PCPART: 'and you are living with your partner, ^{FILL_PCPARTNER}.' Else, FILL_PCPART: ''
FILLS (SPAN)	Create fill, FILL_HHSInformant: Fill with 'HHSInformant' from sample preload Use fill created in PINF_003, FILL_PCNAME

	Create fill, FILL_PCSEX: If PCSEX=1 then FILL_PCSEX: 'masculino' Else if PCSEX=2 then FILL_PCSEX: 'femenina' Else FILL_PCSEX: 'desconocido' Create fill, If PCAGE not missing, FILL_PCAGE: 'PCAGE' from PINF_005 Else FILL_PCAGE: 'desconocido' Create fill, FILL_SPOUSENAME: Fill with 'PCSPOUSE' from PINF_005 Create fill, FILL_PCPARTNER: Fill with 'PCPARTNER' from PINF_005 Create fill, FILL_PCEDUC: If PCEDUC=0, FILL_PCEDUC= 'ninguno' Else if PCEDUC=1, FILL_PCEDUC= 'un título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés)' Else if PCEDUC=2, FILL_PCEDUC= 'un diploma de escuela secundaria/preparatoria (programa regular de 12 años)' Else if PCEDUC=3, FILL_PCEDUC= 'un título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés)' Else if PCEDUC=4, FILL_PCEDUC= 'un título de cuatro años (BA, BS, por sus siglas en inglés)' Else if PCEDUC=5, FILL_PCEDUC= 'una maestría (MA, MS, por sus siglas en inglés)' Else if PCEDUC=6, FILL_PCEDUC= 'un doctorado (PhD, EdD, por sus siglas en inglés)' Else if PCEDUC=7, FILL_PCEDUC= 'un título profesional (MD, DDS, JD, por sus siglas en inglés)' Else FILL_PCEDUC= 'unknown' Create fill, FILL_PCMARSTAT. If PCMART=1, FILL_PCMARSTAT= 'Está casado(a)' Else if PCMART=2, FILL_PCMARSTAT= 'Está separado(a)' Else if PCMART=3, FILL_PCMARSTAT= 'Está divorciado(a)' Else if PCMART=4, FILL_PCMARSTAT= 'Es viudo(a)' Else if PCMART=0, FILL_PCMARSTAT= 'Nunca se casó' Else FILL_PCMARSTAT= 'No se informó su estado civil' Create fill, FILL_PCPART: If PCPART = 1 and PCSPOUSE not missing, FILL_PCPART: ' con ^{FILL_SPOUSENAME}.'; Else, if PCPART = 1 or 2, FILL_PCPART: '' Else, if PCPART = 3, FILL_PCPART: 'y vive con su pareja, ^{FILL_PCPARTNER}.' Else, FILL_PCPART: ''
ENGLISH	Here is the information that ^{Fill_HHSInformant} provided about you. Your name is ^{Fill_PCNAME}, your sex is ^{Fill_PCSEX}, you are ^{Fill_PCAGE}. ^{FILL_PCMARSTAT}^{Fill_PCPART} The highest educational degree you have completed is ^{Fill_PCEDUC}. Is all of this information correct? 1. Yes 0. No

SPANISH	Esta es la información que ^{Fill_HHSInformant} nos dio sobre usted. Su nombre es ^{Fill_PCNAME}, su sexo es ^{Fill_PCSEX}, usted es ^{Fill_PCAGE}. ^{FILL_PCMARSTAT}^{Fill_PCPART}. El título educativo más alto que completó es ^{Fill_PCEDUC}. ¿Es correcta toda esta información? 1. Sí 0. No	
RANGE		
LIMITS		
LOOP MAX		
PROGRAM. NOTES		
CHECK (ENG)		
CHECK (SPAN)		
HELP TEXT (ENG)		
HELP TEXT (SPAN)		
MODE	CASI, CAWI	
NOTES		
LEAD-IN	PINF_011	
NEXT	If PINF_012=1: PINF_031_LOOP_BEGIN Else f_PINF_013	

f_PINF_013 PINF_013_1/PINF_013_2/PINF_013_3/PINF_013_4/PINF_013_5/PINF_013_6/PINF_013_7	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_012 = 0
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which information is not correct? Select all information that is not correct from list below. Name [PINF_013_1] Sex [PINF_013_2] Age [PINF_013_3] Marital Status [PINF_013_4] Information on partner or spouse [PINF_013_5] Highest educational degree received [PINF_013_6] None, all information is correct [PINF_013_7]
SPANISH	¿Qué parte no está bien? Seleccione de la siguiente lista toda la información que no sea correcta. Nombre [PINF_013_1] Sexo [PINF_013_2] Edad [PINF_013_3] Estado civil [PINF_013_4] Información sobre pareja/cónyuge [PINF_013_5] Título educativo más alto recibido [PINF_013_6] Nada, toda la información es correcta [PINF_013_7]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Display PINF_013_7 if left blank. Allow multiple responses for 1 through 6. If 7 selected, do not allow another response 1-6 and vice versa (i.e., 7 is exclusive). Code variable as 1 if item is checked, 0 if not checked.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_012 = 0
NEXT	If PINF_013_1=1: f_PINF_014 Else if PINF_013_2=1: PINF_015 Else if PINF_013_3=1: PINF_016 Else if PINF_013_4=1: PINF_017 Else if PINF_013_5=1: PINF_021 Else if PINF_013_6=1: PINF_029

Else: : PINF_031_LOOP_BEGIN

f_PINF_014 PINF_014_FN/PINF_014_LN	
ASK	If RPC_UID ≠ HHSINFORMANT_UID AND PINF_013_1=1
QUESTION TYPE	PINF_014_FN: Text PINF_014_LN: Text
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your name? First name: _____ [PINF_014_FN] Last name: _____ [PINF_014_LN]
SPANISH	¿Cuál es su nombre? Nombre: _____ [PINF_014_FN] Apellido: _____ [PINF_014_LN]
RANGE	
LIMITS	PINF_014_FN: Max 30 characters PINF_014_LN: Max 30 characters
LOOP MAX	
PROGRAM. NOTES	SET PCNAME = PINF_014_FN AND PINF_014_LN
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_013
NEXT	If PINF_013_2=1: PINF_015 Else if PINF_013_3=1: PINF_016 Else if PINF_013_4=1: PINF_017 Else if PINF_013_5=1: PINF_021 Else if PINF_013_6=1: PINF_029 Else PINF_031_LOOP_BEGIN

PINF_015	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_013_2=1
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your sex? 1. Male 2. Female
SPANISH	¿Cuál es su sexo? 1. Masculino 2. Femenina
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If PINF_015 ≠ DK or REF, SET PCSEX = PINF_015
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_013, PINF_014
NEXT	If PINF_013_3=1: PINF_016 Else if PINF_013_4=1: PINF_017 Else if PINF_013_5=1: PINF_021 Else if PINF_013_6=1: PINF_029 Else PINF_031_LOOP_BEGIN

PINF_016	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_013_3=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your correct age? _____
SPANISH	¿Cuál es su edad correcta? _____
RANGE	PINF_016: 001 to 120
LIMITS	PINF_016: Max 3 digits
LOOP MAX	
PROGRAM. NOTES	If PINF_016 ≠ DK or REF, SET PCAGE = PINF_016
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	If PINF_016 out of range, display hard check: 'Please enter an age between 1 and 120.'
HELP TEXT (SPAN)	If PINF_016 out of range, display hard check: 'Ingresa una edad entre 1 y 120.'
MODE	CASI, CAWI
NOTES	
LEAD-IN	f_PINF_013, f_PINF_014. PINF_015
NEXT	If PINF_013_4=1: PINF_017 Else if PINF_013_5=1: PINF_021 Else if PINF_013_6=1: PINF_029 Else PINF_031_LOOP_BEGIN

PINF_017	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_013_4=1
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your marital status? Are you ... 1. Married 2. Separated 3. Divorced 4. Widowed 0. Never married
SPANISH	¿Cuál es su estado civil? ¿Está usted...? 1. Casado(a) 2. Separado(a) 3. Divorciado(a) 4. Viudo(a) 0. Nunca se casó
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If PINF_017≠ DK or REF, SET PCMART=PINF_017
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_013, PINF_014. PINF_015, PINF_016
NEXT	If PINF_017=1: PINF_018 Else if PINF_017=2: PINF_024 Else if PINF_017=0 or 3 or 4: PINF_021 Else if PINF_013_5=1: PINF_021 Else if PINF_013_6=1: PINF_029 Else PINF_031_LOOP_BEGIN

PINF_018	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_017 = 1
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Is your spouse living in the household? 1. Yes 0. No
SPANISH	¿Vive su cónyuge en el hogar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	If PINF_017 = 1
NEXT	If PINF_018 = 1: PINF_019 Else PINF_021

PINF_019	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_018 = 1
QUESTION TYPE	Radio with special response option
FILLS (ENG)	Create fill, FILL_ADULTLIST: Radio button list of HHNAME(s) from ADULTROSTER <u>minus HHNAME of the respondent</u>
FILLS (SPAN)	Create fill, FILL_ADULTLIST: Radio button list of HHNAME(s) from ADULTROSTER <u>minus HHNAME of the respondent</u>
ENGLISH	What is your spouse's name? Select from the list below. ^{FILL_ADULTLIST} -9. My spouse is not listed on the roster.
SPANISH	¿Cómo se llama su cónyuge? Seleccione de la siguiente lista. ^{FILL_ADULTLIST} -9. Mi cónyuge no figura en la lista.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	SHOW NUMBERED LIST OF NAMES PROVIDED BY INFORMANT IN HOUSEHOLD ROSTER. IF -9 NOT SELECTED, UPDATE PCSPOUSE WITH HHNAME SELECTED IN PINF_019
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_018 = 1
NEXT	If PINF_019 = -9: f_PINF_020 Else PINF_025

f_PINF_020 PINF_020_FN/PINF_020_LN	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_019 = -9
QUESTION TYPE	PINF_020_FN: Text PINF_020_LN: Text
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please enter your spouse's name. First name: _____ [PINF_020_FN] Last name: _____ [PINF_020_LN]
SPANISH	Ingrese el nombre de su cónyuge. Nombre: _____ [PINF_020_FN] Apellido: _____ [PINF_020_LN]
RANGE	
LIMITS	PINF_020_FN: Max 30 characters PINF_020_LN: Max 30 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_019 = -9
NEXT	If PINF_013_6=1: PINF_029; Else: PINF_031_LOOP_BEGIN

PINF_021	
ASK	PINF_013_5=1 or (PINF_017 = 0 or 3 or 4) or (PINF_017=1 and PINF_018≠1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you have a spouse or partner living in the household? 1. Yes, spouse 2. Yes, partner 0. No
SPANISH	¿Tiene cónyuge o pareja que viva en el hogar? 1. Sí, cónyuge 2. Sí, pareja 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_017 = 0 or 2, PINF_018≠1
NEXT	If PINF_021 = 1 or 2: PINF_022 Else PINF_024

PINF_022	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_021 = 1 OR 2
QUESTION TYPE	Radio with special radio response option
FILLS (ENG)	Use fill from PINF_019: FILL_ADULTLIST
FILLS (SPAN)	Use fill from PINF_019: FILL_ADULTLIST
ENGLISH	What is your spouse or partner's name? Select from the list below. ^{FILL_ADULTLIST} -9. My spouse or partner is not listed on the roster
SPANISH	¿Cómo se llama su cónyuge o pareja? Seleccione de la siguiente lista. ^{FILL_ADULTLIST} -9. Mi cónyuge o pareja no figura en la lista
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	SHOW NUMBERED LIST OF NAMES PROVIDED BY INFORMANT IN HOUSEHOLD ROSTER. DO NOT DISPLAY RPC_UID (RESPONDING PARTICIPANT) ON THE LIST. CREATE VAR PARSPARID (UNIQUE ID) FOR NEW PARTNER. SET PARSPARID=HHID FOR SELECTED ROSTER MEMBER IN PINF_022. IF PINF_021=1, UPDATE PCSPOUSE=PINF_022 and PCSPOUSEID=HHID(PINF_022). IF PINF_021=2, UPDATE PCPARTNER=PINF_022 and PCPARTNERID=HHID(PINF_022).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_021 = 1 or 2
NEXT	If PINF_022=-9: f_PINF_023 Else if PINF_017 = 0 OR 2: PINF_024 Else PINF_025

f_PINF_023 PINF_023_FN/PINF_023_LN	
ASK	IF RPC_UID ≠ HHSINFORMANT_UID AND PINF_022 = -9
QUESTION TYPE	PINF_023_FN: Text PINF_023_LN: Text
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please enter your spouse or partner's name. First name: _____ [PINF_023_FN] Last name: _____ [PINF_023_LN]
SPANISH	Ingrese el nombre de su cónyuge/pareja. Nombre: _____ [PINF_023_FN] Apellido: _____ [PINF_023_LN]
RANGE	
LIMITS	PINF_023_FN: Max 30 characters PINF_023_LN: Max 30 characters
LOOP MAX	
PROGRAM. NOTES	CREATE VAR PARSPARID (UNIQUE ID) FOR NEW PARTNER. IF PINF_021=1, UPDATE PCSPOUSE=f_PINF_023. IF PINF_021=2, UPDATE PCPARTNER=f_PINF_023
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_022 = -9
NEXT	If PINF_013_6=1: PINF_029; Else: PINF_031_LOOP_BEGIN

PINF_024	
ASK	PINF_017 = 0 OR 2 or PINF_021 =0 or DK or REF
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Are you currently in a cohabiting relationship? By cohabitating relationships, we mean romantic or sexual relationships in which partners establish one household and live together for a period of at least three months. 1. Yes 0. No
SPANISH	¿Tiene en este momento una relación de convivencia? Por “relaciones de convivencia” nos referimos a las relaciones románticas o sexuales en las que los miembros de la pareja establecen un hogar y viven juntos durante un período de al menos tres meses. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_017, PINF_021
NEXT	PINF_025

PINF_025	
ASK	RPC_UID ≠ HHSINFORMANT_UID
QUESTION TYPE	Computer Check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	This is a computer check. Do not display this screen. CREATE OLDPARSPARID=PCPARTNERID: Household ID of parent/caregiver spouse or partner from the household screener. NEW SPOUSE/PARTNER IDENTIFIED FOR THE RESPONDING PARENT: 1. PARSPARID ≠ OLDPARSPARID 0. PARSPARID = OLDPARSPARID
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_019, PINF_020, PINF_022, PINF_023, PINF_024
NEXT	If PINF_025=1: PINF_026 Else if PINF_013_6 = 1: PINF_029 Else: PINF_031_LOOP_BEGIN

PINF_026	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_025 = 1
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you need to correct the name of your spouse/partner? 1. Yes 0. No
SPANISH	¿Necesita corregir el nombre de su cónyuge/pareja? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_025 = 1
NEXT	If PINF_026 = 1: PINF_027 Else if PINF_013_6 = 1: PINF_029 Else: PINF_031_LOOP_BEGIN

PINF_027	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_026 = 1
QUESTION TYPE	Radio with button special radio response option
FILLS (ENG)	Use fill from PINF_019: FILL_ADULTLIST
FILLS (SPAN)	Use fill from PINF_019: FILL_ADULTLIST
ENGLISH	What is your spouse or partner's name? Select from the list below. ^{FILL_ADULTLIST} -9. My spouse or partner is not listed on the roster
SPANISH	¿Cómo se llama su cónyuge o pareja? Seleccione de la siguiente lista. ^{FILL_ADULTLIST} -9. Mi cónyuge o pareja no figura en la lista
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	SHOW NUMBERED LIST OF NAMES PROVIDED BY INFORMANT IN HOUSEHOLD ROSTER. If PINF_021=1, UPDATE PCSPOUSE=PINF_027. If PINF_021=2, UPDATE PCPARTNER=PINF_027
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_026
NEXT	If PINF_027=-9: f_PINF_028 Else If PINF_013_6=1: PINF_029 Else: PINF_031_LOOP_BEGIN

f_PINF_028 PINF_028_FN/PINF_028_LN	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_027 = -9
QUESTION TYPE	Text
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please enter your spouse's name. First name: _____ [PINF_028_FN] Last name: _____ [PINF_028_LN]
SPANISH	Ingresa el nombre de su cónyuge. Nombre: _____ [PINF_028_FN] Apellido: _____ [PINF_028_LN]
RANGE	
LIMITS	PINF_028_FN: Max 30 characters PINF_028_LN: Max 30 characters
LOOP MAX	
PROGRAM. NOTES	UPDATE PCSPOUSE = f_PINF_028
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_027 = -9
NEXT	If PINF_013_6=1: PINF_029; else PINF_031_LOOP_BEGIN

PINF_029	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_013_6 = 1
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the highest educational degree that you have received? 0. None 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MBA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD)
SPANISH	¿Cuál es el título educativo más alto que ha recibido? 0. Ninguno 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MBA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If PINF_029≠DK or REF, SET PCEDUC = PINF_029
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	

<i>LEAD-IN</i>	PINF_013, PINF_014, PINF_015, PINF_016, PINF_017, PINF_025, PINF_026, PINF_027, PINF_028
<i>NEXT</i>	PINF_031_LOOP_BEGIN

PINF_031_LOOP_BEGIN	
ASK	PINF_003=1 or PINF_004=1 (Begin PINF LOOP 1)
QUESTION TYPE	Computer Check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	This is a computer check. Do not display this screen. LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_011, f_PINF_013, f_PINF_014, PINF_015, PINF_016, PINF_017, PINF_025, PINF_026, PINF_029
NEXT	If RPC_UID ≠ HHSINFORMANT_UID: f_PINF_032 Else PINF_041

f_PINF_032_# PINF_032_#/PINF_032_OTHER_#	
ASK	RPC_UID ≠ HHSINFORMANT_UID (continue PINF LOOP 1)
QUESTION TYPE	PINF_032_#: Radio PINF_032_OTHER_#: Text
FILLS (ENG)	Create fill, FILL_YOUTHNAME_#: Fill with YOUTHNAME_# from sample preload
FILLS (SPAN)	Create fill, FILL_YOUTHNAME_#: Fill with YOUTHNAME_# from sample preload
ENGLISH	What is your relationship to ^{YOUTHNAME_#}? 1. Biological parent 2. Step-parent 3. Adoptive parent 4. Relative guardian 5. Foster parent 6. Non-relative guardian 7. Parental figure relative 8. Parental figure non-relative 99. Other Please tell us your relationship to ^{YOUTHNAME_#}: _____ [PINF_032_OTHER_#]
SPANISH	¿Cuál es su relación con ^{YOUTHNAME_#}? 1. Padre/madre biológico(a) 2. Padrastro/madrastra 3. Padre/madre adoptivo(a) 4. Tutor(a) familiar 5. Padre/madre de cuidado temporal 6. Tutor(a) no familiar 7. Figura parental familiar 8. Figura parental no familiar 99. Otro Díganos su relación con ^{YOUTHNAME_#}: _____ [PINF_032_OTHER_#]
RANGE	
LIMITS	PINF_032_OTHER_#: Max 60 characters
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. Update HH_YOUTHPLG and YOUTH_RPCPLG with the response to PINF_032 If PINF_032_# = 99, display PINF_032_OTHER textbox with label: Please tell us your relationship to ^{YOUTHNAME_#}:
CHECK (ENG)	

CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_031_LOOP_BEGIN
NEXT	PINF_033_#

PINF_033_#	
ASK	RPC_UID ≠ HHSINFORMANT_UID (continue PINF LOOP 1)
QUESTION TYPE	Informational
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	We now need to verify some information about ^{Fill_YOUTHNAME_#}. Please tell us if the following information is correct ...
SPANISH	Ahora necesitamos verificar información sobre ^{Fill_YOUTHNAME_#}. Díganos si la siguiente información es correcta...
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. Create variable PINFLOOP1[#].YOUTH_UID=YOUTH_UID_#
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_031_LOOP_BEGIN, PINF_032_#
NEXT	PINF_034_#

PINF_034_#	
ASK	RPC_UID ≠ HHSINFORMANT_UID (continue PINF LOOP 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# Create fill, FILL_YOUTHDOB_#: Fill with long form of 'YOUTHDOB_#' (e.g. January 1, 2012) from sample preload Use fill, created in PINF_002: FILL_CURRENTAGE_# Create fill, FILL_YOUTHSEX_#: If YOUTHSEX_#=1, FILL_YOUTHSEX_#: 'male'; Else, if YOUTHSEX_#=2, FILL_YOUTHSEX_#: 'female'; Else, FILL_YOUTHSEX_#: 'unknown'
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# Create fill, FILL_YOUTHDOB_#: Fill with long form of 'YOUTHDOB_#' (e.g. January 1, 2012) from sample preload Use fill, created in PINF_002: FILL_CURRENTAGE_# Create fill, FILL_YOUTHSEX_#: If YOUTHSEX_#=1, FILL_YOUTHSEX_#: 'masculino'; Else, if YOUTHSEX_#=2, FILL_YOUTHSEX_#: 'femenina'; Else, FILL_YOUTHSEX_#: 'desconocido'
ENGLISH	^{Fill_YOUTHNAME_#} was born on ^{Fill_YOUTHDOB_#}. That makes ^{Fill_YOUTHNAME_#} ^{Fill_CURRENTAGE_#} today. Their sex is ^{Fill_YOUTHSEX_#}. Is this all correct? 1. Yes 0. No
SPANISH	^{Fill_YOUTHNAME_#} nació el ^{Fill_YOUTHDOB_#}. Con esta información, ^{Fill_YOUTHNAME_#} tiene ^{Fill_CURRENTAGE_#} hoy. El sexo es ^{Fill_YOUTHSEX_#}. ¿Es todo esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_033_#
NEXT	If PINF_034_#=0: f_PINF_035_# Else PINF_043_#

f_PINF_035_# PINF_035_1_#/PINF_035_2_#/PINF_035_3_#	
ASK	PINF_034_# = 0 (continue PINF LOOP 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which information is not correct? Choose all information not correct from the list below and click "Next" to continue. 1. Spelling of name (name correct) [PINF_035_1_#] 2. Sex [PINF_035_2_#] 3. Date of birth [PINF_035_3_#]
SPANISH	¿Qué parte no está bien? Elija toda la información que no sea correcta de la lista que aparece a continuación y haga clic en "Next" (Siguiente) para continuar. 1. Ortografía del nombre (nombre correcto) [PINF_035_1_#] 2. Sexo [PINF_035_2_#] 3. Fecha de nacimiento [PINF_035_3_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF LOOP 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. Allow multiple responses. Code variable as 1 if checked, 0 if not.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_034_# = 0
NEXT	If PINF_035_1_# = 1: PINF_036_# Else if PINF_035_2_# = 1: PINF_037_# Else if PINF_035_3_# = 1: f_PINF_038_# Else PINF_043_#

PINF_036_#	
ASK	PINF_035_1_#=1 (continue PINF LOOP 1)
QUESTION TYPE	Text
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	What is the correct spelling of ^{YOUTHNAME_#}'s name? Please enter the correct spelling of “^{YOUTHNAME_#}” and then click “Next” to continue. First name: _____
SPANISH	¿Cuál es la ortografía correcta del nombre de ^{YOUTHNAME_#}? Ingrese la ortografía correcta de “^{YOUTHNAME_#}” y haga clic en “Next” (Siguiente) para continuar. Nombre: _____
RANGE	
LIMITS	PINF_036_#: Max 30 characters
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF LOOP 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. If PINF_036_#≠DK or REF, Update YOUTHNAME_#
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_035_#
NEXT	If PINF_035_2_# = 1: PINF_037_# Else if PINF_035_3_# = 1: f_PINF_038_# Else: PINF_043_#

PINF_037_#	
ASK	PINF_035_2_# = 1 (continue PINF LOOP 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	What is ^{FILL_YOUTHNAME_#}'s sex? 1.Male 2.Female
SPANISH	¿Cuál es el sexo de ^{FILL_YOUTHNAME_#}? 1.Masculino 2.Femenina
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF LOOP 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. Update YOUTHSEX_#
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	f_PINF_035_#, PINF_036_#
NEXT	If PINF_035_3_# = 1: f_PINF_038_# Else: PINF_043_#

f_PINF_038_# PINF_038_MONTH_#/PINF_038_DAY_#/PINF_038_YEAR_#	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_035_3_# = (continue PINF LOOP 1)
QUESTION TYPE	PINF_038_MONTH_#: Dropdown PINF_038_DAY_#: Numeric PINF_038_YEAR_#: Dropdown
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	What is ^{YOUTHNAME_#}'s correct date of birth? Month: {-Select-} [PINF_038_MONTH_#] Day _____ [PINF_038_DAY_#] Year {-Select-} [PINF_038_YEAR_#]
SPANISH	¿Cuál es la fecha de nacimiento correcta de ^{YOUTHNAME_#}? Mes: {-Seleccione-} [PINF_038_MONTH_#] Día _____ [PINF_038_DAY_#] Año {-Seleccione-} [PINF_038_YEAR_#]
RANGE (ENG)	PINF_038_MONTH_#: List months in order: 1 = "January", 2 = "February", ... 12 = "December" (Span) 1 = "January" 2 = "February" 3 = "March" 4 = "April" 5 = "May" 6 = "June" 7 = "July" 8 = "August" 9 = "September" 10 = "October" 11 = "November" 12 = "December" PINF_038_DAY_#: 1-31 PINF_038_YEAR_#: List years 2008-2017 in reverse chronological order
RANGE (SPAN)	PINF_038_MONTH_#: List months in order: 1 = "Enero", 2 = "Febrero", ... 12 = "Diciembre" (Span) 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre"

	11 = "Noviembre" 12 = "Diciembre" PINF_038_DAY_#: 1-31 PINF_038_YEAR_#: List years 2008-2017 in reverse chronological order
<i>LIMITS</i>	PINF_038_DAY_#: Max 2 digits
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	LOOP THROUGH PINF LOOP 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. IF f_PINF_038_# NOT MISSING, THEN CALCULATE AGE ON DATE OF INTERVIEW BY SUBTRACTING YOUTHDOB_# FROM TODAY'S DATE, AND UPDATE CURRENTAGE_#. IF f_PINF_038_# NOT MISSING, Update YOUTHDOB_# to f_PINF_038_#
<i>CHECK (ENG)</i>	If any field= DK or REF, DISPLAY SOFT CHECK: Your answers are very important. Please consider entering a response.
<i>CHECK (SPAN)</i>	If any field= DK or REF, DISPLAY SOFT CHECK: Sus respuestas son muy importantes. Ingrese una respuesta.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI, CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_PINF_035_#, PINF_036_#, PINF_037_#
<i>NEXT</i>	If PINF_038_MONTH_#≠DK or REF and PINF_038_YEAR_#≠DK or REF: PINF_040_# Else : PINF_043_#

PINF_040_#	
ASK	RPC_UID ≠ HHSINFORMANT_UID AND PINF_038_MONTH_#≠DK or REF and PINF_038_YEAR_#≠DK or REF) (continue PINF LOOP 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# Use fill, created in PINF_002: FILL_CURRENTAGE_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# Use fill, created in PINF_002: FILL_CURRENTAGE_#
ENGLISH	This would make ^{Fill_YOUTHNAME_#} ^{Fill_CURRENTAGE_#}. Is that correct? 1. Yes 0. No
SPANISH	Con esta información, ^{Fill_YOUTHNAME_#} tendría ^{Fill_CURRENTAGE_#}. ¿Es eso correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF LOOP 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. IF RESPONDENT ANSWERS "NO" (PINF_040_#=0), DISPLAY HARD CHECK WITH LINK TO RETURN TO f_PINF_038_# 'Click here to Update Date of Birth' (link is included in 'Update Date of Birth')
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_038
NEXT	PINF_043_#

PINF_041_#	
ASK	RPC_UID = HHSINFORMANT_UID (continue PINF LOOP 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# Create fill, FILL_YOUTHPLG_#: If HH_YOUTHPLG_# =1, FILL_YOUTHPLG_#: 'biological parent'; Else, if HH_YOUTHPLG_# =2, FILL_YOUTHPLG_#: 'step-parent'; Else, if HH_YOUTHPLG_# =3, FILL_YOUTHPLG_#: 'adoptive parent'; Else, if HH_YOUTHPLG_# =4, FILL_YOUTHPLG_#: 'foster parent'; Else, if HH_YOUTHPLG_# =5, FILL_YOUTHPLG_#: 'legal guardian'; Else if HH_YOUTHPLG_# =6, FILL_YOUTHPLG_#: 'mother figure' Else if HH_YOUTHPLG_# =7, FILL_YOUTHPLG_#: 'father figure' Else if HH_YOUTHPLG_# =8, FILL_YOUTHPLG_#: 'relative guardian' Else if HH_YOUTHPLG_# =9, FILL_YOUTHPLG_#: 'non-relative guardian' Else, FILL_YOUTHPLG_#: 'unknown'
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# Create fill, FILL_YOUTHPLG_#: If HH_YOUTHPLG_# =1, FILL_YOUTHPLG_#: 'padre/madre biológico(a)'; Else, if HH_YOUTHPLG_# =2, FILL_YOUTHPLG_#: 'padraastro/madrastra'; Else, if HH_YOUTHPLG_# =3, FILL_YOUTHPLG_#: 'padre/madre adoptivo(a)'; Else, if HH_YOUTHPLG_# =4, FILL_YOUTHPLG_#: 'padre/madre de cuidado temporal'; Else, if HH_YOUTHPLG_# =5, FILL_YOUTHPLG_#: 'tutor(a) legal'; Else if HH_YOUTHPLG_# =6, FILL_YOUTHPLG_#: 'figura materna' Else if HH_YOUTHPLG_# =7, FILL_YOUTHPLG_#: 'figura paterna' Else if HH_YOUTHPLG_# =8, FILL_YOUTHPLG_#: 'tutor(a) pariente' Else if HH_YOUTHPLG_# =9, FILL_YOUTHPLG_#: 'tutor(a) no pariente' Else, FILL_YOUTHPLG_#: 'se desconoce'
ENGLISH	My information says that your relationship to ^{Fill_YOUTHNAME_#} is ^{Fill_YOUTHPLG_#}. Is this correct? 1. Yes 0. No
SPANISH	Mi información dice que su relación con ^{Fill_YOUTHNAME_#} es la de ^{Fill_YOUTHPLG_#}. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF LOOP 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	

<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI, CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINF_034_#, PINF_035_#, PINF_036_#, PINF_037_#, PINF_040_#
<i>NEXT</i>	If PINF_041_# = 1: PINF_043_#; Else PINF_042_#

f_PINF_042_# PINF_042_#/PINF_042_OTHER_#	
ASK	PINF_041≠1 (continue PINF LOOP 1)
QUESTION TYPE	PINF_042_#: Radio PINF_042_OTHER_#: Text
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	What is your relationship to ^{Fill_YOUTHNAME_#}? If more than one of these categories apply, please choose the one that appears first in the list. 1. Biological parent 2. Step-parent 3. Adoptive parent 4. Relative guardian 5. Foster parent 6. Non-relative guardian 7. Parental figure relative 8. Parental figure non-relative 9. Other Please tell us your relationship to ^{YOUTHNAME_#}: _____ [PINF_042_OTHER]
SPANISH	¿Cuál es su relación con ^{Fill_YOUTHNAME_#}? Si se aplica más de una de estas categorías, elija la que aparezca en primer lugar en la lista. 1. Padre/madre biológico(a) 2. Padrastro/madrastra 3. Padre/madre adoptivo(a) 4. Tutor(a) familiar 5. Padre/madre de cuidado temporal 6. Tutor(a) no familiar 7. Figura parental familiar 8. Figura parental no familiar 9. Otros Díganos su relación con ^{YOUTHNAME_#}: _____ [PINF_042_OTHER]
RANGE	
LIMITS	PINF_042_OTHER_#: Max 60 characters
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF LOOP 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.

	IF PINF_042_# = 9, display PINF_042_OTHER_#: 'Please tell us your relationship to ^{YOUTHNAME_#}. (SPAN) LOOP THROUGH PINF LOOP 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. IF PINF_042_# = 9, display PINF_042_OTHER_#: 'Díganos su relación con ^{YOUTHNAME_#}. Update HH_YOUTHPLG and YOUTH_RPCPLG with the response to PINF_042
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	If PINF_041_#
NEXT	PINF_043_#

PINF_043_#	
ASK	All (Continue PINF LOOP 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# Create fill, FILL_YOUTHPLG2_#: If HH_YOUTHPLG_# =1, FILL_YOUTHPLG2_#: 'Other than you, does another'; Else, FILL_YOUTHPLG2_#: 'Does a'
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# Create fill, FILL_YOUTHPLG2_#: If HH_YOUTHPLG_# =1, FILL_YOUTHPLG2_#: 'Aparte de usted, ¿otro(a)'; Else, FILL_YOUTHPLG2_#: '¿Otro(a)'
ENGLISH	^{Fill_YOUTHPLG2_#} biological parent of ^{Fill_YOUTHNAME_#} live at this address? 1. Yes 0. No
SPANISH	^{Fill_YOUTHPLG2_#} padre/madre biológico(a) de ^{Fill_YOUTHNAME_#} vive en esta dirección? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF LOOP 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_031_LOOP_BEGIN, PINF_034_#, PINF_035_#, PINF_036_#, PINF_037_#, PINF_038_#, PINF_040_#, PINF_041_#, PINF_042_#
NEXT	If PINF_043_# = 1 and other HH member with YOUTHPLG=1: PINF_044_#; Else if PINF_043_# = 1 AND No other HH member with YOUTHPLG=1: PINF_045_#; Else if LOOPNUMBER>1: PINF_046_#; Else if MOTHER≠1: PINF_048_#; else if FATHER ≠1: PINF_059_#; else PINF_068_#

PINF_044_#	
ASK	PINF_043_# = 1 and (YOUTH_MOTHER=1 or YOUTH_FATHER=1) (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_032_#: FILL_YOUTHNAME_# Create 'FILL_HHNAMEPLG_#': Fill HH_NAME_# from preload where HH_YOUTHPLG_#=1
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# Create 'FILL_HHNAMEPLG_#': Fill HHNAME_# from preload where YOUTHPLG_#=1
ENGLISH	I have ^{Fill_HHNAMEPLG_#}_#, ^{Fill_YOUTHNAME_#}'s biological parent, as living in the household. Is this correct? 1. Yes 0. No
SPANISH	Registré a ^{Fill_HHNAMEPLG_#} como padre/madre biológico(a) de ^{Fill_YOUTHNAME_#} que vive en el mismo hogar. ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	If PINF_043_#=1
NEXT	If PINF_044_# = 1 (yes): PINF_068_#; Else PINF_045_#

PINF_045_#	
ASK	PINF_044_# = 0 OR ((PINF_043=1_# AND (BIOMOMID= missing or BIODADID=missing)) (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME Use fill from PINF_019: FILL_ADULTLIST
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME Use fill from PINF_019: FILL_ADULTLIST
ENGLISH	Who is ^{Fill_YOUTHNAME}'s biological parent who lives here? ^{FILL_ADULTLIST}
SPANISH	¿Cuál es el padre/madre biológico(a) de ^{Fill_YOUTHNAME} que vive aquí? ^{FILL_ADULTLIST}
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	SHOW LIST OF PARENTS, OTHER LEGAL GUARDIANS, OR CAREGIVERS COLLECTED IN HOUSEHOLD SCREENER AND ALLOW R TO SELECT NUMBER CORRESPONDING TO PERSON ON THE LIST. IF HHSEX=2 FOR SELECTED HOUSEHOLD MEMBER, SET YOUTH_MOTHER=1; IF HHSEX=1 FOR SELECTED HOUSEHOLD MEMBER, SET YOUTH_FATHER=1; IF HHSEX=2 FOR SELECTED HOUSEHOLD MEMBER, SET YOUTH_BIOMOMUID=HH_UID. IF HHSEX=1 FOR SELECTED HOUSEHOLD MEMBER, SET YOUTH_BIODADUID=HH_UID. LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_043_#, PINF_044_#
NEXT	IF YOUTH_MOTHER≠1: PINF_048_#; else if YOUTH_FATHER≠1: PINF_059_#; Else PINF_068_#

PINF_046_#	
ASK	LOOPNUMBER>1 AND YOUTH_MOTHER≠1 (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	Does ^{Fill_YOUTHNAME_#} have the same biological mother as any of the other youth we have talked about already? 1. Yes 0. No
SPANISH	¿Tiene ^{Fill_YOUTHNAME_#} la misma madre biológica que alguno(a) de los otros(as) jóvenes de los(as) que ya hemos hablado? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_043_#
NEXT	If PINF_046_#=1: PINF_047_#; Else PINF_048_#

PINF_047_#	
ASK	PINF_046_#=1 (Continue PINF Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# FILL Each YOUTHNAME from YOUTHROSTER
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_# FILL Each YOUTHNAME from YOUTHROSTER
ENGLISH	With which youth does ^{Fill_YOUTHNAME_#} share a biological mother? 1. ^{Fill_YOUTHNAME_#} 2. ^{Fill_YOUTHNAME_#} 3. ^{Fill_YOUTHNAME_#} Etc. 0. None of the above
SPANISH	¿Con qué joven(es) comparte ^{Fill_YOUTHNAME_#} una madre biológica? 1. ^{Fill_YOUTHNAME_#} 2. ^{Fill_YOUTHNAME_#} 3. ^{Fill_YOUTHNAME_#} Etc. 0. Ninguno(a) de las anteriores
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	DISPLAY YOUTHNAME OF ALL YOUTHS THAT HAVE ALREADY BEEN LOOPED. UPDATE NONRESROSTER, ADD YOUTHID TO NEXT AVAILABLE NRYOUTH# VARIABLE Allow multiple selection for all YOUTHNAME entries, excluding 0. If 0, do not allow other entries to be checked, and vice versa. LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_046_#=1
NEXT	If PINF_047_#=0 or DK or REF: PINF_048_# else if YOUTH_FATHER≠1: PINF_057_# Else PINF_068_#

PINF_048_#	
ASK	MOTHER≠1YOUTH_MOTHER≠1 and (PINF_046_# ≠1 or PINF_047_#=0 or DK or REF)
QUESTION TYPE	Text
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	Can you tell me the first name of ^{Fill_YOUTHNAME_#}'s biological mother? Enter first name: _____
SPANISH	¿Puede decirme el primer nombre de la madre biológica de ^{Fill_YOUTHNAME_#} Ingrese el nombre: _____
RANGE	
LIMITS	Max 30 characters
LOOP MAX	15
PROGRAM. NOTES	CREATE VAR BIOMOMNAME_# FOR YOUTH AND SET EQUAL TO 'PINF_048_#'. LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_043_#, PINF_045_#, PINF_046_#, PINF_047_#
NEXT	If PINF_048_# = DK or REF and If YOUTH_FATHER=1: PINF_068_#; Else If PINF_048_# = DK or REF and YOUTH_FATHER≠1: PINF_059_#; Else PINF_049_#

PINF_049_#	
ASK	PINF_046_# ≠1 and PINF_048_# ≠ DK or REF (Continue PINF Loop 1)
QUESTION TYPE	Numeric with special response option
FILLS (ENG)	Create fill, FILL_BIOMOMNAME_#: Fill with 'BIOMOMNAME_#' created in PINF_048_#.
FILLS (SPAN)	Create fill, FILL_BIOMOMNAME_#: Fill with 'BIOMOMNAME_#' created in PINF_048_#.
ENGLISH	How far does ^{Fill_BIOMOMNAME_#} live from here? Enter number of miles _____ -9. Youth's biological mother is deceased
SPANISH	¿A qué distancia vive ^{Fill_BIOMOMNAME_#} de aquí? Ingrese el número de millas _____ -9. La madre biológica de los(as) jóvenes ha fallecido
RANGE	00000-99999
LIMITS	Max 5 digits
LOOP MAX	15
PROGRAM. NOTES	CREATE VAR BIOMOMDECEASED_#. IF PINF_049_#=-9 SET BIOMOMDECEASED_#=1, ELSE SET BIOMOMDECEASED_#=0 LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	If out of range, display hard check "Please enter a number of miles between 0 and 99,999."
CHECK (SPAN)	If out of range, display hard check "Introduzca un número de millas entre 0 y 99,000."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	If PINF_048_#
NEXT	If PINF_049_# = -9: PINF_050_#; Else: PINF_052_#

PINF_050_#	
ASK	PINF_049_# = -9 (Continue PINF Loop 1)
QUESTION TYPE	Dropdown
FILLS (ENG)	Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
FILLS (SPAN)	Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
ENGLISH	In what year did she die? Select year: { - Select - }
SPANISH	¿En qué año murió? Seleccione el año: { - Seleccione - }
RANGE	List years 2008 to 2030 in reverse chronological order: 2030, 2029, 2028, 2027, ... 2008 (Do not display future years)
LIMITS	Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	DO NOT DISPLAY YEARS THAT ARE IN THE FUTURE ON DOI. LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	HARD CHECK: IF ENTRY IS OUTSIDE OF RANGE OR IN FUTURE ON DOI, DISPLAY: 'Please enter a year between 2008 and ^{FILL_INTERVIEWYEAR}.'
CHECK (SPAN)	HARD CHECK: IF ENTRY IS OUTSIDE OF RANGE OR IN FUTURE ON DOI, DISPLAY: 'Ingresa un año entre 2008 y ^{FILL_INTERVIEWYEAR}.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_049_# = -9
NEXT	PINF_051_#

PINF_051_#	
ASK	PINF_049_# =-9 (Continue PINF Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_#
FILLS (SPAN)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_#
ENGLISH	What was ^{Fill_BIOMOMNAME_#}'s age when she died? Enter age in years: _____
SPANISH	¿Qué edad tenía ^{Fill_BIOMOMNAME_#} cuando murió? Ingresa la edad en años: _____
RANGE	12-120
LIMITS	Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_050_#
NEXT	PINF_054_#

PINF_052_#	
ASK	PINF_046_# ≠1 and PINF_048_# ≠ DK or REF and PINF_049_# ≠-9 (Continue PINF Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_#
FILLS (SPAN)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_#
ENGLISH	How old was ^{Fill_[BIOMOMNAME_#]} on her last birthday? Enter age in years: _____
SPANISH	¿Qué edad tenía ^{Fill_[BIOMOMNAME_#]} en su último cumpleaños? Ingresa la edad en años: _____
RANGE	18-120
LIMITS	Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_049_#
NEXT	PINF_053_#

PINF_053_#	
ASK	YOUTH_MOTHER ≠1 and PINF_046_# ≠1 and PINF_048_# ≠ DK or REF and PINF_049_# ≠-9 (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_#
FILLS (SPAN)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_#
ENGLISH	What is ^{BIOMOMNAME_#}'s marital status? 1. Married 2. Separated 3. Divorced 4. Widowed 0. Never married
SPANISH	¿Cuál es el estado civil de ^{BIOMOMNAME_#}? 1. Casada 2. Separada 3. Divorciada 4. Viuda 0. Nunca se casó
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_052_#
NEXT	PINF_054_#

PINF_054_#	
ASK	YOUTH_MOTHER ≠1 and (PINF_046_# ≠1 or PINF_047 = 0) and PINF_048_# ≠ DK or REF (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_# Create fill, FILL_BIOMOMDECEASED: If 'BIOMOMDECEASED_#'=1, FILL_BIOMOMDECEASED: 'was'; Else, FILL_BIOMOMDECEASED: 'is'. Create fill, FILL_BIOMOMDECEASED2: If 'BIOMOMDECEASED_#'=1, FILL_BIOMOMDECEASED2: 'had'; Else, FILL_BIOMOMDECEASED2: 'has'
FILLS (SPAN)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_# Create fill, FILL_BIOMOMDECEASED: If 'BIOMOMDECEASED_#'=1, FILL_BIOMOMDECEASED: 'fue'; Else, FILL_BIOMOMDECEASED: 'es'. Create fill, FILL_BIOMOMDECEASED2: If 'BIOMOMDECEASED_#'=1, FILL_BIOMOMDECEASED2: 'conseguió'; Else, FILL_BIOMOMDECEASED2: 'ha conseguido'
ENGLISH	What ^{Fill_BIOMOMDECEASED} the highest educational degree that ^{Fill_BIOMOMNAME_#} ^{Fill_BIOMOMDECEASED2} received? 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD) 0. None
SPANISH	¿Cuál ^{Fill_BIOMOMDECEASED} el título educativo más alto que ^{Fill_BIOMOMNAME_#} ^{Fill_BIOMOMDECEASED2}? 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés) 0. Ninguno
RANGE	

<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	LOOP THROUGH PINF Loop 1f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI, CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINF_053_#, PINF_051_#
<i>NEXT</i>	If PINF_049_#=-9: PINF_056_#; ELSE, PINF_055_#

PINF_055_#	
ASK	YOUTH_MOTHER ≠1 and PINF_046_# ≠1 and PINF_048_# ≠ DK or REF and PINF_049≠-9 (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_#
FILLS (SPAN)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_#
ENGLISH	Is ^{Fill_BIOMOMNAME_#} currently working full-time, part-time, or not at all? 1. Full-time 2. Part-time 0. Not at all
SPANISH	¿^{Fill_BIOMOMNAME_#} trabaja en este momento a tiempo completo, a tiempo parcial o no trabaja en absoluto? 1. Tiempo completo 2. Tiempo parcial 0. No trabaja
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_054_#
NEXT	PINF_056_#

PINF_056_#	
ASK	YOUTH_MOTHER ≠1 and PINF_046_# ≠1 and PINF_048_# ≠ DK or REF and (Continue PINF Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_# Use fill, created in PINF_54_#: FILL_BIOMOMDECEASED
FILLS (SPAN)	Use fill, created in PINF_49_#: FILL_BIOMOMNAME_# Use fill, created in PINF_54_#: FILL_BIOMOMDECEASED
ENGLISH	What ^{Fill_BIOMOMDECEASED} ^{Fill_BIOMOMNAME_#}'s race and/or ethnicity? Select all that apply. 1. American Indian or Alaska Native? 2. Asian? 3. Black or African American? 4. Hispanic or Latino? 5. Middle Eastern or North African? 6. Native Hawaiian or Pacific Islander? 7. White?
SPANISH	¿Cuál ^{Fill_BIOMOMDECEASED} la raza y/o el origen étnico de ^{Fill_BIOMOMNAME_#}? Seleccione todas las opciones que correspondan. 1. Indígena de las Américas o nativa de Alaska 2. Asiática 3. Negra o afroamericana 4. Hispana o latina 5. De Medio Oriente o África del norte 6. Nativa de Hawái o de otras islas del Pacífico 7. Blanca
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. Allow multiple responses to be selected.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_054_#, PINF_055_#

NEXT

If LOOPNUMBER>1 and YOUTH_FATHER#1: PINF_057_#; Else if YOUTH_FATHER#1:
PINF_059_#; Else PINF_068_#

PINF_057_#	
ASK	LOOPNUMBER>1 AND YOUTH_FATHER≠1 (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	Does ^{Fill_YOUTHNAME_#} have the same biological father as any of the other youth we have talked about already? 1. Yes 0. No
SPANISH	¿Tiene ^{Fill_YOUTHNAME_#} el mismo padre biológico que alguno(a) de las otros(as) jóvenes de los(as) que ya hemos hablado? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_47_#, PINF_056_#
NEXT	If PINF_057_#=1: PINF_058_#; Else PINF_059_#

PINF_058_#	
ASK	PINF_057_# =1 (Continue PINF Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	With which youth does ^{Fill_YOUTHNAME_#} share a biological father? 1. ^{Fill_YOUTHNAME_#} 2. ^{Fill_YOUTHNAME_#} 3. ^{Fill_YOUTHNAME_#} Etc. 0. None of the above
SPANISH	¿Con qué joven(es) comparte ^{Fill_YOUTHNAME_#} un padre biológico? 1. ^{Fill_YOUTHNAME_#} 2. ^{Fill_YOUTHNAME_#} 3. ^{Fill_YOUTHNAME_#} Etc. 0. Ninguno de las anteriores
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	DISPLAY YOUTHNAME_# OF ALL YOUTHS THAT HAVE ALREADY BEEN LOOPED Allow multiple responses for all entries other than 0. If 0 is selected, do not allow any other entries to be selected, and vice versa. LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_057_#=1
NEXT	If PINF_058_#=0 or DK or REF: PINF_059_#; else PINF_068_#

PINF_059_#	
ASK	YOUTH_FATHER#1 and (PINF_057_# #1 or PINF_058_#=0 or DK or REF) (continue PINF Loop 1)
QUESTION TYPE	Text
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	Can you tell me the first name of ^{Fill_YOUTHNAME_#}'s biological father? Enter first name: _____
SPANISH	¿Puede decirme el primer nombre del padre biológico de ^{Fill_YOUTHNAME_#}? Ingrese el nombre: _____
RANGE	
LIMITS	Max 30 characters
LOOP MAX	15
PROGRAM. NOTES	CREATE VAR BIODADNAME_# for youth, set equal to 'PINF_059_#' LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_043_#, PINF_045_#, PINF_048_#, PINF_056_#, PINF_057_#, PINF_058_#
NEXT	If PINF_059_# = DK or REF: PINF_068_#; Else PINF_060_#

PINF_060_#	
ASK	PINF_057_# ≠1 and PINF_059_# ≠ DK or REF (Continue PINF Loop 1)
QUESTION TYPE	Numeric Radio with special response option
FILLS (ENG)	Create fill, FILL_BIODADNAME_#: Fill with ' BIODADNAME_#' created in PINF_059_#.
FILLS (SPAN)	Create fill, FILL_BIODADNAME_#: Fill with ' BIODADNAME_#' created in PINF_059_#.
ENGLISH	How far does ^{Fill_BIODADNAME_#} live from here? Enter number of miles _____ -9. Youth's biological father is deceased
SPANISH	¿A qué distancia vive ^{Fill_BIODADNAME_#} de aquí? Ingrese el número de millas _____ -9. El padre biológico de los(as) jóvenes ha fallecido
RANGE	00000-99999
LIMITS	Max 5 digits
LOOP MAX	15
PROGRAM. NOTES	CREATE VAR BIODADDECEASED_#. IF PINF_060_#=-9 SET BIODADDECEASED_#=1; ELSE SET BIODADDECEASED_#=0 LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	If response out of range, display hard check: "Please enter a number of miles between 0 and 99,999."
CHECK (SPAN)	If out of range, display hard check "Introduzca un número de millas entre 0 y 99,000."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_059_#
NEXT	If PINF_060_# = -9: PINF_061_#; Else PINF_063_#

PINF_061_#	
ASK	PINF_060_# = -9 (Continue PINF Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
FILLS (SPAN)	Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
ENGLISH	In what year did he die? Select year: { - Select - }
SPANISH	¿En qué año murió? Seleccione el año: { - Seleccione - }
RANGE	List years 2008 to 20530 in reverse chronological order: 2030, 2029, 2028, 2027, 2026, 2025, 2024, 2023 ... 2008 (Do not display future years)
LIMITS	Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	HARD CHECK: IF ENTRY IS OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY: 'Please enter a year between 2008 and ^{FILL_INTERVIEWYEAR}DD.'
CHECK (SPAN)	HARD CHECK: IF ENTRY IS OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY: 'Ingresa un año entre 2008 y ^{FILL_INTERVIEWYEAR}.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_060_# = -9
NEXT	PINF_062_#

PINF_062_#	
ASK	PINF_060_#=-9 (Continue PINF Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill, created in PINF_60_#: FILL_BIODADNAME_#
FILLS (SPAN)	Use fill, created in PINF_60_#: FILL_BIODADNAME_#
ENGLISH	What was ^{Fill_BIODADNAME_#}'s age when he died? Enter age in years: _____
SPANISH	¿Qué edad tenía ^{Fill_BIODADNAME_#}cuando murió? Ingrese la edad en años: _____
RANGE	12-120
LIMITS	Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_061_#
NEXT	PINF_065_#

PINF_063_#	
ASK	PINF_057_# ≠1 and PINF_059_# ≠ DK or REF and PINF_060_#≠-9 (Continue PINF Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill, created in PINF_60_#: FILL_BIODADNAME_#
FILLS (SPAN)	Use fill, created in PINF_60_#: FILL_BIODADNAME_#
ENGLISH	How old was ^{Fill_BIODADNAME_#} on his last birthday? Enter age in years: _____
SPANISH	¿Qué edad tenía ^{Fill_BIODADNAME_#} en su último cumpleaños? Ingresa la edad en años: _____
RANGE	18-120
LIMITS	Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_060_#
NEXT	PINF_064_#

PINF_064_#	
ASK	PINF_057_# ≠1 and PINF_059_# ≠ DK or REF and PINF_060_# ≠ -9 (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_60_#: FILL_BIODADNAME_#
FILLS (SPAN)	Use fill, created in PINF_60_#: FILL_BIODADNAME_#
ENGLISH	What is ^{Fill_BIODADNAME_#}'s marital status? 1. Married 2. Separated 3. Divorced 4. Widowed 0. Never married
SPANISH	¿Cuál es el estado civil de ^{Fill_BIODADNAME_#}? 1. Casado 2. Separado 3. Divorciado 4. Viudo 0. Nunca se casó
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_063_#
NEXT	PINF_065_#

PINF_065_#	
ASK	YOUTH_FATHER#1 and PINF_057_# #1 and PINF_059_# # DK or REF (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_60_#: FILL_BIODADNAME_# Create fill, FILL_BIODADDECEASED: If 'BIODADDECEASED_#'=1, FILL_BIODADDECEASED: 'was'; Else, FILL_BIODADDECEASED: 'is' Create fill, FILL_BIODADDECEASED2: If 'BIODADDECEASED_#'=1, FILL_BIODADDECEASED2: 'had'; Else, FILL_BIODADDECEASED2: 'has'
FILLS (SPAN)	Use fill, created in PINF_60_#: FILL_BIODADNAME_# Create fill, FILL_BIODADDECEASED: If 'BIODADDECEASED_#'=1, FILL_BIODADDECEASED: 'fue'; Else, FILL_BIODADDECEASED: 'es' Create fill, FILL_BIODADDECEASED2: If 'BIODADDECEASED_#'=1, FILL_BIODADDECEASED2: 'consiguió'; Else, FILL_BIODADDECEASED2: 'consiguió'
ENGLISH	What ^{Fill_BIODADDECEASED} the highest educational degree that ^{Fill_BIODADNAME_#} ^{Fill_BIODADDECEASED2} received? 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD) 0. None
SPANISH	¿Cuál ^{Fill_BIODADDECEASED} el título educativo más alto que ^{Fill_BIODADNAME_#} ^{Fill_BIODADDECEASED2}? 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés) 0. Ninguno
RANGE	

<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI, CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINF_062_#, PINF_064_#
<i>NEXT</i>	If PINF_060_#=-9: PINF_067_#; PINF_066_#

PINF_066_#	
ASK	PINF_057_# ≠1 and PINF_059_# ≠ DK or REF and PINF_060_# ≠ -9 (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_60_#: FILL_BIODADNAME_#
FILLS (SPAN)	Use fill, created in PINF_60_#: FILL_BIODADNAME_#
ENGLISH	Is ^{Fill_BIODADNAME_#} currently working full-time, part-time, or not at all? 1. Full-time 2. Part-time 0. Not at all
SPANISH	¿^{Fill_BIODADNAME_#} trabaja en este momento a tiempo completo, a tiempo parcial o no trabaja en absoluto? 1. Tiempo completo 2. Tiempo parcial 0. No trabaja
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_065_#
NEXT	PINF_067_#

PINF_067_#	
ASK	YOUTH_FATHER#1 and PINF_057_# #1 and PINF_059_# # DK or REF (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_60_#: FILL_BIODADNAME_# Use fill, created in PINF_65_#: FILL_BIODADDECEASED
FILLS (SPAN)	Use fill, created in PINF_60_#: FILL_BIODADNAME_# Use fill, created in PINF_65_#: FILL_BIODADDECEASED
ENGLISH	What ^{Fill_BIODADDECEASED} ^{Fill_BIODADNAME_#}'s race and/or ethnicity? <i>Select all that apply.</i> 1. American Indian or Alaska Native 2. Asian 3. Black or African American 4. Hispanic or Latino 5. Middle Eastern or North African 6. Native Hawaiian or Pacific Islander 7. White
SPANISH	¿Cuál ^{Fill_BIODADDECEASED} la raza y/o el origen étnico de ^{Fill_BIODADNAME_#}? <i>Seleccione todas las opciones que correspondan.</i> 1. Indígena de las Américas o nativo de Alaska 2. Asiático 3. Negro o afroamericano 4. Hispano o latino 5. De Medio Oriente o África del norte 6. Nativo de Hawái o de otras islas del Pacífico 7. Blanco
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_066_#, PINF_065_#
NEXT	PINF_068_#

PINF_068_#	
ASK	All
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. This is a computer check, do not display screen. IF YOUTH_MOTHER≠1 OR 2 AND YOUTH_FATHER≠1 OR 2 FOR YOUTH IN THE HOUSEHOLD, SET PINF_068_# = 1. ELSE, SET PINF_068_# = 0.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_043_#, PINF_044_#, PINF_045_#, PINF_047_#, PINF_048_#, PINF_056_#, PINF_058_#, PINF_059_#,
NEXT	If PINF_068_# = 1: PINF_069_#; Else PINF_070_LOOP_END

PINF_069_#	
ASK	PINF_068_#=1 (Continue PINF Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
FILLS (SPAN)	Use fill, created in PINF_32_#: FILL_YOUTHNAME_#
ENGLISH	Is ^{Fill_YOUTHNAME_#} currently living without any parent or guardian figure? 1. Yes 0. No
SPANISH	¿Vive ^{Fill_YOUTHNAME_#} en este momento sin ninguna figura paterna/materna o tutor(a)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1 f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_068_#
NEXT	PINF_070_LOOP_END

PINF_070_LOOP_END	
ASK	All (End PINF Loop 1)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	LOOP THROUGH PINF Loop 1: f_PINF_032_# - PINF_069_# for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. CREATE NON-RESIDENT PARENT ROSTER NONRESROSTER WITH FOLLOWING VARIABLES: NONRES_PARENT_UID (Unique ID for each non-residential parent) NONRES_NAME (Equal to BIOMOMNAME OR BIODADNAME) NONRES_SEX (IF BIOMOM NONRESSEX=2, IF BIODAD NONRESSEX=1) NONRES_DECEASED=1 if BIODADDECEASED or BIOMOMDECEASED=1, else 0 NONRES_YOUTH1_UID= YOUTH_UID for eligible youth affiliated with this parent NONRES_YOUTH1NAME= YOUTHNAME for first youth associated with non-res parent NONRES_YOUTH2_UID= YOUTH_UID for eligible youth affiliated with this parent NONRES_YOUTH2NAME= YOUTHNAME for second youth associated with non-res parent NONRES_YOUTH3_UID= YOUTH_UID for eligible youth affiliated with this parent NONRES_YOUTH3NAME= YOUTHNAME for third youth associated with non-res parent NONRES_YOUTH4_UID= YOUTH_UID for eligible youth affiliated with this parent NONRES_YOUTH4NAME= YOUTHNAME for fourth youth associated with non-res parent Etc. CREATE VAR NONRESCOUNT AND SET EQUAL TO NUMBER OF NON-RESIDENTIAL PARENTS ON NONRESROSTER
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PINF_068_#, PINF_069_#
NEXT	If LOOPNUMBER<YOUTHROSTERNUM, RETURN TO PINF_031_LOOP_BEGIN; ELSE: PFAM_001

f_PINF_071 PINF_071_MON/ PINF_071_TUE/ PINF_071_WED/ PINF_071_THU/ PINF_071_FRI/ PINF_071_SAT/ PINF_071_SUN	
ASK	PINF_004_# = 0 OR DK OR REF
QUESTION TYPE	Multigrid, Checkbox
FILLS (ENG)	Use fill created in PINF_003, FILL_PCNAME
FILLS (SPAN)	Use fill created in PINF_003, FILL_PCNAME
ENGLISH	Generally, what would be good days and times in the next week for me to come back and speak with ^{Fill_PCNAME}? COLUMN HEADERS: 2.Morning 3.Afternoon 4.Evening ROW ITEMS: Monday [PINF_071_MON] Tuesday [PINF_071_TUE] Wednesday [PINF_071_WED] Thursday [PINF_071_THU] Friday [PINF_071_FRI] Saturday [PINF_071_SAT] Sunday [PINF_071_SUN]
SPANISH	En general, ¿cuáles serían días y horarios convenientes la próxima semana para que yo vuelva y hable con ^{Fill_PCNAME}? COLUMN HEADERS: 1. Por la mañana 2. Por la tarde 3. Por la noche ROW ITEMS: Lunes [PINF_071_MON] Martes [PINF_071_TUE] Miércoles [PINF_071_WED] Jueves [PINF_071_THU] Viernes [PINF_071_FRI] Sábado [PINF_071_SAT] Domingo [PINF_071_SUN]
RANGE	

LIMITS	
LOOP MAX	
PROGRAM. NOTES	ALLOW RESPONDENT TO SELECT ANY OF THESE BOXES, INCLUDING EVERY SINGLE BOX. Code variable as 1 if checked, 0 if not
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	PINF_004 = 0 or DK or REF
NEXT	END

PINF_072	
ASK	PINF_003_# = 0 or DK or REF and MODE=CAWI
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	It appears that you are not the correct respondent for this interview. We are sorry for the inconvenience and will have someone from our team contact the appropriate parent or caregiver in the household for this interview.
SPANISH	Parece que usted no es la persona indicada para esta entrevista. Disculpe las molestias y un miembro de nuestro equipo se comunicara con el padre, madre o tutor(a) legal del hogar para esta entrevista.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DO NOT ALLOW BACK NAVIGATION FROM THIS ITEM
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	PINF_003 = 0 or DK or REF
NEXT	END

NLSY27 Specifications Formatting
Parent/Caregiver Survey, Family Background

PRELOADS:

PRELOAD THE FOLLOWING VARIABLES FROM THE HOUSEHOLD SCREENER:

PCNAME: Name of selected parent or caregiver

PCAGE: Age of selected parent or caregiver

PCPARTNER: HH_NAME of the person on the household roster who is identified as partner

PCSPOUSEE: HH_NAME of the person on the household roster who is identified as spouse

PCSPOUSEID: HH_UID of the person on the household roster who is identified as spouse

PCPARTNERID: HH_UID of the person on the household roster who is identified as partner

RPC_ID: HHID of selected parent/caregiver

From the youth roster: YOUTH_NAME

YOUTH_UID

YOUTH_BIOMOMID: BIOMOMID is unique ID for household member or non-residential parent identified as biological parent and Sex=2 (female)

YOUTH_BIODADID: BIODADID is unique ID for household member or non-residential parent identified as biological parent and Sex=1 (male)father

PRELOAD THE FOLLOWING VARIABLE FROM PARENT INFORMATION MODULE:

NONRESROSTER: Non-resident parent roster

NONRES_PARENT_UID: Unique person ID of non-resident parent

NONRES_NAME: Equal to BIOMOMNAME OR BIODADNAME

NONRES_SEX: IF BIOMOM NONRES_SEX=2, IF BIODAD NONRES_SEX=1

NONRES_DECEASED: 1 if BIODADDECEASED or BIOMOMDECEASED=1, else 0

NONRES_YOUTH1_NAME, NONRES_YOUTH2_NAME, NONRES_YOUTH3_NAME, NONRES_YOUTH4_NAME , etc.:

YOUTH_NAME for eligible youth affiliated with this parent

NONRESCOUNT: Equal to number of non-residential parents on NONRESROSTER

CREATE THE FOLLOWING LIST FOR DROPDOWN QUESTIONS:

MONTHLIST

RESPONSE OPTIONS ENGLISH

1. January
2. February
3. March
4. April
5. May
6. June
7. July
8. August
9. September
10. October
11. November
12. December

RESPONSE OPTIONS SPANISH

1. Enero
2. Febrero
3. Marzo
4. Abril
5. Mayo
6. Junio
7. Julio
8. Agosto
9. Septiembre
10. Octubre
11. Noviembre
12. Diciembre

STATEEXPAND

1. Alabama
2. Alaska
3. Arizona
4. Arkansas
5. California
6. Colorado
7. Connecticut
8. Delaware
9. District of Columbia
10. Florida
11. Georgia
12. Hawaii
13. Idaho
14. Illinois
15. Indiana
16. Iowa
17. Kansas
18. Kentucky
19. Louisiana
20. Maine
21. Maryland
22. Massachusetts
23. Michigan
24. Minnesota
25. Mississippi
26. Missouri
27. Montana
28. Nebraska
29. Nevada
30. New Hampshire
31. New Jersey
32. New Mexico
33. New York
34. North Carolina
35. North Dakota
36. Ohio
37. Oklahoma
38. Oregon
39. Pennsylvania
40. Rhode Island
41. South Carolina
42. South Dakota
43. Tennessee
44. Texas
45. Utah
46. Vermont
47. Virginia
48. Washington
49. West Virginia

50. Wisconsin
51. Wyoming
52. American Samoa
53. Guam
54. Northern Mariana Islands
55. Puerto Rico
56. US Virgin Islands
0. Other

COUNTRYLIST

1. Afghanistan
2. Albania
3. Algeria
4. Andorra
5. Angola
6. Antigua and Barbuda
7. Argentina
8. Armenia
9. Australia
10. Austria
11. Azerbaijan
12. The Bahamas
13. Bahrain
14. Bangladesh
15. Barbados
16. Belarus
17. Belgium
18. Belize
19. Benin
20. Bhutan
21. Bolivia
22. Bosnia and Herzegovina
23. Botswana
24. Brazil
25. Brunei
26. Bulgaria
27. Burkina Faso
28. Burundi
29. Cabo Verde
30. Cambodia
31. Cameroon
32. Canada
33. Central African Republic
34. Chad
35. Chile
36. China
37. Colombia
38. Comoros
39. Congo, Democratic Republic of the

40. Congo, Republic of the
41. Costa Rica
42. Côte d'Ivoire
43. Croatia
44. Cuba
45. Cyprus
46. Czech Republic
47. Denmark
48. Djibouti
49. Dominica
50. Dominican Republic
51. East Timor (Timor-Leste)
52. Ecuador
53. Egypt
54. El Salvador
55. Equatorial Guinea
56. Eritrea
57. Estonia
58. Eswatini
59. Ethiopia
60. Fiji
61. Finland
62. France
63. Gabon
64. The Gambia
65. Georgia
66. Germany
67. Ghana
68. Greece
69. Grenada
70. Guatemala
71. Guinea
72. Guinea-Bissau
73. Guyana
74. Haiti
75. Honduras
76. Hungary
77. Iceland
78. India
79. Indonesia
80. Iran
81. Iraq
82. Ireland
83. Israel
84. Italy
85. Jamaica
86. Japan
87. Jordan
88. Kazakhstan

89. Kenya
90. Kiribati
91. Korea, North
92. Korea, South
93. Kosovo
94. Kuwait
95. Kyrgyzstan
96. Laos
97. Latvia
98. Lebanon
99. Lesotho
100. Liberia
101. Libya
102. Liechtenstein
103. Lithuania
104. Luxembourg
105. Madagascar
106. Malawi
107. Malaysia
108. Maldives
109. Mali
110. Malta
111. Marshall Islands
112. Mauritania
113. Mauritius
114. Mexico
115. Micronesia, Federated States of
116. Moldova
117. Monaco
118. Mongolia
119. Montenegro
120. Morocco
121. Mozambique
122. Myanmar (Burma)
123. Namibia
124. Nauru
125. Nepal
126. Netherlands
127. New Zealand
128. Nicaragua
129. Niger
130. Nigeria
131. North Macedonia
132. Norway
133. Oman
134. Pakistan
135. Palau
136. Panama
137. Papua New Guinea

138. Paraguay
139. Peru
140. Philippines
141. Poland
142. Portugal
143. Qatar
144. Romania
145. Russia
146. Rwanda
147. Saint Kitts and Nevis
148. Saint Lucia
149. Saint Vincent and the Grenadines
150. Samoa
151. San Marino
152. São Tomé and Príncipe
153. Saudi Arabia
154. Senegal
155. Serbia
156. Seychelles
157. Sierra Leone
158. Singapore
159. Slovakia
160. Slovenia
161. Solomon Islands
162. Somalia
163. South Africa
164. Spain
165. Sri Lanka
166. Sudan
167. Sudan, South
168. Suriname
169. Sweden
170. Switzerland
171. Syria
172. Taiwan
173. Tajikistan
174. Tanzania
175. Thailand
176. Togo
177. Tonga
178. Trinidad and Tobago
179. Tunisia
180. Turkey (Türkiye)
181. Turkmenistan
182. Tuvalu
183. Uganda
184. Ukraine
185. United Arab Emirates
186. United Kingdom

- 187. United States or its territories
- 188. Uruguay
- 189. Uzbekistan
- 190. Vanuatu
- 191. Vatican City
- 192. Venezuela
- 193. Vietnam
- 194. Yemen
- 195. Zambia
- 196. Zimbabwe
- 0. Other

GENERAL PROGRAMMING NOTES:

ALL ITEMS ARE REQUIRED.

DISPLAY DK (-2) AND REF (-1) BY DEFAULT ON EACH PAGE AT LOADING.

PFAM_001	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Now we would like to ask you some questions about your characteristics and background. Were you born in the United States or its territories? 1. Yes 0. No
SPANISH	Ahora, quisiera hacerle algunas preguntas sobre sus características y antecedentes. ¿Nació en los Estados Unidos o en sus territorios? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PINF_070_LOOP_END
NEXT	If PFAM_001=1: PFAM_003; If PFAM_001=0: f_PFAM_002; Else: PFAM_005

f_PFAM_002 PFAM_002a / PFAM_002OTHER	
ASK	If PFAM_001 = 0
QUESTION TYPE	Dropdown / Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In which country were you born? <i>If the country is not listed, please type "Other" into the text box and select "Other".</i> { - Select - } [PFAM_002a] Enter other country in which you were born: _____ [PFAM_002OTHER]
SPANISH	¿En qué país nació? <i>Si el país no está en la lista, escriba "Otro" en el cuadro de texto y seleccione "Otro".</i> { - Seleccione - } [PFAM_002a] Ingrese otro país en el que nació: _____ [PFAM_002OTHER]
RANGE	COUNTRYLIST
LIMITS	PFAM_002OTHER = max 50 characters
LOOP MAX	
PROGRAM. NOTES	Only display PFAM_002OTHER if PFAM_002a = 0
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	If PFAM_001 = 0
NEXT	If PFAM_002=187: f_PFAM_003; Else: PFAM_004

f_PFAM_003 PFAM_003a / PFAM_003OTHER	
ASK	If PFAM_001 = 1 or PFAM_002a = 187
QUESTION TYPE	Dropdown / Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In what state or territory were you born? { - Select - } [PFAM_003a] Enter other location where were you born: _____ [PFAM_003OTHER]
SPANISH	¿En qué estado o territorio nació? { - Seleccione - } [PFAM_003a] Ingrese otro lugar donde nació: _____ [PFAM_003OTHER]
RANGE	STATEEXPAND
LIMITS	PFAM_003OTHER = max 50 characters
LOOP MAX	
PROGRAM. NOTES	Only display PFAM_003OTHER if PFAM_003a = 0
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	If PFAM_001 = 1, PFAM_002 = 187
NEXT	If PFAM_003a=0, 52, 53, 54, 55, or 56: PFAM_004; Else: PFAM_005

PFAM_004	
ASK	If PFAM_001= 0 or PFAM_003 = 0, 52, 53, 54, 55, or 56
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
FILLS (SPAN)	Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
ENGLISH	In what year did you first come to the United States to live? Year: _____
SPANISH	¿En qué año vino a vivir por primera vez a los Estados Unidos? Año: _____
RANGE	1900-2030
LIMITS	Max 4 digits
LOOP MAX	
PROGRAM. NOTES	Create variable PCDOBYEAR=(year at DOI)-(PCAGE +2)
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE OR IN FUTURE ON DOI, DISPLAY: Please enter a year between 1900 and ^{FILL_INTERVIEWYEAR}. SOFT CHECK: If PFAM_004 before PCDOBYEAR, DISPLAY: The year you first came to the United States to live should be after you were born. Please update your answer, if necessary.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE OR IN FUTURE ON DOI, DISPLAY: Ingrese un año entre 1900 y ^{FILL_INTERVIEWYEAR}. SOFT CHECK: If PFAM_004 before PCDOBYEAR, DISPLAY: El año en que vino por primera vez a vivir a los Estados Unidos debe ser posterior a su nacimiento. Actualice su respuesta, de ser necesario.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	If PFAM_001= 0; PFAM_003 = 0, 52, 53, 54, 55, or 56; PFAM_002
NEXT	PFAM_005

PFAM_005	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you now speak any language other than English at home? 1. Yes 0. No
SPANISH	¿Habla ahora en casa algún idioma que no sea el inglés? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_001, PFAM_003, PFAM_004
NEXT	If PFAM_005=1: PFAM_006; Else: PFAM_007

f_PFAM_006 PFAM_006ARAB / PFAM_006CHIN / PFAM_006FREN / PFAM_006GERM / PFAM_006GREE / PFAM_006HEBR / PFAM_006ITAL / PFAM_006JAPA / PFAM_006KORE / PFAM_006NORW / PFAM_006POLI / PFAM_006PORT / PFAM_006RUSS / PFAM_006SPAN / PFAM_006SWED / PFAM_006VIET / PFAM_006OTHER / PFAM_006OTHER_TX	
ASK	If PFAM_005 = 1
QUESTION TYPE	Checkbox / Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What language(s) do you speak at home? Please select all that apply. 1. Arabic [PFAM_006ARAB] 2. Chinese [PFAM_006CHIN] 3. French [PFAM_006FREN] 4. German [PFAM_006GERM] 5. Greek [PFAM_006GREE] 6. Hebrew [PFAM_006HEBR] 7. Italian [PFAM_006ITAL] 8. Japanese [PFAM_006JAPA] 9. Korean [PFAM_006KORE] 10. Norwegian [PFAM_006NORW] 11. Polish [PFAM_006POLI] 12. Portuguese [PFAM_006PORT] 13. Russian [PFAM_006RUSS] 14. Spanish [PFAM_006SPAN] 15. Swedish [PFAM_006SWED] 16. Vietnamese [PFAM_006VIET] 17. Other [PFAM_006OTHER] What other language(s) do you speak at home? _____ [PFAM_006OTHER_TX]
SPANISH	¿Qué idioma(s) habla en casa? Seleccione todas las que correspondan. 1. Árabe [PFAM_006ARAB] 2. Chino [PFAM_006CHIN] 3. Francés [PFAM_006FREN] 4. Alemán [PFAM_006GERM] 5. Griego [PFAM_006GREE] 6. Hebreo [PFAM_006HEBR] 7. Italiano [PFAM_006ITAL] 8. Japonés [PFAM_006JAPA] 9. Coreano [PFAM_006KORE] 10. Noruego [PFAM_006NORW] 11. Polaco [PFAM_006POLI] 12. Portugués [PFAM_006PORT] 13. Ruso [PFAM_006RUSS] 14. Español [PFAM_006SPAN] 15. Sueco [PFAM_006SWED] 16. Vietnamita [PFAM_006VIET] 17. Otros [PFAM_006OTHER]

	¿Qué otro(s) idioma(s) habla en casa? _____ [PFAM_006OTHER_TX]
RANGE	
LIMITS	PFAM_006OTHER_TX = max 50 characters
LOOP MAX	
PROGRAM. NOTES	Only display PFAM_0036OTHER_TX if PFAM_006_OTHER is selected
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_005
NEXT	f_PFAM_007

f_PFAM_007 PFAM_007AI / PFAM_007AS / PFAM_007BL / PFAM_007HI / PFAM_007ME / PFAM_007NH / PFAM_007WT	
ASK	All respondents
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your race and/or ethnicity? Select all that apply. 1. American Indian or Alaska Native [PFAM_007AI] 2. Asian [PFAM_007AS] 3. Black or African American [PFAM_007BL] 4. Hispanic or Latino [PFAM_007HI] 5. Middle Eastern or North African [PFAM_007ME] 6. Native Hawaiian or Pacific Islander [PFAM_007NH] 7. White [PFAM_007WT]
SPANISH	¿Cuál es su raza u origen étnico? Seleccione todas las opciones que correspondan. 1. Indígena de las Américas o nativo(a) de Alaska [PFAM_007AI] 2. Asiático(a) [PFAM_007AS] 3. Negro(a) o afroamericano(a) [PFAM_007BL] 4. Hispano(a) o latino(a) [PFAM_007HI] 5. De Medio Oriente o África del norte [PFAM_007ME] 6. Nativo(a) de Hawái o de otras islas del Pacífico [PFAM_007NH] 7. Blanco(a) [PFAM_007WT]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1 if checked, 0 if not.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_005 , f_PFAM_006
NEXT	If PFAM_007AS=1: PFAM_008; Else if PFAM_007BL=1: PFAM_009; Else if PFAM_007HI=1: PFAM_010; Else if PFAM_007ME=1: PFAM_011; Else if PFAM_007NH=1: PFAM_012; Else if PFAM_007WT=1: PFAM_013; Else: PFAM_014

f_PFAM_008 PFAM_008CI / PFAM_008AI / PFAM_008FI / PFAM_008VI / PFAM_008KO / PFAM_008JA / PFAM_008AA	
ASK	If PFAM_007AS = 1
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	You said that you are “Asian” in the previous question. What is your ancestry or ethnic origin? <i>Select all that apply.</i> 1. Chinese [PFAM_008CI] 2. Asian Indian [PFAM_008AI] 3. Filipino [PFAM_008FI] 4. Vietnamese [PFAM_008VI] 5. Korean [PFAM_008KO] 6. Japanese [PFAM_008JA] 7. Another Asian group (for example, Pakistani, Hmong, Afghan, etc.) [PFAM_008AA]
SPANISH	Usted indicó que es asiático(a) en la pregunta anterior. ¿Cuál es su ascendencia u origen étnico? <i>Seleccione todas las opciones que correspondan.</i> 1. Chino(a) [PFAM_008CI] 2. Asiático(a) indio(a) [PFAM_008AI] 3. Filipino(a) [PFAM_008FI] 4. Vietnamita [PFAM_008VI] 5. Coreano(a) [PFAM_008KO] 6. Japonés(a) [PFAM_008JA] 7. Otro grupo asiático(a) (por ejemplo, pakistaní, hmong, afgano/a, etc.) [PFAM_008AA]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1 if checked, 0 if not.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_007
NEXT	If PFAM_007BL=1: PFAM_009; Else if PFAM_007HI=1: PFAM_010; Else if PFAM_007ME=1: PFAM_011; Else if PFAM_007NH=1: PFAM_012; Else if PFAM_007WT=1: PFAM_013; Else: PFAM_014

f_PFAM_009 PFAM_009AF / PFAM_009JA / PFAM_009HA / PFAM_009NI / PFAM_009ET / PFAM_009SO / PFAM_009AB	
ASK	If PFAM_007BL = 1
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	You said that you are “Black or African American” in the previous question. What is your ancestry or ethnic origin? <i>Select all that apply.</i> 8. African American [PFAM_009AF] 9. Jamaican [PFAM_009JA] 10. Haitian [PFAM_009HA] 11. Nigerian [PFAM_009NI] 12. Ethiopian [PFAM_009ET] 13. Somali [PFAM_009SO] 14. Another African or Caribbean group (for example, Trinidadian and Tobagonian, Ghanaian, Congolese, etc.) [PFAM_009AB]
SPANISH	Usted indicó que es negro(a) o afroamericano(a). ¿Cuál es su ascendencia u origen étnico? <i>Seleccione todas las opciones que correspondan.</i> 8. Afroamericano(a) [PFAM_009AF] 9. Jamaíquino(a) [PFAM_009JA] 10. Haitiano(a) [PFAM_009HA] 11. Nigeriano(a) [PFAM_009NI] 12. Etíope [PFAM_009ET] 13. Somalí [PFAM_009SO] 14. Otro grupo africano o caribeño (por ejemplo, trinitenses y tobagones, ghaneses, congoleños, etc.) [PFAM_009AB]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1 if checked, 0 if not.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_007, f_PFAM_008
NEXT	If PFAM_007HI=1: PFAM_010; Else if PFAM_007ME=1: PFAM_011; Else if PFAM_007NH=1: PFAM_012; Else if PFAM_007WT=1: PFAM_013; Else: PFAM_014

f_PFAM_010 PFAM_010MX / PFAM_010PR / PFAM_010SA / PFAM_010CU / PFAM_010DO / PFAM_010GU / PFAM_010AH	
ASK	If PFAM_007HI = 1
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	You said that you are “Hispanic or Latino” in the previous question. What is your ancestry or ethnic origin? <i>Select all that apply.</i> 15. Mexican [PFAM_010MX] 16. Puerto Rican [PFAM_010PR] 17. Salvadoran [PFAM_010SA] 18. Cuban [PFAM_010CU] 19. Dominican [PFAM_010DO] 20. Guatemalan [PFAM_010GU] 21. Another Hispanic or Latino group (for example, Colombian, Honduran, Spaniard, etc.) [PFAM_010AH]
SPANISH	Usted indicó que es hispano(a) o latino(a) en la pregunta anterior. ¿Cuál es su ascendencia u origen étnico? <i>Seleccione todas las opciones que correspondan.</i> 15. Mexicano(a) [PFAM_010MX] 16. Puertorriqueño(a) [PFAM_010PR] 17. Salvadoreño(a) [PFAM_010SA] 18. Cubano(a) [PFAM_010CU] 19. Dominicano(a) [PFAM_010DO] 20. Guatemalteco(a) [PFAM_010GU] 21. Otro grupo hispano o latino (por ejemplo, colombiano/a, hondureño/a, español/a, etc.) [PFAM_010AH]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1 if checked, 0 if not.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_007, f_PFAM_008, f_PFAM_009
NEXT	If PFAM_007ME=1: PFAM_011; Else if PFAM_007NH=1: PFAM_012; Else if PFAM_007WT=1: PFAM_013; Else: PFAM_014

f_PFAM_011 PFAM_011LE / PFAM_011IR / PFAM_011EG / PFAM_011SY / PFAM_011IQ / PFAM_011IS / PFAM_011AM	
ASK	If PFAM_007ME = 1
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	You said that you are “Middle Eastern or North African” in the previous question. What is your ancestry or ethnic origin? <i>Select all that apply.</i> 22. Lebanese [PFAM_011LE] 23. Iranian [PFAM_011IR] 24. Egyptian [PFAM_011EG] 25. Syrian [PFAM_011SY] 26. Iraqi [PFAM_011IQ] 27. Israeli [PFAM_011IS] 28. Another Middle Eastern or North African group (for example, Moroccan, Yemeni, Kurdish, etc.) [PFAM_011AM]
SPANISH	Usted indicó que es de Medio Oriente o África del norte en la pregunta anterior. ¿Cuál es su ascendencia u origen étnico? <i>Seleccione todas las opciones que correspondan.</i> 22. Libanés(a) [PFAM_011LE] 23. Iraní [PFAM_011IR] 24. Egipcio(a) [PFAM_011EG] 25. Sirio(a) [PFAM_011SY] 26. Iraquí [PFAM_011IQ] 27. Israelí [PFAM_011IS] 28. Otro grupo del Medio Oriente o África del norte (por ejemplo, marroquí, yemení, kurdo, etc.) [PFAM_011AM]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1 if checked, 0 if not.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_007, f_PFAM_008, f_PFAM_009, f_PFAM_010
NEXT	If PFAM_007NH=1: PFAM_012; Else if PFAM_007WT=1: PFAM_013; Else: PFAM_014

f_PFAM_012	
PFAM_012NH / PFAM_012SA / PFAM_012CH / PFAM_012TO / PFAM_012FI / PFAM_012MA / PFAM_012AP	
ASK	If PFAM_007NH = 1
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	You said that you are “Native Hawaiian or Pacific Islander” in the previous question. What is your ancestry or ethnic origin? <i>Select all that apply.</i> 29. Native Hawaiian [PFAM_012NH] 30. Samoan [PFAM_012SA] 31. Chamorro [PFAM_012CH] 32. Tongan [PFAM_012TO] 33. Fijian [PFAM_012FI] 34. Marshallese [PFAM_012MA] 35. Another Pacific Islander group (for example, Chuukese, Palauan, Tahitian, etc.) [PFAM_012AP]
SPANISH	Usted indicó que es Nativo(a) de Hawái o de otras islas del Pacífico en la pregunta anterior. ¿Cuál es su ascendencia u origen étnico? <i>Seleccione todas las opciones que correspondan.</i> 29. Hawaiano(a) nativo(a) [PFAM_012NH] 30. Samoano(a) [PFAM_012SA] 31. Chamorro(a) [PFAM_012CH] 32. Tongano(a) [PFAM_012TO] 33. Fiyiano(a) [PFAM_012FI] 34. Marshalés(a) [PFAM_012MA] 35. Otro grupo de isleños del Pacífico (por ejemplo, chuukenses, palauanos, tahitianos, etc.) [PFAM_012AP]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1 if checked, 0 if not.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_007, f_PFAM_008, f_PFAM_009, f_PFAM_010, f_PFAM_011
NEXT	If PFAM_007WT=1: PFAM_013; Else: PFAM_014

f_PFAM_013 PFAM_013EN / PFAM_013GE / PFAM_013IR / PFAM_013IT / PFAM_013PO / PFAM_013SC / PFAM_013AE	
ASK	If PFAM_007WT = 1
QUESTION TYPE	Checkbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	You said that you are “White” in the previous question. What is your ancestry or ethnic origin? <i>Select all that apply.</i> 36. English [PFAM_013EN] 37. German [PFAM_013GE] 38. Irish [PFAM_013IR] 39. Italian [PFAM_013IT] 40. Polish [PFAM_013PO] 41. Scottish [PFAM_013SC] 42. Another European group (for example, French, Swedish, Norwegian, etc.) [PFAM_013AE]
SPANISH	Usted indicó que es blanco(a) en la pregunta anterior. ¿Cuál es su ascendencia u origen étnico? <i>Seleccione todas las opciones que correspondan.</i> 36. Inglés(a) [PFAM_013EN] 37. Alemán(a) [PFAM_013GE] 38. Irlandés(a) [PFAM_013IR] 39. Italiano(a) [PFAM_013IT] 40. Polaco(a) [PFAM_013PO] 41. Escocés(a) [PFAM_013SC] 42. Otro grupo europeo (por ejemplo, francés/a, sueco/a, noruego/a, etc.) [PFAM_013AE]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code each variable as 1 if checked, 0 if not.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_007, f_PFAM_008, f_PFAM_009, f_PFAM_010, f_PFAM_011, f_PFAM_012
NEXT	PFAM_014

PFAM_014	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your sex? 1. Male 2. Female
SPANISH	¿Cuál es su sexo? 1. Masculino 2. Femenina
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_007, f_PFAM_008, f_PFAM_009, f_PFAM_010, f_PFAM_011, f_PFAM_012, f_PFAM_013
NEXT	PFAM_016

PFAM_016	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	The next few questions are about your religious background. First, in what religion were you raised? If more than one, please select the most recent religion that you practiced as a child. 1. Protestant (for example, Baptist, Methodist, Non-denominational or independent, Lutheran, Presbyterian, Pentecostal, Episcopalian, Reformed, Church of Christ, etc.) 2. Roman Catholic 3. Mormon (Church of Jesus Christ of Latter-day Saints or LDS) 4. Orthodox (such as Greek, Russian, or some other Orthodox church) 5. Jewish 6. Muslim 7. Buddhist 8. Hindu 9. Atheist 10. Agnostic 11. Something else 12. Nothing in particular
SPANISH	Las siguientes preguntas son sobre sus antecedentes religiosos. En primer lugar, ¿con qué religión creció? Si hay más de una, seleccione la religión más reciente que practicó durante su infancia. 1. Protestante (por ejemplo, bautistas, metodistas, no denominacionales o independiente, luteranos, presbiterianos, pentecostales, episcopales, reformados, Iglesia de Cristo, etc.) 2. Iglesia Católica Romana 3. Mormón(a) (Iglesia de Jesucristo de los Santos de los Últimos Días o LSD, por sus siglas en inglés) 4. Iglesia Ortodoxa (como la griega, la rusa o alguna otra iglesia ortodoxa) 5. Judío(a) 6. Musulmán(a) 7. Budista 8. Hindú 9. Ateo(a) 10. Agnóstico(a) 11. Otra 12. Ninguna en particular
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	

<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI / CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PFAM_014
<i>NEXT</i>	IF PFAM_016=1, 2, 3, 4, or 11: PFAM_017; Else PFAM_018

PFAM_017	
ASK	PFAM_016 = 1, 2, 3, 4 OR 11
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Still thinking about the religion, were you raised as a born-again or evangelical Christian, or not? 1. Yes, born-again, or evangelical Christian 0. No, not born-again or evangelical Christian
SPANISH	Siguiendo con la religión, ¿creció como cristiano(a) renacido(a) o evangélico(a), o no? 1. Sí, cristiano(a) renacido(a) o cristiano(a) evangélico(a) 0. No, ni cristiano(a) renacido(a) ni cristiano(a) evangélico(a)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_016 = 1, 2, 3, 4, 11
NEXT	PFAM_018

PFAM_018	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your current religious preference, if any? If more than one, please select the most recent religion that you practiced. 1. Protestant (for example, Baptist, Methodist, Non-denominational or independent, Lutheran, Presbyterian, Pentecostal, Episcopalian, Reformed, Church of Christ, etc.) 2. Roman Catholic 3. Mormon (Church of Jesus Christ of Latter-day Saints or LDS) 4. Orthodox (such as Greek, Russian, or some other Orthodox church) 5. Jewish 6. Muslim 7. Buddhist 8. Hindu 9. Atheist 10. Agnostic 11. Something else 12. Nothing in particular
SPANISH	¿Cuál es su preferencia religiosa actual, si es que tiene alguna? Si hay más de una, seleccione la religión más reciente que haya practicado. 1. Protestante (por ejemplo, bautistas, metodistas, no denominacionales o independiente, luteranos, presbiterianos, pentecostales, episcopales, reformados, Iglesia de Cristo, etc.) 2. Iglesia Católica Romana 3. Mormón(a) (Iglesia de Jesucristo de los Santos de los Últimos Días o LSD, por sus siglas en inglés) 4. Iglesia Ortodoxa (como la griega, la rusa o alguna otra iglesia ortodoxa) 5. Judío(a) 6. Musulmán(a) 7. Budista 8. Hindú 9. Ateo(a) 10. Agnóstico(a) 11. Otra 12. Ninguna en particular
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	PFAM_016, PFAM_017
<i>NEXT</i>	IF PFAM_018=1, 2, 3, 4 OR 11: PFAM_019 Else: PFAM_020

PFAM_019	
ASK	PFAM_018 = 1, 2, 3, 4, OR 11
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Would you describe yourself as a born-again or evangelical Christian, or not? 1. Yes, born-again, or evangelical Christian 0. No, not born-again or evangelical Christian
SPANISH	¿Se describiría a sí mismo(a) como cristiano(a) renacido(a) o evangélico(a), o no? 1. Sí, cristiano(a) renacido(a) o cristiano(a) evangélico(a) 0. No, ni cristiano(a) renacido(a) ni cristiano(a) evangélico(a)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_018 = 1, 2, 3, 4, 11
NEXT	PFAM_020

PFAM_020	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In the past 12 months, how often have you attended a worship service (like church, synagogue, or mosque service or mass)? 1. Never 2. Once or twice 3. Less than once a month (3-12 times) 4. About once a month (12 times) 5. About twice a month (24 times) 6. About once a week 7. Several times a week 8. Every day
SPANISH	En los últimos 12 meses, ¿con qué frecuencia ha asistido a un servicio religioso (como un servicio o misa de iglesia, sinagoga o mezquita)? 1. Nunca 2. Una o dos veces 3. Menos de una vez al mes (3-12 veces) 4. Aproximadamente una vez al mes (12 veces) 5. Unas dos veces al mes (24 veces) 6. Alrededor de una vez por semana 7. Varias veces a la semana 8. Todos los días
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_018, PFAM_019
NEXT	PFAM_021

PFAM_021	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	The next questions are about interaction you may or may not have had with the criminal justice system. Did you ever serve time in prison, jail, or some other correctional facility as a juvenile or adult? 1. Yes 0. No
SPANISH	Las siguientes preguntas son sobre la interacción que ha tenido o no con el sistema de justicia penal. ¿Alguna vez estuvo en prisión, en la cárcel o en algún otro centro penitenciario como menor o adulto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_020
NEXT	PFAM_021 = 1: PFAM_022; ELSE: PFAM_028

PFAM_022	
ASK	PFAM_021 = 1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How many times did you serve time in prison, jail, or some other correctional facility? Number of Times: _____
SPANISH	¿Cuántas veces estuvo en prisión, en la cárcel o en algún otro centro penitenciario? Número de veces: _____
RANGE	1-99
LIMITS	Max 2 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Previously you reported that you served time in jail, prison or other correctional facility. If this is not correct, please click here to update your response. [DISPLAY LINK TO RETURN TO PFAM_021: 'Update response']
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Antes, usted informó que cumplió una condena en la cárcel, prisión u otro centro penitenciario. Si esto no es correcto, haga clic aquí para actualizar su respuesta. [DISPLAY LINK TO RETURN TO PFAM_021: 'Actualizar respuesta']
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_021 = 1
NEXT	f_PFAM_023

f_PFAM_023 PFAM_CJ_FIRST_START_MO/PFAM_CJ_FIRST_START_YR	
ASK	PFAM_022 = 1-99
QUESTION TYPE	PFAM_CJ_FIRST_START_MO: Dropdown PFAM_CJ_FIRST_START_YR: Numeric
FILLS (ENG)	CREATE FILL_CJFIRST: IF PFAM_022 > 1, FILL_CJFIRST: 'first'; ELSE; FILL_CJFIRST: BLANK Use fill, FILL_INTERVIEWYEAR from PFAM_004: 'DOI_YEAR'
FILLS (SPAN)	CREATE FILL_CJFIRST: IF PFAM_022 > 1, FILL_CJFIRST: 'primera vez'; ELSE; FILL_CJFIRST: BLANK Use fill, FILL_INTERVIEWYEAR from PFAM_004: 'DOI_YEAR'
ENGLISH	Thinking of the ^{FILL_CJFIRST} time that you served time in prison, jail, or some other correctional facility, when did you enter the jail, prison, or correctional facility (month and year)? <i>It may be helpful to refer to the calendar. Remember you can always access the calendar by clicking on the button at the top left of the screen.</i> Month: {Select} [PFAM_CJ_FIRST_START_MO] Year: _____ [PFAM_CJ_FIRST_START_YR]
SPANISH	Pensando en la ^{FILL_CJFIRST} que cumplió una condena en la cárcel, prisión o algún otro centro penitenciario, ¿cuándo ingresó en la cárcel, prisión o centro penitenciario (mes y año)? <i>Podría ser útil consultar el calendario. Recuerde que siempre puede acceder al calendario haciendo clic en el botón ubicado en la parte superior izquierda de la pantalla.</i> Mes: {Seleccione} [PFAM_CJ_FIRST_START_MO] Año: _____ [PFAM_CJ_FIRST_START_YR]
RANGE	PFAM_CJ_FIRST_START_MO: Month entries in order: January, February, March, etc. through December PFAM_CJ_FIRST_START_YR: 1900 - 2030
LIMITS	PFAM_CJ_FIRST_START_YR: Max 4 digits
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR. ADD DATE TO CALENDAR WITH LABEL "Entered Prison or Jail".
CHECK (ENG)	HARD CHECK: IF PFAM_CJ_FIRST_START_YR OUT OF RANGE, DISPLAY: Please enter a year between 1900 and ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: You have entered a date in the future. Please enter a date in the past. SOFT CHECK: If PFAM_023_YR before PCDOBYEAR, DISPLAY: Time spent in a correctional facility should be after you were born. Please update your answer, if necessary.
CHECK (SPAN)	HARD CHECK: IF PFAM_CJ_FIRST_START_YR OUT OF RANGE, DISPLAY: Ingrese un año entre el 1900 y ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado. SOFT CHECK: If PFAM_023_YR before PCDOBYEAR, DISPLAY: El tiempo pasado en un correccional debe ser posterior a su nacimiento. Actualice su respuesta, de ser necesario.

HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_022
NEXT	f_PFAM_024

f_PFAM_024	
PFAM_024_MO/PFAM_024_YR	
ASK	PFAM_022 >0
QUESTION TYPE	PFAM_CJ_024_MO: Dropdown PFAM_CJ_024_YR: Numeric
FILLS (ENG)	CREATE FILL_CJFIRST: IF PFAM_022 > 1, FILL_CJFIRST: 'first' ; ELSE, FILL_CJFIRST: BLANK Use fill from f_PFAM_004: FILL_INTERVIEWYEAR
FILLS (SPAN)	CREATE FILL_CJFIRST: IF PFAM_022 > 1, FILL_CJFIRST: 'primera vez' ELSE, FILL_CJFIRST: BLANK Use fill from f_PFAM_004: FILL_INTERVIEWYEAR
ENGLISH	This date has been automatically added to your calendar in the row for "Residence" marked by "Entered Prison or Jail." That ^{FILL_CJFIRST} time that you served time in prison, jail, or some other correctional facility, when did you leave the jail, prison, or correctional facility? Month: {Select} [PFAM_024_MO] Year: _____ [PFAM_024_YR]
SPANISH	Esta fecha se ha añadido automáticamente a su calendario en la fila de "Residence" (Residencia), marcada como "Entered Prison or Jail" (Ingresó en una prisión o cárcel). Respecto de esa ^{FILL_CJFIRST} que cumplió una condena en la cárcel, prisión o algún otro centro correccional, ¿cuándo salió de la cárcel, la prisión o del centro correccional? Mes: {Seleccione} [PFAM_024_MO] Año: _____ [PFAM_024_YR]
RANGE	PFAM_024_MO: Month entries in order: January, February, March, etc. through December PFAM_024_YR: 1900 - 2030
LIMITS	PFAM_024_YR: Max 4 digits
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR. ADD DATE TO CALENDAR WITH LABEL "Left Prison or Jail". FOR [DROPDOWN] MONTH PLEASE USE A STANDARD LIST OF MONTHS FOR PARTICIPANTS TO SELECT WITH TEXT LABELS AND ASSIGNED TO THE NUMBER OF THE MONTH 1-12.
CHECK (ENG)	HARD CHECK: IF PFAM_024_YR OUT OF RANGE, DISPLAY: Please enter a year between 1900 and ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: You have entered a date in the future. Please enter a date in the past. HARD CHECK: If month/year combination reported in PFAM_024 is BEFORE month/year combination reported in PFAM_023, display: The date that you left a correctional facility should be after the date that you entered the correctional facility. Please update your answer, as appropriate. SOFT CHECK: If PFAM_024_YR before PCDOBYEAR, DISPLAY: Time spent in a correctional facility should be after you were born. Please update your answer, if necessary.

<i>CHECK (SPAN)</i>	HARD CHECK: IF PFAM_024_YR OUT OF RANGE, DISPLAY: Ingrese un año entre 1900 y ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado. HARD CHECK: If month/year combination reported in PFAM_024 is BEFORE month/year combination reported in PFAM_023, display: La fecha de salida del centro penitenciario debe ser posterior a la fecha de ingreso. Actualice su respuesta según corresponda. SOFT CHECK: If PFAM_024_YR before PCDOBYEAR, DISPLAY: El tiempo pasado en un correccional debe ser posterior a su nacimiento. Actualice su respuesta, de ser necesario.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI / CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_PFAM_023
<i>NEXT</i>	PFAM_025

PFAM_025	
ASK	PFAM_022 = 1-99
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	This date has been automatically added to your calendar in the row for "Residence" marked by "Left Prison or Jail"
SPANISH	Esta fecha se ha añadido automáticamente a su calendario en la fila de "Residence" (Residencia), marcada como "Left Prison or Jail" (Salió de la prisión o cárcel).
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_024
NEXT	IF PFAM_022 > 1: f_PFAM_026; ELSE: PFAM_028

f_PFAM_026 PFAM_026_MO/PFAM_026_YR	
ASK	PFAM_022 > 1
QUESTION TYPE	PFAM_026_MO: Dropdown PFAM_026_YR: Numeric
FILLS (ENG)	Use fill from f_PFAM_004: FILL_INTERVIEWYEAR
FILLS (SPAN)	Use fill from f_PFAM_004: FILL_INTERVIEWYEAR
ENGLISH	Thinking of the most recent time that you served time in prison, jail, or some other correctional facility, when did you enter the jail, prison, or correctional facility (month and year)? Month: {Select} [PFAM_026_MO] Year: _____ [PFAM_026_YR]
SPANISH	Pensando en la vez más reciente que cumplió una condena en la cárcel, prisión o algún otro centro penitenciario, ¿cuándo ingresó en la cárcel, prisión o centro penitenciario (mes y año)? Mes: {Seleccione} [PFAM_026_MO] Año: _____ [PFAM_026_YR]
RANGE	PFAM_026_MO: Month entries in order: January, February, March, etc. through December PFAM_026_YR: 1900 - 2030
LIMITS	PFAM_026_YR: Max 4 digits
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR. ADD DATE TO CALENDAR WITH LABEL "Entered Prison or Jail".
CHECK (ENG)	HARD CHECK: IF PFAM_026_YR OUT OF RANGE, DISPLAY: Please enter a year between 1900 and ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: You have entered a date in the future. Please enter a date in the past. SOFT CHECK: If PFAM_026_YR before PCDOBYEAR, DISPLAY: Time spent in a correctional facility should be after you were born. Please update your answer, if necessary.
CHECK (SPAN)	HARD CHECK: IF PFAM_026_YR OUT OF RANGE, DISPLAY: Ingrese un año entre 1900 y ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado. SOFT CHECK: If PFAM_026_YR before PCDOBYEAR, DISPLAY: El tiempo pasado en un correccional debe ser posterior a su nacimiento. Actualice su respuesta, de ser necesario.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_022 > 1; PFAM_025
NEXT	f_PFAM_027

f_PFAM_027 PFAM_027_MO/PFAM_027_YR	
ASK	PFAM_022 > 1
QUESTION TYPE	PFAM_027_MO: Dropdown PFAM_027_YR: Numeric
FILLS (ENG)	Use fill from f_PFAM_004: FILL_INTERVIEWYEAR
FILLS (SPAN)	Use fill from f_PFAM_004: FILL_INTERVIEWYEAR
ENGLISH	This date has been automatically added to your calendar in the row for “Residence” marked by “Entered Prison or Jail” The most recent time that you served time in prison, jail, or some other correctional facility, when did you leave the jail, prison, or correctional facility? Month: {Select} [PFAM_027_MO] Year: _____ [PFAM_027_YR]
SPANISH	Esta fecha se ha añadido automáticamente a su calendario en la fila de “Residence” (Residencia), marcada como “Entered Prison or Jail” (Ingresó en una prisión o cárcel). Esa vez más reciente que cumplió una condena en la cárcel, prisión o algún otro centro correccional, ¿cuándo fue que salió de la cárcel, la prisión o del centro correccional? Mes: {Seleccione} [PFAM_027_MO] Año: _____ [PFAM_027_YR]
RANGE	PFAM_027_MO: Month entries in order: January, February, March, etc. through December PFAM_027_YR: 1900 - 2030
LIMITS	PFAM_027_YR: Max 4 digits
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR. ADD DATE TO CALENDAR WITH LABEL “Left Prison or Jail”.
CHECK (ENG)	HARD CHECK: IF PFAM_027_YR OUT OF RANGE, DISPLAY: Please enter a year between 1900 and ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: You have entered a date in the future. Please enter a date in the past. HARD CHECK: If month/year combination reported in PFAM_027 is BEFORE month/year combination reported in PFAM_026, display: The date that you left a correctional facility should be after the date that you entered the correctional facility. Please update your answer, as appropriate. SOFT CHECK: If PFAM_027_YR before PCDOBYEAR, DISPLAY: Time spent in a correctional facility should be after you were born. Please update your answer, if necessary.
CHECK (SPAN)	HARD CHECK: IF PFAM_027_YR OUT OF RANGE, DISPLAY: Ingrese un año entre 1900 y ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado.

	HARD CHECK: If month/year combination reported in PFAM_027 is BEFORE month/year combination reported in PFAM_026, display: La fecha de salida del centro penitenciario debe ser posterior a la fecha de ingreso. Actualice su respuesta según corresponda. SOFT CHECK: If PFAM_027_YR before PCDOBYEAR, DISPLAY: El tiempo pasado en un correccional debe ser posterior a su nacimiento. Actualice su respuesta, de ser necesario.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_026
NEXT	PFAM_028

PFAM_028	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Now we would like to ask about your family when you were growing up. Did you live with both biological parents together from birth until age 14? 1. Yes 0. No
SPANISH	Ahora, quisiera hacerle preguntas sobre su familia cuando crecía. ¿Vivió con ambos padres/madres biológicos(as) juntos desde su nacimiento hasta los 14 años? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_021=0; PFAM_025, f_PFAM_027, PFAM_022=0
NEXT	IF PFAM_028 = 0: PFAM_029; ELSE: PFAM_033

PFAM_029	
ASK	PFAM_028 = 0
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which parent didn't you always live with? 1. Biological Mother 2. Biological Father 3. Both
SPANISH	¿Con qué padre/madre no ha vivido siempre? 1. Madre biológica 2. Padre biológico 3. Ambos(as)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_028=0
NEXT	f_PFAM_030

f_PFAM_030 PFAM_030/PFAM_030_OTHER	
ASK	PFAM_028 = 0
QUESTION TYPE	PFAM_030: Radio button PFAM_030_OTHER: Text
FILLS (ENG)	CREATE FILL_PARLIVE: IF PFAM_029 = 1, FILL_PARLIVE: 'your mother'; ELSE, IF PFAM_029 = 2, FILL_PARLIVE: 'your father'; ELSE, IF PFAM_029 = 3, FILL_PARLIVE: 'both parents'; ELSE, FILL_PARLIVE: 'your parent or parents'
FILLS (SPAN)	CREATE FILL_PARLIVE: IF PFAM_029 = 1, FILL_PARLIVE: 'su madre'; ELSE, IF PFAM_029 = 2, FILL_PARLIVE: 'su padre'; ELSE, IF PFAM_029 = 3, FILL_PARLIVE: 'ambos(as)'; ELSE, FILL_PARLIVE: 'su padre/madre o padres/madres'
ENGLISH	What was the reason you did not live with ^{FILL_PARLIVE}? 1. One or both parents died 2. Parents became separated or divorced 3. I was adopted 4. I left home 5. Some other reason Please tell us the other reason you did not live with ^{FILL_PARLIVE}. _____ [PFAM_030_OTHER]
SPANISH	¿Cuál fue la razón por la que no vivió con ^{FILL_PARLIVE}? 1. Uno(a) o ambos(as) murieron 2. Los(as) padres/madres se separaron o divorciaron 3. Fui adoptado(a) 4. Me fui de casa 5. Alguna otra razón Díganos la otra razón por la que no vivió con ^{FILL_PARLIVE}. _____ [PFAM_030_OTHER]
RANGE	
LIMITS	PFAM_030_OTHER: Max 120 characters
LOOP MAX	
PROGRAM. NOTES	If PFAM_030 = 5, DISPLAY PFAM_030_OTHER: Please tell us the other reason you did not live with ^{FILL_PARLIVE}. SPAN: Díganos la otra razón por la que no vivió con ^{FILL_PARLIVE}.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CASI / CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PFAM_029
<i>NEXT</i>	IF PFAM_029 = 1 OR 3: f_PFAM_031; ELSE: f_PFAM_032

f_PFAM_031 PFAM_031 / PFAM_031_0 / PFAM_031_1 / PFAM_031_2 / PFAM_031_AND1 / PFAM_031_3 / PFAM_031_4 / PFAM_031_AND2 / PFAM_031_5 / PFAM_031_6 / PFAM_031_AND3 / PFAM_031_7 / PFAM_031_8	
ASK	PFAM_029 = 1 or 3
QUESTION TYPE	PFAM_031: Radio button PFAM_031_0: Text PFAM_031_1: Numeric PFAM_031_2: Numeric PFAM_031_AND1: Radio button PFAM_031_3: Numeric PFAM_031_4: Numeric PFAM_031_AND2: Radio button PFAM_031_5: Numeric PFAM_031_6: Numeric PFAM_031_AND3: Radio button PFAM_031_7: Numeric PFAM_031_8: Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Did you ever live with your biological mother from birth until age 14? [PFAM_031] 1. Yes 0. No At what ages did you live with your biological mother? [PFAM_031_0] From age: _____ [PFAM_031_1] To age: _____ [PFAM_031_2] Did you live with your biological mother at another age? [PFAM_031_AND1] 1. Yes 0. No From age: _____ [PFAM_031_3] To age: _____ [PFAM_031_4] Did you live with your biological mother at another age? [PFAM_031_AND2] 1. Yes 0. No From age: _____ [PFAM_031_5] To age: _____ [PFAM_031_6]

	Did you live with your biological mother at another age? [PFAM_031_AND3] 1. Yes 0. No From age: _____ [PFAM_031_7] To age: _____ [PFAM_031_8]
SPANISH	Desde su nacimiento hasta los 14 años, ¿vivió alguna vez con su madre biológica? [PFAM_031] 1. Sí 0. No ¿A que edades vivió con su madre biológica? [PFAM_031_0] Desde la edad: _____ [PFAM_031_1] Hasta la edad: _____ [PFAM_031_2] ¿Vivió con su madre biológica a otra edad? [PFAM_031_AND1] 1. Sí 0. No Desde la edad: _____ [PFAM_031_3] Hasta la edad: _____ [PFAM_031_4] ¿Vivió con su madre biológica a otra edad? [PFAM_031_AND2] 1. Sí 0. No Desde la edad: _____ [PFAM_031_5] Hasta la edad: _____ [PFAM_031_6] ¿Vivió con su madre biológica a otra edad? [PFAM_031_AND3] 1. Sí 0. No Desde la edad: _____ [PFAM_031_7] Hasta la edad: _____ [PFAM_031_8]
RANGE	PFAM_031_1: 0-99 PFAM_031_2: 0-99 PFAM_031_3: 0-99 PFAM_031_4: 0-99 PFAM_031_5: 0-99 PFAM_031_6: 0-99 PFAM_031_7: 0-99 PFAM_031_8: 0-99
LIMITS	PFAM_031_1: Max 2 digits PFAM_031_2: Max 2 digits

	PFAM_031_3: Max 2 digits PFAM_031_4: Max 2 digits PFAM_031_5: Max 2 digits PFAM_031_6: Max 2 digits PFAM_031_7: Max 2 digits PFAM_031_8: Max 2 digits
<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	SHOW PFAM_031 If PFAM_031 = 1: DISPLAY PFAM_031_0, PFAM_031_1, PFAM_031_2, AND PFAM_031_AND1 If PFAM_031_AND1 IS CHECKED, DISPLAY PFAM_031_3 AND PFAM_031_4 AND PFAM_031_AND2 ON THE SAME SCREEN. IF PFAM_031_AND2 IS CHECKED, DISPLAY PFAM_031_5 AND PFAM_031_6 AND PFAM_031_AND3. IF PFAM_031_AND3 IS CHECKED, DISPLAY PFAM_031_7 AND PFAM_031_8.
<i>CHECK (ENG)</i>	IF PFAM_031_1 > PCAGE OR PFAM_031_2 > PCAGE OR PFAM_031_3 > PCAGE OR PFAM_031_4 > PCAGE OR PFAM_031_5 > PCAGE OR PFAM_031_6 > PCAGE OR PFAM_031_7 > PCAGE OR PFAM_031_8 > PCAGE OR, DISPLAY HARD CHECK: Please enter an age equal to or less than your current age. IF PFAM_031_1 > PFAM_031_2 OR PFAM_031_3 > PFAM_031_4 OR PFAM_031_5 > PFAM_031_6 OR PFAM_031_7 > PFAM_031_8, DISPLAY HARD CHECK: The age you stopped living with your biological mother should be after the age you began living with your biological mother. Please update your answer. If age ranges entered in each set (e.g., PFAM_031_1 through PFAM_031_2) overlap with an age range entered in another set (e.g., PFAM_031_3 through PFAM_031_4), display hard check: "The ages you entered overlap. Please review your answers." If age entered in any field is >14, display hard check: "This question asks about birth until the age of 14 . Please review your answers."
<i>CHECK (SPAN)</i>	IF PFAM_031_1 > PCAGE OR PFAM_031_2 > PCAGE OR PFAM_031_3 > PCAGE OR PFAM_031_4 > PCAGE OR PFAM_031_5 > PCAGE OR PFAM_031_6 > PCAGE OR PFAM_031_7 > PCAGE OR PFAM_031_8 > PCAGE OR, DISPLAY HARD CHECK: Ingresa una edad igual o inferior a su edad actual. IF PFAM_031_1 > PFAM_031_2 OR PFAM_031_3 > PFAM_031_4 OR PFAM_031_5 > PFAM_031_6 OR

	PFAM_031_7 > PFAM_031_8, DISPLAY HARD CHECK: La edad en la que dejó de vivir con su madre biológica debe ser después de la edad en que empezó a vivir con su madre biológica. Actualice su respuesta. If age ranges entered in each set (e.g., PFAM_031_1 through PFAM_031_2) overlap with an age range entered in another set (e.g., PFAM_031_3 through PFAM_031_4), display hard check: “Las edades ingresadas se superponen. Revise sus respuestas.” If age entered in any field is >14, display hard check: “Esta pregunta se refiere al nacimiento hasta los 14 años. Revise sus respuestas.”
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_030
NEXT	IF PFAM_029 = 2 or 3: f_PFAM_032; ELSE: PFAM_033

f_PFAM_032	
PFAM_032 / PFAM_032_0 / PFAM_032_1 / PFAM_032_2 / PFAM_032_AND1 / PFAM_032_3 / PFAM_032_4 / PFAM_032_AND2 / PFAM_032_5 / PFAM_032_6 / PFAM_032_AND3 / PFAM_032_7/PFAM_032_8	
ASK	PFAM_029 = 2 or 3
QUESTION TYPE	PFAM_032: Radio button PFAM_032_0: Text PFAM_032_1: Numeric PFAM_032_2: Numeric PFAM_032_AND1: Radio button PFAM_032_3: Numeric PFAM_032_4: Numeric PFAM_032_AND2: Radio button PFAM_032_5: Numeric PFAM_032_6: Numeric PFAM_032_AND3: Radio button PFAM_032_7: Numeric PFAM_032_8: Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Did you ever live with your biological father from birth until age 14? [PFAM_032] 1. Yes 0. No At what ages did you live with your biological father? [PFAM_032_0] From age:_____ [PFAM_032_1] To age:_____ [PFAM_032_2] Did you live with your biological father at another age? [PFAM_032_AND1] 1. Yes 0. No From age:_____ [PFAM_032_3] To age: _____ [PFAM_032_4] Did you live with your biological father at another age.?. [PFAM_032_AND2] 1. Yes 0. No From age:_____ [PFAM_032_5] To age:_____ [PFAM_032_6] Did you live with your biological father at another age? [PFAM_032_AND3] From age:_____ [PFAM_032_7] To age:_____ [PFAM_032_8]

SPANISH	Desde su nacimiento hasta los 14 años, ¿vivió alguna vez con su madre biológica? [PFAM_032] 1. Sí 0. No ¿A que edades vivió con su padre biológico? [PFAM_032_0] Desde la edad: _____ [PFAM_032_1] Hasta la edad: _____ [PFAM_032_2] ¿Vivió con su padre biológico a otra edad? [PFAM_032_AND1] 1. Sí 0. No Desde la edad: _____ [PFAM_032_3] Hasta la edad: _____ [PFAM_032_4] ¿Vivió con su padre biológico a otra edad? [PFAM_032_AND2] 1. Sí 0. No Desde la edad: _____ [PFAM_032_5] Hasta la edad: _____ [PFAM_032_6] ¿Vivió con su padre biológico a otra edad? [PFAM_032_AND3] 1. Sí 0. No Desde la edad: _____ [PFAM_032_7] Hasta la edad: _____ [PFAM_032_8]
RANGE	PFAM_032_1: 0-99 PFAM_032_2: 0-99 PFAM_032_3: 0-99 PFAM_032_4: 0-99 PFAM_032_5: 0-99 PFAM_032_6: 0-99 PFAM_032_7: 0-99 PFAM_032_8: 0-99
LIMITS	PFAM_032_1: Max 2 digits PFAM_032_2: Max 2 digits PFAM_032_3: Max 2 digits PFAM_032_4: Max 2 digits PFAM_032_5: Max 2 digits PFAM_032_6: Max 2 digits PFAM_032_7: Max 2 digits PFAM_032_8: Max 2 digits
LOOP MAX	
PROGRAM. NOTES	SHOW PFAM_032

	If PFAM_032 = 1: DISPLAY PFAM_032_0, PFAM_032_1, PFAM_032_2 AND PFAM_032_AND1 If PFAM_032_AND1 IS CHECKED, DISPLAY PFAM_032_3 AND PFAM_032_4 AND PFAM_032_AND2 ON THE SAME SCREEN. IF PFAM_032_AND2 IS CHECKED, DISPLAY PFAM_032_5 AND PFAM_032_6 AND PFAM_032_AND3. IF PFAM_032_AND3 IS CHECKED, DISPLAY PFAM_032_7 AND _PFAM_032_8.
CHECK (ENG)	IF PFAM_032_1> PCAGE OR PFAM_032_2 > PCAGE OR PFAM_032_3 > PCAGE OR PFAM_032_4 > PCAGE OR PFAM_032_5 > PCAGE OR PFAM_032_6 > PCAGE OR PFAM_032_7 > PCAGE OR PFAM_032_8 > PCAGE OR, DISPLAY HARD CHECK: Please enter an age equal to or less than your current age. IF PFAM_032_1> PFAM_032_2 OR PFAM_032_3 > PFAM_032_4 OR PFAM_032_5 > PFAM_032_6 OR PFAM_032_7 > PFAM_032_8, DISPLAY HARD CHECK: The age you stopped living with your biological father should be after the age you began living with your biological father. Please update your answer. If age ranges entered in each set (e.g., PFAM_032_1 through PFAM_032_2) overlap with an age range entered in another set (e.g., PFAM_032_3 through PFAM_032_4), display hard check: "The ages you entered overlap. Please review your answers." If age entered in any field is >14, display hard check: "This question asks about birth until the age of 14. Please review your answers."
CHECK (SPAN)	IF PFAM_032_1> PCAGE OR PFAM_032_2 > PCAGE OR PFAM_032_3 > PCAGE OR PFAM_032_4 > PCAGE OR PFAM_032_5 > PCAGE OR PFAM_032_6 > PCAGE OR PFAM_032_7 > PCAGE OR PFAM_032_8 > PCAGE OR, DISPLAY HARD CHECK: Ingresa una edad igual o inferior a su edad actual. IF PFAM_032_1> PFAM_032_2 OR PFAM_032_3 > PFAM_032_4 OR PFAM_032_5 > PFAM_032_6 OR PFAM_032_7 > PFAM_032_8, DISPLAY HARD CHECK: La edad en la que dejó de vivir con su padre biológico debe ser después de la edad en que empezó a vivir con su padre biológico. Actualice su respuesta. If age ranges entered in each set (e.g., PFAM_032_1 through PFAM_032_2) overlap with an age range entered in another set (e.g., PFAM_032_3 through PFAM_032_4), display hard check: "Las edades ingresadas se superponen. Revise sus respuestas." If age entered in any field is >14, display hard check: "Esta pregunta se refiere al Nacimiento hasta los 14 años. Revise sus respuestas."

HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_030, f_PFAM_031
NEXT	PFAM_033

PFAM_033	
ASK	All respondents
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How many brothers and sisters do you have in total? Please include full, half- and step-siblings even if you never lived with them. Number of brothers and sisters: _____
SPANISH	¿Cuántos(as) hermanos(as) tiene en total? Incluya a los(as) hermanos(as) de sangre, medios(as) hermanos(as) o hermanastros(as) aunque nunca haya vivido con ellos(as). Número de hermanos(as): _____
RANGE	0-99
LIMITS	Max 2 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_028, f_PFAM_031, f_PFAM_032
NEXT	PFAM_034

PFAM_034	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of the following best describes the community in which you were living at age 14? 1. Large or mid-sized city (At least 100,000 residents) 2. Suburb 3. Small city or town 4. Rural area 5. Indian reservation 6. Military base
SPANISH	¿Cuál de las siguientes opciones describe mejor la comunidad en la que vivía a los 14 años? 1. Ciudad grande o mediana (al menos 100,000 habitantes) 2. Suburbio 3. Pequeña ciudad o pueblo 4. Zona rural 5. Reserva indígena 6. Base militar
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_033
NEXT	PFAM_035

PFAM_035	
ASK	All respondents
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Next, there are a few questions about your parents. In what year was your mother born? Year: _____
SPANISH	Las siguientes preguntas son sobre sus padres/madres. ¿En qué año nació su madre? Año: _____
RANGE	1880-2000
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number between 1880-2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_034
NEXT	If PFAM_035=DK or REF: PFAM_036; Else: PFAM_037

PFAM_036	
ASK	If PFAM_035=-1, -2
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you know about what year she was born? An estimate would be helpful. Year: _____
SPANISH	¿Sabe aproximadamente en qué año nació? Una estimación sería útil. Año: _____
RANGE	1880-2000
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number between 1880-2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_035
NEXT	PFAM_037

PFAM_037	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the highest educational degree that your mother received? 0. None 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MBA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD)
SPANISH	¿Cuál es el título educativo más alto que obtuvo su madre? 0. Ninguno 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MBA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_035, PFAM_036
NEXT	PFAM_038

PFAM_038	
ASK	All respondents
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Next are a few questions about your father. In what year was your father born? Year: _____
SPANISH	Las siguientes preguntas son sobre su padre. ¿En qué año nació su padre? Año: _____
RANGE	1880-2000
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number between 1880-2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_037
NEXT	If PFAM_038=DK or REF: PFAM_039; Else: PFAM_040

PFAM_039	
ASK	If PFAM_038=DK or REF
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you know about what year he was born? An estimate would be helpful. Year: _____
SPANISH	¿Sabe aproximadamente en qué año nació? Una estimación sería útil. Año: _____
RANGE	1880-2000
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number between 1880-2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_038
NEXT	PFAM_040

PFAM_040	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the highest educational degree that your father received? 0. None 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MBA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD)
SPANISH	¿Cuál es el título educativo más alto que obtuvo su padre? 0. Ninguno 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MBA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_038, PFAM_039
NEXT	IF PCSPOUSEID=missing AND PCPARTNERID=missing: PFAM_072; Else: PFAM_041

PFAM_041	
ASK	If PCSPOUSEID≠missing OR PCPARTNERID≠missing
QUESTION TYPE	Radio button
FILLS (ENG)	CREATE FILL: PCSPOUSENAME from preload information CREATE FILL: PCPARTNERNAME from preload information CREATE FILL_SPNAME: IF PCSPOUSENAME ≠ missing, FILL_SPNAME: ^{PCSPOUSENAME} ELSE, IF PCPARTNERNAME ≠ MISSING, FILL_SPNAME: ^{PCPARTNERNAME} ELSE, FILL_SPNAME: your PCSPOUSE or partner
FILLS (SPAN)	CREATE FILL: PCSPOUSENAME from preload information CREATE FILL: PCPARTNERNAME from preload information CREATE FILL_SPNAME: IF PCSPOUSENAME ≠ missing, FILL_SPNAME: ^{PCSPOUSENAME} ELSE, IF PCPARTNERNAME ≠ MISSING, FILL_SPNAME: ^{PCPARTNERNAME} ELSE, FILL_SPNAME: su cónyuge o pareja
ENGLISH	The next few questions are about ^{FILL_SPNAME}'s background. Was ^{FILL_SPNAME} born in the United States or its territories? 1. Yes 0. No
SPANISH	Las siguientes preguntas son sobre los antecedentes de ^{FILL_SPNAME}. ¿Nació ^{FILL_SPNAME} en los Estados Unidos o en sus territorios? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_040
NEXT	IF PFAM_041=1: PFAM_043; Else if PFAM_041=0: f_PFAM_042 Else: PFAM_045

f_PFAM_042 PFAM_042a / PFAM_042OTHER	
ASK	If PFAM_041 = 0
QUESTION TYPE	Dropdown / Textbox
FILLS (ENG)	CREATE FILL: PCSPOUSENAME from preload information CREATE FILL_SPNAME: IF PCSPOUSE ≠ missing, FILL_SPNAME: ^{PCSPOUSE} ELSE, IF PCPARTNER ≠ MISSING, FILL_SPNAME: ^{PCPARTNER} ELSE, FILL_SPNAME: 'your spouse or partner'
FILLS (SPAN)	CREATE FILL: PCSPOUSENAME from preload information CREATE FILL_SPNAME: IF PCSPOUSE ≠ missing, FILL_SPNAME: ^{PCSPOUSE} ELSE, IF PCPARTNER ≠ MISSING, FILL_SPNAME: ^{PCPARTNER} ELSE, FILL_SPNAME: su cónyuge o pareja
ENGLISH	In which country was ^{FILL_SPNAME} born? { - Select - } [PFAM_042a] Enter country in which ^{FILL_SPNAME} was born: _____ [PFAM_042OTHER]
SPANISH	¿En qué país nació ^{FILL_SPNAME}? { - Seleccione - } [PFAM_042a] Ingrese el país en el que nació ^{FILL_SPNAME}: _____ [PFAM_042OTHER]
RANGE	COUNTRYLIST
LIMITS	PFAM_042OTHER = max 50 characters
LOOP MAX	
PROGRAM. NOTES	ONLY DISPLAY PFAM_042OTHER if PFAM_042a = 197
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	If PFAM_041 = 0
NEXT	If PFAM_042a=187: f_PFAM_043; Else: PFAM_044

f_PFAM_043 PFAM_043a / PFAM_043OTHER	
ASK	If PFAM_041 = 1 or PFAM_042a = 187
QUESTION TYPE	Dropdown / Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In what state or territory was ^{FILL_SPNAME} born? { - Select - } [PFAM_043a] Enter other location where ^{FILL_SPNAME} was born: _____ [PFAM_043OTHER]
SPANISH	¿En qué estado o territorio nació ^{FILL_SPNAME} ? { - Seleccione - } [PFAM_043a] Ingrese otra ubicación donde nació ^{FILL_SPNAME}: _____ [PFAM_043OTHER]
RANGE	STATEEXPAND
LIMITS	PFAM_043OTHER = max 50 characters
LOOP MAX	
PROGRAM. NOTES	ONLY DISPLAY PFAM_043OTHER IF PFAM_043A = 0
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	If PFAM_041 = 1, PFAM_042 = 187
NEXT	If PFAM_043a=0, 52, 53, 54, 55, or 56: PFAM_044; Else: PFAM_045

PFAM_044	
ASK	If PFAM_041= 0 or PFAM_043 = 0, 52, 53, 54, 55, or 56
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from f_PFAM_004: FILL_INTERVIEWYEAR
FILLS (SPAN)	Use fill from f_PFAM_004: FILL_INTERVIEWYEAR
ENGLISH	In what year did ^{FILL_SPNAME} first come to the United States to live? Year: _____
SPANISH	¿En qué año llegó ^{FILL_SPNAME} por primera vez a vivir a los Estados Unidos? Año: _____
RANGE	1900-2030
LIMITS	Max 4 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a year between 1900 and ^{FILL_INTERVIEWYEAR}. HARD CHECK: IF PFAM_044 IS IN THE FUTURE ON DOI, DISPLAY: You have entered a date in the future. Please enter a date in the past.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un año entre 1900 y ^{FILL_INTERVIEWYEAR}. HARD CHECK: IF PFAM_044 IS IN THE FUTURE ON DOI, DISPLAY: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	If PFAM_041= 0 or PFAM_043 = 0, 52, 53, 54, 55, or 56
NEXT	PFAM_045

PFAM_045	
ASK	PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	Does ^{FILL_SPNAME} now speak any language other than English at home? 1. Yes 0. No
SPANISH	¿Habla ^{FILL_SPNAME} ahora en casa algún idioma que no sea el inglés? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f PFAM_041, f_PFAM_043, PFAM_044
NEXT	IF PFAM_045 = 1: f_PFAM_046; ELSE: PFAM_047

f_PFAM_046 PFAM_046ARA/PFAM_046CHI/PFAM_046FRE/PFAM_046GRM/PFAM_046GRK/PFAM_046HEB/PFAM_046ITA/PFAM_046JPN/PFAM_046KOR/PFAM_046NOR/PFAM_046POL/PFAM_046POR/PFAM_046RUS/PFAM_046SPA/PFAM_046SWE/PFAM_046VIET/PFAM_046OTH/PFAM_046OTH_TX	
ASK	PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE Fill_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE Fill_SPNAME CREATED IN PFAM_041
ENGLISH	What language(s) does ^{Fill_SPNAME} speak at home? Please select all that apply. 1. Arabic [PFAM_046ARA] 2. Chinese [PFAM_046CHI] 3. French [PFAM_046FRE] 4. German [PFAM_046GRM] 5. Greek [PFAM_046GRK] 6. Hebrew [PFAM_046HEB] 7. Italian [PFAM_046ITA] 8. Japanese [PFAM_046JPN] 9. Korean [PFAM_046KOR] 10. Norwegian [PFAM_046NOR] 11. Polish [PFAM_046POL] 12. Portuguese [PFAM_046POR] 13. Russian [PFAM_046RUS] 14. Spanish [PFAM_046SPA] 15. Swedish [PFAM_046SWE] 16. Vietnamese [PFAM_046VIE] 17. Other [PFAM_046OTH] Please specify: _____ [PFAM_046OTH_TX]
SPANISH	¿Qué idioma(s) habla ^{Fill_SPNAME} en casa? Seleccione todas las que correspondan. 1. Árabe [PFAM_046ARA] 2. Chino [PFAM_046CHI] 3. Francés [PFAM_046FRE] 4. Alemán [PFAM_046GRM] 5. Griego [PFAM_046GRK] 6. Hebreo [PFAM_046HEB] 7. Italiano [PFAM_046ITA] 8. Japonés [PFAM_046JPN] 9. Coreano [PFAM_046KOR] 10. Noruego [PFAM_046NOR] 11. Polaco [PFAM_046POL] 12. Portugués [PFAM_046POR] 13. Ruso [PFAM_046RUS] 14. Español [PFAM_046SPA] 15. Sueco [PFAM_046SWE] 16. Vietnamita [PFAM_046VIE] 17. Otros [PFAM_046OTH]

	Especifique: _____ [PFAM_046OTH_TX]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. Only display PFAM_046OTH_TX IF f_PFAM_046OTH = 1 (checked)
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_045 = 1
NEXT	f_PFAM_047

f_PFAM_047 PFAM_047AMI/PFAM_047ASI/PFAM_047BLA/PFAM_047HIS/PFAM_047MID/PFAM_047PAC/PFAM_047WHT	
ASK	PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	What is ^{FILL_SPNAME}'s race and/or ethnicity? Select all that apply. 1. American Indian or Alaska Native [PFAM_047AMI] 2. Asian [PFAM_047ASI] 3. Black or African American [PFAM_047BLA] 4. Hispanic or Latino [PFAM_047HIS] 5. Middle Eastern or North African [PFAM_047MID] 6. Native Hawaiian or Pacific Islander [PFAM_047PAC] 7. White [PFAM_047WHT]
SPANISH	¿Cuál es la raza y/o el origen étnico de ^{FILL_SPNAME}? Seleccione todas las opciones que correspondan. 1. Indígena de las Américas o nativo(a) de Alaska [PFAM_047AMI] 2. Asiático(a) [PFAM_047ASI] 3. Negro(a) o afroamericano(a) [PFAM_047BLA] 4. Hispano(a) o latino(a) [PFAM_047HIS] 5. De Medio Oriente o África del norte [PFAM_047MID] 6. Nativo(a) de Hawái o de otras islas del Pacífico [PFAM_047PAC] 7. Blanco(a) [PFAM_047WHT]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_046, PFAM_045
NEXT	PFAM_048

PFAM_048		
ASK	PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING	
QUESTION TYPE	Radio button	
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041	
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041	
ENGLISH	What is ^{FILL_SPNAME}'s sex? 1. Male 2. Female	
SPANISH	¿Cuál es el sexo de ^{FILL_SPNAME}? 1. Masculino 2. Femenina	
RANGE		
LIMITS		
LOOP MAX		
PROGRAM. NOTES		
CHECK (ENG)		
CHECK (SPAN)		
HELP TEXT (ENG)		
HELP TEXT (SPAN)		
MODE	CASI / CAWI	
NOTES		
LEAD-IN	f_PFAM_047	
NEXT	PFAM_049	

PFAM_049	
ASK	PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	And now a few questions about ^{FILL_SPNAME}'s religious background. First, in what religion was ^{FILL_SPNAME} raised? If more than one, please select the most recent religion that ^{FILL_SPNAME} practiced as a child. 1. Protestant (for example, Baptist, Methodist, Non-denominational or independent, Lutheran, Presbyterian, Pentecostal, Episcopalian, Reformed, Church of Christ, etc.) 2. Roman Catholic 3. Church of Jesus Christ of Latter-day Saints or LDS. (Mormon) 4. Orthodox (such as Greek, Russian, or some other Orthodox church) 5. Jewish 6. Muslim 7. Buddhist 8. Hindu 9. Atheist 10. Agnostic 11. Something else 12. Nothing in particular
SPANISH	Ahora, le haré algunas preguntas sobre el contexto religioso de ^{FILL_SPNAME}. En primer lugar, ¿con qué religión creció ^{FILL_SPNAME}? Si hay más de una, seleccione la religión más reciente que ^{FILL_SPNAME} practicó durante su infancia. 1. Protestante (por ejemplo, bautistas, metodistas, no denominacionales o independiente, luteranos, presbiterianos, pentecostales, episcopales, reformados, Iglesia de Cristo, etc.) 2. Iglesia Católica Romana 3. Iglesia de Jesucristo de los Santos de los Últimos Días o LDS, por sus siglas en inglés, (Mormón(a)) 4. Iglesia Ortodoxa (como la griega, la rusa o alguna otra iglesia ortodoxa) 5. Judío(a) 6. Musulmán(a) 7. Budista 8. Hindú 9. Ateo(a) 10. Agnóstico(a) 11. Otra 12. Ninguna en particular
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	

HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_048
NEXT	IF PFAM_049=1, 2, 3, 4 OR 11: PFAM_050; Else: PFAM_051

PFAM_050	
ASK	PFAM_049=1, 2, 3, 4 OR 11
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	Was ^{FILL_SPNAME} raised as a born-again or evangelical Christian, or not? 1. Yes, born-again, or evangelical Christian 0. No, not born-again or evangelical Christian
SPANISH	¿Creció ^{FILL_SPNAME} como cristiano(a) renacido(a) o evangélico(a), o no? 1. Sí, cristiano(a) renacido(a) o cristiano(a) evangélico(a) 0. No, ni cristiano(a) renacido(a) ni cristiano(a) evangélico(a)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_049 = 1, 2, 3, 4, 11
NEXT	PFAM_051

PFAM_051	
ASK	PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	What is ^{FILL_SPNAME}'s current religious preference, if any? First, in what religion was ^{FILL_SPNAME} raised? If more than one, please select the most recent religion that ^{FILL_SPNAME} practices now. 1. Protestant (for example, Baptist, Methodist, Non-denominational or independent, Lutheran, Presbyterian, Pentecostal, Episcopalian, Reformed, Church of Christ, etc.) 2. Roman Catholic 3. Church of Jesus Christ of Latter-day Saints or LDS. (Mormon) 4. Orthodox (such as Greek, Russian, or some other Orthodox church) 5. Jewish 6. Muslim 7. Buddhist 8. Hindu 9. Atheist 10. Agnostic 11. Something else 12. Nothing in particular
SPANISH	¿Cuál es la preferencia religiosa actual de ^{FILL_SPNAME}, si es que tiene alguna? En primer lugar, ¿con qué religión creció ^{FILL_SPNAME}? Si hay más de una, seleccione la religión más reciente que ^{FILL_SPNAME} practica actualmente. 1. Protestante (por ejemplo, bautistas, metodistas, no denominacionales o independiente, luteranos, presbiterianos, pentecostales, episcopales, reformados, Iglesia de Cristo, etc.) 2. Iglesia Católica Romana 3. Iglesia de Jesucristo de los Santos de los Últimos Días o LDS, por sus siglas en inglés. (Mormón(a)) 4. Iglesia Ortodoxa (como la griega, la rusa o alguna otra iglesia ortodoxa) 5. Judío(a) 6. Musulmán(a) 7. Budista 8. Hindú 9. Ateo(a) 10. Agnóstico(a) 11. Otra 12. Ninguna en particular
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	

<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI / CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PFAM_049, PFAM_050
<i>NEXT</i>	IF PFAM_051=1, 2, 3, 4 OR 11: PFAM_052; Else: PFAM_053

PFAM_052	
ASK	PFAM_051=1, 2, 3, 4 OR 11
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	Would ^{FILL_SPNAME} currently describe themselves as a born-again or evangelical Christian, or not? 1. Yes, born-again, or evangelical Christian 0. No, not born-again or evangelical Christian
SPANISH	¿Se describiría ^{FILL_SPNAME} en este momento como cristiano(a) renacido(a) o evangélico(a), o no? 1. Sí, cristiano(a) renacido(a) o cristiano(a) evangélico(a) 0. No, ni cristiano(a) renacido(a) ni cristiano(a) evangélico(a)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_051 = 1, 2, 3, 4, 11
NEXT	PFAM_053

PFAM_053	
ASK	PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	In the past 12 months, how often has ^{FILL_SPNAME} attended a worship service (like a church, synagogue or mosque service or mass)? 1. Never 2. Once or twice 3. Less than once a month / 3-12 times 4. About once a month / 12 times 5. About twice a month / 24 times 6. About once a week 7. Several times a week 8. Every day
SPANISH	En los últimos 12 meses, ¿con qué frecuencia ha asistido ^{FILL_SPNAME} a un servicio religioso (como un servicio o misa de iglesia, sinagoga o mezquita)? 1. Nunca 2. Una o dos veces 3. Menos de una vez al mes (3-12 veces) 4. Aproximadamente una vez al mes (12 veces) 5. Unas dos veces al mes (24 veces) 6. Alrededor de una vez por semana 7. Varias veces a la semana 8. Todos los días
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_051, PFAM_052
NEXT	PFAM_054

PFAM_054		
ASK	PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING	
QUESTION TYPE	Radio button	
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041	
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041	
ENGLISH	Did ^{FILL_SPNAME} ever serve time in prison, jail, or some other correctional facility as a juvenile or adult? 1. Yes 0. No	
SPANISH	¿Alguna vez estuvo ^{FILL_SPNAME} en prisión, en la cárcel o en algún otro centro penitenciario como menor o adulto? 1. Sí 0. No	
RANGE		
LIMITS		
LOOP MAX		
PROGRAM. NOTES		
CHECK (ENG)		
CHECK (SPAN)		
HELP TEXT (ENG)		
HELP TEXT (SPAN)		
MODE	CASI / CAWI	
NOTES		
LEAD-IN	PFAM_053	
NEXT	IF PFAM_054 = 1: PFAM_055, ELSE: PFAM_058	

PFAM_055	
ASK	PFAM_054 = 1
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	How many times did ^{FILL_SPNAME} serve time in prison, jail, or some other correctional facility? Number of Times: _____
SPANISH	¿Cuántas veces estuvo ^{FILL_SPNAME} en prisión, en la cárcel o en algún otro centro penitenciario? Número de veces: _____
RANGE	1-99
LIMITS	Max 2 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	IF OUT OF RANGE, DISPLAY: Previously you reported that ^{FILL_SPNAME} served time in jail, prison or other correctional facility. If this is not correct, please click here to update your response. [DISPLAY LINK TO RETURN TO PFAM_054: 'Update response']
CHECK (SPAN)	IF OUT OF RANGE, DISPLAY: Antes, usted informó que ^{FILL_SPNAME} cumplió una condena en la cárcel, prisión u otro centro penitenciario. Si esto no es correcto, haga clic aquí para actualizar su respuesta. [DISPLAY LINK TO RETURN TO PFAM_054: 'Actualizar respuesta']
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_054 = 1
NEXT	f_PFAM_056

f_PFAM_056 PFAM_056_MO/PFAM_056_YR	
ASK	PFAM_054 = 1
QUESTION TYPE	PFAM_056_MO: Dropdown PFAM_056_YR: Numeric
FILLS (ENG)	CREATE FILL_CJRECENT: IF PFAM_055 > 1, FILL_CJRECENT: 'most recent'; ELSE; FILL_CJRECENT: BLANK USE FILL_SPNAME CREATED IN PFAM_041 Use fill created in f_PFAM_004: FILL_INTERVIEWYEAR
FILLS (SPAN)	CREATE FILL_CJRECENT: IF PFAM_055 > 1, FILL_CJRECENT: 'más reciente' ELSE; FILL_CJRECENT: BLANK USE FILL_SPNAME CREATED IN PFAM_041 Use fill created in f_PFAM_004: FILL_INTERVIEWYEAR
ENGLISH	Thinking of the ^{FILL_CJRECENT} time that ^{FILL_SPNAME} served time in prison, jail, or some other correctional facility, when did ^{FILL_SPNAME} enter the jail, prison, or correctional facility? Month: {Select} [PFAM_056_MO] Year: _____ [PFAM_056_YR]
SPANISH	Pensando en la vez ^{FILL_CJRECENT} que cumplió una condena en la cárcel, prisión o algún otro centro penitenciario, ¿cuándo fue que ^{FILL_SPNAME} ingresó en la cárcel, prisión o centro penitenciario? Mes: {Seleccione} [PFAM_056_MO] Año: _____ [PFAM_056_YR]
RANGE	PFAM_056_MO: Month entries in order: January, February, March, etc. through December PFAM_056_YR: 1900 - 2030
LIMITS	PFAM_056_YR: Max 4 digits
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR. ADD DATE TO CALENDAR WITH LABEL “^{FILL_SPNAME} entered Prison or Jail”. SPAN: “^{FILL_SPNAME} ingresó en prisión o en la cárcel”.
CHECK (ENG)	HARD CHECK: IF PFAM_056_YR OUT OF RANGE, DISPLAY: Please enter a year between 1900 – ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: You have entered a date in the future. Please enter a date in the past.
CHECK (SPAN)	HARD CHECK: IF PFAM_056_YR OUT OF RANGE, DISPLAY: Ingrese un año entre 1900 y ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado.

HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_055
NEXT	f_PFAM_057

f_PFAM_057 PFAM_057_MO/PFAM_057_YR	
ASK	PFAM_054 = 1
QUESTION TYPE	PFAM_057_MO: Dropdown PFAM_057_YR: Numeric
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041 Use fill created in f_PFAM_004: FILL_INTERVIEWYEAR Use fill created in f_PFAM_056: FILL_CJRECENT
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041 Use fill created in f_PFAM_004: FILL_INTERVIEWYEAR Use fill created in f_PFAM_056: FILL_CJRECENT
ENGLISH	The ^{FILL_CJRECENT} time that ^{FILL_SPNAME} served time in prison, jail, or some other correctional facility, when did ^{FILL_SPNAME} leave the jail, prison, or correctional facility? Month: {Select} [PFAM_057_MO] Year: _____ [PFAM_057_YR] -9. My spouse or partner is still in prison, jail, or other correctional facility.
SPANISH	Pensando en la vez ^{FILL_CJRECENT} que cumplió una condena en la cárcel, prisión o algún otro centro penitenciario, ¿cuándo fue que ^{FILL_SPNAME} salió de la cárcel, prisión o centro penitenciario? Mes: {Seleccione} [PFAM_057_MO] Año: _____ [PFAM_057_YR] -9. Mi cónyuge o pareja sigue en prisión, en la cárcel o en otro centro penitenciario.
RANGE	PFAM_057_MO: Month entries in order: January, February, March, etc. through December PFAM_057_YR: 1900 - 2030
LIMITS	PFAM_057_YR: Max 4 digits
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR. ADD DATE TO CALENDAR WITH LABEL “^{FILL_SPNAME} left Prison or Jail”. SPAN: “^{FILL_SPNAME} salió de la prisión o cárcel”.
CHECK (ENG)	HARD CHECK: IF PFAM_057_YR OUT OF RANGE, DISPLAY: Please enter a year between 1900 ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: You have entered a date in the future. Please enter a date in the past.
CHECK (SPAN)	HARD CHECK: IF PFAM_057_YR OUT OF RANGE, DISPLAY: Ingrese un año entre 1900 y {FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CASI / CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_PFAM_056
<i>NEXT</i>	PFAM_058

PFAM_058	
ASK	PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	Next there are some questions about ^{FILL_SPNAME}'s family when they were growing up. Did ^{FILL_SPNAME} live with both biological parents together from birth until age 14? 1. Yes 0. No
SPANISH	Las siguientes preguntas son sobre la familia de ^{FILL_SPNAME} cuando estaba creciendo. ¿Vivió ^{FILL_SPNAME} con ambos padres/madres biológicos(as) juntos desde su nacimiento hasta los 14 años? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_053; PFAM_054 = 0, f_PFAM_057
NEXT	IF PFAM_058 = 0: PFAM_059, ELSE: PFAM_063

PFAM_059	
ASK	PFAM_058 = 0
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which parent didn't they always live with? 1. Biological Mother 2. Biological Father 3. Both
SPANISH	¿Con qué padre/madre no vivió siempre? 1. Madre biológica 2. Padre biológico 3. Ambos(as)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_058 = 0
NEXT	f_PFAM_060

f_PFAM_060 PFAM_060/PFAM_060_OTHER	
ASK	PFAM_059 = 1, 2 or 3
QUESTION TYPE	PFAM_060: Radio button PFAM_060_OTHER: Text
FILLS (ENG)	CREATE FILL_SPPARLIVE: IF PFAM_059 = 1, FILL_SPPARLIVE: their mother; ELSE, IF PFAM_059 = 2, FILL_SPPARLIVE: their father; ELSE, IF PFAM_059 = 3, FILL_SPPARLIVE: both parents; ELSE, FILL_SPPARLIVE: their parent or parents
FILLS (SPAN)	CREATE FILL_SPPARLIVE: IF PFAM_059 = 1, FILL_SPPARLIVE: su madre; ELSE, IF PFAM_059 = 2, FILL_SPPARLIVE: su padre; ELSE, IF PFAM_059 = 3, FILL_SPPARLIVE: ambos(as) padres/madres; ELSE, FILL_SPPARLIVE: su padre/madre o padres/madres
ENGLISH	What was the reason they did not live with ^{FILL_SPPARLIVE}? 1. One or both parents died 2. Parents became separated or divorced 3. They were adopted 4. They left home 5. Some other reason Please tell us the other reason they did not live with their ^{FILL_SPPARLIVE}: _____ [PFAM_060_OTHER]
SPANISH	¿Cuál fue la razón por la que no vivió con ^{FILL_SPPARLIVE}? 1. Uno(a) o ambos(as) murieron 2. Los(as) padres/madres se separaron o divorciaron 3. Fue adoptado(a) 4. Se fue de casa 5. Alguna otra razón Díganos la otra razón por la que no vivió con ^{FILL_SPPARLIVE}: _____ [PFAM_060_OTHER]
RANGE	
LIMITS	PFAM_060_OTHER: Max 120 characters
LOOP MAX	
PROGRAM. NOTES	If PFAM_060= 5, DISPLAY PFAM_030_OTHER: Please tell us the other reason you did not live with ^{FILL_SPPARLIVE }. SPAN: Díganos la otra razón por la que no vivió con ^{FILL_SPPARLIVE }.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_059
NEXT	If PFAM_059=1 or 3: f_PFAM_061; Else PFAM_062

f_PFAM_061 PFAM_061 / PFAM_061_0 / PFAM_061_1/ / PFAM_061_2/ / PFAM_061_AND1/ / PFAM_061_3/ / PFAM_061_4/ / PFAM_061_AND2 / PFAM_061_5/ / PFAM_061_6/ / PFAM_061_AND3 / PFAM_061_7/ / PFAM_061_8	
ASK	PFAM_059 = 1 or 3
QUESTION TYPE	PFAM_061: Radio button PFAM_061_0: Text PFAM_061_1: Numeric PFAM_061_2: Numeric PFAM_061_AND1: Radio button PFAM_061_3: Numeric PFAM_061_4: Numeric PFAM_061_AND2: Radio button PFAM_061_5: Numeric PFAM_061_6: Numeric PFAM_061_AND3: Radio button PFAM_061_7: Numeric PFAM_061_8: Numeric
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	At what ages did ^{FILL_SPNAME} live with their biological mother? <i>Enter ages into the text boxes below or select "My spouse or partner never lived with their biological mother."</i> <i>If your spouse or partner lived with their biological mother more than once, please enter the ages into the text boxes then select "^{FILL_SPNAME} lived with their biological mother at another age" to enter another age range.</i> From age:_____ [PFAM_061_1] To age:_____ [PFAM_061_2] -9. My spouse or partner never lived with their biological mother. ^{FILL_SPNAME} lived with their biological mother at another age. [PFAM_061_AND1] And from age:_____ [PFAM_061_3] To age: _____ [PFAM_061_4] ^{FILL_SPNAME} lived with their biological mother at another age. [PFAM_061_AND2] From age:_____ [PFAM_061_5] To age:_____ [PFAM_061_6] ^{FILL_SPNAME} lived with their biological mother at another age. [PFAM_061_AND3]

	From age: _____ [PFAM_061_7] To age: _____ [PFAM_061_8]
SPANISH	¿A qué edad vivía ^{FILL_SPNAME} con su madre biológica? <i>Ingrese las edades en los cuadros de texto a continuación o seleccione "Mi cónyuge o pareja nunca vivió con su madre biológica".</i> <i>Si su cónyuge o pareja vivió con su madre biológica más de una vez, ingrese las edades en los cuadros de texto y luego seleccione "^{FILL_SPNAME} vivió con su madre biológica a otra edad" para ingresar otro rango de edad.</i> Desde de la edad: _____ [PFAM_061_1] Hasta la edad: _____ [PFAM_061_2] -9. Mi cónyuge o pareja nunca ha vivido con su madre biológica. ^{FILL_SPNAME} vivió con su madre biológica a otra edad. [PFAM_061_AND1] Y desde la edad: _____ [PFAM_061_3] Hasta la edad: _____ [PFAM_061_4] ^{FILL_SPNAME} vivió con su madre biológica a otra edad. [PFAM_061_AND2] Desde la edad: _____ [PFAM_061_5] Hasta la edad: _____ [PFAM_061_6] ^{FILL_SPNAME} vivía con su madre biológica a otra edad. [PFAM_061_AND3] Desde la edad: _____ [PFAM_061_7] Hasta la edad: _____ [PFAM_061_8]
RANGE	PFAM_061_1: 0-99 PFAM_061_2: 0-99 PFAM_061_3: 0-99 PFAM_061_4: 0-99 PFAM_061_5: 0-99 PFAM_061_6: 0-99 PFAM_061_7: 0-99 PFAM_061_8: 0-99
LIMITS	PFAM_061_1: Max 2 digits PFAM_061_2: Max 2 digits PFAM_061_3: Max 2 digits PFAM_061_4: Max 2 digits PFAM_061_5: Max 2 digits PFAM_061_6: Max 2 digits PFAM_061_7: Max 2 digits PFAM_061_8: Max 2 digits
LOOP MAX	
PROGRAM. NOTES	SHOW PFAM_061 If PFAM_061 = 1: DISPLAY PFAM_061_0, PFAM_061_1, PFAM_061_2 AND PFAM_061_AND1 If PFAM_061_AND1 IS CHECKED, DISPLAY PFAM_061_3 AND PFAM_061_4 AND PFAM_061_AND2 ON THE SAME SCREEN.

	IF PFAM_061_AND2 IS CHECKED, DISPLAY PFAM_061_5 AND PFAM_061_6 AND PFAM_061_AND3. IF PFAM_061_AND3 IS CHECKED, DISPLAY PFAM_061_7 AND PFAM_061_8.
CHECK (ENG)	IF PFAM_061_1 > PFAM_061_2 OR PFAM_061_3 > PFAM_061_4 OR PFAM_061_5 > PFAM_061_6 OR PFAM_061_7 > PFAM_061_8, DISPLAY HARD CHECK: The age your spouse or partner stopped living with their biological mother should be after the age they began living with their biological mother. Please update your answer. If age ranges entered in each set (e.g., PFAM_061_1 through PFAM_061_2) overlap with an age range entered in another set (e.g., PFAM_061_3 through PFAM_061_4), display hard check: "The ages you entered overlap. Please review your answers." If age entered in any field is >14, display hard check: "This question asks about birth until the age of 14. Please review your answers."
CHECK (SPAN)	IF PFAM_061_1 > PFAM_061_2 OR PFAM_061_3 > PFAM_061_4 OR PFAM_061_5 > PFAM_061_6 OR PFAM_061_7 > PFAM_061_8, DISPLAY HARD CHECK: La edad en que su cónyuge o pareja dejó de vivir con su madre biológica debe ser después de la edad en que empezó a vivir con su madre biológica. Actualice su respuesta. If age ranges entered in each set (e.g., PFAM_061_1 through PFAM_061_2) overlap with an age range entered in another set (e.g., PFAM_061_3 through PFAM_061_4), display hard check: "Las edades ingresadas se superponen. Revise sus respuestas." If age entered in any field is >14, display hard check: "Esta pregunta se refiere al nacimiento hasta los 14 años. Revise sus respuestas."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_060
NEXT	IF PFAM_059 = 2 or 3: f_PFAM_062; ELSE: PFAM_063

f_PFAM_062 PFAM_062 / PFAM_062_0 / PFAM_062_1 / PFAM_062_2 / PFAM_062_AND1 / PFAM_062_3 / PFAM_062_4 / PFAM_062_AND2 / PFAM_062_5 / PFAM_062_6 / PFAM_062_AND3 / PFAM_062_7 / PFAM_062_8	
ASK	PFAM_059 = 2 or 3
QUESTION TYPE	PFAM_062: Radio button PFAM_062_0: Text PFAM_062_1: Numeric PFAM_062_2: Numeric PFAM_062_AND1: Radio button PFAM_062_3: Numeric PFAM_062_4: Numeric PFAM_062_AND2: Radio button PFAM_062_5: Numeric PFAM_062_6: Numeric PFAM_062_AND3: Radio button PFAM_062_7: Numeric PFAM_062_8: Numeric
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	Did ^{FILL_SPNAME} live with their biological father from birth until age 14? [PFAM_062] 1. Yes 0. No At what ages did ^{FILL_SPNAME} live with their biological father? [PFAM_062_0] From age: _____ [PFAM_062_1] To age: _____ [PFAM_062_2] Did ^{FILL_SPNAME} live with their biological father at another age? [PFAM_062_AND1] 1. Yes 0. No From age: _____ [PFAM_062_3] To age: _____ [PFAM_062_4] Did ^{FILL_SPNAME} live with their biological father at another age? [PFAM_062_AND2] 1. Yes 0. No From age: _____ [PFAM_062_5] To age: _____ [PFAM_062_6] Did ^{FILL_SPNAME} live with their biological father at another age? [PFAM_062_AND3] 1. Yes

	0. No From age: _____ [PFAM_062_7] To age: _____ [PFAM_062_8]
SPANISH	Desde su nacimiento hasta los 14 años, ¿vivió ^{FILL_SPNAME} con su padre biológico? 1. Sí 0. No ¿A que edades vivió ^{FILL_SPNAME} con su padre biológico? [PFAM_62_0] Desde la edad: _____ [PFAM_062_1] Hasta la edad: _____ [PFAM_062_2] ¿Vivió ^{FILL_SPNAME} con su padre biológico a otra edad? [PFAM_062_AND1] 1. Sí 0. No Desde la edad: _____ [PFAM_062_3] Hasta la edad: _____ [PFAM_062_4] ¿Vivió ^{FILL_SPNAME} con su padre biológico a otra edad? [PFAM_062_AND2] 1. Sí 0. No Desde la edad: _____ [PFAM_062_5] Hasta la edad: _____ [PFAM_062_6] ¿Vivió ^{FILL_SPNAME} con su padre biológico a otra edad? [PFAM_062_AND3] 1. Sí 0. No Desde la edad: _____ [PFAM_062_7] Hasta la edad: _____ [PFAM_062_8]
RANGE	PFAM_062_1: 0-99 PFAM_062_2: 0-99 PFAM_062_3: 0-99 PFAM_062_4: 0-99 PFAM_062_5: 0-99 PFAM_062_6: 0-99 PFAM_062_7: 0-99 PFAM_062_8: 0-99
LIMITS	PFAM_062_1: Max 2 digits PFAM_062_2: Max 2 digits PFAM_062_3: Max 2 digits PFAM_062_4: Max 2 digits PFAM_062_5: Max 2 digits

	PFAM_062_6: Max 2 digits PFAM_062_7: Max 2 digits PFAM_062_8: Max 2 digits
<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	SHOW PFAM_062 If PFAM_062 = 1: DISPLAY PFAM_062_0, PFAM_062_1, PFAM_062_2 AND PFAM_062_AND1 If PFAM_062_AND1 IS CHECKED, DISPLAY PFAM_062_3 AND PFAM_062_4 AND PFAM_062_AND2 ON THE SAME SCREEN. If PFAM_062_AND2 IS CHECKED, DISPLAY PFAM_062_5 AND PFAM_062_6 AND PFAM_062_AND3. If PFAM_062_AND3 IS CHECKED, DISPLAY PFAM_062_7 AND PFAM_062_8.
<i>CHECK (ENG)</i>	IF PFAM_062_1 > PFAM_062_2 OR PFAM_062_3 > PFAM_062_4 OR PFAM_062_5 > PFAM_062_6 OR PFAM_062_7 > PFAM_062_8, DISPLAY HARD CHECK: The age your spouse or partner stopped living with their biological father should be after the age they began living with their biological father. Please update your answer. If age ranges entered in each set (e.g., PFAM_062_1 through PFAM_062_2) overlap with an age range entered in another set (e.g., PFAM_062_3 through PFAM_062_4), display hard check: "The ages you entered overlap. Please review your answers." If age entered in any field is >14, display hard check: "This question asks about birth until the age of 14 . Please review your answers."
<i>CHECK (SPAN)</i>	IF PFAM_062_1 > PFAM_062_2 OR PFAM_062_3 > PFAM_062_4 OR PFAM_062_5 > PFAM_062_6 OR PFAM_062_7 > PFAM_062_8, DISPLAY HARD CHECK: The age your spouse or partner stopped living with their biological father should be after the age they began living with their biological father. Please update your answer. If age ranges entered in each set (e.g., PFAM_062_1 through PFAM_062_2) overlap with an age range entered in another set (e.g., PFAM_062_3 through PFAM_062_4), display hard check: "The ages you entered overlap. Please review your answers." If age entered in any field is >14, display hard check: "Esta pregunta se refiere al nacimiento hasta los 14 años. Revise sus respuestas."
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI / CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PFAM_060, f_PFAM_061
<i>NEXT</i>	PFAM_063

PFAM_063	
ASK	If PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	How many brothers and sisters does ^{FILL_SPNAME} have in total? Please include full, half- and step-siblings even if ^{FILL_SPNAME} never lived with them. Number of brothers and sisters: _____
SPANISH	¿Cuántos hermanos(as) tiene ^{FILL_SPNAME} en total? Incluya a los(as) hermanos(as) de sangre, medios(as) hermanos(as) o hermanastros(as) aunque ^{FILL_SPNAME} nunca haya vivido con ellos(as). Número de hermanos(as): _____
RANGE	0-99
LIMITS	Max 2 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number corresponding to how many siblings they have 0-99.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número correspondiente a cuántos hermanos(as) tiene entre el 0 y el 99.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_058, f_PFAM_061, f_PFAM_062
NEXT	PFAM_064

PFAM_064	
ASK	If PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	Which of the following best describes the community in which ^{FILL_SPNAME} was living at age 14? 1. Large or mid-sized city (At least 100,000 residents) 2. Suburb 3. Small city or town 4. Rural area 5. Indian reservation 6. Military base
SPANISH	¿Cuál de las siguientes opciones describe mejor la comunidad en la que vivía ^{FILL_SPNAME} a los 14 años? 1. Ciudad grande o mediana (al menos 100,000 habitantes) 2. Suburbio 3. Pequeña ciudad o pueblo 4. Zona rural 5. Reserva indígena 6. Base militar
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_063
NEXT	PFAM_065

PFAM_065	
ASK	If PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	Now I have a few questions about ^{FILL_SPNAME}'s parents. In what year was ^{FILL_SPNAME}'s mother born? Year: _____
SPANISH	Ahora tengo algunas preguntas sobre los padres de ^{FILL_SPNAME}. ¿En qué año nació la madre de ^{FILL_SPNAME}? Año: _____
RANGE	1880-2000
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number between 1880-2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_064
NEXT	If PFAM_065=DK or REF: PFAM_066; Else: PFAM_067

PFAM_066	
ASK	If PFAM_065=DK or REF
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you know about what year she was born? An estimate would be helpful. Year: _____
SPANISH	¿Sabe aproximadamente en qué año nació? Una estimación sería útil. Año: _____
RANGE	1880-2000
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number between 1880-2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_065
NEXT	PFAM_067

PFAM_067	
ASK	If PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	What is the highest educational degree that ^{FILL_SPNAME}'s mother received? 0. None 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MBA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD)
SPANISH	¿Cuál es el título educativo más alto que obtuvo la madre de ^{FILL_SPNAME}? 0. Ninguno 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MBA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_065, PFAM_066
NEXT	PFAM_068

PFAM_068	
ASK	If PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	Now, a few questions about ^{FILL_SPNAME}'s father. In what year was ^{FILL_SPNAME}'s father born? Year: _____
SPANISH	Ahora, unas preguntas sobre el padre de ^{FILL_SPNAME}. ¿En qué año nació el padre de ^{FILL_SPNAME}? Año: _____
RANGE	1880-2000
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number between 1880-2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_067
NEXT	If PFAM_068=DK or REF: PFAM_069; Else: PFAM_070

PFAM_069	
ASK	If PFAM_068=DK or REF
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you know about what year he was born? An estimate would be helpful. Year: _____
SPANISH	¿Sabe aproximadamente en qué año nació? Una estimación sería útil. Año: _____
RANGE	1880-2000
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number between 1880-2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_068
NEXT	PFAM_070

PFAM_070	
ASK	If PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041
ENGLISH	What is the highest educational degree that ^{FILL_SPNAME}'s father received? 0. None 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MBA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD)
SPANISH	¿Cuál es el título educativo más alto que obtuvo el padre de ^{FILL_SPNAME}? 0. Ninguno 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MBA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_068, PFAM_069
NEXT	PFAM_071

PFAM_071		
ASK	If PCSPOUSEID ≠ MISSING OR PCPARTNERID ≠ MISSING	
QUESTION TYPE	Numeric	
FILLS (ENG)	USE FILL_SPNAME CREATED IN PFAM_041	
FILLS (SPAN)	USE FILL_SPNAME CREATED IN PFAM_041	
ENGLISH	How many times has ^{FILL_SPNAME} been legally married? Please include their current marriage if they are married now. Number of Times: _____	
SPANISH	¿Cuántas veces ha estado ^{FILL_SPNAME} casado(a) legalmente? Incluya su matrimonio actual si está casado(a) en este momento. Número de veces: _____	
RANGE	0-99	
LIMITS	Max 2 digits	
LOOP MAX		
PROGRAM. NOTES		
CHECK (ENG)		
CHECK (SPAN)		
HELP TEXT (ENG)		
HELP TEXT (SPAN)		
MODE	CASI / CAWI	
NOTES		
LEAD-IN	PFAM_070	
NEXT	PFAM_072	

PFAM_072	
ASK	All respondents (Begin PFAM Loop 1)
QUESTION TYPE	Computer Check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	This is a computer check. Do not display. PFAM Loop 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_040, PFAM_071
NEXT	PFAM_073_#

PFAM_073_#	
ASK	NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID (Continue PFAM LOOP 1)
QUESTION TYPE	Informational
FILLS (ENG)	CREATE FILL_NONRES_NAME_#: preload from NONRESROSTER created in PINF_070_LOOP_END CREATE FILL_NRYOUTH: preload from YOUTH_NAME created in PINF_070_LOOP_END all youth names (NONRES_YOUTH1_NAME, NONRES_YOUTH2_NAME, etc.) affiliated with NONRES_NAME_#, separated by 'and'.
FILLS (SPAN)	CREATE FILL_NONRESNAME_#: preload from NONRESROSTER created in PINF_070_LOOP_END CREATE FILL_NRYOUTH: preload from YOUTH_NAME created in PINF_070_LOOP_END all youth names (NONRES_YOUTH1_NAME, NONRES_YOUTH2_NAME, etc.) affiliated with NONRES_NAME_#, separated by 'y'.
ENGLISH	Now we would like to ask you some questions about the background of ^{FILL_NONRES_NAME_#}, biological parent of ^{FILL_NRYOUTH}.
SPANISH	Ahora, quisiera hacerle preguntas sobre los antecedentes de ^{FILL_NONRES_NAME_#}, padre/madre biológico(a) de ^{FILL_NRYOUTH}.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max. Create variable PFAMLOOP1[#].NONRES_PARENT_UID= <u>NONRES_PARENT_UID</u>
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_072
NEXT	PFAM_075

PFAM_075_#_#	
ASK	NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID (Begin/End PFAM LOOP 1a)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_# CREATE FILL_YOUTHNAME_#_#: EACH YOUTH ASSOCIATED WITH NONRES_NAME_#, USED TO CREATE FILL_NRYOUTH_# IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_# CREATE FILL_YOUTHNAME_#_#: EACH YOUTH ASSOCIATED WITH NONRES_NAME_#, USED TO CREATE FILL_NRYOUTH_# IN PFAM_073_#
ENGLISH	Since ^{FILL_YOUTHNAME_#_#} turned 10 years old, have they had any contact with ^{FILL_NONRES_NAME_#}? By contact we mean in-person, a phone call between ^{FILL_NONRES_NAME_#} and the youth or a letter from ^{FILL_NONRES_NAME_#}? 1. Yes 0. No
SPANISH	Desde que ^{FILL_YOUTHNAME_#_#} cumplió los 10 años, ¿ha tenido algún contacto con ^{FILL_NONRES_NAME_#}? Por “contacto” entendemos contacto en persona, una llamada telefónica entre ^{FILL_NONRES_NAME_#} y el(la) joven o una carta de ^{FILL_NONRES_NAME_#}. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1a: Repeat PFAM_075_#_# for all youth associated with this NONRES_PARENT_UID with 15 max. Create variable PFAMLOOP1a[#].YOUTH_UID= <u>YOUTH_UID</u> IF PFAM_075_#_# = 1, SET PARCONTACT_#_# = 1
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_073
NEXT	IF LOOPNUMBER< NUMBER OF YOUTH ATTACHED TO NONRES_PARENT_UID, RETURN TO PFAM_074_#_#

ELSE, IF PFAM_075_#_#=1 for any youth: PFAM_077_#; Else PFAM_102

PFAM_077_#	
ASK	PFAM_075_#_# = 1 (Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED FROM PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED FROM PFAM_073_#
ENGLISH	Was ^{FILL_NONRES_NAME_#} born in the United States or its territories? 1. Yes 0. No
SPANISH	¿Nació ^{FILL_NONRES_NAME_#} en los Estados Unidos o en sus territorios? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_075_#_#
NEXT	IF PFAM_077_#=1: PFAM_079_#; ELSE, IF PFAM_077_#=0: PFAM_078_#; Else: PFAM_081_#

f_PFAM_078_# PFAM_078a_# / PFAM_078OTHER_#	
ASK	If PFAM_077_# = 0 (continue PFAM LOOP 1)
QUESTION TYPE	PFAM_078a_#: Dropdown PFAM_078OTHER_#: Textbox
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	In which country was ^{FILL_NONRES_NAME_#} born? { - Select - } [PFAM_078a_#] Enter country in which ^{FILL_NONRES_NAME} was born: _____ [PFAM_078OTHER_#]
SPANISH	¿En qué país nació ^{FILL_NONRES_NAME_#}? { - Seleccione - } [PFAM_078a_#] Ingrese el país en el que nació ^{FILL_NONRES_NAME}: _____ [PFAM_078OTHER_#]
RANGE	COUNTRYLIST
LIMITS	PFAM_078OTHER_# = max 50 characters
LOOP MAX	15
PROGRAM. NOTES	Only display PFAM_078OTHER_# if PFAM_078a_# = 197 PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	If PFAM_077_# = 0
NEXT	If PFAM_078_#=187: PFAM_079_#; Else: PFAM_080_#

f_PFAM_079_# PFAM_079a_# / PFAM_079OTHER_#	
ASK	If PFAM_077_# = 1 or PFAM_078a_# = 187 (continue PFAM LOOP 1)
QUESTION TYPE	PFAM_079a_#: Dropdown PFAM_079OTHER_#: Textbox
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	In what state or territory was ^{FILL_NONRES_NAME_#} born? { - Select - } [PFAM_079a_#] Enter other location where ^{FILL_NONRES_NAME_#} was born: _____ [PFAM_079OTHER_#]
SPANISH	¿En qué estado o territorio nació ^{FILL_NONRES_NAME_#}? { - Seleccione - } [PFAM_079a_#] Ingrese otra ubicación donde nació ^{FILL_NONRES_NAME_#} : _____ [PFAM_079OTHER_#]
RANGE	STATEEXPAND
LIMITS	PFAM_079OTHER_#: Max 50 characters
LOOP MAX	15
PROGRAM. NOTES	Only display PFAM_079OTHER_# if PFAM_079a_# = 0 PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	If PFAM_077_# = 1, PFAM_078_# = 187
NEXT	If PFAM_079a_#=0, 52, 53, 54, 55, or 56: PFAM_080; Else: PFAM_081_#

PFAM_080_#	
ASK	If PFAM_077_# = 0 or PFAM_079_# = 0, 52, 53, 54, 55, or 56 (continue PFAM LOOP 1)
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_# USE FILL_INTERVIEWYEAR CREATED IN PFAM_004
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_# USE FILL_INTERVIEWYEAR CREATED IN PFAM_004
ENGLISH	In what year did ^{FILL_NONRES_NAME_#} first come to the United States to live? Year: _____
SPANISH	¿En qué año llegó ^{FILL_NONRES_NAME_#} por primera vez a vivir a los Estados Unidos? Año: _____
RANGE	1900-2030
LIMITS	Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number between 1900-^{FILL_INTERVIEWYEAR}. HARD CHECK: If PFAM_080_# is in the future on DOI, display: You have entered a date in the future. Please enter a date in the past.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número entre 1900 y ^{FILL_INTERVIEWYEAR}. HARD CHECK: If PFAM_080_# is in the future on DOI, display: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_079_# = 0, 52, 53, 54, 55, or 56, PFAM_078_#
NEXT	PFAM_081_#

PFAM_081_#	
ASK	≠SPOUSEIDNONRES_PARENT_UID≠PCSPOUSEID and ≠PARTNERIDNONRES_PARENT_UID≠PCPARTNERID (Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	What is ^{FILL_NONRES_NAME_#}'s sex? 1. Male 2. Female
SPANISH	¿Cuál es el sexo de ^{FILL_NONRES_NAME_#}? 1. Masculino 2. Femenina
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	f_PFAM_080_#
NEXT	PFAM_082_#

PFAM_082_#	
ASK	NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID (Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	Next there are a few questions about ^{FILL_NONRES_NAME_#}'s religious background. First, in what religion was ^{FILL_NONRES_NAME_#} raised? If more than one, please select the most recent religion that ^{FILL_NONRES_NAME_#} practiced as a child. 1. Protestant (for example, Baptist, Methodist, Non-denominational or independent, Lutheran, Presbyterian, Pentecostal, Episcopalian, Reformed, Church of Christ, etc.) 2. Roman Catholic 3. Church of Jesus Christ of Latter-day Saints or LDS. (Mormon) 4. Orthodox (such as Greek, Russian, or some other Orthodox church) 5. Jewish 6. Muslim 7. Buddhist 8. Hindu 9. Atheist 10. Agnostic 11. Something else 12. Nothing in particular
SPANISH	Las siguientes preguntas son sobre el contexto religioso de ^{FILL_NONRES_NAME_#} En primer lugar, ¿con qué religión creció ^{FILL_NONRES_NAME_#} ? Si hay más de una, seleccione la religión más reciente que ^{FILL_NONRES_NAME_#} practicó durante su infancia. 1. Protestante (por ejemplo, bautistas, metodistas, no denominacionales o independiente, luteranos, presbiterianos, pentecostales, episcopales, reformados, Iglesia de Cristo, etc.) 2. Iglesia Católica Romana 3. Iglesia de Jesucristo de los Santos de los Últimos Días o LDS, por sus siglas en inglés. (Mormón(a)) 4. Iglesia Ortodoxa (como la griega, la rusa o alguna otra iglesia ortodoxa) 5. Judío(a) 6. Musulmán(a) 7. Budista 8. Hindú 9. Ateo(a) 10. Agnóstico(a) 11. Otra 12. Ninguna en particular
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	

<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI / CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PFAM_081_#
<i>NEXT</i>	IF PFAM_082_#=1, 2, 3, 4, OR 11: PFAM_083_#; Else: PFAM_084_#

PFAM_083_#	
ASK	IF PFAM_082_#=1, 2, 3, 4 OR 11 (Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	Was ^{FILL_NONRES_NAME_#} raised as a born-again or evangelical Christian, or not? 1. Yes, born-again, or evangelical Christian 0. No, not born-again or evangelical Christian
SPANISH	¿Creció ^{FILL_NONRES_NAME_#} como cristiano(a) renacido(a) o evangélico(a), o no? 1. Sí, cristiano(a) renacido(a) o cristiano(a) evangélico(a) 0. No, ni cristiano(a) renacido(a) ni cristiano(a) evangélico(a)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_082_# = 1, 2, 3, 4, 11
NEXT	PFAM_084_#

PFAM_084_#	
ASK	NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID (Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	Did ^{FILL_NONRES_NAME_#} ever serve time in prison, jail, or some other correctional facility as a juvenile or adult? 1. Yes 0. No
SPANISH	¿Alguna vez estuvo ^{FILL_NONRES_NAME_#} en prisión, en la cárcel o en algún otro centro penitenciario como menor o adulto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_082_#, PFAM_083_#
NEXT	IF PFAM_084_# = 1: PFAM_085_#, ELSE: PFAM_088_#

PFAM_085_#	
ASK	PFAM_084_# = 1 (Continue PFAM LOOP 1)
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	How many times did ^{FILL_NONRES_NAME_#} serve time in prison, jail, or some other correctional facility? Number of Times: _____
SPANISH	¿Cuántas veces estuvo ^{FILL_NONRES_NAME_#} en prisión, en la cárcel o en algún otro centro penitenciario? Número de veces: _____
RANGE	1-99
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	IF OUT OF RANGE, DISPLAY: Previously you reported that ^{FILL_NONRES_NAME_#} } has been in jail, prison or other correctional facility. If this is not correct, please click here to update your response. [DISPLAY LINK TO RETURN TO PFAM_084_#: 'Update response']
CHECK (SPAN)	IF OUT OF RANGE, DISPLAY: Antes, usted informó que ^{FILL_NONRES_NAME_#}} ha estado en la cárcel, prisión u otro centro penitenciario. Si esto no es correcto, haga clic aquí para actualizar su respuesta. [DISPLAY LINK TO RETURN TO PFAM_084_#: 'Actualizar respuesta']
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_084_# = 1
NEXT	f_PFAM_086_#

f_PFAM_086_# PFAM_086_MO_#/PFAM_086_YR_#	
ASK	PFAM_085_# ≠ 0 (Continue PFAM LOOP 1)
QUESTION TYPE	PFAM_086_MO_#: Dropdown PFAM_086_YR_#: Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_# USE FILL_INTERVIEWYEAR CREATED in PFAM_004 CREATE FILL_CJRECENT2: IF PFAM_085 > 1, FILL_CJRECENT2T: 'most recent'; ELSE; FILL_CJRECENT2: BLANK
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_# USE FILL_INTERVIEWYEAR CREATED in PFAM_004 CREATE FILL_CJRECENT2: IF PFAM_085 > 1, FILL_CJRECENT2T: 'más reciente'; ELSE; FILL_CJRECENT2: BLANK
ENGLISH	Thinking of the ^{FILL_CJRECENT2} time that ^{FILL_NONRES_NAME_#} served time in prison, jail, or some other correctional facility, when did ^{FILL_NONRES_NAME_#} enter the jail, prison, or correctional facility? Month: {Select} [PFAM_086_MO_#] Year: _____ [PFAM_086_YR_#]
SPANISH	Pensando en la vez ^{FILL_CJRECENT2} que ^{FILL_NONRES_NAME_#} cumplió una condena en la cárcel, prisión o algún otro centro penitenciario, ¿cuándo fue que ^{FILL_NONRES_NAME_#} ingresó en la cárcel, prisión o centro penitenciario? Mes: {Seleccione} [PFAM_086_MO_#] Año: _____ [PFAM_086_YR_#]
RANGE	PFAM_086_#_MO: Month entries in order: January, February, March, etc. through December PFAM_086_YR_#: 1900 - 2030
LIMITS	PFAM_086_YR_#: Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	DISPLAY CALENDAR. ADD DATE TO CALENDAR WITH LABEL “^{FILL_NONRES_NAME_#} Entered Prison or Jail”. PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	HARD CHECK: IF PFAM_086_YR_# OUT OF RANGE, DISPLAY: Please enter a year between 1900 - ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: You have entered a date in the future. Please enter a date in the past.
CHECK (SPAN)	HARD CHECK: IF PFAM_086_YR_# OUT OF RANGE, DISPLAY: Ingrese un año entre 1900 y ^{FILL_INTERVIEWYEAR}.

	HARD CHECK: If month/year combination is in the future on DOI, display: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_085_#
NEXT	f_PFAM_087_#

f_PFAM_087_# PFAM_087_MO_#/PFAM_087_YR_#	
ASK	PFAM_085_# ≠ 0 (Continue PFAM LOOP 1)
QUESTION TYPE	PFAM_087_MO_#: Dropdown PFAM_087_YR_#: Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_# USE FILL_INTERVIEWYEAR CREATED in PFAM_004 Use fill from f_PFAM_086: FILL_CJRECENT2
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_# USE FILL_INTERVIEWYEAR CREATED in PFAM_004 Use fill from f_PFAM_086: FILL_CJRECENT2
ENGLISH	The {FILL_CJRECENT2} time that ^{FILL_NONRES_NAME_#} served time in prison, jail, or some other correctional facility, when did ^{FILL_NONRES_NAME_#} leave the jail, prison, or correctional facility? Month: {Select} [PFAM_087_MO_#] Year: _____ [PFAM_087_YR_#] -9. This parent is still in prison, jail, or other correctional facility.
SPANISH	Pensando en la vez {FILL_CJRECENT2} que ^{FILL_NONRES_NAME_#} cumplió una condena en la cárcel, prisión o algún otro centro penitenciario, ¿cuándo fue que ^{FILL_NONRES_NAME_#} salíó de la cárcel, prisión o centro penitenciario? Mes: {Seleccione} [PFAM_087_MO_#] Año: _____ [PFAM_087_YR_#] -9. Este padre/madre sigue en prisión, en la cárcel o en otro centro penitenciario.
RANGE	PFAM_087_MO: Month entries in order: January, February, March, etc. through December PFAM_087_YR: 1900 - 2030
LIMITS	PFAM_087_YR: Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	DISPLAY CALENDAR. ADD DATE TO CALENDAR WITH LABEL “^{FILL_NONRES_NAME_#} left Prison or Jail”. PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	HARD CHECK: IF PFAM_087_YR_# OUT OF RANGE, DISPLAY: Please enter a year between 1900 – ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: You have entered a date in the future. Please enter a date in the past. HARD CHECK: If month/year combination reported in PFAM_087 is BEFORE month/year combination reported in PFAM_086, display: The date that this parent left a correctional facility should be after the date that they entered the correctional facility.

<i>CHECK (SPAN)</i>	HARD CHECK: IF PFAM_087_YR_# OUT OF RANGE, DISPLAY: Ingrese un año entre 1900 y ^{FILL_INTERVIEWYEAR}. HARD CHECK: If month/year combination is in the future on DOI, display: Ingresó una fecha en el futuro. Ingrese una fecha en el pasado. HARD CHECK: If month/year combination reported in PFAM_087 is BEFORE month/year combination reported in PFAM_086, display: La fecha en la que este padre/madre salió del centro penitenciario debe ser después de la fecha en que ingresó al centro penitenciario.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI / CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_PFAM_086
<i>NEXT</i>	PFAM_088

PFAM_088_#	
ASK	NON_RES_PARENT_LOOP(Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	Next there are some questions about ^{FILL_NONRES_NAME_#}'s family when they were growing up. Did ^{FILL_NONRES_NAME_#} live with both biological parents together from birth until age 14? 1. Yes 0. No
SPANISH	Las siguientes preguntas son sobre la familia de ^{FILL_NONRES_NAME_#} cuando estaba creciendo. ¿Vivió ^{FILL_NONRES_NAME_#} con ambos padres/madres biológicos(as) juntos desde su nacimiento hasta los 14 años? 1. Sí
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_084_# = 0; PFAM_085_# = 0; PFAM_087_#
NEXT	IF PFAM_088_# = 0: PFAM_089_#, ELSE: PFAM_094_#

PFAM_089_#	
ASK	PFAM_088_# = 0 (Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which parent didn't they always live with? 1. Biological Mother 2. Biological Father 3. Both
SPANISH	¿Con qué padre/madre no vivió siempre? 1. Madre biológica 2. Padre biológico 3. Ambos(as)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_088_# = 0
NEXT	f_PFAM_090_#

f_PFAM_090_# PFAM_090_#/PFAM_090_OTHER_#	
ASK	PFAM_089_# = 1, 2, 3 or DK or REF (Continue PFAM LOOP 1)
QUESTION TYPE	PFAM_090_#: Radio button PFAM_090_#_OTHER: Text
FILLS (ENG)	CREATE FILL_NRPARLIVE: IF PFAM_089 = 1, FILL_NRPARLIVE: their mother; ELSE, IF PFAM_089 = 2, FILL_NRPARLIVE: their father; ELSE, IF PFAM_089 = 3, FILL_NRPARLIVE: both parents; ELSE, FILL_NRPARLIVE: their parent or parents
FILLS (SPAN)	CREATE FILL_NRPARLIVE: IF PFAM_089 = 1, FILL_NRPARLIVE: su madre; ELSE, IF PFAM_089 = 2, FILL_NRPARLIVE: su padre; ELSE, IF PFAM_089 = 3, FILL_NRPARLIVE: ambos(as) padres/madres; ELSE, FILL_NRPARLIVE: su padre/madre o padres/madres
ENGLISH	What was the reason they did not live with ^{FILL_NRPARLIVE}? 1. One or both parents died 2. Parents became separated or divorced 3. They were adopted 4. They left home 5. Some other reason Please tell us the other reason they did not live with their ^{FILL_SPPARLIVE}: [PFAM_090_OTHER_#]
SPANISH	¿Cuál fue la razón por la que no vivió con ^{FILL_NRPARLIVE}? 1. Uno(a) o ambos(as) murieron 2. Los(as) padres/madres se separaron o divorciaron 3. Fue adoptado(a) 4. Se fue de casa 5. Alguna otra razón Díganos la otra razón por la que no vivió con ^{FILL_SPPARLIVE}: _____ [PFAM_090_OTHER_#]
RANGE	
LIMITS	PFAM_060_OTHER: Max 120 characters
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max. IF PFAM_090_# = 5, DISPLAY PFAM_090_OTHER_#: Please tell us the other reason they did not live with their ^{FILL_SPPARLIVE}:
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	

<i>LEAD-IN</i>	PFAM_089_#
<i>NEXT</i>	if PFAM_089_#=1 or 3: f_PFAM_091_#; Else if PFAM_089_#=2: f_PFAM_092_# Else: PFAM_093

f_PFAM_091_# PFAM_091 / PFAM_091_0 / PFAM_091_1_#/_# / PFAM_091_2_#/_# / PFAM_091_AND1_#/_# / PFAM_091_3_#/_# / PFAM_091_4_#/_# / PFAM_091_AND2_#/_# / PFAM_091_5_#/_# / PFAM_091_6_#/_# / PFAM_091_AND3_#/_# / PFAM_091_7_#/_# / PFAM_091_8_#	
ASK	PFAM_089_# = 1 or 3 (Continue PFAM LOOP 1)
QUESTION TYPE	PFAM_091: Radio button PFAM_091_0: Text PFAM_091_#_1: Numeric PFAM_091_#_2: Numeric PFAM_091_#_AND1: Radio button PFAM_091_#_3: Numeric PFAM_091_#_4: Numeric PFAM_091_#_AND2: Radio button PFAM_091_#_5: Numeric PFAM_091_#_6: Numeric PFAM_091_#_AND3: Radio button PFAM_091_#_7: Numeric PFAM_091_#_8: Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	Did ^{FILL_NONRES_NAME_#} live with their biological mother from birth until age 14? [PFAM_091] 1. Yes 0. No At what ages did ^{FILL_NONRES_NAME_#} live with their biological mother? [PFAM_091_0] From age:_____ [PFAM_091_1_#] To age:_____ [PFAM_091_2_#] Did this parent live with their biological mother at another age [PFAM_091_AND1_#] 1. Yes 0. No From age:_____ [PFAM_091_3_#] To age: _____ [PFAM_091_4_#] Did this parent live with their biological mother at another age [PFAM_091_AND2_#] 1. Yes 0. No From age:_____ [PFAM_091_5_#] To age:_____ [PFAM_091_6_#]

	Did this parent live with their biological mother at another age? [PFAM_091_AND3_#] From age: _____ [PFAM_091_7_#] To age: _____ [PFAM_091_8_#]
SPANISH	Desde su nacimiento hasta los 14 años, ¿vivió ^{FILL_NONRES_NAME_#} con su madre biológica? [PFAM_091] 1. Sí 0. No ¿A que edades vivió ^{FILL_NONRES_NAME_#} con su madre biológica? [PFAM_091_0] Desde la edad: _____ [PFAM_091_1_#] Hasta la edad: _____ [PFAM_091_2_#] ¿Vivió este padre/madre con su madre biológica a otra edad? [PFAM_091_AND1_#] 1. Sí 0. No Desde la edad: _____ [PFAM_091_3_#] Hasta la edad: _____ [PFAM_091_4_#] ¿Vivió este padre/madre con su madre biológica a otra edad? [PFAM_091_AND2] 1. Sí 0. No Desde la edad: _____ [PFAM_091_5] Hasta la edad: _____ [PFAM_091_6] ¿Vivió este padre/madre con su madre biológica a otra edad? [PFAM_091_AND3] 1. Sí 0. No Desde la edad: _____ [PFAM_091_7] Hasta la edad: _____ [PFAM_091_8]
RANGE	PFAM_091_#_1: 0-99 PFAM_091_#_2: 0-99 PFAM_091_#_3: 0-99 PFAM_091_#_4: 0-99 PFAM_091_#_5: 0-99 PFAM_091_#_6: 0-99 PFAM_091_#_7: 0-99 PFAM_091_#_8: 0-99
LIMITS	PFAM_091_#_1: Max 2 digits PFAM_091_#_2: Max 2 digits PFAM_091_#_3: Max 2 digits PFAM_091_#_4: Max 2 digits

	PFAM_091_#_5: Max 2 digits PFAM_091_#_6: Max 2 digits PFAM_091_#_7: Max 2 digits PFAM_091_#_8: Max 2 digits
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	SHOW PFAM_091 If PFAM_091 = 1: DISPLAY PFAM_091_0, PFAM_091_1_#, PFAM_091_2_# AND PFAM_091_AND1_# If PFAM_091_AND1_# IS CHECKED, DISPLAY PFAM_091_3_# AND PFAM_091_4_# AND PFAM_091_AND2_# ON THE SAME SCREEN. If PFAM_091_AND2_# IS CHECKED, DISPLAY PFAM_091_5_# AND PFAM_091_6_# AND PFAM_091_AND3_#. If PFAM_091_AND3_# IS CHECKED, DISPLAY PFAM_091_7_# AND PFAM_091_8_#. PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
<i>CHECK (ENG)</i>	IF PFAM_091_1> PFAM_091_2 OR PFAM_091_3 > PFAM_091_4 OR PFAM_091_5 > PFAM_091_6 OR PFAM_091_7 > PFAM_091_8, DISPLAY HARD CHECK: The age this parent stopped living with their biological mother should be after the age they began living with their biological mother. Please update your answer. If age ranges entered in each set (e.g., PFAM_091_1 through PFAM_091_2) overlap with an age range entered in another set (e.g., PFAM_091_3 through PFAM_091_4), display hard check: "The ages you entered overlap. Please review your answers." If age entered in any field is >14, display hard check: "This question asks about birth until the age of 14 . Please review your answers."
<i>CHECK (SPAN)</i>	IF PFAM_091_1> PFAM_091_2 OR PFAM_091_3 > PFAM_091_4 OR PFAM_091_5 > PFAM_091_6 OR PFAM_091_7 > PFAM_091_8, DISPLAY HARD CHECK: La edad en la que este padre/madre dejó de vivir con su madre biológica debe ser después de la edad en que empezó a vivir con su madre biológica. Actualice su respuesta. If age ranges entered in each set (e.g., PFAM_091_1 through PFAM_091_2) overlap with an age range entered in another set (e.g., PFAM_091_3 through PFAM_091_4), display hard check: "Las edades ingresadas se superponen. Revise sus respuestas." If age entered in any field is >14, display hard check: "Esta pregunta se refiere al nacimiento hasta los 14 años. Revise sus respuestas."
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI / CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PFAM_090_#
<i>NEXT</i>	IF PFAM_089_# = 2 or 3: f PFAM_092_#;

ELSE: PFAM_093_#

f_PFAM_092_# PFAM_092 / PFAM_092_0 / PFAM_092_1_#/_# / PFAM_092_2_#/_# / PFAM_092_AND1_#/_# / PFAM_092_3_#/_# / PFAM_092_4_#/_# / PFAM_092_AND2_#/_# / PFAM_092_5_#/_# / PFAM_092_6_#/_# / / PFAM_092_AND3_#/_# / PFAM_092_7_#/_# / PFAM_092_8_#		
ASK	PFAM_089_# = 2 or 3 (Continue PFAM LOOP 1)	
QUESTION TYPE	PFAM_092: Radio button PFAM_092_0: Text PFAM_092_1_#: Numeric PFAM_092_2_#: Numeric PFAM_092_AND1_#: Radio button PFAM_092_3_#: Numeric PFAM_092_4_#: Numeric PFAM_092_AND2_#: Radio button PFAM_092_5_#: Numeric PFAM_092_6_#: Numeric PFAM_092_AND3_#: Radio button PFAM_092_7_#: Numeric PFAM_092_8_#: Numeric	
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#	
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#	
ENGLISH	Did ^{FILL_NONRES_NAME_#} live with their biological father from birth until age 14? [PFAM_092] 1. Yes 0. No At what ages did ^{FILL_NONRES_NAME_#} live with their biological father? [PFAM_092_0] From age: _____ [PFAM_092_1_#] To age: _____ [PFAM_092_2_#] Did this parent live with their biological father at another age? [PFAM_092_AND1_#] 1. Yes 0. No From age: _____ [PFAM_092_3_#] To age: _____ [PFAM_092_4_#] Did this parent live with their biological father at another age?. [PFAM_092_AND2_#] 1. Yes 0. No From age: _____ [PFAM_092_5_#] To age: _____ [PFAM_092_6_#] Did this parent live with their biological father at another age? [PFAM_092_AND3_#] 1. Yes	

	0. No From age: _____ [PFAM_092_7_#] To age: _____ [PFAM_092_8_#]	
SPANISH	Desde su nacimiento hasta los 14 años, ¿vivió ^{FILL_NONRES_NAME_#} con su padre biológico? [PFAM_092] 1. Sí 0. No ¿A que edades vivió ^{FILL_NONRES_NAME_#} con su padre biológico? [PFAM_092_0] Desde la edad: _____ [PFAM_092_1_#] Hasta la edad: _____ [PFAM_092_2_#] ¿Vivió este padre/madre con su padre biológico a otra edad? [PFAM_092_AND1_#] 1. Sí 0. No Desde la edad: _____ [PFAM_092_3_#] Hasta la edad: _____ [PFAM_092_4_#] ¿Vivió este padre/madre con su padre biológico a otra edad? [PFAM_092_AND2] 1. Sí 0. No Desde la edad: _____ [PFAM_092_5] Hasta la edad: _____ [PFAM_092_6] ¿Vivió este padre/madre con su padre biológico a otra edad? [PFAM_092_AND3] 1. Sí 0. No Desde la edad: _____ [PFAM_092_7] Hasta la edad: _____ [PFAM_092_8]	
RANGE	PFAM_092_1_#: 0-99 PFAM_092_2_#: 0-99 PFAM_092_3_#: 0-99 PFAM_092_4_#: 0-99 PFAM_092_5_#: 0-99 PFAM_092_6_#: 0-99 PFAM_092_7_#: 0-99 PFAM_092_8_#: 0-99	
LIMITS	PFAM_092_1_#: Max 2 digits PFAM_092_2_#: Max 2 digits PFAM_092_3_#: Max 2 digits	

	PFAM_092_4_#: Max 2 digits PFAM_092_5_#: Max 2 digits PFAM_092_6_#: Max 2 digits PFAM_092_7_#: Max 2 digits PFAM_092_8_#: Max 2 digits
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	SHOW PFAM_092 If PFAM_092 = 1: DISPLAY PFAM_092_0, PFAM_092_1_#, PFAM_092_2_# AND PFAM_092_AND1_# If PFAM_092_AND1_# IS CHECKED, DISPLAY PFAM_092_3_# AND PFAM_092_4_# AND PFAM_092_AND2_# ON THE SAME SCREEN. IF PFAM_092_AND2_# IS CHECKED, DISPLAY PFAM_092_5_# AND PFAM_092_6_# AND PFAM_092_AND3_#. IF PFAM_092_AND3_# IS CHECKED, DISPLAY PFAM_092_7_# AND PFAM_092_8_#. PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
<i>CHECK (ENG)</i>	IF PFAM_092_1> PFAM_092_2 OR PFAM_092_3 > PFAM_092_4 OR PFAM_092_5 > PFAM_092_6 OR PFAM_092_7 > PFAM_092_8, DISPLAY HARD CHECK: The age this parent stopped living with their biological father should be after the age they began living with their biological father. Please update your answer. If age ranges entered in each set (e.g., PFAM_092_1 through PFAM_092_2) overlap with an age range entered in another set (e.g., PFAM_092_3 through PFAM_092_4), display hard check: "The ages you entered overlap. Please review your answers." If age entered in any field is >14, display hard check: "This question asks about birth until the age of 14 . Please review your answers."
<i>CHECK (SPAN)</i>	IF PFAM_092_1> PFAM_092_2 OR PFAM_092_3 > PFAM_092_4 OR PFAM_092_5 > PFAM_092_6 OR PFAM_092_7 > PFAM_092_8, DISPLAY HARD CHECK: La edad en la que este padre/madre dejó de vivir con su padre biológico debe ser después de la edad en que empezó a vivir con su padre biológico. Actualice su respuesta. If age ranges entered in each set (e.g., PFAM_092_1 through PFAM_092_2) overlap with an age range entered in another set (e.g.,

	PFAM_092_3 through PFAM_092_4), display hard check: “Las edades ingresadas se superponen. Revise sus respuestas.” If age entered in any field is >14, display hard check: “Esta pregunta se refiere al nacimiento hasta los 14 años. Revise sus respuestas.”
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_090_#, f_PFAM_091_#
NEXT	PFAM_093_#

PFAM_093_#	
ASK	Any PFAM_075_#_# = 1 (Continue PFAM LOOP 1)
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	How many brothers and sisters does ^{FILL_NONRES_NAME_#} have in total? Please include full, half- and step-siblings even if ^{FILL_NONRES_NAME_#} never lived with them. Number of brothers and sisters: _____
SPANISH	¿Cuántos hermanos y hermanas tiene ^{FILL_NONRES_NAME_#} en total? Incluya a los(as) hermanos(as) de sangre, medios(as) hermanos(as) o hermanastros(as) aunque ^{FILL_NONRES_NAME_#} nunca haya vivido con ellos. Número de hermanos y hermanas: _____
RANGE	0-99
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a number corresponding to how many siblings ^{FILLNONRES_NAME_#} has 0-99.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un número correspondiente a cuántos(as) hermanos(as) tiene ^{FILLNONRES_NAME_#} entre el 0 y el 99.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_088_#, f_PFAM_091_#, f_PFAM_092_#
NEXT	PFAM_094_#

PFAM_094_#	
ASK	PFAM_075_#_# = 1 (Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	Which of the following best describes the community in which ^{NONRES_NAME_#} was living at age 14? 1. Large or mid-sized city (At least 100,000 residents) 2. Suburb 3. Small city or town 4. Rural area 5. Indian reservation 6. Military base
SPANISH	¿Cuál de las siguientes opciones describe mejor la comunidad en la que vivía ^{NONRES_NAME_#} a los 14 años? 1. Ciudad grande o mediana (al menos 100,000 habitantes) 2. Suburbio 3. Pequeña ciudad o pueblo 4. Zona rural 5. Reserva indígena 6. Base militar
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_093_#
NEXT	PFAM_095_#

PFAM_095_#	
ASK	PFAM_075_#_# = 1 (Continue PFAM LOOP 1)
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	The next few questions are about ^{NONRES_NAME_#}'s parents. In what year was ^{NONRES_NAME_#}'s mother born? Year: _____
SPANISH	Las siguientes preguntas son sobre los padres de ^{NONRES_NAME_#}. ¿En qué año nació la madre de ^{NONRES_NAME_#}? Año: _____
RANGE	1880-2000
LIMITS	Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a year between 1880 and 2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un año entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_094_#
NEXT	PFAM_095_# = DK or REF: PFAM_096_#; ELSE: PFAM_097_#

PFAM_096_#	
ASK	PFAM_095_# = DK or REF (Continue PFAM LOOP 1)
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	Do you know about what year she was born? An estimate would be helpful. Year: _____
SPANISH	¿Sabe aproximadamente en qué año nació? Una estimación sería útil. Año: _____
RANGE	1880-2000
LIMITS	Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a year between 1880 and 2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un año entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_095_# = DK or REF
NEXT	PFAM_097_#

PFAM_097_#	
ASK	PFAM_075_#_# = 1 (Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	What is the highest educational degree that ^{NONRES_NAME_#}'s mother received? 0. None 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MBA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD)
SPANISH	¿Cuál es el título educativo más alto que obtuvo la madre de ^{NONRES_NAME_#}? 0. Ninguno 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MBA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_095_#, PFAM_096_#
NEXT	PFAM_098_#

PFAM_098_#	
ASK	PFAM_075_#_# = 1 (Continue PFAM LOOP 1)
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	Next are a few questions about ^{NONRES_NAME_#}'s father. In what year was ^{NONRES_NAME_#}'s father born? Year: _____
SPANISH	Las siguientes preguntas son sobre el padre de ^{NONRES_NAME_#}. ¿En qué año nació el padre de ^{NONRES_NAME_#}? Año: _____
RANGE	1880-2000
LIMITS	Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a year between 1880 and 2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un año entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_097_#
NEXT	PFAM_098_# = DK OR REF: PFAM_099_#; ELSE: PFAM_100_#

PFAM_099_#	
ASK	PFAM_098_# = DK or REF (Continue PFAM LOOP 1)
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	Do you know about what year he was born? An estimate would be helpful. Year: _____
SPANISH	¿Sabe aproximadamente en qué año nació? Una estimación sería útil. Año: _____
RANGE	1880-2000
LIMITS	Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Please enter a year between 1880 and 2000.
CHECK (SPAN)	HARD CHECK: IF OUT OF RANGE, DISPLAY: Ingrese un año entre 1880 y 2000.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_098_# = DK or REF
NEXT	PFAM_100_#

PFAM_100_#	
ASK	Any PFAM_075_#_# = 1 (Continue PFAM LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	What is the highest educational degree that ^{NONRES_NAME_#}'s father received? 0. None 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MBA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional degree (MD, DDS, JD)
SPANISH	¿Cuál es el título educativo más alto que obtuvo el padre de ^{NONRES_NAME_#}? 0. Ninguno 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MBA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_098_#, PFAM_099_#
NEXT	PFAM_101_#

PFAM_101_#	
ASK	Any PFAM_075_#_# = 1 (Continue PFAM LOOP 1)
QUESTION TYPE	Numeric
FILLS (ENG)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
FILLS (SPAN)	USE FILL_NONRES_NAME_# CREATED IN PFAM_073_#
ENGLISH	How many times has ^{NONRES_NAME} been legally married? Please include their current marriage if they are married now. Number of Times: _____
SPANISH	¿Cuántas veces ha estado casado(a) legalmente ^{NONRES_NAME}? Incluya su matrimonio actual si está casado(a) en este momento. Número de veces: _____
RANGE	0-99
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_100_#
NEXT	PFAM_102_#

PFAM_102_#	
ASK	NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID (End PFAM LOOP 1)
QUESTION TYPE	Computer Check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	PFAM LOOP 1: Repeat PFAM_073_# through PFAM_101_# for all non-residential parents attached to eligible youths in the household for whom NONRES_PARENT_UID≠PCSPOUSEID and NONRES_PARENT_UID≠PCPARTNERID until NONRESCOUNT is reached with 15 max. This is a computer check. Do not display.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI / CAWI
NOTES	
LEAD-IN	PFAM_75_#_#, PFAM_076_#, PFAM_101_#
NEXT	IF LOOP NUMBER < NONRESCOUNT: PFAM_072; ELSE: PCAL_001

NLSY27 Specifications Formatting
Parent/Caregiver Survey, Parent Calendar

PRELOADS:

YOUTHROSTERNUM: Total number of eligible youth in YOUTHROSTER, HHS

PCMART: Parent's marital status, PINF

PCPART: Indicator for residential partner, PINF

ADULTLIST: List of household members aged 18 and above, PINF

PCSPOUSE: Name of responding P/C spouse, PINF

PCPARTNER: Name of responding P/C unmarried partner, PINF

YOUTHDOBYOUTH_DOB: for each eligible youth

HHNAMEHH_NAME: names of all household members, HHS

ADULTROSTER: list of all adult household members from HHS

DERIVED VARIABLES:

PCPARTNUM - Count of reported spouses and cohabiting partners from partner roster; derived from PCAL-011

PCPARTCURR – Flag for current partner/caregiver - set equal to 1 for current partner of partner/caregiver, 0 for all others; derived from PCAL-011 and PCAL-012

TEENPARENT- Flag for whether responding parent/caregiver was under 18 when oldest eligible youth was born

Paradata:

Capture item level timing.

Include a time/date stamp at beginning and end of module.

General Notes:

- Do not display response option numbers/letters.
- Do not display DK and REF on each screen at loading.
 - If R tries to move forward without providing a response, display DK ('Don't know') and REF ('Prefer not to answer') on screen. For Spanish: display DK ('No lo sé') and REF ('Prefiero no contestar') on screen
 - Unless otherwise noted, include a soft prompt for R to respond or select DK/REF option: "Your answers are very important. Please consider selecting a response."
 - For Spanish: "Sus respuestas son muy importantes. Considere la posibilidad de seleccionar una respuesta."
 - If R still tries to move forward without answering, assign REF code to missing response.

PCAL_001	
ASK	All respondents
QUESTION TYPE	Informational
FILLS (ENG)	Create fill, FILL_PCAL_001_1 If YOUTHROSTERNUM=1, FILL_PCAL_001_1: "child" Else, FILL_PCAL_001_1: "children" Create fill, FILL_PCAL_001_2 If YOUTHROSTERNUM=1, FILL_PCAL_001_2: "birth" Else, FILL_PCAL_001_2: "births" Create fill, FILL_PCAL_001_3 If YOUTHROSTERNUM=1, FILL_PCAL003_001_3: "child's life" Else, FILL_PCAL_001_3: "children's lives"
FILLS (SPAN)	Create fill, FILL_PCAL_001_1 If YOUTHROSTERNUM=1, FILL_PCAL001: "su hijo(a)" Else, FILL_PCAL001: "sus hijos(as)" Create fill, FILL_PCAL_001_2 If YOUTHROSTERNUM=1, FILL_PCAL001: "el nacimiento" Else, FILL_PCAL001: "los nacimientos" Create fill, FILL_PCAL_001_3 If YOUTHROSTERNUM=1, FILL_PCAL003: "la vida de su hijo(a)" Else, FILL_PCAL003: "la vida de sus hijos(as)"
ENGLISH	Now we would like to find out a little about your life history. In this section we are especially interested in your marriage and cohabitation history. Since this survey is mainly concerned with your ^{FILL_PCAL_001_01} who will be in our study, we will concentrate on events which have happened since their ^{FILL_PCAL_001_02}. Later in the survey, there will be more questions specifically about events in your ^{FILL_PCAL_001_03} such as living arrangements.
SPANISH	Ahora, quisiera saber un poco sobre la historia de su vida. En esta sección, nos interesa especialmente saber de su historial de matrimonio y de convivencia. Dado que esta encuesta se refiere principalmente a ^{FILL_PCAL_001_01} en nuestro estudio, nos enfocaremos en los acontecimientos que han sucedido desde ^{FILL_PCAL_001_02}. Más adelante en la encuesta, habrá más preguntas específicas sobre los acontecimientos de ^{FILL_PCAL_001_03}, como cuestiones de vivienda.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	

<i>LEAD-IN</i>	PFAM_102
<i>NEXT</i>	PCAL_002

PCAL_002	
ASK	All respondents
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In order to keep all the dates straight, most people find it easier to use a calendar. We find that people are often better at recalling the dates of events if they think of them in relation to important milestones in their lives such as the date of their marriage or the birthdates of their children. You can access the calendar during this section of the survey by clicking on the calendar icon in the top left of your screen.
SPANISH	Para tener todas las fechas claras, a la mayoría de las personas les resulta más fácil usar un calendario. Descubrimos que suelen recordar mejor las fechas de los acontecimientos si piensan en ellos en relación con hitos importantes de su vida, como la fecha de su matrimonio o la del nacimiento de sus hijos(as). Puede acceder al calendario durante esta sección de la encuesta haciendo clic en el ícono del calendario ubicado en la parte superior izquierda de su pantalla.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_001
NEXT	PCAL_003

PCAL_003	
ASK	All respondents
QUESTION TYPE	Informational
FILLS (ENG)	Create fill, FILL_PCAL_003 If YOUTHROSTERNUM=1, FILL_PCAL_003: "date of your child who is" Else, FILL_PCAL_003: "dates of your children who are"
FILLS (SPAN)	Create fill, FILL_PCAL_003 If YOUTHROSTERNUM=1, FILL_PCAL_003: "la fecha de nacimiento de su hijo(a) que participa" Else, FILL_PCAL_003: "las fechas de nacimiento de sus hijo(a)s que participan"
ENGLISH	As you can see, this calendar has months and years across the top and a space listed for events down the side. Each month of a particular year is represented by a box. If you click on the box for a particular month, the calendar will expand to show you days. The calendar will automatically display the birth ^{PCAL_003} in the study.
SPANISH	Como puede ver, este calendario tiene los meses y los años en la parte superior y un espacio para los acontecimientos en el costado. Los meses de cada año concreto están representados por casillas. Si le hace clic a la casilla de un mes concreto, el calendario se ampliará para mostrarle los días. El calendario mostrará automáticamente ^{PCAL_003} en el estudio.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	CREATE TEENPARENT=1 IF PCAGE-YOUTHAGE(oldest youth)<18. Else TEENPARENT=0.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_002
NEXT	PCAL_007

PCAL_007		
ASK	All respondents	
QUESTION TYPE	Informational	
FILLS (ENG)		
FILLS (SPAN)		
ENGLISH	To access the calendar, just click on the calendar icon at the top left of your screen. Feel free to refer to it as much or as little as you want to help you answer the survey questions. People often find it especially useful when answering questions about their marriage and cohabitation, residential moves, and the schooling and living arrangements of their children. As you provide time periods and dates in the survey, they will be automatically added to your calendar.	
SPANISH	Para acceder al calendario, haga clic en el ícono del calendario ubicado en la parte superior izquierda de su pantalla. Siéntase libre de consultarlo tanto o tan poco como quiera para responder las preguntas de la encuesta. Las personas suelen encontrarlo especialmente útil a la hora de responder preguntas sobre su matrimonio y convivencia, las mudanzas residenciales, y la escolarización y vivienda de sus hijos(as). A medida que nos dé períodos de tiempo y fechas en la encuesta, se irán añadiendo automáticamente a su calendario.	
RANGE		
LIMITS		
LOOP MAX		
PROGRAM. NOTES		
CHECK (ENG)		
CHECK (SPAN)		
HELP TEXT (ENG)		
HELP TEXT (SPAN)		
MODE	CAWI, CASI	
NOTES		
LEAD-IN	PCAL_003	
NEXT	PCAL_008	

PCAL_008	
ASK	All respondents
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	These next questions are about marriages and cohabitating relationships. In a legal marriage, spouses may live together in the same household, but there may be times when married spouses live apart, for example when away for work or on military assignments. Some couples live together in cohabitating relationships without being legally married. By cohabitating relationships, we mean romantic or sexual relationships in which partners establish one household and live together for a period of at least three months.
SPANISH	Las siguientes preguntas son sobre matrimonios y relaciones de convivencia. En un matrimonio legal, los(as) cónyuges pueden vivir juntos(as) en el mismo hogar, pero puede haber ocasiones en que quienes están casados(as) vivan separados(as), por ejemplo, cuando trabajan en otro lugar o tienen asignaciones militares. Algunas parejas en relaciones de convivencia viven juntas sin estar legalmente casadas. Por “relaciones de convivencia” nos referimos a las relaciones románticas o sexuales en las que los miembros de la pareja establecen un hogar y viven juntos durante un período de al menos tres meses.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_007
NEXT	If PCMART>=1: PCAL_010 Else: PCAL_009

PCAL_009	
ASK	PCMART<1
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Have you ever been legally married or lived with someone in a cohabitating relationship? <i>By cohabitating relationships, we mean romantic or sexual relationships in which partners establish one household and live together for a period of at least three months.</i> 1. Yes 0. No
SPANISH	¿Alguna vez has estado legalmente casado(a) o has vivido con alguien en una relación de convivencia? <i>Por “relaciones de convivencia” nos referimos a las relaciones románticas o sexuales en las que los miembros de la pareja establecen un hogar y viven juntos durante un período de al menos tres meses.</i> 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_008
NEXT	PCAL_009=1: PCAL_010 Else: PCAL_071

PCAL_010	
ASK	PCMART>=1 or PCAL_009=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill, FILL_PCAL_010: If PCPART>0, FILL_PCAL_010: "Including your current partner, how" Else, FILL_PCAL_010: "How"
FILLS (SPAN)	Create fill, FILL_PCAL_010: If PCPART>0, FILL_PCAL_010: "Incluyendo a su pareja actual, ¿con cuántas" Else, FILL_PCAL_010: "¿Con cuántas"
ENGLISH	^{FILL_PCAL_010} many partners in total have you ever been legally married to or lived with in a cohabitating relationship? <i>By cohabitating relationships, we mean romantic or sexual relationships in which partners establish one household and live together for a period of at least three months.</i> Enter Number: _____
SPANISH	^{FILL_PCAL_010} parejas en total ha estado casado(a) legalmente o ha convivido? <i>Por "relaciones de convivencia" nos referimos a las relaciones románticas o sexuales en las que los miembros de la pareja establecen un hogar y viven juntos durante un período de al menos tres meses.</i> Ingrese un número: _____
RANGE	0-15
LIMITS	2 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	SOFT CHECK IF PCAL_010=0: "Earlier, you reported having a current spouse or partner or answered that you have been legally married or lived in a cohabiting relationship.."Please include your current spouse or cohabiting partner in your number." HARD CHECK IF PCAL_010 IS >15: 'Please enter a number of partners to whom you were legally married or lived with in a cohabiting relationship between 1 and 15.'
CHECK (SPAN)	SOFT CHECK IF PCAL_010=0: "Antes indicó tener un cónyuge o pareja actual o respondió que ha estado casado(a) legalmente o que ha vivido en una relación de convivencia. Incluya a su cónyuge o pareja de convivencia actual en su número." (Return R to PCAL_009) HARD CHECK IF PCAL_010 IS >15: 'Ingrese un número de parejas con las que estuvo casado(a) legalmente o convivió entre el 1 y el 15.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_008, PCAL_009
NEXT	If PCAL_010=0 or DK or REF: PCAL_071 Else: PCAL_011

f_PCAL_011 PCAL_011NAME_X	
ASK	PCMART>=1 or PCAL_009=1
QUESTION TYPE	Roster and textbox Radio button
FILLS (ENG)	Create fill, FILL_PCAL_011: If PCPART>1, FILL_PCAL_011: "current" Else, FILL_PCAL_011: "most recent" NUMPART: 'PCAL_010' Create fill, FILL_PCNUM: 'PCPARTNUM'
FILLS (SPAN)	Create fill, FILL_PCAL_011: If PCPART>1, FILL_PCAL_011: "actual" Else, FILL_PCAL_011: "más reciente" NUMPART: 'PCAL_010' Create fill, FILL_PCNUM: 'PCPARTNUM'
ENGLISH	In order to refer to them in later questions, please provide a unique name or nickname for each of the partners whom you have ever been legally married to or lived with in a cohabitating relationship. Please begin with the first partner you ever married or lived with and continue through with your ^{FILL_PCAL_011} one. List each partner on a separate row in the table below. [PCAL_011NAME_1] [PCAL_011NAME_2] [PCAL_011NAME_3] [PCAL_011NAME_4] [PCAL_011NAME_5]
SPANISH	Para referirme a estas personas en preguntas posteriores, deme un nombre o apodo único de cada una de las parejas con las que ha estado legalmente casado(a) o con las que vivió en una relación de convivencia. Empiece por la primera pareja con la que se casó o vivió y continúe con la ^{FILL_PCAL_011}. Enumere a cada pareja en una fila separada de la tabla siguiente. [PCAL_011NAME_1] [PCAL_011NAME_2] [PCAL_011NAME_3] [PCAL_011NAME_4] [PCAL_011NAME_5]
RANGE	

LIMITS	
LOOP MAX	
PROGRAM. NOTES	SYSTEM PROVIDE A TABLE FOR THE R TO LIST ALL SPOUSES OR PARTNERS. PLEASE LIST UP TO 5 RESPONSE BLANKS PER SCREEN AND INCLUDE A BUTTON BELOW THE LIST TO “ADD MORE PARTNERS” (FOR SPAN: “AÑADIR MÁS PAREJAS”). IF THE BUTTON IS SELECTED, REPEAT THE PROCESS ON THE NEXT SCREEN TO ALLOW UP TO 15 PARTNERS. CREATE VAR PCPARTNUM AND SET EQUAL TO NUMBER OF ROWS WITH ENTRIES IN PCAL_011 (COUNT OF PARTNERS).).
CHECK (ENG)	If PCPARTNUM≠PCAL_010, display soft check: You reported that you have had ^{PCAL_010} partners to whom you were married or with whom you cohabited, but you listed ^{PCPARTNUM} partners. Please add partners you may have missed by clicking "Back" or update the number of partners you reported by clicking here. (EMBED LINK TO RETURN TO PCAL_010 in “clicking here”).
CHECK (SPAN)	If PCPARTNUM≠PCAL_010, display soft check: Informó que tuvo ^{PCAL_010} parejas con las que estuvo casado o con las que cohabitó, pero incluyó ^{PCPARTNUM} parejas. Agregue las parejas que no haya incluido haciendo clic en "Atrás" o actualice el número de parejas que informó haciendo clic aquí. (EMBED LINK TO RETURN TO PCAL_010 in “clic aquí”).
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_010
NEXT	If PCPARTNUM>0: PCAL_011a If PCPARTNUM=0: PCAL_071

f_PCAL_011a PCAL_011MAR_X	
ASK	PCPARTNUM>0
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ PCAL_011NAME_X: 'PCAL_011NAME_X'
FILLS (SPAN)	Create fill, FILL_ PCAL_011NAME_X: 'PCAL_011NAME_X'
ENGLISH	For each partner below, please indicate whether you were ever legally married to them or not. TABLE ROWS: 1. ^{FILL_PCAL_011NAME_X} 2. ^{FILL_PCAL_011NAME_X} 3. ^{FILL_PCAL_011NAME_X} 4. ^{FILL_PCAL_011NAME_X} 5. ^{FILL_PCAL_011NAME_X} 6. ^{FILL_PCAL_011NAME_X} 7. ^{FILL_PCAL_011NAME_X} 8. ^{FILL_PCAL_011NAME_X} 9. ^{FILL_PCAL_011NAME_X} 10. ^{FILL_PCAL_011NAME_X} 11. ^{FILL_PCAL_011NAME_X} 12. ^{FILL_PCAL_011NAME_X} 13. ^{FILL_PCAL_011NAME_X} 14. ^{FILL_PCAL_011NAME_X} 15. ^{FILL_PCAL_011NAME_X} TABLE COLUMNS: 1. Yes 0. No TABLE HEADER: Ever Legally Married
SPANISH	Indique si alguna vez estuvo casado(a) legalmente con una de las parejas que figuran a continuación. TABLE ROWS: 1. ^{FILL_PCAL_011NAME_X} 2. ^{FILL_PCAL_011NAME_X} 3. ^{FILL_PCAL_011NAME_X} 4. ^{FILL_PCAL_011NAME_X} 5. ^{FILL_PCAL_011NAME_X} 6. ^{FILL_PCAL_011NAME_X} 7. ^{FILL_PCAL_011NAME_X} 8. ^{FILL_PCAL_011NAME_X} 9. ^{FILL_PCAL_011NAME_X} 10. ^{FILL_PCAL_011NAME_X}

	11. ^{FILL_PCAL_011NAME_X} 12. ^{FILL_PCAL_011NAME_X} 13. ^{FILL_PCAL_011NAME_X} 14. ^{FILL_PCAL_011NAME_X} 15. ^{FILL_PCAL_011NAME_X} TABLE COLUMNS: 1. Sí 0. No TABLE HEADER: Casamiento legal alguna vez
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	DISPLAY A TABLE OF ALL SPOUSES OR PARTNERS REPORTED IN PCAL_011 AS ROWS (UP TO 15) AND LEGALLY MARRIED YES/NO AS COLUMNS. DO NOT DISPLAY EMPTY ROWS. CREATE SPROSTER: ROSTER OF ALL PARTNERS COLLECTED IN PCAL_011. INLCUDE PCAL_011NAME_X AND PCAL_011MAR_X IN ROSTER ARRAY.
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI, CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCAL_011
<i>NEXT</i>	If PCPART>0: PCAL_012 If PCPART=0: PCAL_019

PCAL_012/PCAL_012b	
ASK	PCPART>0
QUESTION TYPE	Radio button
FILLS (ENG)	Use FILL_ PCAL_011NAME_X: 'PCAL_011NAME_X' from PCAL_011a
FILLS (SPAN)	Use FILL_ PCAL_011NAME_X: 'PCAL_011NAME_X' from PCAL_011a
ENGLISH	PCAL_012 Please select your current partner from the list of partners you provided: 1. ^{FILL_ PCAL_011NAME_X} 2. ^{FILL_ PCAL_011NAME_X} 3. ^{FILL_ PCAL_011NAME_X} 4. ^{FILL_ PCAL_011NAME_X} 5. ^{FILL_ PCAL_011NAME_X} 6. ^{FILL_ PCAL_011NAME_X} 7. ^{FILL_ PCAL_011NAME_X} PCAL_012b 8. ^{FILL_ PCAL_011NAME_X} 9. ^{FILL_ PCAL_011NAME_X} 10. ^{FILL_ PCAL_011NAME_X} 11. ^{FILL_ PCAL_011NAME_X} 12. ^{FILL_ PCAL_011NAME_X} 13. ^{FILL_ PCAL_011NAME_X} 14. ^{FILL_ PCAL_011NAME_X} 15. ^{FILL_ PCAL_011NAME_X} -8. My current partner is not listed on this screen.
SPANISH	PCAL_012 Seleccione a su pareja actual de la lista de parejas que nos dio: 1. ^{FILL_ PCAL_011NAME_X} 2. ^{FILL_ PCAL_011NAME_X} 3. ^{FILL_ PCAL_011NAME_X} 4. ^{FILL_ PCAL_011NAME_X} 5. ^{FILL_ PCAL_011NAME_X} 6. ^{FILL_ PCAL_011NAME_X} 7. ^{FILL_ PCAL_011NAME_X} PCAL_012b 8. ^{FILL_ PCAL_011NAME_X} 9. ^{FILL_ PCAL_011NAME_X} 10. ^{FILL_ PCAL_011NAME_X} 11. ^{FILL_ PCAL_011NAME_X} 12. ^{FILL_ PCAL_011NAME_X} 13. ^{FILL_ PCAL_011NAME_X} 14. ^{FILL_ PCAL_011NAME_X} 15. ^{FILL_ PCAL_011NAME_X} -8. Mi pareja actual no aparece en esta pantalla.

<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	CREATE VAR PCPARTCURR AND SET EQUAL TO 1 FOR PARTNER SELECTED. SET EQUAL TO 0 FOR ALL OTHERS ON PARTNER ROSTER. SORT SPROSTER SO PCPARTCURR = 1 (CURRENT SPOUSE/PARTNER) APPEARS FIRST, THEN SORT REMAINING ROSTER LINES IN ORDER REPORTED. IF NONE IN PCPARTCURR = 1, SORT SPROSTER IN REVERSE ORDER OF REPORTED (MOST RECENT FIRST). PLEASE INCLUDE A BUTTON BELOW THE LIST TO “MY CURRENT PARTNER IS NOT LISTED ON THIS SCREEN” (FOR SPAN: “MI PAREJA ACTUAL NO APARECE EN ESTA PANTALLA”. IF THE BUTTON IS SELECTED, DISPLAY RESPONSES 8 through 15. INCLUDE THE BUTTON AT THE BOTTOM OF THE SCREEN EACH TIME TO ALLOW THE RESPONDENT TO FIND THEIR PARTNER.
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI, CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCAL_011a
<i>NEXT</i>	If PCPART= 2: PCAL_019 Else: PCAL_013

PCAL_013	
ASK	PCPART=1 or 3
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_PCAL_013_1: If PCPART=1 and PCSPOUSE not missing, FILL_PCAL_013_1: PCSPOUSE Else if PCPARTNER not missing, FILL_PCAL_013_1: PCPARTNER Else FILL_PCAL_013_1: 'unknown name' Create fill, FILL_PCAL_013_2: If PCPART = 1, FILL_PCAL_013: "spouse" Else, FILL_PCAL_013: "partner"
FILLS (SPAN)	Create fill, FILL_PCAL_013_1: If PCPART=1 and PCSPPOUSE not missing, FILL_PCAL_013_1: PCSPPOUSE Else, if PCPARTNER not missing, FILL_PCAL_013_1: PCPARTNER Else FILL_PCAL_013_1: 'nombre desconocido' Create fill, FILL_PCAL_013_2: If PCPART = 1, FILL_PCAL_013: "cónyuge" Else, FILL_PCAL_013: "pareja"
ENGLISH	Just to confirm, we have ^{FILL_PCAL_013_1} as your current ^{FILL_PCAL_013_2}. living in your household. Is that correct? 1. Yes 0. No
SPANISH	Para confirmar, tenemos registrado que ^{FILL_PCAL_013_1} es su ^{FILL_PCAL_013_2} actual, viviendo en su hogar. ¿Es correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_012
NEXT	PCAL_013=0: PCAL_014 Else: PCAL_018

PCAL_014	
ASK	PCAL_013=0
QUESTION TYPE	Radio button, special radio
FILLS (ENG)	Create fill, FILL_ADULTLIST: Radio button list of HHNAME(s) from ADULTROSTER <u>minus HHNAME on line 1</u> (i.e., do not include the informant's name on the list)
FILLS (SPAN)	Create fill, FILL_ADULTLIST: Radio button list of HHNAME(s) from ADULTROSTER <u>minus HHNAME on line 1</u> (i.e., do not include the informant's name on the list)
ENGLISH	Please select your current spouse or partner from the list of household members. ^{FILL_ADULTLIST} -9. Not applicable, my current spouse or cohabiting partner is not on this list
SPANISH	Seleccione a su cónyuge o pareja actual de la lista de miembros del hogar. ^{FILL_ADULTLIST} -9. No corresponde, mi cónyuge o pareja actual no está en esta lista
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Make option -9 an exclusive option. DISPLAY HH ROSTER IN REVERSE ORDER SO THAT MEMBERS ARE LISTED FROM OLDEST TO YOUNGEST.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_013
NEXT	If PCAL_014 = -9: PCAL_015 Else: PCAL_018

PCAL_015	
ASK	PCAL_014 = -9
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the name of your current spouse or cohabiting partner who is missing from the list? NAME: _____
SPANISH	¿Cuál es el nombre de su cónyuge o pareja actual con la que convive que no está en la lista? NOMBRE: _____
RANGE	
LIMITS	Max 20 characters
LOOP MAX	
PROGRAM. NOTES	UPDATE VARIABLE 'PCPARTNER'
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_014
NEXT	PCAL_016

PCAL_016	
ASK	PCAL_014 = -9
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_ PCPARTNER: Fill 'PCPARTNER'
FILLS (SPAN)	Create fill, FILL_ PCPARTNER: Fill 'PCPARTNER'
ENGLISH	Does ^{FILL_PCPARTNER} currently live with you? 1. Yes 0. No
SPANISH	¿Vive ^{FILL_PCPARTNER} actualmente con usted? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_015
NEXT	PCAL_017

PCAL_017	
ASK	PCAL_014= - 9
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill, FILL_PCPARTNER: Fill 'PCPARTNER'
FILLS (SPAN)	Use fill, FILL_PCPARTNER: Fill 'PCPARTNER'
ENGLISH	Are you currently married to ^{FILL_PCPARTNER}? 1. Yes 0. No
SPANISH	¿Está casado(a) en este momento con ^{FILL_PCPARTNER}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	IF PCAL_017=1 SET PCSPOUSE=PCPARTNER
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_016
NEXT	PCAL_018

PCAL_018	
ASK	IF PCPART=1 or 3
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_PCAL_018 If PCSPOUSE≠missing, FILL_PCAL_018: "spouse" Else, FILL_PCAL_018: "partner"
FILLS (SPAN)	Create fill, FILL_PCAL_018 If PCSPOUSE≠missing, FILL_PCAL_018: "cónyuge" Else, FILL_PCAL_018: "pareja"
ENGLISH	We have your ^{FILL_PCAL_018} as currently living in your household. Is that correct? 1. Yes 0. No
SPANISH	Tenemos registrado que su ^{FILL_PCAL_018} vive actualmente en su hogar. ¿Es eso correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_013, PCAL_014, PCAL_017
NEXT	If PCAL_018=0: PCAL_019 Else: PCAL_022 (Begin PCAL LOOP 1)

PCAL_019	
ASK	PCPART=0 or 2 OR (PCPART = 1 or 3 AND PCAL_018 = 0)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you have a spouse or partner who currently lives with you? 1. Yes 0. No
SPANISH	¿Tiene un cónyuge o pareja que viva actualmente con usted? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_011, PCAL_011a, PCAL_012, PCAL_017, PCAL_018
NEXT	If PCAL_019=1: PCAL_022 (Begin PCAL LOOP 1) Else: PCAL_020

PCAL_020	
ASK	PCAL_019#1
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you have a spouse who currently does not live with you? 1. Yes 0. No
SPANISH	¿Tiene un cónyuge que en este momento no viva con usted? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_019
NEXT	PCAL_022 (Begin PCAL LOOP 1)

PCAL_022_#	
ASK	PCPARTNUM>0 (Begin PCAL LOOP 1)
QUESTION TYPE	Informational
FILLS (ENG)	Create Fill, FILL_PCAL_SPOUSEPARTNER: If PCAL_011MAR_X=1 FILL: "spouse" ELSE FILL "partner" Create Fill, FILL_PCAL_SPNAME: 'PCAL_011_X' Create fill, FILL_PASTCURRENT. If FILL_PCAL_011NAME_X selected on PCAL_012, FILL_PASTCURRENT: 'current' Else FILL_PASTCURRENT: 'past'
FILLS (SPAN)	Create Fill, FILL_PCAL_SPOUSEPARTNER: If PCAL_011MAR_X=1 FILL: "cónyuge" ELSE FILL "pareja" Create Fill, FILL_PCAL_SPNAME: 'PCAL_011_X' Create fill, FILL_PASTCURRENT. If FILL_PCAL_011NAME_X selected on PCAL_012, FILL_PASTCURRENT: 'actual' Else FILL_PASTCURRENT: 'anterior'
ENGLISH	The next questions are about your ^{FILL_PASTCURRENT} ^{FILL_PCAL_SPOUSEPARTNER}, ^{FILL_PCAL_SPNAME}.
SPANISH	Las siguientes preguntas son sobre su ^{FILL_PCAL_SPOUSEPARTNER} ^{FILL_PASTCURRENT}, ^{FILL_PCAL_SPNAME}.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or a maximum of 15 loops is reached
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_018, PCAL_019, PCAL_020
NEXT	(PCPART=2 or PCAL_020 =1) and PCPARTCURR=1 OR (PCAL_011MAR_X=1 and PCPARTCURR≠1)): PCAL_023 Else: PCAL_024

PCAL_023_#	
ASK	(((PCPART=2 or PCAL_020=1) and PCPARTCURR=1) OR (PCAL_011MAR_X=1 and PCPARTCURR#1)) (Continue PCAL LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011NAME_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011NAME_X
ENGLISH	Did you ever live with ^{FILL_PCAL_011NAME_X}? 1. Yes 0. No
SPANISH	¿Ha vivido alguna vez con ^{FILL_PCAL_011NAME_X}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	f_PCAL_022
NEXT	f_PCAL_024

f_PCAL_024_# PCAL_024_MO_#/PCAL_024_YR_#	
ASK	If PCPARTNUM>0 (Continue PCAL LOOP 1)
QUESTION TYPE	PCAL_024_MO: Dropdown PCAL_024_YR: Numeric
FILLS (ENG)	Create fill, FILL_PCAL_024 If PCAL_023 = 0, FILL_PCAL_024: "marry" Else, FILL_PCAL_024: "start living with" Use fill from PCAL_011: FILL_PCAL_011NAME_X Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
FILLS (SPAN)	Create fill, FILL_PCAL_024 If PCAL_023 = 0, FILL_PCAL_024: "se casó con" Else, FILL_PCAL_024: "empezó a vivir con" Use fill from PCAL_011: FILL_PCAL_011NAME_X' Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
ENGLISH	In what month and year did you ^{FILL_PCAL_024} ^{FILL_PCAL_011NAME_X} for the first time? <i>Your best estimate is fine.</i> Month: { - Select - } [PCAL_024_MO_#] Year: _____ [PCAL_024_YR_#]
SPANISH	¿En qué mes y año ^{FILL_PCAL_024} ^{FILL_PCAL_011NAME_X} por primera vez? <i>Proporcione su mejor estimación.</i> Mes: { - Seleccione - } [PCAL_024_MO_#] Año: _____ [PCAL_024_YR_#]
RANGE	PCAL_024_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_024_YR: 1950-2030 Spanish: 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_024_YR: 4 digits
LOOP MAX	15
PROGRAM. NOTES	DISPLAY CALENDAR.

	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
<i>CHECK (ENG)</i>	If PCAL_024_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}
<i>CHECK (SPAN)</i>	If PCAL_024_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingresa un año entre 1950 y ^{FILL_INTERVIEWYEAR}
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI, CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCAL_023, f_PCAL_022
<i>NEXT</i>	PCAL_025

PCAL_025_#	
ASK	If PCPARTNUM>0 (Continue PCAL LOOP 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Create fill, FILL_PCAL_025 If PCAL_023 = 0, FILL_PCAL_025: "got married" Else, FILL_PCAL_025: "began living together"
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Create fill, FILL_PCAL_025 If PCAL_023 = 0, FILL_PCAL_025: "se casaron" Else, FILL_PCAL_025: "empezaron a vivir juntos(as)"
ENGLISH	How old was ^{FILL_PCAL_011_X} when you ^{FILL_PCAL_025}? Age: _____
SPANISH	¿Qué edad tenía ^{FILL_PCAL_011_X} cuando ^{FILL_PCAL_025}? Edad: _____
RANGE	14-99
LIMITS	2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached
CHECK (ENG)	HARD CHECK IF PCAL_025 IS OUT OF RANGE: Please enter an age for your partner between 14 and 99.
CHECK (SPAN)	HARD CHECK IF PCAL_025 IS OUT OF RANGE: Ingrese una edad para su pareja entre 14 y 99 años.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	f_PCAL_024
NEXT	If PCAL_025=DK or REF: PCAL_026 If PCPARTCURR=1 AND PCAL_011MAR_X=1: f_PCAL_032 If PCPARTCURR=1 AND PCAL_011MAR_X=0: f_PCAL_033 Else: PCAL_027

PCAL_026_#	
ASK	PCAL_025=DK (Continue PCAL LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	What is your best guess? Was ^{FILL_PCAL_011_X}... 1. Younger than 20 years old? 2. 20 to 24 years old? 3. 25 to 40 years old? 4. 41 to 55 years old? 5. Older than 55 years old?
SPANISH	¿Podría darme su mejor estimación? Tenía ^{FILL_PCAL_011_X}... 1. ¿Menos de 20 años? 2. ¿De 20 a 24 años? 3. ¿De 25 a 40 años? 4. ¿De 41 a 55 años? 5. ¿Más de 55 años?
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_025=-2
NEXT	PCPARTCURR=1 AND PCAL_011MAR_X=1: f_PCAL_032 If PCPARTCURR=1 AND PCAL_011MAR_X=0: f_PCAL_033 Else: PCAL_027

PCAL_027_#	
ASK	PCPARTCURR#1 (Continue PCAL LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_025: FILL_PCAL_025 Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_025: FILL_PCAL_025 Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	At the time you ^{FILL_PCAL_025} what was the highest educational degree/certificate that ^{FILL_PCAL_011_X} had received? 1. None 2. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 3. High school diploma (Regular 12-year program) 4. Associate's/Junior College (AA, AS) 5. Bachelor's degree (BA, BS) 6. Master's degree (MA, MBA, MS) 7. Doctoral degree (PhD, EdD) 8. Professional degree (MD, DDS, JD)
SPANISH	En el momento en que ^{FILL_PCAL_025}, ¿cuál era el título educativo/certificado más alto que había recibido ^{FILL_PCAL_011_X}? 1. Ninguno 2. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 3. Diploma de escuela secundaria (programa regular de 12 años) 4. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 5. Título de cuatro años (BA, BS, por sus siglas en inglés) 6. Maestría (MA, MBA, MS, por sus siglas en inglés) 7. Doctorado (PhD, EdD, por sus siglas en inglés) 8. Título profesional (MD, DDS, JD, por sus siglas en inglés)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	

<i>LEAD-IN</i>	PCAL_025, PCAL_026
<i>NEXT</i>	f_PCAL_028

f_PCAL_028_# PCAL_028AI_#/PCAL_028AS_#/PCAL_028BL_#/PCAL_028HI_#/PCAL_028ME_#/PCAL_028NH_#/PCAL_028WT_#	
ASK	PCPARTCURR#1 (Continue PCAL LOOP 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	What is ^{FILL_PCAL_011_X}'s race and/or ethnicity? <i>Select all that apply.</i> 1. American Indian or Alaska Native [PCAL_028AI_#] 2. Asian [PCAL_028AS_#] 3. Black or African American [PCAL_028BL_#] 4. Hispanic or Latino [PCAL_028HI_#] 5. Middle Eastern or North African [PCAL_028ME_#] 6. Native Hawaiian or Pacific Islander [PCAL_028NH_#] 7. White [PCAL_028WT_#]
SPANISH	¿Cuál es la raza y/o el origen étnico de ^{FILL_PCAL_011_X}? <i>Seleccione todas las opciones que correspondan.</i> 1. Indígena de las Américas o nativo(a) de Alaska [PCAL_028AI_#] 2. Asiático(a) [PCAL_028AS_#] 3. Negro(a) o afroamericano(a) [PCAL_028BL_#] 4. Hispano(a) o latino(a) [PCAL_028HI_#] 5. De Medio Oriente o África del norte [PCAL_028ME_#] 6. Nativo(a) de Hawái o de otras islas del Pacífico [PCAL_028NH_#] 7. Blanco(a) [PCAL_028WT_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached Add help text as hover text for each response option.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	DISPLAY HOVER OVER HELP TEXT CORRESPONDING TO EACH RESPONSE OPTION LISTED BELOW: 1. American Indian or Alaska Native: For example, Navajo Nation, Blackfeet Tribe of the Blackfeet Indian Reservation of Montana, Native Village of Barrow Inupiat Traditional Government, Nome Eskimo Community, Aztec, Maya, etc. 2. Asian: For example, Chinese, Asian Indian, Filipino, Vietnamese, Korean, Japanese, etc. 3. Black or African American: For example, African American, Jamaican, Haitian, Nigerian, Ethiopian, Somali, etc. 4. Hispanic or Latino: For example, Mexican, Puerto Rican, Salvadoran, Cuban, Dominican, Guatemalan, etc. 5. Middle Eastern or North African: For example, Lebanese, Iranian, Egyptian, Syrian, Iraqi, Israeli, etc. 6. Native Hawaiian or Pacific Islander: For example, Native Hawaiian, Samoan, Chamorro, Tongan, Fijian, Marshallese, etc. 7. White: For example, English, German, Irish, Italian, Polish, Scottish, etc.

<i>HELP TEXT (SPAN)</i>	DISPLAY HOVER OVER HELP TEXT CORRESPONDING TO EACH RESPONSE OPTION LISTED BELOW: 1. Indígena de las Américas o nativo(a) de Alaska: Por ejemplo, de la Nación Navajo, Tribu Blackfeet de la Reserva Indígena Blackfeet de Montana, Pueblo Nativo del Gobierno Tradicional Inupiat de Barrow, Comunidad Esquimal Nome, Azteca o Maya. 2. Asiático(a): Por ejemplo, chino(a), indio(a) asiático(a), filipino(a), vietnamita, coreano(a), japonés(a), etc. 3. Negro(a) o afroamericano(a): Por ejemplo, afroamericano(a), jamaicano(a), haitiano(a), nigeriano(a), etíope, somalí, etc. 4. Hispano o latino: Por ejemplo, mexicano(a), puertorriqueño(a), salvadoreño(a), cubano(a), dominicano(a), guatemalteco(a), etc. 5. De Medio Oriente o África del norte: Por ejemplo, libanés(a), iraní, egipcio(a), sirio(a), iraquí, israelí, etc. 6. Nativo(a) de Hawái o de otras islas del Pacífico: Por ejemplo, nativo(a) hawaiano(a), samoano(a), chamorro(a), tongano(a), fiyiano(a), marshalés(a), etc. 7. Blanco(a): Por ejemplo, inglés(a), alemán(a), irlandés(a), italiano(a), polaco(a), escocés(a), etc.
<i>MODE</i>	CAWI, CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCAL_027
<i>NEXT</i>	PCAL_029

PCAL_029_#	
<i>ASK</i>	PCPARTCURR#1 (Continue PCAL LOOP1)
<i>QUESTION TYPE</i>	Radio
<i>FILLS (ENG)</i>	Use fill from PCAL_011: FILL_PCAL_011_X
<i>FILLS (SPAN)</i>	Use fill from PCAL_011: FILL_PCAL_011_X
<i>ENGLISH</i>	What is ^{FILL_PCAL_011_X}'s sex? 1. Male 2. Female
<i>SPANISH</i>	¿Cuál es el sexo de ^{FILL_PCAL_011_X}? 1. Masculino 2. Femenino
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI, CASI

<i>NOTES</i>	
<i>LEAD-IN</i>	PCAL_028
<i>NEXT</i>	If PCAL_011MAR_X=1 and PCAL_023=0: PCAL_030 Else If PCAL_011MAR_X=1: PCAL_032 Else: PCAL_033

PCAL_030_#	
ASK	PCAL_011MAR_X = 1 and PCAL_023 = 0 (Continue PCAL LOOP1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	What is your current marital status with ^{FILL_PCAL_011_X}? 1. Still married 2. AnnulmentDivorced 3. Annulled marriage 4. Widowed (^{FILL_PCAL_011_X} died)
SPANISH	¿Cuál es su estado civil actual con ^{FILL_PCAL_011_X}? Obtuvo un divorcio legal o una anulación de ^{FILL_PCAL_011_X}? 1. Todavía casado(a) 2. Divorciado(a) 3. Matrimonio anulado 4. Viudo(a) (^{FILL_PCAL_011_X} murió)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_029
NEXT	If PCAL_030=31 and PCAL_023=0 AND IF PCAL LOOP 1 NUM<PCPARTNUM: Loop again (PCAL_022) Else if PCAL_030=1 and PCAL_023=0: PCAL_071 Else If PCAL_030=1: PCAL_043 Else: PCAL_031

f_PCAL_031_# PCAL_031_MO_#/PCAL_031_YR_#	
ASK	PCAL_030≠3 (Continue PCAL LOOP1)
QUESTION TYPE	PCAL_031_MO: Dropdown PCAL_31_YR: Numeric
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Create fill, FILL_PCAL_031: If PCAL_030 = 2, FILL_PCAL_031: "was your legal divorce from ^{FILL_PCAL_011_X} obtained" If PCAL_030 = 3, FILL_PCAL_031: "was your marriage to ^{FILL_PCAL_011_X} annulled" If PCAL_030=4, FILL_PCAL_031: "did ^{FILL_PCAL_011_X} die" Else FILL_PCAL_031: "did your relationship with ^{FILL_PCAL_011_X} end" Create fill, FILL_PCAL_031_2 If PCAL_023 = 0, FILL_PCAL_031_2: "married" Else, FILL_PCAL_031_2: "started living with" Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Create fill, FILL_PCAL_031: If PCAL_030 = 2, FILL_PCAL_031: "se obtuvo su divorcio legal de ^{FILL_PCAL_011_X}" If PCAL_030 = 3, FILL_PCAL_031: "se anuló su matrimonio con ^{FILL_PCAL_011_X}" If PCAL_030=4, FILL_PCAL_031: "murió ^{FILL_PCAL_011_X}" Else FILL_PCAL_031: "terminó su relación con ^{FILL_PCAL_011_X}" Create fill, FILL_PCAL_031_2 If PCAL_023 = 0, FILL_PCAL_031_2: "se casó con" Else, FILL_PCAL_031_2: "comenzó a vivir con" Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
ENGLISH	In what month and year ^{FILL_PCAL_031}? Month: { - Select - } [PCAL_031_MO_#] Year: _____ [PCAL_031_YR_#]
SPANISH	¿En qué mes y año ^{FILL_PCAL_031}? Mes: { - Seleccione - } [PCAL_031_MO_#] Año: _____ [PCAL_031_YR_#]
RANGE	PCAL_031_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_031_YR: 1950-2030 Spanish:

	1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_031_YR: 4 digits
LOOP MAX	15
PROGRAM. NOTES	DISPLAY CALENDAR. Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	If PCAL_031_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}. IF PCAL_031_YR_# < PCAL_024_YR_# OR (PCAL_031_YR_# = PCAL_024_YR_# AND PCAL_031_MO_# > PCAL_024_MO_#), display soft check: You previously reported that you ^{FILL_PCAL_031_2} ^{FILL_PCAL_011_X} in ^{PCAL_024_MO_#} ^{PCAL_024_YR_#}. Please review your answer.
CHECK (SPAN)	If PCAL_031_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingresa un año entre 1950 y ^{FILL_INTERVIEWYEAR}. IF PCAL_031_YR_# < PCAL_024_YR_# OR (PCAL_031_YR_# = PCAL_024_YR_# AND PCAL_031_MO_# > PCAL_024_MO_#), display soft check: Anteriormente informó que ^{FILL_PCAL_031_2} ^{FILL_PCAL_011_X} en ^{PCAL_024_MO_#} de ^{PCAL_024_YR_#}. Por favor, revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_030
NEXT	IF PCAL LOOP 1 NUM<PCPARTNUM: Loop again (PCAL_022) Else: PCAL_071

PCAL_032_#	
ASK	PCAL_023 ≠ 0 (Continue PCAL LOOP1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	Were you legally married to ^{FILL_PCAL_011_X} when you began living together for the first time? 1. Yes 0. No
SPANISH	¿Estaba casado(a) legalmente con ^{FILL_PCAL_011_X} cuando empezaron a vivir juntos(as) por primera vez? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_025, PCAL_026, PCAL_029
NEXT	PCAL_033

PCAL_033_#	
ASK	PCAL_023 ≠ 0 (Continue PCAL LOOP1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Create FILL_PCAL_033: If PCAL_024_YR=missing, FILL: "you started living together"; ELSE FILL: 'PCAL_024_MO_#'PCAL_024_YR_#'
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Create FILL_PCAL_033: If PCAL_024_YR=missing, FILL: "empezaron a vivir juntos(as)"; ELSE FILL: 'PCAL_024_MO_#' PCAL_024_YR_#'
ENGLISH	Have you lived with ^{FILL_PCAL_011_X} continuously since ^{FILL_PCAL_033}? 1. Yes 0. No
SPANISH	¿Vivió con ^{FILL_PCAL_011_X} continuamente desde que ^{FILL_PCAL_033}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_025, PCAL_026, PCAL_029, PCAL_032
NEXT	PCAL_033 = 1 or DK or REF: PCAL_048 Else: PCAL_034

f_PCAL_034_# PCAL_034_MO_#/PCAL_034_YR_#	
ASK	PCAL_033 = 0 (Continue PCAL LOOP 1)
QUESTION TYPE	PCAL_034_MO: Dropdown PCAL_34_YR: Numeric
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_024_#: FILL_INTERVIEWYEAR Use fill from PCAL_031_X: FILL_PCAL_031_2
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
ENGLISH	In what month and year did you first stop living with ^{FILL_PCAL_011_X}? Month: { - Select - } [PCAL_034_MO_#] Year: _____ [PCAL_034_YR_#]
SPANISH	¿En qué mes y año dejó de vivir por primera vez con ^{FILL_PCAL_011_X}? Mes: { - Seleccione - } [PCAL_034_MO_#] Año: _____ [PCAL_034_YR_#]
RANGE	PCAL_034_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_034_YR: 1950-2030 Spanish: 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_034_YR: 4 digits
LOOP MAX	15
PROGRAM. NOTES	DISPLAY CALENDAR. Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	If PCAL_034_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}

	IF PCAL_034_YR_# < PCAL_024_YR_# OR (PCAL_034_YR_# = PCAL_024_YR_# AND PCAL_034_MO_# > PCAL_024_MO_#), display hard check: You previously reported that you ^{FILL_PCAL_031_2} ^{FILL_PCAL_011NAME_X} in ^{PCAL_024_MO_#} ^{PCAL_024_YR_#}. Please review your answer.
CHECK (SPAN)	If PCAL_034_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingrese un año entre 1950 y ^{FILL_INTERVIEWYEAR} IF PCAL_034_YR_# < PCAL_024_YR_# OR (PCAL_034_YR_# = PCAL_024_YR_# AND PCAL_034_MO_# > PCAL_024_MO_#), display hard check: Anteriormente informó que ^{FILL_PCAL_031_2} ^{FILL_PCAL_011NAME_X} en ^{PCAL_024_MO_#} de ^{PCAL_024_YR_#}. Por favor, revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_033
NEXT	PCAL_035

PCAL_035_#	
ASK	PCAL_033=0 (Continue PCAL LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	During this time that you were living with ^{FILL_PCAL_011_X} were there any changes in your marital status? 1. Yes 0. No
SPANISH	Durante el tiempo que estuvo viviendo con ^{FILL_PCAL_011_X}, ¿hubo algún cambio en su estado civil? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_034
NEXT	If PCAL_035=1: PCAL_037 Else: PCAL_043

PCAL_037_#_#	
ASK	PCAL_035=1 (Begin PCAL LOOP 1a)
QUESTION TYPE	Radio button
FILLS (ENG)	Create Fill, FILL_PCAL_FIRSTNEXT: IF LOOPNUMBER=1 FILL: "first"; ELSE FILL: "next"
FILLS (SPAN)	Create Fill, FILL_PCAL_FIRSTNEXT: IF LOOPNUMBER=1 FILL: "la primera vez"; ELSE FILL: "la siguiente vez"
ENGLISH	What was the ^{FILL_PCAL_FIRSTNEXT} change in marital status? Did you . . . 1. Become legally married? 2. Reunite? 3. Get a legal separation only? 4. Get a legal divorce? 5. Get an annulment?
SPANISH	¿Cuál fue ^{FILL_PCAL_FIRSTNEXT} que hubo un cambio en su estado civil? Cuando... 1. Se casó legalmente 2. Volvió con esa persona 3. Obtuvo solo una separación legal 4. Obtuvo un divorcio legal 5. Obtuvo una anulación
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	IF PCAL_035 = 1, LOOP THROUGH PCAL LOOP 1A (PCAL_037 – PCAL_041) UNTIL PCAL_041= 0 OR MAX LOOP NUM (5) REACHED.
CHECK (ENG)	IF LOOP NUM = 1 AND IF PCAL_011MAR_X (does not equal) 1 AND PCAL_037_# = 3, 4, OR 5, DISPLAY SOFT CHECK: You have not previously indicated that you are married to ^{FILL_PCAL_011_X}. Please check your answer.
CHECK (SPAN)	IF LOOP NUM = 1 AND IF PCAL_011MAR_X (does not equal) 1 AND PCAL_037_# = 3, 4, OR 5, DISPLAY SOFT CHECK: No ha indicado previamente que está casado(a) con ^{FILL_PCAL_011_X}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_035
NEXT	If PCAL_037=1: PCAL_039 If PCAL_037=3, 4, 5: PCAL_038 Else: PCAL_041

f_PCAL_038_#_# PCAL_038_MO_#_#/PCAL_038_YR_#_#	
ASK	PCAL_037 = 3 or 4 or 5 (Continue PCAL LOOP 1a)
QUESTION TYPE	PCAL_038_MO: Dropdown PCAL_38_YR: Numeric
FILLS (ENG)	Create fill, FILL_PCAL_038: If PCAL_037 = 3, FILL_PCAL_038: "legal separation" Else if PCAL_037 = 4, FILL_PCAL_038: "legal divorce" Else, if PCAL_037 = 5, FILL_PCAL_038: "annulment" Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
FILLS (SPAN)	Create fill, FILL_PCAL_038: If PCAL_037 = 3, FILL_PCAL_038: "la separación legal" Else if PCAL_037 = 4, FILL_PCAL_038: "el divorcio legal" Else, if PCAL_037 = 5, FILL_PCAL_038: "la anulación" Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
ENGLISH	In what month and year was the ^{FILL_PCAL_038} obtained? Month: { - Select - } [PCAL_038_MO_#_#] Year: _____ [PCAL_038_YR_#_#]
SPANISH	¿En qué mes y año se obtuvo ^{FILL_PCAL_038}? Mes: { - Seleccione - } [PCAL_038_MO_#_#] Año: _____ [PCAL_038_YR_#_#]
RANGE	PCAL_038_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_038_YR: 1950-2030 Spanish: 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_038_YR: 4 digits
LOOP MAX	5
PROGRAM. NOTES	DISPLAY CALENDAR. IF PCAL_035 = 1, LOOP THROUGH PCAL LOOP 1A (PCAL_037 – PCAL_041) UNTIL PCAL_041= 0 OR MAX LOOP NUM (5) REACHED.
CHECK (ENG)	IF PCAL_038_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK:

	Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}. IF PCAL_038_YR_# < PCAL_024_YR_# OR (PCAL_038_YR_# = PCAL_024_YR_# AND PCAL_038_MO_# > PCAL_024_MO_#)), display hard check: You previously reported that you married ^{FILL_PCAL_011_X} in ^{PCAL_024_MO_#} ^{PCAL_024_YR_#}. Please review your answer.
CHECK (SPAN)	If PCAL_038_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingrese un año entre 1950 y ^{FILL_INTERVIEWYEAR}. IF PCAL_038_YR_# < PCAL_024_YR_# OR (PCAL_038_YR_# = PCAL_024_YR_# AND PCAL_038_MO_# > PCAL_024_MO_#)), display hard check: Anteriormente informó que se casó con ^{FILL_PCAL_011_X} en ^{PCAL_024_MO_#} de ^{PCAL_024_YR_#}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_037
NEXT	PCAL_041

f_PCAL_039_#_# PCAL_039_MO_#_#/PCAL_039_YR_#_#	
ASK	PCAL_037 = 1 (Continue PCAL LOOP 1a)
QUESTION TYPE	PCAL_039_MO: Dropdown PCAL_039_YR: Numeric
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_037: FILL_PCAL_FIRSTNEXT Use fill from PCAL_024_#: FILL_INTERVIEWYEAR Use fill from PCAL_034_#: FILL_PCAL_031_2
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_037: FILL_PCAL_FIRSTNEXT Use fill from PCAL_024_#: FILL_INTERVIEWYEAR Use fill from PCAL_034_#: FILL_PCAL_031_2
ENGLISH	In what month and year did you ^{FILL_PCAL_FIRSTNEXT} marry ^{FILL_PCAL_011_X}? Month: { - Select - } [PCAL_039_MO_#_#] Year: _____ [PCAL_039_YR_#_#]
SPANISH	¿En qué mes y año fue ^{FILL_PCAL_FIRSTNEXT} que se casó con ^{FILL_PCAL_011_X}? Mes: { - Seleccione - } [PCAL_039_MO_#_#] Año: _____ [PCAL_039_YR_#_#]
RANGE	PCAL_039_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_039_YR: 1950-2030 Spanish: 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_039_YR: 4 digits
LOOP MAX	5
PROGRAM. NOTES	DISPLAY CALENDAR. FOR [DROPDOWN] MONTH PLEASE USE A STANDARD LIST OF MONTHS FOR PARTICIPANTS TO SELECT WITH TEXT LABELS AND ASSIGNED TO THE NUMBER OF THE MONTH 1-12. IF PCAL_035 = 1, LOOP THROUGH PCAL LOOP 1A (PCAL_037 – PCAL_041) UNTIL PCAL_041= 0 OR MAX LOOP NUM (5) REACHED.
CHECK (ENG)	If PCAL_039_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}.

	011MAR_X = 1 AND IF PCAL_039_YR_# < PCAL_024_YR_# OR (PCAL_039_YR_# = PCAL_024_YR_# AND PCAL_039_MO_# > PCAL_024_MO_#): You previously reported that you ^{FILL_PCAL_031_2} ^{FILL_PCAL_011_X} in ^{PCAL_024_MO_#} ^{PCAL_024_YR_#}. Please review your answer.
CHECK (SPAN)	If PCAL_039_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingresa un año entre 1950 y ^{FILL_INTERVIEWYEAR}. IF 011MAR_X = 1 AND IF PCAL_039_YR_# < PCAL_024_YR_# OR (PCAL_039_YR_# = PCAL_024_YR_# AND PCAL_039_MO_# > PCAL_024_MO_#): Anteriormente informó que ^{FILL_PCAL_031_2} ^{FILL_PCAL_011_X} en ^{PCAL_024_MO_#} de ^{PCAL_024_YR_#}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_037
NEXT	PCAL_041

PCAL_041_#_#	
ASK	PCAL_035=1 (End PCAL LOOP 1a)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	During this time that you were living with ^{FILL_PCAL_011_X} was there another change in your marital status? 1. Yes 0. No
SPANISH	Durante este tiempo que estuvo viviendo con ^{FILL_PCAL_011_X}, ¿hubo algún otro cambio en su estado civil? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	IF PCAL_035 = 1, LOOP THROUGH PCAL LOOP 1A (PCAL_037 – PCAL_041) UNTIL PCAL_041= 0 OR MAX LOOP NUM (5) REACHED.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_037, PCAL_038, PCAL_039
NEXT	If PCAL_041≠0 AND PCAL LOOP 1a<5: PCAL_037 Else: PCAL_043

PCAL_043_#	
ASK	PCAL_033 = 0 or PCAL_030=3 (Continue PCAL LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	At the time you first stopped living with ^{FILL_PCAL_011_X}, what was your legal relationship with ^{FILL_PCAL_011_X}? 0. Never legally married 1. Legally married 2. Legally separated 3. Divorced 4. Widowed
SPANISH	En el momento en que dejó de vivir con ^{FILL_PCAL_011_X}, ¿cuál era su relación legal con ^{FILL_PCAL_011_X}? 0. No estaban casados(as) legalmente 1. Estaban casados(as) legalmente 2. Estaban separados(as) legalmente 3. Estaban divorciado(as) 4. Eran viudos(as)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_030, PCAL_035, PCAL_041
NEXT	If PCAL_043=4: PCAL_069 Else: PCAL_044

PCAL_044_#	
ASK	PCAL_033 =0 or PCAL_030=3 (Continue PCAL LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	Did you ever live with ^{FILL_PCAL_011_X} again? 1. Yes 0. No
SPANISH	¿Ha vivido alguna vez con ^{FILL_PCAL_011_X}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_043
NEXT	If PCAL_044=1: PCAL_046 (Begin PCAL LOOP 1b) Else: PCAL_068

f_PCAL_046_#_# PCAL_046_MO_#_#/PCAL_046_YR_#_#	
ASK	PCAL_044=1 (Begin PCAL LOOP 1b)
QUESTION TYPE	PCAL_046_MO: Dropdown PCAL_046_YR: Numeric
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_024_#: FILL_INTERVIEWYEAR Use fill from PCAL_031: FILL_PCAL_031_2
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_024_#: FILL_INTERVIEWYEAR Use fill from PCAL_031: FILL_PCAL_031_2
ENGLISH	When did you next start living with ^{FILL_PCAL_011_X} again? Month: { - Select - } [PCAL_046_MO_#] Year: _____ [PCAL_046_YR_#]
SPANISH	¿Cuándo fue la siguiente vez que volvió a vivir con ^{FILL_PCAL_011_X}? Mes: { - Seleccione - } [PCAL_046_MO_#] Año: _____ [PCAL_046_YR_#]
RANGE	PCAL_046_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_046_YR: 1950-2030 Spanish: 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_046_YR: 4 digits
LOOP MAX	5
PROGRAM. NOTES	DISPLAY CALENDAR. LOOP THROUGH PCAL LOOP 1b (PCAL_046 – PCAL_066) UNTIL PCAL_066≠1 OR MAX LOOPS (5) REACHED.
CHECK (ENG)	If PCAL_046_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}. PCAL_046_YR_# < PCAL_024_YR_# OR (PCAL_046_YR_# = PCAL_024_YR_# AND PCAL_046_MO_# > PCAL_024_MO_#) display hard check:

	You previously reported that you ^{FILL_PCAL_031_2} ^{FILL_PCAL_011_X} in ^{PCAL_024_MO_#} ^{PCAL_024_YR_#}. Please review your answer.
CHECK (SPAN)	If PCAL_046_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingrese un año entre 1950 y ^{FILL_INTERVIEWYEAR}. IF PCAL_046_YR_# < PCAL_024_YR_# OR (PCAL_046_YR_# = PCAL_024_YR_# AND PCAL_046_MO_# > PCAL_024_MO_#) display hard check: Anteriormente informó que ^{FILL_PCAL_031_2} ^{FILL_PCAL_011_X} en ^{PCAL_024_MO_#} de ^{PCAL_024_YR_#}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_044=1
NEXT	PCAL_047

PCAL_047_#_#	
ASK	PCAL_044=1 (Continue PCAL LOOP 1b)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	Between the time you left and the time you moved back in with ^{FILL_PCAL_011_X} was there any change in your marital status with ^{FILL_PCAL_011_X}? 1. Yes 0. No
SPANISH	Entre el momento en que se fue y el momento en que volvió a vivir con ^{FILL_PCAL_011_X}, ¿hubo algún cambio en su estado civil con ^{FILL_PCAL_011_X}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	LOOP THROUGH PCAL LOOP 1b (PCAL_046 – PCAL_066) UNTIL PCAL_066≠1 OR MAX LOOPS (5) REACHED.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_046
NEXT	If PCAL_047=1: PCAL_050 (begin PCAL LOOP 1b_1) Else: PCAL_056

PCAL_048_#_#	
ASK	PCAL_033 = 1 or DK or REF (Continue PCAL LOOP 1b)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	Since you started living with ^{FILL_PCAL_011_X} has there been any change in your and ^{FILL_PCAL_011_X}'s marital status? 1. Yes 0. No
SPANISH	Desde que empezó a vivir con ^{FILL_PCAL_011_X}, ¿ha habido algún cambio en su estado civil y en el de ^{FILL_PCAL_011_X}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	LOOP THROUGH PCAL LOOP 1b (PCAL_046 – PCAL_066) UNTIL PCAL_066≠1 OR MAX LOOPS (5) REACHED.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_033, PCAL_046
NEXT	If PCAL_048=1: PCAL_050 (begin PCAL LOOP 1b_1) Else if PCPARTCURR=0: PCAL_068 Else if PCAL LOOP 1 NUM<PCPARTNUM: PCAL_022 Else if PCAL LOOP 1 NUM=PCPARTNUM: PCAL_071

PCAL_050_#_#_#	
ASK	PCAL_047 = 1 or PCAL_048 = 1 (Begin PCAL LOOP 1b_1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_037: FILL_PCAL_FIRSTNEXT
FILLS (SPAN)	Use fill from PCAL_037: FILL_PCAL_FIRSTNEXT
ENGLISH	What was the ^{FILL_PCAL_FIRSTNEXT} change in marital status? Did you . . . 1. Become legally married? 2. Reunite? 3. Get a legal separation only? 4. Get a legal divorce? 5. Get an annulment?
SPANISH	¿Cuál fue ^{FILL_PCAL_FIRSTNEXT} que hubo un cambio en su estado civil? Cuando... 1. Se casó legalmente 2. Volvió con esa persona 3. Obtuvo solo una separación legal 4. Obtuvo un divorcio legal 5. Obtuvo una anulación
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	Loop through PCAL LOOP1b_1 (f_PCAL_050 - f_PCAL_054) until PCAL_053=0 or PCAL_054=0 or MAX LOOPS (5) is REACHED
CHECK (ENG)	IF LOOP NUM = 1 AND IF PCAL_011MAR_X (does not equal) 1 AND PCAL_050_# = 3, 4, OR 5, DISPLAY SOFT CHECK: You have not previously indicated that you are married to ^{FILL_PCAL_011_X}. Please check your answer.
CHECK (SPAN)	IF LOOP NUM = 1 AND IF PCAL_011MAR_X (does not equal) 1 AND PCAL_050_# = 3, 4, OR 5, DISPLAY SOFT CHECK: No ha indicado previamente que está casado(a) con ^{FILL_PCAL_011_X}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_047, PCAL_048
NEXT	If PCAL_050=1: PCAL_052 If PCAL_050=3,4,5: PCAL_051 Else: PCAL_053

f_PCAL_051_#_#_# PCAL_051_MO_#_#_#/PCAL_051_YR_#_#_#	
ASK	PCAL_050 = 3, 4, 5 (Continue PCAL LOOP 1b_1)
QUESTION TYPE	PCAL_051_MO_#_#_#: Dropdown PCAL_051_YR_#_#_#: Numeric
FILLS (ENG)	Create fill, FILL_PCAL_050: If PCAL_050 = 3, FILL_PCAL_050: "legal separation" Else if PCAL_050 = 4, FILL_PCAL_050: "legal divorce" Else, if PCAL_050 = 5, FILL_PCAL_050: "annulment" Use fill from PCAL_024_#: FILL_INTERVIEWYEAR 031_#: FILL_PCAL_031_2
FILLS (SPAN)	Create fill, FILL_PCAL_050: If PCAL_050 = 3, FILL_PCAL_050: "la separación legal" Else if PCAL_050 = 4, FILL_PCAL_050: "el divorcio legal" Else, if PCAL_050 = 5, FILL_PCAL_050: "la anulación" Use fill from PCAL_024_#: FILL_INTERVIEWYEAR 031_#: FILL_PCAL_031_2
ENGLISH	In what month and year was the ^{FILL_PCAL_050} obtained? Month: { - Select - } [PCAL_051_MO_#_#_#] Year: _____ [PCAL_051_YR_#_#_#]
SPANISH	¿En qué mes y año se obtuvo ^{FILL_PCAL_050}? Mes: { - Seleccione - } [PCAL_051_MO_#_#_#] Año: _____ [PCAL_051_YR_#_#_#]
RANGE	PCAL_051_MO_#_#_#: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_051_YR: 1950-2030 Spanish: 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_051_YR_#_#_#: 4 digits

<i>LOOP MAX</i>	5
<i>PROGRAM. NOTES</i>	DISPLAY CALENDAR. Loop through PCAL LOOP1b_1 (f_PCAL_050 - f_PCAL_054) until PCAL_053=0 or PCAL_054=0 or MAX LOOPS (5) is REACHED
<i>CHECK (ENG)</i>	If PCAL_051_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}. IF PCAL_051_YR_# < PCAL_024_YR_# OR (PCAL_051_YR_# = PCAL_024_YR_# AND PCAL_051_MO_# > PCAL_024_MO_#), display hard check: You previously reported that you first ^{FILL_PCAL_031_2} with ^{FILL_PCAL_011_X} in ^{PCAL_024_MO_#} ^{PCAL_024_YR_#}. Please review your answer.
<i>CHECK (SPAN)</i>	If PCAL_051_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingresa un año entre 1950 y ^{FILL_INTERVIEWYEAR}. IF PCAL_051_YR_# < PCAL_024_YR_# OR (PCAL_051_YR_# = PCAL_024_YR_# AND PCAL_051_MO_# > PCAL_024_MO_#), display hard check: Anteriormente informó que la primera vez que ^{FILL_PCAL_031_2} ^{FILL_PCAL_011_X} en ^{PCAL_024_MO_#} de ^{PCAL_024_YR_#}. Revise su respuesta.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI, CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCAL_050=3, 4, 5
<i>NEXT</i>	If PCAL_033=1: PCAL_053 Else: PCAL_054

f_PCAL_052_#_#_# PCAL_052_MO_#_#_#/PCAL_052_YR_#_#_#	
ASK	PCAL_050 = 1 (Continue PCAL LOOP 1b_1)
QUESTION TYPE	PCAL_052_MO: Dropdown PCAL_052_YR: Numeric
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_024_#: FILL_INTERVIEWYEAR Create fill, FILL_PCAL_052. If PCAL_032=0 and PCAL_033=1, FILL_PCAL_052: 'first' Else FILL_PCAL_052: 'next'
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_024_#: FILL_INTERVIEWYEAR Create fill, FILL_PCAL_052. If PCAL_032=0 and PCAL_033=1, FILL_PCAL_052: 'la primera vez' Else FILL_PCAL_052: 'la próxima vez'
ENGLISH	In what month and year did you ^{FILL_PCAL_052} marry ^{FILL_PCAL_011_X}? Month: { - Select - } [PCAL_052_MO_#_#_#] Year: _____ [PCAL_052_YR_#_#_#]
SPANISH	¿En qué mes y año fue ^{FILL_PCAL_FIRSTNEXT} que se casó con ^{FILL_PCAL_011_X}? Mes: { - Seleccione - } [PCAL_052_MO_#_#_#] Año: _____ [PCAL_052_YR_#_#_#]
RANGE	PCAL_052_MO_#_#_#: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_052_YR: 1950-2030 Spanish: 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_052_YR_#_#_#: 4 digits
LOOP MAX	5
PROGRAM. NOTES	DISPLAY CALENDAR.

	Loop through PCAL LOOP1b_1 (f_PCAL_050 - f_PCAL_054) until PCAL_053=0 or PCAL_054=0 or MAX LOOPS (5) is REACHED.
CHECK (ENG)	If PCAL_052_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}. If PCAL_011MAR_X = 1 AND IF PCAL_052_YR_# < PCAL_024_YR_# OR (PCAL_052_YR_# = PCAL_024_YR_# AND PCAL_052_MO_# > PCAL_024_MO_#): You previously reported that you married ^{FILL_PCAL_011_X} in ^{PCAL_024_MO_#} ^{PCAL_024_YR_#}. Please review your answer.
CHECK (SPAN)	If PCAL_052_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingresa un año entre 1950 y ^{FILL_INTERVIEWYEAR}. If PCAL_011MAR_X = 1 AND IF PCAL_052_YR_# < PCAL_024_YR_# OR (PCAL_052_YR_# = PCAL_024_YR_# AND PCAL_052_MO_# > PCAL_024_MO_#): Anteriormente informó que se casó con ^{FILL_PCAL_011_X} en ^{PCAL_024_MO_#} de ^{PCAL_024_YR_#}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_050
NEXT	If PCAL_033=1: PCAL_053 Else: PCAL_054

PCAL_053_#_#_#	
ASK	If PCAL_033 = 1 and PCAL_048 = 1 (Continue PCAL LOOP 1b_1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	Was there another change in the marital status between you and ^{FILL_PCAL_011_X}? 1. Yes 0. No
SPANISH	¿Hubo algún otro cambio en el estado civil entre usted y ^{FILL_PCAL_011_X}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	Loop through PCAL LOOP1b_1 (f_PCAL_050 - f_PCAL_054) until PCAL_053=0 or PCAL_054=0 or MAX LOOPS (5) is REACHED.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_051, PCAL_050
NEXT	IF PCAL_053=1 and PCAL Loop 1b_1<5: PCAL_050 IF PCAL_033=1 IF PCAL LOOP 1 NUM<PCPARTNUM: PCAL_022 Else IF PCAL_033=1: PCAL_071 (End PCAL LOOP 1b) ELSE PCAL_056

PCAL_054_#_#_#	
ASK	If PCAL_033 = 0 and PCAL_048 = 1 (End PCAL LOOP 1b_1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	Between the time you left and the time you moved back in with ^{FILL_PCAL_011_X}, was there another change in your marital status? 1. Yes 0. No
SPANISH	Entre el momento en que se fue y el momento en que volvió a vivir con ^{FILL_PCAL_011_X}, ¿hubo algún otro cambio en su estado civil? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	Loop through PCAL LOOP1b_1 (f_PCAL_050 - f_PCAL_054) until PCAL_053=0 or PCAL_054=0 or MAX LOOPS (5) is REACHED.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_051, PCAL_052
NEXT	IF PCAL_054=1 and PCAL LOOP 1b_1 NUM<5: PCAL_050 Else: PCAL_056

PCAL_056_#_#	
ASK	PCAL_033 ≠ 1 (Continue PCAL LOOP 1b)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Create FILL_PCAL_TOGETHERAGAIN: IF PCAL_046_YR_#_#=missing, FILL_PCAL_TOGETHERAGAIN: “you started living with ^ {FILL_PCAL_011_X} again” ELSE FILL_PCAL_TOGETHERAGAIN: ‘PCAL_046_MO_#_#’ ‘PCAL_046_YR_#_#’
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Create FILL_PCAL_TOGETHERAGAIN: IF PCAL_046_YR_#_#=missing, FILL_PCAL_TOGETHERAGAIN: “comenzó a vivir con ^ {FILL_PCAL_011_X} de nuevo” ELSE FILL_PCAL_TOGETHERAGAIN: ‘PCAL_046_MO_#_#’ ‘PCAL_046_YR_#_#’
ENGLISH	Have you lived with ^ {FILL_PCAL_011_X} continuously since ^ {FILL_PCAL_TOGETHERAGAIN}? 1. Yes 0. No
SPANISH	¿Vivió con ^ {FILL_PCAL_011_X} continuamente desde que ^ {FILL_PCAL_TOGETHERAGAIN}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	LOOP THROUGH PCAL LOOP 1b (PCAL_046 – PCAL_066) UNTIL PCAL_066≠1 OR MAX LOOPS (5) REACHED.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_047, PCAL_054
NEXT	If PCAL_056=1: PCAL_058 Else: PCAL_057

f_PCAL_057_#_# PCAL_057_MO_#_#/PCAL_057_YR_#_#	
ASK	PCAL_056 ≠ 1 (Continue PCAL LOOP 1b)
QUESTION TYPE	PCAL_057_MO_#_#: Dropdown PCAL_057_YR_#_#: Numeric
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
ENGLISH	In what month and year did you next stop living with ^{FILL_PCAL_011_X}? Month: { - Select - } [PCAL_057_MO_#_#] Year: _____ [PCAL_057_YR_#_#]
SPANISH	¿En qué mes y año dejó de vivir con ^{FILL_PCAL_011_X} la siguiente vez? Mes: { - Seleccione - } [PCAL_057_MO_#_#] Año: _____ [PCAL_057_YR_#_#]
RANGE	PCAL_057_MO_#_#: List months in order. 1 = “January”, 2 = “February”, ... 12 = “December” PCAL_057_YR: 1950-2030 Spanish: 1 = “Enero” 2 = “Febrero” 3 = “Marzo” 4 = “Abril” 5 = “Mayo” 6 = “Junio” 7 = “Julio” 8 = “Agosto” 9 = “Septiembre” 10 = “Octubre” 11 = “Noviembre” 12 = “Diciembre”
LIMITS	PCAL_057_YR_#_#: 4 digits
LOOP MAX	5
PROGRAM. NOTES	DISPLAY CALENDAR. LOOP THROUGH PCAL LOOP 1b (PCAL_046 – PCAL_066) UNTIL PCAL_066≠1 OR MAX LOOPS (5) REACHED.
CHECK (ENG)	If PCAL_057_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}. IF PCAL_057_YR_# < PCAL_046_YR_# OR (PCAL_057_YR_# = PCAL_046_YR_# AND PCAL_057_MO_# > PCAL_046_MO_#), display hard check: You previously reported that you next started living with ^{FILL_PCAL_011NAME_X} in ^{PCAL_046_MO_#} ^{PCAL_046_YR_#}. Please review your answer.

<i>CHECK (SPAN)</i>	If PCAL_057_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingrese un año entre 1950 y ^{FILL_INTERVIEWYEAR}. IF PCAL_057_YR_# < PCAL_046_YR_# OR (PCAL_057_YR_# = PCAL_046_YR_# AND PCAL_057_MO_# > PCAL_046_MO_#), display hard check: Anteriormente informó que comenzó a vivir nuevamente con ^{FILL_PCAL_011NAME_X} en ^{PCAL_046_MO_#} de ^{PCAL_046_YR_#}. Revise su respuesta.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI, CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCAL_056
<i>NEXT</i>	PCAL_058

PCAL_058_#_#	
ASK	PCAL_033 = 0 (Continue PCAL LOOP 1b)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	During this time that you were living with ^{FILL_PCAL_011_X}, were there any changes in your marital status? 1. Yes 0. No
SPANISH	Durante el tiempo que estuvo viviendo con ^{FILL_PCAL_011_X}, ¿hubo algún cambio en su estado civil? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	LOOP THROUGH PCAL LOOP 1b (PCAL_046 – PCAL_066) UNTIL PCAL_066≠1 OR MAX LOOPS (5) REACHED.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_056=1, PCAL_057
NEXT	If PCAL_058=1: PCAL_060 (Begin PCAL LOOP 1b_2) Else IF PCAL_056=1 and PCAL LOOP 1 NUM<PCPARTNUM: PCAL_022 Else If PCAL_056=1 PCAL_071 Else: PCAL_065

PCAL_060_#_#_#	
ASK	PCAL_058=1 (Begin PCAL LOOP 1b_2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_037: FILL_PCAL_FIRSTNEXT
FILLS (SPAN)	Use fill from PCAL_037: FILL_PCAL_FIRSTNEXT
ENGLISH	What was the ^{FILL_PCAL_FIRSTNEXT} change in marital status? Did you . . . 1. Become legally married? 2. Reunite? 3. Get a legal separation only? 4. Get a legal divorce? 5. Get an annulment?
SPANISH	¿Cuál fue ^{FILL_PCAL_FIRSTNEXT} que hubo un cambio en su estado civil? Cuando... 1. Se casó legalmente 2. Volvió con esa persona 3. Obtuvo solo una separación legal 4. Obtuvo un divorcio legal 5. Obtuvo una anulación
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	Loop through PCAL LOOP 1b_2 (PCAL_060-PCAL_063) until PCAL_063≠ 1 or max loops (5) reached.
CHECK (ENG)	IF LOOP NUM = 1 AND IF PCAL_011MAR_X (does not equal) 1 AND PCAL_060_# = 3, 4, OR 5, DISPLAY SOFT CHECK: You have not previously indicated that you are married to ^{FILL_PCAL_011_X}. Please check your answer.
CHECK (SPAN)	IF LOOP NUM = 1 AND IF PCAL_011MAR_X (does not equal) 1 AND PCAL_060_# = 3, 4, OR 5, DISPLAY SOFT CHECK: No ha indicado previamente que está casado(a) con ^{FILL_PCAL_011_X}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_058
NEXT	PCAL_060=1: PCAL_062 If PCAL_060=3,4,5: PCAL_061 Else: PCAL_063 (End PCAL LOOP 1b_2)

f_PCAL_061_#_#_# PCAL_061_MO_#_#_#/PCAL_061_YR_#_#_#	
ASK	PCAL_060=3 or 4 or 5 (Continue PCAL LOOP 1b_2)
QUESTION TYPE	PCAL_061_MO_#_#_#: Dropdown PCAL_061_YR_#_#_#: Numeric
FILLS (ENG)	Create fill, FILL_PCAL_061. If PCAL_060 = 3, FILL_PCAL_061: "legal separation" Else if PCAL_060 = 4, FILL_PCAL_061: "legal divorce" Else, if PCAL_060 = 5, FILL_PCAL_061: "annulment" Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
FILLS (SPAN)	Create fill, FILL_PCAL_061. If PCAL_060 = 3, FILL_PCAL_061: "la separación legal" Else if PCAL_060 = 4, FILL_PCAL_061: "el divorcio legal" Else, if PCAL_060 = 5, FILL_PCAL_061: "la anulación" Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
ENGLISH	In what month and year was the ^{FILL_PCAL_061} obtained? Month: { - Select - } [PCAL_061_MO_#_#_#] Year: _____ [PCAL_061_YR_#_#_#]
SPANISH	¿En qué mes y año obtuvo ^{FILL_PCAL_061}? Mes: { - Seleccione - } [PCAL_061_MO_#_#_#] Año: _____ [PCAL_061_YR_#_#_#]
RANGE	PCAL_061_MO_#_#_#: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_061_YR: 1950-2030 Spanish: 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_061_YR_#_#_#: 4 digits
LOOP MAX	5
PROGRAM. NOTES	DISPLAY CALENDAR.

	Loop through PCAL LOOP 1b_2 (PCAL_060-PCAL_063) until PCAL_063≠ 1 or max loops (5) reached.
CHECK (ENG)	If PCAL_061_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}. IF LOOP NUM = 1 AND (IF PCAL_061_YR_# < PCAL_046_YR_# OR (PCAL_061_YR_# = PCAL_046_YR_# AND PCAL_061_MO_# > PCAL_046_MO_#)), display hard check: You previously reported that you started living with ^{FILL_PCAL_011_X} in ^{PCAL_046_MO_#} ^{PCAL_046_YR_#}. Please review your answer. IF LOOP NUM > 1 AND (IF PCAL_061_YR_# < PCAL_062_YR_# OR (PCAL_061_YR_# = PCAL_062_YR_# AND PCAL_061_MO_# > PCAL_062_MO_#)), display hard check: You previously reported that you married ^{FILL_PCAL_011_X} in ^{PCAL_062_MO_#} ^{PCAL_062_YR_#}. Please review your answer.
CHECK (SPAN)	If PCAL_061_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingrese un año entre 1950 y ^{FILL_INTERVIEWYEAR}. IF LOOP NUM = 1 AND (IF PCAL_061_YR_# < PCAL_046_YR_# OR (PCAL_061_YR_# = PCAL_046_YR_# AND PCAL_061_MO_# > PCAL_046_MO_#)), display hard check: Anteriormente informó que comenzó a vivir con ^{FILL_PCAL_011_X} en ^{PCAL_046_MO_#} de ^{PCAL_046_YR_#}. Revise su respuesta. IF LOOP NUM > 1 AND (IF PCAL_061_YR_# < PCAL_062_YR_# OR (PCAL_061_YR_# = PCAL_062_YR_# AND PCAL_061_MO_# > PCAL_062_MO_#)), display hard check: Anteriormente informó que se casó con ^{FILL_PCAL_011_X} en ^{PCAL_062_MO_#} de ^{PCAL_062_YR_#}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_060=3, 4, 5
NEXT	PCAL_063 (End PCAL LOOP 1b_2)

f_PCAL_062_#_#_# PCAL_062_MO_#_#_#/PCAL_062_YR_#_#_#	
ASK	PCAL_060=1 (Continue PCAL LOOP 1b_2)
QUESTION TYPE	PCAL_062_MO_#_#_#: Dropdown PCAL_062_YR_#_#_#: Numeric
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_037: FILL_PCAL_FIRSTNEXT Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Use fill from PCAL_037: FILL_PCAL_FIRSTNEXT Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
ENGLISH	In what month and year did you ^{FILL_PCAL_FIRSTNEXT} marry ^{FILL_PCAL_011_X}? Month: { - Select - } [PCAL_062_MO_#_#_#] Year: _____ [PCAL_062_YR_#_#_#]
SPANISH	¿En qué mes y año fue ^{FILL_PCAL_FIRSTNEXT} que se casó con ^{FILL_PCAL_011_X}? Mes: { - Seleccione - } [PCAL_062_MO_#_#_#] Año: _____ [PCAL_062_YR_#_#_#]
RANGE	PCAL_062_MO_#_#_#: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCAL_062_YR: 1950-2030 Spanish: 1 = "Enero" 2 = "Febrero" 3 = "Marzo" 4 = "Abril" 5 = "Mayo" 6 = "Junio" 7 = "Julio" 8 = "Agosto" 9 = "Septiembre" 10 = "Octubre" 11 = "Noviembre" 12 = "Diciembre"
LIMITS	PCAL_062_YR_#_#_#: 4 digits
LOOP MAX	5
PROGRAM. NOTES	DISPLAY CALENDAR. Loop through PCAL LOOP 1b_2 (PCAL_060-PCAL_063) until PCAL_063≠ 1 or max loops (5) reached.
CHECK (ENG)	If PCAL_062_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}. If PCAL_011MAR_X = 1 AND IF PCAL_062_YR_# < PCAL_052_YR_# OR (PCAL_062_YR_# = PCAL_052_YR_# AND PCAL_062_MO_# > PCAL_052_MO_#):

	You previously reported that you married ^{FILL_PCAL_011_X} in ^{PCAL_052_MO_#} ^{PCAL_052_YR_#}. Please review your answer.
CHECK (SPAN)	If PCAL_062_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingrese un año entre 1950 y ^{FILL_INTERVIEWYEAR}. If PCAL_011MAR_X = 1 AND IF PCAL_062_YR_# < PCAL_052_YR_# OR (PCAL_062_YR_# = PCAL_052_YR_# AND PCAL_062_MO_# > PCAL_052_MO_#): Anteriormente informó que se casó con ^{FILL_PCAL_011_X} en ^{PCAL_052_MO_#} de ^{PCAL_052_YR_#}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_060=1
NEXT	PCAL_063 (End PCAL LOOP 1b_2)

PCAL_063_#_#_#	
ASK	PCAL_058=1 (End PCAL LOOP 1b_2)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	During this time that you were living with ^{FILL_PCAL_011_X} was there another change in your marital status? 1. Yes 0. No
SPANISH	Durante este tiempo que estuvo viviendo con ^{FILL_PCAL_011_X}, ¿hubo algún otro cambio en su estado civil? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	Loop through PCAL LOOP 1b_2 (PCAL_060-PCAL_063) until PCAL_063≠ 1 or max loops (5) reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_060, PCAL_061, PCAL_062
NEXT	IF PCAL_063=1 and PCAL LOOP 1b_2<5: PCAL_060 ELSE IF PCAL_033=1 and IF PCAL LOOP 1 NUM<PCPARTNUM: PCAL_022 Else if PCAL_033=1: PCAL_071 ELSE: PCAL_065

PCAL_065_#_#	
ASK	PCAL_033 = 0 (Continue PCAL LOOP 1b)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	At the time you next stopped living with ^{FILL_PCAL_011_X}, what was the legal status of you and ^{FILL_PCAL_011_X}...? 0. Never legally married 1. Legally married 2. Legally separated 3. Divorced 4. Widowed
SPANISH	En el momento en que dejó de vivir con ^{FILL_PCAL_011_X}, ¿cuál era la situación legal de usted y ^{FILL_PCAL_011_X}? 0. No estaban casados(as) legalmente 1. Estaban casados(as) legalmente 2. Estaban separados(as) legalmente 3. Estaban divorciado(as) 4. Eran viudos(as)
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	LOOP THROUGH PCAL LOOP 1b (PCAL_046 – PCAL_066) UNTIL PCAL_066≠1 OR MAX LOOPS (5) REACHED.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_058, PCAL_063
NEXT	If PCAL_065=4: PCAL_069 Else: PCAL_066 (End PCAL LOOP 1b)

PCAL_066_#_#	
ASK	PCAL_033 = 0 (End PCAL LOOP 1b)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X
ENGLISH	Did you ever live with ^{FILL_PCAL_011_X} again? 1. Yes 0. No
SPANISH	¿Ha vivido alguna vez con ^{FILL_PCAL_011_X}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	LOOP THROUGH PCAL LOOP 1b (PCAL_046 – PCAL_066) UNTIL PCAL_066≠1 OR MAX LOOPS (5) REACHED.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_048, PCAL_054, PCAL_064, PCAL_065
NEXT	If PCAL_066=1 and PCAL LOOP 1b NUM<5: PCAL_046 IF PCAL_033=1 or PCAL_056=1 and IF PCAL LOOP 1 NUM<PCPARTNUM: PCAL_022 Else if PCAL_033=1 or PCAL_056=1: PCAL_071 Else: PCAL_068

PCAL_068_#	
ASK	If PCAL_033 ≠ 1 AND PCAL_056 ≠ 1 and PCAL_043≠4 and PCAL_065≠4 (Continue PCAL LOOP 1)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How did this relationship finally end? 1. Break-up 2. Annulment 3. Legal separation only (no legal divorce) 4. Legal divorce 5. Death of partner 6. My spouse/partner and I are still together but not living together
SPANISH	¿Cómo terminó finalmente esta relación? 1. Corte de la relación 2. Anulación 3. Solo separación legal (no divorcio legal) 4. Divorcio legal 5. Fallecimiento de la pareja 6. Mi cónyuge/pareja y yo seguimos junto(as) pero no convivimos
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_044, PCAL_066
NEXT	If PCAL_068_#≠PCAL_037_# AND PCAL_068=3, 4, 5: PCAL_069 (End PCAL LOOP 1) Else IF PCAL LOOP 1 NUM<PCPARTNUM: PCAL_022 Else: PCAL_071

f_PCAL_069_# PCAL_069_MO_#/PCAL_069_YR_#	
ASK	If PCAL_033 ≠ 1 AND PCAL_056 ≠ 1 and PCAL_068_#≠PCAL_037_# (End PCAL LOOP 1)
QUESTION TYPE	PCAL_069_MO_#: Dropdown PCAL_069_YR_#: Numeric
FILLS (ENG)	Use fill from PCAL_011: FILL_PCAL_011_X Create fill FILL_PCAL_SEPDIV: IF PCAL_068=3 FILL_PCAL_SEPDIV: “did you and ^{FILL_PCAL_011_X} separate”; ELSE IF PCAL_068=4 FILL_PCAL_SEPDIV: “was your legal divorce from ^{FILL_PCAL_011_X} obtained”; ELSE IF PCAL_068=5 OR IF PCAL_043=4 OR IF PCAL_065 = 4, FILL_PCAL_SEPDIV: “did ^{FILL_PCAL_011_X} die” Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
FILLS (SPAN)	Use fill from PCAL_011: FILL_PCAL_011_X Create fill FILL_PCAL_SEPDIV: IF PCAL_068=3 FILL_PCAL_SEPDIV: “se separaron usted y ^{FILL_PCAL_011_X}”; ELSE IF PCAL_068=4 FILL_PCAL_SEPDIV: "se obtuvo el divorcio legal de ^{FILL_PCAL_011_X}”; ELSE IF PCAL_068=5 OR IF PCAL_043=4 OR IF PCAL_065 = 4, FILL_PCAL_SEPDIV: “murió ^{FILL_PCAL_011_X}” Use fill from PCAL_024_#: FILL_INTERVIEWYEAR
ENGLISH	In what month and year ^{FILL_PCAL_SEPDIV}? { - Select - } [PCAL_069_MO_#] Year: _____ [PCAL_069_YR_#]
SPANISH	¿En qué mes y año ^{FILL_PCAL_SEPDIV}? { - Seleccione - } [PCAL_069_MO_#] Año: _____ [PCAL_069_YR_#]
RANGE	PCAL_069_MO_#: List months in order. 1 = “January”, 2 = “February”, ... 12 = “December” PCAL_069_YR: 1950-2030 Spanish: 1 = “Enero” 2 = “Febrero” 3 = “Marzo” 4 = “Abril” 5 = “Mayo” 6 = “Junio” 7 = “Julio” 8 = “Agosto” 9 = “Septiembre” 10 = “Octubre” 11 = “Noviembre” 12 = “Diciembre”

<i>LIMITS</i>	PCAL_069_YR_#: 4 digits
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	DISPLAY CALENDAR. Loop through PCAL LOOP1 (f_PCAL_022 - f_PCAL_069) until loop number=PCPARTNUM or maximum loops (15) is reached.
<i>CHECK (ENG)</i>	If PCAL_069_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}. IF PCAL_069_YR_# < PCAL_024_YR_# OR (PCAL_069_YR_# = PCAL_024_YR_# AND PCAL_069_MO_# > PCAL_024_MO_#), display hard check: You previously reported that you ^{FILL_PCAL_031} ^{FILL_PCAL_011_X} in ^{PCAL_024_MO_#} ^{PCAL_024_YR_#}. Please review your answer.
<i>CHECK (SPAN)</i>	If PCAL_069_YR OUT OF RANGE OR IN THE FUTURE ON DOI, DISPLAY HARD CHECK: Ingrese un año entre 1950 y ^{FILL_INTERVIEWYEAR}. IF PCAL_069_YR_# < PCAL_024_YR_# OR (PCAL_069_YR_# = PCAL_024_YR_# AND PCAL_069_MO_# > PCAL_024_MO_#), display hard check: Anteriormente informó que ^{FILL_PCAL_031} ^{FILL_PCAL_011_X} en ^{PCAL_024_MO_#} de ^{PCAL_024_YR_#}. Revise su respuesta.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI, CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCAL_065, PCAL_068
<i>NEXT</i>	IF PCAL LOOP 1 NUM<PCPARTNUM: PCAL_022 Else: PCAL_071

f_PCAL_071 PCAL_071A/PCAL_071B/PCAL_071C/PCAL_071D/PCAL_071E/PCAL_071F/PCAL_071G/PCAL_071H/PCAL_071I	
ASK	All respondents
QUESTION TYPE	Radio grid
FILLS (ENG)	Create fill, FILL_CHILDDOB. If YOUTH_DOB of oldest youth not missing, FILL_CHILDDOB: 'YOUTH_DOB' of oldest youth IF 'YOUTH_DOB' = -DK OR REF OR IS INCOMPLETE, CREATE 'YOUTH_DOBSUB': 'YOUTH_DOBSUB' = CURRENT DATE – YOUTH_AGE Else FILL_CHILDDOB: 'YOUTH_DOBSUB' of oldest youth Create fill FILL_PCAL071. If TEENPARENT=1, FILL_PCAL071: 'Since your 18th birthday' Ele FILL_PCAL071: 'Since ^{FILL_CHILDDOB}'
FILLS (SPAN)	Create fill, FILL_CHILDDOB. If YOUTH_DOB of oldest youth not missing, FILL_CHILDDOB: 'YOUTH_DOB' of oldest youth IF 'YOUTH_DOB' = -DK OR REF OR IS INCOMPLETE, CREATE 'YOUTH_DOBSUB': 'YOUTH_DOBSUB' = CURRENT DATE – YOUTH_AGE Else FILL_CHILDDOB: 'YOUTH_DOBSUB' of oldest youth Create fill FILL_PCAL071. If TEENPARENT=1, FILL_PCAL071: 'Desde que cumplió los 18 años' Ele FILL_PCAL071: 'Desde ^{FILL_CHILDDOB}'
ENGLISH	Sometimes people go through hard times or need some help. These next questions are about government programs that assist individuals and families, and whether or not you might have received assistance from them. ^{FILL_PCAL071}, have you ever... COLUMN HEADERS: 1. Yes 0. No ROW ITEMS: a. Lived in a public housing project? [PCAL_071A] b. Received rental certificates or vouchers from a public agency? [PCAL_071B] c. Received transportation assistance, such as gas vouchers, bus passes, or help registering, repairing, or insuring a car? [PCAL_071C] d. Received government childcare services or assistance so you could go to work or school or training? [PCAL_071D] e. Received help paying energy bills? [PCAL_071E] f. Received food assistance from the Women, Infants, and Children (WIC) or Supplemental Nutrition Assistance (SNAP) or Food Stamps programs? [PCAL_071F] g. Received cash assistance from Supplemental Security Income or SSI? [PCAL_071G] h. Received cash assistance from Temporary Assistance for Needy Families (TANF), Aid to Families with Dependent Children (AFDC), or other government programs to help low-income families? [PCAL_071H] i. Received other non-cash assistance from the government because you had income that was too low to meet your needs? [PCAL_071I]

SPANISH	A veces las personas pasan por momentos difíciles o necesitan ayuda. Las siguientes preguntas son sobre programas gubernamentales que ayudan a las personas y a las familias, y sobre si ha recibido o no ayuda de estos. ^{FILL_PCAL071}, alguna vez... COLUMN HEADERS: 1. Sí 0. No ROW ITEMS: a. ¿Vivió en un proyecto de viviendas públicas? [PCAL_071A] b. ¿Recibió certificados o cupones de alquiler de una agencia pública? [PCAL_071B] c. ¿Recibió ayuda para el transporte, como cupones de gasolina, pases de autobús o ayuda para registrar, reparar o asegurar un coche? [PCAL_071C] d. ¿Recibió servicios de cuidado infantil o ayuda del gobierno para poder ir a trabajar, a la escuela o a una capacitación? [PCAL_071D] e. ¿Recibió ayuda para pagar las facturas de la luz? [PCAL_071E] f. ¿Recibió ayuda alimentaria del Programa para Mujeres, Bebés y Niños (WIC, por sus siglas en inglés) o del Programa de Asistencia Nutricional Suplementaria (SNAP, por sus siglas en inglés) o del programa de cupones para alimentos? [PCAL_071F] g. ¿Recibió ayuda en efectivo de la Seguridad de Ingreso Suplementario (SSI, por sus siglas en inglés)? [PCAL_071G] h. ¿Recibió asistencia en efectivo de Asistencia Temporal para Familias Necesitadas (TANF, por sus siglas en inglés), Ayuda a Familias con Hijos Dependientes (AFDC, por sus siglas en inglés) u otros programas gubernamentales de ayuda a familias de bajos ingresos? [PCAL_071H] i. ¿Recibió otra ayuda no monetaria del gobierno porque sus ingresos eran demasiado bajos para cubrir sus necesidades? [PCAL_071I]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_009, PCAL_018, PCAL_031, PCAL_063, PCAL_066, PCAL_068, PCAL_069
NEXT	If PCAL_071A=1: PCAL_072 Else if PCAL_071B=1: PCAL_073 Else if PCAL_071C=1: PCAL_074 Else if PCAL_071D=1: PCAL_075 Else if PCAL_071E=1: PCAL_076 Else if PCAL_071F=1: PCAL_077

Else if PCAL_071G=1: PCAL_078 Else if PCAL_071H=1: PCAL_079 Else if PCAL_071I=1: PCAL_080 Else: PCAL_081

PCAL_072	
ASK	PCAL_071A = 1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During how many years of the past five years have you lived in a public housing project? <i>If you have not lived in a public housing project in the last five years, please enter "0."</i> Number of years: _____
SPANISH	¿Durante cuántos años de los últimos cinco ha vivido en un proyecto de viviendas públicas? <i>Si no ha vivido en un proyecto de viviendas públicas en los últimos cinco años, ingrese "0".</i> Número de años: _____
RANGE	0-5
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	IF PCAL_072 OUT OF RANGE: Please enter a number of years between 0 and 5.
CHECK (SPAN)	IF PCAL_072 OUT OF RANGE: Ingrese un número de años entre 0 y 5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071
NEXT	If PCAL_071B=1: PCAL_073 Else if PCAL_071C=1: PCAL_074 Else if PCAL_071D=1: PCAL_075 Else if PCAL_071E=1: PCAL_076 Else if PCAL_071F=1: PCAL_077 Else if PCAL_071G=1: PCAL_078 Else if PCAL_071H=1: PCAL_079 Else if PCAL_071I=1: PCAL_080 Else: PCAL_081

PCAL_073	
ASK	PCAL_071B=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During how many years of the past five years have you received rental certificates or vouchers from a public agency? <i>If you have not received rental certificates or vouchers from a public agency in the last five years, please enter "0."</i> Number of years: _____
SPANISH	¿Durante cuántos años de los últimos cinco ha recibido certificados o cupones de alquiler de una agencia pública? <i>Si no ha recibido certificados o cupones de alquiler de una agencia pública en los últimos cinco años, ingrese "0".</i> Número de años: _____
RANGE	0-5
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	IF PCAL_073 OUT OF RANGE: Please enter a number of years between 0 and 5.
CHECK (SPAN)	IF PCAL_073 OUT OF RANGE: Ingrese un número de años entre 0 y 5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071, PCAL_072
NEXT	If PCAL_071C=1: PCAL_074 Else if PCAL_071D=1: PCAL_075 Else if PCAL_071E=1: PCAL_076 Else if PCAL_071F=1: PCAL_077 Else if PCAL_071G=1: PCAL_078 Else if PCAL_071H=1: PCAL_079 Else if PCAL_071I=1: PCAL_080 Else: PCAL_081

PCAL_074	
ASK	PCAL_071C=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During how many years of the past five years have you received transportation assistance, such as gas vouchers, bus passes, or help registering, repairing, or insuring a car? <i>If you have not received transportation assistance in the last five years, please enter "0."</i> Number of years: _____
SPANISH	¿Durante cuántos años de los últimos cinco ha recibido ayuda para el transporte, como cupones de gasolina, pases de autobús o ayuda para registrar, reparar o asegurar un coche? <i>Si no ha recibido ayuda para el transporte en los últimos cinco años, ingrese "0".</i> Número de años: _____
RANGE	0-5
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	IF PCAL_074 OUT OF RANGE: Please enter a number of years between 0 and 5.
CHECK (SPAN)	IF PCAL_074 OUT OF RANGE: Ingrese un número de años entre 0 y 5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071, PCAL_072, PCAL_073
NEXT	If PCAL_071D=1: PCAL_075 Else if PCAL_071E=1: PCAL_076 Else if PCAL_071F=1: PCAL_077 Else if PCAL_071G=1: PCAL_078 Else if PCAL_071H=1: PCAL_079 Else if PCAL_071I=1: PCAL_080 Else: PCAL_081

PCAL_075	
ASK	PCAL_071D=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During how many years of the past five years have you received government childcare services or assistance so you could go to work or school or training? <i>If you have not received government childcare services or assistance in the last five years, please enter "0."</i> Number of years: _____
SPANISH	¿Durante cuántos años de los últimos cinco ha recibido servicios de cuidado infantil o ayuda del gobierno para poder ir a trabajar, a la escuela o a una capacitación? <i>Si no ha recibido servicios o ayudas gubernamentales para el cuidado infantil en los últimos cinco años, ingrese "0".</i> Número de años: _____
RANGE	0-5
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	IF PCAL_075 OUT OF RANGE: Please enter a number of years between 0 and 5.
CHECK (SPAN)	IF PCAL_075 OUT OF RANGE: Ingrese un número de años entre 0 y 5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071, PCAL_072, PCAL_073, PCAL_074
NEXT	If PCAL_071E=1: PCAL_076 Else if PCAL_071F=1: PCAL_077 Else if PCAL_071G=1: PCAL_078 Else if PCAL_071H=1: PCAL_079 Else if PCAL_071I=1: PCAL_080 Else: PCAL_081

PCAL_076	
ASK	PCAL_071E=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During how many years of the past five years have you received help paying energy bills? <i>If you have not received help paying energy bills in the last five years, please enter "0."</i> Number of years: _____
SPANISH	¿Durante cuántos años de los últimos cinco ha recibido ayuda para pagar las facturas de la luz? <i>Si no ha recibido ayuda para pagar las facturas de la luz en los últimos cinco años, ingrese "0".</i> Número de años: _____
RANGE	0-5
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	IF PCAL_076 OUT OF RANGE: Please enter a number of years between 0 and 5.
CHECK (SPAN)	IF PCAL_076 OUT OF RANGE: Ingrese un número de años entre 0 y 5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071, PCAL_072, PCAL_073, PCAL_074, PCAL_075
NEXT	If PCAL_071F=1: PCAL_077 Else if PCAL_071G=1: PCAL_078 Else if PCAL_071H=1: PCAL_079 Else if PCAL_071I=1: PCAL_080 Else: PCAL_081

PCAL_077	
ASK	PCAL_071F=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During how many years of the past five years have you received food assistance from the Women, Infants, and Children (WIC) or Supplemental Nutrition Assistance (SNAP) or Food Stamps programs? <i>If you have not received food assistance in the last five years, please enter "0."</i> Number of years: _____
SPANISH	¿Durante cuántos años de los últimos cinco ha recibido ayuda alimentaria del Programa para Mujeres, Bebés y Niños (WIC) o del Programa de Asistencia Nutricional Suplementaria (SNAP) o del programa de cupones para alimentos? <i>Si no ha recibido ayuda alimentaria en los últimos cinco años, ingrese "0".</i> Número de años: _____
RANGE	0-5
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	IF PCAL_077 OUT OF RANGE: Please enter a number of years between 0 and 5.
CHECK (SPAN)	IF PCAL_077 OUT OF RANGE: Ingrese un número de años entre 0 y 5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071, PCAL_072, PCAL_073, PCAL_074, PCAL_075, PCAL_076
NEXT	If PCAL_071G=1: PCAL_078 Else if PCAL_071H=1: PCAL_079 Else if PCAL_071I=1: PCAL_080 Else: PCAL_081

PCAL_078	
ASK	PCAL_071G=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During how many years of the past five years have you received cash assistance from Supplemental Security Income or SSI? <i>If you have not received cash assistance from Supplemental Security Income or SSI in the last five years, please enter "0."</i> Number of years: _____
SPANISH	¿Durante cuántos años de los últimos cinco ha recibido ayuda en efectivo de la Seguridad de Ingreso Suplementario o SSI? <i>Si no ha recibido ayuda en efectivo de la Seguridad de Ingreso Suplementario o SSI en los últimos cinco años, ingrese "0".</i> Número de años: _____
RANGE	0-5
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	IF PCAL_078 OUT OF RANGE: Please enter a number of years between 0 and 5.
CHECK (SPAN)	IF PCAL_078 OUT OF RANGE: Ingrese un número de años entre 0 y 5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071, PCAL_072, PCAL_073, PCAL_074, PCAL_075, PCAL_076, PCAL_077
NEXT	If PCAL_071H=1: PCAL_079 Else if PCAL_071I=1: PCAL_080 Else: PCAL_081

PCAL_079	
ASK	PCAL_071H=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During how many years of the past five years have you received cash assistance from Temporary Assistance for Needy Families (TANF), Aid to Families with Dependent Children (AFDC), or other government programs to help low-income families? <i>If you have not received cash assistance from TANF, AFDC, or other government programs in the last five years, please enter "0."</i> Number of years: _____
SPANISH	¿Durante cuántos años de los últimos cinco ha recibido asistencia en efectivo de Asistencia Temporal para Familias Necesitadas (TANF, por sus siglas en inglés), Ayuda a Familias con Hijos Dependientes (AFDC, por sus siglas en inglés) u otros programas gubernamentales de ayuda a familias de bajos ingresos? <i>Si no ha recibido ayuda en efectivo de TANF, AFDC u otros programas gubernamentales en los últimos cinco años, ingrese "0".</i> Número de años: _____
RANGE	0-5
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	IF PCAL_079 OUT OF RANGE: Please enter a number of years between 0 and 5.
CHECK (SPAN)	IF PCAL_079 OUT OF RANGE: Ingrese un número de años entre 0 y 5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071, PCAL_072, PCAL_073, PCAL_074, PCAL_075, PCAL_076, PCAL_077, PCAL_078
NEXT	If PCAL_071I=1: PCAL_080 Else: PCAL_081

PCAL_080	
ASK	PCAL_071I=1
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During how many years of the past five years have you received other non-cash assistance from the government because you had income that was too low to meet your needs? <i>If you have not received other non-cash assistance from the government in the last five years, please enter "0."</i> Number of years: _____
SPANISH	¿Durante cuántos años de los últimos cinco recibió otra ayuda no monetaria del gobierno porque sus ingresos eran demasiado bajos para cubrir sus necesidades? <i>Si no ha recibido ninguna otra ayuda no monetaria del gobierno en los últimos cinco años, ingrese "0".</i> Número de años: _____
RANGE	0-5
LIMITS	
LOOP MAX	
PROGRAM. NOTES	DISPLAY CALENDAR
CHECK (ENG)	IF PCAL_080 OUT OF RANGE: Please enter a number of years between 0 and 5.
CHECK (SPAN)	IF PCAL_080 OUT OF RANGE: Ingrese un número de años entre 0 y 5.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071, PCAL_072, PCAL_073, PCAL_074, PCAL_075, PCAL_076, PCAL_077, PCAL_078, PCAL_079
NEXT	PCAL_081

PCAL_081	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	These questions are about your experiences during the early part of the coronavirus pandemic, also known as the COVID-19 outbreak. Please think about the time from March 2020 through July 2020. Was there a change in where you lived during this time? <i>This could mean temporarily living in a different place or a permanent move.</i> 1. Yes 0. No
SPANISH	Estas preguntas son sobre sus experiencias durante la primera parte de la pandemia de coronavirus, también conocida como “brote de COVID-19”. Piense en el período de tiempo entre marzo de 2020 y julio de 2020. ¿Hubo algún cambio en el lugar donde vivía durante este tiempo? <i>Esto podría significar que vivió temporalmente en un lugar diferente o que tuvo una mudanza permanente.</i> 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_071, PCAL_072, PCAL_073, PCAL_074, PCAL_075, PCAL_076, PCAL_077, PCAL_078, PCAL_079, PCAL_080
NEXT	PCAL_082

PCAL_082	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Was there a change in who you lived with between March and July 2020? <i>This could mean a temporary or permanent change in the people you lived with.</i> 1. Yes 0. No
SPANISH	¿Hubo algún cambio en la persona con la que vivía entre marzo y julio de 2020? <i>Esto podría significar un cambio temporal o permanente en las personas con las que vivía.</i> 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_081
NEXT	PCAL_083

f_PCAL_083 PCAL_083A/PCAL_083B/PCAL_083C/PCAL_083D/PCAL_083E/PCAL_083E_SPECIFY	
ASK	All respondents
QUESTION TYPE	Radio grid: PCAL_083A, PCAL_083B, PCAL_083C, PCAL_083D, PCAL_083E Text: PCAL_083E_SPECIFY
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During the initial COVID-19 outbreak from March to July of 2020, many people were “quarantined,” meaning they stayed at home and severely limited contact with people outside of their home, only leaving the house for necessities. Which of the following quarantine scenarios did you or the people you were living with experience during the COVID-19 outbreak between March and July of 2020? Please answer yes or no for each of the following. COLUMN HEADERS: 1. Yes 0. No ROW ITEMS: a. Voluntary quarantine due to fear of COVID-19 exposure [PCAL_083A] b. Voluntary quarantine due to a confirmed or suspected COVID-19 case in the household [PCAL_083B] c. Mandated self-isolation or quarantine by a medical professional due to confirmed or suspected COVID-19 case, where you were not allowed to go out for any reason including groceries [PCAL_083C] d. “Stay-at-home” or “Shelter-in-place” order by local government and/or employer urging people to stay home (usually you could still take walks and socialize outdoors while maintaining social distancing) [PCAL_083D] e. Another quarantine scenario Please describe: _____ [PCAL_083E] [PCAL_083E_SPECIFY]
SPANISH	Durante el brote inicial de COVID-19, de marzo a julio de 2020, muchas personas tuvieron que hacer “cuarentena”, lo que significa que se quedaron en casa y limitaron mucho el contacto con personas externas a su hogar; solo salían de casa para cubrir sus necesidades. ¿Cuál de los siguientes escenarios de cuarentena experimentaron usted o las personas con las que vivía durante el brote de COVID-19 entre marzo y julio de 2020? Responda “Sí” o “No” para cada opción. COLUMN HEADERS: 1. Sí 0. No ROW ITEMS: a. Cuarentena voluntaria por temor a la exposición al COVID-19 [PCAL_083A] b. Cuarentena voluntaria debido a un caso confirmado o sospechoso de COVID-19 en el hogar [PCAL_083B] c. Autoaislamiento obligatorio o cuarentena requerida por un profesional médico debido a un caso confirmado o sospechoso de COVID-19, en el que no se le permitió salir por ningún motivo, incluso para hacer las compras [PCAL_083C] d. Orden de “quedarse en casa” o de “refugiarse en un lugar” por parte del gobierno local y/o del empleador en la que se instaba a las personas a quedarse en

	casa (normalmente se podía seguir dando paseos y socializando al aire libre si se mantenía el distanciamiento social) [PCAL_083D] e. Otro escenario de cuarentena Describe: _____) [PCAL_083E] [PCAL_083E_SPECIFY]
RANGE	
LIMITS	PCAL_083E_SPECIFY: 100 characters
LOOP MAX	
PROGRAM. NOTES	If response "E" is selected, display PCAL_083E_SPECIFY
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_082
NEXT	PCAL_084

PCAL_084	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	During the initial COVID-19 outbreak from March to July 2020, did anyone in your family or any of your close friends die because of COVID-19? 1. Yes 0. No
SPANISH	Durante el brote inicial de COVID-19 de marzo a julio de 2020, ¿murió alguien de su familia o alguna de sus amistades más cercanas a causa de la COVID-19? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_083
NEXT	If PCAL_084=0: PCAL_086 Else: PCAL_085

f_PCAL_085 PCAL_085A/PCAL_085B/PCAL_085C/PCAL_085D/PCAL_085E/PCAL_085F/PCAL_085G/PCAL_085H/ PCAL_085H_SPECIFY	
ASK	PCAL_084 ≠ 0
QUESTION TYPE	Radio grid: PCAL_085A, PCAL_085B, PCAL_085C, PCAL_085D, PCAL_085E, PCAL_085F, PCAL_085G, PCAL_085H Text: PCAL_085H_SPECIFY
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Who died of COVID-19 during the initial COVID-19 outbreak (March to July 2020)? For family members, note that this may include biological, step, or adoptive parents, children, siblings, or others. Please answer yes or no for each of the following. COLUMN HEADERS: - Yes - No ROW ITEMS: - Your spouse or partner [PCAL_085A] - Your parent or parental figure [PCAL_085B] - Your child or a child under your care [PCAL_085C] - Your sibling [PCAL_085D] - Your grandparent [PCAL_085E] - Other family member(s) of yours (for example, aunt, uncle, cousin) [PCAL_085F] - Your close friend [PCAL_085G] - Some other person Please describe: _____) [PCAL_085H] [PCAL_085H_SPECIFY]
SPANISH	¿Quién murió de COVID-19 durante el brote inicial (de marzo a julio de 2020)? En el caso de los miembros de la familia, tenga en cuenta que puede incluir a los padres/madres biológicos(as), adoptivos(as) o madrastras/padrastrros, hijos(as), hermanos(as) u otros(as). Responda "Sí" o "No" para cada opción. COLUMN HEADERS: - Sí - No ROW ITEMS: - Su cónyuge o pareja [PCAL_085A] - Su padre/madre o figura parental [PCAL_085B] - Su hijo(a) o un(a) niño(a) a su cargo [PCAL_085C] - Su hermano(a) [PCAL_085D] - Su abuelo(a) [PCAL_085E] - Otro(s) familiar(es) suyo(s) (por ejemplo, tía, tío, prima, primo) [PCAL_085F] - Un(a) amigo(a) cercano(a) [PCAL_085G] - Alguna otra persona Describa: _____) [PCAL_085H] [PCAL_085H_SPECIFY]
RANGE	

LIMITS	PCAL_085H_SPECIFY: 100 characters
LOOP MAX	
PROGRAM. NOTES	If response "H" is selected, display PCAL_085H_SPECIFY
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_084
NEXT	PCAL_086

PCAL_086	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Did you lose any job(s) during the initial COVID-19 outbreak (March to July 2020)? 1. Yes 0. No
SPANISH	¿Perdió empleo durante el brote inicial de COVID-19 (de marzo a julio de 2020)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_085; PCAL_084
NEXT	PCAL_087

PCAL_087	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Did you quit any job(s) during the initial COVID-19 outbreak (March to July 2020)? 1. Yes 0. No
SPANISH	¿Dejó algún trabajo durante el brote inicial de COVID-19 (de marzo a julio de 2020)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_086
NEXT	PCAL_088

PCAL_088	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Did you start a new job during the initial COVID-19 outbreak (March to July 2020)? 1. Yes 0. No
SPANISH	¿Comenzó un nuevo trabajo durante el brote inicial de COVID-19 (de marzo a julio de 2020)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_087
NEXT	PCAL_089

f_PCAL_089	
PCAL_089A/PCAL_089B/PCAL_089C/PCAL_089D/PCAL_089E/PCAL_089F/PCAL_089G/PCAL_089H/PCAL_089H_SPECIFY	
ASK	All respondents
QUESTION TYPE	PCAL_089A/PCAL_089B/PCAL_089C/PCAL_089D/PCAL_089E/PCAL_089F/PCAL_089G/PCAL_089H: Radio grid PCAL_089H_SPECIFY: textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Did you experience significant changes with your job (e.g., workload, hours, pay, etc.) because of or during the initial COVID-19 outbreak (March to July 2020)? <i>Please answer yes or no for each of the following.</i> COLUMN HEADERS: 1. Yes 0. No ROW ITEMS: a. Switched to working remotely [PCAL_089A] b. Increase in work hours [PCAL_089B] c. Decrease in work hours [PCAL_089C] d. Increase in workload [PCAL_089D] e. Decrease in workload [PCAL_089E] f. Salary or wages cut [PCAL_089F] g. Salary or wages increased [PCAL_089G] h. Some other significant change Please describe: _____) [PCAL_089H] [PCAL_089H_SPECIFY]
SPANISH	¿Experimentó cambios significativos en su trabajo (por ejemplo, carga de trabajo, horas, salario, etc.) a causa del brote inicial de COVID-19 o durante este (de marzo a julio de 2020)? <i>Responda "Sí" o "No" para cada opción.</i> COLUMN HEADERS: 1. Sí 0. No ROW ITEMS: a. Pasó a trabajar a distancia [PCAL_089A] b. Aumento de las horas de trabajo [PCAL_089B] c. Disminución de las horas de trabajo [PCAL_089C] d. Aumento de la carga de trabajo [PCAL_089D] e. Disminución de la carga de trabajo [PCAL_089E] f. Recorte de sueldo o salario [PCAL_089F] g. Aumento del sueldo o salario [PCAL_089G] h. Algún otro cambio significativo Describe: _____) [PCAL_089H] [PCAL_089H_SPECIFY]
RANGE	
LIMITS	PCAL_089H_SPECIFY: 100 characters

<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	If response “H” is selected, display PCAL_089H_SPECIFY
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI, CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCAL_088
<i>NEXT</i>	PCAL_090

PCAL_090	
ASK	All respondents
QUESTION TYPE	Radio button, with special response
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Did anyone else in your household lose their job or lose a significant amount of their income as a result of the COVID-19 outbreak (March to July 2020)? 1. Yes 0. No -9. Not applicable, there were no other adults living in my household during this time.
SPANISH	¿Alguien más de su hogar perdió empleo o una parte importante de sus ingresos como consecuencia del brote de COVID-19 (de marzo a julio de 2020)? 1. Sí 0. No -9. No corresponde, no había otros adultos viviendo en mi hogar durante este tiempo.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI, CASI
NOTES	
LEAD-IN	PCAL_089
NEXT	PHEA_001

NLSY27 Specifications Formatting
Parent Health (PHEA)

PRELOADS:

PRELOAD THE FOLLOWING VARIABLES FROM THE HOUSEHOLD SCREENER:

YOUTH_NAME: Name of the eligible youth, copied from HHNAME

HH_ANYPLG: 0/1 flag for whether a household member was reported as a parent or legal guardian for any youth on the roster

OLDESTYOUTH: Name of oldest youth on youth roster

PRELOAD THE FOLLOWING VARIABLES FROM THE PARENT INFORMATION MODULE

PRELOAD THE FOLLOWING VARIABLES FROM THE PARENT INFORMATION MODULE:

PCPARTNER: HHNAME of the person on the household roster who is identified as partner of P/C respondent

PCSPOUSE: HHNAME of the person on the household roster who is identified as spouse of P/C respondent

PCSPOUSEID: HHID of the person on the household roster who is identified as spouse of P/C respondent

PCPARTNERID: HHID of the person on the household roster who is identified as partner of P/C respondent

NONRESROSTER:

NONRES_PARENT_UID (Unique ID for each non-residential parent)

NONRES_NAME: Equal to BIOMOMNAME OR BIODADNAME

NONRES_DECEASED: 1 if BIODADDECEASED or BIOMOMDECEASED=1, else 0

NONRES_YOUTH1_NAME, NONRES_YOUTH2_NAME, NONRES_YOUTH3_NAME, NONRES_YOUTH4_NAME , etc.:
YOUTH_NAME for eligible youth affiliated with this parent

Paradata:

Capture item level timing.

Include a time/date stamp at beginning and end of module.

General Notes:

- Do not display response option numbers/letters.
- Do not display DK and REF on each screen at loading.
 - If R tries to move forward without providing a response, display DK ('Don't know') and REF ('Prefer not to answer') on screen.
 - Unless otherwise noted, include a soft prompt for R to respond or select DK/REF option:
"Your answers are very important. Please consider selecting a response."
 - If R still tries to move forward without answering, assign REF code to missing response.

- Unless otherwise noted, include a soft prompt for R to respond or select DK/REF option:
“Your answers are very important. Please consider selecting a response.”

If R still tries to move forward without answering, assign REF code to missing response.

PHEA_001	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	The next few questions are about your health. In general, how is your physical health? 5. Excellent 4. Very good 3. Good 2. Fair 1. Poor
SPANISH	Las siguientes preguntas son sobre su salud. En general, ¿cómo está su estado de salud físico? 5. Excelente 4. Muy bien 3. Bien 2. Regular 1. Mal
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCAL_90
NEXT	PHEA_002

PHEA_002	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In general, how is your mental or emotional health? 5. Excellent 4. Very good 3. Good 2. Fair 1. Poor
SPANISH	En general, ¿cómo está su estado de salud mental o emocional? 5. Excelente 4. Muy bien 3. Bien 2. Regular 1. Mal
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_001
NEXT	PHEA_003

PHEA_003	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Do you have any long-term health problem or condition that limits the type or amount of employment you can accept? 1. Yes 0. No
SPANISH	¿Tiene algún problema o afección de salud a largo plazo que limite el tipo o la cantidad de empleo que puede aceptar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_002
NEXT	PHEA_004

PHEA_004	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	Fill OLDESTYOUTH from HHS
FILLS (SPAN)	Fill OLDESTYOUTH from HHS
ENGLISH	Do you have, or since ^{FILL_OLDESTYOUTH}'s birth, have you ever had, any serious long-standing medical condition(s), such as severe heart problems, cancer, or a potentially life-threatening disease? 1. Yes 0. No
SPANISH	¿Tiene o ha tenido desde el nacimiento de ^{FILL_OLDESTYOUTH} alguna afección grave de larga duración, como problemas graves del corazón, cáncer o una enfermedad que pone en peligro la vida? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_003
NEXT	¡PHEA_005

f_PHEA_005 PHEA_005HEIGHTFT / PHEA_005HEIGHTIN	
ASK	All respondents
QUESTION TYPE	Numeric: PHEA_005HEIGHTFT / PHEA_005HEIGHTIN Special radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How tall are you without your shoes? Feet: _____ [PHEA_005HEIGHTFT] Inches _____ [PHEA_005HEIGHTIN] -8. I prefer to report height in centimeters
SPANISH	¿Cuánto mide sin zapatos? Pies: _____ [PHEA_005HEIGHTFT] Pulgadas: _____ [PHEA_005HEIGHTIN] -8. Prefiero ingresar la altura en centímetros
RANGE	PHEA_005HEIGHTFT: RANGE = 2-6 PHEA_005HEIGHTIN: RANGE = 0-11
LIMITS	PHEA_005HEIGHTFT: LIMIT = 1 digit PHEA_005HEIGHTIN: LIMIT = 2 digits
LOOP MAX	
PROGRAM. NOTES	INCLUDE SEPARATE NUMBOX FOR FEET AND INCHES ON SAME ROW WITH CORRESPONDING LABELS; ALSO INCLUDE A SINGLE SELECT OPTION TO REPORT HEIGHT IN CENTIMETERS DIRECTLY BELOW NUMBOX ENTRIES.
CHECK (ENG)	PHEA_005HEIGHTFT: Please enter a number of feet between 2 and 6. PHEA_005HEIGHTIN: Please enter a number of inches between 0 and 11.
CHECK (SPAN)	PHEA_005HEIGHTFT: Ingrese un número de pies entre 2 y 6. PHEA_005HEIGHTIN: Ingrese un número de pulgadas entre 0 y 11.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_004
NEXT	If f_PHEA_005=-8: f_PHEA_006; Else: f_PHEA_007

f_PHEA_006 PHEA_006HEIGHTCEN	
ASK	IF PHEA_005 = -8
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How tall are you in centimeters without your shoes? Centimeters: _____ [PHEA_006HEIGHTCEN]
SPANISH	¿Cuánto mide en centímetros sin zapatos? Centímetros: _____ [PHEA_006HEIGHTCEN]
RANGE	PHEA_006HEIGHTCEN: RANGE = 60-213
LIMITS	PHEA_006HEIGHTCEN: LIMIT = 3 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	IF PHEA_006HEIGHTCEN OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of centimeters between 60 and 213.
CHECK (SPAN)	IF PHEA_006HEIGHTCEN OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de centímetros entre 60 y 213.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_005
NEXT	f_PHEA_007

f_PHEA_007 PHEA_007WEIGHTLB	
ASK	All respondents
QUESTION TYPE	Numeric: PHEA_007WEIGHTLB Special radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Approximately how much do you weigh? Pounds: _____ [PHEA_007WEIGHTLB] -8. I prefer to report weight in kilograms
SPANISH	¿Cuánto pesa aproximadamente? Libras: _____ [PHEA_007WEIGHTLB] -8. Prefiero informar el peso en kilogramos
RANGE	PHEA_007WEIGHTLB: RANGE = 10-500
LIMITS	PHEA_007WEIGHTLB: LIMIT = 3 digits
LOOP MAX	
PROGRAM. NOTES	INCLUDE SEPARATE NUMERIC INPUT FOR PHEA_007WEIGHTLB AND INCLUDE A SINGLE SELECT OPTION TO REPORT WEIGHT IN KILOGRAMS DIRECTLY BELOW NUMBOX ENTRY.
CHECK (ENG)	IF PHEA_007WEIGHTLB OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of pounds between 10 and 500.
CHECK (SPAN)	IF PHEA_007WEIGHTLB OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de libras entre 10 y 500.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_005 / f_PHEA_006
NEXT	If f_PHEA_007=-8: f_PHEA_008; Else PHEA_009

f_PHEA_008 PHEA_008WEIGHTKILO	
ASK	IF PHEA_007 = -8
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Approximately how much do you weigh? Kilograms: _____ [PHEA_008WEIGHTKILO]
SPANISH	¿Cuánto pesa aproximadamente? Kilogramos: PHEA_005HEIGHTFT: Please enter a number of feet between 2 and 9.
RANGE	PHEA_008WEIGHTKILO: RANGE = 4.5-227.0
LIMITS	PHEA_008WEIGHTKILO: LIMIT = 3 digits and one decimal place
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	IF PHEA_008WEIGHTKILO OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of kilograms between 4.5 and 227.
CHECK (SPAN)	IF PHEA_008WEIGHTKILO OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de kilogramos entre 4.5 y 227.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_007
NEXT	PHEA_009

PHEA_009	
ASK	All respondents
QUESTION TYPE	Computer Check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	This is a computer check. Do not display this screen. Is there another parent on the household roster—i.e. does anyone else on HHROSTER have HH_ANYPLG=1? 1. Yes 0. No If yes, set PLGNAME=HH_NAME for person on HHROSTER with HH_ANYPLG=1.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_007 / f_PHEA_008
NEXT	If PHEA_009=1: PHEA_010; Else: PHEA_014

f_PHEA_010 PHEA_010HEIGHTFT / PHEA_010HEIGHTIN	
ASK	If PHEA_009 = 1
QUESTION TYPE	Numeric: PHEA_010HEIGHTFT / PHEA_010HEIGHTIN Special radio button
FILLS (ENG)	FILL PLGNAME from PHEA_009
FILLS (SPAN)	FILL PLGNAME from PHEA_009
ENGLISH	Approximately what is ^{PLGNAME}'s height without shoes? Feet: _____ [PHEA_010HEIGHTFT] Inches _____ [PHEA_010HEIGHTIN] -8. I prefer to report height in centimeters
SPANISH	¿Cuánto mide aproximadamente ^{PLGNAME} sin zapatos? Pies: _____ [PHEA_010HEIGHTFT] Pulgadas: _____ [PHEA_010HEIGHTIN] -8. Prefiero ingresar la altura en centímetros
RANGE	PHEA_010HEIGHTFT: RANGE = 2-6 PHEA_010HEIGHTIN: RANGE = 0-11
LIMITS	PHEA_010HEIGHTFT: LIMIT = 1 digit PHEA_010HEIGHTIN: LIMIT = 2 digits
LOOP MAX	
PROGRAM. NOTES	INCLUDE SEPARATE NUMBOX FOR FEET AND INCHES ON SAME ROW WITH CORRESPONDING LABELS; ALSO INCLUDE A SINGLE SELECT OPTION TO REPORT HEIGHT IN CENTIMETERS DIRECTLY BELOW NUMBOX ENTRIES.
CHECK (ENG)	IF PHEA_010HEIGHTFT OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of feet between 2 and 6. IF PHEA_010HEIGHTIN OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of inches between 0 and 11.
CHECK (SPAN)	IF PHEA_010HEIGHTFT OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de pies entre 2 y 6. IF PHEA_010HEIGHTIN OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de pulgadas entre 0 y 11.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_009
NEXT	If f_PHEA_010=-8: f_PHEA_011; Else: f_PHEA_012

f_PHEA_011 PHEA_011HEIGHTCEN	
ASK	IF f_PHEA_010 = -8
QUESTION TYPE	Numeric
FILLS (ENG)	FILL PLGNAME from PHEA_009
FILLS (SPAN)	FILL PLGNAME from PHEA_009
ENGLISH	Approximately what is ^{PLGNAME}'s height in centimeters without shoes? Centimeters: _____ [PHEA_011HEIGHTCEN]
SPANISH	¿Cuál es aproximadamente la altura de ^{PLGNAME} en centímetros sin zapatos? Centímetros: _____ [PHEA_011HEIGHTCEN]
RANGE	PHEA_011HEIGHTCEN: RANGE = 60-213
LIMITS	PHEA_011HEIGHTCEN: LIMIT = 3 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	IF PHEA_011HEIGHTCEN OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of centimeters between 60 and 213.
CHECK (SPAN)	IF PHEA_011HEIGHTCEN OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de centímetros entre 60 y 213.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_010
NEXT	f_PHEA_012

f_PHEA_012 PHEA_012WEIGHTLB	
ASK	All respondents
QUESTION TYPE	Numeric: PHEA_012WEIGHTLB Special radio button
FILLS (ENG)	FILL PLGNAME from PHEA_009
FILLS (SPAN)	FILL PLGNAME from PHEA_009
ENGLISH	Approximately how much does ^{PLGNAME} weigh? Pounds: _____ [PHEA_012WEIGHTLB] -8. I prefer to report weight in kilograms
SPANISH	¿Cuánto pesa aproximadamente ^{PLGNAME}? Libras: _____ [PHEA_012WEIGHTLB] -8. Prefiero informar el peso en kilogramos
RANGE	PHEA_012WEIGHTLB: RANGE = 10-500
LIMITS	PHEA_012WEIGHTLB: LIMIT = 3 digits
LOOP MAX	
PROGRAM. NOTES	INCLUDE SEPARATE NUMERIC INPUT FOR PHEA_012WEIGHTLB AND INCLUDE A SINGLE SELECT OPTION TO REPORT WEIGHT IN KILOGRAMS DIRECTLY BELOW NUMBOX ENTRY.
CHECK (ENG)	IF PHEA_012WEIGHTLB OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of pounds between 10 and 500.
CHECK (SPAN)	IF PHEA_012WEIGHTLB OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de libras entre 10 y 500.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_010 / f_PHEA_011
NEXT	If f_PHEA_012=-8: PHEA_013; Else: PHEA_014

f_PHEA_013 PHEA_0013WEIGHTKILO	
ASK	IF f_PHEA_012 = -8
QUESTION TYPE	Numeric
FILLS (ENG)	FILL PLGNAME from PHEA_009
FILLS (SPAN)	FILL PLGNAME from PHEA_009
ENGLISH	Approximately how much does ^{PLGNAME} weigh? Kilograms: _____ [PHEA_013WEIGHTKILO]
SPANISH	¿Cuánto pesa aproximadamente ^{PLGNAME}? Kilogramos: _____ [PHEA_013WEIGHTKILO]
RANGE	PHEA_013WEIGHTKILO: RANGE = 4.5-227.0
LIMITS	PHEA_013WEIGHTKILO: LIMIT = 3 digits and 1 decimal point
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	IF PHEA_013WEIGHTKILO OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of kilograms between 4.5 and 227.
CHECK (SPAN)	IF PHEA_013WEIGHTKILO OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de kilogramos entre 4.5 y 227.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_012
NEXT	PHEA_014

PHEA_014	
ASK	All respondents (Begin PHEA Loop 1)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	This is a computer check. Do not display this screen. Loop PHEA Loop 1 (f_PHEA_014 through PHEA_019) FOR EACH NON-RESIDENTIAL PARENT ON NONRESROSTER Create Var: NRPARENTQCOUNT Set equal to number of roster lines on NONRESROSTER
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_007 / f_PHEA_008 / f_PHEA_012 / f_PHEA_013
NEXT	If NRPARENTQCOUNT > 0: PHEA_015; Else: PHEA_019

f_PHEA_015_# PHEA_015HEIGHTFT_# / PHEA_015HEIGHTIN_#	
ASK	If NRPARENTQCOUNT > 0 (Continue PHEA Loop 1)
QUESTION TYPE	Numeric: PHEA_015HEIGHTFT_# / PHEA_015HEIGHTIN_# Special radio button
FILLS (ENG)	CREATE FILL, FILL_NRYOUTHNAMES: FILL ALL YOUTH NAMES ASSOCIATED WITH NONRESPARENT FROM NONRESROSTER, (NONRES_YOUTH#_NAME), SEPARATED BY "and" CREATE FILL FILL_NONRESNAME: 'NONRESNAME' CREATE FILL_WASIS: IF NONRES_DECEASED=1, FILL_WASIS: 'was' ELSE, FILL_WASIS: 'is'
FILLS (SPAN)	CREATE FILL, FILL_NRYOUTHNAMES: FILL ALL YOUTH NAMES ASSOCIATED WITH NONRESPARENT FROM NONRESROSTER, (NONRES_YOUTH#_NAME), SEPARATED BY "y" CREATE FILL FILL_NONRESNAME: 'NONRESNAME' CREATE FILL_WASIS: IF NONRES_DECEASED=1, FILL_WASIS: 'era' ELSE, FILL_WASIS: 'es'
ENGLISH	The next couple of questions are about ^{FILL_NRYOUTHNAMES}'s birth parent, ^{NONRESNAME}. Approximately what ^{FILL_WASIS} their height without shoes? Feet: _____ [PHEA_015HEIGHTFT_#] Inches: _____ [PHEA_015HEIGHTIN_#] -8. I prefer to report height in centimeters
SPANISH	Las siguientes preguntas son sobre el(la) padre/madre biológico(a) de ^{FILL_NRYOUTHNAMES}, ^{NONRESNAME}. ¿Aproximadamente cuál ^{FILL_WASIS} su altura sin zapatos? Pies: _____ [PHEA_015HEIGHTFT_#] Pulgadas: _____ [PHEA_015HEIGHTIN_#] -8. Prefiero ingresar la altura en centímetros
RANGE	PHEA_015HEIGHTFT_#: RANGE = 2-6 PHEA_015HEIGHTIN_#: RANGE = 0-11
LIMITS	PHEA_015HEIGHTFT_#: LIMIT = 1 digit PHEA_015HEIGHTIN_#: LIMIT = 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop PHEA Loop 1 (f_PHEA_014 through PHEA_019) FOR EACH NON-RESIDENTIAL PARENT ON NONRESROSTER Create variable PHEALoop1[#].NONRES_PARENT_UID= NONRES_PARENT_UID INCLUDE SEPARATE NUMBOX FOR FEET AND INCHES ON SAME ROW WITH CORRESPONDING LABELS; ALSO INCLUDE A SINGLE SELECT OPTION TO REPORT HEIGHT IN CENTIMETERS DIRECTLY BELOW NUMBOX ENTRIES.
CHECK (ENG)	IF PHEA_015HEIGHTFT_# OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of feet between 2 and 6. IF PHEA_015HEIGHTIN_# OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of inches between 0 and 11.

<i>CHECK (SPAN)</i>	IF PHEA_015HEIGHTFT_# OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de pies entre 2 y 6. IF PHEA_015HEIGHTIN_# OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de pulgadas entre 0 y 11.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PHEA_014
<i>NEXT</i>	If PHEA_015_#=-8: PHEA_016_#; Else: PHEA_017_#

f_PHEA_016_# PHEA_016HEIGHTCEN_#	
ASK	IF PHEA_015_# = -8 (Continue PHEA Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	CREATE FILL_WASIS: IF NRDECEASED=1, FILL_WASIS: 'was' ELSE, FILL_WASIS: 'is'
FILLS (SPAN)	CREATE FILL_WASIS: IF NRDECEASED=1, FILL_WASIS: 'era' ELSE, FILL_WASIS: 'es'
ENGLISH	Approximately what ^{FILL_WASIS} their height without shoes? Centimeters: _____ [PHEA_016HEIGHTCEN_#]
SPANISH	¿Aproximadamente cuál ^{FILL_WASIS} su altura sin zapatos? Centímetros: _____ [PHEA_016HEIGHTCEN_#]
RANGE	PHEA_016HEIGHTCEN_#: RANGE = 60-213
LIMITS	PHEA_016HEIGHTCEN_#: LIMIT = 3 digits
LOOP MAX	15
PROGRAM. NOTES	Loop PHEA Loop 1 (f_PHEA_014 through PHEA_019) FOR EACH NON-RESIDENTIAL PARENT ON NONRESROSTER
CHECK (ENG)	IF PHEA_016HEIGHTCEN_# OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of centimeters between 60 and 213.
CHECK (SPAN)	IF PHEA_016HEIGHTCEN_# OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de centímetros entre 60 y 213.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_015_#
NEXT	PHEA_017_#

f_PHEA_017_# PHEA_017WEIGHTLB_#	
ASK	All respondents (Continue PHEA Loop 1)
QUESTION TYPE	Numeric: PHEA_017WEIGHTLB_# Checkbox
FILLS (ENG)	CREATE FILL_DIDDOES: IF NRDECEASED=1, FILL_DIDDOES: 'did' ELSE, FILL_DIDDOES: 'does' USE FILL_NONRESNAME FROM PHEA_015 CREATE FILL_DECEASED: IF NONRES_DECEASED=1, FILL_DECEASED: 'during their adult life' ELSE FILL_DECEASED: "
FILLS (SPAN)	CREATE FILL_DIDDOES: IF NRDECEASED=1, FILL_DIDDOES: 'pesaba' ELSE, FILL_DIDDOES: 'pesa' USE FILL_NONRESNAME FROM PHEA_015 CREATE FILL_DECEASED: IF NONRES_DECEASED=1, FILL_DECEASED: 'durante su vida adulta' ELSE FILL_DECEASED: "
ENGLISH	On average, how much ^{FILL_DIDDOES} ^{FILL_NONRESNAME} weigh ^{FILL_DECEASED}? Pounds: _____ [PHEA_017WEIGHTLB_#] -8. I prefer to report weight in kilograms
SPANISH	En promedio, ¿cuánto ^{FILL_DIDDOES} ^{FILL_NONRESNAME} ^{FILL_DECEASED}? Libras: _____ [PHEA_017WEIGHTLB_#] -8. Prefiero informar el peso en kilogramos
RANGE	PHEA_017WEIGHTLB_#: RANGE = 10-500
LIMITS	PHEA_017WEIGHTLB_#: LIMIT = 3 digits
LOOP MAX	15
PROGRAM. NOTES	Loop PHEA Loop 1 (f_PHEA_014 through PHEA_019) FOR EACH NON-RESIDENTIAL PARENT ON NONRESROSTER INCLUDE NUMBOX FOR WEIGHT; ALSO INCLUDE A SINGLE SELECT OPTION TO REPORT WEIGHT IN POUNDS DIRECTLY BELOW NUMBOX ENTRIES.
CHECK (ENG)	IF PHEA_017WEIGHTLB_# OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of pounds between 10 and 500.
CHECK (SPAN)	IF PHEA_017WEIGHTLB_# OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de libras entre 10 y 500.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_016
NEXT	If f_PHEA_017=-8: f_PHEA_018; Else: PHEA_019

f_PHEA_018_ PHEA_0018WEIGHTKILO_#	
ASK	IF f_PHEA_017_# = -8 (Continue PHEA Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	CREATE FILL_DIDDO: IF NRDECEASED=1, FILL_DIDDO: 'did' ELSE, FILL_DIDDO: 'do' CREATE FILL_DECEASED: IF NRDECEASED=1, FILL_DECEASED: 'during their adult life' ELSE FILL_DECEASED: "
FILLS (SPAN)	CREATE FILL_DIDDO: IF NRDECEASED=1, FILL_DIDDO: 'pesó' ELSE, FILL_DIDDO: 'pesaba' CREATE FILL_DECEASED: IF NRDECEASED=1, FILL_DECEASED: 'durante su vida adulta' ELSE FILL_DECEASED: "
ENGLISH	On average, how much ^{FILL_DIDDO} they weigh ^{FILL_DECEASED}? Kilograms: _____ [PHEA_018WEIGHTKILO_#]
SPANISH	En promedio, ¿cuánto ^{FILL_DIDDOES} ^{NONRESNAME} ^{FILL_DECEASED}? Kilogramos: _____ [PHEA_018WEIGHTKILO_#]
RANGE	PHEA_018WEIGHTKILO_#: RANGE = 4.5-227.0
LIMITS	PHEA_018WEIGHTKILO_#: LIMIT = 3 digits and 1 decimal
LOOP MAX	15
PROGRAM. NOTES	Loop PHEA Loop 1 (f_PHEA_014 through PHEA_019) FOR EACH NON-RESIDENTIAL PARENT ON NONRESROSTER
CHECK (ENG)	IF PHEA_018WEIGHTKILO_# OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number of kilograms between 4.5 and 227.
CHECK (SPAN)	IF PHEA_018WEIGHTKILO_# OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número de kilogramos entre 4.5 y 227.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_017
NEXT	PHEA_019

PHEA_019	
ASK	All respondents (End PHEA Loop 1)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	This is a computer check. Do not display this screen. Loop PHEA Loop 1 (f_PHEA_015 through PHEA_019) FOR EACH NON-RESIDENTIAL PARENT ON NONRESROSTER
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PHEA_017 / f_PHEA_018
NEXT	If PCPART>0: PHEA_020; Else: PHEA_023

PHEA_020	
ASK	IF SPOUSEIDPCSPOUSEID>0 or PARTNERIDPCPARTNERID>0
QUESTION TYPE	Radio button
FILLS (ENG)	CREATE FILL_PARTNERNAME: If PCSPOUSE≠ missing, FILL_PARTNERNAME: '^{PCSPOUSE},' ELSE IF PCPARTNER ≠ missing, FILL_PARTNERNAME: '^{PCPARTNER}, ' FROM PRELOAD ELSE, FILL_PARTNERNAME: Empty
FILLS (SPAN)	CREATE FILL_PARTNERNAME: If PCSPOUSE≠ missing, FILL_PARTNERNAME: '^{PCSPOUSE},' ELSE IF PCPARTNER ≠ missing, FILL_PARTNERNAME: '^{PCPARTNER}, ' FROM PRELOAD ELSE, FILL_PARTNERNAME: Empty
ENGLISH	The next few questions are about the health of ^{FILL_SPOUSENAME} ^{PARTNERNAME}, your spouse or partner. In general, how is their physical health? 5. Excellent 4. Very good 3. Good 2. Fair 1. Poor
SPANISH	Las siguientes preguntas son sobre la salud de ^{FILL_SPOUSENAME} ^{PARTNERNAME}, su cónyuge o pareja. En general, ¿cómo es su salud física? 5. Excelente 4. Muy buena 3. Buena 2. Regular 1. Mala
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_019
NEXT	PHEA_021

PHEA_021	
ASK	IF PCSPOUSEID>0 or PCPARTNERID>0
QUESTION TYPE	Radio button
FILLS (ENG)	CREATE FILL_PARTNERNAME1: If PCSPOUSE≠ missing, FILL_PARTNERNAME1: 'PCSPOUSE' from preload ELSE IF PCPARTNER ≠ missing, FILL_PARTNERNAME1: 'PCPARTNER' FROM PRELOAD ELSE, FILL_PARTNERNAME1: 'your spouse or partner'
FILLS (SPAN)	CREATE FILL_PARTNERNAME1: If PCSPOUSE≠ missing, FILL_PARTNERNAME1: 'PCSPOUSE' from preload ELSE IF PCPARTNER ≠ missing, FILL_PARTNERNAME1: 'PCPARTNER' FROM PRELOAD ELSE, FILL_PARTNERNAME1: 'su cónyuge o pareja'
ENGLISH	In general, how is ^{FILL_SPOUSENAME} ^{PARTNERNAME}^{PARTNERNAME1}'s mental or emotional health? 5. Excellent 4. Very good 3. Good 2. Fair 1. Poor
SPANISH	En general, ¿cómo se encuentra la salud mental o emocional de ^{FILL_SPOUSENAME} ^{PARTNERNAME} ^{PARTNERNAME1}? 5. Excelente 4. Muy bien 3. Bien 2. Regular 1. Mala
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_020
NEXT	PHEA_022

PHEA_022	
ASK	IF PCSPOUSEID>0 or PCPARTNERID>0
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill FILL_PARTNERNAME1 from PHEA_021
FILLS (SPAN)	Use fill FILL_PARTNERNAME1 from PHEA_021
ENGLISH	Does ^{FILL_SPOUSENAME} ^{PARTNERNAME} have any long-term health problem or condition that limits the type or amount of employment they can accept? 1. Yes 0. No
SPANISH	¿Tiene ^{FILL_SPOUSENAME} ^{PARTNERNAME} algún problema o afección de salud a largo plazo que limite el tipo o la cantidad de empleo que puede aceptar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_021
NEXT	PHEA_023

PHEA_023	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these statements best describes the food eaten in your household in the past 12 months? 1. Enough of the kinds of food we want to eat 2. Enough but not always the kinds of food we want to eat 3. Sometimes not enough to eat 4. Often not enough to eat
SPANISH	¿Cuál de estas afirmaciones describe mejor los alimentos consumidos en su hogar durante los últimos 12 meses? 1. Suficiente de los tipos de comidas que queremos comer 2. Suficiente, pero no siempre el tipo de comidas que queremos comer 3. A veces no hay suficiente para comer 4. Con frecuencia no hay suficiente para comer
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_019, PHEA_022
NEXT	f_PHEA_024

f_PHEA_024	
PHEA_024a / PHEA_024b / PHEA_024c / PHEA_024d / PHEA_024e / PHEA_024f / PHEA_024g	
ASK	All respondents
QUESTION TYPE	Radio button grid
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Below is a list of the ways that you might have felt or behaved recently. After each statement, indicate how often you felt this way during the past week. COLUMN HEADERS: 0. Rarely or none of the time (less than 1 day) 1. Some or a little of the time (1-2 days) 2. Occasionally or a moderate amount of the time (3-4 days) 3. Most or all of the time (5-7 days) ROW ITEMS: a. I did not feel like eating; my appetite was poor [PHEA_024a] b. I had trouble keeping my mind on what I was doing [PHEA_024b] c. I felt depressed [PHEA_024c] d. I felt that everything I did was an effort [PHEA_024d] e. My sleep was restless [PHEA_024e] f. I felt sad [PHEA_024f] g. I could not get "going" [PHEA_024g]
SPANISH	A continuación, encontrará una lista de las formas en las que podría haberse sentido o comportado recientemente. Después de cada afirmación, indique con qué frecuencia se sintió así durante la semana pasada. COLUMN HEADERS: 0. Rara vez o nunca (menos de 1 día) 1. Algo o pocas veces (1-2 días) 2. Ocasionalmente o una cantidad moderada de tiempo (3-4 días) 3. La mayor parte del tiempo o todo el tiempo (5-7 días) ROW ITEMS: a. No tenía ganas de comer; falta de apetito [PHEA_024a] b. Me costó concentrarme en lo que estaba haciendo [PHEA_024b] c. Me sentí deprimido(a) [PHEA_024c] d. Sentí que todo lo que hacía requería mucho esfuerzo [PHEA_024d] e. Dormí mal [PHEA_024e] f. Me sentí triste [PHEA_024f] g. No podía tomar iniciativas [PHEA_024g]
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	

HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_023
NEXT	PHEA_025

PHEA_025	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Over the last 2 weeks, how often have you been bothered by feeling nervous, anxious, or on edge? 0. Not at all 1. Several days 2. More than half the days 3. Nearly every day
SPANISH	Durante las últimas 2 semanas, ¿con qué frecuencia sintió molestias por nervios, ansiedad o tensión? 0. Nunca 1. Varios días 2. Más de la mitad de los días 3. Casi todos los días
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_024
NEXT	PHEA_026

PHEA_026	
ASK	All respondents
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Over the last 2 weeks, how often have you been bothered by not being able to stop or control worrying? 0. Not at all 1. Several days 2. More than half the days 3. Nearly every day
SPANISH	Durante las últimas 2 semanas, ¿con qué frecuencia sintió molestias por no poder dejar de preocuparse o controlar su preocupación? 0. Nunca 1. Varios días 2. Más de la mitad de los días 3. Casi todos los días
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PHEA_025
NEXT	PSRF_INTRO

BRIEF2A Placeholder

The Behavioral Rating Inventory of Executive Function[®], Second Edition (i.e., BRIEF2 and BRIEF2A) will be the assessments implemented in the NLSY27 Pretest.

The BRIEF2 and 2A are licensed assessments and not available for public use outside of licensing. Therefore, this section of the Youth instrument is a placeholder.

Parent-Caregiver Income Module Specs

Preloads:

REFYR: PINF Module

- This will be set with each round of data collection to be the prior calendar year. For instance, if the survey occurs in September 2025, this will refer to calendar year 2024. This number will be used throughout that round of the survey.

PCPART: Indicator for residential partner of selected parent/caregiver from PINF

0. None

1. Married and living with spouse

2. Married, no spouse in household

3. Cohabiting with partner

P

Paradata:

Capture item level timing

Include a time/date stamp at beginning and end of screener

General Notes:

Do not display response option numbers/letters.

- Do not display DK and REF on each screen at loading.
 - If R tries to move forward without providing a response, display DK ('Don't know') and REF ('Prefer not to answer') on screen. (Spanish translation for DK – 'No lo sé' and REF 'Prefiero no contestar'
 - ♣ Unless otherwise noted, include a soft prompt for R to respond or select DK/REF option:
"Your answers are very important. Please consider providing a response. Otherwise, please select "Don't know" or "Prefer not to answer."
 - ♣ Spanish translation: "Sus respuestas son muy importantes. Considere la posibilidad de seleccionar una respuesta."
 - If R still tries to move forward without answering, assign REF code to missing response.

PINC_001	
ASK	ALL
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	We now have some questions about your household's income. We appreciate that our questions are difficult to answer and sometimes seem intrusive. As with other questions in this survey, the information you provide to us is kept confidential.
SPANISH	Ahora tenemos algunas preguntas sobre los ingresos de su hogar. Somos conscientes de que nuestras preguntas son difíciles de responder y, a veces, parecen intrusivas. Al igual que con otras preguntas de esta encuesta, la información que nos da se mantendrá confidencial.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Create Var PARPARTNER; IF PCPART=0, SET PARPARTNER=0; Else SET PARPARTNER=1
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PSRF_014
NEXT	PINC_002

PINC_002	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Create fill FILL_REFYR FILL FILL_REFYR set in PINF survey module.
FILLS (SPAN)	Create fill FILL_REFYR FILL FILL_REFYR set in PINF survey module.
ENGLISH	Were you married or in a cohabiting relationship at any time during ^{FILL_REFYR}? By cohabitating relationships, we mean romantic or sexual relationships in which partners establish one household and live together for a period of at least three months. Please include any marriages or cohabiting relationships during ^{FILL_REFYR} that you may have already reported in this survey. 1. Yes 0. No
SPANISH	¿Estuvo casado(a) o en una relación de convivencia en algún momento durante el año ^{FILL_REFYR}? Por “relaciones de convivencia” nos referimos a las relaciones románticas o sexuales en las que los miembros de la pareja establecen un hogar y viven juntos durante un período de al menos tres meses. Incluya cualquier matrimonio o relación de convivencia durante el ^{FILL_REFYR} que ya haya comunicado en esta encuesta. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	FILL_REFYR: This will be set with each round of data collection to be the prior calendar year. For instance, if the survey occurs in September 2025, this will refer to calendar year 2024. This number will be used throughout that round of the survey.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_001
NEXT	PINC_002=1: PINC_004; Else PINC_003

PINC_003	
ASK	IF PINC_002 ≠1
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Now let's go over your earnings and income in the year ^{FILL_REFYR}. Please round to the nearest dollar for your responses. If you don't know the exact amount, your best estimate is fine.
SPANISH	Ahora, repasemos sus ganancias e ingresos en el año ^{FILL_REFYR}. Redondee sus respuestas al dólar más cercano. Si no conoce la cantidad exacta, su mejor estimación es suficiente.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_002
NEXT	PINC_005

PINC_004	
ASK	IF PINC_002= 1
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Let's start with some questions about the earnings and income you and your spouse or partner received during ^{FILL_REFYR}. The first questions will be about your earnings and business income and then you will be asked about the earnings and business income of your spouse or partner .
SPANISH	Empecemos con algunas preguntas sobre las ganancias e ingresos que usted y su cónyuge o pareja recibieron durante el año ^{FILL_REFYR}. Las primeras preguntas serán sobre sus ganancias y los ingresos de su negocio y después responderá preguntas sobre las ganancias y los ingresos del negocio de su cónyuge o pareja .
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_002
NEXT	PINC_005

PINC_005	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	During ^{FILL_REFYR}, did you receive any income from a job such as wages, salary, commissions, or tips? Please include any income you received from doing odd jobs, temporary or seasonal work, and service in the military, the military reserves, or the National Guard. 1. Yes 0. No
SPANISH	Durante el año ^{FILL_REFYR}, ¿recibió usted algún ingreso de un trabajo como sueldos, salarios, comisiones o propinas? Incluya los ingresos que haya recibido por realizar trabajos ocasionales, trabajo temporal o estacional, y servicio en las fuerzas armadas, las reservas militares o la Guardia Nacional. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_003, PINC_004
NEXT	If PINC_005=DK or REF: PINC_006; If PINC_005=0: PINC_012; Else PINC_007

PINC_006	
ASK	IF PINC_005 = DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	During ^{FILL_REFYR}, did you have any income from odd jobs, self-employment, or employee-type jobs? 1. Yes 0. No
SPANISH	Durante el ^{FILL_REFYR}, ¿tuvo usted algún ingreso procedente de trabajos ocasionales, trabajo independiente o trabajo como empleado(a)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	IF PINC_005 = DK or REF
NEXT	If PINC_006=0: PINC_012; Else PINC_007

PINC_007	
ASK	IF PINC_005 ≠ 0 AND PINC_006 ≠ 0
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	During the 52 weeks of ^{FILL_REFYR}, how many weeks did you work at all jobs, either full-time or part-time? Please include weeks you were on paid leave from a job. Weeks: _____
SPANISH	Durante las 52 semanas del año ^{FILL_REFYR}, ¿cuántas semanas trabajó en todos sus empleos, ya sea a tiempo completo o a tiempo parcial? Incluya las semanas en las que estuvo ausente con licencia remunerada. Semanas: _____
RANGE	0-52
LIMITS	2 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK IF PINC_007 IS OUT OF RANGE: 'Please enter a number of weeks between 0-52.'
CHECK (SPAN)	HARD CHECK IF PINC_007 IS OUT OF RANGE: 'Ingresa un número de semanas entre 0-52.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_005; PINC_006
NEXT	If PINC_007=0: PINC_010; Else PINC_008

PINC_008	
ASK	IF PINC_007 ≠0
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	In the weeks that you worked in ^{FILL_REFYR}, how many hours did you usually work per week? Please include all hours you worked whether at their normal work site, at home, or in some other location. Hours per week: _____
SPANISH	En las semanas que trabajó en el año ^{FILL_REFYR}, ¿cuántas horas trabajó normalmente a la semana? Incluya todas las horas trabajadas, ya sea en su lugar de trabajo habitual, en casa o en algún otro lugar. Horas por semana: _____
RANGE	0-120
LIMITS	3 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK IF PINC_008 OUT OF RANGE: 'Please enter a number of hours per week between 0-120.'
CHECK (SPAN)	HARD CHECK IF PINC_008 OUT OF RANGE: 'Ingrese un número de horas por semana entre 0-120.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_007
NEXT	PINC_009

PINC_009	
ASK	IF PINC_007 ≠0
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How many of those hours per week did you usually telework or work at home? Hours per week: _____
SPANISH	¿Cuántas de esas horas a la semana suele teletrabajar o trabajar desde casa? Horas por semana: _____
RANGE	0-120
LIMITS	3 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK IF PINC_009 OUT OF RANGE: 'Please enter a number of hours per week between 0-120.' IF (PINC_009)>(PINC_008) DISPLAY HARD CHECK: 'You reported that you worked more hours from home than the hours you worked total per week. Please update your answer to hours worked from home or click here to update the total number of hours worked per week.' (Return R to PINC_008)
CHECK (SPAN)	HARD CHECK IF PINC_009 OUT OF RANGE: 'Ingrese un número de horas por semana entre 0-120.' IF (PINC_009)>(PINC_008) DISPLAY HARD CHECK: 'Usted informó que trabajaba más horas desde casa que las que trabajaba en total a la semana. Actualice su respuesta a las horas trabajadas desde casa o haga clic aquí para actualizar el número total de horas trabajadas por semana.' (Return R to PINC_008)
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_008
NEXT	PINC_010

PINC_010	
ASK	IF PINC_005 ≠ 0 AND PINC_006 ≠ 0
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC010: 'PINC_010'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC010: 'PINC_010'
ENGLISH	During ^{FILL_REFYR}, how much income did you receive from wages, salary, commissions, or tips from all jobs, before deductions for taxes or for anything else? Please round to the nearest dollar for your responses. If you don't know the exact amount, your best estimate is fine. \$ _____ Income
SPANISH	Durante el año ^{FILL_REFYR}, ¿cuántos ingresos recibió de sueldos, salarios, comisiones o propinas de todos los trabajos, antes de las deducciones por impuestos o u otras? Redondee sus respuestas al dólar más cercano. Si no conoce la cantidad exacta, su mejor estimación es suficiente. \$ _____ dólares en ingresos
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_010 OUT OF RANGE: (PINC_010=0): 'You reported earlier that you had income from a job or self-employment during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_005) SOFT CHECK IF PINC_010>\$500,000: 'You reported ^{FILL_PINC010} in income from all jobs in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_010 OUT OF RANGE: (PINC_010=0): 'Usted informó que tuvo ingresos de un trabajo independiente o por cuenta propia durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_005) SOFT CHECK IF PINC_010>\$500,000: 'Usted informó que recibió ^{FILL_PINC010} dólares en ingresos de todos los trabajos en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_006, PINC_009, PINC_007
NEXT	If PINC_010=DK or REF: PINC_011; Else PINC_012

PINC_011	
ASK	If PINC_010 =DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these categories includes your best estimate of the amount you received in ^{FILL_REFYR} in wages, salary, commissions, and tips? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías representa su mejor estimación de la cantidad que recibió en el año ^{FILL_REFYR} en sueldos, salarios, comisiones y propinas? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_010 =DK or REF
NEXT	PINC_012

PINC_012	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Excluding any income you already have mentioned, during ^{FILL_REFYR}, did you receive any money in income from your own farm, business, partnership, or professional practice? 1. Yes 0. No
SPANISH	Excluyendo los ingresos ya mencionados, durante el año ^{FILL_REFYR}, ¿recibió dinero en ingresos de su propia granja, negocio, sociedad o práctica profesional? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_005=0, PINC_006=0, PINC_010, PINC_011
NEXT	If PINC_012 = 1: PINC_013 Else PINC_017

PINC_013	
ASK	IF PINC_012 =1
QUESTION TYPE	PINC_013: Numeric Special response radio button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC013: 'PINC_013'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC013: 'PINC_013'
ENGLISH	During ^{FILL_REFYR}, how much income did you receive from your own farm, business, partnership, or professional practice after expenses? \$ _____ Income -9. Does not apply, I lost money on my farm or business last year
SPANISH	Durante el año ^{FILL_REFYR}, ¿cuántos ingresos recibió de su propia granja, negocio, sociedad o práctica profesional después de los gastos? \$ _____ dólares en ingresos -9. No corresponde, perdí dinero en mi granja o negocio el año pasado
RANGE	0-999,999,999
LIMITS	Max 9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999. INCLUDE SEPARATE RADIO BUTTON FOR THE (-9) DOES NOT APPLY OPTION WITH A CORRESPONDING LABEL. THIS RESPONSE SHOULD BE EXCLUSIVE.
CHECK (ENG)	HARD CHECK IF PINC_013 OUT OF RANGE (PINC_013=0): 'You reported earlier that you had income from a farm or business during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_012) SOFT CHECK IF PINC_013>\$1,000,000: 'You reported ^{FILL_PINC013} in income from your own farm, business, partnership, or professional practice after expenses in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_013 OUT OF RANGE (PINC_013=0): 'Usted informó que tuvo ingresos de una granja o negocio durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_012) SOFT CHECK IF PINC_013>\$1,000,000: 'Usted informó que recibió ^{FILL_PINC013} dólares en ingresos de su propia granja, negocio, sociedad o práctica profesional después de los gastos en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_012=1
NEXT	IF PINC_013=DK or REF: PINC_014 ELSE IF PINC_013=-9: PINC_015

Else PINC_017	
PINC_014	
ASK	IF PINC_013 = DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these categories includes the amount of income you received in ^{FILL_REFYR} from your own farm, business, partnership, or professional practice after expenses? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000 0. Not applicable, I lost money from my farm, business, or practice
SPANISH	¿Cuál de estas categorías incluye la cantidad de ingresos que recibió en el año ^{FILL_REFYR} de su propia granja, negocio, sociedad o práctica profesional después de los gastos? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares 0. No aplica, perdí dinero de mi granja, negocio o consultorio.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_013=DK or REF
NEXT	If PINC_014=0: PINC_015 Else PINC_017

PINC_015	
ASK	IF PINC_013 =-9 OR PINC_014=0
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC015: 'PINC_015'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC015: 'PINC_015'
ENGLISH	During ^{FILL_REFYR}, about how much money did you lose from your own farm, business, partnership, or professional practice after expenses ? \$ _____ Money lost
SPANISH	Durante el año ^{FILL_REFYR}, ¿aproximadamente cuánto dinero perdió de su propia granja, negocio, sociedad o práctica profesional después de los gastos ? \$ _____ dólares en dinero perdido
RANGE	0-999,999,999
LIMITS	9 characters
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	SOFT CHECK IF PINC_015>\$1,000,000: 'You reported ^{FILL_PINC015} in losses from your own farm, business, partnership, or professional practice after expenses in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	SOFT CHECK IF PINC_015>\$1,000,000: 'Usted informó que perdió ^{FILL_PINC015} dólares de su propia granja, negocio, sociedad o práctica profesional después de los gastos en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_013=-9, PINC_014=0
NEXT	If PINC_015=DK or REF: PINC_016 Else PINC_017

PINC_016	
ASK	IF PINC_015= DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these categories includes the amount of money you lost in ^{FILL_REFYR} from your own farm, business, partnership, or professional practice after expenses? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye la cantidad de dinero que perdió en el año ^{FILL_REFYR} de su propia granja, negocio, sociedad o práctica profesional después de los gastos? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_015=DK or REF
NEXT	PINC_017

PINC_017	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	During ^{FILL_REFYR}, did you receive any income from Worker's Compensation? Worker's Compensation is an insurance program that provides cash benefits and medical care, including temporary and permanent disability benefits, lost wages, rehabilitation, and job retraining if a worker becomes injured or sick as a direct result of their job. 1. Yes 0. No
SPANISH	Durante el año ^{FILL_REFYR}, ¿recibió algún ingreso de indemnización para trabajadores? La indemnización para trabajadores es un programa de seguro que proporciona beneficios en efectivo y atención médica, incluidos beneficios por discapacidad temporal y permanente, salarios perdidos, rehabilitación y capacitación laboral si un trabajador se lesiona o enferma como resultado directo de su trabajo. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_012, PINC_013, PINC_014, PINC_015, PINC_016
NEXT	if PINC_017=1: PINC_018; Else PINC_020

PINC_018	
ASK	IF PINC_017=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC018: 'PINC_018'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC018: 'PINC_018'
ENGLISH	During ^{FILL_REFYR}, how much income did you receive from Worker's Compensation ? \$ _____
SPANISH	Durante el año ^{FILL_REFYR}, ¿cuántos ingresos recibió de la indemnización para trabajadores ? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 characters
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_018 OUT OF RANGE (PINC_018=0): 'You reported earlier that you had income from Worker's Compensation during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_017) SOFT CHECK IF PINC_018>\$1,000,000: 'You reported ^{FILL_PINC018} in income from Worker's Compensation in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_018 OUT OF RANGE (PINC_018=0): 'Usted informó que tuvo ingresos por indemnización para trabajadores durante el ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_017) SOFT CHECK IF PINC_018>\$1,000,000: 'Usted declaró que recibió ^{FILL_PINC018} dólares en ingresos por indemnización para trabajadores en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_017=1
NEXT	If PINC_018=DK or REF: PINC_019 Else PINC_020

PINC_019	
ASK	IF PINC_018= DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these ranges includes your best estimate of the amount of income you received in ^{FILL_REFYR} from Worker's Compensation? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estos intervalos incluye su mejor estimación de la cantidad de ingresos que recibió en el año ^{FILL_REFYR} procedentes de la indemnización para trabajadores? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. Más de \$50,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_018= DK or REF
NEXT	PINC_020

PINC_020	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	During ^{FILL_REFYR}, did you receive any income from Unemployment Insurance? Unemployment insurance is a joint state-federal program that provides cash benefits to unemployed workers. 1. Yes 0. No
SPANISH	Durante el ^{FILL_REFYR}, ¿recibió algún ingreso del seguro por desempleo? El seguro por desempleo es un programa conjunto estatal-federal que da beneficios en efectivo a los trabajadores desempleados. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_017, PINC_018, PINC_019
NEXT	If PINC_020=1: PINC_021 Else if PINC_002=1: PINC_023 Else PINC_041

PINC_021	
ASK	IF PINC_020 = 1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC021: 'PINC_021'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC021: 'PINC_021'
ENGLISH	During ^{FILL_REFYR}, how much income did you receive from Unemployment Insurance ? \$ _____
SPANISH	Durante el año ^{FILL_REFYR}, ¿cuántos ingresos recibió del seguro por desempleo ? \$ _____ dólares
RANGE	0-99,999
LIMITS	5 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_021 OUT OF RANGE (PINC_021=0): 'You reported earlier that you had income unemployment insurance during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_020) SOFT CHECK IF PINC_021>\$25,000: 'You reported ^{FILL_PINC021} in income from unemployment insurance in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_021 OUT OF RANGE (PINC_021=0): 'Usted informó que tuvo ingresos del seguro por desempleo durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta'. (Return R to PINC_020) SOFT CHECK IF PINC_021>\$25,000: 'Usted declaró que recibió ^{FILL_PINC021} dólares en ingresos procedentes del seguro por desempleo en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_020=1
NEXT	If PINC_021= DK or REF: PINC_022 Else PINC_002= 1: PINC_023 Else PINC_041

PINC_022	
ASK	IF PINC_021=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these ranges best describes the amount of income you received in ^{FILL_REFYR} from Unemployment Insurance? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estos intervalos describe mejor la cantidad de ingresos que recibió en el año ^{FILL_REFYR} del seguro por desempleo? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. Más de \$50,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_021=DK or REF
NEXT	PINC_002=1: PINC_023; Else PINC_041

PINC_023	
ASK	IF PINC_002 = 1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	The next few questions are about the earnings and business income of your spouse or partner. During ^{FILL_REFYR}, did your spouse or partner receive any income from a job such as wages, salary, commissions, or tips? Please include any income your spouse or partner received from doing odd jobs, temporary or seasonal work, and service in the military, the military reserves, or the National Guard. 1. Yes 0. No
SPANISH	Las siguientes preguntas son sobre las ganancias y los ingresos empresariales de su cónyuge o pareja. Durante el año ^{FILL_REFYR}, ¿su cónyuge o pareja recibió algún ingreso de un trabajo, como sueldos, salarios, comisiones o propinas? Incluya los ingresos que su cónyuge o pareja haya recibido por realizar trabajos ocasionales, trabajo temporal o estacional y servicio en las fuerzas armadas, las reservas militares o la Guardia Nacional. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_020, PINC_021, PINC_022
NEXT	If PINC_023=0 or DK: PINC_030 Else PINC_023=REF: PINC_024 Else PINC_025

PINC_024	
ASK	IF PINC_023 = -1REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Please remember that the information you provide to us about yourself and your spouse or partner is kept strictly confidential. Did your spouse or partner have any income from any jobs during ^{FILL_REFYR}? 1. Yes 0. No
SPANISH	Recuerde que la información que nos da sobre usted y su cónyuge o pareja es estrictamente confidencial. ¿Tuvo su cónyuge o pareja ingresos de algún trabajo durante el año ^{FILL_REFYR}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_023=REF
NEXT	PINC_024=REF or 1: PINC_025 Else PINC_030

PINC_025	
ASK	IF PINC_023 =1 OR PINC_024 = 1 or REF
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	During the 52 weeks of ^{FILL_REFYR}, how many weeks did your spouse or partner work at all jobs, either full-time or part-time? Please include weeks when they were on paid leave from a job. _____ weeks
SPANISH	Durante las 52 semanas del año ^{FILL_REFYR}, ¿cuántas semanas trabajó su cónyuge o pareja en todos sus empleos, ya sea a tiempo completo o a tiempo parcial? Incluya las semanas que estuvo ausente con licencia remunerada. _____ semanas
RANGE	0-52
LIMITS	2 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK IF PINC_025 IS OUT OF RANGE: 'Please enter a number of weeks between 0-52.'
CHECK (SPAN)	HARD CHECK IF PINC_025 IS OUT OF RANGE: 'Ingrese un número de semanas entre 0 y 52.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_023=1, PINC_024=1 or REF
NEXT	If PINC_025 = 0: PINC_028; Else PINC_026

PINC_026	
ASK	IF PINC_025>0
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	In the weeks that your spouse or partner worked in ^{FILL_REFYR}, how many hours did they usually work per week? Please include all hours your spouse or partner worked whether at their normal work site, at home, or in some other location. _____ hours per week
SPANISH	En las semanas en las que su cónyuge o pareja trabajó en el año ^{FILL_REFYR}, ¿cuántas horas solía trabajar por semana? Incluya todas las horas trabajadas por su cónyuge o pareja, ya sea en su lugar de trabajo habitual, en casa o en algún otro lugar. _____ horas por semana
RANGE	0-120
LIMITS	3 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK IF PINC_026 OUT OF RANGE: 'Please enter a number of hours per week between 0-120.'
CHECK (SPAN)	HARD CHECK IF PINC_026 OUT OF RANGE: 'Ingrese un número de horas por semana entre 0 y 120.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_025
NEXT	PINC_027

PINC_027	
ASK	IF (PINC_023=1 OR PINC_024=1 or REF) AND PINC_025≠0
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	How many of those hours per week did they usually telework or work at home? Hours per week: _____
SPANISH	¿Cuántas de esas horas a la semana suele teletrabajar o trabajar desde casa? Horas por semana: _____
RANGE	0-120
LIMITS	3 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK IF PINC_027 OUT OF RANGE: 'Please enter a number of hours per week between 0-120.' HARD CHECK IF PINC_027>PINC_026: 'You reported that youthey worked more hours from home than the hours youthey worked total per week. Please click here to update your answer, as appropriate.' DISPLAY LINK 'Update total hours worked per week' that will route R back to PINC_026
CHECK (SPAN)	HARD CHECK IF PINC_027 OUT OF RANGE: 'Ingrese un número de horas por semana entre 0 y 120.' HARD CHECK IF PINC_027>PINC_026: 'Usted informó que trabajaban más horas desde casa que las que trabajaban en total a la semana. Haga clic aquí para actualizar su respuesta, según corresponda.' DISPLAY LINK 'Actualizar el total de horas trabajadas por semana' that will route R back to PINC_026
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_026
NEXT	PINC_028

PINC_028	
ASK	IF PINC_023 =1 OR PINC_024 = 1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC028: 'PINC_028'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC028: 'PINC_028'
ENGLISH	During ^{FILL_REFYR}, how much income did your spouse or partner receive from wages, salary, commissions, or tips from all jobs, before deductions for taxes or anything else? Please round to the nearest dollar for your responses. If you don't know the exact amount, your best estimate is fine. \$ _____ Income
SPANISH	Durante el año ^{FILL_REFYR}, ¿cuántos ingresos recibió su cónyuge o pareja de sueldos, salarios, comisiones o propinas de todos los trabajos, antes de las deducciones por impuestos o u otras? Redondee sus respuestas al dólar más cercano. Si no conoce la cantidad exacta, su mejor estimación es suficiente. \$ _____ dólares en ingresos
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_028 OUT OF RANGE (PINC_028=0): 'You reported earlier that your spouse or partner had income from jobs during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_023) SOFT CHECK IF PINC_028>\$500,000: 'You reported that your partner had ^{FILL_PINC028} in income from jobs in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_028 OUT OF RANGE (PINC_028=0): 'Usted informó que su cónyuge o pareja tuvo ingresos por trabajos durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_023) SOFT CHECK IF PINC_028>\$500,000: 'Usted informó que su pareja tenía ingresos de ^{FILL_PINC028} dólares por trabajos en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_025=0, PINC_027
NEXT	PINC_028=DK or REF: PINC_029 Else PINC_030

PINC_029	
ASK	IF PINC_028 =DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these categories includes your best estimate of the amount your spouse or partner received in ^{FILL_REFYR} in wages, salary, commissions, and tips? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías representa su mejor estimación de la cantidad que recibió su cónyuge o pareja en el año ^{FILL_REFYR} de sueldos, salarios, comisiones y propinas? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_028=DK or REF
NEXT	PINC_030

PINC_030	
ASK	IF PINC_002=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Excluding any income you already mentioned, during ^{FILL_REFYR}, did your spouse or partner receive any money in income from a farm, business, partnership, or professional practice? 1. Yes 0. No
SPANISH	Excluyendo los ingresos que ya ha mencionado, durante el año ^{FILL_REFYR}, ¿recibió su cónyuge o pareja dinero como ingresos procedentes de su granja, negocio, sociedad o práctica profesional? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_023=DK or 0, PINC_024=DK or 0, PINC_028, PINC_029
NEXT	PINC_030=1: PINC_031 Else PINC_035

PINC_031	
ASK	IF PINC_030 =1
QUESTION TYPE	PINC_031: Numeric Special response radio button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC031: 'PINC_031'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC031: 'PINC_031'
ENGLISH	During ^{FILL_REFYR}, how much did your spouse or partner receive from their farm, business, partnership, or professional practice after expenses? \$ _____ Income -9. Lost money on their farm or business last year
SPANISH	Durante el año ^{FILL_REFYR}, ¿cuánto recibió su cónyuge o pareja de su granja, negocio, sociedad o práctica profesional después de los gastos? \$ _____ dólares en ingresos -9. Perdió dinero en la granja o negocio el año pasado
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	INCLUDE SEPARATE RADIO BUTTON FOR THE (-9) DOES NOT APPLY OPTION WITH A CORRESPONDING LABEL. THIS SPECIAL RESPONSE SHOULD BE EXCLUSIVE.
CHECK (ENG)	HARD CHECK IF PINC_031 OUT OF RANGE (PINC_031=0): 'You reported earlier that your spouse or partner had income from their farm, business, partnership, or professional practice during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_030) SOFT CHECK IF PINC_031>\$1,000,000: 'You reported that your partner had ^{FILL_PINC031} in income from their farm, business, partnership, or professional practice after expenses in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_031 OUT OF RANGE (PINC_031=0): 'Usted informó que su cónyuge o pareja tenía ingresos procedentes de su su granja, negocio, sociedad o práctica profesional durante el ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_030) SOFT CHECK IF PINC_031>\$1,000,000: 'Usted informó que su pareja recibió ^{FILL_PINC031} dólares en ingresos de su granja, negocio, sociedad o práctica profesional después de los gastos en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_030
NEXT	IF PINC_031=-9: PINC_033;

	Else if PINC_031=DK or REF: PINC_032; Else PINC_035
PINC_032	
ASK	IF PINC_031 = DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of the following categories corresponds to the range that includes the amount of income your spouse or partner received during ^{FILL_REFYR} from their farm, business, partnership, or professional practice after expenses? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000 0. N/A, They lost or would lose money
SPANISH	¿Cuál de las siguientes categorías corresponde al intervalo que incluye la cantidad de ingresos que su cónyuge o pareja recibió durante el año ^{FILL_REFYR} de su granja, negocio, sociedad o práctica profesional después de los gastos? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares 0. No corresponde, perdió o perdería dinero
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_031=DK or REF
NEXT	PINC_032=0: PINC_033; Else PINC_035

PINC_033	
ASK	IF PINC_031 = -9 or PINC_032=0
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC033: 'PINC_033'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC033: 'PINC_033'
ENGLISH	During ^{FILL_REFYR}, about how much money did your spouse or partner lose from their farm, business, partnership, or professional practice after expenses? \$ _____ Money lost
SPANISH	Durante el año ^{FILL_REFYR}, ¿aproximadamente cuánto dinero perdió su cónyuge o pareja de su propia granja, negocio, sociedad o práctica profesional después de los gastos ? \$ _____ dólares en dinero perdido
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	SOFT CHECK IF PINC_031>\$1,000,000: 'You reported that your partner had ^{FILL_PINC033} in losses from their farm, business, partnership, or professional practice in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	SOFT CHECK IF PINC_031>\$1,000,000: 'Usted informó que su pareja perdió ^{FILL_PINC033} dólares en su granja, negocio, sociedad o práctica profesional en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_031 = -9 or PINC_032=0
NEXT	PINC_033= DK or REF: PINC_034 Else PINC_035

PINC_034	
ASK	IF PINC_033 =DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these categories corresponds to the range that includes the amount of money your spouse or partner lost in ^{FILL_REFYR} from their farm, business, partnership, or professional practice after expenses? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías corresponde al intervalo que incluye la cantidad de dinero que su cónyuge o pareja perdió durante el año ^{FILL_REFYR} de su granja, negocio, sociedad o práctica profesional después de los gastos? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_033=DK or REF
NEXT	PINC_035

PINC_035	
ASK	IF PINC_002 =1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	During ^{FILL_REFYR}, did your spouse or partner receive any income from Worker's Compensation? Worker's Compensation is an insurance program that provides cash benefits and medical care, including temporary and permanent disability benefits, lost wages, rehabilitation, and job retraining if a worker becomes injured or sick as a direct result of their job. 1. Yes 0. No
SPANISH	Durante el año ^{FILL_REFYR}, ¿su cónyuge o pareja recibió algún ingreso de indemnización para trabajadores? La indemnización para trabajadores es un programa de seguro que proporciona beneficios en efectivo y atención médica, incluidos beneficios por discapacidad temporal y permanente, salarios perdidos, rehabilitación y capacitación laboral si un trabajador se lesiona o enferma como resultado directo de su trabajo. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_030, PINC_031, PINC_032, PINC_033, PINC_034
NEXT	PINC_035=1: PINC_036 Else PINC_038

PINC_036	
ASK	IF PINC_035 = 1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC036: 'PINC_036'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC036: 'PINC_036'
ENGLISH	During ^{FILL_REFYR}, how much income did your spouse or partner receive from Worker's Compensation ? \$ _____ Income
SPANISH	Durante el ^{FILL_REFYR}, ¿cuántos ingresos recibió su cónyuge o pareja de la indemnización para trabajadores ? \$ _____ dólares en ingresos
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_036 OUT OF RANGE (PINC_036=0): 'You reported earlier that your spouse or partner had income from worker's compensation during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_035) SOFT CHECK IF PINC_036>\$1,000,000: 'You reported that your partner had ^{FILL_PINC036} in income from worker's compensation in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_036 OUT OF RANGE (PINC_036=0): 'Usted informó que su cónyuge o pareja tuvo ingresos por indemnización para trabajadores durante el ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_035) SOFT CHECK IF PINC_036>\$1,000,000: 'Usted informó que su pareja tuvo ingresos de ^{FILL_PINC036} dólares por indemnización laboral en el año ^{FILL_REFYR}. Revise su respuesta y corrija la si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_035=1
NEXT	PINC_036=DK or REF: PINC_037; Else PINC_038

PINC_037	
ASK	IF PINC_036 =DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these ranges best describes the amount of income your spouse or partner received in ^{FILL_REFYR} from Worker's Compensation? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estos intervalos describe mejor la cantidad de ingresos que recibió su cónyuge o pareja en el año ^{FILL_REFYR} procedentes de la indemnización para trabajadores? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. Más de \$50,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_036=DK or REF
NEXT	PINC_038

PINC_038	
ASK	IF PINC_002 = 1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	During ^{FILL_REFYR}, did your spouse or partner receive any income from Unemployment Insurance? 1. Yes 0. No
SPANISH	Durante el año ^{FILL_REFYR}, ¿recibió su cónyuge o pareja algún ingreso del seguro por desempleo? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_035, PINC_036, PINC_037
NEXT	PINC_038=1: PINC_039 Else PINC_041

PINC_039	
ASK	IF PINC_038 =1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC039: 'PINC_039'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC039: 'PINC_039'
ENGLISH	During ^{^[FILL_REFYR]} , how much income did your spouse or partner receive from Unemployment Insurance ? \$ _____
SPANISH	Durante el ^{^[FILL_REFYR]} , ¿cuántos ingresos recibió su cónyuge o pareja del seguro por desempleo ? \$ _____ dólares
RANGE	0-99,999
LIMITS	5 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_039 OUT OF RANGE (PINC_039=0): 'You reported earlier that your spouse or partner had income unemployment insurance during ^{^[FILL_REFYR]} . Please click here to update your answer if that is not correct.' (Return R to PINC_038) SOFT CHECK IF PINC_039>\$25,000: 'You reported that your partner had ^{^{FILL_PINC039}} in income from unemployment insurance in ^{^[FILL_REFYR]} . Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_039 OUT OF RANGE (PINC_039=0): 'Usted informó que su cónyuge o pareja tuvo ingresos por el seguro por desempleo durante el año ^{^[FILL_REFYR]} . Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_038) SOFT CHECK IF PINC_039>\$25,000: 'Usted informó que su pareja recibió ^{^[FILL_PINC039]} dólares en ingresos del seguro por desempleo en ^{^[FILL_REFYR]} . Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_038=1
NEXT	PINC_039=DK or REF: PINC_040 Else PINC_041

PINC_040	
ASK	IF PINC_039=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these ranges includes your best estimate of the amount your spouse or partner received in ^[FILL_REFYR] from Unemployment Insurance? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estos intervalos incluye su mejor estimación de la cantidad que su cónyuge o pareja recibió en el año ^[FILL_REFYR] del seguro por desempleo? 1. \$1 a \$1,000 2. \$1,001 a \$2,500 3. \$2,501 a \$5,000 4. \$5,001 a \$10,000 5. \$10,001 a \$25,000 6. \$25,001 a \$50,000 7. Más de \$50,000
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_039=DK or REF
NEXT	PINC_041

PINC_041	
ASK	ALL
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_041 IF PINC_002 = 1, FILL_PINC_041: 'you and your spouse or partner' ELSE FILL_PINC_041: 'you'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_041S IF PINC_002 = 1, FILL_PINC_041S: 'usted y su cónyuge o pareja podrían haber recibido' ELSE FILL_PINC_041S: 'usted podría haber recibido'
ENGLISH	The next questions are about other sources of income ^{FILL_PINC_041} may have received in ^[FILL_REFYR].
SPANISH	Las siguientes preguntas son sobre otras fuentes de ingresos que ^{FILL_PINC_041} en el año ^[FILL_REFYR].
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_002=0, PINC_038=0, PINC_039, PINC_040, PINC_020=0, PINC_021, PINC_022
NEXT	PINC_042

PINC_042	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_042 IF PINC_002 = 1, FILL_PINC_042: 'your or your spouse or partner's children' ELSE FILL_PINC_042: 'your children'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_042 IF PINC_002 = 1, FILL_PINC_042: 'los(as) hijos(as) que son de su cónyuge o pareja' ELSE FILL_PINC_042: 'sus hijos(as)'
ENGLISH	Have child support payments ever been agreed to or awarded for any of ^{FILL_PINC_042} living with you? 1. Yes 0. No
SPANISH	¿Alguna vez se han acordado u otorgado pagos de manutención de menores para algunos(as) de ^{FILL_PINC_042} que viven con usted? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_041
NEXT	PINC_042=1: PINC_043 Else PINC_046

PINC_043	
ASK	IF PINC_042 = 1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_043 IF PINC_002 = 1, FILL_PINC_043: 'you or your spouse or partner' ELSE FILL_PINC_043: 'you'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_043S IF PINC_002 = 1, FILL_PINC_043S: 'se suponía que usted y su cónyuge o pareja recibirían' ELSE FILL_PINC_043S: 'se suponía que usted recibiría'
ENGLISH	During ^[FILL_REFYR], were ^{FILL_PINC_043} supposed to receive any child- support payments? 1. Yes 0. No
SPANISH	Durante el año ^[FILL_REFYR], ¿^{FILL_PINC_043S} pagos de manutención de menores? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_042=1
NEXT	PINC_043=1: PINC_044; Else PINC_046

PINC_044	
ASK	IF PINC_043 = 1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041 Create fill FILL_PINC044: 'PINC_044'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_044S IF PINC_002 = 1, FILL_PINC_044S: 'reciben usted y su cónyuge o pareja' ELSE FILL_PINC_044S: 'recibe usted' Create fill FILL_PINC044: 'PINC_044'
ENGLISH	How much did ^{FILL_PINC_041} receive in child support during ^{FILL_REFYR}? \$ _____ Child support
SPANISH	¿Cuánto ^{FILL_PINC_044S} en manutención de menores durante el año ^{FILL_REFYR}? \$ _____ dólares en manutención de menores
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	SOFT CHECK IF PINC_044>\$1,000,000: 'You reported that you and/or your partner received ^{FILL_PINC044} in child support in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	SOFT CHECK IF PINC_044>\$1,000,000 AND PINC_002 = 1: 'Usted informó que usted y/o su pareja recibieron ^{FILL_PINC044} dólares en manutención de menores en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.' SOFT CHECK IF PINC_044>\$1,000,000 AND  PINC_002 != 1: 'Usted informó que recibió ^{FILL_PINC044} dólares en manutención de menores en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_043 = 1
NEXT	PINC_044= DK or REF: PINC_045 Else PINC_046

PINC_045	
ASK	IF PINC_044 = DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_045S IF PINC_002 = 1, FILL_PINC_045S: 'usted y su cónyuge o pareja recibieron' ELSE FILL_PINC_045S: 'usted recibió'
ENGLISH	Which of these categories includes your best estimate of the amount of income ^{FILL_PINC_041} received in ^{FILL_REFYR} in child support payments? 0. \$0 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad de ingresos que ^{FILL_PINC_045S} en el año ^{FILL_REFYR} de pagos de manutención de menores? 0. \$0 dólares 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. Más de \$50,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_044=DK or REF
NEXT	PINC_046

PINC_046	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041 Use fill from PINC_043, FILL_PINC_043
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_045, FILL_PINC_045S Create fill, FILL_PINC_046S IF PINC_002 = 1, FILL_PINC_046S: 'recibieron usted y su cónyuge o pareja' ELSE FILL_PINC_046S: 'recibió usted' Use fill from PINC_044, FILL_PINC_044S
ENGLISH	We have asked about the earnings and business income that ^{FILL_PINC_041} received in ^{FILL_REFYR}. Now, think about other sources of income that ^{FILL_PINC_041} had in that year. Please round to the nearest dollar for your responses. If you don't know the exact amount, your best estimate is fine. During ^{FILL_REFYR}, did ^{FILL_PINC_043} receive any interest or dividend income? Interest can come from interest-earning-checking accounts, savings accounts, money market accounts, bonds, treasury notes, IRA accounts, or certificates of deposit. Dividends can come from stocks or mutual funds. 1. Yes 0. No
SPANISH	Hemos preguntado acerca de las ganancias e ingresos comerciales que ^{FILL_PINC_045S} en el año ^{FILL_REFYR}. Ahora, piense en otras fuentes de ingresos que ^{FILL_PINC_045S} ese año. Redondee sus respuestas al dólar más cercano. Si no conoce la cantidad exacta, su mejor estimación es suficiente. Durante el ^{FILL_REFYR}, ¿^{FILL_PINC_044S} algún ingreso por intereses o dividendos? Los intereses pueden provenir de cuentas corrientes, cuentas de ahorro, cuentas del mercado monetario, bonos, pagarés del tesoro, cuentas IRA o certificados de depósito que generen intereses. Los dividendos pueden provenir de acciones o fondos mutuos. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

<i>LEAD-IN</i>	PINC_042, PINC_043, PINC_044, PINC_045
<i>NEXT</i>	PINC_046=1: PINC_047 Else PINC_049

PINC_047	
ASK	IF PINC_046 = 1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041 Create fill FILL_PINC047: 'PINC_047'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_045, FILL_PINC_045S Create fill FILL_PINC047: 'PINC_047'
ENGLISH	What was the total amount of interest and dividend income ^{FILL_PINC_041} received during ^{FILL_REFYR}, including even small amounts and amounts reinvested or credited to the account? \$ _____ Income
SPANISH	¿Cuál fue la cantidad total de los ingresos por intereses y dividendos que ^{FILL_PINC_045S} durante el año ^{FILL_REFYR}, incluso las pequeñas cantidades y las cantidades reinvertidas o acreditadas en la cuenta? \$ _____ dólares en ingresos
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_047 OUT OF RANGE (PINC_047=0): 'You reported earlier that you and/or your partner had income from interest or dividends during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_046) SOFT CHECK IF PINC_047>\$1,000,000: 'You reported that you and/or your partner had ^{FILL_PINC047} in income from interest and dividends in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_047 OUT OF RANGE (PINC_047=0) AND PINC_002 = 1: 'Usted informó que usted y/o su pareja tuvieron ingresos por intereses o dividendos durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_046) HARD CHECK IF PINC_047 OUT OF RANGE (PINC_047=0) AND PINC_002 != 1: 'Usted informó que tuvo ingresos por intereses o dividendos durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_046) SOFT CHECK IF PINC_047>\$1,000,000 AND PINC_002 = 1: 'Usted informó que usted y/o su pareja recibieron ^{FILL_PINC047} dólares en ingresos por intereses y dividendos en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.' SOFT CHECK IF PINC_047>\$1,000,000 AND PINC_002 != 1: 'Usted informó que recibió ^{FILL_PINC047} dólares en ingresos por intereses y dividendos en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_4300=1
<i>NEXT</i>	PINC_047=DK or REF: PINC_048 Else PINC_049

PINC_048	
ASK	IF PINC_047 =DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_045, FILL_PINC_045S
ENGLISH	Which of these categories includes your best estimate of the amount of income ^{FILL_PINC_041} received in ^{FILL_REFYR} in interest and dividend payments? 1. \$1 - \$500 2. \$501- \$1,000 3. \$1,001- \$2,500 4. \$2,501- \$5,000 5. \$5,001- \$7,500 6. \$7,501- \$10,000 7. More than \$10,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad de ingresos que ^{FILL_PINC_045S} en el año ^{FILL_REFYR} de pagos de intereses y dividendos? 1. \$1 a \$500 dólares 2. \$501 a \$1,000 dólares 3. \$1,001 a \$2,500 dólares 4. \$2,501 a \$5,000 dólares 5. \$5,001 a \$7,500 dólares 6. \$7,501 a \$10,000 dólares 7. Más de \$10,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_047 = DK or REF
NEXT	PINC_049

PINC_049	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_044, FILL_PINC_044S Create fill, FILL_PINC_049S IF PINC_002 = 1, FILL_PINC_049S: 'tienen usted y su cónyuge o pareja' ELSE FILL_PINC_049S: 'tiene usted'
ENGLISH	During ^{FILL_REFYR}, did ^{FILL_PINC_041} receive any rental income from any land, business property, apartments, or houses which ^{FILL_PINC_041} own, or money from any estates, trusts, annuities or inheritances, or any money as gifts from friends or family? 1. Yes 0. No
SPANISH	Durante el año ^{FILL_REFYR}, ¿^{FILL_PINC_044S} algún ingreso por alquiler de algún terreno, propiedad comercial, apartamentos o casas que ^{FILL_PINC_049S}, o dinero de algún sucesiones, fideicomisos, anualidades o herencias, o dinero como regalo de amistades o familiares? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_46, PINC_047, PINC_048
NEXT	PINC_049=1: PINC_050 Else PINC_052

PINC_050	
ASK	IF PINC_049=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041 Create fill FILL_PINC050: 'PINC_050'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_045, FILL_PINC_045S Create fill FILL_PINC050: 'PINC_050'
ENGLISH	What was the total amount of rental income and money from estates or trusts or gifts ^{FILL_PINC_041} received during ^{FILL_REFYR}? \$ _____ Income
SPANISH	¿Cuál fue la cantidad total de ingresos por alquiler y dinero procedentes de sucesiones, fideicomisos o regalos que ^{FILL_PINC_045S} durante el año ^{FILL_REFYR}? \$ _____ dólares en ingresos
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_050 OUT OF RANGE (PINC_050=0): 'You reported earlier that you and/or your partner had rental income or received money from estates or trusts or gifts during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_049) SOFT CHECK IF PINC_050>\$1,000,000: 'You reported that you and/or your partner received ^{FILL_PINC050} from rental income, estates, trusts or gifts in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_050 OUT OF RANGE (PINC_050=0) AND PINC_002 = 1: 'Usted informó que usted y/o su pareja tuvieron ingresos por alquiler o recibieron dinero de sucesiones, fideicomisos o regalos durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_049) HARD CHECK IF PINC_050 OUT OF RANGE (PINC_050=0) AND PINC_002 != 1: 'Usted informó que tuvo ingresos por alquiler o recibió dinero de sucesiones, fideicomisos o regalos durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_049) SOFT CHECK IF PINC_050>\$1,000,000 AND PINC_002 = 1: 'Usted informó que usted y/o su pareja recibieron ^{FILL_PINC050} dólares en ingresos por alquiler, herencias, fideicomisos o regalos en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.' SOFT CHECK IF PINC_050>\$1,000,000 AND PINC_002 != 1: 'Usted informó que recibió ^{FILL_PINC050} dólares en ingresos por alquiler, herencias, fideicomisos o regalos en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'

HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_049=1
NEXT	PINC_050: DK or REF: PINC_051 Else PINC_052

PINC_051	
ASK	IF PINC_050 = DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_045, FILL_PINC_045S
ENGLISH	Which of these categories includes your best estimate of the amount of rental income and money from estates or trusts and gifts ^{FILL_PINC_041} received in ^{FILL_REFYR}? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad de ingresos por alquiler y dinero procedente de sucesiones, fideicomisos y regalos que ^{FILL_PINC_045S} en el año ^{FILL_REFYR}? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. Más de \$50,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_050= DK or REF
NEXT	PINC_052

PINC_052	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_044, FILL_PINC_044S
ENGLISH	During ^{FILL_REFYR}, did ^{FILL_PINC_041} receive income from government programs such as TANF, Supplemental Security Income (SSI), Social Security Disability (SSDI), veterans or GI benefits or other government programs? Please exclude any income from Worker's Compensation or Unemployment Insurance you've already told us about. 1. Yes 0. No
SPANISH	Durante el año ^{FILL_REFYR}, ¿^{FILL_PINC_044S} ingresos de programas gubernamentales como TANF, Seguridad de Ingreso Suplementario (SSI), Seguro Social por Discapacidad (SSDI, por sus siglas en inglés), beneficios para veteranos o GI u otros programas gubernamentales? No incluya los ingresos procedentes del seguro por desempleo o de indemnización para trabajadores que ya nos haya comunicado. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_049, PINC_050, PINC_051
NEXT	PINC_052=1: PINC_053 Else PINC_055

PINC_053	
ASK	IF PINC_052 = 1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041 Create fill FILL_PINC053: 'PINC_053'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_045, FILL_PINC_045S Create fill FILL_PINC053: 'PINC_053'
ENGLISH	What was the total amount ^{FILL_PINC_041} received from government programs such as TANF, Supplemental Security Income (SSI), Social Security Disability (SSDI), veterans or GI benefits or other government programs during ^{FILL_REFYR}? \$ _____ Income
SPANISH	¿Cuál fue la cantidad total que ^{FILL_PINC_045S} procedente de programas gubernamentales como TANF, Seguridad de Ingreso Suplementario (SSI), Seguro Social por Discapacidad (SSDI), beneficios para veteranos o GI u otros programas gubernamentales durante el año ^{FILL_REFYR}? \$ _____ dólares en ingresos
RANGE	0-999,999
LIMITS	6 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_053 OUT OF RANGE (PINC_053=0): 'You reported earlier that you and/or your partner received money from government programs during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_052) SOFT CHECK IF PINC_053>\$100,000: 'You reported that you and/or your partner received ^{FILL_PINC053} from government programs in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_053 OUT OF RANGE (PINC_053=0) AND PINC_002 = 1: 'Usted informó que usted y/o su pareja recibieron dinero de programas gubernamentales durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_052) HARD CHECK IF PINC_053 OUT OF RANGE (PINC_053=0) AND PINC_002 != 1: 'Usted informó que recibió dinero de programas gubernamentales durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_052) SOFT CHECK IF PINC_053>\$100,000 AND PINC_002 = 1: 'Usted informó que usted y/o su pareja recibieron ^{FILL_PINC053} dólares de programas gubernamentales en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.' SOFT CHECK IF PINC_053>\$100,000 AND PINC_002 != 1: 'Usted informó que recibió ^{FILL_PINC053} dólares de programas gubernamentales en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'

HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_052=1
NEXT	PINC_053=DK or REF: PINC_054 Else PINC_055

PINC_054	
ASK	IF PINC_053 = DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_045, FILL_PINC_045S
ENGLISH	Which of these categories includes your best estimate of the total amount ^{FILL_PINC_041} received from government programs such as TANF, Supplemental Security Income (SSI), Social Security Disability (SSDI), veterans or GI benefits or other government programs in ^{FILL_REFYR}? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad total que ^{FILL_PINC_045S} procedente de programas gubernamentales como TANF, Seguridad de Ingreso Suplementario (SSI), Seguro Social por Discapacidad (SSDI), beneficios para veteranos o GI u otros programas gubernamentales del año ^{FILL_REFYR}? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. Más de \$50,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_053=DK or REF
NEXT	PINC_055

PINC_055	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_044, FILL_PINC_044S
ENGLISH	During ^{FILL_REFYR}, did ^{FILL_PINC_041} receive income from any other sources, such as pension or retirement income including survivor's benefits, alimony, payments from life insurance policies or any other regular or periodic source of income not from a government source? 1. Yes 0. No
SPANISH	Durante el año ^{FILL_REFYR}, ^{FILL_PINC_044S} ingresos de otras fuentes, como ingresos de pensión o jubilación, incluidos beneficios de sobreviviente, pensión alimenticia, pagos de pólizas de seguro de vida o cualquier otra fuente regular o periódica de ingresos que no provenga de una fuente gubernamental? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_052, PINC_053, PINC_054
NEXT	PINC_055=1: PINC_056 Else PINC_058

PINC_056	
ASK	IF PINC_055=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041 Create fill FILL_PINC056: 'PINC_056'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_045, FILL_PINC_045S Create fill FILL_PINC056: 'PINC_056'
ENGLISH	What was the total amount ^{FILL_PINC_041} received from all of these other sources during ^{FILL_REFYR}? \$ _____ Income
SPANISH	¿Cuál fue la cantidad total que ^{FILL_PINC_045S} de todas estas otras fuentes durante el año ^{FILL_REFYR}? \$ _____ dólares en ingresos
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_056 OUT OF RANGE (PINC_056=0): 'You reported earlier that you and/or your partner had income from other sources during ^{FILL_REFYR}. Please click here to update your answer if that is not correct.' (Return R to PINC_055) SOFT CHECK IF PINC_056>\$1,000,000: 'You reported that you and/or your partner had ^{FILL_PINC056} in income from other sources in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_056 OUT OF RANGE (PINC_056=0) AND PINC_002 = 1: 'Usted informó que usted y/o su pareja tuvieron ingresos de otras fuentes durante el año ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_055) HARD CHECK IF PINC_056 OUT OF RANGE (PINC_056=0) AND PINC_002 != 1: 'Usted informó que tuvo ingresos de otras fuentes durante el ^{FILL_REFYR}. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_055) SOFT CHECK IF PINC_056>\$1,000,000 AND PINC_002 = 1: 'Usted informó que usted y/o su pareja recibieron ^{FILL_PINC056} dólares en ingresos de otras fuentes en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.' SOFT CHECK IF PINC_056>\$1,000,000 AND PINC_002 != 1: 'Usted informó que tenía ^{FILL_PINC056} dólares en ingresos de otras fuentes en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_055=1
<i>NEXT</i>	PINC_056=DK or REF: PINC_057 Else PINC_058

PINC_057	
ASK	IF PINC_056 = DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_041, FILL_PINC_041
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_045, FILL_PINC_045S
ENGLISH	Which of these categories includes your best estimate of the total amount ^{FILL_PINC_041} received from all other sources of income in ^{FILL_REFYR}? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad total que ^{FILL_PINC_045S} procedente de todas las demás fuentes de ingresos en el año ^{FILL_REFYR}? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. Más de \$50,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_056=DK or REF
NEXT	PINC_058

PINC_058	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_043, FILL_PINC_043
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_058S IF PINC_002 = 1, FILL_PINC_058S: 'usted o su cónyuge o pareja' ELSE FILL_PINC_058S: 'usted'
ENGLISH	Did ^{FILL_PINC_043} file a federal income tax return in ^{FILL_REFYR}? 1. Yes 0. No
SPANISH	¿Presentó ^{FILL_PINC_58S} una declaración de impuestos federales en el año ^{FILL_REFYR}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_055, PINC_056, PINC_057
NEXT	PINC_058=1: PINC_059 Else PINC_061

PINC_059	
ASK	IF PINC_058 = 1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	What was your filing status on your ^{FILL_REFYR} federal income tax return? 1. A single taxpayer 2. Married, filing jointly 3. Married, filing separately 4. Unmarried head of household 5. Qualifying widow(er) with dependent child
SPANISH	¿Cuál fue su estado civil en la declaración de impuestos federales del año ^{FILL_REFYR}? 1. Un(a) solo(a) contribuyente 2. Casado(a), declaración conjunta 3. Casado(a), declaración por separado 4. Jefe(a) de familia, soltero(a) 5. Viudo(a) calificado(a) con hijo(a) dependiente
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_058=1
NEXT	PINC_060

PINC_060	
ASK	IF PINC_058 = 1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	What method did you use to prepare your ^{FILL_REFYR} tax return? 1. Self-prepared manually 2. Tax software or tax assistance website 3. Friend or relative 4. Professional tax preparer
SPANISH	¿Qué método usó para preparar su declaración de impuestos del año ^[FILL_REFYR]? 1. Preparado manualmente por su cuenta 2. Sitio web de software fiscal o de asistencia fiscal 3. Amigo(a) o familiar 4. Preparador(a) de impuestos profesional
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_059
NEXT	PINC_061

PINC_061	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_043, FILL_PINC_043 Create fill FILL_PINC_061. IF PINC_002 = 1, FILL_PINC_061: 'your or your spouse or partner's' ELSE FILL_PINC_061: 'your'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_058, FILL_PINC_058S Create fill, FILL_PINC_061S IF PINC_002 = 1, FILL_PINC_061S: 'su o la' ELSE FILL_PINC_061S: 'su' Create fill, FILL_PINC_061S2 IF PINC_002 = 1, FILL_PINC_061S2: 'de su cónyuge o pareja' ELSE FILL_PINC_061S2: EMPTY
ENGLISH	The Earned Income Tax Credit (EITC) is a refundable Federal tax credit for eligible individuals and families who work and have earned income below a certain amount. The EITC reduces the amount of tax you owe, and it may give you a refund. Did ^{FILL_PINC_043} claim, or are ^{FILL_PINC_043} planning to claim, an Earned Income Tax Credit on ^{FILL_PINC_061} federal income tax return for the year ^{FILL_REFYR}? 1. Yes 0. No
SPANISH	El Crédito Tributario por Ingreso del Trabajo (EITC, por sus siglas en inglés) es un crédito tributario federal reembolsable para personas y familias que cumplen los requisitos y que trabajan y tienen ingresos del trabajo por debajo de cierta cantidad. El EITC reduce la cantidad de impuestos que usted debe y podría darle un reembolso. ¿Solicitó/solicitaron ^{FILL_PINC_058S} o planea(n) solicitar ^{FILL_PINC_058S} un Crédito Tributario por Ingreso del Trabajo en ^{FILL_PINC_061S} declaración de impuestos federales ^{FILL_PINC_061S2} para el año ^{FILL_REFYR}? 1 Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_058, PINC_060
<i>NEXT</i>	If PINC_061=0: PINC_062 Else PINC_063

PINC_062	
ASK	INC_061=0
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_061, FILL_PINC_061
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Use fill from PINC_0061, FILL_PINC_061S Use fill from PINC_0061, FILL_PINC_061S2
ENGLISH	Which of the following best describes why you did not claim or do not plan to claim an Earned Income Tax Credit on ^{FILL_PINC_061} federal income tax return for the year ^{FILL_REFYR}? 1. Not eligible for an Earned Income Tax Credit 2. Not aware of the Earned Income Tax Credit 3. Another reason
SPANISH	¿Cuál de las siguientes opciones describe mejor por qué no solicitó o planea solicitar un Crédito Tributario por Ingreso del Trabajo en ^{FILL_PINC_061S} declaración de impuestos federales ^{FILL_PINC_061S2} para el año ^{FILL_REFYR}? 1. No cumpla los requisitos para un Crédito Tributario por Ingreso del Trabajo 2. No conozco lo que es el Crédito Tributario por Ingreso del Trabajo 3. Otra razón
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_061=0
NEXT	PINC_063

PINC_063	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_063 IF PINC_002 = 1, FILL_PINC_063: 'or any relatives of your spouse or partner' ELSE FILL_PINC_063: BLANK
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill, FILL_PINC_063 IF PINC_002 = 1, FILL_PINC_063: 'o cualquier familiar de su cónyuge o pareja' ELSE FILL_PINC_063: BLANK
ENGLISH	Now please think about any other adult family members you lived with during the calendar year ^{FILL_REFYR}. At any time during the year, did you live with any of your relatives ^{FILL_PINC_063}? 1. Yes 0. No
SPANISH	Piense en cualquier otro miembro adulto de la familia con el que haya vivido durante el año calendario ^{FILL_REFYR}. ¿En algún momento del año, vivió con alguno de sus familiares ^{FILL_PINC_063}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_061, PINC_062
NEXT	PINC_063=1: PINC_064 Else PINC_066

PINC_064	
ASK	IF PINC_063=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC064: 'PINC_064'
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR Create fill FILL_PINC064: 'PINC_064'
ENGLISH	During ^{FILL_REFYR}, what was the combined income of all these family members that you lived with during that year? Please estimate total income across all of these people rounded to the nearest \$10,000. Please include income from any full or part time jobs, temporary or seasonal work and service in the military, military reserves or the National Guard, a farm, a business or professional partnership, Social Security, pensions, welfare, interest, gifts or anything else. Please do not include your own income or the income you've already reported for your spouse or partner. \$ _____ Income
SPANISH	Durante el año ^{FILL_REFYR}, ¿cuál fue el ingreso combinado de todos estos miembros de la familia con los que vivió durante ese año? Calcule el ingreso total de todas estas personas redondeado a los \$10,000 más cercanos. Incluya los ingresos de cualquier trabajo de tiempo completo o parcial, trabajo temporal o estacional y servicio en el ejército, las reservas militares o la Guardia Nacional, una granja, una sociedad comercial o profesional, el Seguro Social, pensiones, asistencia social, intereses, regalos o cualquier otra cosa. No incluya sus propios ingresos o los ingresos que ya ha declarado para su cónyuge o pareja. \$ _____ dólares en ingresos
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	SOFT CHECK IF PINC_064>\$1,000,000: 'You reported that the combined income of the family members who were living with you was ^{FILL_PINC064} in ^{FILL_REFYR}. Please review your answer and correct if needed.'
CHECK (SPAN)	SOFT CHECK IF PINC_064>\$1,000,000: 'Usted informó que los ingresos combinados de los miembros de la familia que vivían con usted fueron de ^{FILL_PINC064} dólares en el año ^{FILL_REFYR}. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_063=1
NEXT	PINC_064=DK or REF: PINC_065; Else PINC_066

PINC_065	
ASK	IF PINC_064=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	Which of these categories includes your best estimate of your family members' combined income in ^[FILL_REFYR]? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de los ingresos combinados de los miembros de su familia en el año ^[FILL_REFYR]? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_064=DK or REF
NEXT	PINC_066

PINC_066	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Create fill, FILL_PINC_063 IF PINC_002 = 1, FILL_PINC_063: 'you and your current spouse or partner' ELSE FILL_PINC_063: 'you'
FILLS (SPAN)	Create fill, FILL_PINC_066S IF PINC_002 = 1, FILL_PINC_066S: 'usted y su actual cónyuge o pareja se sustentan económicamente' ELSE FILL_PINC_066S: 'usted se sustenta económicamente'
ENGLISH	Overall, which one of the following best describes how well ^{FILL_PINC_066} are managing financially these days? 1. Finding it difficult to get by 2. Just getting by 3. Doing okay 4. Living comfortably
SPANISH	En general, ¿cuál de las siguientes opciones describe mejor qué tan bien ^{FILL_PINC_066S} estos días? 1. Tengo/tenemos dificultades para salir adelante 2. Apenas me/nos alcanza 3. Me/nos va bien 4. Vivo/vivimos cómodamente
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_063, PINC_064, PINC_065
NEXT	PINC_067

PINC_067	
ASK	ALL
QUESTION TYPE	informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	The next questions are about your current housing situation.
SPANISH	Las siguientes preguntas están relacionadas con su situación de vivienda.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_066
NEXT	PINC_068

PINC_068	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of the following best describes the place where you currently live? 1. Single-family house (including mobile home) 2. Apartment, condo, or townhouse 3. Farm or ranch 99. Some other type of housing
SPANISH	¿Cuál de las siguientes opciones describe mejor el lugar donde vive actualmente? 1. Casa unifamiliar (incluida una casa móvil) 2. Apartamento, condominio o casa adosada (townhouse) 3. Granja o rancho 99. Algún otro tipo de vivienda
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_067
NEXT	PINC_068=99: PINC_069; Else PINC_070

PINC_069	
ASK	IF PINC_068=99
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of the following best describes the place where you currently live? 4. Dormitory (including a fraternity or sorority) or Military Barracks 5. Hotel, Motel, Rooming or Boarding House 6. Shelter (for homeless or abused) or on street 7. Jail, Prison, Detention 9. Hospital 10. Group Home or Treatment Center 11. Other Type of Housing
SPANISH	¿Cuál de las siguientes opciones describe mejor el lugar donde vive actualmente? 4. Dormitorio (incluida una fraternidad o hermandad) o cuartel militar 5. Hotel, motel, pensión o casa de huéspedes 6. Refugio (para personas sin hogar o maltratadas) o en la calle 7. Cárcel, prisión, detención 9. Hospital 10. Hogar grupal o centro de tratamiento 11. Otro tipo de vivienda
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_068=99
NEXT	PINC_083

PINC_070	
ASK	IF PINC_068≠99
QUESTION TYPE	Radio Button
FILLS (ENG)	Create fill FILL_PARTNER IF PARPARTNER = 1, FILL_PARTNER: 'you and/or your spouse or partner' ELSE FILL_PARTNER: 'you' Create fill FILL_HOMETYPE IF PINC_068= 1, FILL_HOMETYPE: 'house or mobile home' ELSE IF PINC_068= 2, FILL_HOMETYPE: 'apartment, condo, or townhouse' ELSE IF PINC_068= 3, FILL_HOMETYPE: 'farm' ELSE, FILL_HOMETYPE: 'home'
FILLS (SPAN)	Create fill FILL_PARTNER1S IF PARPARTNER = 1, FILL_PARTNER1S: 'Usted y/o su cónyuge o pareja son dueños(as) de' ELSE FILL_PARTNER1S: 'Usted es dueño(a) de' Create fill FILL_HOMETYPE IF PINC_068= 1, FILL_HOMETYPE: 'esta casa o casa móvil' ELSE IF PINC_068= 2, FILL_HOMETYPE: 'este apartamento, condominio o casa adosada' ELSE IF PINC_068= 3, FILL_HOMETYPE: 'esta granja' ELSE, FILL_HOMETYPE: 'esta vivienda'
ENGLISH	Do ^{FILL_PARTNER} own this whole ^{FILL_HOMETYPE}, do you own part of it, do you rent it, is it owned by a business, or something else? <i>If you are paying off a mortgage on this property, but it corresponds to the whole home, please respond that you own all of it.</i> 1.You own all of it 2. You and your spouse or partner jointly own all of it 3.You own part of it 4. You and your spouse or partner jointly own part of it 5. Only your spouse or partner owns all or part of it 6.You rent it 7.You live with your parents, who rent or own this home 8. You live with your spouse or partner's parent(s), who rent or own this home 9.Something else
SPANISH	¿^{FILL_PARTNER1S} ^{FILL_HOMETYPE}, posee solo una parte, lo(a) alquila, usa la propiedad de una empresa o hace alguna otra cosa? <i>Si está pagando una hipoteca sobre esta propiedad, pero corresponde a toda la vivienda, responda como si fuera(n) propietarios(as) de toda la vivienda.</i> 1. Usted es dueño(a) de todo 2. Usted y su cónyuge o pareja son dueños(as) conjuntos(as) de toda la vivienda 3. Usted es dueño(a) de una parte 4. Usted y su cónyuge o pareja son dueños(as) conjuntos(as) de una parte 5. Solo su cónyuge o pareja es dueño(a) de todo o de parte de la vivienda 6. Usted alquila 7. Usted vive con sus padres/madres, que alquilan esta vivienda o son los(as) propietarios(as)

	8. Usted vive con los(as) padres/madres de su cónyuge o pareja, que alquilan o son propietarios(as) de esta vivienda 9.Otra cosa
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	Only display response options 2, 4, 5, and 8 if PARPARTNER = 1
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_068
<i>NEXT</i>	IF PINC_070=1 or 2 or 3 or 4 or 5: f_PINC_072 ELSE IF PINC_070=6 or 7 or 8: PINC_083 ELSE IF PINC_070=9: PINC_071 Else PINC_075

PINC_071	
ASK	IF PINC_070=9
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_002, FILL_REFYR
FILLS (SPAN)	Use fill from PINC_002, FILL_REFYR
ENGLISH	What is your housing situation? 1. Your housing is provided as part of your job, for example as a live-in servant, housekeeper, gardener, or farm laborer 2. Your housing is a gift paid for by someone in the household besides yourself or your spouse or partner 3. Your housing is a gift paid for by a friend or relative outside of your household 4. Your housing is paid for by a government agency or charitable institution 5. You have sold your home, but you have not moved out yet 6. You are living in a home that you will inherit, but do not yet own 7. You are living in temporary quarters, like a garage or shed, while your home is under construction 8. You live in a place without formal arrangements, where you are staying temporarily or squatting 9. You rent your home from a family member 97. Something else
SPANISH	¿Cuál es su situación de vivienda? 1. Su vivienda se le proporciona como parte de su trabajo, por ejemplo, como servidor(a), amo(a) de llaves, jardinero(a) o trabajador(a) agrícola 2. Su vivienda es un regalo pagado por alguien del hogar además de usted o su cónyuge o pareja 3. Su vivienda es un regalo pagado por un(a) amigo(a) o familiar externo(a) a su hogar 4. Su alojamiento lo paga una agencia gubernamental o una institución benéfica 5. Ha vendido su casa, pero aún no se ha mudado 6. Vive en una casa que heredará, pero de la que aún no es propietario(a) 7. Está viviendo en una vivienda temporal, como un garaje o un cobertizo, mientras su casa está en construcción 8. Vive en un lugar sin acuerdos formales, donde se aloja temporalmente o que ocupa 9. Alquila su vivienda a un familiar 97. Otra cosa
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_070=9
NEXT	PINC_083

f_PINC_072 PINC_072MO/PINC_072YR	
ASK	IF PINC_070=1 or 2 or 3 or 4 or 5
QUESTION TYPE	PINC_072MO: Dropdown PINC_072YR: Numeric Special responses Radio button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Use fill from PINC_070, FILL_HOMETYPE Create fill, FILL_INTERVIEWYEAR: 'DOI YEAR'
FILLS (SPAN)	Create fill FILL_PARTNER072S IF PARPARTNER = 1, FILL_PARTNER072S: 'usted y/o su cónyuge o pareja compraron' ELSE FILL_PARTNER072S: 'usted compró' Use fill from PINC_070, FILL_HOMETYPE Create fill, FILL_INTERVIEWYEAR: 'DOI YEAR'
ENGLISH	What month and year did ^{FILL_PARTNER} purchase this ^{FILL_HOMETYPE}? Month: _____ [PINC_072MO] Year: _____ [PINC_072YR] -8. Spouse or partner owned this home before you knew them -9. You did not purchase this home (for example, you received it as a gift or inheritance)
SPANISH	¿En qué mes y año ^{FILL_PARTNER072S} ^{FILL_HOMETYPE}? Mes: _____ [PINC_072MO] Año: _____ [PINC_072YR] -8. Su cónyuge o pareja era dueño(a) de esta vivienda antes de que usted lo(a) conociera -9. No compró esta vivienda (por ejemplo, la recibió como regalo o herencia)
RANGE	PINC_072YR: 1950-2030
LIMITS	
LOOP MAX	
PROGRAM. NOTES	PINC_072MO: Please display a dropdown list of the months January through December Special responses are Radio buttons and should each be exclusive (i.e. if one is selected, the other should not be able to be selected and nothing should be allowed to be input for month or year)
CHECK (ENG)	HARD CHECK IF PINC_072YR OUT OF RANGE OR IN FUTURE ON DOI: 'Please enter a year between 1950 and ^{FILL_INTERVIEWYEAR}.'
CHECK (SPAN)	HARD CHECK IF PINC_072YR OUT OF RANGE OR IN FUTURE ON DOI: 'Ingresa un año entre 1950 y ^{FILL_INTERVIEWYEAR}.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_070
NEXT	PINC_072=-8 or -9: PINC_075 Else PINC_073

PINC_073	
ASK	IF (PINC_070=1 or 2 or 3 or 4 or 5) AND (PINC_072≠-8) AND (PINC_072≠-9)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Use fill from PINC_070, FILL_HOMETYPE Create fill FILL_PINC073: 'PINC_073'
FILLS (SPAN)	Create fill FILL_PARTNER073S IF PARPARTNER = 1, FILL_PARTNER073S: 'usted y/o su cónyuge o pareja compraron por primera vez' ELSE FILL_PARTNER073S: 'usted compró por primera vez' Use fill from PINC_070, FILL_HOMETYPE Create fill FILL_PINC073: 'PINC_073'
ENGLISH	When ^{FILL_PARTNER} first bought this ^{FILL_HOMETYPE}, about what was the purchase price? \$ _____
SPANISH	Cuando ^{FILL_PARTNER073S} ^{FILL_HOMETYPE}, ¿cuál fue el precio de la compra? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_073 OUT OF RANGE (PINC_073=0): 'You reported earlier that you and/or your partner purchased this home. If you received as a gift or inheritance, please click here to update your answer.' (Return R to PINC_072) SOFT CHECK IF PINC_073>\$1,000,000: 'You reported that this home was purchased for ^{FILL_PINC073}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_073 OUT OF RANGE (PINC_073=0): 'Usted informó que usted y/o su pareja compraron esta vivienda. Si la recibió como regalo o herencia, haga clic en aquí para actualizar su respuesta.' (Return R to PINC_072) SOFT CHECK IF PINC_073>\$1,000,000: 'Usted informó que esta vivienda se compró por ^{FILL_PINC073} dólares. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_072
NEXT	If PINC_073=DK or REF: PINC_074 Else PINC_075

PINC_074	
ASK	IF PINC_073=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the purchase price? 1. \$1 - \$25,000 2. \$25,001 - \$50,000 3. \$50,001 - \$100,000 4. \$100,001 - \$250,000 5. \$250,001 - \$500,000 6. \$500,001 - \$1,000,000 7. More than \$1,000,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación del precio de compra? 1. \$1 a \$25,000 dólares 2. \$25,001 a \$50,000 dólares 3. \$50,001 a \$100,000 dólares 4. \$100,001 a \$250,000 dólares 5. \$250,001 a \$500,000 dólares 6. \$500,001 a \$1,000,000 dólares 7. Más de \$1,000,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_073=DK or REF
NEXT	PINC_075

PINC_075	
ASK	IF (PINC_070=1 or 2 or 3 or 4 or 5) AND (PINC_072≠ -8)
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_HOMETYPE
FILLS (SPAN)	Use fill from PINC_070, FILL_HOMETYPE
ENGLISH	Is there a mortgage on this ^{FILL_HOMETYPE}? 1. Yes 0. No
SPANISH	¿Hay una hipoteca para ^{FILL_HOMETYPE}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_073, PINC_070, PINC_072, PINC_074
NEXT	PINC_075=1: PINC_076 Else PINC_078

PINC_076	
ASK	IF PINC_075=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC076: 'PINC_076'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC076: 'PINC_076' Create fill FILL_PARTNER_076S IF PARPARTNER = 1, FILL_PARTNER_076S: 'deben usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_076S: 'debe usted'
ENGLISH	How much do ^{FILL_PARTNER} owe on this mortgage? \$ _____
SPANISH	¿Cuánto ^{FILL_PARTNER} en esta hipoteca? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_076 OUT OF RANGE (PINC_076=0): 'You reported earlier that there is a mortgage on this home. If this is not correct, please click here to update your answer.' (Return R to PINC_075) SOFT CHECK IF PINC_076>\$1,000,000: 'You reported that ^{FILL_PINC076} is owed on this mortgage. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_076 OUT OF RANGE (PINC_076=0): 'Usted informó que hay una hipoteca para esta vivienda. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_075) SOFT CHECK IF PINC_076>\$1,000,000: 'Usted informó que se deben ^{FILL_PINC076} dólares de esta hipoteca. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_075=1
NEXT	PINC_076=DK or REF: PINC_077 Else PINC_078

PINC_077	
ASK	IF PINC_076=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the amount owed on the mortgage? 1. \$1 - \$25,000 2. \$25,001 - \$50,000 3. \$50,001 - \$100,000 4. \$100,001 - \$250,000 5. \$250,001 - \$500,000 6. \$500,001 - \$1,000,000 7. More than \$1,000,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad adeudada por la hipoteca? 1. \$1 a \$25,000 dólares 2. \$25,001 a \$50,000 dólares 3. \$50,001 a \$100,000 dólares 4. \$100,001 a \$250,000 dólares 5. \$250,001 a \$500,000 dólares 6. \$500,001 a \$1,000,000 dólares 7. Más de \$1,000,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_076 =DK or REF
NEXT	PINC_078

PINC_078	
ASK	IF PINC_070=1 or 2 or 3 or 4 or 5
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Are there any other types of loans that use your property as collateral, including second mortgages, home equity loans, or any outstanding balances against a home equity line of credit? 1. Yes 0. No
SPANISH	¿Existen otros tipos de préstamos que usen su propiedad como garantía, lo que incluye segundas hipotecas, préstamos sobre el capital de la vivienda o cualquier saldo pendiente de una línea de crédito sobre el capital de la vivienda? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_075=0, PINC_076, PINC_077
NEXT	PINC_078=1: PINC_079; Else PINC_081

PINC_079	
ASK	IF PINC_078=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC079: 'PINC_079'
FILLS (SPAN)	Create fill FILL_PINC079: 'PINC_079'
ENGLISH	How much is still owed on these loans? \$ _____
SPANISH	¿Cuánto se debe aún por estos préstamos? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_079 OUT OF RANGE (PINC_079=0): 'You reported earlier that there were outstanding loans against your home. If this is not correct, please click here to update your answer.' (Return R to PINC_078) SOFT CHECK IF PINC_079>\$1,000,000: 'You reported that ^{FILL_PINC079} is still owed on these loans. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_079 OUT OF RANGE (PINC_079=0): 'Usted informó que había préstamos pendientes para su vivienda. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_078) SOFT CHECK IF PINC_079>\$1,000,000: 'Usted informó que todavía se adeudan ^{FILL_PINC079} dólares por estos préstamos. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_078=1
NEXT	PINC_079=DK or REF: PINC_080 Else PINC_081

PINC_080	
ASK	IF PINC_079=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the amount owed on these loans? 1. \$1 - \$25,000 2. \$25,001 - \$50,000 3. \$50,001 - \$100,000 4. \$100,001 - \$250,000 5. \$250,001 - \$500,000 6. \$500,001 - \$1,000,000 7. More than \$1,000,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad adeudada por estos préstamos? 1. \$1 a \$25,000 dólares 2. \$25,001 a \$50,000 dólares 3. \$50,001 a \$100,000 dólares 4. \$100,001 a \$250,000 dólares 5. \$250,001 a \$500,000 dólares 6. \$500,001 a \$1,000,000 dólares 7. Más de \$1,000,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_079 =DK or REF
NEXT	PINC_081

PINC_081	
ASK	IF PINC_070=1 or 2 or 3 or 4 or 5
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_HOMETYPE Create fill, FILL_PINC_081 IF PINC_070=3 or 4, FILL_PINC_081: 'your portion' IF PINC_070=5, FILL_PINC_081: 'your spouse or partner's portion' Else FILL_PINC_081: 'it' Create fill FILL_PINC_081_2: 'PINC_081'
FILLS (SPAN)	Use fill from PINC_070, FILL_HOMETYPE Create fill, FILL_PINC_081 IF PINC_070=1 or 2, FILL_PINC_081: 'esta vivienda' IF PINC_070=3 or 4, FILL_PINC_081: 'su parte' IF PINC_070=5, FILL_PINC_081: 'la parte de su cónyuge o de su pareja' Create fill FILL_PINC081: 'PINC_081'
ENGLISH	What is the present value of this ^{FILL_HOMETYPE} if ^{FILL_PINC_081} were sold today? \$ _____
SPANISH	¿Cuál sería el valor actual de ^{FILL_HOMETYPE} si ^{FILL_PINC_081} se vendiera hoy? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_081 OUT OF RANGE (PINC_081=0): 'Please enter a number for home value between 1-999,999,999.' SOFT CHECK IF PINC_081>\$1,000,000: 'You reported that the present value of this home is ^{FILL_PINC_081_2}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_081 OUT OF RANGE (PINC_081=0): 'Ingrese un número para el valor de la vivienda entre 1 y 999,999,999.' SOFT CHECK IF PINC_081>\$1,000,000: 'Usted informó que el valor actual de esta vivienda es de ^{FILL_PINC081} dólares. Revise su respuesta y corrijala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

<i>LEAD-IN</i>	PINC_078, PINC_079, PINC_080
<i>NEXT</i>	PINC_081=DK or REF: PINC_082 Else PINC_083

PINC_082	
ASK	IF PINC_081=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	Create fill, FILL_PINC_082 IF PINC_070=3 or 4, FILL_PINC_082: 'of your portion' IF PINC_070=5, FILL_PINC_082: 'of your spouse or partner's portion' ELSE, FILL_PINC_082: Empty Use fill from PINC_070, FILL_HOMETYPE
FILLS (SPAN)	Create fill, FILL_PINC_082 IF PINC_070=1 or 2, FILL_PINC_082: Empty IF PINC_070=3 or 4, FILL_PINC_082: 'de su parte' IF PINC_070=5, FILL_PINC_082: 'de la parte de su cónyuge o de su pareja' Use fill from PINC_070, FILL_HOMETYPE
ENGLISH	Which of these categories includes your best estimate of the value^{FILL_PINC_082} of this ^{FILL_HOMETYPE}? 1. \$1 - \$25,000 2. \$25,001 - \$50,000 3. \$50,001 - \$100,000 4. \$100,001 - \$250,000 5. \$250,001 - \$500,000 6. \$500,001 - \$1,000,000 7. More than \$1,000,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación del precio de compra ^{FILL_PINC_082} de ^{FILL_HOMETYPE}? 1. \$1 a \$25,000 dólares 2. \$25,001 a \$50,000 dólares 3. \$50,001 a \$100,000 dólares 4. \$100,001 a \$250,000 dólares 5. \$250,001 a \$500,000 dólares 6. \$500,001 a \$1,000,000 dólares 7. Más de \$1,000,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_081=DK or REF
<i>NEXT</i>	PINC_083

PINC_083	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER083S IF PARPARTNER = 1, FILL_PARTNER083S: 'Usted y/o su cónyuge o pareja tienen' ELSE FILL_PARTNER083S: 'Usted tiene'
ENGLISH	The next few questions are about your household savings, other assets, and debts. As with all of the questions in this survey, the information you provide to us is kept strictly confidential. Please round to the nearest dollar for your responses. If you don't know the exact amount, your best estimate is fine. Do ^{FILL_PARTNER} have any checking accounts, savings accounts or money market accounts or funds? 1. Yes 0. No
SPANISH	Las siguientes preguntas son sobre los ahorros de su hogar, otros activos y deudas. Al igual que con todas las preguntas de esta encuesta, la información que nos da es estrictamente confidencial. Redondee sus respuestas al dólar más cercano. Si no conoce la cantidad exacta, su mejor estimación es suficiente. ¿^{FILL_PARTNER083S} cuentas corrientes, cuentas de ahorro o cuentas o fondos del mercado monetario? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_069, PINC_070=6 or 9 or 10, PINC_071, PINC_081, PINC_082
NEXT	PINC_083=1: PINC_084 Else PINC_086

PINC_084	
ASK	IF PINC_083=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC084: 'PINC_084'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC084: 'PINC_084' Create fill FILL_PARTNER084S IF PARPARTNER = 1, FILL_PARTNER084S: 'usted y/o su cónyuge o pareja tienen' ELSE FILL_PARTNER084S: 'usted tiene'
ENGLISH	What is the total current balance in all of the checking, savings, and money market accounts ^{FILL_PARTNER} have? (If the amount changes frequently, please report the average balance over the past month.) \$ _____
SPANISH	¿Cuál es el saldo actual total en todas las cuentas corrientes, de ahorro y del mercado monetario que ^{FILL_PARTNER084S}? (Si la cantidad cambia con frecuencia, informe del saldo promedio del último mes) \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_084 OUT OF RANGE (PINC_084=0): 'You reported earlier that you and/or your partner have checking, savings, and money market accounts. If this is not correct, please click here to update your answer.' (Return R to PINC_083) SOFT CHECK IF PINC_084>\$1,000,000: 'You reported that the current balance of these checking, savings, and money market accounts is ^{FILL_PINC084}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_084 OUT OF RANGE (PINC_084=0): 'Usted informó que usted y/o su pareja tienen cuentas corrientes, de ahorro y del mercado monetario. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_083) SOFT CHECK IF PINC_084>\$1,000,000: 'Usted informó que el saldo actual de estas cuentas corrientes, de ahorro y del mercado monetario es de ^{FILL_PINC084} dólares. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

LEAD-IN	PINC_083=1
NEXT	PINC_084=DK or REF: PINC_085 Else PINC_086
PINC_085	
ASK	IF PINC_084= DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the current or average balance over the last month? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. \$50,001 - \$100,000 8. \$100,001 - \$250,000 9. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación del saldo actual o promedio del último mes? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. \$50,001 a \$100,000 dólares 8. \$100,001 a \$250,000 dólares 9. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_084 =DK or REF
NEXT	PINC_086

PINC_086	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER086S IF PARPARTNER = 1, FILL_PARTNER086S: 'usted y/o su cónyuge o pareja tienen' ELSE FILL_PARTNER086S: 'usted tiene'
ENGLISH	Excluding retirement plan savings, do ^{FILL_PARTNER} have any certificates of deposit (CDs) at financial institutions, government savings bonds, Treasury bills, or other types of corporate, municipal, government bonds or bills, including any CDs, bonds, or bills held in investment trusts? 1. Yes 0. No
SPANISH	Excluyendo los ahorros del plan de jubilación, ¿^{FILL_PARTNER086S} certificados de depósito (CD) en instituciones financieras, bonos de ahorro del gobierno, letras del Tesoro u otros tipos de bonos o letras corporativas, municipales o del gobierno, incluidos los CD, bonos o letras mantenidos en fideicomisos de inversión? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_083, PINC_084, PINC_085
NEXT	PINC_086=1: PINC_087 Else PINC_089

PINC_087	
ASK	IF PINC_086=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC087: 'PINC_087'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC087: 'PINC_087' Create fill FILL_PARTNER087S IF PARPARTNER = 1, FILL_PARTNER087S: 'usted y/o su cónyuge o pareja tienen' ELSE FILL_PARTNER087S: 'usted tiene'
ENGLISH	If you were to cash in all of the CDs, bonds, and bills ^{FILL_PARTNER} have, how much would you get? \$ _____
SPANISH	Si cobrara en efectivo todos los CD, bonos y letras que ^{FILL_PARTNER087S}, ¿cuánto obtendría? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_087 OUT OF RANGE (PINC_087=0): 'You reported earlier that you and/or your partner have CDs, bonds, or bills. If this is not correct, please click here to update your answer.' (Return R to PINC_086) SOFT CHECK IF PINC_087>\$1,000,000: 'You reported that the current balance of these CDs, bonds, and bills is ^{FILL_PINC087}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_087 OUT OF RANGE (PINC_087=0): 'Usted informó que usted y/o su pareja tienen certificados de depósito, bonos o letras. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_086) SOFT CHECK IF PINC_087>\$1,000,000: 'Usted informó que el saldo actual de estos CD, bonos y letras es de ^{FILL_PINC087} dólares. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_086=1
NEXT	PINC_087=DK or REF: PINC_088 Else PINC_089

PINC_088	
ASK	IF PINC_087=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the cash value of all your CDs, bond, and bills? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. \$50,001 - \$100,000 8. \$100,001 - \$250,000 9. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación del valor en efectivo de todos sus CD, bonos y letras? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. \$50,001 a \$100,000 dólares 8. \$100,001 a \$250,000 dólares 9. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_087
NEXT	PINC_089

PINC_089	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER089S IF PARPARTNER = 1, FILL_PARTNER089S: 'Usted y/o su cónyuge o pareja tienen' ELSE FILL_PARTNER089S: 'Usted tiene'
ENGLISH	Do ^{FILL_PARTNER} have any shares of stock in publicly held corporations or mutual funds, including any stock or mutual funds held in investment trusts? 1. Yes 0. No
SPANISH	¿^ {FILL_PARTNER089S} acciones en compañías de participación pública o fondos de inversión, incluidas acciones o fondos de inversión en fideicomisos de inversión? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_086, PINC_087, PINC_088
NEXT	PINC_089=1: PINC_090 Else PINC_092

PINC_090	
ASK	IF PINC_089=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC090: 'PINC_090'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC090: 'PINC_090' Create fill FILL_PARTNER090S IF PARPARTNER = 1, FILL_PARTNER090S: 'usted y/o su cónyuge o pareja tienen' ELSE FILL_PARTNER090S: 'usted tiene'
ENGLISH	If you sold all of the shares of stock in publicly held corporations ^{FILL_PARTNER} have, including mutual funds, how much would you get? \$ _____
SPANISH	Si vendiera todas las acciones de compañías de participación pública que ^{FILL_PARTNER090S}, incluidos los fondos de inversión, ¿cuánto obtendría? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_090 OUT OF RANGE (PINC_090=0): 'You reported earlier that you and/or your partner have stock shares. If this is not correct, please click here to update your answer.' (Return R to PINC_089) SOFT CHECK IF PINC_090>\$1,000,000: 'You reported that the current balance of these stock shares is ^{FILL_PINC090}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_090 OUT OF RANGE (PINC_090=0): 'Usted informó que usted y/o su pareja tienen acciones. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_089) SOFT CHECK IF PINC_090>\$1,000,000: 'Usted informó que el saldo actual de estas acciones es de ^{FILL_PINC090} dólares. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_089=1
NEXT	PINC_090=DK or REF: PINC_091 Else PINC_092

PINC_091	
ASK	IF PINC_090=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the value of your shares? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. \$50,001 - \$100,000 8. \$100,001 - \$250,000 9. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación del valor de sus acciones? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. \$50,001 a \$100,000 dólares 8. \$100,001 a \$250,000 dólares 9. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_090=DK or REF
NEXT	PINC_092

PINC_092	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER092S IF PARPARTNER = 1, FILL_PARTNER092S: 'usted y/o su cónyuge o pareja tienen' ELSE FILL_PARTNER092S: 'usted tiene'
ENGLISH	Many employers and unions offer pensions or retirement plans; some provide tax-deferred plans such as 401(k)'s, profit sharing or stock ownership plans. Other examples include 403(b) plans, 457 plans, IRA-SEP plans, and IRA-SIMPLE plans. Please do not include Traditional IRAs, Roth IRAs, or education IRAs as these will be asked about later. Do ^{FILL_PARTNER} have any savings in these types of plans? - Yes - No
SPANISH	Muchos empleadores y sindicatos ofrecen pensiones o planes de jubilación; algunos dan planes con impuestos diferidos como los 401(k), la participación en los beneficios o los planes de propiedad de acciones. Otros ejemplos son los planes 403(b), los planes 457, las cuentas individuales de jubilación IRA-SEP y los planes IRA-SIMPLE. No incluya las cuentas IRA tradicionales, las Roth IRA o las IRA educativas, ya que responderá preguntas sobre estas más adelante. ¿Se ahorra ^{FILL_PARTNER092S} en este tipo de planes? - Sí - No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_089, PINC_090, PINC_091
NEXT	PINC_092=1: PINC_093 Else PINC_095

PINC_093	
ASK	IF PINC_092=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC093: 'PINC_093'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC070: 'PINC_070' Create fill FILL_PARTNER093S IF PARPARTNER = 1, FILL_PARTNER093S: 'usted y/o su cónyuge o pareja tienen' ELSE FILL_PARTNER093S: 'usted tiene'
ENGLISH	What is the total value of all the savings ^{FILL_PARTNER} have in employer-sponsored plans that save for retirement? Note that tax-advantaged accounts such as IRA or Keogh plans or accounts for saving for educational expenses, such as Coverdell IRAs or 529 plans will be collected later. \$ _____
SPANISH	¿Cuál es el valor total de todos los ahorros que ^{FILL_PARTNER093S} en planes patrocinados por el empleador que sirven para ahorrar para la jubilación? Tenga en cuenta que se le preguntará más adelante sobre las cuentas con ventajas fiscales, como los planes IRA o Keogh, o las cuentas de ahorro para gastos educativos, como las Coverdell IRA o los planes 529. \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_093 OUT OF RANGE (PINC_093=0): 'You reported earlier that you and/or your partner have savings in employer-sponsored savings plans. If this is not correct, please click here to update your answer.' (Return R to PINC_092) SOFT CHECK IF PINC_093>\$1,000,000: 'You reported that the current value of your savings in employer-sponsored savings plans is ^{FILL_PINC093}. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_093 OUT OF RANGE (PINC_093=0): 'Usted informó que usted y/o su pareja tienen ahorros en planes de ahorro patrocinados por el empleador. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_092) SOFT CHECK IF PINC_093>\$1,000,000: 'Usted informó que el valor actual de sus ahorros en planes de ahorro patrocinados por el empleador es de ^{FILL_PINC093} dólares. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI

NOTES	
LEAD-IN	PINC_092=1
NEXT	If PINC_093=DK or REF: PINC_094; Else PINC_095

PINC_094	
ASK	IF PINC_093=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. \$250,001 - \$500,000 8. More than \$500,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. \$250,001 a \$500,000 dólares 8. Más de \$500,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_093=DK or REF
NEXT	PINC_095

PINC_095	
ASK	All
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill, FILL_PINC_095 IF PINC_092 = 1, FILL_PINC_095: 'Other than the accounts you have through your employer, do' ELSE FILL_PINC_095: 'Do'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER095S IF PARPARTNER = 1, FILL_PARTNER095S: 'usted y/o su cónyuge o pareja' ELSE FILL_PARTNER095S: 'usted' Create fill, FILL_PINC_095 IF PINC_092 = 1, FILL_PINC_095: 'Aparte de las cuentas que tiene a través de su empleador, tiene(n)' ELSE FILL_PINC_095: 'Tiene(n)'
ENGLISH	¿{FILL_PINC_095} {FILL_PARTNER} have any money in IRAs, Keoghs, variable annuities, 529 plans, or other tax-advantaged accounts? 1. Yes 0. No
SPANISH	¿{FILL_PINC_095} {FILL_PARTNER095S} dinero en cuentas IRA, Keogh, anualidades variables, planes 529 u otras cuentas con ventajas fiscales? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_092, PINC_093, PINC_094
NEXT	PINC_095=1: f_PINC_096 Else PINC_125

f_PINC_096 PINC_0961/PINC_0962/PINC_0963/PINC_0964/PINC_0965/PINC_0966/PINC_0967/PINC_0967_SPECIFY	
ASK	IF PINC_095=1
QUESTION TYPE	PINC_0961: Radio button PINC_0962: Radio button PINC_0963: Radio button PINC_0964: Radio button PINC_0965: Radio button PINC_0966: Radio button PINC_0967: Radio button PINC_0967_SPECIFY: Textbox
FILLS (ENG)	Create fill FILL_PARTNER_2 IF PARAPARTNER = 1, FILL_PARTNER_2: 'you or your spouse or partner' ELSE FILL_PINC_PARTNER_2: 'you'
FILLS (SPAN)	Create fill FILL_PARTNER_2_096S IF PARAPARTNER = 1, FILL_PARTNER_2_096S: 'tienen usted o su cónyuge o pareja' ELSE FILL_PINC_PARTNER_2_096S: 'tiene usted'
ENGLISH	Below is a list of different types of tax-advantaged accounts. Please tell us which of these ^{FILL_PARTNER_2} hold. Please respond "Yes" or "No" for each. COLUMN HEADERS: - Yes - No ROW ITEMS: Traditional IRA [PINC_0961] Roth IRA [PINC_0962] Coverdell IRAs or Education IRAs [PINC_0963] Keogh Plans [PINC_0964] Variable Annuities [PINC_0965] 529 Plans (State Sponsored Education Plans) [PINC_0966] Other (SPECIFY) [PINC_0967] [PINC_0967_SPECIFY]
SPANISH	A continuación, encontrará una lista de los diferentes tipos de cuentas con ventajas fiscales. Díganos cuál de estas cuentas ^{FILL_PARTNER_2_096S}. Responda "Sí" o "No" para cada opción. COLUMN HEADERS: - Sí - No ROW ITEMS: IRA tradicional [PINC_0961] Roth IRA [PINC_0962] IRA Coverdell o educativa [PINC_0963] Planes Keogh [PINC_0964] Anualidades variables [PINC_0965] Planes 529 (planes educativos patrocinados por el Estado) [PINC_0966] Otro (ESPECIFIQUE) [PINC_0967] [PINC_0967_SPECIFY]

<i>RANGE</i>	
<i>LIMITS</i>	PINC_0967_SPECIFY: 25 Max characters
<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	If PINC_0967=1, display text box PINC_0967_SPECIFY with label above the text box: What other kinds of tax-advantaged accounts do ^{FILL_PARTNER_2} hold? If PINC_0967=1, display text box PINC_0967_SPECIFY with label above the text box: ¿Qué otros tipos de cuentas con ventajas fiscales tiene ^{FILL_PARTNER_2}?
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_095=1
<i>NEXT</i>	If PINC_0961=1: PINC_097; Else if PINC_0962=1: PINC_101; Else if PINC_0963=1: PINC_105; Else if PINC_0964=1: PINC_109; Else if PINC_0965=1: PINC_113; Else if PINC_0966=1: PINC_117; Else if PINC_0967=1: PINC_121; Else PINC_125

PINC_097	
ASK	IF PINC_0961=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER0_2_097S IF PARPARTNER = 1, FILL_PARTNER_2_097S: 'Usted y/o su cónyuge o pareja han retirado' ELSE FILL_PARTNER_2_097SS: 'Usted ha retirado'
ENGLISH	Have ^{FILL_PARTNER_2} withdrawn any money from this Traditional IRA that you intend to pay back or redeposit? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_2_097S} dinero de esta cuenta IRA tradicional que tenga intención de devolver o volver a depositar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_096
NEXT	If PINC_097=1: PINC_098 Else PINC_100

PINC_098	
ASK	IF PINC_097=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC098: 'PINC_098'
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC098: 'PINC_098' Create fill FILL_PARTNER0_2_098S IF PARPARTNER = 1, FILL_PARTNER_2_098S: 'usted y/o su cónyuge o pareja tienen la intención de' ELSE FILL_PARTNER_2_098SS: 'usted tiene la intención de'
ENGLISH	What is the amount that ^{FILL_PARTNER_2} intend to pay back on all withdrawals made on this Traditional IRA? \$ _____
SPANISH	¿Cuál es la cantidad que ^{FILL_PARTNER_2_098S} devolver sobre todos los retiros hechos de esta cuenta IRA tradicional? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_098 OUT OF RANGE (PINC_098=0): 'You reported earlier that you and/or your partner have withdrawn any money from this Traditional IRA that you intend to pay back or redeposit. If this is not correct, please click here to update your answer.' (Return R to PINC_097) SOFT CHECK IF PINC_098>\$1,000,000: 'You reported that you intend to pay back or redeposit ^{FILL_PINC098} to a Traditional IRA. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_098 OUT OF RANGE (PINC_098=0): 'Usted informó que usted y/o su pareja han retirado dinero de esta cuenta IRA tradicional que tienen intención de devolver o de volver a depositar. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_097) SOFT CHECK IF PINC_098>\$1,000,000: 'Usted informó que tiene la intención de devolver o de volver a depositar ^{FILL_PINC098} dólares en una cuenta IRA tradicional. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

LEAD-IN	PINC_097=1
NEXT	PINC_098=DK or REF: PINC_099 Else PINC_100

PINC_099	
ASK	IF PINC_098= DK or REF
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. \$250,001 - \$500,000 8. More than \$500,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. \$250,001 a \$500,000 dólares 8. Más de \$500,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_098 =DK or REF
NEXT	PINC_100

PINC_100	
ASK	IF PINC_0961=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill PINC_100 IF PINC_097 = 1 AND PARAPARTNER = 1, FILL_PINC_100: 'If you and/or your spouse or partner were to pay back all of these withdrawals today, about how much would be' ELSE IF PINC_097 = 1, FILL_PINC_100: 'If you were to pay back all of these withdrawals today, about how much would be' ELSE, FILL_PINC_100: 'Today, about how much is' Create fill FILL_PINC100: 'PINC_100'
FILLS (SPAN)	Create fill PINC_100 IF PINC_097 = 1 AND PARAPARTNER = 1, FILL_PINC_100: 'Si usted y/o su cónyuge o pareja tuvieran que devolver hoy todos estos reintegros, ¿cuánto habría aproximadamente' ELSE IF PINC_097 = 1, FILL_PINC_100: 'Si usted tuviera que devolver todos estos reintegros hoy, ¿cuánto habría aproximadamente' ELSE, FILL_PINC_100: 'Hoy, ¿cuánto hay aproximadamente' Create fill FILL_PINC100: 'PINC_100'
ENGLISH	^{FILL_PINC_100} in this Traditional IRA? \$ _____
SPANISH	^{FILL_PINC_100} en esta cuenta IRA tradicional? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_100 OUT OF RANGE (PINC_100=0): 'You reported earlier that you and/or your partner have money in a Traditional IRA. If this is not correct, please click here to update your answer.' (Return R to PINC_096) SOFT CHECK IF PINC_100>\$1,000,000: 'You reported that you and/or your partner have ^{FILL_PINC100} in a Traditional IRA. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_100 OUT OF RANGE (PINC_100=0): 'Usted informó que usted y/o su pareja tienen dinero en una cuenta IRA tradicional. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_096) SOFT CHECK IF PINC_100>\$1,000,000: 'Usted informó que usted y/o su pareja tienen ^{FILL_PINC100} dólares en una cuenta IRA tradicional. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_097, PINC_098, PINC_099
<i>NEXT</i>	If PINC_0962=1: PINC_101 Else if PINC_0963=1: PINC_105 Else if PINC_0964=1: PINC_109 Else if PINC_0965=1: PINC_113 Else if PINC_0966=1: PINC_117 Else if PINC_0967=1: PINC_121 Else PINC_125

PINC_101	
ASK	IF PINC_0962=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_2_101S IF PARPARTNER = 1, FILL_PARTNER_2_101S: 'Usted y/o su cónyuge o pareja retiraron' ELSE FILL_PARTNER_2_101S: 'Usted ha retirado'
ENGLISH	Have ^{FILL_PARTNER_2} withdrawn any money from this Roth IRA that you intend to pay back or redeposit? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_2_101S} más dinero de esta cuenta Roth IRA que tiene(n) la intención de devolver o volver a depositar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_096, PINC_100
NEXT	If PINC_101=1: PINC_102; Else PINC_104

PINC_102	
ASK	IF PINC_101=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC102: 'PINC_102'
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC102: 'PINC_102' Create fill FILL_PARTNER_2_102S IF PARPARTNER = 1, FILL_PARTNER_2_102S: 'usted y/o su cónyuge o pareja tienen la intención de' ELSE FILL_PARTNER_2_102S: 'usted tiene la intención de'
ENGLISH	What is the amount that ^{FILL_PARTNER_2} intend to pay back on all withdrawals made on this Roth IRA ? \$ _____
SPANISH	¿Cuál es la cantidad que ^{FILL_PARTNER_2_102S} devolver de todos los retiros efectuados en esta cuenta Roth IRA ? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_102 OUT OF RANGE (PINC_102=0): 'You reported earlier that you and/or your partner have withdrawn any money from a Roth IRA that you intend to pay back or redeposit. If this is not correct, please click here to update your answer.' (Return R to PINC_101) SOFT CHECK IF PINC_102>\$1,000,000: 'You reported that you intend to pay back or redeposit ^{FILL_PINC102} to a Roth IRA. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_102 OUT OF RANGE (PINC_102=0): 'Usted informó que usted y/o su pareja han retirado dinero de esta cuenta Roth IRA que tienen intención de devolver o de volver a depositar. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_101) SOFT CHECK IF PINC_102>\$1,000,000: 'Usted informó que tiene la intención de devolver o de volver a depositar ^{FILL_PINC102} dólares en una cuenta Roth IRA. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

LEAD-IN	PINC_101=1
NEXT	PINC_102=DK or REF: PINC_103 Else PINC_104

PINC_103	
ASK	IF PINC_102=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. \$250,001 - \$500,000 8. More than \$500,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. \$250,001 a \$500,000 dólares 8. Más de \$500,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_102 =DK or REF
NEXT	PINC_104

PINC_104	
ASK	IF PINC_0962=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use Create fill from PINC_100, FILL_PINC_100104_2 IF PINC_101 = 1 AND PARAPARTNER = 1, FILL_PINC_104_2: 'If you and/or your spouse or partner were to pay back all of these withdrawals today, about how much would be' ELSE IF PINC_101= 1, FILL_PINC_104_2: 'If you were to pay back all of these withdrawals today, about how much would be' ELSE, FILL_PINC_104_2: 'Today, about how much is' Create fill FILL_PINC104: 'PINC_104'
FILLS (SPAN)	Use Create fill from PINC_100, FILL_PINC_100104_2 IF PINC_101 = 1 AND PARAPARTNER = 1, FILL_PINC_104_2: Si usted y/o su cónyuge o pareja fueran a devolver todos estos retiros hoy, ¿aproximadamente cuanto tendría' ELSE IF PINC_101= 1, FILL_PINC_104_2: 'Si fuera a devolver todos estos retiros hoy, ¿aproximadamente cuánto tendría' ELSE, FILL_PINC_104_2: '¿Hoy en día, aproximadamente cuando hay' Create fill FILL_PINC104: 'PINC_104'
ENGLISH	^{FILL_PINC_100104_2} in this Roth IRA? \$ _____
SPANISH	^{FILL_PINC_100} en esta cuenta Roth IRA? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_104 OUT OF RANGE (PINC_104=0): 'You reported earlier that you and/or your partner have money in a Roth IRA. If this is not correct, please click here to update your answer.' (Return R to PINC_096) SOFT CHECK IF PINC_104>\$1,000,000: 'You reported that you and/or your partner have ^{FILL_PINC100} in a Roth IRA. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_104 OUT OF RANGE (PINC_104=0): 'Usted informó que usted y/o su pareja tienen dinero en una cuenta Roth IRA. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_096) SOFT CHECK IF PINC_104>\$1,000,000: 'Usted informó que usted y/o su pareja tienen ^{FILL_PINC100} dólares en una cuenta Roth IRA. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_101, PINC_102, PINC_103
<i>NEXT</i>	If PINC_0963=1: PINC_105 Else if PINC_0964=1: PINC_109 Else if PINC_0965=1: PINC_113 Else if PINC_0966=1: PINC_117 Else if PINC_0967=1: PINC_121 Else PINC_125

PINC_105	
ASK	IF PINC_0963=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_2_105S IF PARPARTNER = 1, FILL_PARTNER_2_105S: 'Usted y/o su cónyuge o pareja retiraron' ELSE FILL_PARTNER_2_105S: 'Usted ha retirado'
ENGLISH	Have ^{FILL_PARTNER_2} withdrawn any money from these Coverdell IRAs or Education IRAs that you intend to pay back or redeposit? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_2_105S} algún dinero de estas cuentas Coverdell IRA o IRA educativas que tenga(n) la intención de devolver o volver a depositar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_096, PINC_100, PINC_104
NEXT	If PINC_105=1: PINC_106; Else PINC_108

PINC_106	
ASK	IF PINC_105=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC106: 'PINC_106'
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC106: 'PINC_106' Create fill FILL_PARTNER_2_106S IF PARPARTNER = 1, FILL_PARTNER_2_106S: 'usted y/o su cónyuge o pareja tienen la intención de' ELSE FILL_PARTNER_2_106S: 'usted tiene la intención de'
ENGLISH	What is the amount that ^{FILL_PARTNER_2} intend to pay back on all withdrawals made on these Coverdell IRAs or Education IRAs? \$ _____
SPANISH	¿Cuál es la cantidad que ^{FILL_PARTNER_2_106S} devolver sobre todos los retiros efectuados de estas cuentas Coverdell IRA o IRA educativas? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_106 OUT OF RANGE (PINC_106=0): 'You reported earlier that you and/or your partner have withdrawn any money from a Coverdell or Education IRA that you intend to pay back or redeposit. If this is not correct, please click here to update your answer.' (Return R to PINC_105) SOFT CHECK IF PINC_106>\$1,000,000: 'You reported that you intend to pay back or redeposit ^{FILL_PINC106} to a Coverdell or Education IRA. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_106 OUT OF RANGE (PINC_106=0): 'Usted informó que usted y/o su pareja han retirado dinero de estas cuentas Coverdell IRA o IRA educativas que tienen la intención de devolver o de volver a depositar. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_105) SOFT CHECK IF PINC_106>\$1,000,000: 'Usted informó que tiene la intención de devolver o volver a depositar ^{FILL_PINC106} dólares en una cuenta Coverdell o IRA educativa. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

LEAD-IN	PINC_105=1
NEXT	PINC_106=DK or REF: PINC_107 Else PINC_108

PINC_107	
ASK	IF PINC_106=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. \$250,001 - \$500,000 8. More than \$500,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. \$250,001 a \$500,000 dólares 8. Más de \$500,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_106 =DK or REF
NEXT	PINC_108

PINC_108	
ASK	IF PINC_0963=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC_108_2 IF PINC_105 = 1 AND PARAPARTNER = 1, FILL_PINC_108_2: 'If you and/or your spouse or partner were to pay back all of these withdrawals today, about how much would be' ELSE IF PINC_105= 1, FILL_PINC_108_2: 'If you were to pay back all of these withdrawals today, about how much would be' ELSE, FILL_PINC_108_2: 'Today, about how much is' Create fill FILL_PINC108: 'PINC_108'
FILLS (SPAN)	Create fill FILL_PINC_108_2 IF PINC_105 = 1 AND PARAPARTNER = 1, FILL_PINC_108_2: Si usted y/o su cónyuge o pareja fueran a devolver todos estos retiros hoy, ¿aproximadamente cuanto tendría' ELSE IF PINC_105= 1, FILL_PINC_108_2: 'Si fuera a devolver todos estos retiros hoy, ¿aproximadamente cuánto tendría' ELSE, FILL_PINC_108_2: '¿Hoy en día, aproximadamente cuando hay' Create fill FILL_PINC108: 'PINC_108'
ENGLISH	^{FILL_PINC_100} in these Coverdell IRAs or Education IRAs? \$ _____
SPANISH	^{FILL_PINC_100} en estas cuentas Coverdell IRA o IRA educativas? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_108 OUT OF RANGE (PINC_108=0): 'You reported earlier that you and/or your partner have money in a Coverdell or Education IRA. If this is not correct, please click here to update your answer.' (Return R to PINC_096) SOFT CHECK IF PINC_108>\$1,000,000: 'You reported that you and/or your partner have ^{FILL_PINC108} in Coverdell or Education IRAs. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_108 OUT OF RANGE (PINC_108=0): 'Usted informó que usted y/o su pareja tienen dinero en una cuenta Coverdell IRA o IRA educativa. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_096) SOFT CHECK IF PINC_108>\$1,000,000: 'Usted informó que usted y/o su pareja tienen ^{FILL_PINC108} dólares en cuentas Coverdell IRA o IRA educativas. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

<i>LEAD-IN</i>	PINC_105, PINC_106, PINC_107
<i>NEXT</i>	If PINC_0964=1: PINC_109 Else if PINC_0965=1: PINC_113 Else if PINC_0966=1: PINC_117 Else if PINC_0967=1: PINC_121 Else PINC_125

PINC_109	
ASK	IF PINC_0964=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_2_109S IF PARPARTNER = 1, FILL_PARTNER_2_109S: 'Usted y/o su cónyuge o pareja retiraron' ELSE FILL_PARTNER_2_109S: 'Usted ha retirado'
ENGLISH	Have ^{FILL_PARTNER_2} withdrawn any money from these Keogh Plans that you intend to pay back or redeposit? 1 Yes 0 No
SPANISH	¿^{FILL_PARTNER_2_109S} dinero de estos planes Keogh que planea(n) devolver o volver a depositar? 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_096, PINC_100, PINC_104, PINC_108
NEXT	If PINC_109=1: PINC_110 Else PINC_112

PINC_110	
ASK	IF PINC_109=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC110: 'PINC_110'
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC110: 'PINC_110' Create fill FILL_PARTNER_2_110S IF PARPARTNER = 1, FILL_PARTNER_2_110S: 'usted y/o su cónyuge o pareja tienen la intención de' ELSE FILL_PARTNER_2_110S: 'usted tiene la intención de'
ENGLISH	What is the amount that ^{FILL_PARTNER_2} intend to pay back on all withdrawals made on these Keogh Plans? \$ _____
SPANISH	¿Cuál es la cantidad que ^{FILL_PARTNER_2_110S} devolver sobre todos los retiros efectuados en estos planes Keogh? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_110 OUT OF RANGE (PINC_110=0): 'You reported earlier that you and/or your partner have withdrawn any money from a Keogh Plan that you intend to pay back or redeposit. If this is not correct, please click here to update your answer.' (Return R to PINC_109) SOFT CHECK IF PINC_110>\$1,000,000: 'You reported that you intend to pay back or redeposit ^{FILL_PINC110} to a Keogh Plan. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_110 OUT OF RANGE (PINC_110=0): 'Usted informó que usted y/o su pareja han retirado dinero de este plan Keogh que tienen intención de devolver o de volver a depositar. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_109) SOFT CHECK IF PINC_110>\$1,000,000: 'Usted informó que tiene la intención de devolver o de volver a depositar ^{FILL_PINC110} dólares en un plan Keogh. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

LEAD-IN	PINC_109=1
NEXT	PINC_110=DK or REF: PINC_111 Else PINC_112

PINC_111	
ASK	IF PINC_110=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. \$250,001 - \$500,000 8. More than \$500,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. \$250,001 a \$500,000 dólares 8. Más de \$500,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_110 =DK or REF
NEXT	PINC_112

PINC_112	
ASK	IF PINC_0964=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC_112_2 IF PINC_109 = 1 AND PARAPARTNER = 1, FILL_PINC_112_2: 'If you and/or your spouse or partner were to pay back all of these withdrawals today, about how much would be' ELSE IF PINC_109= 1, FILL_PINC_112_2: 'If you were to pay back all of these withdrawals today, about how much would be' ELSE, FILL_PINC_112_2: 'Today, about how much is' Create fill FILL_PINC112: 'PINC_112'
FILLS (SPAN)	Create fill FILL_PINC_112_2 IF PINC_109 = 1 AND PARAPARTNER = 1, FILL_PINC_112_2: Si usted y/o su cónyuge o pareja fueran a devolver todos estos retiros hoy, ¿aproximadamente cuanto tendría' ELSE IF PINC_109= 1, FILL_PINC_112_2: 'Si fuera a devolver todos estos retiros hoy, ¿aproximadamente cuánto tendría' ELSE, FILL_PINC_112_2: '¿Hoy en día, aproximadamente cuando hay' Create fill FILL_PINC112: 'PINC_112'
ENGLISH	^{FILL_PINC_112_2} in these Keogh Plans? \$ _____
SPANISH	^{FILL_PINC_100} en estos planes Keogh? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_112 OUT OF RANGE (PINC_112=0): 'You reported earlier that you and/or your partner have money in Keogh Plan. If this is not correct, please click here to update your answer.' (Return R to PINC_096) SOFT CHECK IF PINC_112>\$1,000,000: 'You reported that you and/or your partner have ^{FILL_PINC112} in Keogh Plans. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_112 OUT OF RANGE (PINC_112=0): 'Usted informó que usted y/o su pareja tienen dinero en un plan Keogh. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_113) SOFT CHECK IF PINC_112>\$1,000,000: 'Usted informó que usted y/o su pareja tienen ^{FILL_PINC112} dólares en planes Keogh. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_097, PINC_097, PINC_099

NEXT

If PINC_0965=1: PINC_113
Else if PINC_0966=1: PINC_117
Else if PINC_0967=1: PINC_121
Else PINC_125

PINC_113	
ASK	IF PINC_0965=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_2_113S IF PARPARTNER = 1, FILL_PARTNER_2_113S: 'Usted y/o su cónyuge o pareja retiraron' ELSE FILL_PARTNER_2_113S: 'Usted ha retirado'
ENGLISH	Have ^{FILL_PARTNER_2} withdrawn any money from these variable annuities that you intend to pay back or redeposit? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_2_113S} dinero de estas anualidades variables que planea(n) devolver o volver a depositar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_096, PINC_100, PINC_104, PINC_108, PINC_112
NEXT	If PINC_113=1: PINC_114 Else PINC_116

PINC_114	
ASK	IF PINC_113=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC114: 'PINC_114'
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC114: 'PINC_114' Create fill FILL_PARTNER_2_114S IF PARPARTNER = 1, FILL_PARTNER_2_114S: 'usted y/o su cónyuge o pareja tienen la intención de' ELSE FILL_PARTNER_2_114S: 'usted tiene la intención de'
ENGLISH	What is the amount that ^{FILL_PARTNER_2} intend to pay back on all withdrawals made on these variable annuities? \$ _____
SPANISH	¿Cuál es la cantidad que ^{FILL_PARTNER_2_114S} devolver sobre todos los retiros efectuados en estas anualidades variables? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_114 OUT OF RANGE (PINC_114=0): 'You reported earlier that you and/or your partner have withdrawn any money from variable annuities that you intend to pay back or redeposit. If this is not correct, please click here to update your answer.' (Return R to PINC_113) SOFT CHECK IF PINC_114>\$1,000,000: 'You reported that you intend to pay back or redeposit ^{FILL_PINC114} to variable annuities. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_114 OUT OF RANGE (PINC_114=0): 'Usted informó que usted y/o su pareja han retirado dinero de estas anualidades variables que tienen intención de devolver o de volver a depositar. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_113) SOFT CHECK IF PINC_114>\$1,000,000: 'Usted informó que tiene la intención de devolver o de volver a depositar ^{FILL_PINC114} dólares en anualidades variables. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

LEAD-IN	PINC_113=1
NEXT	PINC_114=DK or REF: PINC_115 Else PINC_116

PINC_115	
ASK	IF PINC_114=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. \$250,001 - \$500,000 8. More than \$500,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. \$250,001 a \$500,000 dólares 8. Más de \$500,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_114 =DK or REF
NEXT	PINC_116

PINC_116	
ASK	IF PINC_0965=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC_116_2 IF PINC_113 = 1 AND PARAPARTNER = 1, FILL_PINC_116_2: 'If you and/or your spouse or partner were to pay back all of these withdrawals today, about how much would be' ELSE IF PINC_113= 1, FILL_PINC_116_2: 'If you were to pay back all of these withdrawals today, about how much would be' ELSE, FILL_PINC_116_2: 'Today, about how much is' Create fill FILL_PINC116: 'PINC_116'
FILLS (SPAN)	Create fill FILL_PINC_116_2 IF PINC_113 = 1 AND PARAPARTNER = 1, FILL_PINC_116_2: Si usted y/o su cónyuge o pareja fueran a devolver todos estos retiros hoy, ¿aproximadamente cuanto tendría' ELSE IF PINC_113= 1, FILL_PINC_116_2: 'Si fuera a devolver todos estos retiros hoy, ¿aproximadamente cuánto tendría' ELSE, FILL_PINC_116_2: '¿Hoy en día, aproximadamente cuando hay' Create fill FILL_PINC116: 'PINC_116'
ENGLISH	^{FILL_PINC_100116_2} in these variable annuities? \$ _____
SPANISH	^{FILL_PINC_100} en estas anualidades variables? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_116 OUT OF RANGE (PINC_116=0): 'You reported earlier that you and/or your partner have money in variable annuities. If this is not correct, please click here to update your answer.' (Return R to PINC_096) SOFT CHECK IF PINC_116>\$1,000,000: 'You reported that you and/or your partner have ^{FILL_PINC116} in variable annuities. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_116 OUT OF RANGE (PINC_116=0): 'Usted informó que usted y/o su pareja tienen dinero en anualidades variables. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_096) SOFT CHECK IF PINC_116>\$1,000,000: 'Usted informó que usted y/o su pareja tienen ^{FILL_PINC116} dólares en anualidades variables. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

<i>LEAD-IN</i>	PINC_113, PINC_114, PINC_115
<i>NEXT</i>	If PINC_0966=1: PINC_117 Else if PINC_0967=1: PINC_121 Else PINC_125

PINC_117	
ASK	IF PINC_0966=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_2_117S IF PARPARTNER = 1, FILL_PARTNER_2_117S: 'Usted y/o su cónyuge o pareja han retirado' ELSE FILL_PARTNER_2_127S: 'Usted ha retirado'
ENGLISH	Have ^{FILL_PARTNER_2} withdrawn any money from these 529 Plans that you intend to pay back or redeposit? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_2_117S} dinero de estos planes 529 que planea(n) devolver o volver a depositar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_096, PINC_100, PINC_104, PINC_108, PINC_112, PINC_116
NEXT	If PINC_117=1: PINC_118 Else PINC_120

PINC_118	
ASK	IF PINC_117=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC118: 'PINC_118'
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC118: 'PINC_118' Create fill FILL_PARTNER_2_118S IF PARPARTNER = 1, FILL_PARTNER_2_118S: 'usted y/o su cónyuge o pareja tienen la intención de' ELSE FILL_PARTNER_2_118S: 'usted tiene la intención de'
ENGLISH	What is the amount that ^{FILL_PARTNER_2} intend to pay back on all withdrawals made on these 529 Plans ? \$ _____
SPANISH	¿Cuál es la cantidad que ^{FILL_PARTNER_2_118S} devolver sobre todos los retiros efectuados en estos planes 529 ? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_118 OUT OF RANGE (PINC_118=0): 'You reported earlier that you and/or your partner have withdrawn any money from 529 Plans that you intend to pay back or redeposit. If this is not correct, please click here to update your answer.' (Return R to PINC_117) SOFT CHECK IF PINC_118>\$1,000,000: 'You reported that you intend to pay back or redeposit ^{FILL_PINC118} to 529 plans. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_118 OUT OF RANGE (PINC_118=0): 'Usted informó que usted y/o su pareja han retirado dinero de estos planes 529 que tienen intención de devolver o de volver a depositar. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_117) SOFT CHECK IF PINC_118>\$1,000,000: 'Usted informó que planeaba devolver o volver a depositar ^{FILL_PINC118} dólares a los planes 529. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

LEAD-IN	PINC_117=1
NEXT	PINC_118=DK or REF: PINC_119 Else PINC_120

PINC_119	
ASK	IF PINC_118=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. \$250,001 - \$500,000 8. More than \$500,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. \$250,001 a \$500,000 dólares 8. Más de \$500,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_118 =DK or REF
NEXT	PINC_120

PINC_120	
ASK	IF PINC_0966=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC_120_2 IF PINC_117 = 1 AND PARAPARTNER = 1, FILL_PINC_120_2: 'If you and/or your spouse or partner were to pay back all of these withdrawals today, about how much would be' ELSE IF PINC_117= 1, FILL_PINC_120_2: 'If you were to pay back all of these withdrawals today, about how much would be' ELSE, FILL_PINC_120_2: 'Today, about how much is' Create fill FILL_PINC120: 'PINC_120'
FILLS (SPAN)	Create fill FILL_PINC_120_2 IF PINC_117 = 1 AND PARAPARTNER = 1, FILL_PINC_120_2: Si usted y/o su cónyuge o pareja fueran a devolver todos estos retiros hoy, ¿aproximadamente cuanto tendría' ELSE IF PINC_117= 1, FILL_PINC_120_2: 'Si fuera a devolver todos estos retiros hoy, ¿aproximadamente cuánto tendría' ELSE, FILL_PINC_120_2: '¿Hoy en día, aproximadamente cuando hay' Create fill FILL_PINC120: 'PINC_120'
ENGLISH	^{FILL_PINC_120_2} in these 529 Plans? \$ _____
SPANISH	^{FILL_PINC_100} en estos planes 529? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_120 OUT OF RANGE (PINC_120=0): 'You reported earlier that you and/or your partner have money in a 529 Plan. If this is not correct, please click here to update your answer.' (Return R to PINC_096) SOFT CHECK IF PINC_120>\$1,000,000: 'You reported that you and/or your partner have ^{FILL_PINC120} in 529 plans. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_120 OUT OF RANGE (PINC_120=0): 'Usted informó que usted y/o su pareja tienen dinero en un plan 529. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_096) SOFT CHECK IF PINC_120>\$1,000,000: 'Usted informó que usted y/o su pareja tienen ^{FILL_PINC120} dólares en planes 529. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_117, PINC_118, PINC_119

NEXT

If PINC_0967=1: PINC_121
Else PINC_125

PINC_121	
ASK	IF PINC_0967=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_2_121S IF PARPARTNER = 1, FILL_PARTNER_2_121S: 'Usted y/o su cónyuge o pareja han retirado' ELSE FILL_PARTNER_2_121S: 'Usted ha retirado'
ENGLISH	Have ^{FILL_PARTNER_2} withdrawn any money from these other tax-advantaged accounts that you intend to pay back or redeposit? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_2_121S} dinero de estas otras cuentas con ventajas fiscales que tenga(n) la intención de devolver o de volver a depositar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_096, PINC_100, PINC_104, PINC_108, PINC_112, PINC_116, PINC_120
NEXT	If PINC_121=1: PINC_122 Else PINC_124

PINC_122	
ASK	IF PINC_121=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC122: 'PINC_122'
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PINC122: 'PINC_122' Create fill FILL_PARTNER_2_122S IF PARPARTNER = 1, FILL_PARTNER_2_122S: 'usted y/o su cónyuge o pareja tienen la intención de' ELSE FILL_PARTNER_2_122S: 'usted tiene la intención de'
ENGLISH	What is the amount that ^{FILL_PARTNER_2} intend to pay back on all withdrawals made on these other tax-advantaged accounts? \$ _____
SPANISH	¿Cuál es la cantidad que ^{FILL_PARTNER_2_122S} devolver sobre todos los retiros efectuados en estas otras cuentas con ventajas fiscales? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_122 OUT OF RANGE (PINC_122=0): 'You reported earlier that you and/or your partner have withdrawn any money from other tax-advantaged accounts that you intend to pay back or redeposit. If this is not correct, please click here to update your answer.' (Return R to PINC_121) SOFT CHECK IF PINC_122>\$1,000,000: 'You reported that you intend to pay back or redeposit ^{FILL_PINC122} to other tax-advantaged accounts. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_122 OUT OF RANGE (PINC_122=0): 'Usted informó que usted y/o su pareja han retirado dinero de estas otras cuentas con ventajas fiscales que tienen intención de devolver o de volver a depositar. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_121) SOFT CHECK IF PINC_122>\$1,000,000: 'Usted informó que tiene la intención de devolver o volver a depositar ^{FILL_PINC122} dólares en otras cuentas con ventajas fiscales. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

LEAD-IN	PINC_121=1
NEXT	PINC_122=DK or REF: PINC_123 Else PINC_124

PINC_123	
ASK	IF PINC_122=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. \$250,001 - \$500,000 8. More than \$500,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. \$250,001 a \$500,000 dólares 8. Más de \$500,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_122 =DK or REF
NEXT	PINC_124

PINC_124	
ASK	IF PINC_0967=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC_124 IF PINC_121 = 1 AND PARAPARTNER = 1, FILL_PINC_124: 'If you and/or your spouse or partner were to pay back all of these withdrawals today, about how much would be' ELSE IF PINC_121= 1, FILL_PINC_124: 'If you were to pay back all of these withdrawals today, about how much would be' ELSE, FILL_PINC_124: 'Today, about how much is' Create fill FILL_PINC124: 'PINC_124'
FILLS (SPAN)	Create fill FILL_PINC_124 IF PINC_121 = 1 AND PARAPARTNER = 1, FILL_PINC_124: Si usted y/o su cónyuge o pareja fueran a devolver todos estos retiros hoy, ¿aproximadamente cuanto tendría' ELSE IF PINC_121= 1, FILL_PINC_124: 'Si fuera a devolver todos estos retiros hoy, ¿aproximadamente cuánto tendría' ELSE, FILL_PINC_124: '¿Hoy en día, aproximadamente cuando hay' Create fill FILL_PINC124: 'PINC_124'
ENGLISH	^{FILL_PINC_124_2} in these other tax-advantaged accounts? \$ _____
SPANISH	^{FILL_PINC_100} en estas otras cuentas con ventajas fiscales? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_124 OUT OF RANGE (PINC_124=0): 'You reported earlier that you and/or your partner have money in other tax-advantaged accounts. If this is not correct, please click here to update your answer.' (Return R to PINC_096) SOFT CHECK IF PINC_124>\$1,000,000: 'You reported that you and/or your partner have ^{FILL_PINC124} in other tax-advantaged accounts. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_104 OUT OF RANGE (PINC_104=0): 'Usted informó que usted y/o su pareja tienen dinero en otras cuentas con ventajas fiscales. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_096) SOFT CHECK IF PINC_124>\$1,000,000: 'Usted informó que usted y/o su pareja tienen ^{FILL_PINC124} dólares en otras cuentas con ventajas fiscales. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_121, PINC_122, PINC_123
<i>NEXT</i>	PINC_125

PINC_125	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_125S IF PARPARTNER = 1, FILL_PARTNER_125S: 'les debe a usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_125S: 'le debe a usted'
ENGLISH	Does anyone owe ^{FILL_PARTNER} \$1,000 or more from personal loans or from any mortgage loans that you have made to others, even if you are not sure that these people will repay you? Please do not include any loans owed to your business or farm as you will asked about them later. 1. Yes 0. No
SPANISH	¿Alguien ^{FILL_PARTNER_125S} \$1,000 dólares o más de préstamos personales o de cualquier préstamo hipotecario que haya(n) hecho a otras personas, aunque no haya garantía de que se los devuelvan? No incluya ningún préstamo adeudado a su empresa o granja, ya que responderá preguntas al respecto más adelante. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_095, PINC_100, PINC_104, PINC_108, PINC_112, PINC_116, PINC_120, PINC_124
NEXT	PINC_125=1: PINC_126 Else PINC_128

PINC_126	
ASK	IF PINC_125=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC126: 'PINC_126'
FILLS (SPAN)	Create fill FILL_PINC126: 'PINC_126'
ENGLISH	Altogether, how much are you owed from these loans? \$ _____
SPANISH	En total, ¿cuánto se debe de estos préstamos? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_126 OUT OF RANGE (PINC_126=0): 'You reported earlier that you and/or your partner are owed money on loans you made to other people. If this is not correct, please click here to update your answer.' (Return R to PINC_125) SOFT CHECK IF PINC_126>\$1,000,000: 'You reported that you and/or your partner are owed ^{FILL_PINC126} on loans made to other people. This amount should not include loans owed to your business or farm. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_126 OUT OF RANGE (PINC_126=0): 'Usted informó que a usted y/o a su pareja se les debe dinero por préstamos que hicieron a otras personas. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_125) SOFT CHECK IF PINC_126>\$1,000,000: 'Usted informó que a usted y/o a su pareja se les deben ^{FILL_PINC126} dólares por préstamos realizados a otras personas. Esta cantidad no debe incluir los préstamos adeudados a su empresa o granja. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_125=1
NEXT	PINC_126=DK or REF: PINC_127 Else PINC_128

PINC_127	
ASK	IF PINC_126=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_126 =DK or REF
NEXT	PINC_128

PINC_128	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_128S IF PARPARTNER = 1, FILL_PARTNER_128S: 'Usted y/o su cónyuge o pareja son dueños(as) de' ELSE FILL_PARTNER_128S: 'Usted es dueño(a) de'
ENGLISH	Do ^{FILL_PARTNER} own any vehicles for personal use such as a car, van, truck, jeep-like vehicle, a motor home/RV, motorcycle, boat, or airplane? Please do not include vehicles that you lease or have use of, but do not own. Please do include vehicles you are still paying for but will own when you finish making payments. 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_128S} algún vehículo para uso personal como un coche, una furgoneta, un camión, un vehículo tipo Jeep, una casa rodante/RV, una motocicleta, un barco o un avión? No incluya los vehículos que alquile o los que use que no sean suyos. Incluya los vehículos que aún está pagando pero que poseerá cuando termine de realizar los pagos. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_125, PINC_126, PINC_127
NEXT	PINC_128=1: PINC_129 Else PINC_133

PINC_129	
ASK	IF PINC_128=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC129: 'PINC_129'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC129: 'PINC_129' Create fill FILL_PARTNER_129S IF PARPARTNER = 1, FILL_PARTNER_129S: 'tienen usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_129S: 'tiene usted'
ENGLISH	Altogether, what is the current market value of all of the vehicles ^{FILL_PARTNER} own? \$ _____
SPANISH	En total, ¿cuál es el valor de mercado actual de todos los vehículos que ^{FILL_PARTNER}? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_129 OUT OF RANGE: 'Please enter a number for the value of your vehicles between 1-999,999,999. If you do not own any vehicles, please click here to update your answer' (Return R to PINC_128) SOFT CHECK IF PINC_129>\$1,000,000: 'You reported that ^{FILL_PINC129} is the current market value of all the vehicles you and/or your partner own for personal use. This number should not include vehicles owned by a farm or business. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_129 OUT OF RANGE: 'Ingrese un número para el valor de sus vehículos entre 1 y 999,999,999. Si no posee ningún vehículo, haga clic en aquí para actualizar su respuesta' (Return R to PINC_128) SOFT CHECK IF PINC_129>\$1,000,000: 'Usted informó que ^{FILL_PINC129} dólares es el valor de mercado actual de todos los vehículos que usted y/o su pareja poseen para uso personal. Este número no debe incluir los vehículos que son propiedad de una granja o empresa. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_128=1
NEXT	PINC_129=DK or REF: PINC_130 Else PINC_131

PINC_130	
ASK	IF PINC_129=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the market value of all your vehicles? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación del valor de mercado de todos sus vehículos? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_129=DK or REF
NEXT	PINC_131

PINC_131	
ASK	IF PINC_128=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC131: 'PINC_131'
FILLS (SPAN)	Create fill FILL_PINC131: 'PINC_131'
ENGLISH	How much is still owed on these vehicles? \$ _____
SPANISH	¿Cuánto se debe aún por estos vehículos? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	SOFT CHECK IF PINC_131>\$1,000,000: 'You reported that you and/or your partner currently owe ^{FILL_PINC131} on the vehicles you own. Please review your answer and correct if needed.'
CHECK (SPAN)	SOFT CHECK IF PINC_131>\$1,000,000: 'Usted informó que usted y/o su pareja deben actualmente ^{FILL_PINC131} dólares por los vehículos de su propiedad. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_130, PINC_129
NEXT	PINC_131=DK or REF: PINC_132 Else PINC_133

PINC_132	
ASK	IF PINC_131=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the amount owed on these vehicles? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad adeudada por estos vehículos? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_131=DK or REF
NEXT	PINC_133

PINC_133	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_133S IF PARPARTNER = 1, FILL_PARTNER_133S: 'Usted y/o su cónyuge o pareja son dueños(as) de' ELSE FILL_PARTNER_133S: 'Usted es dueño(a) de'
ENGLISH	Do ^{FILL_PARTNER} own a business, partnership or professional practice, or any part of one? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_133S} un negocio, sociedad o práctica profesional, o de parte de alguno? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_128, PINC_131 PINC_132
NEXT	PINC_133=1: PINC_134; Else PINC_141

PINC_134	
ASK	IF PINC_133=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_134S IF PARPARTNER = 1, FILL_PARTNER_134S: 'tienen usted y/o su cónyuge o pareja en este momento' ELSE FILL_PARTNER_134S: 'tiene usted en este momento'
ENGLISH	How many businesses and professional practices do ^{FILL_PARTNER} currently own or are invested in? Number of businesses: _____
SPANISH	¿Cuántas empresas y prácticas profesionales ^{FILL_PARTNER_134S} o en cuántas invierte(n)? Número de empresas: _____
RANGE	0-999
LIMITS	3 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	HARD CHECK IF PINC_134 OUT OF RANGE (PINC_134=0): 'You reported earlier that you and/or your partner own a business, partnership or professional practice, or any part of one. If this is not correct, please click here to update your answer.' (Return R to PINC_133) SOFT CHECK IF PINC_134 > 5: 'Please check your answer. Do not include publicly traded stocks in a business in your number.'
CHECK (SPAN)	HARD CHECK IF PINC_134 OUT OF RANGE (PINC_134=0): 'Usted informó que usted y/o su pareja son propietarios de un negocio, sociedad o práctica profesional, o parte de alguno. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_133) SOFT CHECK IF PINC_134 > 5: 'Revise su respuesta. No incluya las acciones cotizadas en bolsa de una empresa en su número.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_133=1
NEXT	PINC_135

PINC_135	
ASK	IF PINC_133=1
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_135S IF PARPARTNER = 1, FILL_PARTNER_135S: 'tienen usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_135S: 'tiene usted'
ENGLISH	Next are some questions about all the businesses or professional practices ^{FILL_PARTNER} are currently invested in. In answering these questions, please include all of the land, buildings, tools, equipment, intellectual property, and other assets that ^{FILL_PARTNER} own as part of a business. Please round to the nearest dollar for your responses. If you don't know the exact amount, your best estimate is fine.
SPANISH	Las siguientes preguntas son sobre todos los negocios o prácticas profesionales en los que ^{FILL_PARTNER} invierte en este momento. Al responder a estas preguntas, incluya todos los terrenos, edificios, herramientas, equipos, propiedad intelectual y otros activos que ^{FILL_PARTNER_135S} como parte de una empresa. Redondee sus respuestas al dólar más cercano. Si no conoce la cantidad exacta, su mejor estimación es suficiente.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_134
NEXT	PINC_136

PINC_136	
ASK	IF PINC_133=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_136S IF PARPARTNER = 1, FILL_PARTNER_136S: 'tienen usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_136S: 'tiene usted'
ENGLISH	If you sold all of the businesses or business investments that ^{FILL_PARTNER} own, including any real estate owned by the business/partnership/professional practice, and paid off any debts, would you lose money, would you make money, or would you just about break even? Please include only the part of the business currently owned by ^{FILL_PARTNER}. 1. Lose money 2. Make money 3. Break even
SPANISH	Si vendiera todos los negocios o inversiones empresariales que ^{FILL_PARTNER_136S}, incluyendo los bienes inmuebles que son propiedad del negocio/sociedad/práctica profesional, y pagara todas sus deudas, ¿habría pérdidas, habría ganancias o simplemente se alcanzaría un equilibrio? Incluya solo la parte del negocio que actualmente ^{FILL_PARTNER_136S}. 1. Habría pérdidas 2. Habría ganancias 3. Se alcanzaría un equilibrio
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_135
NEXT	PINC_136=1: PINC_138 PINC_136=2: PINC_137 Else PINC_141

PINC_137	
ASK	IF PINC_136=2
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC137: 'PINC_137'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC137: 'PINC_137'
ENGLISH	How much money would ^{FILL_PARTNER} make? \$ _____
SPANISH	¿Cuánto dinero ganaría ^{FILL_PARTNER}? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_137 OUT OF RANGE (PINC_137=0): 'You reported earlier that you and/or your partner would make money if you sold all your businesses or business investments. If this is not correct, please click here to update your answer.' (Return R to PINC_136) SOFT CHECK IF PINC_137>\$1,000,000: 'You reported that you and/or your partner would make ^{FILL_PINC137} after selling your businesses or business investments and paying off any debts. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_137 OUT OF RANGE (PINC_137=0): 'Usted informó que usted y/o su pareja tendrían ganancias si vendieran todos sus negocios o inversiones empresariales. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_136) SOFT CHECK IF PINC_137>\$1,000,000: 'Usted informó que usted y/o su pareja ganarían ^{FILL_PINC137} dólares después de vender sus negocios o inversiones empresariales y pagar sus deudas. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_136=2
NEXT	PINC_137=DK or REF: PINC_139 Else PINC_141

PINC_138	
ASK	IF PINC_136=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC138: 'PINC_138'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC138: 'PINC_138'
ENGLISH	How much money would ^{FILL_PARTNER} lose? \$ _____
SPANISH	¿Cuánto dinero perdería ^{FILL_PARTNER}? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_138 OUT OF RANGE (PINC_138=0): 'You reported earlier that you and/or your partner would lose money if you sold all your businesses or business investments. If this is not correct, please click here to update your answer.' (Return R to PINC_136) SOFT CHECK IF PINC_138>\$1,000,000: 'You reported that you and/or your partner would lose ^{FILL_PINC138} after selling your businesses or business investments and paying off any debts. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_138 OUT OF RANGE (PINC_138=0): 'Usted informó que usted y/o su pareja tendrían pérdidas si vendieran todos sus negocios o inversiones empresariales. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_136) SOFT CHECK IF PINC_138>\$1,000,000: 'Usted informó que usted y/o su pareja perderían ^{FILL_PINC138} dólares después de vender sus negocios o inversiones empresariales y pagar sus deudas. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_136=1
NEXT	If PINC_138=DK or REF: PINC_140 Else PINC_141

PINC_139	
ASK	IF PINC_137=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of how much money you would make? 1. \$1 - \$25,000 2. \$25,001 - \$50,000 3. \$50,001 - \$100,000 4. \$100,001 - \$250,000 5. \$250,001 - \$500,000 6. \$500,001 - \$1,000,000 7. More than \$1,000,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de cuánto dinero ganaría? 1. \$1 a \$25,000 dólares 2. \$25,001 a \$50,000 dólares 3. \$50,001 a \$100,000 dólares 4. \$100,001 a \$250,000 dólares 5. \$250,001 a \$500,000 dólares 6. \$500,001 a \$1,000,000 dólares 7. Más de \$1,000,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_137=DK or REF
NEXT	PINC_141

PINC_140	
ASK	IF PINC_138=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of how much money you would lose? 1. \$1 - \$25,000 2. \$25,001 - \$50,000 3. \$50,001 - \$100,000 4. \$100,001 - \$250,000 5. \$250,001 - \$500,000 6. \$500,001 - \$1,000,000 7. More than \$1,000,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de cuánto dinero perdería? 1. \$1 a \$25,000 dólares 2. \$25,001 a \$50,000 dólares 3. \$50,001 a \$100,000 dólares 4. \$100,001 a \$250,000 dólares 5. \$250,001 a \$500,000 dólares 6. \$500,001 a \$1,000,000 dólares 7. Más de \$1,000,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_138=DK or REF
NEXT	PINC_141

PINC_141	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_141S IF PARPARTNER = 1, FILL_PARTNER_141S: 'Tienen usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_141S: 'Tiene usted'
ENGLISH	Do ^{FILL_PARTNER} have any other real estate, such as a second home, vacation homes or condominiums (including any weeks in a time-share unit), land, rental real estate, a partnership, or money owed to you on a land contract or mortgage? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_141S} cualquier otro bien inmueble, como una segunda vivienda, casas de vacaciones o condominios (incluidas las semanas en una unidad de tiempo compartido), terrenos, bienes inmuebles en alquiler, una sociedad, o dinero que se le(s) deba en un contrato inmobiliario o una hipoteca? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_133, PINC_136, PINC_137, PINC_138, PINC_139, PINC_140
NEXT	PINC_141=1: PINC_142 Else PINC_146

PINC_142	
ASK	IF PINC_141=1
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_142S IF PARPARTNER = 1, FILL_PARTNER_142S: 'tienen usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_142S: 'tiene usted'
ENGLISH	If you sold all of the other real estate that ^{FILL_PARTNER} own and paid off any debts on it, would you lose money, make money, or break even? 1 Lose money 2 Make money 3 Break even
SPANISH	Si vendiera todos los demás bienes inmuebles que ^{FILL_PARTNER_142S} y pagara las deudas sobre ellos, ¿habría pérdidas, habría ganancias o simplemente se alcanzaría un equilibrio? 1 Habría pérdidas 2 Habría ganancias 3 Se alcanzaría un equilibrio
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_141=1
NEXT	IF PINC_142=1: PINC_144 ELSE IF PINC_142=2: PINC_143 Else PINC_146

PINC_143	
ASK	IF PINC_142=2
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC143: 'PINF_143'
FILLS (SPAN)	Create fill FILL_PINC143: 'PINF_143'
ENGLISH	How much would you get? \$ _____
SPANISH	¿Cuánto obtendría? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_143 OUT OF RANGE (PINC_143=0): 'You reported earlier that you and/or your partner would make money if you sold other real estate. If this is not correct, please click here to update your answer.' (Return R to PINC_142) SOFT CHECK IF PINC_143>\$1,000,000: 'You reported that you and/or your partner would make ^{FILL_PINC143} after selling your other real estate and paying off any debts. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_143 OUT OF RANGE (PINC_143=0): 'Usted informó que usted y/o su pareja tendrían ganancias si vendieran todos sus negocios o inversiones empresariales. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_142) SOFT CHECK IF PINC_143>\$1,000,000: 'Usted informó que usted y/o su pareja ganarían ^{FILL_PINC143} dólares después de vender sus otros bienes inmuebles y pagar sus deudas. Revise su respuesta y corrija la si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_142=2
NEXT	PINC_143=DK or REF: PINC_145 Else PINC_146

PINC_144	
ASK	IF PINC_142 = 1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC144: 'PINC_144'
FILLS (SPAN)	Create fill FILL_PINC144: 'PINC_144'
ENGLISH	How much would you owe? \$ _____
SPANISH	¿Cuánto debería? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_144 OUT OF RANGE (PINC_144=0): 'You reported earlier that you and/or your partner would lose money if you sold other real estate. If this is not correct, please click here to update your answer.' (Return R to PINC_142) SOFT CHECK IF PINC_144>\$1,000,000: 'You reported that you and/or your partner would owe ^{FILL_PINC144} after selling your other real estate and paying off any debts. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_144 OUT OF RANGE (PINC_144=0): 'Usted informó que usted y/o su pareja tendrían pérdidas si vendieran sus otros bienes inmuebles. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_142) SOFT CHECK IF PINC_144>\$1,000,000: 'Usted informó que usted y/o su pareja deberían ^{FILL_PINC144} dólares tras vender sus otros bienes inmuebles y pagar sus deudas. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_142=1
NEXT	PINC_144=DK or REF: PINC_145 Else PINC_146

PINC_145	
ASK	IF (PINC_143=DK or REF) OR (PINC_144=DK or REF)
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$25,000 2. \$25,001 - \$50,000 3. \$50,001 - \$100,000 4. \$100,001 - \$250,000 5. \$250,001 - \$500,000 6. \$500,001 - \$1,000,000 7. More than \$1,000,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$25,000 dólares 2. \$25,001 a \$50,000 dólares 3. \$50,001 a \$100,000 dólares 4. \$100,001 a \$250,000 dólares 5. \$250,001 a \$500,000 dólares 6. \$500,001 a \$1,000,000 dólares 7. Más de \$1,000,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_144=DK or REF, PINC_143=DK or REF
NEXT	PINC_146

PINC_146	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_146S IF PARPARTNER = 1, FILL_PARTNER_146S: 'usted y/o su cónyuge o pareja recibirían' ELSE FILL_PARTNER_146S: 'usted recibiría'
ENGLISH	What is your best estimate of how much money ^{FILL_PARTNER} would get if you sold all of your personal household furnishings such as furniture, major appliances, and home electronics? 0. \$0 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál es su mejor estimación de cuánto dinero ^{FILL_PARTNER_146S} si vendiera todo el mobiliario personal de su hogar, como muebles, electrodomésticos grandes y aparatos electrónicos? 0. \$0 dólares 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_141, PINC_142, PINC_143, PINC_144, PINC_145
NEXT	PINC_147

PINC_147	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_147S IF PARPARTNER = 1, FILL_PARTNER_147S: 'Tienen usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_147S: 'Tiene usted'
ENGLISH	Do ^{FILL_PARTNER} have any other savings or substantial assets that we haven't already discussed -- for example assets in a trust, annuity, or managed investment account, artwork, precious metals, antiques, oil and gas leases, futures contracts, royalties, or something else? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_147S} algún otro ahorro o activo importante del que no hayamos hablado, por ejemplo, activos en un fideicomiso, anualidades o cuentas de inversión gestionadas, obras de arte, metales preciosos, antigüedades, licitaciones de petróleo y gas, contratos de futuros, regalías o algo más? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_146
NEXT	PINC_147=1: PINC_148 Else PINC_150

PINC_148	
ASK	IF PINC_147=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC148: 'PINC_148'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC148: 'PINC_148'
ENGLISH	If you sold all of the other assets ^{FILL_PARTNER} own, how much would you get? \$ _____
SPANISH	Si vendiera todos los demás activos que posee ^{FILL_PARTNER}, ¿cuánto obtendría? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_148 OUT OF RANGE (PINC_148=0): 'You reported earlier that you and/or your partner have other savings or substantial assets that we haven't already discussed. If this is not correct, please click here to update your answer.' (Return R to PINC_147) SOFT CHECK IF PINC_148>\$10,000,000: 'You reported that you and/or your partner would get ^{FILL_PINC148} after selling off your other assets. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_148 OUT OF RANGE (PINC_148=0): 'Usted informó que usted y/o su pareja tienen otros ahorros o activos importantes de los que aún no hemos hablado. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_147) SOFT CHECK IF PINC_148>\$10,000,000: 'Usted informó que usted y/o su pareja obtendrían ^{FILL_PINC148} dólares tras vender sus otros bienes. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_147=1
NEXT	PINC_148=DK or REF: PINC_149 Else PINC_150

PINC_149	
ASK	IF PINC_148=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_148 =DK or REF
NEXT	PINC_150

PINC_150	
ASK	ALL
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_150S IF PARPARTNER = 1, FILL_PARTNER_150S: 'podrían tener usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_150S: 'podría tener usted'
ENGLISH	Next are a few questions about any debts ^{FILL_PARTNER} might have other than mortgages and other real estate loans, business debts, and auto loans.
SPANISH	Las siguientes preguntas son sobre cualquier deuda que ^{FILL_PARTNER_150S} además de hipotecas y otros préstamos inmobiliarios, deudas comerciales y préstamos para la compra de automóviles.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_147, PINC_148, PINC_149
NEXT	PINC_151

PINC_151	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PARTNER_151S IF PARPARTNER = 1, FILL_PARTNER_151S: '¿Están usted y/o su cónyuge o pareja pagando todavía' ELSE FILL_PARTNER_151S: '¿Está usted pagando todavía'
ENGLISH	Are ^{FILL_PARTNER} still paying off any educational loans from family, friends or government sources? 1. Yes 0. No
SPANISH	^{FILL_PARTNER_151S} préstamos educativos de familiares, amistades o fuentes gubernamentales? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_150
NEXT	PINC_151=1: PINC_152 Else PINC_154

PINC_152	
ASK	IF PINC_151=1
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC152: 'PINC_152'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC152: 'PINC_152' Create fill FILL_PARTNER_152S IF PARPARTNER = 1, FILL_PARTNER_152S: 'usted y/o su cónyuge o pareja deben' ELSE FILL_PARTNER_152S: 'usted debe'
ENGLISH	What is the total amount that ^{FILL_PARTNER} owe altogether for educational loans given by family or friends and from government-subsidized or other types of loans to attend school or college? \$ _____
SPANISH	¿Cuál es la cantidad total que ^{FILL_PARTNER_152S} en total en préstamos educativos dados por familiares o amistades y en préstamos subvencionados por el gobierno o de otro tipo para asistir a la escuela o universidad? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_152 OUT OF RANGE (PINC_152=0): 'You reported earlier that you and/or your partner owe money on educational loans. If this is not correct, please click here to update your answer.' (Return R to PINC_151) SOFT CHECK IF PINC_152>\$1,000,000: 'You reported that you and/or your partner owe ^{FILL_PINC152} altogether for educational loans. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_152 OUT OF RANGE (PINC_152=0): 'Usted informó que usted y/o su pareja deben dinero por préstamos educativos. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_151) SOFT CHECK IF PINC_152>\$1,000,000: 'Usted informó que usted y/o su pareja deben ^{FILL_PINC152} dólares en total en préstamos educativos. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_151=1

NEXT

PINC_152=DK or REF: PINC_153
Else PINC_154

PINC_153	
ASK	IF PINC_152 =DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the total amount owed for educational loans? 1. \$1 - \$5,000 2. \$5,001 - \$10,000 3. \$10,001 - \$25,000 4. \$25,001 - \$50,000 5. \$50,001 - \$100,000 6. \$100,001 - \$250,000 7. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad total adeudada en préstamos educativos? 1. \$1 a \$5,000 dólares 2. \$5,001 a \$10,000 dólares 3. \$10,001 a \$25,000 dólares 4. \$25,001 a \$50,000 dólares 5. \$50,001 a \$100,000 dólares 6. \$100,001 a \$250,000 dólares 7. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_152 =DK or REF
NEXT	PINC_154

PINC_154	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_2_154S IF PARPARTNER = 1, FILL_PARTNER_2_154S: 'Usted y/o su cónyuge o pareja deben' ELSE FILL_PARTNER_2_154S: 'Usted debe'
ENGLISH	Do ^{FILL_PARTNER_2} owe any relatives \$1,000 or more not counting any money someone loaned ^{FILL_PARTNER_2} for education expenses or for the purchase or remodeling of your home? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_2_154S} a algún familiar \$1,000 dólares o más sin contar el dinero que le hayan prestado a ^{FILL_PARTNER_2} para gastos de educación o para la compra o remodelación de su casa? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_151, PINC_152, PINC_153
NEXT	PINC_154=1: PINC_155 Else PINC_157

PINC_155	
ASK	IF PINC_154=1
QUESTION TYPE	PINC_155: Numeric Specialty response radio button
FILLS (ENG)	Create fill FILL_PINC155: 'PINC_155'
FILLS (SPAN)	Create fill FILL_PINC155: 'PINC_155'
ENGLISH	Altogether, how much is still owed on this/these loan(s)? \$ _____ -9. Nothing, loan(s) have been paid back
SPANISH	En total, ¿cuánto se debe aún de este/estos préstamo(s)? \$ _____ dólares -9. Nada, los préstamos se pagaron
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_155 OUT OF RANGE (PINC_155=0): 'You reported earlier that you and/or your partner owe money to relatives. If this is not correct, please select "Nothing, loan(s) have been paid back" or click here to update your answer.' (Return R to PINC_154) SOFT CHECK IF PINC_155>\$1,000,000: 'You reported that you and/or your partner owe ^{FILL_PINC155} to relatives. Please review your answer and correct if needed.' Special response radio button should be exclusive
CHECK (SPAN)	HARD CHECK IF PINC_155 OUT OF RANGE (PINC_155=0): 'Usted informó que usted y/o su pareja deben dinero a familiares por préstamos educativos. Si no es correcto, seleccione "Nada, los préstamos se pagaron" o haga clic aquí para actualizar su respuesta.' (Return R to PINC_154) SOFT CHECK IF PINC_155>\$1,000,000: 'Usted informó que usted y/o su pareja deben ^{FILL_PINC155} dólares a familiares. Revise su respuesta y corrijala si es necesario.' Special response radio button should be exclusive
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_154=1
NEXT	PINC_155=DK or REF: PINC_156 Else PINC_157

PINC_156	
ASK	IF PINC_155=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of how much is owed in these loans? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. \$50,001 - \$100,000 8. \$100,001 - \$250,000 9. More than \$250,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de cuánto se debe en estos préstamos? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. \$50,001 a \$100,000 dólares 8. \$100,001 a \$250,000 dólares 9. Más de \$250,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_155=DK or REF
NEXT	PINC_157

PINC_157	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_157S IF PARPARTNER = 1, FILL_PARTNER_157S: '¿Usted y/o su cónyuge o pareja tienen' ELSE FILL_PARTNER_157S: '¿Usted tiene'
ENGLISH	Do ^{FILL_PARTNER_2} have any credit cards, such as Visa, American Express, or credit cards for specific stores, such as department stores or gas stations? 1. Yes 0. No
SPANISH	^{FILL_PARTNER_2_157S} alguna tarjeta de crédito, como Visa, American Express, o tarjetas de crédito para tiendas específicas, como tiendas departamentales o estaciones de servicio? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_154, PINC_155, PINC_156
NEXT	PINC_157=1: PINC_158 Else PINC_161

PINC_158	
ASK	IF PINC_157=1
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Thinking of your most recent credit card statements, did you or will you pay off all your balances in full by the statement due date? 1. Yes 0. No
SPANISH	Pensando en los estados financieros más recientes de su tarjeta de crédito, ¿pagó o pagará todos los saldos en su totalidad antes de la fecha de vencimiento? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_157=1
NEXT	PINC_158=0: PINC_159 Else PINC_161

PINC_159	
ASK	IF PINC_158=0
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC159: 'PINC_159'
FILLS (SPAN)	Use fill from PINC_070, FILL_PARTNER Create fill FILL_PINC159: 'PINC_159' Create fill FILL_PARTNER_159S IF PARPARTNER = 1, FILL_PARTNER_159S: 'usted y/o su cónyuge o pareja hayan hecho' ELSE FILL_PARTNER_159S: 'usted haya hecho'
ENGLISH	Again, thinking of your most recent credit card bills, roughly what is the total balance you carried over or will carry over across all of these accounts after ^{FILL_PARTNER} have made your planned payments for this month on these credit cards? \$ _____
SPANISH	De nuevo, pensando en las facturas de sus tarjetas de crédito más recientes, ¿cuál es aproximadamente el saldo total que tiene o que se transferirá al siguiente mes en todas estas cuentas después de que ^{FILL_PARTNER_159S} los pagos planeados para este mes en estas tarjetas de crédito? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_159 OUT OF RANGE (PINC_159=0): 'You reported earlier that you and/or your partner carried over or will carry over a balance on credit card accounts. If this is not correct, please click here to update your answer.' (Return R to PINC_158) SOFT CHECK IF PINC_159>\$1,000,000: 'You reported that you and/or your partner carried over or will carry over ^{FILL_PINC159} on credit card accounts. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_159 OUT OF RANGE (PINC_159=0): 'Usted informó que usted y/o su pareja tenían un saldo o que se transferiría un saldo al siguiente mes en cuentas de tarjetas de crédito. Si esto no es correcto, haga clic aquí para actualizar su respuesta' (Return R to PINC_158) SOFT CHECK IF PINC_159>\$1,000,000: 'Usted informó que usted y/o su pareja tenían un saldo o que se transferiría un saldo que se transferiría al siguiente mes de ^{FILL_PINC159} dólares en cuentas de tarjetas de crédito. Revise su respuesta y corrija la si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_158=0
NEXT	PINC_159=DK or REF: PINC_160 Else PINC_161

PINC_160	
ASK	IF PINC_159=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the amount carried over on credit cards? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. \$50,001 - \$100,000 8. More than \$100,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad que se transferiría en las cuentas de tarjetas de crédito? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. \$50,001 a \$100,000 dólares 8. Más de \$100,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	PINC_159=DK or REF
<i>NEXT</i>	PINC_161

PINC_161	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_2_161S IF PARPARTNER = 1, FILL_PARTNER_2_161S: 'Usted y/o su cónyuge o pareja deben' ELSE FILL_PARTNER_2_161S: 'Usted debe'
ENGLISH	Do ^{FILL_PARTNER_2} owe any money on any credit card accounts that you no longer have, such as Visa, American Express, or credit cards for specific stores, such as department stores or gas stations? 1. Yes 0. No
SPANISH	¿^{FILL_PARTNER_2_161S} dinero de alguna cuenta de tarjeta de crédito que ya no tenga, como Visa, American Express o tarjetas de crédito de tiendas específicas, como tiendas departamentales o estaciones de servicio? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_157, PINC_158, PINC_159, PINC_160
NEXT	PINC_161=1: PINC_162 Else PINC_164

PINC_162	
ASK	IF PINC_161=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC162: 'PINC_162'
FILLS (SPAN)	Create fill FILL_PINC162: 'PINC_162'
ENGLISH	After the most recent payment, roughly what was the balance still owed on all of these accounts together? \$ _____
SPANISH	Después del pago más reciente, ¿cuál era aproximadamente el saldo que aún se debía en todas estas cuentas juntas? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_162 OUT OF RANGE (PINC_162=0): 'You reported earlier that you and/or your partner owe money on closed credit card accounts. If this is not correct, please click here to update your answer.' (Return R to PINC_161) SOFT CHECK IF PINC_162>\$1,000,000: 'You reported that you and/or your partner owe ^{FILL_PINC162} on closed credit card accounts. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_162 OUT OF RANGE (PINC_162=0): 'Usted informó que usted y/o su pareja tienen deudas en cuentas de tarjetas de crédito cerradas. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_161) SOFT CHECK IF PINC_162>\$1,000,000: 'Usted informó que usted y/o su pareja deben ^{FILL_PINC162} dólares en cuentas de tarjetas de crédito cerradas. Revise su respuesta y corrijala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_161=1
NEXT	PINC_162=DK or REF: PINC_163 Else PINC_164

PINC_163	
ASK	IF PINC_162=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the amount still owed on closed credit cards? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad que aún debe en tarjetas de crédito cerradas? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. Más de \$50,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_162=DK or REF
NEXT	PINC_164

PINC_164	
ASK	ALL
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PINC_096, FILL_PARTNER_2
FILLS (SPAN)	Use fill from PINC_096, FILL_PARTNER_2 Create fill FILL_PARTNER_2_164S IF PARPARTNER = 1, FILL_PARTNER_2_164S: 'deben en este momento usted y/o su cónyuge o pareja' ELSE FILL_PARTNER_2_164S: 'debe usted en este momento'
ENGLISH	Aside from the accounts you have already been asked about, do ^{FILL_PARTNER_2} currently owe money to any other businesses, such as stores, doctor's offices, hospitals, or banks? Please include any installment plans, rent-to-own accounts, or any other business that you owe money to. 1. Yes 0. No
SPANISH	Aparte de las cuentas por las que ya le han preguntado, ¿^{FILL_PARTNER_2_164S} dinero a alguna otra empresa, como tiendas, consultorios del doctor, hospitales o bancos? Incluya cualquier plan de pago a plazos, cuentas de alquiler con opción a compra o cualquier otra empresa a la que le deba dinero. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_161, PINC_162, PINC_163
NEXT	PINC_164=1: PINC_165 ELSE, IF PARPARTNER=1: PINC_167 Else PCCL_001

PINC_165	
ASK	IF PINC_164=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC165: 'PINC_165'
FILLS (SPAN)	Create fill FILL_PINC165: 'PINC_165'
ENGLISH	After the most recent payments were made on these accounts, what was the balance still owed? \$ _____
SPANISH	Después de realizar los pagos más recientes en estas cuentas, ¿cuál era el saldo que aún se debía? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_165 OUT OF RANGE (PINC_165=0): 'You reported earlier that you and/or your partner owe money to other businesses. If this is not correct, please click here to update your answer.' (Return R to PINC_164) SOFT CHECK IF PINC_165>\$1,000,000: 'You reported that you and/or your partner owe ^{FILL_PINC165} to other businesses. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_165 OUT OF RANGE (PINC_165=0): 'Usted informó que usted y/o su pareja deben dinero a otras empresas. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_164) SOFT CHECK IF PINC_165>\$1,000,000: 'Usted informó que usted y/o su pareja deben ^{FILL_PINC165} a otras empresas. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_164=1
NEXT	PINC_165=DK or REF: PINC_166 PARPARTNER=1: PINC_167 Else PCCL_001

PINC_166	
ASK	IF PINC_165 =DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of the amount owed to other businesses? 1. \$1 - \$1,000 2. \$1,001 - \$2,500 3. \$2,501 - \$5,000 4. \$5,001 - \$10,000 5. \$10,001 - \$25,000 6. \$25,001 - \$50,000 7. More than \$50,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de la cantidad adeudada a otras empresas? 1. \$1 a \$1,000 dólares 2. \$1,001 a \$2,500 dólares 3. \$2,501 a \$5,000 dólares 4. \$5,001 a \$10,000 dólares 5. \$10,001 a \$25,000 dólares 6. \$25,001 a \$50,000 dólares 7. Más de \$50,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_165 =DK or REF
NEXT	IF PARPARTNER=1: PINC_167 Else PCCL_001

PINC_167	
ASK	IF PARPARTNER=1
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	We understand that some couples have savings, investments, and businesses that are owned by only one person in the couple and that other couples own most assets jointly. Does your spouse or partner have any savings, investments, businesses, or own any assets that you do not share any interest in? 1. Yes 0. No
SPANISH	Entendemos que algunas parejas tienen ahorros, inversiones y negocios que son propiedad de una sola persona de la pareja, y que otras parejas poseen la mayoría de los bienes de forma conjunta. ¿Tiene su cónyuge o pareja ahorros, inversiones, negocios o posee algún bien en los cuales usted no tenga participación? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_166, PINC_164, PINC_165
NEXT	PINC_167=1: PINC_168 Else PCCL_001

PINC_168	
ASK	IF PINC_167=1
QUESTION TYPE	Numeric
FILLS (ENG)	Create fill FILL_PINC168: 'PINC_168'
FILLS (SPAN)	Create fill FILL_PINC168: 'PINC_168'
ENGLISH	If your spouse or partner sold or cashed in all of the savings, investments, businesses, and assets they own that you do not have an interest in, how much would your spouse or partner receive? \$ _____
SPANISH	Si su cónyuge o pareja vendiera o cobrara en efectivo todos los ahorros, inversiones, negocios y bienes que posee y que no están compartidos con usted, ¿cuánto recibiría su cónyuge o pareja? \$ _____ dólares
RANGE	0-999,999,999
LIMITS	9 digits
LOOP MAX	
PROGRAM. NOTES	Please automatically add commas every 3 digits when inputting numbers above 999.
CHECK (ENG)	HARD CHECK IF PINC_168 OUT OF RANGE (PINC_168=0): 'You reported earlier that your spouse or partner has additional assets that you don't have an interest in. If this is not correct, please click here to update your answer.' (Return R to PINC_167) SOFT CHECK IF PINC_168>\$1,000,000: 'You reported that your spouse or partner would receive ^{FILL_PINC168} if they cashed in their assets that you don't have an interest in. Please review your answer and correct if needed.'
CHECK (SPAN)	HARD CHECK IF PINC_168 OUT OF RANGE (PINC_168=0): 'Usted informó que su cónyuge o pareja tiene bienes adicionales en los cuales usted no tiene participación. Si esto no es correcto, haga clic aquí para actualizar su respuesta.' (Return R to PINC_167) SOFT CHECK IF PINC_168>\$1,000,000: 'Usted informó que su cónyuge o pareja recibiría ^{FILL_PINC168} si cobraba sus bienes en los que usted no tiene participación. Revise su respuesta y corríjala si es necesario.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_167=1
NEXT	PINC_168=DK or REF: PINC_169 Else PCCL_001

PINC_169	
ASK	IF PINC_168=DK or REF
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Which of these categories includes your best estimate of that amount? 1. \$1 - \$25,000 2. \$25,001 - \$50,000 3. \$50,001 - \$100,000 4. \$100,001 - \$250,000 5. \$250,001 - \$500,000 6. \$500,001 - \$1,000,000 7. More than \$1,000,000
SPANISH	¿Cuál de estas categorías incluye su mejor estimación de esa cantidad? 1. \$1 a \$25,000 dólares 2. \$25,001 a \$50,000 dólares 3. \$50,001 a \$100,000 dólares 4. \$100,001 a \$250,000 dólares 5. \$250,001 a \$500,000 dólares 6. \$500,001 a \$1,000,000 dólares 7. Más de \$1,000,000 dólares
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_168=DK or REF
NEXT	PCCL_001

NLSY27 Specifications Formatting
Parent/Caregiver Survey, Child Calendar

PRELOADS:

YOUTH_NAME: Name of the eligible youth, copied from HHNAME, ES/HHS

PCSEX: Sex of selected parent/caregiver respondent, HHS090-SELECTION PROTOCOL

YOUTH_MOTHER: Indicator from HHS for whether biological mother of youth was reported in the household

YOUTH_FATHER: Indicator from HHS for whether biological father of youth was reported in the household

YOUTH_RPCPLG: Indicator on youth roster, for relationship between responding P/C and focal youth, from Parent Information

1= bio parent

2= step-parent

3= adoptive parent

4= foster parent

5= legal guardian

6= grandparent

8=other relative

9=other non-relative

YOUTH_CURRENTAGE: From Eligibility and Household screener, Calculated age of youth on the day of the interview

YOUTHROSTERNUM: HHS

YOUTHROSTERNUM: HHS

CREATE THE FOLLOWING LIST FOR DROPDOWN QUESTIONS:

MONTHLIST

RESPONSE OPTIONS ENGLISH

1. January
2. February
3. March
4. April
5. May
6. June
7. July
8. August
9. September
10. October
11. November
12. December

RESPONSE OPTIONS SPANISH

1. Enero
2. Febrero
3. Marzo
4. Abril
5. Mayo
6. Junio
7. Julio
8. Agosto
9. Septiembre
10. Octubre
11. Noviembre
12. Diciembre

STATENOTUS

1. Alabama
2. Alaska
4. Arizona
5. Arkansas
6. California
8. Colorado
9. Connecticut
10. Delaware
11. District of Columbia
12. Florida
13. Georgia
15. Hawaii
16. Idaho
17. Illinois
18. Indiana
19. Iowa
20. Kansas

21. Kentucky
22. Louisiana
23. Maine
24. Maryland
25. Massachusetts
26. Michigan
27. Minnesota
28. Mississippi
29. Missouri
30. Montana
31. Nebraska
32. Nevada
33. New Hampshire
34. New Jersey
35. New Mexico
36. New York
37. North Carolina
38. North Dakota
39. Ohio
40. Oklahoma
41. Oregon
42. Pennsylvania
44. Rhode Island
45. South Carolina
46. South Dakota
47. Tennessee
48. Texas
49. Utah
50. Vermont
51. Virginia
53. Washington
54. West Virginia
55. Wisconsin
56. Wyoming
57. American Samoa
58. Guam
59. Northern Mariana Islands
60. Puerto Rico
61. US Virgin Islands
62. American Indian Reservation
63. Overseas U.S. Military Base
64. Not in the US

STATEPLUS

1. Alabama
2. Alaska
3. Arizona

4. Arkansas
5. California
6. Colorado
7. Connecticut
8. Delaware
9. District of Columbia
10. Florida
11. Georgia
12. Hawaii
13. Idaho
14. Illinois
15. Indiana
16. Iowa
17. Kansas
18. Kentucky
19. Louisiana
20. Maine
21. Maryland
22. Massachusetts
23. Michigan
24. Minnesota
25. Mississippi
26. Missouri
27. Montana
28. Nebraska
29. Nevada
30. New Hampshire
31. New Jersey
32. New Mexico
33. New York
34. North Carolina
35. North Dakota
36. Ohio
37. Oklahoma
38. Oregon
39. Pennsylvania
40. Rhode Island
41. South Carolina
42. South Dakota
43. Tennessee
44. Texas
45. Utah
46. Vermont
47. Virginia

- 48. Washington
- 49. West Virginia
- 50. Wisconsin
- 51. Wyoming
- 60. Puerto Rico
- 61. Another U.S. Territory
- 62. A tribal nation

GENERAL PROGRAMMING NOTES:

ALL ITEMS ARE REQUIRED.

- Do not display response option numbers/letters.
- Do not display DK and REF on each screen at loading.
 - If R tries to move forward without providing a response, display DK ('Don't know') and REF ('Prefer not to answer') on screen.
 - In Spanish: display DK ('No lo sé') and REF ('Prefiero no contestar') on screen.
 - Unless otherwise noted, include a soft prompt for R to respond or select DK/REF option: "Your answers are very important. Please consider selecting a response."
 - In Spanish: "Sus respuestas son muy importantes. Considere la posibilidad de seleccionar una respuesta."
 - If R still tries to move forward without answering, assign REF code to missing response.

CAPTURE ITEM LEVEL TIMING.

INCLUDE A TIME/DATE STAMP AT BEGINNING AND END OF MODULE.

PCCL_001_#	
ASK	All respondents (Begin PCCL Loop 1)
QUESTION TYPE	Informational
FILLS (ENG)	Create fill, FILL_YOUTHNAME: Fill 'YOUTH_NAME' from preload
FILLS (SPAN)	Create fill, FILL_YOUTHNAME: Fill 'YOUTH_NAME' from preload
ENGLISH	Next are some questions about some of the important events in the life of ^{FILL_YOUTHNAME}.
SPANISH	Las siguientes preguntas son sobre algunos de los acontecimientos importantes de la vida de ^{FILL_YOUTHNAME}.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	UPDATE YOUTH_CURRENTAGE: IF YOUTHDOB NOT MISSING, THEN CALCULATE YOUTH_CURRENTAGE BY SUBTRACTING YOUTHDOB FROM TODAY'S DATE/365. Else set YOUTH_CURRENTAGE=YOUTH_AGE Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). Create variable PCCLLOOP1[#].YOUTH_UID=YOUTH_UID_#
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PINC_164, PINC_165, PINC_166, PINC_167, PINC_168
NEXT	If LOOPNUMBER =1: PCCL_003 Else PCCL_004

PCCL_003_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	These questions will ask about ^{FILL_YOUTHNAME}'s family and any family changes they may have experienced. We will also be asking questions about ^{FILL_YOUTHNAME}'s schooling, work experience, activities, general health, and what you think ^{FILL_YOUTHNAME} will be doing in the future. As in previous sections dealing with past events, you may find the calendar helpful in answering some of these questions. Event dates that you provide will be added to the calendar for your reference in answering future questions. Remember that you can access the calendar any time by clicking on the calendar icon at the top left of your screen.
SPANISH	Estas preguntas son sobre la familia de ^{FILL_YOUTHNAME} y los cambios familiares que haya podido experimentar. También le haremos preguntas sobre la escolarización de ^{FILL_YOUTHNAME}, su experiencia laboral, sus actividades, su salud en general y lo que cree que ^{FILL_YOUTHNAME} hará en el futuro. Al igual que en las secciones anteriores sobre los acontecimientos pasados, el calendario puede resultarle útil para responder algunas de estas preguntas. Las fechas de los acontecimientos que nos dé se añadirán al calendario para que pueda consultarlas cuando responda futuras preguntas. Recuerde que puede acceder al calendario en cualquier momento haciendo clic en el ícono del calendario ubicado en la parte superior izquierda de su pantalla.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_001
NEXT	PCCL_004

PCCL_004_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has ^{FILL_YOUTHNAME} always lived with you since their birth? 1. Yes 0. No
SPANISH	¿Ha vivido ^{FILL_YOUTHNAME} siempre con usted desde su nacimiento? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_003
NEXT	If PCCL_004 = 1: PCCL_007 Else: PCCL_005

PCCL_005_#	
ASK	PCCL_004 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Did ^{FILL_YOUTHNAME} live with you immediately after their birth? 1. Yes 0. No
SPANISH	¿Vivió ^{FILL_YOUTHNAME} con usted inmediatamente después de su nacimiento? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_004
NEXT	If PCCL_005 = 1: PCCL_007 Else: PCCL_006

f_PCCL_006_# PCCL_006_MO_# / PCCL_006_YR_#	
ASK	PCCL_005 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown: PCCL_006_MO_# Dropdown: PCCL_006_YR_#
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_INTERVIEWYEAR: 'DOI_YEAR'
ENGLISH	In what month and year did ^{FILL_YOUTHNAME} first come to live with you? Month: { - Select - } [PCCL_006_MO_#] Year: _____ [PCCL_006_YR_#]
SPANISH	¿En qué mes y año vino ^{FILL_YOUTHNAME} a vivir con usted por primera vez? Mes: { - Seleccione - } [PCCL_006_MO_#] Año: _____ [PCCL_006_YR_#]
RANGE	PCCL_006_MO: List months in order. 1 = "January", 2 = "February",... 12 = "December" PCCL_006_YR: 2009-2030 RESPONSE OPTIONS SPANISH 1. Enero 2. Febrero 3. Marzo 4. Abril 5. Mayo 6. Junio 7. Julio 8. Agosto 9. Septiembre 10. Octubre 11. Noviembre 12. Diciembre PCCL_006_YR: List years 2009-2030 in reverse chronological order (i.e., 2030, 2029, 2028, etc.) starting with DOI year (i.e., if DOI year is 2025, do not include 2026-2030)
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_005

PCCL_007_#	
ASK	All respondents (continue PCCL Loop 1)
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Next there are some questions about the people who have lived with ^{FILL_YOUTHNAME} at different points in their life.
SPANISH	Las siguientes preguntas son sobre las personas que han vivido con ^{FILL_YOUTHNAME} en diferentes momentos de su vida.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_004, PCCL_005, PCCL_006
NEXT	PCCL_008

PCCL_008_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_008: If PCCL_004=1 or PCCL_005 = 1, FILL_PCCL_008: "Including you, how" Else, FILL_PCCL_008: "How"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_008: If PCCL_004=1 or PCCL_005 = 1, FILL_PCCL_008: "Incluido(a) usted, ¿con cuántos" Else, FILL_PCCL_008: "¿Con cuántos"
ENGLISH	^{FILL_PCCL_008} many adults or parent-figures was ^{FILL_YOUTHNAME} living with immediately following their birth? Please include ^{FILL_YOUTHNAME}'s parents and all people aged 18 or older who usually stayed at the same address as ^{FILL_YOUTHNAME}. _____ adults
SPANISH	^{FILL_PCCL_008} adultos o figuras parentales vivió ^{FILL_YOUTHNAME} inmediatamente después de su nacimiento? Incluya a los padres/madres de ^{FILL_YOUTHNAME} y a todas las personas mayores de 18 años que vivían habitualmente en la misma dirección que ^{FILL_YOUTHNAME}. _____ adultos
RANGE	1-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_007
NEXT	PCCL_009

f_PCCL_009_# PCCL_009A_# / PCCL_009B_# / PCCL_009C_# / PCCL_009D_# / PCCL_009E_# / PCCL_009F_# / PCCL_009G_# / PCCL_009H_# / PCCL_009I_# / PCCL_009J_# / PCCL_009K_# / PCCL_009L_# / PCCL_009M_# / PCCL_009N_# / PCCL_009O_# / PCCL_009O_SPECIFY_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox: PCCL_009A, PCCL_009B, PCCL_009C, PCCL_009D, PCCL_009E, PCCL_009F, PCCL_009G, PCCL_009H, PCCL_009I, PCCL_009J, PCCL_009K, PCCL_009L, PCCL_009M, PCCL_009N, PCCL_009O Textbox: PCCL_009O_SPECIFY
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_009: If PCCL_004=1 or PCCL_005 = 1, FILL_PCCL_009: "Including you, who" Else, FILL_PCCL_009: "Who"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_009: If PCCL_004=1 or PCCL_005 = 1, FILL_PCCL_009: "Incluido(a) usted, ¿quiénes" Else, FILL_PCCL_009: "¿Quiénes"
ENGLISH	[^]{FILL_PCCL_009} were the adults that [^]{FILL_YOUTHNAME} lived with immediately following their birth? Please select all that apply. Please enter yourself if you were living with the child at that time and one relationship for any other adults that [^]{FILL_YOUTHNAME} was living with at that time. Only select one relationship per adult. 0. Yourself [PCCL_009A_#] 1. Biological mother [PCCL_009B_#] 2. Biological father [PCCL_009C_#] 3. Step-mother [PCCL_009D_#] 4. Step-father [PCCL_009E_#] 5. Adoptive mother [PCCL_009F_#] 6. Adoptive father [PCCL_009G_#] 7. Unmarried partner of a parent [PCCL_009H_#] 8. Grandmother [PCCL_009I_#] 9. Grandfather [PCCL_009J_#] 10. Sibling (full, half, or step) [PCCL_009K_#] 11. Other relative(s) [PCCL_009L_#] 14. Court-appointed foster/temporary parent(s) [PCCL_009M_#] 15. Other non-relative(s) [PCCL_009N_#] 16. Other (please specify: _____) [PCCL_009O_#] [PCCL_009O_SPECIFY_#]
SPANISH	[^]{FILL_PCCL_009} fueron los adultos con los que vivió [^]{FILL_YOUTHNAME} inmediatamente después de su nacimiento? Seleccione todas las opciones que correspondan. Por favor, indíquese usted mismo si vivía con el niño en ese momento y una relación para cualquier otro adulto con el que [^]{FILL_YOUTHNAME} vivía en ese momento. Seleccione solo una relación por adulto. 0. Usted mismo(a) [PCCL_009A_#] 1. Madre biológica [PCCL_009B_#] 2. Padre biológico [PCCL_009C_#] 3. Madrastra [PCCL_009D_#] 4. Padrastro [PCCL_009E_#] 5. Madre adoptiva [PCCL_009F_#] 6. Padre adoptivo [PCCL_009G_#] 7. Pareja de hecho de un padre/madre [PCCL_009H_#]

	8. Abuela [PCCL_009I_#] 9. Abuelo [PCCL_009J_#] 10. Hermano(a) de sangre, medio(a) hermano(a) o hermanastro(a) [PCCL_009K_#] 11. Otro(as) familiar(es) [PCCL_009L_#] 14. Padre/madre(s) de acogida/temporal(es) designados(as) por el tribunal [PCCL_009M_#] 15. Otra(s) persona(s) que no son familiar(es) [PCCL_009N_#] 16. Otros (especifique: _____) [PCCL_009O_#] [PCCL_009O_SPECIFY_#]
RANGE	
LIMITS	PCCL_009O_SPECIFY: 100 characters
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. If response 16 selected, display text box PCCL_009O_SPECIFY Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	If number of items selected is > PCCL_008, display hard check: "You reported that ^{FILLYOUTHNAME} was living with {PCCL_008} adults. Please only select one relationship per adult."
CHECK (SPAN)	If number of items selected is > PCCL_008, display hard check: "Usted informó que ^{FILLYOUTHNAME} vivía con {PCCL_008} adulto(s). Seleccione solo una relación por adulto."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_008
NEXT	If PCCL_009 = DK or REF: PCCL_012 Else: PCCL_010

PCCL_010_#	
ASK	PCCL_009 ≠ DK or REF
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Computer check, do not display Computer select first 2 relationships reported in PCCL_009, store as PCCL_010_#_1 AND PCCL_010_#_2. 0 Respondent 1 Biological mother 2 Biological father 3 Adoptive mother 4 Adoptive father 5 Stepmother 6 Stepfather Loop through PCCL LOOP 1a (PCCL_011_#_#): Loop through max 2 parent figures identified in PCCL_010
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_009
NEXT	PCCL_011 (Begin PCCL LOOP 1a)

PCCL_011_#_#	
ASK	PCCL_009 ≠ DK or REF (Begin/End PCCL LOOP 1a)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_011: If PCCL_010_#_# = 0, FILL_PCCL_011: "Were you" Else if PCCL_010_#_# = 1, FILL_PCCL_011: "Was ^{FILL_YOUTHNAME}'s biological mother" Else if PCCL_010_#_# = 2, FILL_PCCL_011: "Was ^{FILL_YOUTHNAME}'s biological father" Else if PCCL_010_#_# = 3, FILL_PCCL_011: "Was ^{FILL_YOUTHNAME}'s adoptive mother" Else if PCCL_010_#_# = 4, FILL_PCCL_011: "Was ^{FILL_YOUTHNAME}'s adoptive father" Else if PCCL_010_#_# = 5, FILL_PCCL_011: "Was ^{FILL_YOUTHNAME}'s step-mother" Else if PCCL_010_#_# = 6, FILL_PCCL_011: "Was ^{FILL_YOUTHNAME}'s step-father" Create fill, FILL_YOUTHEY. If PCCL_010_#_# = 0, FILL_YOUTHEY: "you" Else FILL_YOUTHEY: "they" Create fill, FILL_YOURTHEIR. If PCCL_010_#_# = 0, FILL_YOURTHEIR: "your" Else FILL_YOURTHEIR: "their"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_011: If PCCL_010_#_# = 0, FILL_PCCL_011: "Usted" Else if PCCL_010_#_# = 1, FILL_PCCL_011: "La madre biológica de ^{FILL_YOUTHNAME}" Else if PCCL_010_#_# = 2, FILL_PCCL_011: "El padre biológico de ^{FILL_YOUTHNAME}" Else if PCCL_010_#_# = 3, FILL_PCCL_011: "La madre adoptiva de ^{FILL_YOUTHNAME}" Else if PCCL_010_#_# = 4, FILL_PCCL_011: "El padre adoptivo de ^{FILL_YOUTHNAME}" Else if PCCL_010_#_# = 5, FILL_PCCL_011: "La madrastra de ^{FILL_YOUTHNAME}" Else if PCCL_010_#_# = 6, FILL_PCCL_011: "El padrastro de ^{FILL_YOUTHNAME}" Create fill, FILL_YOUTHEY. If PCCL_010_#_# = 0, FILL_YOUTHEY: "usted no trabajó" Else FILL_YOUTHEY: "no trabajó" Create fill, FILL_YOURTHEIR. If PCCL_010_#_# = 0, FILL_YOURTHEIR: "su" Else FILL_YOURTHEIR: "su"
ENGLISH	^{FILL_PCCL_011} working full-time, part-time, or not at all around the time of ^{FILL_YOUTHNAME}'s birth? If ^{FILL_YOUTHEY} were on temporary leave due to ^{FILL_YOUTHNAME}'s birth, please respond based on ^{FILL_YOURTHEIR} normal work schedule after returning to work. 1. Full-time 2. Part-time

	0. Not at all
SPANISH	¿^{FILL_PCCL_011} trabajaba a tiempo completo, a tiempo parcial o no trabajaba en absoluto en la época del nacimiento de ^{FILL_YOUTHNAME}? Si ^{FILL_YOUTHEY} por un tiempo debido al nacimiento de ^{FILL_YOUTHNAME}, responda con base en ^{FILL_YOURTHEIR} jornada laboral una vez que regresó al trabajo. 1. Tiempo completo 2. Tiempo parcial 0. No trabajaba
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Loop through PCCL LOOP 1a (PCCL_011_#_#): Loop through max 2 parent figures identified in PCCL_010
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_010
NEXT	If LOOPNUMBER_1a = 1 and PCCL_010_#_2 not missing: Loop again (PCCL_011_#_#) Else: PCCL_012

PCCL_012_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	How many children was ^{FILL_YOUTHNAME} living with immediately following their birth? _____ children
SPANISH	¿Con cuántos niños(as) vivía ^{FILL_YOUTHNAME} inmediatamente después de su nacimiento? _____ niños(as)
RANGE	0-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_011, PCCL_009
NEXT	If PCCL_012 > 0: PCCL_013 Else: PCCL_014

f_PCCL_013_# PCCL_013A_# / PCCL_013B_# / PCCL_013C_# / PCCL_013D_# / PCCL_013E_# / PCCL_013F_# / PCCL_013G_#	
ASK	PCCL_012 > 0 (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Who were the children that ^{FILL_YOUTHNAME} was living with immediately following their birth? Please select all that apply. 1. Full siblings [PCCL_013A_#] 2. Half or step siblings [PCCL_013B_#] 3. Adoptive siblings [PCCL_013C_#] 4. Other relatives [PCCL_013D_#] 5. Children of mother's partner/boyfriend/girlfriend [PCCL_013E_#] 6. Children of father's partner/boyfriend/girlfriend [PCCL_013F_#] 7. Other unrelated children [PCCL_013G_#]
SPANISH	¿Quiénes eran los(as) niños(as) con los que vivió ^{FILL_YOUTHNAME} inmediatamente después de su nacimiento? <i>Seleccione todas las que correspondan.</i> 0. Hermanos(as) de sangre [PCCL_013A_#] 1. Medios(as) hermanos(as) o hermanastros(as) [PCCL_013B_#] 2. Hermanos(as) adoptivos(as) [PCCL_013C_#] 3. Otros(as) familiares [PCCL_013D_#] 4. Hijos(as) de la pareja/novio(a) de la madre [PCCL_013E_#] 5. Hijos(as) de la pareja/novio(a) del padre [PCCL_013F_#] 6. Otros(as) hijos(as) sin parentesco [PCCL_013G_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	• Full siblings share both biological parents • Half siblings share one biological parent and step-siblings became siblings through marriage • Adoptive siblings who share neither biological parent
HELP TEXT (SPAN)	• Los hermanos(as) de sangre comparten ambos(as) padres/madres biológicos(as)" • Los medios(as) hermanos(as) comparten un(a) padre/madre biológico(a) y los(as) hermanastros(as) se convirtieron en hermanos(as) a través del matrimonio • Hermanos(as) adoptivos(as) que no comparten ninguno(a) de sus padres/madres biológicos(as)
MODE	CASI/CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_012
<i>NEXT</i>	PCCL_014

f_PCCL_014_# PCCL_014_CT_# / PCCL_014_ST_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Textbox: PCCL_014_CT Dropdown: PCCL_014_ST
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what city and state was ^{FILL_YOUTHNAME} living immediately following their birth? City: _____ [PCCL_014_CT_#] State: { - State - } [PCCL_014_ST_#]
SPANISH	¿En qué ciudad y estado vivió ^{FILL_YOUTHNAME} inmediatamente después de su nacimiento? Ciudad: _____ [PCCL_014_CT_#] Estado: { - Estado - } [PCCL_014_ST_#]
RANGE	PCCL_014_ST: List states from STATENOTUS list
LIMITS	PCCL_014_CT: Max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_012, PCCL_013
NEXT	IF PCCL_008 or PCCL_009=DK, RF or missing: PCCL_016 Else: PCCL_015

PCCL_015_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL008: Fill numeric response to PCCL_008 Create fill, FILL_PCCL015: If PCCL_008=1, FILL_PCCL015: 'one adult' Else FILL_PCCL015: '^FILL_PCCL008} adults' Create fill, FILL_PCCL_009: Fill all responses collected in f_PCCL_009. If more than one selected, separate each by "and": If PCCL_009A_# = 1 (selected), fill "yourself" If PCCL_009B_# = 1 (selected), fill "a biological mother" If PCCL_009C_# = 1 (selected), fill "a biological father" If PCCL_009D_# = 1 (selected), fill "a step-mother" If PCCL_009E_# = 1 (selected), fill "a step-father" If PCCL_009F_# = 1 (selected), fill "an adoptive mother" If PCCL_009G_# = 1 (selected), fill "an adoptive father" If PCCL_009H_# = 1 (selected), fill "an unmarried partner of a parent" If PCCL_009I_# = 1 (selected), fill "a grandmother" If PCCL_009J_# = 1 (selected), fill "a grandfather" If PCCL_009K_# = 1 (selected), fill "a sibling (full, half, or step)" If PCCL_009L_# = 1 (selected), fill "other relative(s)" If PCCL_009M_# = 1 (selected), fill "court-appointed foster/temporary parent(s)" If PCCL_009N_# = 1 (selected), fill "other non-relative(s)" If PCCL_009P_# = 1 (selected) and PCCL_009P_SPECIFY_# is MISSING, fill "others" If PCCL_009P_# = 1 (selected) and PCCL_009P_SPECIFY_# is NOT MISSING, fill text response to PCCL_009P_SPECIFY_#
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL008: Fill numeric response to PCCL_008 Create fill, FILL_PCCL015: If PCCL_008=1, FILL_PCCL015: 'un(a) adulto(a)' Else FILL_PCCL015: '^FILL_PCCL008} adults' Create fill, FILL_PCCL_009: Fill all responses collected in f_PCCL_009. If more than one selected, separate each by "y": If PCCL_009A_# = 1 (selected), fill "usted" If PCCL_009B_# = 1 (selected), fill "una madre biológica" If PCCL_009C_# = 1 (selected), fill "un padre biológico" If PCCL_009D_# = 1 (selected), fill "una madrastra" If PCCL_009E_# = 1 (selected), fill "un padrastro" If PCCL_009F_# = 1 (selected), fill "una madre adoptiva" If PCCL_009G_# = 1 (selected), fill "un padre adoptivo" If PCCL_009H_# = 1 (selected), fill "una pareja de hecho de un(a) padre/madre" If PCCL_009I_# = 1 (selected), fill "una abuela" If PCCL_009J_# = 1 (selected), fill "un abuelo" If PCCL_009K_# = 1 (selected), fill "un(a) hermano(a) de sangre, medio(a) hermano(a) o hermanastro(a)" If PCCL_009L_# = 1 (selected), fill "otros(as) familiar(es)" If PCCL_009M_# = 1 (selected), fill "padre/madre(s) de acogida/temporal(es) designados(as) por el tribunal" If PCCL_009N_# = 1 (selected), fill "otra(s) persona(s) que no son familiar(es)"

	If PCCL_009P_# = 1 (selected) and PCCL_009P_SPECIFY_# is MISSING, fill "otros(as)" If PCCL_009P_# = 1 (selected) and PCCL_009P_SPECIFY_# is NOT MISSING, fill text response to PCCL_009P_SPECIFY_#
ENGLISH	You reported that immediately following birth, ^{FILL_YOUTHNAME} was living with ^{FILL_PCCL_015}, including ^{FILL_PCCL_009}. Was ^{FILL_YOUTHNAME} living with these same adults, and no other adults, on their 2nd birthday? 1. Yes 0. No
SPANISH	Usted informó que, inmediatamente después del nacimiento, ^{FILL_YOUTHNAME} vivía con ^{FILL_PCCL_015}, lo que incluía a ^{FILL_PCCL_009}. ¿^{FILL_YOUTHNAME} vivía con estos(as) mismos(as) adultos(as) cuando cumplió los 2 años? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	IF PCCL_015 = 1, set PCCL_016 = PCCL_008 and set PCCL_017 = PCCL_009. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_014
NEXT	If PCCL_015 = 1: PCCL_018 Else: PCCL_016

PCCL_016_#	
ASK	PCCL_015 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Including you if you were living with ^{FILL_YOUTHNAME}, how many adults or parent-figures was ^{FILL_YOUTHNAME} living with on their 2nd birthday? Please include ^{FILL_YOUTHNAME}'s parents and all people aged 18 or older who usually stayed at the same address as ^{FILL_YOUTHNAME}. _____ adults or parent figures
SPANISH	Incluido(a) usted, si es que vivía con ^{FILL_YOUTHNAME}, ¿con cuántos adultos o figuras parentales vivía ^{FILL_YOUTHNAME} cuando cumplió los 2 años? Incluya a los padres/madres de ^{FILL_YOUTHNAME} y a todas las personas mayores de 18 años que vivían habitualmente en la misma dirección que ^{FILL_YOUTHNAME}. _____ adultos o figuras parentales
RANGE	1-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_015
NEXT	PCCL_017

f_PCCL_017_# PCCL_017A_# / PCCL_017B_# / PCCL_017C_# / PCCL_017D_# / PCCL_017E_# / PCCL_017F_# / PCCL_017G_# / PCCL_017H_# / PCCL_017I_# / PCCL_017J_# / PCCL_017K_# / PCCL_017L_# / PCCL_017M_# / PCCL_017N_# / PCCL_017O_# / PCCL_017O_SPECIFY_#	
ASK	PCCL_015 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox: PCCL_017A, PCCL_017B, PCCL_017C, PCCL_017D, PCCL_017E, PCCL_017F, PCCL_017G, PCCL_017H, PCCL_017I, PCCL_017J, PCCL_017K, PCCL_017L, PCCL_017M, PCCL_017N, PCCL_017O Textbox: PCCL_017O_SPECIFY
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Including you if you were living with ^{FILL_YOUTHNAME}, who were the adults that ^{FILL_YOUTHNAME} lived with on their 2nd birthday? Please select all that apply. Please enter yourself if you were living with the child at that time and one relationship for any other adults that ^{FILL_YOUTHNAME} was living with at that time. Only select one relationship per adult. 0. Yourself [PCCL_017A_#] 1. Biological mother [PCCL_017B_#] 2. Biological father [PCCL_017C_#] 3. Step-mother [PCCL_017D_#] 4. Step-father [PCCL_017E_#] 5. Adoptive mother [PCCL_017F_#] 6. Adoptive father [PCCL_017G_#] 7. Unmarried partner of a parent [PCCL_017H_#] 8. Grandmother [PCCL_017I_#] 9. Grandfather [PCCL_017J_#] 10. Sibling (full, half, or step) [PCCL_017K_#] 11. Other relative(s) [PCCL_017L_#] 14. Court-appointed foster/temporary parent(s) [PCCL_017M_#] 15. Other non-relative(s) [PCCL_017N_#] 16. Other (please specify: _____) [PCCL_017O_#] [PCCL_017O_SPECIFY_#]
SPANISH	Incluido(a) usted, si es que vivía con ^{FILL_YOUTHNAME}, ¿quiénes eran los adultos con los que vivía ^{FILL_YOUTHNAME} cuando cumplió los 2 años? Seleccione todas las que correspondan. Por favor, indíquese usted mismo si vivía con el niño en ese momento y una relación para cualquier otro adulto con el que ^{FILL_YOUTHNAME} vivía en ese momento. Seleccione solo una relación por adulto. 0. Usted [PCCL_017A_#] 1. Madre biológica [PCCL_017B_#] 2. Padre biológico [PCCL_017C_#] 3. Madrastra [PCCL_017D_#] 4. Padrastro [PCCL_017E_#] 5. Madre adoptiva [PCCL_017F_#] 6. Padre adoptivo [PCCL_017G_#] 7. Pareja de hecho de un(a) padre/madre [PCCL_017H_#] 8. Abuela [PCCL_017I_#] 9. Abuelo [PCCL_017J_#] 10. Hermano(a) de sangre, medio(a) hermano(a) o hermanastro(a) [PCCL_017K_#] 11. Otro(as) familiar(es) [PCCL_017L_#] 14. Padre/madre(s) de acogida/temporal(es) designados(as) por el tribunal [PCCL_017M_#]

	15. Otra(s) persona(s) que no son familiar(es) [PCCL_017N_#] 16. Otros (especifique: _____) [PCCL_017O_#] [PCCL_017O_SPECIFY_#]
RANGE	
LIMITS	PCCL_017O_SPECIFY: 100 characters
LOOP MAX	
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. If response 16 selected, display text box PCCL_017O_SPECIFY
CHECK (ENG)	If number of items selected is > PCCL_016, display hard check: "You reported that ^{FILLYOUTHNAME} was living with {PCCL_016} adults. Please only select one relationship per adult."
CHECK (SPAN)	If number of items selected is > PCCL_016, display hard check: "Usted informó que ^{FILLYOUTHNAME} vivía con {PCCL_016} adulto(s). Seleccione solo una relación por adulto."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_016
NEXT	If PCCL_017= DK or REF: PCCL_021 Else, PCCL_018

PCCL_018_#	
ASK	PCCL_017_# ≠ DK or REF
QUESTION TYPE	Computer Check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Computer check, do not display. Computer select first 2 relationships reported in AGE2_ADULTREL_#, store as PCCL_018_#_1 and PCCL_018_#_2. 0 Respondent 1 Biological mother 2 Biological father 3 Adoptive mother 4 Adoptive father 5 Stepmother

	6 Stepfather
	Loop through PCCL LOOP 1b (PCCL_019_#_# - PCCL_020_LOOP_END_#_#): Loop through max 2 parent figures identified in PCCL_018
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_017, PCCL_015=1
NEXT	PCCL_019 (Begin PCCL Loop 1b)

PCCL_019_#_#	
ASK	PCCL_017_# ≠ DK or REF (Begin PCCL Loop 1b)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_019: If PCCL_018 = 0, FILL_PCCL_019: "Were you" Else if PCCL_018 = 1, FILL_PCCL_019: "Was ^{FILL_YOUTHNAME}'s biological mother" Else if PCCL_018 = 2, FILL_PCCL_019: "Was ^{FILL_YOUTHNAME}'s biological father" Else if PCCL_018 = 3, FILL_PCCL_019: "Was ^{FILL_YOUTHNAME}'s adoptive mother" Else if PCCL_018 = 4, FILL_PCCL_019: "Was ^{FILL_YOUTHNAME}'s adoptive father" Else if PCCL_018 = 5, FILL_PCCL_019: "Was ^{FILL_YOUTHNAME}'s step-mother" Else if PCCL_018 = 6, FILL_PCCL_019: "Was ^{FILL_YOUTHNAME}'s step-father"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_019: If PCCL_018 = 0, FILL_PCCL_019: "Usted" Else if PCCL_018 = 1, FILL_PCCL_019: "La madre biológica de ^{FILL_YOUTHNAME}" Else if PCCL_018 = 2, FILL_PCCL_019: "El padre biológico de ^{FILL_YOUTHNAME}" Else if PCCL_018 = 3, FILL_PCCL_019: "La madre adoptiva de ^{FILL_YOUTHNAME}" Else if PCCL_018 = 4, FILL_PCCL_019: "El padre adoptivo de ^{FILL_YOUTHNAME}" Else if PCCL_018 = 5, FILL_PCCL_019: "La madrastra de ^{FILL_YOUTHNAME}" Else if PCCL_018 = 6, FILL_PCCL_019: "El padrastro de ^{FILL_YOUTHNAME}"
ENGLISH	^{FILL_PCCL_019} working full-time, part-time, or not at all at the time that ^{FILL_YOUTHNAME} turned 2 years old? 1. Full-time 2. Part-time 0. Not at all
SPANISH	¿^{FILL_PCCL_019} trabajaba a tiempo completo, a tiempo parcial o no trabajaba en absoluto cuando ^{FILL_YOUTHNAME} cumplió los 2 años? 1. Tiempo completo 2. Tiempo parcial 0. No trabajaba
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Loop through PCCL LOOP 1b (PCCL_019_#_# - PCCL_020_LOOP_END_#_#): Loop through max 2 parent figures identified in PCCL_018
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_018
NEXT	PCCL_020_LOOP_END_#_#

PCCL_020_LOOP_END_#_#	
ASK	PCCL_017_# ≠ DK or REF (End PCCL Loop 1b)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Computer check, do not display. Loop through PCCL LOOP 1b (PCCL_019_#_# - PCCL_020_LOOP_END_#_#): Loop through max 2 parent figures identified in PCCL_018
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_019
NEXT	If LOOPNUMBER_1b = 1 and PCCL_018_#_2 not missing: Loop again (PCCL_019_#_#) Else, if PCCL_012 > 0: PCCL_021 Else: PCCL_022

PCCL_021_#	
ASK	If PCCL_012 > 0 (Continue Loop PCCL 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_012: 'PCCL_012' Create fill, FILL_PCCL_021: If PCCL_012=1, FILL_PCCL_021: 'one other child' Else FILL_PCCL_021: '^{\FILL_PCCL_012} other children' Create fill, FILL_PCCL_013: Fill all responses collected in f_PCCL_013. If more than one collected, separate each by "and": If PCCL_013A = 1 (selected), fill "full siblings" If PCCL_013B = 1 (selected), fill "half or step siblings" If PCCL_013C = 1 (selected), fill "adoptive siblings" If PCCL_013D = 1 (selected), fill "other relatives" If PCCL_013E = 1 (selected), fill "children of mother's partner/boyfriend/girlfriend" If PCCL_013F = 1 (selected), fill "children of father's partner/boyfriend/girlfriend" If PCCL_013G = 1 (selected), fill "other unrelated children"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_012: 'PCCL_012' Create fill, FILL_PCCL_021: If PCCL_012=1, FILL_PCCL_021: 'otro(a) hijo(a)' Else FILL_PCCL_021: '^{\FILL_PCCL_012} otros(as) hijos(as)' Create fill, FILL_PCCL_013: Fill all responses collected in f_PCCL_013. If more than one collected, separate each by "y": If PCCL_013A = 1 (selected), fill "hermanos(as) de sangre" If PCCL_013B = 1 (selected), fill "medios(as) hermanos(as) o hermanastros(as)" If PCCL_013C = 1 (selected), fill "hermanos(as) adoptivos(as)" If PCCL_013D = 1 (selected), fill "otros(as) familiar(es)" If PCCL_013E = 1 (selected), fill "hijos(as) de la pareja/novio(a) de la madre" If PCCL_013F = 1 (selected), fill "hijos(as) de la pareja/novio(a) del padre" If PCCL_013G = 1 (selected), fill "otros(as) hijos(as) sin parentesco"
ENGLISH	You reported that immediately following birth, ^{\FILL_YOUTHNAME} was living with ^{\FILL_PCCL_021}, including ^{\FILL_PCCL_013}. Were they living with these same children on their 2nd birthday? 1. Yes, living with the same number and relationships with children 0. No, living with fewer, different, or additional children
SPANISH	Usted informó que, inmediatamente después del nacimiento, ^{\FILL_YOUTHNAME} vivía con ^{\FILL_PCCL_021}, lo que incluía a ^{\FILL_PCCL_013}. ¿Vivía con estos(as) mismos(as) niños(as) cuando cumplió los 2 años? 1. Sí, vivía con el mismo número de niños(as), con los mismos parentescos 1. No, vivía con menos niños(as), otros(as) o más
RANGE	
LIMITS	

LOOP MAX	15
PROGRAM. NOTES	If PCCL_021 = 1, set PCCL_022 = 1 and set PCCL_023 = PCCL_012 and set PCCL_024 = PCCL_013 Loop through PCCLPCCL Loop 1 (PCCLPCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_020_LOOP_END_#_#
NEXT	If PCCL_021 = 1: and PCCL_014CT != (DK, REF) and PCCL_014ST != (DK, REF): PCCL_025a Else if PCCL_021 = 1: f_PCCL_025 Else: PCCL_022

PCCL_022_#	
ASK	PCCL_012 < 1 OR PCCL_021 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Was ^{FILL_YOUTHNAME} living with any children on their 2nd birthday? 1. Yes 0. No
SPANISH	¿Vivía ^{FILL_YOUTHNAME} con algún(a) otro(a) niño(a) cuando cumplió los 2 años? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	

<i>LEAD-IN</i>	PCCL_021, PCCL_020_LOOP_END_#_#
<i>NEXT</i>	If PCCL_022 = 0: and PCCL_014CT != (DK, REF) and PCLC_014ST != (DK, REF): PCCL_025a Else if PCCL_022 = 0: f_PCCL_025 Else: PCCL_023

PCCL_023_#	
ASK	PCCL_022 ≠ 0 (Continue Loop PCCL 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	How many children was ^{FILL_YOUTHNAME} living with on their 2nd birthday? _____ children
SPANISH	¿Con cuántos niños(as) vivía ^{FILL_YOUTHNAME} cuando cumplió los 2 años? _____ niños(as)
RANGE	0-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_022
NEXT	If PCCL_023 ≠ 0: f_PCCL_024 Else if PCCL_014CT != (DK, REF) and PCLC_014ST != (DK, REF): PCCL_025a Else: f_PCCL_025

f_PCCL_024_# PCCL_024A_#/PCCL_024B_#/PCCL_024C_#/PCCL_024D_#/PCCL_024E_#/PCCL_024F_#/PCCL_024G_#	
ASK	PCCL_023 ≠ 0 (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Who were the children that ^{FILL_YOUTHNAME} was living with on their 2nd birthday? <i>Please select all that apply.</i> 1. Full siblings [PCCL_024A_#] 2. Half or step siblings [PCCL_024B_#] 3. Adoptive siblings [PCCL_024C_#] 4. Other relatives [PCCL_024D_#] 5. Children of mother's partner/boyfriend/girlfriend [PCCL_024E_#] 6. Children of father's partner/boyfriend/girlfriend [PCCL_024F_#] 7. Other unrelated children [PCCL_024G_#]
SPANISH	¿Quiénes eran los niños(as) con los que vivía ^{FILL_YOUTHNAME} cuando cumplió los 2 años? <i>Seleccione todas las que correspondan.</i> 1. Hermanos(as) de sangre [PCCL_024A_#] 2. Medios(as) hermanos(as) o hermanastros(as) [PCCL_024B_#] 3. Hermanos(as) adoptivos(as) [PCCL_024C_#] 4. Otros(as) familiar(es) [PCCL_024D_#] 5. Hijos(as) de la pareja/novio(a) de la madre [PCCL_024E_#] 6. Hijos(as) de la pareja/novio(a) del padre [PCCL_024F_#] 7. Otros(as) hijos(as) sin parentesco [PCCL_024G_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	• Full siblings share both biological parents • Half siblings share one biological parent and step-siblings became siblings through marriage" • Adoptive siblings who share neither biological parent"
HELP TEXT (SPAN)	• "Los hermanos(as) de sangre comparten ambos(as) padres/madres biológicos(as)" • "Los medios(as) hermanos(as) comparten un(a) padre/madre biológico(a) y los(as) hermanastros(as) se convirtieron en hermanos(as) a través del matrimonio" • "Hermanos(as) adoptivos(as) que no comparten ninguno(a) de sus padres/madres biológicos(as)"
MODE	CASI/CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_023
<i>NEXT</i>	If PCCL_014CT != (DK, REF) and PCLC_014ST != (DK, REF): PCCL_025a Else: PCCL_025

PCCL_025a_#	
ASK	If PCCL_014CT != (DK, REF) and PCCL_014ST != (DK, REF) (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_014CT: 'PCCL_014_CT' Create fill, FILL_PCCL_014ST: 'PCCL_014_ST'
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_014CT: 'PCCL_014_CT' Create fill, FILL_PCCL_014ST: 'PCCL_014_ST'
ENGLISH	On their 2nd birthday, was ^{FILL_YOUTHNAME} still living in ^{FILL_PCCL_014CT }, ^{FILL_PCCL_014ST }? 1. Yes 0. No
SPANISH	En su segundo cumpleaños, ¿^{FILL_YOUTHNAME} todavía vivía en ^{FILL_PCCL_014CT }, ^{FILL_PCCL_014ST }? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). If "yes" (1) to PCCL_025a then set PCCL_025_CT to the value of PCCL_014_CT, and set PCCL_025_ST to the value of PCCL_014_ST.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_024, PCCL_023, PCCL_022, PCCL_021
NEXT	If PCCL_025a=0: PCCL_025 Else if PCCL_016 > 0: PCCL_026 Else: PCCL_027

f_PCCL_025_# PCCL_025_CT_#/PCCL_025_ST_#	
ASK	If PCCL_025a ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Textbox: PCCL_025_CT Dropdown: PCCL_025_ST
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what city and state was ^{FILL_YOUTHNAME} living on their 2nd birthday? City: _____ [PCCL_025_CT_#] State: { - Select - } [PCCL_025_ST_#]
SPANISH	¿En qué ciudad y estado vivía ^{FILL_YOUTHNAME} cuando cumplió los 2 años? Ciudad: _____ [PCCL_025_CT_#] Estado: { - Seleccione - } [PCCL_025_ST_#]
RANGE	PCCL_025_ST: List states on STATENOTUS list
LIMITS	PCCL_025_CT: Max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_025a
NEXT	If PCCL_016 > 0: PCCL_026 Else: PCCL_027

PCCL_026_#	
ASK	PCCL_016 > 0 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL016: Fill numeric response to PCCL_016 Create fill, FILL_PCCL026: If PCCL_016=1, FILL_PCCL026: 'one adult' Else FILL_PCCL026: '^FILL_PCCL016} adults' Create fill, FILL_PCCL_017: Fill all responses collected in f_PCCL_017. If more than one selected, separate each by "and": If PCCL_017A = 1 (selected), fill "yourself" If PCCL_017B = 1 (selected), fill "a biological mother" If PCCL_017C = 1 (selected), fill "a biological father" If PCCL_017D = 1 (selected), fill "a step-mother" If PCCL_017E = 1 (selected), fill "a step-father" If PCCL_017F = 1 (selected), fill "an adoptive mother" If PCCL_017G = 1 (selected), fill "an adoptive father" If PCCL_017H = 1 (selected), fill "an unmarried partner of a parent" If PCCL_017I = 1 (selected), fill "a grandmother" If PCCL_017J = 1 (selected), fill "a grandfather" If PCCL_017K = 1 (selected), fill "a sibling (full, half, or step)" If PCCL_017L = 1 (selected), fill "other relative(s)" If PCCL_017M = 1 (selected), fill "court-appointed foster/temporary parent(s)" If PCCL_017N = 1 (selected), fill "other non-relative(s)" If PCCL_017P = 1 (selected) and PCCL_017P_SPECIFY is MISSING, fill "others" If PCCL_017P = 1 (selected) and PCCL_017P_SPECIFY is NOT MISSING, fill text response to PCCL_017P_SPECIFY
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL016: Fill numeric response to PCCL_016 Create fill, FILL_PCCL026: If PCCL_016=1, FILL_PCCL026: 'un(a) adulto(a)' Else FILL_PCCL026: '^FILL_PCCL016} adultos(as)' Create fill, FILL_PCCL_017: Fill all responses collected in f_PCCL_017. If more than one selected, separate each by "y": If PCCL_017A = 1 (selected), fill "usted" If PCCL_017B = 1 (selected), fill "una madre biológica" If PCCL_017C = 1 (selected), fill "un padre biológico" If PCCL_017D = 1 (selected), fill "una madrastra" If PCCL_017E = 1 (selected), fill "un padrastro" If PCCL_017F = 1 (selected), fill "una madre adoptiva" If PCCL_017G = 1 (selected), fill "un padre adoptivo" If PCCL_017H = 1 (selected), fill "una pareja de hecho de un(a) padre/madre" If PCCL_017I = 1 (selected), fill "una abuela" If PCCL_017J = 1 (selected), fill "un abuelo" If PCCL_017K = 1 (selected), fill "un(a) hermano(a) de sangre, medio(a) hermano(a) o hermanastro(a)" If PCCL_017L = 1 (selected), fill "otros(as) familiar(es)" If PCCL_017M = 1 (selected), fill "padre/madre(s) de acogida/temporal(es) designados(as) por el tribunal" If PCCL_017N = 1 (selected), fill "otra(s) persona(s) que no son familiar(es)" If PCCL_017P = 1 (selected) and PCCL_017P_SPECIFY is MISSING, fill "otros(as)"

	If PCCL_017P = 1 (selected) and PCCL_017P_SPECIFY is NOT MISSING, fill text response to PCCL_017P_SPECIFY
ENGLISH	You reported that on their 2nd birthday, ^{FILL_YOUTHNAME} was living with ^{FILL_PCCL026} including ^{FILL_PCCL_017}. Was ^{FILL_YOUTHNAME} living with these same adults, and no other adults, on their 6th birthday? 1. Yes 0. No
SPANISH	Usted informó que, cuando cumplió los 2 años, ^{FILL_YOUTHNAME} vivía con ^{FILL_PCCL026}, lo que incluía a ^{FILL_PCCL_017}. ¿Vivía ^{FILL_YOUTHNAME} con estos(as) mismos(as) adultos(as), y ningún otro(as) adulto(as), cuando cumplió los 6 años? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	If PCCL_026 = 1, set PCCL_027 = PCCL_016 and set PCCL_028 = PCCL_017 Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_025a, PCCL_025
NEXT	If PCCL_026 = 1: PCCL_029 Else: PCCL_027

PCCL_027_#	
ASK	PCCL_026 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Including you if you were living with ^{FILL_YOUTHNAME}, how many adults or parent-figures was ^{FILL_YOUTHNAME} living with on their 6th birthday? <i>Please include ^{FILL_YOUTHNAME}'s parents and all people aged 18 or older who usually stayed at the same address as ^{FILL_YOUTHNAME}.</i> _____ adults
SPANISH	Incluido(a) usted, si es que vivía con ^{FILL_YOUTHNAME}, ¿con cuántos adultos o figuras parentales vivía ^{FILL_YOUTHNAME} cuando cumplió los 6 años? <i>Incluya a los padres/madres de ^{FILL_YOUTHNAME} y a todas las personas mayores de 18 años que vivían habitualmente en la misma dirección que ^{FILL_YOUTHNAME}.</i> _____ adulto(s)
RANGE	1-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_025a, f_PCCL_025, PCCL_026 ≠ 1
NEXT	f_PCCL_028

f_PCCL_028_# PCCL_028A_# / PCCL_028B_# / PCCL_028C_# / PCCL_028D_# / PCCL_028E_# / PCCL_028F_# / PCCL_028G_# / PCCL_028H_# / PCCL_028I_# / PCCL_028J_# / PCCL_028K_# / PCCL_028L_# / PCCL_028M_# / PCCL_028N_# / PCCL_028O_# / PCCL_028O_SPECIFY_#	
ASK	PCCL_026 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox: PCCL_028A, PCCL_028B, PCCL_028C, PCCL_028D, PCCL_028E, PCCL_028F, PCCL_028G, PCCL_028H, PCCL_028I, PCCL_028J, PCCL_028K, PCCL_028L, PCCL_028M, PCCL_028N, PCCL_028P Textbox: PCCL_028P_SPECIFY
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Including you if you were living with ^{FILL_YOUTHNAME}, who were the adults that ^{FILL_YOUTHNAME} lived with on their 6th birthday? Please select all that apply. Please enter yourself if you were living with the child at that time and one relationship for any other adults that ^{FILL_YOUTHNAME} was living with at that time. Only select one relationship per adult. 0. Yourself [PCCL_028A_#] 1. Biological mother [PCCL_028B_#] 2. Biological father [PCCL_028C_#] 3. Step-mother [PCCL_028D_#] 4. Step-father [PCCL_028E_#] 5. Adoptive mother [PCCL_028F_#] 6. Adoptive father [PCCL_028G_#] 7. Unmarried partner of a parent [PCCL_028H_#] 8. Grandmother [PCCL_028I_#] 9. Grandfather [PCCL_028J_#] 10. Sibling (full, half, or step) [PCCL_028K_#] 11. Other relative(s) [PCCL_028L_#] 14. Court-appointed foster/temporary parent(s) [PCCL_028M_#] 15. Other non-relative(s) [PCCL_028N_#] 16. Other (please specify: _____) [PCCL_028O_#] [PCCL_028O_SPECIFY_#]
SPANISH	Incluido(a) usted, si es que vivía con ^{FILL_YOUTHNAME}, ¿quiénes eran los adultos con los que vivía ^{FILL_YOUTHNAME} cuando cumplió los 6 años? Seleccione todas las que correspondan. Por favor, indíquese usted mismo si vivía con el niño en ese momento y una relación para cualquier otro adulto con el que ^{FILL_YOUTHNAME} vivía en ese momento. Seleccione solo una relación por adulto. 0. Usted [PCCL_028A_#] 1. Madre biológica [PCCL_028B_#] 2. Padre biológico [PCCL_028C_#] 3. Madrastra [PCCL_028D_#] 4. Padrastro [PCCL_028E_#] 5. Madre adoptiva [PCCL_028F_#] 6. Padre adoptivo [PCCL_028G_#] 7. Pareja de hecho de un(a) padre/madre [PCCL_028H_#] 8. Abuela [PCCL_028I_#] 9. Abuelo [PCCL_028J_#] 10. Hermano(a) de sangre, medio(a) hermano(a) o hermanastro(a) [PCCL_028K_#] 11. Otro(as) familiar(es) [PCCL_028L_#] 14. Padre/madre(s) de acogida/temporal(es) designados(as) por el tribunal [PCCL_028M_#] 15. Otra(s) persona(s) que no son familiar(es) [PCCL_028N_#]

	16. Otros (especifique: _____) [PCCL_028O_#] [PCCL_028O_SPECIFY_#]
RANGE	
LIMITS	PCCL_028O_SPECIFY: 100 characters
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. If response 16 selected, display text box PCCL_028O_SPECIFY Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	If number of items selected is > PCCL_027, display hard check: "You reported that ^{FILLYOUTHNAME} was living with {PCCL_027} adults. Please only select one relationship per adult."
CHECK (SPAN)	If number of items selected is > PCCL_027, display hard check: "Usted informó que ^{FILLYOUTHNAME} vivía con {PCCL_027} adulto(s). Seleccione solo una relación por adulto."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_027
NEXT	If PCCL_028 ≠ DK or REF: PCCL_029 Else If PCCL_023 > 0: PCCL_032 Else: PCCL_033

PCCL_029_#	
ASK	PCCL_028 ≠ DK or REF
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Computer check, do not display. Computer select 2 relationships reported in PCCL_028, selected in hierarchical order as follows, store as PCCL_029_#_1 and PCCL_029_#_2 0 Respondent 1 Biological mother 2 Biological father 3 Adoptive mother 4 Adoptive father 5 Stepmother 6 Stepfather Begin PCCL LOOP 1c (PCCL_030_#_# through PCCL_031_LOOP_END_#_#): Loop through max 2 parent figures identified in PCCL_029
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PCCL_028
NEXT	PCCL_030 (Begin PCCL LOOP 1c)

PCCL_030_#_#	
ASK	PCCL_028 ≠ DK or REF (Begin PCCL LOOP 1c)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_030: If PCCL_029_#_# = 0, FILL_PCCL_030: "Were you" Else if PCCL_029_#_# = 1, FILL_PCCL_030: "Was ^{FILL_YOUTHNAME}'s biological mother" Else if PCCL_029_#_# = 2, FILL_PCCL_030: "Was ^{FILL_YOUTHNAME}'s biological father" Else if PCCL_029_#_# = 3, FILL_PCCL_030: "Was ^{FILL_YOUTHNAME}'s adoptive mother" Else if PCCL_029_#_# = 4, FILL_PCCL_030: "Was ^{FILL_YOUTHNAME}'s adoptive father" Else if PCCL_029_#_# = 5, FILL_PCCL_030: "Was ^{FILL_YOUTHNAME}'s step-mother" Else if PCCL_029_#_# = 6, FILL_PCCL_030: "Was ^{FILL_YOUTHNAME}'s step-father"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_030: If PCCL_029_#_# = 0, FILL_PCCL_030: "Usted" Else if PCCL_029_#_# = 1, FILL_PCCL_030: "La madre biológica de ^{FILL_YOUTHNAME}" Else if PCCL_029_#_# = 2, FILL_PCCL_030: "El padre biológico de ^{FILL_YOUTHNAME}" Else if PCCL_029_#_# = 3, FILL_PCCL_030: "La madre adoptiva de ^{FILL_YOUTHNAME}" Else if PCCL_029_#_# = 4, FILL_PCCL_030: "El padre adoptivo de ^{FILL_YOUTHNAME}" Else if PCCL_029_#_# = 5, FILL_PCCL_030: "La madrastra de ^{FILL_YOUTHNAME}" Else if PCCL_029_#_# = 6, FILL_PCCL_030: "El padrastro de ^{FILL_YOUTHNAME}"
ENGLISH	^{FILL_PCCL_030} working full-time, part-time, or not at all at the time ^{FILL_YOUTHNAME} turned 6 years old? 1. Full-time 2. Part-time 0. Not at all
SPANISH	¿^{FILL_PCCL_030} trabajaba a tiempo completo, a tiempo parcial o no trabajaba en absoluto cuando ^{FILL_YOUTHNAME} cumplió los 6 años? 1. Tiempo completo 2. Tiempo parcial 0. No trabajaba
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Loop through PCCL LOOP 1c (PCCL_030_#_# through PCCL_031_LOOP_END_#_#) for each relationship identified in PCCL_029
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	

HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_029
NEXT	PCCL_031_LOOP_END

PCCL_031_LOOP_END_#_#	
ASK	All respondents (End PCCL LOOP 1c)
QUESTION TYPE	Computer Check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Computer check, do not display. Loop through PCCL LOOP 1c (PCCL_030_#_# through PCCL_031_LOOP_END_#_#) for each relationship identified in PCCL_029
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_030
NEXT	If LOOPNUMBER_1c = 1 and PCCL_029_#_2 not missing: Loop again (PCCL_030_#_#) Else, if PCCL_023 >0: PCCL_033 Else: PCCL_032

PCCL_032_#	
ASK	PCCL_023 > 0 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_023: 'PCCL_023' Create fill, FILL_PCCL_032. If PCCL_023=1, FILL_PCCL_032: 'one other child' Else FILL_PCCL_032: '^FILL_PCCL_023} other children' Create fill, FILL_PCCL_024: Fill all responses collected in f_PCCL_024. If more than one collected, separate each by "and": If PCCL_024A = 1 (selected), fill "full siblings" If PCCL_024B = 1 (selected), fill "half or step siblings" If PCCL_024C = 1 (selected), fill "adoptive siblings" If PCCL_024D = 1 (selected), fill "other relatives" If PCCL_024E = 1 (selected), fill "children of mother's partner/boyfriend/girlfriend" If PCCL_024F = 1 (selected), fill "children of father's partner/boyfriend/girlfriend" If PCCL_024G = 1 (selected), fill "other unrelated children"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_023: 'PCCL_023' Create fill, FILL_PCCL_032. If PCCL_023=1, FILL_PCCL_032: 'otro(a) hijo(a)' Else FILL_PCCL_032: '^FILL_PCCL_023} otros(as) hijos(as)' Create fill, FILL_PCCL_024: Fill all responses collected in f_PCCL_024. If more than one collected, separate each by "y": If PCCL_024A = 1 (selected), fill "hermanos(as) de sangre" If PCCL_024B = 1 (selected), fill "medios(as) hermanos(as) o hermanastros(as)" If PCCL_024C = 1 (selected), fill "hermanos(as) adoptivos(as)" If PCCL_024D = 1 (selected), fill "otros(as) familiar(es)" If PCCL_024E = 1 (selected), fill "hijos(as) de la pareja/novio(a) de la madre" If PCCL_024F = 1 (selected), fill "hijos(as) de la pareja/novio(a) del padre" If PCCL_024G = 1 (selected), fill "otros(as) hijos(as) sin parentesco"
ENGLISH	You reported that on their 2nd birthday, ^FILL_YOUTHNAME} was living with ^FILL_PCCL_032}, including ^FILL_PCCL_024}. Were they living with these same children on their 6th birthday? 1. Yes, living with the same number and relationships with children 0. No, living with fewer, different, or additional children
SPANISH	Usted informó que, cuando cumplió los 2 años, ^FILL_YOUTHNAME} vivía con ^FILL_PCCL_032}, lo que incluía a ^FILL_PCCL_024}. ¿Vivía con estos(as) mismos(as) niños(as) cuando cumplió los 6 años? 1. Sí, vivía con el mismo número de niños(as), con los mismos parentescos 0. No, vivía con menos niños(as), otros(as) o más
RANGE	
LIMITS	

LOOP MAX	15
PROGRAM. NOTES	If PCCL_032 = 1, set PCCL_033 = 1 and set PCCL_034 = PCCL_023 and set PCCL_035 = PCCL_024 Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_028, PCCL_031
NEXT	If PCCL_032 = 1 and PCCL_025CT != (DK, REF) and PCCL_025ST != (DK, REF): PCCL_036a Else if PCCL_032 = 1: f_PCCL_036 Else: PCCL_033

PCCL_033_#	
ASK	PCCL_023 >0 OR PCCL_032 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Was ^{FILL_YOUTHNAME} living with any children on their 6th birthday? 1. Yes 0. No
SPANISH	¿Vivía ^{FILL_YOUTHNAME} con algún(a) otro(a) niño(a) cuando cumplió los 6 años? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_031_LOOP_END, PCCL_032, f_PCCL_028
<i>NEXT</i>	If PCCL_033 = 0: and PCCL_025CT != (DK, REF) and PCCL_025ST != (DK, REF): PCCL_036a Else if PCCL_033 = 0: f_PCCL_036 Else: PCCL_034

PCCL_034_#	
ASK	PCCL_033 ≠ 0 (Continue PCCL Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	How many children was ^{FILL_YOUTHNAME} living with on their 6th birthday? _____ children
SPANISH	¿Con cuántos niños(as) vivía ^{FILL_YOUTHNAME} cuando cumplió los 6 años? _____ niños(as)
RANGE	0-20
LIMITS	Max 2 digits
LOOP MAX	
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_033
NEXT	If PCCL_034 = 0: and PCCL_025CT != (DK, REF) and PCCL_025ST != (DK, REF): PCCL_036a Else if PCCL_034 = 0: f_PCCL_036 Else: f_PCCL_035

f_PCCL_035_# PCCL_035_# / PCCL_035B_# / PCCL_035C_# / PCCL_035D_# / PCCL_035E_# / PCCL_035F_# / PCCL_035G_#	
ASK	PCCL_034 ≠ 0 (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Who were the children that ^{FILL_YOUTHNAME} was living with on their 6th birthday? <i>Please select all that apply.</i> 1. Full siblings [PCCL_035A_#] 2. Half or step siblings [PCCL_035B_#] 3. Adoptive siblings [PCCL_035C_#] 4. Other relatives [PCCL_035D_#] 5. Children of mother's partner/boyfriend/girlfriend [PCCL_035E_#] 6. Children of father's partner/boyfriend/girlfriend [PCCL_035F_#] 7. Other unrelated children [PCCL_035G_#]
SPANISH	¿Quiénes eran los niños(as) con los que vivía ^{FILL_YOUTHNAME} cuando cumplió los 6 años? Seleccione todas las que correspondan. 0. Hermanos(as) de sangre [PCCL_035A_#] 1. Medios(as) hermanos(as) o hermanastros(as) [PCCL_035B_#] 2. Hermanos(as) adoptivos(as) [PCCL_035C_#] 3. Otros(as) familiar(es) [PCCL_035D_#] 4. Hijos(as) de la pareja/novio(a) de la madre [PCCL_035E_#] 5. Hijos(as) de la pareja/novio(a) del padre [PCCL_035F_#] 6. Otros(as) hijos(as) sin parentesco [PCCL_035G_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	• Full siblings share both biological parents • Half siblings share one biological parent and step-siblings became siblings through marriage • Adoptive siblings who share neither biological parent
HELP TEXT (SPAN)	• Los hermanos(as) de sangre comparten ambos(as) padres/madres biológicos(as) • Los medios(as) hermanos(as) comparten un(a) padre/madre biológico(a) y los(as) hermanastros(as) se convirtieron en hermanos(as) a través del matrimonio • Hermanos(as) adoptivos(as) que no comparten ninguno(a) de sus padres/madres biológicos(as)
MODE	CASI/CAWI
NOTES	

<i>LEAD-IN</i>	PCCL_034
<i>NEXT</i>	If PCCL_025CT != (DK, REF) and PCCL_025ST != (DK, REF): PCCL_036a Else: f_PCCL_036

PCCL_036a_#	
ASK	If PCCL_025CT != (DK, REF) and PCCL_025ST != (DK, REF) (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_025CT: 'PCCL_025_CT' Create fill, FILL_PCCL_025ST: 'PCCL_025_ST'
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_025CT: 'PCCL_025_CT' Create fill, FILL_PCCL_025ST: 'PCCL_025_ST'
ENGLISH	On their 6th birthday, was ^{FILL_YOUTHNAME} still living in ^{FILL_PCCL_025CT }, ^{FILL_PCCL_025ST }? 1. Yes 0. No
SPANISH	En su sexto cumpleaños, ¿^{FILL_YOUTHNAME} todavía vivía en ^{FILL_PCCL_025CT }, ^{FILL_PCCL_025ST }? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). If "yes" (1) to PCCL_036a then set PCCL_036_CT to the value of PCCL_025_CT, and set PCCL_036_ST to the value of PCCL_025_ST.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_032 = 1, PCCL_033 = 0, PCCL_034, PCCL_035
NEXT	If PCCL_036a≠ 1: PCCL_036 Else if PCCL_027 > 0: PCCL_037 Else: PCCL_038

f_PCCL_036_# PCCL_036_CT_#/PCCL_036_ST_#	
ASK	If PCCL_036a ≠ 1(Continue PCCL Loop 1)
QUESTION TYPE	Textbox: PCCL_036_CT Dropdown: PCCL_036_ST
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what city and state was ^{FILL_YOUTHNAME} living on their 6th birthday? City: _____ [PCCL_036_CT_#] State: { - Select - } [PCCL_036_ST_#]
SPANISH	¿En qué ciudad y estado vivía ^{FILL_YOUTHNAME} cuando cumplió los 6 años? Ciudad: _____ [PCCL_036_CT_#] Estado: { - Seleccione - } [PCCL_036_ST_#]
RANGE	PCCL_036_ST: List states on STATENOTUS
LIMITS	PCCL_036_CT: Max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Please use the list of response options from question STATEEXPAND but only allow 1 response for variable PCCL_036_ST Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_036a
NEXT	If PCCL_027 > 0: PCCL_037 Else: PCCL_038

PCCL_037_#	
ASK	PCCL_027 > 0 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_027: Fill numeric response to PCCL_027 Create fill, FILL_PCCL_037: If PCCL_027=1, FILL_PCCL_037: 'one adult' Else FILL_PCCL_037: '^{\FILL_PCCL_027} adults' Create fill, FILL_PCCL_028: Fill all responses collected in PCCL_028. If more than one selected, separate each by "and": If PCCL_028A = 1 (selected), fill "yourself" If PCCL_028B = 1 (selected), fill "a biological mother" If PCCL_028C = 1 (selected), fill "a biological father" If PCCL_028D = 1 (selected), fill "a step-mother" If PCCL_028E = 1 (selected), fill "a step-father" If PCCL_028F = 1 (selected), fill "an adoptive mother" If PCCL_028G = 1 (selected), fill "an adoptive father" If PCCL_028H = 1 (selected), fill "an unmarried partner of a parent" If PCCL_028I = 1 (selected), fill "a grandmother" If PCCL_028J = 1 (selected), fill "a grandfather" If PCCL_028K = 1 (selected), fill "a sibling (full, half, or step)" If PCCL_028L = 1 (selected), fill "other relative(s)" If PCCL_028M = 1 (selected), fill "court-appointed foster/temporary parent(s)" If PCCL_028N = 1 (selected), fill "other non-relative(s)" If PCCL_028P = 1 (selected) and PCCL_028P_SPECIFY is MISSING, fill "others" If PCCL_028P = 1 (selected) and PCCL_028P_SPECIFY is NOT MISSING, fill text response to PCCL_028P_SPECIFY
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_027: Fill numeric response to PCCL_027 Create fill, FILL_PCCL_037: If PCCL_027=1, FILL_PCCL_037: 'un(a) adulto(a)' Else FILL_PCCL_037: '^{\FILL_PCCL_027} adultos(as)' Create fill, FILL_PCCL_028: Fill all responses collected in PCCL_028. If more than one selected, separate each by "y": If PCCL_028A = 1 (selected), fill "usted" If PCCL_028B = 1 (selected), fill "una madre biológica" If PCCL_028C = 1 (selected), fill "un padre biológico" If PCCL_028D = 1 (selected), fill "una madrastra" If PCCL_028E = 1 (selected), fill "un padrastro" If PCCL_028F = 1 (selected), fill "una madre adoptiva" If PCCL_028G = 1 (selected), fill "un padre adoptivo" If PCCL_028H = 1 (selected), fill "una pareja de hecho de un(a) padre/madre" If PCCL_028I = 1 (selected), fill "una abuela" If PCCL_028J = 1 (selected), fill "un abuelo" If PCCL_028K = 1 (selected), fill "un(a) hermano(a) de sangre, medio(a) hermano(a) o hermanastro(a)" If PCCL_028L = 1 (selected), fill "otros(as) familiar(es)" If PCCL_028M = 1 (selected), fill "padre/madre(s) de acogida/temporal(es) designados(as) por el tribunal"

	If PCCL_028N = 1 (selected), fill “otra(s) persona(s) que no son familiar(es)” If PCCL_028P = 1 (selected) and PCCL_028P_SPECIFY is MISSING, fill “otros(as)” If PCCL_028P = 1 (selected) and PCCL_028P_SPECIFY is NOT MISSING, fill text response to PCCL_028P_SPECIFY
ENGLISH	You reported that on their 6th birthday, ^{FILL_YOUTHNAME} was living with ^{FILL_PCCL_037} including ^{FILL_PCCL_028}. Was ^{FILL_YOUTHNAME} living with these same adults, and no other adults, on their 11th birthday? 1. Yes 0. No
SPANISH	Usted informó que, cuando cumplió los 6 años, ^{FILL_YOUTHNAME} vivía con ^{FILL_PCCL_037}, lo que incluía a ^{FILL_PCCL_028}. ¿Vivía ^{FILL_YOUTHNAME} con estos(as) mismos(as) adultos(as), y ningún otro(as) adulto(as), cuando cumplió los 11 años? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	If PCCL_037 = 1, set PCCL_038 = PCCL_027 and set PCCL_039 = PCCL_028 Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_036a, PCCL_036
NEXT	If PCCL_037 = 1: PCCL_040 Else: PCCL_038

PCCL_038_#	
ASK	PCCL_037 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Including you if you were living with ^{FILL_YOUTHNAME}, how many adults or parent-figures was ^{FILL_YOUTHNAME} living with on their 11th birthday? <i>Please include ^{FILL_YOUTHNAME}'s parents and all people aged 18 or older who usually stayed at the same address as ^{FILL_YOUTHNAME}.</i> _____ adults
SPANISH	Incluido(a) usted, si es que vivía con ^{FILL_YOUTHNAME}, ¿con cuántos adultos o figuras parentales vivía ^{FILL_YOUTHNAME} cuando cumplió los 11 años? <i>Incluya a los padres/madres de ^{FILL_YOUTHNAME} y a todas las personas mayores de 18 años que vivían habitualmente en la misma dirección que ^{FILL_YOUTHNAME}.</i> _____ adultos
RANGE	1-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_036a, PCCL_036, PCCL_037 ≠ 1
NEXT	PCCL_039

f_PCCL_039_# PCCL_039A_# / PCCL_039B_# / PCCL_039C_# / PCCL_039D_# / PCCL_039E_# / PCCL_039F_# / PCCL_039G_# / PCCL_039H_# / PCCL_039I_# / PCCL_039J_# / PCCL_039K_# / PCCL_039L_# / PCCL_039M_# / PCCL_039N_# / PCCL_039O_# / PCCL_039O_SPECIFY_#	
ASK	PCCL_037 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox: PCCL_039A, PCCL_039B, PCCL_039C, PCCL_039D, PCCL_039E, PCCL_039F, PCCL_039G, PCCL_039H, PCCL_039I, PCCL_039J, PCCL_039K, PCCL_039L, PCCL_039M, PCCL_039N, PCCL_039O Textbox: PCCL_039O_SPECIFY
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Including you if you were living with ^{FILL_YOUTHNAME}, who were the adults that ^{FILL_YOUTHNAME} lived with on their 11th birthday? Please select all that apply. Please enter yourself if you were living with the child at that time and one relationship for any other adults that [youth name] was living with at that time. Only select one relationship per adult. 0. Yourself [PCCL_039A_#] 1. Biological mother [PCCL_039B_#] 2. Biological father [PCCL_039C_#] 3. Step-mother [PCCL_039D_#] 4. Step-father [PCCL_039E_#] 5. Adoptive mother [PCCL_039F_#] 6. Adoptive father [PCCL_039G_#] 7. Unmarried partner of a parent [PCCL_039H_#] 8. Grandmother [PCCL_039I_#] 9. Grandfather [PCCL_039J_#] 10. Sibling (full, half, or step) [PCCL_039K_#] 11. Other relative(s) [PCCL_039L_#] 14. Court-appointed foster/temporary parent(s) [PCCL_039M_#] 15. Other non-relative(s) [PCCL_039N_#] 16. Other (please specify: _____) [PCCL_039O_#] [PCCL_039O_SPECIFY_#]
SPANISH	Incluido(a) usted, si es que vivía con ^{FILL_YOUTHNAME}, ¿quiénes eran los adultos con los que vivía ^{FILL_YOUTHNAME} cuando cumplió los 11 años? Seleccione todas las que correspondan. Por favor, indíquese usted mismo si vivía con el niño en ese momento y una relación para cualquier otro adulto con el que ^{FILL_YOUTHNAME} vivía en ese momento. Seleccione solo una relación por adulto. 0. Usted [PCCL_039A_#] 1. Madre biológica [PCCL_039B_#] 2. Padre biológico [PCCL_039C_#] 3. Madrastra [PCCL_039D_#] 4. Padrastro [PCCL_039E_#] 5. Madre adoptiva [PCCL_039F_#] 6. Padre adoptivo [PCCL_039G_#] 7. Pareja de hecho de un(a) padre/madre [PCCL_039H_#] 8. Abuela [PCCL_039I_#] 9. Abuelo [PCCL_039J_#] 10. Hermano(a) de sangre, medio(a) hermano(a) o hermanastro(a) [PCCL_039K_#] 11. Otros(as) familiar(es) [PCCL_039L_#] 14. Padre/madre(s) de acogida/temporal(es) designados(as) por el tribunal [PCCL_039M_#]

	15. Otra(s) persona(s) que no son familiar(es) [PCCL_039N_#] 16. Otros (especifique: _____) [PCCL_028O_#] [PCCL_028O_SPECIFY_#]
RANGE	
LIMITS	PCCL_039O_SPECIFY: 100 characters
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. If response 16 selected, display text box PCCL_039O_SPECIFY Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	If number of items selected is > PCCL_038, display hard check: "You reported that ^{FILLYOUTHNAME} was living with {PCCL_038} adults. Please only select one relationship per adult."
CHECK (SPAN)	If number of items selected is > PCCL_038, display hard check: "Usted informó que ^{FILLYOUTHNAME} vivía con {PCCL_038} adulto(s). Seleccione solo una relación por adulto."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_038
NEXT	If PCCL_039 ≠ -DK or REF: PCCL_040 Else if PCCL_034 > 0: PCCL_044 Else: PCCL_045

PCCL_040_#	
ASK	PCCL_039 ≠ DK or REF
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Computer check, do not display. Computer select first 2 relationships reported in PCCL_039, store as PCCL_040_#_1 and PCCL_040_#_2 0 Respondent 1 Biological mother 2 Biological father 3 Adoptive mother 4 Adoptive father 5 Stepmother 6 Stepfather Loop though PCCL Loop 1d (PCCL_041_#_# through PCCL_043_LOOP_END_#_#) for max 2 parent figures identified in PCCL_040
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_039
NEXT	PCCL_041 (Begin PCCL Loop 1d)

PCCL_041_#_#	
ASK	All respondents (Begin PCCL LOOP 1d)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_041: If PCCL_040 = 0, FILL_PCCL_041: "Were you" Else if PCCL_040 = 1, FILL_PCCL_041: "Was ^{FILL_YOUTHNAME}'s biological mother" Else if PCCL_040 = 2, FILL_PCCL_041: "Was ^{FILL_YOUTHNAME}'s biological father" Else if PCCL_040 = 3, FILL_PCCL_041: "Was ^{FILL_YOUTHNAME}'s adoptive mother" Else if PCCL_040 = 4, FILL_PCCL_041: "Was ^{FILL_YOUTHNAME}'s adoptive father" Else if PCCL_040 = 5, FILL_PCCL_041: "Was ^{FILL_YOUTHNAME}'s step-mother" Else if PCCL_040 = 6, FILL_PCCL_041: "Was ^{FILL_YOUTHNAME}'s step-father"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_041: If PCCL_040 = 0, FILL_PCCL_041: "Usted" Else if PCCL_040 = 1, FILL_PCCL_041: "La madre biológica de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 2, FILL_PCCL_041: "El padre biológico de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 3, FILL_PCCL_041: "La madre adoptiva de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 4, FILL_PCCL_041: "El padre adoptivo de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 5, FILL_PCCL_041: "La madrastra de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 6, FILL_PCCL_041: "El padrastro de ^{FILL_YOUTHNAME}"
ENGLISH	^{FILL_PCCL_041} working full-time, part-time, or not at all at the time that ^{FILL_YOUTHNAME} turned 11 years old? 1. Full-time 2. Part-time 0. Not at all
SPANISH	¿^{FILL_PCCL_041} trabajaba a tiempo completo, a tiempo parcial o no trabajaba en absoluto cuando ^{FILL_YOUTHNAME} cumplió los 11 años? 1. Tiempo completo 2. Tiempo parcial 0. No trabajaba
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Loop though PCCL Loop 1d (PCCL_041_#_# through PCCL_043_LOOP_END_#_#) for max 2 parent figures identified in PCCL_040
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_040
NEXT	If PCCL_041 = 1 or 2: PCCL_042 Else: PCCL_043_LOOP_END

f_PCCL_042_#_# PCCL_042_#_# / PCCL_042_SPECIFY_#_#	
ASK	If PCCL_041 = 1 or 2 (Continue PCCL LOOP 1d)
QUESTION TYPE	Radio button: PCCL_042 Textbox: PCCL_042_SPECIFY
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_042: If PCCL_040 = 0, FILL_PCCL_042: "were you" Else if PCCL_040 = 1, FILL_PCCL_042: "was ^{FILL_YOUTHNAME}'s biological mother" Else if PCCL_040 = 2, FILL_PCCL_042: "was ^{FILL_YOUTHNAME}'s biological father" Else if PCCL_040 = 3, FILL_PCCL_042: "was ^{FILL_YOUTHNAME}'s adoptive mother" Else if PCCL_040 = 4, FILL_PCCL_042: "was ^{FILL_YOUTHNAME}'s adoptive father" Else if PCCL_040 = 5, FILL_PCCL_042: "was ^{FILL_YOUTHNAME}'s step-mother" Else if PCCL_040 = 6, FILL_PCCL_042: "was ^{FILL_YOUTHNAME}'s step-father"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_042: If PCCL_040 = 0, FILL_PCCL_042: "usted" Else if PCCL_040 = 1, FILL_PCCL_042: "la madre biológica de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 2, FILL_PCCL_042: "el padre biológico de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 3, FILL_PCCL_042: "la madre adoptiva de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 4, FILL_PCCL_042: "el padre adoptivo de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 5, FILL_PCCL_042: "la madrastra de ^{FILL_YOUTHNAME}" Else if PCCL_040 = 6, FILL_PCCL_042: "el padrastro de ^{FILL_YOUTHNAME}"
ENGLISH	What kind of work ^{FILL_PCCL_042} doing at the time that ^{FILL_YOUTHNAME} turned 11? 1. Management 2. Business or Financial Operations 3. Computer or Mathematical Services 4. Architecture or Engineering 5. Life Sciences, Physical Sciences, or Social Sciences 6. Community or Social Services 7. Legal Services 8. Education, Instruction or Library services 9. Arts, Design, Entertainment, Sports, or Media 10. Healthcare or related Technical Services 11. Healthcare Support Services 12. Security and safety services (including police and fire) 13. Food Preparation or Service-Related Work 14. Building and Grounds Cleaning or Maintenance 15. Personal Care or Services 16. Sales or Related Services 17. Office or Administrative Support 18. Farming, Fishing, or Forestry 19. Construction or Extraction Services 20. Installation, Maintenance, or Repair 21. Manufacturing, Assembly, or Production 22. Transportation or Material Moving 23. Other (please specify: _____) [PCCL_042_SPECIFY_#_#]
SPANISH	¿Qué tipo de trabajo realizaba ^{FILL_PCCL_042} en el momento en que ^{FILL_YOUTHNAME} cumplió los 11 años? 1. Gerencia

	2. Operaciones comerciales o financieras 3. Servicios informáticos o matemáticos 4. Arquitectura o ingeniería 5. Ciencias de la vida, ciencias físicas o ciencias sociales 6. Servicios comunitarios o sociales 7. Servicios legales 8. Servicios de educación, instrucción o biblioteca 9. Artes, diseño, entretenimiento, deportes o medios de comunicación 10. Servicios técnicos de salud o afines 11. Servicios de apoyo de salud 12. Servicios de seguridad y protección (incluidos policía y bomberos) 13. Preparación de alimentos o trabajos relacionados con los servicios 14. Limpieza o mantenimiento de edificios y terrenos 15. Cuidados o servicios personales 16. Ventas o servicios relacionados 17. Apoyo administrativo o de oficina 18. Agricultura, pesca o silvicultura 19. Servicios de construcción o extracción 20. Instalación, mantenimiento o reparación 21. Fabricación, montaje o producción 22. Transporte o movimiento de materiales 23. Otros (especifique: _____) [PCCL_042_SPECIFY_#_#]
<i>RANGE</i>	
<i>LIMITS</i>	PCCL_042_SPECIFY: Max 100 characters
<i>LOOP MAX</i>	2
<i>PROGRAM. NOTES</i>	If response 23 is selected, display text box PCCL_042_SPECIFY_#_#. Loop though PCCL Loop 1d (PCCL_041_#_# through PCCL_043_LOOP_END_#_#) for max 2 parent figures identified in PCCL_040.
<i>CHECK (ENG)</i>	If PCCL_042_SPECIFY left empty, display default soft check.
<i>CHECK (SPAN)</i>	If PCCL_042_SPECIFY left empty, display default soft check.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_041
<i>NEXT</i>	PCCL_043_LOOP_END

PCCL_043_LOOP_END_#_#	
ASK	All respondents (End PCCL LOOP 1d)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	2
PROGRAM. NOTES	Computer check, do not display. Loop though PCCL Loop 1d (PCCL_041_#_# through PCCL_043_LOOP_END_#_#) for max 2 parent figures identified in PCCL_040
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_041, PCCL_042
NEXT	Else if LOOPNUMBER_1d = 1 and PCCL_040_#_2 not missing: Loop again (PCCL_041_#_#) Else if PCCL_034 >0: PCCL_044 Else: PCCL_045

PCCL_044_#	
ASK	PCCL_034 > 0 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_034: 'PCCL_034' Create fill, FILL_PCCL_044: If PCCL_034=1, FILL_PCCL_044: 'one other child' Else FILL_PCCL_044: '^{\FILL_PCCL_034} other children' Create fill, FILL_PCCL_035: Fill all responses collected in f_PCCL_035. If more than one selected, separate each by "and": If PCCL_035A = 1 (selected), fill "full siblings" If PCCL_035B = 1 (selected), fill "half or step siblings" If PCCL_035C = 1 (selected), fill "adoptive siblings" If PCCL_035D = 1 (selected), fill "other relatives" If PCCL_035E = 1 (selected), fill "children of mother's partner/boyfriend/girlfriend" If PCCL_035F = 1 (selected), fill "children of father's partner/boyfriend/girlfriend" If PCCL_035G = 1 (selected), fill "other unrelated children"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_034: 'PCCL_034' Create fill, FILL_PCCL_044: If PCCL_034=1, FILL_PCCL_044: 'otro(a) niño(a)' Else FILL_PCCL_044: '^{\FILL_PCCL_034} otros(as) niño (as)' Create fill, FILL_PCCL_035: Fill all responses collected in f_PCCL_035. If more than one selected, separate each by "y": If PCCL_035A = 1 (selected), fill "hermanos(as) de sangre" If PCCL_035B = 1 (selected), fill "medios(as) hermanos(as) o hermanastros(as)" If PCCL_035C = 1 (selected), fill "hermanos(as) adoptivos(as)" If PCCL_035D = 1 (selected), fill "otros(as) familiar(es)" If PCCL_035E = 1 (selected), fill "hijos(as) de la pareja/novio(a) de la madre" If PCCL_035F = 1 (selected), fill "hijos(as) de la pareja/novio(a) del padre" If PCCL_035G = 1 (selected), fill "otros(as) hijos(as) sin parentesco"
ENGLISH	You reported that on their 6th birthday, ^{\FILL_YOUTHNAME} was living with ^{\FILL_PCCL_044}, including ^{\FILL_PCCL_035}. Was ^{\FILL_YOUTHNAME} living with these same children on their 11th birthday? 1. Yes, living with the same number and relationships with children 0. No, living with fewer, different, or additional children
SPANISH	Usted informó que, cuando cumplió los 6 años, ^{\FILL_YOUTHNAME} vivía con ^{\FILL_PCCL_044}, lo que incluía a ^{\FILL_PCCL_035}. ¿Vivía ^{\FILL_YOUTHNAME} con estos mismos niños(as) cuando cumplió los 11 años? 1. Sí, vivía con el mismo número de niños(as), con los mismos parentescos 0. No, vivía con menos niños(as), otros(as) o más
RANGE	
LIMITS	

<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_043_LOOP_END, PCCL_039
<i>NEXT</i>	If PCCL_044 = 1: and PCCL_036CT != (DK, REF) and PCCL_036ST != (DK, REF): PCCL_048a Else if PCCL_044 = 1: f_PCCL_048 Else: PCCL_045

PCCL_045_#	
ASK	PCCL_044 ≠ 1 OR PCCL_034 < 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Was ^{FILL_YOUTHNAME} living with any children on their 11th birthday? 1. Yes 0. No
SPANISH	¿Vivía ^{FILL_YOUTHNAME} con algún(a) otro(a) niño(a) cuando cumplió los 11 años? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_043_LOOP_END, PCCL_044, PCCL_039
NEXT	If PCCL_045 = 0: and PCCL_036CT != (DK, REF) and PCCL_036ST != (DK, REF): PCCL_048a Else if PCCL_045 = 0: f_PCCL_048 Else: PCCL_046

PCCL_046_#	
ASK	PCCL_045 ≠ 0 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	How many children was ^{FILL_YOUTHNAME} living with on their 11th birthday? _____ children
SPANISH	¿Con cuántos niños(as) vivía ^{FILL_YOUTHNAME} cuando cumplió los 11 años? _____ niños(as)
RANGE	0-20
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_045
NEXT	If PCCL_046 = 0: and PCCL_036CT != (DK, REF) and PCCL_036ST != (DK, REF): PCCL_048a Else if PCCL_046 = 0: f_PCCL_048 Else: f_PCCL_047

f_PCCL_047_# PCCL_047A_# / PCCL_047B_# / PCCL_047C_# / PCCL_047D_# / PCCL_047E_# / PCCL_047F_# / PCCL_047G_#	
ASK	PCCL_046 ≠ 0(Continue PCCL Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Who were the children that ^{FILL_YOUTHNAME} was living with on their 11th birthday? <i>Please select all that apply.</i> 1. Full siblings [PCCL_047A_#] 2. Half or step siblings [PCCL_047B_#] 3. Adoptive siblings [PCCL_047C_#] 4. Other relatives [PCCL_047D_#] 5. Children of mother's partner/boyfriend/girlfriend [PCCL_047E_#] 6. Children of father's partner/boyfriend/girlfriend [PCCL_047F_#] 7. Other unrelated children [PCCL_047G_#]
SPANISH	¿Quiénes eran los niños(as) con los que vivía ^{FILL_YOUTHNAME} cuando cumplió los 11 años? Seleccione todas las que correspondan. 1. Hermanos(as) de sangre [PCCL_047A_#] 2. Medios(as) hermanos(as) o hermanastros(as) [PCCL_047B_#] 3. Hermanos(as) adoptivos(as) [PCCL_047C_#] 4. Otros(as) familiares [PCCL_047D_#] 5. Hijos(as) de la pareja/novio(a) de la madre [PCCL_047E_#] 6. Hijos(as) de la pareja/novio(a) del padre [PCCL_047F_#] 7. Otros(as) hijos(as) sin parentesco [PCCL_047G_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	Full siblings share both biological parents Half siblings share one biological parent and step-siblings became siblings through marriage Adoptive siblings who share neither biological parent
HELP TEXT (SPAN)	Los hermanos(as) de sangre comparten ambos(as) padres/madres biológicos(as) Los medios(as) hermanos(as) comparten un(a) padre/madre biológico(a) y los(as) hermanastros(as) se convirtieron en hermanos(as) a través del matrimonio Hermanos(as) adoptivos(as) que no comparten ninguno de sus padres/madres biológicos(as)
MODE	CASI/CAWI
NOTES	

<i>LEAD-IN</i>	PCCL_046
<i>NEXT</i>	If PCCL_036CT != (DK, REF) and PCCL_036ST != (DK, REF): PCCL_048a Else: f_PCCL_048

PCCL_048a_#	
ASK	If PCCL_036CT != (DK, REF) and PCCL_036ST != (DK, REF) (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_036CT: 'PCCL_036_CT' Create fill, FILL_PCCL_036ST: 'PCCL_036_ST'
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_036CT: 'PCCL_036_CT' Create fill, FILL_PCCL_036ST: 'PCCL_036_ST'
ENGLISH	On their 11th birthday, was ^{FILL_YOUTHNAME} still living in ^{FILL_PCCL_036CT }, ^{FILL_PCCL_036ST }? 1. Yes 0. No
SPANISH	En su undécimo cumpleaños, ¿^{FILL_YOUTHNAME} todavía vivía en ^{FILL_PCCL_036CT }, ^{FILL_PCCL_036ST }? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). If "yes" (1) to PCCL_048a then set PCCL_048_CT to the value of PCCL_036_CT, and set PCCL_048_ST to the value of PCCL_036_ST.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_047, PCCL_045 = 0, PCCL_044 = 1, PCCL_046 = 0
NEXT	If PCCL_048a=1: PCCL_049 Else: PCCL_048

f_PCCL_048_# PCCL_048_CT_#/PCCL_048_ST_#	
ASK	If PCCL_048a ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Textbox: PCCL_048_CT Dropdown: PCCL_048_ST
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what city and state was ^{FILL_YOUTHNAME} living on their 11 th birthday? City: _____ [PCCL_048_CT_#] State: { - Select - } [PCCL_048_ST_#]
SPANISH	¿En qué ciudad y estado vivía ^{FILL_YOUTHNAME} cuando cumplió los 11 años? Ciudad: _____ [PCCL_048_CT_#] Estado: { - Seleccione - } [PCCL_048_ST_#]
RANGE	PCCL_048_ST: List states on STATENOTUS list
LIMITS	PCCL_048_CT: Max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_048a
NEXT	PCCL_049

PCCL_049_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Next, I would like you to think about the places ^{FILL_YOUTHNAME} has lived. By places we mean a house, apartment, or other type of residence. How many different places or addresses total, did ^{FILL_YOUTHNAME} live at, from birth until their 11th birthday? _____ different places
SPANISH	Ahora, quisiera que pensara en los lugares en los que ha vivido ^{FILL_YOUTHNAME}. Por "lugares", entendemos una casa, apartamento u otro tipo de residencia. ¿En cuántos lugares o direcciones diferentes, en total, vivió ^{FILL_YOUTHNAME}, desde su nacimiento hasta que cumplió los 11 años? _____ lugares diferentes
RANGE	1-99
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	If PCCL_049_# OUT OF RANGE (=0) DISPLAY HARD CHECK: 'Please enter a number between 1 and 99 for the number of places that ^{FILL_YOUTHNAME} lived. If they have always lived at the same place, please enter '1.'
CHECK (SPAN)	If PCCL_049_# OUT OF RANGE (=0) DISPLAY HARD CHECK: 'Ingresa un número entre el 1 y el 99 para indicar el número de lugares en los que vivió ^{FILL_YOUTHNAME}. Si siempre han vivido en el mismo lugar, ingrese '1.'
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_048a, PCCL_048
NEXT	f_PCCL_050

f_PCCL_050_# PCCL_050A_# / PCCL_050B_# / PCCL_050C_# / PCCL_050D_# / PCCL_050E_# / PCCL_050F_# / PCCL_050G_# / PCCL_050H_# / PCCL_050H_SPECIFY_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Radio grid: PCCL_050A, PCCL_050B, PCCL_050C, PCCL_050D, PCCL_050E, PCCL_050F, PCCL_050G, PCCL_050H Textbox: PCCL_050H_SPECIFY
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Sometimes parents and children live apart from their families. Children might live at boarding school, in a hospital, or in a group home. Did ^{FILL_YOUTHNAME} ever live away from their parents in any of these type of places for a month or more? Please respond “Yes” or “No” for each. COLUMN HEADERS: - Yes - No ROW ITEMS: - Military base [PCCL_050A_#] - Boarding school or college [PCCL_050B_#] - Correctional facility or jail [PCCL_050C_#] - Hospital or mental health treatment facility [PCCL_050D_#] - Summer camp/resort [PCCL_050E_#] - Group home or shelter [PCCL_050F_#] - Orphanage, children's home, or refugee camp [PCCL_050G_#] - Other (please specify: _____) [PCCL_050H_#] [PCCL_050H_SPECIFY_#]
SPANISH	A veces, los padres, las madres y los(as) hijos(as) viven separados de sus familias. Los(as) niños(as) pueden vivir en un internado, en un hospital o en un hogar grupal. ¿Ha vivido ^{FILL_YOUTHNAME} alguna vez lejos de sus padres/madres en alguno de estos tipos de lugares durante un mes o más? Responda “sí” o “no” para cada opción. COLUMN HEADERS: - Sí - No ROW ITEMS: - Base militar [PCCL_050A_#] - Internado o instituto superior [PCCL_050B_#] - Correccional o cárcel [PCCL_050C_#] - Hospital o centro de tratamiento de salud mental [PCCL_050D_#] - Campamento de verano/centro vacacional [PCCL_050E_#] - Hogar grupal o refugio [PCCL_050F_#] - Orfanato, hogar para niños o campo de refugiados [PCCL_050G_#] - Otros (especifique: _____) [PCCL_050H_#] [PCCL_050H_SPECIFY_#]

<i>RANGE</i>	
<i>LIMITS</i>	PCCL_050H_SPECIFY: 100 characters
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	If PCCL_050H is selected, display text box PCCL_050H_SPECIFY Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_049
<i>NEXT</i>	PCCL_051

PCCL_051_#	
<i>ASK</i>	All respondents (Continue PCCL Loop 1)
<i>QUESTION TYPE</i>	Radio button
<i>FILLS (ENG)</i>	Use fill from PCCL_001: FILL_YOUTHNAME
<i>FILLS (SPAN)</i>	Use fill from PCCL_001: FILL_YOUTHNAME
<i>ENGLISH</i>	Did ^{FILL_YOUTHNAME} ever live in state-sponsored foster care? This includes settings such as a family foster home, a relative foster home, a group home, institution, or supervised independent living. 1. Yes 0. No
<i>SPANISH</i>	¿Vivió ^{FILL_YOUTHNAME} alguna vez en un centro de cuidado de crianza patrocinado por el estado? Esto incluye entornos como un hogar de cuidado de crianza de una familia o de parientes, un hogar grupal, una institución o la vida independiente supervisada. 1. Sí 0. No
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_050
<i>NEXT</i>	If PCCL_051 = 1: PCCL_052 Else if YOUTH_RPCPLG = 3: PCCL_061 Else: PCCL_055

PCCL_052_#	
ASK	PCCL_051 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In how many different foster care settings or locations did ^{FILL_YOUTHNAME} live? _____ settings or locations
SPANISH	¿En cuántos entornos o lugares diferentes de cuidado de crianza vivió ^{FILL_YOUTHNAME} ? _____ entornos o lugares
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_051 = 1
NEXT	PCCL_053

PCCL_053_#	
ASK	PCCL_051 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Approximately how much time did ^{FILL_YOUTHNAME} spend in foster care total during their life? 1. Less than six months 2. At least six months, but less than a year 3. At least a year but less than two years 4. At least two years but less than three years 5. Three years or more 9. Don't know
SPANISH	Aproximadamente, ¿cuánto tiempo pasó ^{FILL_YOUTHNAME} en total en cuidado de crianza durante su vida? 1. Menos de seis meses 2. Al menos seis meses, pero menos de un año 3. Al menos un año pero menos de dos 4. Al menos dos años pero menos de tres 5. Cinco años o más 9. No sé
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_052
NEXT	PCCL_054

PCCL_054_#	
ASK	PCCL_051 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Numeric Radio button special answer option
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	The last time ^{FILL_YOUTHNAME} left foster care, how old were they? Age in years: _____ -9. They were less than one year old when they left foster care.
SPANISH	La última vez que ^{FILL_YOUTHNAME} salió del cuidado de crianza, ¿qué edad tenía? Edad en años: _____ -9. Tenía menos de un año cuando salió del cuidado de crianza
RANGE	1-19
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_053
NEXT	If YOUTH_RPCPLG = 3: PCCL_061 Else: PCCL_055

PCCL_055_#	
ASK	YOUTH_RPCPLG ≠ 3 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	The next few questions are about legal documents indicating who is responsible for ^{FILL_YOUTHNAME}. First, who is listed as a parent on ^{FILL_YOUTHNAME}'s birth certificate? Are two parents listed, or is only the birth mother listed? - Two parents - Birth mother only
SPANISH	Las siguientes preguntas son sobre los documentos legales que indican quién es el responsable de ^{FILL_YOUTHNAME}. En primer lugar, ¿quién figura como padre/madre en el certificado de nacimiento de ^{FILL_YOUTHNAME}? ¿Están los dos padres/madres enumerados, o solo la madre biológica? - Los dos padres/madres - Solo la madre biológica
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_051, PCCL_054
NEXT	If PCCL_055 = 2: PCCL_056 Else: PCCL_061

PCCL_056_#	
ASK	PCCL_055 = 2 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_056A: If YOUTH_RPCPLG=1 and PCSEX=1, FILL_PCCL_056A: "Have you" Else FILL_PCCL_056A: "Has ^{FILL_YOUTHNAME}'s biological father" Create fill, FILL_PCCL_056B: If YOUTH_RPCPLG=1 and PCSEX=1, FILL_PCCL_056B: "your" Else FILL_PCCL_056B: "his"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_056A: If YOUTH_RPCPLG=1 and PCSEX=1, FILL_PCCL_056A: "Usted" Else FILL_PCCL_056A: "El padre biológico de ^{FILL_YOUTHNAME}" Create fill, FILL_PCCL_056B: If YOUTH_RPCPLG=1 and PCSEX=1, FILL_PCCL_056B: "su" Else FILL_PCCL_056B: "su"
ENGLISH	^{FILL_PCCL_056A} done any of the following things... Signed ^{FILL_PCCL_056B} own name on the application for ^{FILL_YOUTHNAME}'s birth certificate? 1. Yes 0. No
SPANISH	¿^{FILL_PCCL_056A} hizo alguna de las siguientes cosas? ¿Firmó con ^{FILL_PCCL_056B} propio nombre en la solicitud del certificado de nacimiento de ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_055 = 2
NEXT	If PCCL_056 = 1: PCCL_061 Else: PCCL_057

PCCL_057_#	
ASK	PCCL_056 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_057: If YOUTH_RPCPLG = 1 and PCSEX = 1, FILL_PCCL_057: "Have you" Else FILL_PCCL_057: "Has ^{FILL_YOUTHNAME}'s biological father"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_057: If YOUTH_RPCPLG = 1 and PCSEX = 1, FILL_PCCL_057: "¿Se le ha identificado a usted" Else FILL_PCCL_057: "¿Se ha identificado al padre biológico de ^{FILL_YOUTHNAME}"
ENGLISH	^{FILL_PCCL_057} ...been legally identified as the child's father by a blood test or other genetic test? 1. Yes 0. No
SPANISH	^{FILL_PCCL_057} ...legalmente como padre del(a) niño(a) mediante un análisis de sangre u otra prueba genética? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_056
NEXT	If PCCL_057 = 1: PCCL_061 Else: PCCL_058

PCCL_058_#	
ASK	PCCL_057 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_058: If YOUTH_RPCPLG = 1 and PCSEX = 1, FILL_PCCL_058: "Have you" Else FILL_PCCL_058: "Has ^{FILL_YOUTHNAME}'s biological father"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_058: If YOUTHPLG = 1 and PCSEX = 1, FILL_PCCL_058: "¿Se le ha identificado a usted" Else FILL_PCCL_058: "¿Se ha identificado al padre biológico de ^{FILL_YOUTHNAME}"
ENGLISH	^{FILL_PCCL_058}... ... been legally identified as the child's father in a court ruling? 1. Yes 0. No
SPANISH	^{FILL_PCCL_058}... ...legalmente como padre del(a) niño(a) en una sentencia judicial? 1 Sí 0 No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_057
NEXT	If PCCL_058 = 1: PCCL_061 Else: PCCL_059

PCCL_059_#	
ASK	PCCL_058 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_059A: If YOUTH_RPCPLG = 1 and PCSEX = 1, FILL_PCCL_059A: "Have you" Else FILL_PCCL_059A: "Has ^{FILL_YOUTHNAME}'s biological father" Create fill, FILL_PCCL_059B: If YOUTH_RPCPLG = 1 and PCSEX = 1, FILL_PCCL_059B: "you are" Else FILL_PCCL_059B: "he is"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_059A: If YOUTH_RPCPLG = 1 and PCSEX = 1, FILL_PCCL_059A: "¿Usted" Else FILL_PCCL_059A: "¿El padre biológico de ^{FILL_YOUTHNAME}" Create fill, FILL_PCCL_059B: If YOUTH_RPCPLG = 1 and PCSEX = 1, FILL_PCCL_059B: "usted" Else FILL_PCCL_059B: "él"
ENGLISH	^{FILL_PCCL_059A}... ... signed a statement that legally specifies that ^{FILL_PCCL_059B} the child's father? 1 Yes 0 No
SPANISH	^{FILL_PCCL_059A}... ...firmó una declaración que especifica legalmente que ^{FILL_PCCL_059B} es el padre del(a) niño(a)? 1. Sí 0 No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_058
NEXT	If PCCL_059 = 1: PCCL_061 Else: PCCL_060

PCCL_060_#	
ASK	PCCL_059 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_059: FILL_PCCL_059A Create fill, FILL_PCCL_060: If YOUTH_RPCPLG = 1 and PCSEX = 1, FILL_PCCL_060: "you" Else, FILL_PCCL_060: "him"
FILLS (SPAN)	Use fill from PCCL_059: FILL_PCCL_059A Create fill, FILL_PCCL_060: If YOUTH_RPCPLG = 1 and PCSEX = 1, FILL_PCCL_060: "usted" Else, FILL_PCCL_060: "él"
ENGLISH	^{FILL_PCCL_059A}... ... signed any other papers (for example, insurance forms, a personal letter or card) that would identify ^{FILL_PCCL_060} as the child's father? 1. Yes 0. No
SPANISH	^{FILL_PCCL_059A}... ...firmó algún otro documento (por ejemplo, formularios del seguro, una carta personal o una tarjeta) que lo(a) identificara a ^{FILL_PCCL_060} como padre de este(a) niño(a)? 1. Sí 0 No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_059
NEXT	PCCL_061

PCCL_061_#	
ASK	All respondents (continue PCCL Loop 1)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Computer check, do not display. PCCL_061 Computer check: If YOUTH_MOTHER = 1 and YOUTH_FATHER = 1 (youth living with both biological parents): code PCCL_061 = 1 Else: code PCCL_061 = 0 Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_051, PCCL_054, PCCL_055, PCCL_056 = 1, PCCL_057 = 1, PCCL_058 = 1, PCCL_059 = 1, PCCL_060
NEXT	If PCCL_061 = 1: PCCL_070 Else: PCCL_062

PCCL_062_#	
ASK	PCCL_061 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has ^{FILL_YOUTHNAME} ever been legally adopted? 1. Yes 0. No
SPANISH	¿Ha sido ^{FILL_YOUTHNAME} adoptado(a) legalmente? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_061
NEXT	If PCCL_062 = 1: PCCL_063 Else: PCCL_064

PCCL_063_#	
ASK	PCCL_062 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what year was the adoption made final? Year: { - Select - }
SPANISH	¿En qué año se hizo definitiva la adopción? Año: { - Seleccione - }
RANGE	PCCL_063: List years 2030-2010 in reverse chronological order: 2030, 2029, 2028, 2027, 2026, 2025, 2024, 2023...
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Do not display years that are in the future on DOI. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	If PCCL_063_# before YOUTH_DobyEAR, display hard check: Year that adoption was finalized should be after ^{FILL_YOUTHNAME} was born. Please review your answer.
CHECK (SPAN)	If PCCL_063_# before YOUTHDOB, display hard check: El año en que se finalizó la adopción debe ser posterior al nacimiento de ^{FILL_YOUTHNAME}. Revise su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_062 = 1
NEXT	PCCL_064

PCCL_064_#	
ASK	PCCL_061 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has legal responsibility for ^{FILL_YOUTHNAME} ever been specified in a custody award or agreement? 1. Yes 0. No
SPANISH	¿Se ha especificado alguna vez la responsabilidad legal de ^{FILL_YOUTHNAME} en una sentencia o acuerdo de custodia? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_062, PCCL_063
NEXT	If PCCL_064 = 1: PCCL_065_LOOP_BEGIN Else: PCCL_070

PCCL_065_LOOP_BEGIN_#_#	
ASK	PCCL_064 = 1 (Begin PCCL LOOP 1e)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	8
PROGRAM. NOTES	Computer check, do not display. Loop through PCCL Loop 1e (PCCL_065_LOOP_BEGIN – PCCL_069_LOOP_END) until PCCL_068=0 or until max loops reached (8.)
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_064 = 1
NEXT	f_PCCL_066

f_PCCL_066_#_# PCCL_066_MO_#_# / PCCL_066_YR_#_#	
ASK	PCCL_064 = 1 (Continue PCCL LOOP 1e)
QUESTION TYPE	PCCL_066_MO: Dropdown PCCL_066_YR: Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_066: If LOOPNUMBER_1e = 1, FILL_PCCL_066: "first specified" Else if LOOPNUMBER_1e = 2, FILL_PCCL_066: "first changed" Else FILL_PCCL_066: "next changed"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_066: If LOOPNUMBER_1e = 1, FILL_PCCL_066: "se especificó por primera vez" Else if LOOPNUMBER_1e = 2, FILL_PCCL_066: "se cambió por primera vez" Else FILL_PCCL_066: "se cambió la siguiente vez"
ENGLISH	In what month and year was custody for ^{FILL_YOUTHNAME} ^{FILL_PCCL_066}? Month: { - Select - } [PCCL_066_MO_#_#] Year: { - Select - } [PCCL_066_YR_#_#]
SPANISH	¿En qué mes y año ^{FILL_PCCL_066} la custodia para ^{FILL_YOUTHNAME}? Mes: { - Seleccione - } [PCCL_066_MO_#_#] Año: { - Seleccione - } [PCCL_066_YR_#_#]
RANGE	PCCL_066_MO: List months in order. 1 = "January", 2 = "February",... 12 = "December" PCCL_066_YR: List years 2030-2010 in reverse chronological order: 2030, 2029, 2028, 2027...
LIMITS	
LOOP MAX	8
PROGRAM. NOTES	Do not display years that are in the future on DOI Loop through PCCL Loop 1e (PCCL_065_LOOP_BEGIN – PCCL_069_LOOP_END) until PCCL_068=0 or until max loops reached (88.)
CHECK (ENG)	If PCCL_066_YR_#_# before YOUTH_DOBYEAR, display hard check: Date of custody determination should be after ^{FILL_YOUTHNAME} was born. Please review your answer. If PCCL_066_#_# after DOI, display hard check: Please enter a date that is in the past. If month/year entered in PCCL_066_# loops 2-8 is before a date entered on loop 1 for the same child, display hard check: "You previously reported that custody for ^{FILL_YOUTHNAME} was first specified in ^{FILL_PCCL_066_MO_#_#} ^{FILL_PCCL_066_YR_#_#}. Please review your answers." If month/year entered in PCCL_066_# in loops 3-8 is before a date entered on any prior loop for the same child (e.g., date entered in loop 4 is before date entered in loop 3), display hard check: "You previously reported that custody for ^{FILL_YOUTHNAME} was last changed in ^{FILL_PCCL_066_MO_#_#} & ^{FILL_PCCL_066_YR_#_#}. Please review your answers."
CHECK (SPAN)	If PCCL_066_YR_#_# before YOUTH_DOBYEAR, display hard check: La fecha de determinación de la custodia debe ser posterior al nacimiento de ^{FILL_YOUTHNAME}. Revise su respuesta.

	If month/year entered in PCCL_066_# loops 2-8 is before a date entered on loop 1 for the same child, display hard check: “Anteriormente informó que la custodia de ^{FILL_YOUTHNAME} se especificó por primera vez en ^{FILL_PCCL_066_MO_#_#} de ^{FILL_PCCL_066_YR_#_#}. Revise su respuesta.” If month/year entered in PCCL_066_# in loops 3-8 is before a date entered on any prior loop for the same child (e.g., date entered in loop 4 is before date entered in loop 3), display hard check: “Anteriormente informó que la custodia de ^{FILL_YOUTHNAME} se modificó por última vez en ^{FILL_PCCL_066_MO_#_#} de ^{FILL_PCCL_066_YR_#_#}. Revise su respuesta.”
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_065_LOOP_BEGIN
NEXT	PCCL_067

PCCL_067_#_#	
ASK	PCCL_064 = 1 (Continue PCCL LOOP 1e)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Did you receive legal custody of ^{FILL_YOUTHNAME} in this agreement? 1. Yes 0. No
SPANISH	¿Recibió la custodia legal de ^{FILL_YOUTHNAME} en este acuerdo? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	8
PROGRAM. NOTES	Loop through PCCL Loop 1e (PCCL_065_LOOP_BEGIN – PCCL_069_LOOP_END) until PCCL_068=0 or until max loops reached (8.)
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PCCL_066
NEXT	PCCL_068

PCCL_068_#_#	
ASK	PCCL_064 = 1 (Continue PCCL LOOP 1e)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has the legal custody status of ^{FILL_YOUTHNAME} changed since then? 1. Yes 0. No
SPANISH	¿Ha cambiado la situación de la custodia legal de ^{FILL_YOUTHNAME} desde entonces? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	8
PROGRAM. NOTES	Loop through PCCL Loop 1e (PCCL_065_LOOP_BEGIN – PCCL_069_LOOP_END) until PCCL_068=0 or until max loops reached (8.)
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_067
NEXT	PCCL_069_LOOP_END

PCCL_069_LOOP_END_#_#	
ASK	PCCL_064 = 1 (End PCCL LOOP 1e)
QUESTION TYPE	Loop Logic
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	8
PROGRAM. NOTES	Loop logic, do not display. Loop through PCCL Loop 1e (PCCL_065_LOOP_BEGIN – PCCL_069_LOOP_END) until PCCL_068=0 or until max loops reached (8.)
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_068
NEXT	If PCCL_068 = 1 and LOOPNUMBER_1e <8: Loop again (f_PCCL_066_#_#) Else: f_PCCL_070

f_PCCL_070_1# PCCL_070A_# / PCCL_070B_# / PCCL_070C_# / PCCL_070D_#	
ASK	All respondents (continue PCCL Loop 1)
QUESTION TYPE	Radio grid
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	The next set of questions are about events that may have happened during ^{FILL_YOUTHNAME}'s life. These things can happen in any family, but some people may feel uncomfortable with these questions. You may skip any questions you do not want to answer. Since ^{FILL_YOUTHNAME} was born.... COLUMN HEADERS: - Yes - No - Don't know ROW ITEMS: - Have they ever been the victim of violence or witnessed violence in their neighborhood? [PCCL_070A_#] - Have they been separated from a parent or guardian because the parent or guardian was in jail, prison, or a detention center? [PCCL_070B_#] - Have they ever lived with someone who was mentally ill or severely depressed? [PCCL_070C_#] - Have they ever lived with someone who was having a problem with alcohol or drug use? [PCCL_070D_#]
SPANISH	Las siguientes preguntas son sobre acontecimientos que pudieron haber ocurrido durante la vida de ^{FILL_YOUTHNAME}. Estas cosas pueden ocurrir en cualquier familia, pero algunas personas pueden sentirse incómodas con estas preguntas. Puede omitir las preguntas que no desee responder. Desde que nació ^{FILL_YOUTHNAME}... COLUMN HEADERS: - Sí - No - No sé ROW ITEMS: ¿Alguna vez fue víctima de violencia o presenció actos violentos en su vecindario? [PCCL_070A_#] ¿Fue separado(a) de un(a) padre/madre o tutor(a) por estar el(la) padre/madre o tutor(a) en una cárcel, prisión o centro de detención? [PCCL_070B_#] ¿Ha vivido alguna vez con alguien que padeciera una enfermedad mental o una depresión grave? [PCCL_070C_#] ¿Ha vivido alguna vez con alguien que tuviera problemas con el alcohol o el consumo de drogas? [PCCL_070D_#]
RANGE	
LIMITS	

LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_069_LOOP_END#, PCCL_061 = 1, PCCL_064
NEXT	f_PCCL_070_2

f_PCCL_070_2# PCCL_070E_# / PCCL_070F_# / PCCL_070G_# / PCCL_070H_# / PCCL_070I_#	
ASK	All respondents (continue PCCL Loop 1)
QUESTION TYPE	Radio grid
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	
ENGLISH	Since ^{FILL_YOUTHNAME} was born.... COLUMN HEADERS: 1. Yes 0. No 9. Don't know ROW ITEMS: e. Have they ever had a parent or guardian die? [PCCL_070E_#] f. Have they ever had a parent or guardian divorce or separate? [PCCL_070F_#] g. Have they ever lived with a parent or adult who frequently swore at them, insulted them, or put them down? [PCCL_070G_#] h. Has there ever been a time when their basic needs were NOT met, such as having enough to eat, being able to go to a doctor when they were sick, or having a safe place to stay? [PCCL_070H_#] i. Have they ever been homeless, lived in a shelter or motel, or had NO regular place to sleep at night? [PCCL_070I_#]
SPANISH	Las siguientes preguntas son sobre acontecimientos que pudieron haber ocurrido durante la vida de ^{FILL_YOUTHNAME}. Estas cosas pueden ocurrir en cualquier familia, pero algunas personas pueden sentirse incómodas con estas preguntas. Puede omitir las preguntas que no desee responder. Desde que nació ^{FILL_YOUTHNAME}... COLUMN HEADERS: 1. Sí 1. No 9. No sé

	ROW ITEMS: e. ¿Ha experimentado alguna vez la muerte de un padre/madre o tutor(a)? [PCCL_070E_#] f. ¿Ha experimentado alguna vez el divorcio o la separación de su padre/madre o tutor(a)? [PCCL_070F_#] g. ¿Ha vivido alguna vez con un padre/madre o adulto que le dijera malas palabras o insultos, o que lo(a) menospreciara? [PCCL_070G_#] h. ¿Hubo alguna época en la que sus necesidades básicas NO estuvieran cubiertas, como tener suficiente para comer, poder ir al doctor cuando estaba enfermo(a) o tener un lugar seguro donde quedarse? [PCCL_070H_#] i. ¿Alguna vez estuvo sin hogar, vivió en un refugio o motel o NO tuvo un lugar fijo donde dormir por la noche? [PCCL_070I_#]
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_PCCL_070_1
<i>NEXT</i>	PCCL_071

PCCL_071_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Next, there are some questions about childcare and schooling. We'll start with childcare. We define childcare as any care given by someone other than a parent. Childcare includes care by relatives, babysitters, and nannies. It also includes time when the child attends daycare centers or preschools. During ^{FILL_YOUTHNAME}'s first year of life, did they ever spend twenty or more hours a week in childcare? 1. Yes 0. No
SPANISH	Las siguientes preguntas son sobre el cuidado infantil y la escolarización. Empezaremos por el cuidado infantil. Definimos el cuidado infantil como el cuidado prestado por alguien que no sea el padre o la madre. El cuidado infantil incluye el cuidado por parte de familiares y niños(as). También incluye el tiempo que el(la) niño(a) asiste a guarderías o centros preescolares. Durante el primer año de vida de ^{FILL_YOUTHNAME}, ¿pasó alguna vez veinte o más horas a la semana en una guardería? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_070
NEXT	If PCCL_071 = 1: f_PCCL_072 Else: PCCL_073

f_PCCL_072_# PCCL_072A_# / PCCL_072B_# / PCCL_072C_# / PCCL_072D_# / PCCL_072E_# / PCCL_072F_# / PCCL_072F_SPECIFY_#	
ASK	PCCL_071 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio grid and textbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	During ^{FILL_YOUTHNAME}'s first year of life, what regular sources of childcare were used for them? Was ^{FILL_YOUTHNAME} regularly cared for by.... COLUMN HEADERS: - Yes - No ROW ITEMS: - An in-home childcare provider? [PCCL_072A_#] - A childcare center? [PCCL_072B_#] - The child's grandparent(s) or other relative(s)? [PCCL_072C_#] - A baby-sitter, nanny, friend, or neighbor? [PCCL_072D_#] - A parent who stayed home some or all days of the week? [PCCL_072E_#] - Some other arrangement? (Please specify: _____) [PCCL_072F_#] [PCCL_072F_SPECIFY_#]
SPANISH	Durante el primer año de vida de ^{FILL_YOUTHNAME}, ¿qué fuentes regulares de cuidado infantil se usaron? ¿^{FILL_YOUTHNAME} recibió cuidado regularmente por parte de... COLUMN HEADERS: - Sí - No ROW ITEMS: - Un proveedor de cuidado infantil a domicilio? [PCCL_072A_#] - Una guardería infantil? [PCCL_072B_#] - Abuelos(as) u otros familiares del(a) niño(a)? [PCCL_072C_#] - Un niño(a), amigo(a) o vecino(a)? [PCCL_072D_#] - Un padre/madre que se quedaba en casa algunos o todos los días de la semana? [PCCL_072E_#] - De alguna otra forma (Especifique: _____) [PCCL_072F_#] [PCCL_072F_SPECIFY_#]
RANGE	
LIMITS	PCCL_072F_SPECIFY: 100 characters
LOOP MAX	15
PROGRAM. NOTES	If PCCL_072F=1 (option selected), display text box PCCL_072F_SPECIFY Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).

CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_071 = 1
NEXT	PCCL_073

PCCL_073_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	From ages 1 - 5, did ^{FILL_YOUTHNAME} ever spend twenty or more hours a week in childcare? 1. Yes 0. No
SPANISH	Del primer al quinto año, ¿pasó ^{FILL_YOUTHNAME} alguna vez veinte horas o más a la semana en cuidado infantil? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through Loop 1 (_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_071; PCCL_072
NEXT	If PCCL_073 = 1: f_PCCL_074 Else: f_PCCL_075

f_PCCL_074_# PCCL_074A_# / PCCL_074B_# / PCCL_074C_# / PCCL_074D_# / PCCL_074E_# / PCCL_074F_#	
ASK	PCCL_073 = 1 (continue PCCL Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	At which ages did ^{FILL_YOUTHNAME} spend twenty or more hours a week in childcare? <i>Select all that apply.</i> 1 year old [PCCL_074A_#] 2 years old [PCCL_074B_#] 3 years old [PCCL_074C_#] 4 years old [PCCL_074D_#] 5 years old (including kindergarten) [PCCL_074E_#] - None [PCCL_074F_#]
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando pasaba veinte horas o más a la semana en cuidado infantil? Seleccione todas las opciones que correspondan. 1 año [PCCL_074A_#] 2 años [PCCL_074B_#] 3 años [PCCL_074C_#] 4 años [PCCL_074D_#] 5 años (incluido el kínder) [PCCL_074E_#] - Ninguna [PCCL_074F_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. Do not allow other options to be selected if PCCL_074F = 1 (should be exclusive) Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_073 = 1
NEXT	f_PCCL_075

f_PCCL_075_# PCCL_075A_# / PCCL_075B_# / PCCL_075C_# / PCCL_075D_# / PCCL_075E_# / PCCL_075F_# / PCCL_075G_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Radio grid
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	From ages 1-5, what regular sources of childcare were used for ^{FILL_YOUTHNAME}? Was ^{FILL_YOUTHNAME} regularly cared for by.... COLUMN HEADERS: - Yes - No ROW ITEMS: - An in-home childcare provider? [PCCL_075A_#] - A childcare center? [PCCL_075B_#] - A pre-school or pre-K program? [PCCL_075C_#] - The child's grandparent(s) or other relative(s)? [PCCL_075D_#] - A baby-sitter, nanny, friend, or neighbor? [PCCL_075E_#] - A parent who stayed home some or all days of the week? [PCCL_075F_#] - Kindergarten? [PCCL_075G_#]
SPANISH	Del primer al quinto año, ¿qué fuentes regulares de cuidado infantil se usaron para ^{FILL_YOUTHNAME}? ¿^{FILL_YOUTHNAME} recibió cuidado regularmente por parte de... COLUMN HEADERS: - Sí - No ROW ITEMS: - Un proveedor de cuidado infantil a domicilio? [PCCL_075A_#] - Una guardería infantil? [PCCL_075B_#] - Un programa preescolar o de prekínder? [PCCL_075C_#] - Abuelos(as) u otros familiares del(a) niño(a)? [PCCL_075D_#] - Un niño(a), amigo(a) o vecino(a)? [PCCL_075E_#] - Un padre/madre que se quedaba en casa algunos o todos los días de la semana? [PCCL_075F_#] - El kínder? [PCCL_075G_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	f_PCCL_074, PCCL_073
<i>NEXT</i>	PCCL_076

PCCL_076_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Did ^{FILL_YOUTHNAME} ever attend an official, government sponsored Head Start or Early Head Start program? 1. Yes 0. No
SPANISH	¿Ha asistido ^{FILL_YOUTHNAME} alguna vez a un programa oficial de Head Start o Early Head Start patrocinado por el gobierno? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	Head Start is a federally supported preschool program for low-income families.
HELP TEXT (SPAN)	Head Start es un programa preescolar con apoyo federal para familias de bajos ingresos.
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PCCL_075
NEXT	If PCCL_076 = 1: f_PCCL_077 Else: PCCL_079

f_PCCL_077_# PCCL_077A_# / PCCL_077B_# / PCCL_077C_# / PCCL_077D_# / PCCL_077E_# / PCCL_077F_# / PCCL_077G_# / PCCL_077H_# / PCCL_077I_# / PCCL_077J_# / PCCL_077K_#	
ASK	PCCL_076 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	At which ages did ^{FILL_YOUTHNAME} attend Head Start or Early Head Start? <i>Please select all that apply.</i> 1. Less than one year old [PCCL_077A_#] 2. 1 year old [PCCL_077B_#] 3. 2 years old [PCCL_077C_#] 4. 3 years old [PCCL_077D_#] 5. 4 years old [PCCL_077E_#] 6. 5 years old [PCCL_077F_#] 7. 6 years old [PCCL_077G_#] 8. 7 years old [PCCL_077H_#] 9. 8 years old [PCCL_077I_#] 10. 9 years old [PCCL_077J_#] 0. None [PCCL_077K_#]
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando asistió a Head Start o Early Head Start? <i>Seleccione todas las que correspondan.</i> 1. Menos de un año [PCCL_077A_#] 2. 1 año [PCCL_077B_#] 3. 2 años [PCCL_077C_#] 4. 3 años [PCCL_077D_#] 5. 4 años [PCCL_077E_#] 6. 5 años [PCCL_077F_#] 7. 6 años [PCCL_077G_#] 8. 7 años [PCCL_077H_#] 9. 8 años [PCCL_077I_#] 10. 9 años [PCCL_077J_#] 0. Ninguna [PCCL_077K_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. Do not allow other options to be selected if PCCL_077K = 1 (should be exclusive) Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_076 = 1
<i>NEXT</i>	f_PCCL_078

f_PCCL_078_# PCCL_078A_# / PCCL_078B_# / PCCL_078C_# / PCCL_078D_#	
ASK	PCCL_076 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what state or states did ^{FILL_YOUTHNAME} attend Head Start? If ^{FILL_YOUTHNAME} attended Head Start in more than state, please tell us all the states where they attended. First state: { - Select - } [PCCL_078A_#] Second state: { - Select - } [PCCL_078B_#] Third state: { - Select - } [PCCL_078C_#] Fourth state: { - Select - } [PCCL_078D_#]
SPANISH	¿En qué estado o estados asistió ^{FILL_YOUTHNAME} a Head Start? Si ^{FILL_YOUTHNAME} asistió a Head Start en más de un estado, díganos todos los estados en los que asistió. Primer estado: { - Seleccione - } [PCCL_078A_#] Segundo estado: { - Seleccione - } [PCCL_078B_#] Tercer estado: { - Seleccione - } [PCCL_078C_#] Cuarto estado: { - Seleccione - } [PCCL_078D_#]
RANGE	Use list STATEPLUS for dropdowns
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	All PCCL_078b, PCCL_078C and PCCL_078D to be left blank without prompting Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PCCL_077
NEXT	PCCL_079

PCCL_079_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Did ^{FILL_YOUTHNAME} ever attend a state-sponsored or local-government-sponsored Preschool or Pre-K program? 1. Yes 0. No
SPANISH	¿Ha asistido ^{FILL_YOUTHNAME} alguna vez a un programa preescolar o prekínder patrocinado por el estado o por el gobierno local? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_076; f_PCCL_078
NEXT	If PCCL_079 = 1: PCCL_080 Else: PCCL_082

f_PCCL_080_# PCCL_080A_# / PCCL_080B_# / PCCL_080C_# / PCCL_080D_# / PCCL_080E_# / PCCL_080F_# / PCCL_080G_#	
ASK	PCCL_079 = 1 (continue PCCL Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	At which ages did ^{FILL_YOUTHNAME} attend a state-sponsored or local-government-sponsored Preschool or Pre-K Program? <i>Please select all that apply.</i> 1. Less than one year old [PCCL_080A_#] 2. 1 year old [PCCL_080B_#] 3. 2 years old [PCCL_080C_#] 4. 3 years old [PCCL_080D_#] 5. 4 years old [PCCL_080E_#] 6. 5 years old [PCCL_080F_#] 7. 6 years old [PCCL_080G_#]
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando asistió a un programa preescolar o prekínder patrocinado por el estado o por el gobierno local? <i>Seleccione todas las que correspondan.</i> 1. Menos de un año [PCCL_080A_#] 2. 1 año [PCCL_080B_#] 3. 2 años [PCCL_080C_#] 4. 3 años [PCCL_080D_#] 5. 4 años [PCCL_080E_#] 6. 5 años [PCCL_080F_#] 7. 6 años [PCCL_080G_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_079
NEXT	f_PCCL_081

f_PCCL_081_# PCCL_081A_# / PCCL_081B_# / PCCL_081C_# / PCCL_081D_#	
ASK	PCCL_079 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what state or states did ^{FILL_YOUTHNAME} attend a state-sponsored or local-government-sponsored Preschool or Pre-K Program? If ^{FILL_YOUTHNAME} attended these programs in more than state, please tell us all the states where they attended. First state: { - Select - } [PCCL_081A_#] Second state: { - Select - } [PCCL_081B_#] Third state: { - Select - } [PCCL_081C_#] Fourth state: { - Select - } [PCCL_081D_#]
SPANISH	¿En qué estado o estados asistió ^{FILL_YOUTHNAME} a un programa preescolar o prekínder patrocinado por el estado o por el gobierno local? Si ^{FILL_YOUTHNAME} asistió a estos programas en más de un estado, indíquenos todos los estados en los que asistió. Primer estado: { - Seleccione - } [PCCL_081A_#] Segundo estado: { - Seleccione - } [PCCL_081B_#] Tercer estado: { - Seleccione - } [PCCL_081C_#] Cuarto estado: { - Seleccione - } [PCCL_081D_#]
RANGE	Use list STATEPLUS for dropdown
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	All PCCL_081A, PCCL_081C and PCCL_081D to be left blank without prompting Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_080
NEXT	PCCL_082

PCCL_082_#	
ASK	All respondents (Continue PCCL Loop 1)
QUESTION TYPE	Numeric, Radio special response
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	At what age did ^{FILL_YOUTHNAME} enter the first grade? <i>Include home schooling if child was home-schooled for kindergarten or higher grade.</i> Age in Years: _____ -8. Not applicable, this child never had any formal schooling -9. Not applicable, this child skipped first grade
SPANISH	¿A qué edad entró ^{FILL_YOUTHNAME} en el primer grado? <i>Incluya la educación en casa si el(la) niño(a) recibió educación en casa para el kínder o un grado superior.</i> Edad en años: _____ -8. No corresponde, este(a) niño(a) nunca tuvo una escolarización formal -9. No corresponde, este(a) niño(a) se saltó el primer grado
RANGE	PCCL_082 (numeric): 5-10
LIMITS	PCCL_082 (numeric): Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Responses -8 and -9 should be radio buttons. Do not allow other options to be selected if either -8 or -9 is selected (should be exclusive) Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_079, f_PCCL_081
NEXT	If PCCL_082 = -8: PCCL_139_LOOP_END Else if PCCL_082= -9: PCCL_083 Else if PCCL_082= DK or RF: PCCL_085 DK or RFElse: PCCL_084

PCCL_083_#	
ASK	PCCL_082 = -9 (Continue PCCL Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	At what age did ^{FILL_YOUTHNAME} enter the second grade ? Age in Years: _____
SPANISH	¿A qué edad entró ^{FILL_YOUTHNAME} en el segundo grado ? Edad en años: _____
RANGE	6-11
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_082 = -9
NEXT	PCCL_084

PCCL_084_#	
ASK	If PCCL_082 ≠ (-1 or -2 or -8) (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what year was that? Year: { - Select - }
SPANISH	¿En qué año ocurrió? Año: { - Seleccione - }
RANGE	List years 2030-2010 in reverse chronological order: 2030, 2029, 2029, 2027, 2026, 2025, 2024, 2023...
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Do not display years that are in the future on DOI. DISPLAY CALENDAR Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	If PCCL_084_# before YOUTHDOB, display hard check: Year that ^{FILL_YOUTHNAME} entered school should be after they were born. Please review your answer. If PCCL_084_# after DOI, display hard check: Please enter a date that is in the past.
CHECK (SPAN)	If PCCL_084_# before YOUTHDOB, display hard check: El año en que ^{FILL_YOUTHNAME} entró en la escuela debe ser posterior a su nacimiento. Revise su respuesta. If PCCL_084_# after DOI, display hard check: Ingrese una fecha que está en el pasado.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_082, PCCL_083
NEXT	PCCL_085

PCCL_085_#	
ASK	If PCCL_082 ≠ -8 (Continue PCCL Loop 1)
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	This section asks about ^{FILL_YOUTHNAME}'s school experiences during the coronavirus (COVID-19) pandemic . Please answer these questions as best you can.
SPANISH	En esta sección, se hacen preguntas sobre las experiencias escolares de ^{FILL_YOUTHNAME} durante la pandemia de coronavirus (COVID-19) . Responda estas preguntas lo mejor que pueda.
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_084, PCCL_082 = -1 or -2
NEXT	PCCL_086

PCCL_086_#	
ASK	If PCCL_082 ≠ -8 (continue PCCL Loop 1)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	What grade of school was ^{FILL_YOUTHNAME} enrolled in during the 2020 – 2021 school year? Grade: { - Select - }
SPANISH	¿En qué grado escolar estaba matriculo(a) ^{FILL_YOUTHNAME} durante el año escolar 2020-2021? Grado: { - Seleccione - }
RANGE	0. None 93. Pre-kindergarten 94. Kindergarten 1. 1st grade 2. 2nd grade 3. 3rd grade 4. 4th grade 5. 5th grade 6. 6th grade 7. 7th grade 8. 8th grade 9. 9th grade 10. 10th grade 11. 11th grade 12. 12th grade 13. In post-secondary vocational or technical training 14. In 2 yr. college 15. In 4 yr. college 16. In graduate/professional school 95. Ungraded SPANISH: 0. Ninguna 93. Prekínder 94. Kinder 1. 1.º grado 2. 2.º grado 3. 3.º grado 4. 4.º grado 5. 5.º grado 6. 6.º grado 7. 7.º grado 8. 8.º grado 9. 9.º grado 10. 10.º grado 11. 11.º grado 12. 12.º grado 13. En capacitación profesional o técnica postsecundaria

	14. En la universidad de 2 años 15. En la universidad de 4 años 16. En la escuela de posgrado/profesional 95. Sin grado
<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_085
<i>NEXT</i>	If PCCL_086=0: PCCL_091 Else PCCL_087

PCCL_087_#	
ASK	If PCCL_082 ≠ -8 and PCCL_086 ≠ 0 (continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	What type of instruction did ^{FILL_YOUTHNAME} receive for most of the 2020-2021 school year, that is, the first full school year during the COVID-19 pandemic? 1. Distance learning such as online, remote, or virtual learning 2. In-person 3. Mix of distance learning and in-person such as hybrid learning
SPANISH	¿Qué tipo de instrucción recibió ^{FILL_YOUTHNAME} durante la mayor parte del año escolar 2020-2021, es decir, el primer año escolar completo durante la pandemia COVID-19? 1. Aprendizaje a distancia, como por internet, remoto o virtual 2. En persona 3. Mezcla de aprendizaje a distancia y en persona, como el aprendizaje híbrido
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_086
NEXT	PCCL_088

PCCL_088_#	
ASK	If PCCL_082 ≠ -8 and PCCL_086 ≠ 0 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	During the 2020-2021 school year, when ^{FILL_YOUTHNAME} needed help with schoolwork, how often were parents or other adults available to help? 1. Almost never 2. Rarely 3. Sometimes 4. Very Often 5. Extremely Often
SPANISH	Durante el año escolar 2020-2021, cuando ^{FILL_YOUTHNAME} necesitó ayuda con las tareas escolares, ¿con qué frecuencia estuvieron los padres/madres u otros adultos disponibles para ayudar? 1. Casi nunca 2. Rara vez 3. A veces 4. Con frecuencia 5. Con mucha frecuencia
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_087
NEXT	PCCL_089

PCCL_089_#	
ASK	If PCCL_082 ≠ -8 and PCCL_086 ≠ 0 (continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	What type of instruction did ^{FILL_YOUTHNAME} receive for most of the 2021-2022 school year, that is, the second full school year of the COVID-19 pandemic? 1. Distance learning such as online, remote, or virtual learning 2. In-person 3. Mix of distance learning and in-person such as hybrid learning
SPANISH	¿Qué tipo de instrucción recibió ^{FILL_YOUTHNAME} durante la mayor parte del año escolar 2021-2022, es decir, el segundo año escolar completo durante la pandemia COVID-19? 1. Aprendizaje a distancia, como por internet, remoto o virtual 2. En persona 3. Mezcla de aprendizaje a distancia y en persona, como el aprendizaje híbrido
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_088
NEXT	PCCL_090

PCCL_090_#	
ASK	If PCCL_082 ≠ -8 and PCCL_086 ≠ 0 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	During the 2021-2022 school year, when ^{FILL_YOUTHNAME} needed help with schoolwork, how often were parents or other adults available to help? 1. Almost never 2. Rarely 3. Sometimes 4. Very Often 5. Extremely Often
SPANISH	Durante el año escolar 2021-2022, cuando ^{FILL_YOUTHNAME} necesitó ayuda con las tareas escolares, ¿con qué frecuencia estuvieron los padres/madres u otros adultos disponibles para ayudar? 1. Casi nunca 2. Rara vez 3. A veces 4. Con frecuencia 5. Con mucha frecuencia
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_089
NEXT	PCCL_091

PCCL_091_#	
ASK	If PCCL_082 ≠ -8 (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	What grade of school is ^{FILL_YOUTHNAME} currently enrolled in? If ^{FILL_YOUTHNAME} is currently on summer break, please select the grade that they are going into in the fall. Grade: { - Select - }
SPANISH	¿En qué año escolar está matriculado(a) en este momento ^{FILL_YOUTHNAME}? Grado: { - Seleccione - }
RANGE	0. Not enrolled 93. Pre-kindergarten 94. Kindergarten 1. 1st grade 2. 2nd grade 3. 3rd grade 4. 4th grade 5. 5th grade 6. 6th grade 7. 7th grade 8. 8th grade 9. 9th grade 10. 10th grade 11. 11th grade 12. 12th grade 50. GED 51. Business/Trade School 13. 1st Year College 14. 2nd Year College 15. 3rd Year College 16. 4th Year College 17. 1st Year Grad School 18. 2nd Year Grad School 19. 3rd Year Grad School 20. 4th Year Grad School 21. 5th + Year Grade School 95. Ungraded SPANISH:

	0. No está matriculado(a) 93. Prekínder 94. Kínder 1. 1.º grado 2. 2.º grado 3. 3.º grado 4. 4.º grado 5. 5.º grado 6. 6.º grado 7. 7.º grado 8. 8.º grado 9. 9.º grado 10. 10.º grado 11. 11.º grado 12. 12.º grado 50. Diploma de Desarrollo de Educación General (GED, por sus siglas en inglés) 51. Escuela de negocios/oficios 13. 1.º año de universidad 14. 2.º año de universidad 15. 3.º año de universidad 16. 4.º año de universidad 17. 1.º año de posgrado 18. 2.º año de posgrado 19. 3.º año de posgrado 20. 4.º año de posgrado 21. 5.º+ año de posgrado 95. Sin grado
<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_086, PCCL_090
<i>NEXT</i>	If PCCL_091 = 95 and YOUTH_CURRENTAGE >= 13: PCCL_091a Else if PCCL_091 in (1:8) or in (93:95): PCCL_117 Else if PCCL_091 = 0: PCCL_092 Else: f_PCCL_093

PCCL_091a_#	
ASK	If PCCL_091=95, and YOUTH_CURRENTAGE>=13 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	
ENGLISH	You said ^{FILL_YOUTH_NAME} is in an ungraded program. Has ^{FILL_YOUTHNAME} ever attended any high school (or the equivalent)? 1. Yes 0. No
SPANISH	Dijo que ^{FILL_YOUTH_NAME} está en una escuela sin grados. ¿^{FILL_YOUTHNAME} ha asistido alguna vez a alguna escuela secundaria (o equivalente)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_091
NEXT	If PCCL_091a=1: PCCL_093 Else: PCCL_117

PCCL_092_#	
ASK	PCCL_091 = 0 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Did ^{FILL_YOUTHNAME} ever receive a high school diploma, or high school equivalency, such as the GED or HiSET? 1. Yes 0. No
SPANISH	¿Recibió ^{FILL_YOUTHNAME} alguna vez un diploma de escuela secundaria/preparatoria, o un equivalente de escuela secundaria, como el del GED o de la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_091 = 0
NEXT	f_PCCL_093

f_PCCL_093_# PCCL_093_MO_# / PCCL_093_YR_#	
ASK	If (PCCL_091 NOT in (1:8) AND NOT in (93:)94)) or If PCCL_091a=1 (continue PCCL Loop 1)
QUESTION TYPE	Dropdown: PCCL_093_MO Dropdown: PCCL_093_YR Radio special response
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what month and year did ^{FILL_YOUTHNAME} enter the ninth grade? (or equivalent)? If ^{FILL_YOUTHNAME} has not yet started the ninth grade (or equivalent), please select the “Not applicable” option below. Month: { - Select - } [PCCL_093_MO_#] Year: _____ [PCCL_093_YR_#] -9. Not applicable, this child had not yet entered 9th grade
SPANISH	¿En qué mes y año entró ^{FILL_YOUTHNAME} en el noveno grado (o equivalente)? Si ^{FILL_YOUTHNAME} aún no ha comenzado el noveno grado (o equivalente), seleccione la opción “No aplicable” a continuación. Mes: { - Seleccione - } [PCCL_093_MO_#] Año: _____ [PCCL_093_YR_#] -9. No corresponde, este(a) niño(a) aún no había entrado en el 9.º grado.
RANGE	PCCL_093_MO: List months in order. 1 = “January”, 2 = “February”,... 12 = “December” PCCL_093_YR: 2015-2030 SPANISH: 1. Enero 2. Febrero 3. Marzo 4. Abril 5. Mayo 6. Junio 7. Julio 8. Agosto 9. Septiembre 10. Octubre 11. Noviembre 12. Diciembre PCCL_093_YR: List years 2015-2030 in reverse chronological order (i.e., 2030, 2029, 2028, etc.) starting with DOI year (i.e., if DOI year is 2025, do not include 2026-2030)
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Response -9 should be a radio button. Do not allow other fields to be populated if selected (should be exclusive). DISPLAY CALENDAR.

	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
<i>CHECK (ENG)</i>	If PCCL_093_# before YOUTHDOB, display hard check: Date ^{FILL_YOUTHNAME} entered 9th grade should be after they were born. Please review your answer. If PCCL_093_# after DOI, display hard check: Please enter a date that is in the past.
<i>CHECK (SPAN)</i>	If PCCL_093_# before YOUTHDOB, display hard check: La fecha en que ^{FILL_YOUTHNAME} entró en el 9.º grado debe ser posterior a su nacimiento. Revise su respuesta. If PCCL_093_# after DOI, display hard check: Ingrese una fecha que está en el pasado.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_091a, PCCL_092
<i>NEXT</i>	If PCCL_093 = -9: PCCL_117 Else: PCCL_094

PCCL_094_#	
ASK	If PCCL_091 NOT in (1:8) AND NOT in (93:95) AND f_PCCL_093 ≠ -9 (Continue PCCL Loop 1)
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Now let's talk about the schools ^{FILL_YOUTHNAME} has attended since they entered the ninth grade. (or equivalent).
SPANISH	Hablemos ahora de las escuelas a las que ^{FILL_YOUTHNAME} ha asistido desde que entró en el noveno grado (o equivalente).
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_093
NEXT	PCCL_095_LOOP_BEGIN

PCCL_095_LOOP_BEGIN_#_#	
ASK	If f_PCCL_093 ≠ -9 and PCCL_091 not in (1:8) or in (93:95) (Begin PCCL LOOP 1f)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Computer check, do not display. Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_094
NEXT	f_PCCL_096

f_PCCL_096_#_# PCCL_096_#_# / PCCL_096_SPECIFY_#_#	
ASK	If f_PCCL_093 ≠ -9 and PCCL_091 not in (1:8) or in (93:95) (Continue PCCL LOOP 1f)
QUESTION TYPE	PCCL_096_#_#: Radio button PCCL_096_SPECIFY_#_#: Text box
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_096: If LOOPNUMBER_1f = 1, FILL_PCCL_096: "Starting with the first" Else, FILL_PCCL_096: "Thinking of the next"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_096: If LOOPNUMBER_1f = 1, FILL_PCCL_096: "Pensando en la primera" Else, FILL_PCCL_096: "Pensando en la siguiente"
ENGLISH	^{FILL_PCCL_096} school ^{FILL_YOUTHNAME} attended since entering the ninth grade, (or equivalent), what type of school was this? - Middle school/intermediate school/junior high school - High school - Home school - Two-year college, community college, or junior college - Four-year college or university - Other (please specify: _____) [PCCL_096_SPECIFY_#_#]
SPANISH	^{FILL_PCCL_096} escuela a la que asistió ^{FILL_YOUTHNAME} desde que entró en el noveno grado, ¿qué tipo de escuela era? - Escuela primaria - Escuela intermedia - Escuela secundaria/preparatoria - Escolaridad en el hogar - Escuela terciaria o de estudios semisuperiores de dos años - Facultad o universidad de cuatro años
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	Dropped response option #1 Elementary school, so responses start with #2. Display PCCL_096_SPECIFY_#_# if PCCL_096 = 7.
LEAD-IN	PCCL_095_LOOP_BEGIN

PCCL_097_#_#	
ASK	If PCCL_093 ≠ -9 and PCCL_091 not in (1:8) or in (93:95) (Continue PCCL LOOP 1f)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Use fill from PCCL_096_#_#, FILL_PCCL_096
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Use fill from PCCL_096_#_#, FILL_PCCL_096
ENGLISH	^{FILL_PCCL_096} school ^{FILL_YOUTHNAME} attended since entering the ninth grade, (or equivalent), in which state was their school located? State: { - Select from STATENOTUS - }
SPANISH	^{FILL_PCCL_096} escuela a la que asistió ^{FILL_YOUTHNAME} desde que entró en el noveno grado, (o equivalente), ¿en qué estado estaba ubicada su escuela? Estado: { - Seleccione from STATENOTUS - }
RANGE	Use list STATENOTUS for dropdown
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_096
NEXT	If PCCL_097 = DK or REF: PCCL_101A PCCL_097 = 64: PCCL_101B Else: PCCL_098

PCCL_098_#_#	
ASK	If PCCL_097 ≠ DK or REF or 64 (Continue PCCL LOOP 1f)
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In what city was this school located? City: _____
SPANISH	¿En qué ciudad estaba ubicada esta escuela? Ciudad: _____
RANGE	
LIMITS	Max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_097
NEXT	If PCCL_096 = 4: PCCL_102 Else if PCCL_098 = DK or REF: PCCL_101A Else: f_PCCL_099

f_PCCL_099_#_# PCCL_099_#_# / PCCL_099NL_#_#	
ASK	If (PCCL_096 ≠ 4) AND (PCCL_097 ≠ DK or REF or 64) (Continue PCCL LOOP 1f)
QUESTION TYPE	PCCL_099: Directory lookup PCCL_099NL: Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is the name of this school? _____ { - Text entry and lookup - } _____ -8 This school is not listed [PCCL_099NL_#_#]
SPANISH	¿Cuál es el nombre de esta escuela? _____ { - Text entry and lookup - } _____ -8 Esta escuela no está en la lista [PCCL_099NL_#_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Open text entry and lookup If school selected from lookup list, store school data as variables: SCHOOLPIN_#_#: School pin number SCHOOLNAME_#_#: School name SCHOOLADDRESS_#_#: Address line location SCHOOLCITY_#_#: City location SCHOOLSTATE_#_#: State location Do not allow text entry into PCCL_099 and selection of PCCL_099NL. Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	If text entered into PCCL_099 and PCCL_099NL is selected, display hard check: "Either select the school name from the lookup list or select "This school is not listed." Do not enter both."
CHECK (SPAN)	If text entered into PCCL_099 and PCCL_099NL is selected, display hard check: "Seleccione el nombre de la escuela en la lista de búsqueda o seleccione "Esta escuela no está en la lista". No ingrese ambos."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_098
NEXT	If PCCL_099 = (-8, DK, or REF:): f_PCCL_101A Else: PCCL_100

PCCL_100_#_#	
ASK	If PCCL_099 ≠ -1 or -2 (Continue PCCL LOOP 1f)
QUESTION TYPE	Radio Button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_100#: If LOOPNUMBER_1f = 1, FILL_PCCL_100#: "first" Else, FILL_PCCL_100#: "next" Create fill, FILL_SCHOOLPIN#: Fill SCHOOLPIN_#_# from lookup entry in PCCL_099# Create fill, FILL_SCHOOLNAME#: Fill SCHOOLNAME_#_# from lookup entry in PCCL_099# Create fill, FILL_SCHOOLADDRESS#: Fill SCHOOLADDRESS_#_# from lookup entry in PCCL_099# Create fill, FILL_SCHOOLCITY#: Fill SCHOOLCITY_#_# from lookup entry in PCCL_099# Create fill, FILL_SCHOOLSTATE#: Fill SCHOOLSTATE_#_# from lookup entry in PCCL_099#
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_100#: If LOOPNUMBER_1f = 1, FILL_PCCL_100#: "la primera" Else, FILL_PCCL_100#: "la siguiente" Create fill, FILL_SCHOOLPIN#: Fill SCHOOLPIN_#_# from lookup entry in PCCL_099# Create fill, FILL_SCHOOLNAME#: Fill SCHOOLNAME_#_# from lookup entry in PCCL_099# Create fill, FILL_SCHOOLADDRESS#: Fill SCHOOLADDRESS_#_# from lookup entry in PCCL_099# Create fill, FILL_SCHOOLCITY#: Fill SCHOOLCITY_#_# from lookup entry in PCCL_099# Create fill, FILL_SCHOOLSTATE#: Fill SCHOOLSTATE_#_# from lookup entry in PCCL_099#
ENGLISH	You have selected the following school as the ^{FILL_PCCL_100#} school that ^{FILL_YOUTHNAME} attended since entering the ninth grade (or equivalent). Is this correct? 1. Yes 0. No Pin Number: ^{FILL_SCHOOLPIN#} School Name: ^{FILL_SCHOOLNAME#} Address: ^{FILL_SCHOOLADDRESS#} City: ^{FILL_SCHOOLCITY#} State: ^{FILL_SCHOOLSTATE#}
SPANISH	Ha seleccionado la siguiente escuela como ^{FILL_PCCL_100#} escuela a la que ^{FILL_YOUTHNAME} asistió desde que entró en el noveno grado (o equivalente). ¿Es esto correcto? 1. Sí 0. No Número de PIN: ^{FILL_SCHOOLPIN#} Nombre de la escuela: ^{FILL_SCHOOLNAME#} Dirección: ^{FILL_SCHOOLADDRESS#} Ciudad: ^{FILL_SCHOOLCITY#} Estado: ^{FILL_SCHOOLSTATE#}
RANGE	
LIMITS	

<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_099
<i>NEXT</i>	If PCCL_100 = 0: f_PCCL_101A Else: PCCL_102

f_PCCL_101A_#_# PCCL_101A_NAME_#_# / PCCL_101A_ADDRESS_#_# / PCCL_101A_CITY_#_# / PCCL_101A_STATE_#_# / PCCL_101A_ZIP_#_#	
ASK	If PCCL_096 ≠ 4 AND PCCL_097 ≠ 64 AND (PCCL_099 = (-8, DK, or REF) OR PCCL_100 = 0) (Continue PCCL LOOP 1f)
QUESTION TYPE	Textbox: PCCL_101A_NAME, PCCL_101A_ADDRESS, PCCL_101A_CITY Dropdown: PCCL_101A_STATE Numeric: PCCL_101A_ZIP
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_101A: If LOOPNUMBER_1f = 1, FILL_PCCL_101A: "first" Else, FILL_PCCL_101A: "next"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_101A: If LOOPNUMBER_1f = 1, FILL_PCCL_101A: "la primera" Else, FILL_PCCL_101A: "la siguiente"
ENGLISH	What is the name and address of the ^{FILL_PCCL_101A} school that ^{FILL_YOUTHNAME} attended since entering the ninth grade (or equivalent)? <i>Please fill in as much as you are able in the fields below.</i> Name: _____ [PCCL_101A_NAME_#_#] Street: _____ [PCCL_101A_ADDRESS_#_#] City: _____ [PCCL_101A_CITY_#_#] State: { - Select - } [PCCL_101A_STATE_#_#] Zip: _____ [PCCL_101A_ZIP_#_#]
SPANISH	¿Cuál es el nombre y la dirección de ^{FILL_PCCL_101A} escuela a la que ^{FILL_YOUTHNAME} asistió desde que entró en el noveno grado (o equivalente)? <i>Complete todo lo que pueda en los siguientes campos.</i> Nombre: _____ [PCCL_101A_NAME_#_#] Calle: _____ [PCCL_101A_ADDRESS_#_#] Ciudad: _____ [PCCL_101A_CITY_#_#] Estado: { - Seleccione - } [PCCL_101A_STATE_#_#] Código postal: _____ [PCCL_101A_ZIP_#_#]
RANGE	PCCL_101A_STATE: List states on STATENOTUS list
LIMITS	PCCL_101A_NAME: 100 characters PCCL_101A_ADDRESS: 100 characters PCCL_101A_CITY: 100 characters PCCL_101A_ZIP: 5 digits
LOOP MAX	15
PROGRAM. NOTES	Store school data as variables: PCCL_101A_NAME_# as SCHOOLNAME_# PCCL_101A_ADDRESS_# as SCHOOLADDRESS_# PCCL_101A_CITY_# as SCHOOLCITY_# PCCL_101A_STATE_# as SCHOOL STATE_# PCCL_101A_ZIP_# as SCHOOLZIP_# Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	

<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_098, PCCL_099, PCCL_100 = 0
<i>NEXT</i>	PCCL_102

PCCL_101B_#_#	
ASK	If PCCL_097 = 64 (Continue PCCL LOOP 1f)
QUESTION TYPE	Text box
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_101#: If LOOPNUMBER_1f = 1, FILL_PCCL_101B: "first" Else, FILL_PCCL_101B: "next"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_101#: If LOOPNUMBER_1f = 1, FILL_PCCL_101B: "la primera" Else, FILL_PCCL_101B: "la siguiente"
ENGLISH	What is the name of the school that ^{FILL_YOUTHNAME} ^{FILL_PCCL_101B#} attended since entering ninth grade (or equivalent)? Name: _____
SPANISH	¿Cuál es el nombre de ^{FILL_PCCL_101B#} escuela a la que ^{FILL_YOUTHNAME} asistió desde que entró en el noveno grado (o equivalente)? Nombre: _____
RANGE	
LIMITS	Max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Store school data as variables: PCCL_101B_# as SCHOOLNAME_# Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_097 = 64
NEXT	PCCL_102

PCCL_102_#_#	
ASK	If f_PCCL_093 ≠ -9 (Continue PCCL LOOP 1f)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	What grade was ^{FILL_YOUTHNAME} in when they started at this school? Grade: { - Select - }
SPANISH	¿En qué grado estaba ^{FILL_YOUTHNAME} cuando empezó en esta escuela? Grado: { - Seleccione - }
RANGE	93. Pre-Kindergarten 94. Kindergarten 1. 1st grade 2. 2nd grade 3. 3rd grade 4. 4th grade 5. 5th grade 6. 6th grade 7. 7th grade 8. 8th grade 9. 9th grade 10. 10th grade 11. 11th grade 12. 12th grade 50. GED 51. Business/Trade School 13. 1st Year College 14. 2nd Year College 15. 3rd Year College 16. 4th Year College 17. 1st Year Grad School 18. 2nd Year Grad School 19. 3rd Year Grad School 20. 4th Year Grad School SPANISH: 93. Prekínder 94. Kínder 1. 1.º grado 2. 2.º grado 3. 3.º grado 4. 4.º grado 5. 5.º grado 6. 6.º grado 7. 7.º grado 8. 8.º grado 9. 9.º grado 10. 10.º grado

	11. 11.º grado 12. 12.º grado 50. GED 51. Escuela de negocios/oficios 13. 1.º año de universidad 14. 2.º año de universidad 15. 3.º año de universidad 16. 4.º año de universidad 17. 1.º año de posgrado 18. 2.º año de posgrado 19. 3.º año de posgrado 20. 4.º año de posgrado 95. Sin grados
<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_098, PCCL_100, PCCL_101A, PCCL_101B,
<i>NEXT</i>	PCCL_103

PCCL_103_#_#	
ASK	If f_PCCL_093 ≠ -9 (Continue PCCL LOOP 1f)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Is this the school that ^{FILL_YOUTHNAME} currently attends or most recently attended? 1. Yes 0. No
SPANISH	¿Es esta la escuela a la que ^{FILL_YOUTHNAME} asiste en este momento o a la que ha asistido más recientemente? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_102
NEXT	PCCL_104

PCCL_104_#_#	
ASK	If f_PCCL_093 ≠ -9 (Continue PCCL LOOP 1f)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_SCHOOLNAME: Fill SCHOOLNAME variable collected in either PCCL_099# (lookup), PCCL_101A (manual U.S.), or PCCL_101B (manual non-U.S.) Else if SCHOOLNAME is empty, FILL_SCHOOLNAME: "their school"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_SCHOOLNAME: Fill SCHOOLNAME variable collected in either PCCL_099# (lookup), PCCL_101A (manual U.S.), or PCCL_101B (manual non-U.S.) Else if SCHOOLNAME is empty, FILL_SCHOOLNAME: "su escuela"
ENGLISH	Since the ninth grade, (or equivalent), other than school vacations, did ^{FILL_YOUTHNAME} ever miss more than one full month of school while they were enrolled in that school? 1. Yes 0. No
SPANISH	Desde el noveno grado, (o equivalente), aparte de las vacaciones escolares, ¿faltó ^{FILL_YOUTHNAME} alguna vez más de un mes completo a la escuela mientras estuvo matriculado(a) en esa escuela? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_103
NEXT	PCCL_104 = 1: PCCL_106 Else if LOOPNUMBER_1f = 1: PCCL_111 Else: PCCL_112

PCCL_106_#_#_#	
ASK	PCCL_104 = 1 (Begin PCCL LOOP 1f_1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_106: If LOOPNUMBER_1f_1 = 1, FILL_PCCL_106: "first" Else, FILL_PCCL_106: "next"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_106: If LOOPNUMBER_1f_1 = 1, FILL_PCCL_106: "la primera" Else, FILL_PCCL_106: "la siguiente"
ENGLISH	What grade was ^{FILL_YOUTHNAME} in when this ^{FILL_PCCL_106#_#} happened? 9. 9th grade 10. 10th grade 11. 11th grade 12. 12th grade 0. None 95. Ungraded
SPANISH	¿En qué grado estaba ^{FILL_YOUTHNAME} cuando ocurrió esto ^{FILL_PCCL_106#_#} vez? 9. 9.º grado 10. 10.º grado 11. 11.º grado 12. 12.º grado 0. Ninguna 95. Sin grados
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop through PCCL Loop 1f_1 (PCCL_106_#_#_# - PCCL_109_#_#_#) until PCCL_109_#_#_#=0 or until max loops reached (10).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_104_#_# = 1
NEXT	PCCL_107_#_#_#

PCCL_107_#_#_#	
ASK	PCCL_104 = 1 (Continue PCCL LOOP 1f_1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	How many months of school did ^{FILL_YOUTHNAME} miss that time? _____ months
SPANISH	¿Cuántos meses de escuela perdió ^{FILL_YOUTHNAME} durante ese tiempo? _____ meses
RANGE	0-50
LIMITS	Max 2 digits
LOOP MAX	10
PROGRAM. NOTES	Loop through PCCL Loop 1f_1 (PCCL_106_#_#_# - PCCL_109_#_#_#) until PCCL_109_#_#_#=0 or until max loops reached (10).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_106_#_#_#
NEXT	PCCL_108_#_#_#

f_PCCL_108_#_#_#	
PCCL_108_#_#_# / PCCL_108_SPECIFY_#_#_#	
ASK	PCCL_104 = 1 (Continue PCCL LOOP 1f_1)
QUESTION TYPE	Radio button: PCCL_108_#_#_# Textbox: PCCL_108_SPECIFY_#_#_#
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	What was the main reason that ^{FILL_YOUTHNAME} missed school? 1. Received degree, completed course work 2. Physical health problem(s) 3. Mental health problems 4. Problems with drugs or alcohol 5. Moved away from school 6. Sent to jail or correctional facility 7. Pregnant [ONLY IF YOUTHSEX = 2/Female] 8. Became the father/mother of a baby 9. Got married 10. Childcare responsibilities 11. Home responsibilities 12. Financial difficulties, couldn't afford to go 13. Expelled/suspended 14. Poor grades 15. Did not like school 16. School was too dangerous 17. Didn't get along with other students 18. Friends had dropped out of school 19. Wanted to look for a job 20. Offered a job 21. Entered the military 22. Military duty 23. Other (please specify: _____) [PCCL_108_SPECIFY_#_#_#]
SPANISH	¿Cuál fue la razón principal por la que ^{FILL_YOUTHNAME} faltó a la escuela? 1. Recibió el título, completó el trabajo del curso 2. Problema(s) de salud física 3. Problemas de salud mental 4. Problemas con las drogas o el alcohol 5. Se mudó lejos de la escuela 6. Fue a la cárcel o a un correccional 7. Quedó embarazada [ONLY IF YOUTHSEX = 2/Female] 8. Se convirtió en padre/madre de un bebé 9. Se casó 10. Responsabilidades de cuidado infantil 11. Responsabilidades domésticas 12. Dificultades financieras, no podía permitirse ir 13. Lo(a) expulsaron/suspendieron 14. Malas calificaciones 15. No le gustaba la escuela

	16. La escuela era demasiado peligrosa 17. No se llevaba bien con los otros estudiantes 18. Las amistades habían dejado la escuela 19. Quería buscar trabajo 20. Le ofrecieron un trabajo 21. Ingresó en el ejército 22. Servicio militar 23. Otra razón (especifique: _____) [PCCL_108_SPECIFY_#_#_#]
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	10
<i>PROGRAM. NOTES</i>	Only allow response 7 to be selected if YOUTHSEX = 2 (Female) If response 23 selected, display text box PCCL_108_SPECIFY_#_#_# Loop through PCCL Loop 1f_1 (PCCL_106_#_#_# - PCCL_109_#_#_#) until PCCL_109_#_#_#=0 or until max loops reached (10).
<i>CHECK (ENG)</i>	If PCCL_108_SPECIFY left empty, display default soft check.
<i>CHECK (SPAN)</i>	If PCCL_108_SPECIFY left empty, display default soft check.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_107_#_#_#
<i>NEXT</i>	PCCL_109_#_#_#

PCCL_109_#_#_#	
ASK	PCCL_104 = 1 (End PCCL Loop 1f_1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Use fill from PCCL_104#: FILL_SCHOOLNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Use fill from PCCL_104#: FILL_SCHOOLNAME
ENGLISH	Since the ninth grade, (or equivalent), has ^{FILL_YOUTHNAME} missed a month or more of school another time while they were enrolled at ^{FILL_SCHOOLNAME}? 1. Yes 0. No
SPANISH	Desde el noveno grado, (o equivalente), ¿ha faltado ^{FILL_YOUTHNAME} un mes o más a la escuela en otra ocasión mientras estaba matriculado(a) en ^{FILL_SCHOOLNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	10
PROGRAM. NOTES	Loop through PCCL Loop 1f_1 (PCCL_106_#_#_# - PCCL_109_#_#_#) until PCCL_109_#_#_#=0 or until max loops reached (10).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_108
NEXT	If PCCL_109_#_#_# = 1: Loop again (PCCL_106_#_#_#) Else if LOOPNUMBER_1f = 1: PCCL_111_#_# Else: PCCL_112_#_#

PCCL_111_#_#	
ASK	If LOOPNUMBER_1f = 1 (Continue PCCL Loop 1f)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Since first entering ninth grade, (or equivalent), has ^{FILL_YOUTHNAME} ever changed schools, including changes for advancement (for example, middle school to high school or high school to college), changes prompted by a residential move, or changes to a new type of school (for example, home schooling to attending a formal institution)? 1. Yes 0. No
SPANISH	Desde que entró por primera vez en noveno grado, (o equivalente), ¿ha cambiado ^{FILL_YOUTHNAME} alguna vez de escuela, incluidos los cambios por motivos de promoción (por ejemplo, de la escuela secundaria a la preparatoria), los cambios motivados por una mudanza o los cambios a un nuevo tipo de escuela (por ejemplo, de la educación en casa a una institución oficial)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_104, PCCL_109
NEXT	If PCCL_111 = 1: PCCL_113 Else: PCCL_115_LOOP_END

PCCL_112_#_#	
ASK	If LOOPNUMBER_1f ≠ 1 (Continue PCCL LOOP 1f)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Did ^{FILL_YOUTHNAME} ever change schools again since entering ninth grade (or equivalent)? 1. Yes 0. No
SPANISH	¿Volvió a cambiar de escuela ^{FILL_YOUTHNAME} desde que entró en el noveno grado (o equivalente)? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_104, PCCL_109
NEXT	If PCCL_112 = 1: PCCL_113 PCCL_115_LOOP_END

PCCL_113_#_#	
ASK	If PCCL_111_#_#= 1 or PCCL_112_#_#=1 (Continue PCCL LOOP 1f)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_113#: If LOOPNUMBER_1f = 1, FILL_PCCL_113#: "first" Else, FILL_PCCL_113#: "next"
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_113#: If LOOPNUMBER_1f = 1, FILL_PCCL_113#: "la primera" Else, FILL_PCCL_113#: "la siguiente"
ENGLISH	In what year did ^{FILL_YOUTHNAME} ^{FILL_PCCL_113#} change schools since entering ninth grade (or equivalent)? Year: _____
SPANISH	¿En qué año fue ^{FILL_PCCL_113#} vez que ^{FILL_YOUTHNAME} cambió de escuela desde que entró en el noveno grado (o equivalente)? Año: _____
RANGE	List years 2015-2030 in reverse chronological order (i.e., 2030, 2029, 2028, etc.) starting with DOI year (i.e., if DOI year is 2025, do not include 2026-2030)
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Display calendar. Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_111 = 1, PCCL_112 = 1
NEXT	PCCL_114

PCCL_114_#_#	
ASK	If PCCL_111_#_#= 1 or PCCL_112_#_#=1 (Continue PCCL LOOP 1f)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	What grade was ^{FILL_YOUTHNAME} in, or had ^{FILL_YOUTHNAME} just finished, when they left the old school? 9. 9th grade 10. 10th grade 11. 11th grade 12. 12th grade 51. Business/Trade School 13. 1st Year College 14. 2nd Year College 15. 3rd Year College 16. 4th Year College 17. 1st Year Grad School 18. 2nd Year Grad School 19. 3rd Year Grad School 20. 4th Year Grad School 21. 5th + Year Grad School 95. Ungraded
SPANISH	¿En qué grado estaba ^{FILL_YOUTHNAME} o qué grado acababa de terminar ^{FILL_YOUTHNAME} cuando dejó su anterior escuela? 9. 9.º grado 10. 10.º grado 11. 11.º grado 12. 12.º grado 51. Escuela de negocios/oficios 13. 1.º año de universidad 14. 2.º año de universidad 15. 3.º año de universidad 16. 4.º año de universidad 17. 1.º año de posgrado 18. 2.º año de posgrado 19. 3.º año de posgrado 20. 4.º año de posgrado 21. 5.º+ año de posgrado 95. Sin grado
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 or max loops reached (15).

<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_113
<i>NEXT</i>	If LOOPNUMBER=15: PCCL_115_LOOP_END Else: Loop again (PCCL_095_LOOP_BEGIN)

PCCL_115_LOOP_END_#_#	
ASK	If f_PCCL_093 ≠ -9 (End PCCL Loop 1f)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Computer check, do not display. Loop through PCCL Loop 1f (PCCL_095_LOOP_BEGIN through PCCL_115_LOOP_END) until PCCL_112=0 OR PCCL_111=0 or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_111, PCCL_112, PCCL_114
NEXT	If every reported school type for PCCL_096 = 4 (homeschool): f_PCCL_136 Else if PCCL_091 = 0: PCCL_116 Else: PCCL_117

PCCL_116_#	
ASK	If any value for PCCL_096 ≠ 4 (home school) AND PCCL_091 = 0 (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what year did ^{FILL_YOUTHNAME} stop attending their last school? Year: _____
SPANISH	¿En qué año ^{FILL_YOUTHNAME} dejó de asistir a su última escuela? Año: _____
RANGE	List years 2015-2030 in reverse chronological order (i.e., 2030, 2029, 2028, etc.) starting with DOI year (i.e., if DOI year is 2025, do not include 2026-2030)
LIMITS	Max 4 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_115_LOOP_END
NEXT	PCCL_117

PCCL_117_#	
ASK	If PCCL_082 ≠ -8 AND any value for PCCL_096# ≠ 4 (home school) (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Next are some general questions about ^{FILL_YOUTHNAME}'s schooling. Please think about ^{FILL_YOUTHNAME}'s entire school history, not just what they did at any particular school. Has ^{FILL_YOUTHNAME} ever repeated any grade? 1. Yes 0. No
SPANISH	Las siguientes preguntas son, en general, sobre la escolarización de ^{FILL_YOUTHNAME}. Piense en todo el historial escolar de ^{FILL_YOUTHNAME}, no solo en lo que hizo en una escuela en particular. ¿Ha ^{FILL_YOUTHNAME} repetido alguna vez algún grado? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_091 in (1:8) or in (93:95), PCCL_093 = -9, PCCL_116, PCCL_115_LOOP_END
NEXT	If PCCL_117 = 1: f_PCCL_118 Else: PCCL_120

f_PCCL_118_# PCCL_118PK_# / PCCL_118K1_# / PCCL_118K2_# / PCCL_118A_# / PCCL_118B_# / PCCL_118C_# / PCCL_118D_# / PCCL_118E_# / PCCL_118F_# / PCCL_118G_# / PCCL_118H_# / PCCL_118I_# / PCCL_118J_# / PCCL_118K_# / PCCL_118L_# / PCCL_118M_#	
ASK	If PCCL_117 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Which grade(s) did ^{FILL_YOUTHNAME} repeat? Please select all that apply. 90. Prekindergarten [PCCL_118PK_#] 91. Kindergarten (first year or 4K) [PCCL_118K1_#] 92. Kindergarten (second year or 5K) [PCCL_118K2_#] 1. 1st grade [PCCL_118A_#] 2. 2nd grade [PCCL_118B_#] 3. 3rd grade [PCCL_118C_#] 4. 4th grade [PCCL_118D_#] 5. 5th grade [PCCL_118E_#] 6. 6th grade [PCCL_118F_#] 7. 7th grade [PCCL_118G_#] 8. 8th grade [PCCL_118H_#] 9. 9th grade [PCCL_118I_#] 10. 10th grade [PCCL_118J_#] 11. 11th grade [PCCL_118K_#] 12. 12th grade [PCCL_118L_#] 0. None [PCCL_118M_#]
SPANISH	¿Qué grado(s) repitió ^{FILL_YOUTHNAME}? Seleccione todas las que correspondan. 90. Prekínder [PCCL_118PK_#] 91. Kínder (primer año o 4K) [PCCL_118K1_#] 92. Kínder (segundo año o 5K) [PCCL_118K2_#] 1. 1.º grado [PCCL_118A_#] 2. 2.º grado [PCCL_118B_#] 3. 3.º grado [PCCL_118C_#] 4. 4.º grado [PCCL_118D_#] 5. 5.º grado [PCCL_118E_#] 6. 6.º grado [PCCL_118F_#] 7. 7.º grado [PCCL_118G_#] 8. 8.º grado [PCCL_118H_#] 9. 9.º grado [PCCL_118I_#] 10. 10.º grado [PCCL_118J_#] 11. 11.º grado [PCCL_118K_#] 12. 12.º grado [PCCL_118L_#] 0. Ninguno [PCCL_118M_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not.

	Do not allow other options to be selected if PCCL_118M = 1 (should be exclusive) Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_117 = 1
NEXT	If PCCL_118M_# = 1: PCCL_120 Else: PCCL_119

PCCL_119_#	
ASK	If PCCL_117 = 1 AND PCCL_118M ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has ^{FILL_YOUTHNAME} ever repeated a grade more than once? 1. Yes 0. No
SPANISH	¿Alguna vez ha repetido ^{FILL_YOUTHNAME} un grado más de una vez? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PCCL_118
NEXT	PCCL_120

PCCL_120_#	
ASK	If PCCL_082 ≠ -8 AND any value for PCCL_096 ≠ 4 (home school) (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has ^{FILL_YOUTHNAME} ever skipped ahead a grade? 1. Yes 0. No
SPANISH	¿Alguna vez ^{FILL_YOUTHNAME} se saltó un grado? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_119, PCCL_117
NEXT	If PCCL_120 = 1: PCCL_122 (Begin PCCL Loop_1g) Else if PCCL_091 = 0: PCCL_126 Else : PCCL_127

PCCL_122_#_#		
ASK	If PCCL_120 = 1 (Begin PCCL LOOP 1g)	
QUESTION TYPE	Radio button	
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_122#: If LOOPNUMBER_1g = 1, FILL_PCCL_122#: "first" Else, FILL_PCCL_122#: "next"	
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME Create fill, FILL_PCCL_122#: If LOOPNUMBER_1g = 1, FILL_PCCL_122#: "la primera" Else, FILL_PCCL_122#: "la siguiente"	
ENGLISH	Tell us about the ^{FILL_PCCL_122#} time ^{FILL_YOUTHNAME} skipped a grade. Which grade were they in before the skip? 90. Prekindergarten 91. Kindergarten (first year or 4K) 92. Kindergarten (second year or 5K) 1. 1st grade 2. 2nd grade 3. 3rd grade 4. 4th grade 5. 5th grade 6. 6th grade 7. 7th grade 8. 8th grade 9. 9th grade 10. 10th grade 11. 11th grade 12. 12th grade	
SPANISH	Háblenos de ^{FILL_PCCL_122#} vez que ^{FILL_YOUTHNAME} se saltó un grado. ¿En qué grado estaban antes de omitir un grado? 90. Prekínder 91. Kinder (primer año o 4K) 92. Kinder (segundo año o 5K) 1. 1.º grado 2. 2.º grado 3. 3.º grado 4. 4.º grado 5. 5.º grado 6. 6.º grado 7. 7.º grado 8. 8.º grado 9. 9.º grado 10. 10.º grado 11. 11.º grado 12. 12.º grado	
RANGE	10	

LIMITS	
LOOP MAX	5
PROGRAM. NOTES	Loop through PCCL Loop 1g (PCCL_122_#_# - PCCL_124_#_#) until PCCL_124_#_#=0 or until max loops reached (5).
CHECK (ENG)	If PCCL_122 grade > PCCL_091 grade, display hard check: "You previously reported that ^{FILL_YOUTHNAME} is currently in ^{FILL_PCCL_091}. Please review your answer." Do not compare against PCCL_091 if PCCL_091 = 0 or 95.
CHECK (SPAN)	If PCCL_122 grade > PCCL_091 grade, display hard check: "Anteriormente informó que ^{FILL_YOUTHNAME} está actualmente en ^{FILL_PCCL_091}. Revise su respuesta." Do not compare against PCCL_091 if PCCL_091 = 0 or 95.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_120=1
NEXT	PCCL_123

PCCL_123_#_#	
ASK	If PCCL_120 = 1 (Continue PCCL LOOP 1g)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Which grade was ^{FILL_YOUTHNAME} skipped into? 1. 1st grade 2. 2nd grade 3. 3rd grade 4. 4th grade 5. 5th grade 6. 6th grade 7. 7th grade 8. 8th grade 9. 9th grade 10. 10th grade 11. 11th grade 12. 12th grade
SPANISH	¿A qué grado pasó ^{FILL_YOUTHNAME} cuando se saltó un grado? 1. 1.º grado 2. 2.º grado 3. 3.º grado 4. 4.º grado 5. 5.º grado 6. 6.º grado 7. 7.º grado 8. 8.º grado 9. 9.º grado 10. 10.º grado 11. 11.º grado 12. 12.º grado
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	Loop through PCCL Loop 1g (PCCL_122_#_# - PCCL_124_#_#) until PCCL_124_#_#=0 or until max loops reached (5).
CHECK (ENG)	If PCCL_123 grade <= PCCL_122 grade, display hard check: "You previously reported that ^{FILL_YOUTHNAME} was in ^{FILL_PCCL_122} before the skip. Please review your answer."
CHECK (SPAN)	If PCCL_123 grade > PCCL_122 grade, display hard check: "Anteriormente informó que ^{FILL_YOUTHNAME} estaba en ^{FILL_PCCL_091} antes del salto. Revise su respuesta."
HELP TEXT (ENG)	

HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_122
NEXT	PCCL_124

PCCL_124_#_#	
ASK	If PCCL_120 = 1 (End PCCL LOOP 1g)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Was ^{FILL_YOUTHNAME} ever skipped ahead again? 1. Yes 0. No
SPANISH	¿^{FILL_YOUTHNAME} ha vuelto a saltar un grado? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	5
PROGRAM. NOTES	Loop through PCCL Loop 1g (PCCL_122_#_# - PCCL_124_#_#) until PCCL_124_#_#=0 or until max loops reached (5).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_123#
NEXT	If PCCL_124# = 1 and LOOPNUMBER_1g < 10: Loop again (PCCL_122_#_#) Else if PCCL_091 = 0: PCCL_126 Else: PCCL_127

PCCL_126_#	
ASK	If PCCL_091=0 (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	What is the highest grade of school that ^{FILL_YOUTHNAME} has ever attended? Grade: { - Select - }
SPANISH	¿Cuál es el grado más alto de la escuela al que asistió ^{FILL_YOUTHNAME}? Grado: { - Seleccione - }
RANGE	0. None 93. Pre-kindergarten 94. Kindergarten 1. 1st grade 2. 2nd grade 3. 3rd grade 4. 4th grade 5. 5th grade 6. 6th grade 7. 7th grade 8. 8th grade 9. 9th grade 10. 10th grade 11. 11th grade 12. 12th grade 13. Post-secondary vocational or technical training 14. 2-year college 15. In 4-year college 16. Graduate/professional school 95. Ungraded school SPANISH: 0. Ninguno 93. Prekínder 94. Kínder 1. 1.º grado 2. 2.º grado 3. 3.º grado 4. 4.º grado 5. 5.º grado 6. 6.º grado 7. 7.º grado 8. 8.º grado 9. 9.º grado 10. 10.º grado 11. 11.º grado

	12. 12.º grado 13. Capacitación profesional o técnica postsecundaria 14. Universidad de dos años 15. Universidad de 4 años 16. Escuela de posgrado/profesional 95. Escuela de grado
<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_120, PCCL_124
<i>NEXT</i>	PCCL_127

PCCL_127_#	
ASK	If PCCL_082 ≠ -8 AND any value for PCCL_096# ≠ 4 (home school) (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has ^{FILL_YOUTHNAME} ever had a special education or early intervention plan? <i>Children receiving these services often have an Individualized Family Service Plan (IFSP) or Individualized Education Plan (IEP).</i> 1. Yes 0. No
SPANISH	¿Ha tenido ^{FILL_YOUTHNAME} alguna vez un plan de educación especial o de intervención temprana? <i>Los(as) niños(as) que reciben estos servicios suelen tener un plan de servicios familiares individualizado (IFSP, por sus siglas en inglés) o un plan de educación individualizado (IEP, por sus siglas en inglés).</i> 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	Individualized Education Program (IEP): A written statement for each student with a disability that sets goals for the student in school, says how progress will be measured, describes the special education and related services the school will provide, how much the student will be in the regular class with students without disabilities, and lists accommodations or modifications needed to measure what the student knows through tests. Instructional/Individual Services Plan (ISP): A plan paid for by a local school district for students with disabilities who attend private schools. It spells out the special education and related services that will be made available to a student. Services may be offered through a private school or a local education agency (LEA).]
HELP TEXT (SPAN)	Programa de educación individualizado (IEP): una declaración escrita para cada estudiante con discapacidad que establece objetivos para el estudiante en la escuela, indica cómo se medirá el progreso, describe la educación especial y los servicios relacionados que proporcionará la escuela, cuánto estará el estudiante en la clase regular con estudiantes sin discapacidad y enumera las adaptaciones o modificaciones necesarias para medir lo que el estudiante sabe mediante pruebas. Plan de instrucción/servicios individuales (ISP): un plan pagado por un distrito escolar local para estudiantes con discapacidades que asisten a escuelas privadas. En este se detallan la educación especial y los servicios relacionados que se pondrán a disposición

	del estudiante. Los servicios pueden ofrecerse a través de una escuela privada o de una agencia de educación local (LEA, por sus siglas en inglés).]
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_120, PCCL_124, PCCL_126
<i>NEXT</i>	If PCCL_127 = 1: f_PCCL_128 Else: PCCL_130

f_PCCL_128_# PCCL_128_MO_# / PCCL_128_YR_#	
ASK	If PCCL_127 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown: PCCL_128_MO Dropdown: PCCL_128_YR
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what month and year did ^{FILL_YOUTHNAME} receive the first plan? Month: { - Select - } [PCCL_128_MO_#] Year: _____ [PCCL_128_YR_#]
SPANISH	¿En qué mes y año recibió ^{FILL_YOUTHNAME} el primer plan? Mes: { - Seleccione - } [PCCL_128_MO_#] Año: _____ [PCCL_128_YR_#]
RANGE	PCCL_128_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCCL_128_YR: 2010-2030 RESPONSE OPTIONS SPANISH 1. Enero 2. Febrero 3. Marzo 4. Abril 5. Mayo 6. Junio 7. Julio 8. Agosto 9. Septiembre 10. Octubre 11. Noviembre 12. Diciembre PCCL_128_YR: List years 2010-2030 in reverse chronological order (i.e., 2030, 2029, 2028, etc.) starting with DOI year (i.e., if DOI year is 2025, do not include 2026-2030)
LIMITS	PCCL_128_YR: Allow 4 digits
LOOP MAX	15
PROGRAM. NOTES	Display calendar. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	If PCCL_128_# before YOUTHDOB, display hard check: Date ^{FILL_YOUTHNAME} received first plan should be after they were born. Please review your answer. If PCCL_128_# after DOI, display hard check: Please enter a date that is in the past.
CHECK (SPAN)	If PCCL_128_# before YOUTHDOB, display hard check:

	La fecha en que ^{FILL_YOUTHNAME} recibió el primer plan debe ser posterior a su nacimiento. Revise su respuesta. If PCCL_128_# after DOI, display hard check: Ingrese una fecha que está en el pasado.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_127 = 1
NEXT	PCCL_129

PCCL_129_#	
ASK	If PCCL_127 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Is ^{FILL_YOUTHNAME} currently receiving services under one of these plans? 1. Yes 0. No
SPANISH	¿Recibe ^{FILL_YOUTHNAME} actualmente servicios de alguno de estos planes? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PCCL_128
NEXT	PCCL_130

PCCL_130_#	
ASK	If PCCL_082 ≠ -8 AND any value for PCCL_096# ≠ 4 (home school) (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has ^{FILL_YOUTHNAME} ever received special services to meet their developmental needs? <i>Special services can include therapies such as speech, occupational, physical, or behavioral or other services received to meet developmental needs.</i> 1. Yes 0. No
SPANISH	¿Ha recibido ^{FILL_YOUTHNAME} alguna vez servicios especiales para cubrir sus necesidades de desarrollo? <i>Los servicios especiales pueden incluir terapias como la terapia del habla, ocupacional, física o conductual u otros servicios recibidos para cubrir las necesidades de desarrollo.</i> 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_127, PCCL_129
NEXT	If PCCL_130 = 1: f_PCCL_131 Else: PCCL_133

f_PCCL_131_# PCCL_131_MO_# / PCCL_131_YR_#	
ASK	If PCCL_130 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown: PCCL_131_MO Dropdown: PCCL_131_YR
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what month and year did ^{FILL_YOUTHNAME} begin receiving these special services? Your best estimate is fine. Month: { - Select - } [PCCL_131_MO_#] Year: _____ [PCCL_131_YR_#]
SPANISH	¿En qué mes y año comenzó ^{FILL_YOUTHNAME} a recibir estos servicios especiales? Proporcione su mejor estimación. Mes: { - Seleccione - } [PCCL_131_MO_#] Año: _____ [PCCL_131_YR_#]
RANGE	PCCL_131_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCCL_131_YR: List years 2010-2030 in reverse chronological order (i.e., 2030, 2029, 2028, etc.) starting with DOI year (i.e., if DOI year is 2025, do not include 2026-2030)
LIMITS	PCCL_131_YR: Allow 4 digits
LOOP MAX	15
PROGRAM. NOTES	Display calendar. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	If PCCL_131_# before YOUTHDOB, display hard check: Date ^{FILL_YOUTHNAME} began receiving services should be after they were born. Please review your answer. If PCCL_131_# after DOI, display hard check: Please enter a date that is in the past.
CHECK (SPAN)	If PCCL_131_# before YOUTHDOB, display hard check: La fecha en que ^{FILL_YOUTHNAME} comenzó a recibir servicios debe ser posterior a su nacimiento. Revise su respuesta. If PCCL_131_# after DOI, display hard check: Ingrese una fecha que está en el pasado.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_130 = 1
NEXT	PCCL_132

PCCL_132_#	
ASK	If PCCL_130 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Is ^{FILL_YOUTHNAME} currently receiving these special services? 1. Yes 0. No
SPANISH	¿Está ^{FILL_YOUTHNAME} recibiendo en este momento estos servicios especiales? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	f_PCCL_131
NEXT	PCCL_133

PCCL_133_#	
ASK	If PCCL_082 ≠ -8 AND any value for PCCL_096# ≠ 4 (continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has ^{FILL_YOUTHNAME} ever been enrolled in a program for English Language Learners (ELLs) such as English as a Second Language (ESL), English immersion, or bilingual education? 1. Yes 0. No
SPANISH	¿Alguna vez ^{FILL_YOUTHNAME} se matriculó en un programa para estudiantes del idioma inglés (ELL, por sus siglas en inglés), como inglés como segundo idioma (ESL, por sus siglas en inglés), inmersión en inglés o educación bilingüe? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_130, PCCL_132
NEXT	If PCCL_133 = 1: PCCL_134 Else If PCCL_092 = 1: PCCL_137 Else if PCCL_102091 in (9:12): f_PCCL_135 Else if PCCL_091 = 0 AND PCCL_126 in (9:13): f_PCCL_136 Else if YOUTH_CURRENTAGE < 15: PCCL_139_LOOP_END_ Else: PCCL_137

PCCL_134_#	
ASK	If PCCL_133 = 1 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	What was the last grade in which ^{FILL_YOUTHNAME} was enrolled in a program for English Language Learners (ELLs)? 1st grade 2nd grade 3rd grade 4th grade 5th grade 6th grade 7th grade 8th grade 9th grade 10th grade 11th grade 12th grade - Still enrolled
SPANISH	¿Cuál fue el último grado en el que ^{FILL_YOUTHNAME} estuvo matriculado(a) en un programa para estudiantes del idioma inglés (ELL)? 1.º grado 2.º grado 3.º grado 4.º grado 5.º grado 6.º grado 7.º grado 8.º grado 9.º grado 10.º grado 11.º grado 12.º grado - Todavía está matriculado(a)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	If PCCL_134 grade > PCCL_091 grade, display hard check: "You previously reported that ^{FILL_YOUTHNAME} is currently in ^{FILL_PCCL_091}. Please review your answer." Do not check against PCCL_091 grade if PCCL_134 = 13 or PCCL_091 = 0 or PCCL_091 = 95

<i>CHECK (SPAN)</i>	If PCCL_134 grade > PCCL_091 grade, display hard check: “Anteriormente informó que ^{FILL_YOUTHNAME} está actualmente en ^{FILL_PCCL_091}. Revise su respuesta.” Do not check against PCCL_091 grade if PCCL_134 = 13 or PCCL_091 = 0 or PCCL_091 = 95
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_133 = 1
<i>NEXT</i>	If PCCL_092 = 1: PCCL_137 Else if PCCL_102091 in (9:12): f_PCCL_135 Else if PCCL_091 = 0 and PCCL_126 in (9:13): f_PCCL_136 Else If YOUTH_CURRENTAGE < 15: PCCL_139_LOOP_END_# Else: PCCL_137

f_PCCL_135_# PCCL_135_MO_# / PCCL_135_YR_#	
ASK	If PCCL_091 in (9:12) (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown: PCCL_135_MO Dropdown: PCCL_135_YR
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	If ^{FILL_YOUTHNAME} does not go to summer school or take extra courses and passes all the courses they take, including those they are taking now, when would ^{FILL_YOUTHNAME} graduate from high school -- what month and year? Month: { - Select - } [PCCL_135_MO_#] Year: _____ [PCCL_135_YR_#]
SPANISH	Si ^{FILL_YOUTHNAME} no va a la escuela de verano ni toma cursos adicionales y aprueba todos los cursos que toma, incluidos los que está tomando ahora, ¿cuándo se graduaría ^{FILL_YOUTHNAME} de la escuela secundaria (en qué mes y año)? Mes: { - Seleccione - } [PCCL_135_MO_#] Año: _____ [PCCL_135_YR_#]
RANGE	PCCL_135_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCCL_135_YR: List years 2026-2040 RESPONSE OPTIONS SPANISH 1. Enero 2. Febrero 3. Marzo 4. Abril 5. Mayo 6. Junio 7. Julio 8. Agosto 9. Septiembre 10. Octubre 11. Noviembre 12. Diciembre in reverse chronological order (i.e., 2040, 2039, 2038, etc.). Do not list past years.
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Display calendar. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	Reported month/year combination must be in the future. If reported date is not in the future display hard check: Please report a date in the future.
CHECK (SPAN)	Reported month/year combination must be in the future. If reported date is not in the future display hard check: Proporcione una fecha que está en el futuro.

<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCCL_133, PCCL_134
<i>NEXT</i>	Else If YOUTH_CURRENTAGE < 15: PCCL_139_LOOP_END_# Else: PCCL_137

f_PCCL_136_# PCCL_136_MO_# / PCCL_136_YR_#	
ASK	If PCCL_091 = 0 and PCCL_126 in (9:13) (Continue PCCL Loop 1)
QUESTION TYPE	Dropdown: PCCL_136_MO Dropdown: PCCL_136_YR
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	If ^{FILL_YOUTHNAME} went back to school next fall, and didn't go to summer school or take extra courses and ^{FILL_YOUTHNAME} passed all the courses they took, when would ^{FILL_YOUTHNAME} graduate from high school -- what month and year? Month: { - Select - } [PCCL_136_MO_#] Year: _____ [PCCL_136_YR_#]
SPANISH	Si ^{FILL_YOUTHNAME} volviera a la escuela el próximo otoño, y no fuera a la escuela de verano ni tomara cursos adicionales y ^{FILL_YOUTHNAME} aprobara todos los cursos que toma, ¿cuándo se graduaría ^{FILL_YOUTHNAME} de la escuela secundaria (en qué mes y año)? Mes: { - Seleccione - } [PCCL_136_MO_#] Año: _____ [PCCL_136_YR_#]
RANGE	PCCL_136_MO: List months in order. 1 = "January", 2 = "February", ... 12 = "December" PCCL_136_YR: List years 2026-2040 in reverse chronological order (i.e., 2040, 2039, 2038, etc.) Do not list past years.
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Display calendar. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	Reported month/year combination must be in the future. If reported date is not in the future display hard check: Please report a date in the future.
CHECK (SPAN)	Reported month/year combination must be in the future. If reported date is not in the future display hard check: Proporcione una fecha que está en el futuro.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_115_LOOP_END#, PCCL_133, PCCL_134
NEXT	Else If YOUTH_CURRENTAGE < 15: PCCL_139_LOOP_END_ Else: PCCL_137

PCCL_137_#	
ASK	If YOUTH_CURRENTAGE >= 15 and PCCL_082 ≠ -8 (Continue PCCL Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	Has ^{FILL_YOUTHNAME} ever taken and received credit for any college courses? 1. Yes 0. No
SPANISH	¿^{FILL_YOUTHNAME} ha tomado y recibido créditos por algún curso universitario? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_133, PCCL_134, f_PCCL_135, f_PCCL_136
NEXT	If PCCL_137 = 0: PCCL_139_LOOP_END_ Else: f_PCCL_138

f_PCCL_138_# PCCL_138A_# / PCCL_138B_# / PCCL_138C_# / PCCL_138D_# / PCCL_138E_# / PCCL_138F_# / PCCL_138G_# / PCCL_138H_# / PCCL_138I_#	
ASK	If PCCL_138 ≠ 1 (Continue PCCL Loop 1)
QUESTION TYPE	Checkbox
FILLS (ENG)	Use fill from PCCL_001: FILL_YOUTHNAME
FILLS (SPAN)	Use fill from PCCL_001: FILL_YOUTHNAME
ENGLISH	In what years did ^{FILL_YOUTHNAME} take college courses? Please select all that apply. 1. 2020 [PCCL_138A_#] 2. 2021 [PCCL_138B_#] 3. 2022 [PCCL_138C_#] 4. 2023 [PCCL_138D_#] 5. 2024 [PCCL_138E_#] 6. 2025 [PCCL_138F_#] 7. 2026 [PCCL_138G_#] 8. 2027 [PCCL_138H_#] 9. 2028 [PCCL_138I_#]
SPANISH	¿En qué años tomó ^{FILL_YOUTHNAME} los cursos universitarios? Seleccione todas las que correspondan. 1. 2020 [PCCL_138A_#] 2. 2021 [PCCL_138B_#] 3. 2022 [PCCL_138C_#] 4. 2023 [PCCL_138D_#] 5. 2024 [PCCL_138E_#] 6. 2025 [PCCL_138F_#] 7. 2026 [PCCL_138G_#] 8. 2027 [PCCL_138H_#] 9. 2028 [PCCL_138I_#]
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Code variable as 1 if checked, 0 if not. Do not display answer options for years after DOI. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_137 = 1
NEXT	PCCL_139_LOOP_END_#

PCCL_139_LOOP_END_#	
ASK	All respondents (End PCCL Loop 1)
QUESTION TYPE	Computer check
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Computer check, do not display. Loop through PCCL Loop 1 (PCCL_001 through PCCL_139_LOOP_END) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI/CAWI
NOTES	
LEAD-IN	PCCL_137 = 1
NEXT	LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15): PCHE_001 Else: Loop again (PCCL_001_#)

7. Child Health (PCHE)

PRELOADS:

PRELOADS:

YOUTHROSTER: HHS

- YOUTH_UID: Unique ID for each eligible youth in the household
- YOUTH_NAME: Name of the eligible youth
- YOUTH_AGE: Age (in years) of the eligible youth
- YOUTH_DOB: Date of birth for the eligible youth
- YOUTH_DBYEAR: Year of birth for the eligible youth
- YOUTH_PLGUID1: ID number of youth's 1st parent or guardian
- YOUTH_SEX: Sex (male/female) of the eligible youth
- YOUTH_RACE: Race/ethnicity of the eligible youth
- YOUTH_RESIDENCE: Flag if the youth lives in the household full-time or part-time

YOUTHROSTERNUM: HHSSTATEPROGRAM1: Sample preload

STATEPROGRAM2: Sample preload

GENERAL PROGRAMMING NOTES:

CAPTURE ITEM LEVEL TIMING.

INCLUDE A TIME/DATE STAMP AT BEGINNING AND END OF MODULE.

- Do not display response option numbers/letters.
- Do not display DK and REF on each screen at loading.
 - If R tries to move forward without providing a response, display DK ('Don't know') and REF ('Prefer not to answer') on screen.
 - Unless otherwise noted, include a soft prompt for R to respond or select DK/REF option:
"Your answers are very important. Please consider selecting a response."
 - If R still tries to move forward without answering, assign REF code to missing response.

PCHE_001_#	
ASK	All (Begin PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Create fill, FILL_YOUTHNAME: Fill 'YOUTHNAME' from preload
FILLS (SPAN)	Create fill, FILL_YOUTHNAME: Fill 'YOUTHNAME' from preload
ENGLISH	The next few questions are about ^{FILL_YOUTHNAME}'s health. In general, how is their physical health? 5. Excellent 4. Very good 3. Good 2. Fair 1. Poor
SPANISH	Las siguientes preguntas son sobre la salud de ^{FILL_YOUTHNAME}. En general, ¿cómo es su salud física? 5. Excelente 4. Muy buena 3. Buena 2. Regular 1. Mala
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). Create variable PCHELOOP1[#].YOUTH_UID=YOUTH_UID_#
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCCL_082=-8, PCCL_133, PCCL_134, PCCL_135, PCCL_136, PCCL_137, PCCL_138
NEXT	PCHE_002

PCHE_002_#	
ASK	All (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	In general, how is their mental or emotional health? 5. Excellent 4. Very good 3. Good 2. Fair 1. Poor
SPANISH	En general, ¿cómo está su estado de salud mental o emocional? 5. Excelente 4. Muy bien 3. Bien 2. Regular 1. Mal
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_001
NEXT	PCHE_003

PCHE_003_#	
ASK	All (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Was ^{FILL_YOUTHNAME} born more than 3 weeks before their due date? 1. Yes 0. No
SPANISH	¿Nació ^{FILL_YOUTHNAME} más de 3 semanas antes de la fecha prevista de parto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_002
NEXT	PCHE_004

f_PCHE_004_# PCHE_004_WEIGHTLB_#/PCHE_004_WEIGHTOZ_#	
ASK	All (Continue PCHE Loop 1)
QUESTION TYPE	PCHE_004_WEIGHTLB: Numeric PCHE_004_WEIGHTOZ: Numeric Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much did ^{FILL_YOUTHNAME} weigh when they were born? <i>Your best estimate is fine.</i> Pounds: _____ [PCHE_004_WEIGHTLB_#] Ounces: _____ [PCHE_004-_WEIGHTOZ_#] -9. I prefer to report in kilograms and grams
SPANISH	¿Cuánto pesaba ^{FILL_YOUTHNAME} cuando nació? <i>Proporcione su mejor estimación.</i> Libras: _____ [PCHE_004_WEIGHTLB_#] Onzas: _____ [PCHE_004-_WEIGHTOZ_#] -9. Prefiero ingresar el peso en kilogramos y gramos.
RANGE	PCHE_004_WEIGHTLB: RANGE = 1-13 PCHE_004_WEIGHTOZ: RANGE = 0-15
LIMITS	PCHE_004_WEIGHTLB: Max 2 digit PCHE_004_WEIGHTOZ: Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR POUNDS AND OUNCES ON SAME ROW WITH CORRESPONDING LABELS; ALSO INCLUDE A SINGLE SELECT OPTION WITH VALUE (-9) TO REPORT WEIGHT IN KILOGRAMS AND GRAMS DIRECTLY BELOW NUMBOX ENTRIES
CHECK (ENG)	IF OUT OF RANGE DISPLAY A HARD CHECK: PCHE_004-WEIGHTLB: Please enter a number of pounds between 1-13. PCHE_004- WEIGHTOZ: Please enter a number of ounces between 0-15.
CHECK (SPAN)	IF OUT OF RANGE DISPLAY A HARD CHECK: PCHE_004-WEIGHTLB: Ingrese un número de libras entre 1-13. PCHE_004- WEIGHTOZ: Ingrese un número de onzas entre 0-15.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_003
NEXT	IF PCHE_004=-9: PCHE_005 Else if (PCHE_004_WEIGHTLB=DK or REF) and (PCHE_004_WEIGHTOZ=DK or REF): PCHE_006 Else if PCHE_004_WEIGHTLB = 5 and PCHE_004_WEIGHTOZ = (DK or REF): PCHE_006

f_PCHE_005_# PCHE_005_WEIGHTKL_#/PCHE_005_WEIGHTGR_#	
ASK	IF PCHE_004=-9 (Continue PCHE Loop 1)
QUESTION TYPE	PCHE_005_WEIGHTKG: Numeric PCHE_005_WEIGHTGR: Numeric
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much did ^{FILL_YOUTHNAME} weigh when they were born? <i>Your best estimate is fine.</i> Kilograms: _____ [PCHE_005_WEIGHTKG_#] Grams: _____ [PCHE_005_WEIGHTGR_#]
SPANISH	¿Cuánto pesaba ^{FILL_YOUTHNAME} cuando nació? <i>Proporcione su mejor estimación.</i> Kilogramos: _____ [PCHE_005_WEIGHTKG_#] Gramos: _____ [PCHE_005_WEIGHTGR_#]
RANGE	PCHE_005_WEIGHTKG: RANGE = 1-6 PCHE_005_WEIGHTGR: RANGE = 0-999
LIMITS	PCHE_005_WEIGHTKG: Max 1 digit PCHE_005_WEIGHTGR: Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR KILOGRAMS AND GRAMS ON SAME ROW WITH CORRESPONDING LABELS
CHECK (ENG)	IF OUT OF RANGE, DISPLAY A HARD CHECK: PCHE_005_WEIGHTKG: Please enter a number of kilograms between 1-6. PCHE_005_WEIGHTGR: Please enter a number of grams between 0-999.
CHECK (SPAN)	IF OUT OF RANGE, DISPLAY A HARD CHECK: PCHE_005_WEIGHTKG: Ingrese un número de kilogramos entre 1-6. PCHE_005_WEIGHTGR: Ingrese un número de gramos entre 0-999.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_004
NEXT	IF (PCHE_005_WEIGHTKG=DK or REF) and (PCHE_005_WEIGHTGR=DK or REF): PCHE_006 Else if (PCHE_005_WEIGHTKG = 2 and PCHE_005_WEIGHTGR = (DK or REF): PCHE_006 Else PCHE_007

PCHE_006_#	
ASK	IF ((PCHE_005_WEIGHTKG=DK or REF) and (PCHE_005_WEIGHTGR=DK or REF)) OR ((PCHE_004_WEIGHTLB=DK or REF) and (PCHE_004_WEIGHTOZ=DK or REF)) OR (PCHE_004_WEIGHTLB = 5 and (PCHE_004_WEIGHTOZ = (DK or REF)) OR (PCHE_005_WEIGHTKG = 2 and (PCHE_005_WEIGHTGR = (DK or REF) (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	When ^{FILL_YOUTHNAME} was born, did they weigh at least 5.5 pounds or 2,500 grams? 1. Yes 0. No
SPANISH	Cuando ^{FILL_YOUTHNAME} nació, ¿pesaba al menos 5.5 libras o 2,500 gramos? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_004, f_PCHE_005
NEXT	PCHE_007

PCHE_007_#	
ASK	All (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Create fill, FILL_YOUTHSEX from the YOUTHROSTER: IF YOUTH_SEX= 1, FILL_YOUTHSEX: 'Does' ELSE IF YOUTH_SEX= 2, FILL_YOUTHSEX: 'Excluding pregnancy, does' ELSE, FILL_YOUTHSEX: 'Does' Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Create fill, FILL_YOUTHSEX from the YOUTHROSTER: IF YOUTH_SEX= 1, FILL_YOUTHSEX: '¿Tiene' ELSE IF YOUTH_SEX= 2, FILL_YOUTHSEX: 'Excluyendo el embarazo, ¿tiene' ELSE, FILL_YOUTHSEX: '¿Tiene' Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	^{FILL_YOUTHSEX } ^{FILL_YOUTHNAME} have or have they ever had any physical, emotional, or mental condition that limits or has limited their ability to attend school regularly, do regular schoolwork, or work at a job for pay? 1. Yes 0. No
SPANISH	^{FILL_YOUTHSEX } ^{FILL_YOUTHNAME} o ha tenido alguna vez alguna afección física, emocional o mental que limite o haya limitado su capacidad para asistir a la escuela con regularidad, realizar las tareas escolares habituales o trabajar en un empleo pago? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_004, f_PCHE_005, PCHE_006
NEXT	PCHE_008

PCHE_008_#	
ASK	All(Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does ^{FILL_YOUTHNAME} now have or have they ever had a learning or emotional problem that limits or has limited the kind of schoolwork or other daily activities they can perform, the amount of time they can spend on these activities, or their performance in these activities? 1. Yes 0. No
SPANISH	¿Tiene ^{FILL_YOUTHNAME} ahora o ha tenido alguna vez un problema de aprendizaje o emocional que limite o haya limitado el tipo de trabajo escolar u otras actividades diarias que puede realizar, la cantidad de tiempo que puede dedicar a estas actividades o su rendimiento en estas actividades? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_007
NEXT	If PCHE_007=1 or PCHE_008=1: f_PCHE_009; Else PCHE_028

f_PCHE_009_# PCHE_009a_#, PCHE_009b_#, PCHE_009c_#, PCHE_009d_#, PCHE_009e_#, PCHE_009f_#, PCHE_009_OTHER_#	
ASK	IF PCHE_007=1(yes) or PCHE_008=1(yes) (Continue PCHE Loop 1)
QUESTION TYPE	PCHE_009a, PCHE_009b, PCHE_009c, PCHE_009d, PCHE_009e, PCHE_009f : Checkbox PCHE_009_OTHER: Text box
FILLS (ENG)	Use fill FILL_YOUTHNAME from PCHE_001
FILLS (SPAN)	Use fill FILL_YOUTHNAME from PCHE_001
ENGLISH	What are the conditions? <i>Select all that apply.</i> 1. Learning disability (such as dyslexia) or attention disorder [PCHE_009a_#] 2. Emotional, mental problem or behavior problem [PCHE_009b_#] 3. Eating disorder (such as anorexia or bulimia) [PCHE_009c_#] 4. Cognitive delay or cognitive disability [PCHE_009d_#] 5. Physical problem [PCHE_009e_#] 6. Some other condition [PCHE_009f_#] (Please describe: _____) [PCHE_009_OTHER_#]
SPANISH	¿Cuáles son estas afecciones? <i>Seleccione todas las opciones que correspondan.</i> 1. Discapacidad de aprendizaje (como la dislexia) o trastorno de atención [PCHE_009a_#] 2. Problema emocional, mental o de comportamiento [PCHE_009b_#] 3. Trastorno alimentario (como anorexia o bulimia) [PCHE_009c_#] 4. Retraso cognitivo o discapacidad cognitiva [PCHE_009d_#] 5. Problema físico [PCHE_009e_#] 6. Alguna otra afección [PCHE_009f_#] (Describa: _____) [PCHE_009_OTHER_#]
RANGE	
LIMITS	PCHE_009_OTHER: Set max 100 characters
LOOP MAX	15
PROGRAM. NOTES	If option 6 is selected, display PCHE_009_OTHER text box
CHECK (ENG)	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). IF NO OPTIONS ARE CHECKED, DISPLAY: You responded on a previous question that ^{FILL_YOUTHNAME} has or had a physical, mental or emotional condition or a learning or emotional problem. If the condition that ^{FILL_YOUTHNAME} has or had is not listed here, please select "Some other condition". If ^{FILL_YOUTHNAME} has not had a condition or problem, please click "Back" to update your answer.
CHECK (SPAN)	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). IF NO OPTIONS ARE CHECKED, DISPLAY: Usted respondió en una pregunta anterior que ^{FILL_YOUTHNAME} tiene o ha tenido una afección física, mental o emocional o un problema de aprendizaje o emocional. Si la afección que tiene o tuvo ^{FILL_YOUTHNAME} no aparece en esta lista, seleccione "Alguna otra afección". Si ^{FILL_YOUTHNAME} no ha tenido ninguna afección o problema, haga clic en "Back" (Atrás) para actualizar su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCHE_008
<i>NEXT</i>	If PCHE_009a=1: PCHE_010; Else if PCHE_009b=1: PCHE_013; Else if PCHE_009c=1: PCHE_016; Else if PCHE_009d=1: PCHE_019; Else if PCHE_009e=1: PCHE_022; Else PCHE_025

PCHE_010_#	
ASK	IF PCHE_009a=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001 Create fill, FILL_YOUTHAGE: 'YOUTH_AGE' from preloads
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001 Create fill, FILL_YOUTHAGE: 'YOUTH_AGE' from preloads
ENGLISH	How old was ^{FILL_YOUTHNAME} when the learning disability or attention disorder was first noticed? _____ years -9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la discapacidad de aprendizaje o el trastorno de atención? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY
CHECK (ENG)	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE},YOUTH_AGE, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_009
NEXT	PCHE_011

PCHE_011_#	
ASK	IF PCHE_009a=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Does the learning disability or attention disorder currently limit them? 1. Yes 0. No
SPANISH	¿Lo(a) limita en este momento la discapacidad de aprendizaje o el trastorno de atención ? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_010
NEXT	IF PCHE_011=1: PCHE_012; Else if PCHE_009b=1: PCHE_013; Else if PCHE_009c=1: PCHE_016; Else if PCHE_009d=1: PCHE_019; Else if PCHE_009e=1: PCHE_022; Else if PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_012_#	
ASK	IF PCHE_011=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How much does this learning disability or attention disorder limit them? 1. Limits a little 2. Limits a lot
SPANISH	¿Cuánto lo(a) limita esta discapacidad de aprendizaje o trastorno de atención ? 1. Un poco 2. Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_011=1
NEXT	If PCHE_009b=1: PCHE_013; Else if PCHE_009c=1: PCHE_016; Else if PCHE_009d=1: PCHE_019; Else if PCHE_009e=1: PCHE_022; Else if PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_013_#	
ASK	IF PCHE_009b=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the emotional, mental or behavioral problem was first noticed? _____ years -9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez el problema emocional, mental o de comportamiento? _____ años -9. No corresponde, tiene la afección desde su nacimiento
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_009, PCHE_011, PCHE_012
NEXT	PCHE_014

PCHE_014_#	
ASK	IF PCHE_009b=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Does the emotional, mental or behavioral problem currently limit them? 1. Yes 0. No
SPANISH	¿El problema emocional, mental o de comportamiento lo(a) limita en este momento? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_013
NEXT	IF PCHE_014=1: PCHE_015; Else if PCHE_009c=1: PCHE_016; Else if PCHE_009d=1: PCHE_019; Else if PCHE_009e=1: PCHE_022; Else if PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_015_#	
ASK	PCHE_014=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How much does this emotional, mental or behavioral problem limit them? - Limits a little - Limits a lot
SPANISH	¿Cuánto lo(a) limita este problema emocional, mental o de comportamiento? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_014=1
NEXT	IF PCHE_009c=1: PCHE_016; Else if PCHE_009d=1: PCHE_019; Else if PCHE_009e=1: PCHE_022; Else if PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_016_#	
ASK	PCHE_009c=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001 Create fill, FILL_YOUTHAGE, from PINF_002
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001 Create fill, FILL_YOUTHAGE, from PINF_002
ENGLISH	How old was ^{FILL_YOUTHNAME} when the eating disorder was first noticed? _____ years
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez el trastorno alimentario ? _____ años
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_009, PCHE_011, PCHE_012, PCHE_014, PCHE_015
NEXT	PCHE_017

PCHE_017_#	
ASK	PCHE_009c=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Does the eating disorder currently limit them? 1. Yes 0. No
SPANISH	¿Lo(a) limita en este momento el trastorno alimentario ? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_009, PCHE_016
NEXT	IF PCHE_017=1: PCHE_018; Else if PCHE_009d=1: PCHE_019; Else if PCHE_009e=1: PCHE_022; Else if PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_018_#	
ASK	PCHE_017=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How much does this eating disorder limit them? - Limits a little - Limits a lot
SPANISH	¿Cuánto lo(a) limita este trastorno alimentario? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_017=1
NEXT	If PCHE_009d=1: PCHE_019; Else if PCHE_009e=1: PCHE_022; Else if PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_019_#	
ASK	PCHE_009d=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the cognitive delay or disability was first noticed? _____ years -9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez el retraso cognitivo o la discapacidad? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_009, PCHE_011, PCHE_012, PCHE_014, PCHE_015, PCHE_017, PCHE_018
NEXT	PCHE_020

PCHE_020_#	
ASK	PCHE_009d=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Does the cognitive delay or disability currently limit them? 1. Yes 0. No
SPANISH	¿Lo(a) limita en este momento el retraso cognitivo o la discapacidad ? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_019
NEXT	IF PCHE_020=1: PCHE_021; Else if PCHE_009e=1: PCHE_022; Else if PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_021_#	
ASK	PCHE_020=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How much does this cognitive delay or disability limit them? - Limits a little - Limits a lot
SPANISH	¿Cuánto lo(a) limita este retraso cognitivo o discapacidad? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_020=1
NEXT	IF PCHE_009e=1: PCHE_022; Else if PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_022_#	
ASK	PCHE_009e=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the physical problem was first noticed? _____years -9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez el problema físico? _____años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_009, PCHE_011, PCHE_012, PCHE_014, PCHE_015, PCHE_017, PCHE_018, PCHE_020, PCHE_021
NEXT	PCHE_023

PCHE_023_#	
ASK	PCHE_009e=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Does the physical problem currently limit them? 1. Yes 0. No
SPANISH	¿Lo(a) limita en este momento el problema físico ? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_022
NEXT	IF PCHE_023=1: PCHE_024; Else if PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_024_#	
ASK	PCHE_023=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How much does this physical problem limit them? - Limits a little - Limits a lot
SPANISH	¿Cuánto lo(a) limita este problema físico? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_023=1
NEXT	If PCHE_009f=1: PCHE_025; Else PCHE_028

PCHE_025_#	
ASK	PCHE_009f=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the other problem was first noticed? _____ years -9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez el otro problema? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age, or select "Does not apply, they have had the condition since birth."
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad, o seleccione "No corresponde, tiene la afección desde su nacimiento."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_009, PCHE_011, PCHE_012, PCHE_014, PCHE_015, PCHE_017, PCHE_018, PCHE_020, PCHE_021, PCHE_023, PCHE_024
NEXT	PCHE_026

PCHE_026_#	
ASK	PCHE_009f=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Does the other problem currently limit them? 1. Yes 0. No
SPANISH	¿Lo(a) limita en este momento el otro problema ? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_025
NEXT	IF PCHE_026=1: PCHE_027; Else PCHE_028

PCHE_027_#	
ASK	PCHE_026=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	How much does this other problem limit them? 1. Limits a little 2. Limits a lot
SPANISH	¿Cuánto lo(a) limita este otro problema? 1. Un poco 2. Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_026=1
NEXT	PCHE_028

PCHE_028_#	
ASK	All respondents (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does ^{FILL_YOUTHNAME} now have or have they ever had trouble seeing, hearing, or speaking? 1. Yes 0. No
SPANISH	¿Tiene o ha tenido alguna vez ^{FILL_YOUTHNAME} problemas para ver, oír o hablar? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_008, PCHE_011, PCHE_012, PCHE_014, PCHE_015, PCHE_017, PCHE_018, PCHE_020, PCHE_021, PCHE_023, PCHE_024, PCHE_026, PCHE_027
NEXT	IF PCHE_028=1: PCHE_029; Else PCHE_051

f_PCHE_029_# PCHE_029a_#/ PCHE_029b_#/ PCHE_029c_#/ PCHE_029d_#/ PCHE_029e_#/ PCHE_029f_#/ PCHE_029g_#/ PCHE_029g_OTHER_#	
ASK	PCHE_028 = 1 (Continue PCHE Loop 1)
QUESTION TYPE	PCHE_029a, PCHE_029b, PCHE_029c, PCHE_029d, PCHE_029e, PCHE_029f, PCHE_029g: Radio button grid PCHE_029g_OTHER: Text
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	What conditions has ^{FILL_YOUTHNAME} experienced? COLUMN HEADERS: - Yes - No ROW ITEMS: - Blindness in one eye [PCHE_029a] - Blindness in both eyes [PCHE_029b] - Other vision difficulty [PCHE_029c] - Deafness [PCHE_029d] - Hearing difficulty [PCHE_029e] - Speech impairment (such as lisp, stammering, or stuttering) [PCHE_029f] - Some other condition (Please describe: _____) [PCHE_029g] [PCHE_029g_OTHER]
SPANISH	¿Qué afecciones ha experimentado ^{FILL_YOUTHNAME}? COLUMN HEADERS: - Sí - No ROW ITEMS: - Ceguera en un ojo [PCHE_029a] - Ceguera en los dos ojos [PCHE_029b] - Otra dificultad de visión [PCHE_029c] - Sordera [PCHE_029d] - Dificultad auditiva [PCHE_029e] - Deterioro del habla (como ceceo, tartamudeo o tartajeo) [PCHE_029f] - Alguna otra afección (describe: _____) [PCHE_029g] [PCHE_029g_OTHER]
RANGE	
LIMITS	PCHE_029g_OTHER: Set max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). Set variables as 1 if checked, 0 if not. If PCHE_029g is checked, display PCHE_029g_OTHER text box
CHECK (ENG)	IF NO OPTIONS ARE CHECKED, DISPLAY: "You responded on a previous question that ^{FILL_YOUTHNAME} has had trouble seeing, hearing, or speaking. If the condition that ^{FILL_YOUTHNAME} has or had is not listed here, please select "Some other condition". If ^{FILL_YOUTHNAME} has not had trouble with these, please click "Back" to update your answer."
CHECK (SPAN)	IF NO OPTIONS ARE CHECKED, DISPLAY:

	"Usted respondió en una pregunta anterior que ^{FILL_YOUTHNAME} ha tenido problemas para ver, oír o hablar. Si la afección que tiene o tuvo ^{FILL_YOUTHNAME} no aparece en esta lista, seleccione "Alguna otra afección". Si ^{FILL_YOUTHNAME} no ha tenido problemas con esto, haga clic en "Back" (Atrás) para actualizar su respuesta."
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_028=1
NEXT	IF PCHE_029a=1: PCHE_030; Else if PCHE_029b=1: PCHE_033; PCHE_029c=1: PCHE_036; PCHE_029d=1: PCHE_039; PCHE_029e=1: PCHE_042; PCHE_029f=1: PCHE_045; Else: PCHE_048

PCHE_030_#	
ASK	PCHE_029a=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the blindness in one eye was first noticed? _____ years -9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la ceguera en un ojo ? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	

<i>LEAD-IN</i>	f_PCHE_029
<i>NEXT</i>	PCHE_031

PCHE_031_#	
ASK	PCHE_029a=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the blindness in one eye currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La ceguera en un ojo limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_030
NEXT	IF PCHE_031=1: PCHE_032; Else if PCHE_029b=1: PCHE_033; PCHE_029c=1: PCHE_036; PCHE_029d=1: PCHE_039; PCHE_029e=1: PCHE_042; PCHE_029f=1: PCHE_045; Else if PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_032_#	
ASK	If PCHE_031=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the blindness in one eye limit ^{FILL_YOUTHNAME}? 1. Limits a little 2. Limits a lot
SPANISH	¿Cuánto limita la ceguera en un ojo a ^{FILL_YOUTHNAME}? 1. Un poco 2. Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_031=1
NEXT	IF PCHE_029b=1: PCHE_033; PCHE_029c=1: PCHE_036; PCHE_029d=1: PCHE_039; PCHE_029e=1: PCHE_042; PCHE_029f=1: PCHE_045; Else if PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_033_#	
ASK	PCHE_029b=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the blindness in both eyes was first noticed? _____ years -9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la ceguera en los dos ojos? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_032, PCHE_031, f_PCHE_029
NEXT	PCHE_034

PCHE_034_#	
ASK	PCHE_029b=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the blindness in both eyes currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La ceguera en los dos ojos limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_033
NEXT	IF PCHE_034=1: PCHE_035; PCHE_029c=1: PCHE_036; PCHE_029d=1: PCHE_039; PCHE_029e=1: PCHE_042; PCHE_029f=1: PCHE_045; PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_035_#	
ASK	If PCHE_034=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the blindness in both eyes limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita la ceguera en los dos ojos a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_034
NEXT	IF PCHE_029c=1: PCHE_036; PCHE_029d=1: PCHE_039; PCHE_029e=1: PCHE_042; PCHE_029f=1: PCHE_045; PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_036_#	
ASK	PCHE_029c=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the other vision problem was first noticed? _____ years
	-9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez el otro problema de visión ? _____ años
	-9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_035, PCHE_034, PCHE_032, PCHE_034, f_PCHE_029
NEXT	PCHE_037

PCHE_037_#	
ASK	PCHE_029c=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the other vision problem currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿El otro problema de visión limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_036
NEXT	IF PCHE_037=1: PCHE_038; PCHE_029d=1: PCHE_039; PCHE_029e=1: PCHE_042; PCHE_029f=1: PCHE_045; PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_038_#	
ASK	PCHE_037=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the other vision problem limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita el otro problema de visión a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_037=1
NEXT	IF PCHE_029d=1: PCHE_039; PCHE_029e=1: PCHE_042; PCHE_029f=1: PCHE_045; PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_039_#	
ASK	PCHE_029d=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the deafness was first noticed? _____ years -9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la sordera? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_038, PCHE_037, PCHE_035, PCHE_034, PCHE_032, PCHE_034, f_PCHE_029
NEXT	PCHE_040

PCHE_040_#	
ASK	PCHE_029d=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the deafness currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La sordera limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_039
NEXT	IF PCHE_040=1: PCHE_041; PCHE_029f=1: PCHE_045; PCHE_048=1: PCHE_029g; ELSE PCHE_051

PCHE_041_#	
ASK	If PCHE_040=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the deafness limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita la sordera a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_040
NEXT	IF PCHE_029f=1: PCHE_045; PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_042_#	
ASK	If PCHE_029e=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the hearing difficulty was first noticed? _____ years -9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la dificultad auditiva? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_041, PCHE_040, PCHE_038, PCHE_037, PCHE_035, PCHE_034, PCHE_032, PCHE_034, f_PCHE_029
NEXT	IF PCHE_043

PCHE_043_#	
ASK	PCHE_029e=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the hearing difficulty currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La dificultad auditiva limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_042
NEXT	IF PCHE_043=1: PCHE_044; PCHE_029f=1: PCHE_045; PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_044_#	
ASK	If PCHE_043=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the hearing difficulty limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita la dificultad auditiva a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_043
NEXT	IF PCHE_029f=1: PCHE_045; PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_045_#	
ASK	If PCHE_029f=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the speech impairment was first noticed? _____ years
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez el trastorno del habla ? _____ años
RANGE	1-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_044, PCHE_043; PCHE_041, PCHE_040; PCHE_038, PCHE_037, PCHE_035, PCHE_034, PCHE_032, PCHE_034, f_PCHE_029
NEXT	IF PCHE_046

PCHE_046_#	
ASK	PCHE_029f=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the speech impairment currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿Limita en este momento el trastorno del habla a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_045
NEXT	IF PCHE_046=1: PCHE_047; PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_047_#	
ASK	If PCHE_046=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the speech impairment limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita la discapacidad del habla a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_046=1
NEXT	IF PCHE_029g=1: PCHE_048; ELSE PCHE_051

PCHE_048_#	
ASK	PCHE_029g=1 or if (PCHE_028=1 and PCHE_029=DK or REF) (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the other condition was first noticed? _____ years - 9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la otra afección? _____ años - 9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_047, PCHE_046; PCHE_044, PCHE_043; PCHE_041, PCHE_040; PCHE_038, PCHE_037, PCHE_035, PCHE_034, PCHE_032, PCHE_034, f_PCHE_029
NEXT	PCHE_049

PCHE_049_#	
<i>ASK</i>	PCHE_029g=1 (Continue PCHE Loop 1)
<i>QUESTION TYPE</i>	Radio
<i>FILLS (ENG)</i>	Use fill, FILL_YOUTHNAME, from PCHE_001
<i>FILLS (SPAN)</i>	Use fill, FILL_YOUTHNAME, from PCHE_001
<i>ENGLISH</i>	Does the other condition currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
<i>SPANISH</i>	¿La otra afección limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCHE_048
<i>NEXT</i>	IF PCHE_049=1: PCHE_050; Else PCHE_051

PCHE_050_#	
ASK	If PCHE_049=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the other condition limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita la otra afección a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_049=1
NEXT	PCHE_051

PCHE_051_#	
ASK	All (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does ^{FILL_YOUTHNAME} now have or have they ever had a part of their body that is or was deformed, missing, or had permanent stiffness? 1. Yes 0. No
SPANISH	¿Tiene o ha tenido alguna vez ^{FILL_YOUTHNAME} una parte de su cuerpo que esté o haya estado deformada, que le falte, o que tenga rigidez permanente? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_047, PCHE_046; PCHE_044, PCHE_043; PCHE_041, PCHE_040; PCHE_038, PCHE_037, PCHE_035, PCHE_034, PCHE_032, PCHE_034, f_PCHE_029, PCHE_028
NEXT	IF PCHE_051=1: PCHE_052; Else PCHE_065

f_PCHE_052_# PCHE_052a_#/ PCHE_052b_#/ PCHE_052c_#/ PCHE_052d_#/ PCHE_052d_OTHER_#	
ASK	PCHE_051 = 1 (Continue PCHE Loop 1)
QUESTION TYPE	PCHE_052a, PCHE_052b, PCHE_052c, PCHE_052d: Radio button grid PCHE_052d_OTHER: Text
FILLS (ENG)	Create fill, FILL_YOUTHNAME: Fill 'YOUTHNAME' from preload
FILLS (SPAN)	Create fill, FILL_YOUTHNAME: Fill 'YOUTHNAME' from preload
ENGLISH	What part or parts of their body were deformed, missing, or had permanent stiffness? COLUMN HEADERS: - Yes - No ROW ITEMS: - Missing finger, hand, arm, toe, foot, or leg [PCHE_052a] - Permanent stiffness or any deformity of the back, foot, or leg [PCHE_052b] - Permanent stiffness or any deformity of the fingers, hand, or arm [PCHE_052c] - Some other condition (Please describe: _____) [PCHE_052d] [PCHE_052d_OTHER]
SPANISH	¿Qué parte o partes del cuerpo estaban deformadas, faltaban o tenían rigidez permanente? COLUMN HEADERS: - Sí - No ROW ITEMS: - Dedo, mano, brazo, dedo del pie, pie o pierna faltantes [PCHE_052a] - Rigidez permanente o deformidad de la espalda, del pie o de la pierna [PCHE_052b] - Rigidez permanente o deformidad de los dedos, de la mano o del brazo [PCHE_052c] - Alguna otra afección (describa: _____) [PCHE_052d] [PCHE_052d_OTHER]
RANGE	
LIMITS	PCHE_052d_OTHER: Set max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). Set variable to 1 if checked, 0 if not. If PCHE_052d is checked, display PCHE_052d_OTHER text box
CHECK (ENG)	IF NO OPTIONS ARE CHECKED, DISPLAY: "You responded on a previous question that ^{FILL_YOUTHNAME} has or had a part of their body that is or was deformed, missing, or had permanent stiffness. If the condition that ^{FILL_YOUTHNAME} has or had is not listed here, please select "Some other condition". If ^{FILL_YOUTHNAME} has not had a condition or problem, please click the "Back" button to update your answer."
CHECK (SPAN)	IF NO OPTIONS ARE CHECKED, DISPLAY: "Usted respondió en una pregunta anterior que ^{FILL_YOUTHNAME} tiene o ha tenido deformación, falta o rigidez permanente de una parte del cuerpo. Si la afección que tiene o tuvo ^{FILL_YOUTHNAME} no aparece en esta lista, seleccione "Alguna otra afección". Si

	^{FILL_YOUTHNAME} no ha tenido ninguna afección o problema, haga clic en “Back” (Atrás) para actualizar su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_051=1
NEXT	IF PCHE_052a=1: PCHE_053; PCHE_052b=1: PCHE_056; PCHE_052c=1: PCHE_059; Else PCHE_062

PCHE_053_#	
ASK	PCHE_052a=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the missing finger, hand, arm, toe, foot, or leg was first noticed or occurred? _____ years - 9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez que no tenía un dedo, mano, brazo, dedo del pie, pie o pierna, o le ocurrió esto? _____ años - 9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_052
NEXT	PCHE_054

PCHE_054_#	
ASK	PCHE_052a=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the missing finger, hand, arm, toe, foot, or leg currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿El dedo, mano, brazo, dedo del pie, pie o pierna que falta limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_053
NEXT	IF PCHE_054=1: PCHE_055; PCHE_052b=1: PCHE_056; PCHE_052c=1: PCHE_059; PCHE_052d: PCHE_062; Else PCHE_065

PCHE_055_#	
ASK	If PCHE_054=1(yes) (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the missing finger, hand, arm, toe, foot, or leg currently limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita en este momento el dedo, mano, brazo, dedo del pie, pie o pierna que falta a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_054
NEXT	IF PCHE_052b=1: PCHE_056; PCHE_052c=1: PCHE_059; PCHE_052d: PCHE_062; Else PCHE_065

PCHE_056_#	
ASK	PCHE_052b=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the permanent stiffness or any deformity of the back, foot, or leg was first noticed? _____ years - 9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la rigidez permanente o deformidad de la espalda, del pie o de la pierna? _____ años - 9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_052, PCHE_055, PCHE_054
NEXT	PCHE_057

PCHE_057_#	
ASK	PCHE_052b=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the permanent stiffness or any deformity of the back, foot, or leg currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La rigidez permanente o deformidad de la espalda, del pie o de la pierna limitan en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_056
NEXT	IF PCHE_057=1: PCHE_058; PCHE_052c=1: PCHE_059; PCHE_052d: PCHE_062; Else PCHE_065

PCHE_058_#	
ASK	If PCHE_057=1(yes) (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the permanent stiffness or any deformity of the back, foot, or leg currently limit ^{FILL_YOUTHNAME}? 1. Limits a little 2. Limits a lot
SPANISH	¿Cuánto limitan en este momento la rigidez permanente o deformidad de la espalda, del pie o de la pierna a ^{FILL_YOUTHNAME}? 1. Un poco 2. Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_057
NEXT	PCHE_052c=1: PCHE_059; PCHE_052d: PCHE_062; Else PCHE_065

PCHE_059_#	
ASK	PCHE_052c=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the permanent stiffness or any deformity of the fingers, hand, or arm was first noticed? _____ years -9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la rigidez permanente o deformidad de los dedos, de la mano o del brazo? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_052, PCHE_055, PCHE_054, PCHE_058, PCHE_057
NEXT	PCHE_060

PCHE_060_#	
ASK	PCHE_052c=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the permanent stiffness or any deformity of the fingers, hand, or arm currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La rigidez permanente o deformidad de los dedos, de la mano o del brazo limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_059
NEXT	IF PCHE_060=1: PCHE_061; PCHE_052d: PCHE_062; Else PCHE_065

PCHE_061_#	
ASK	PCHE_060=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the permanent stiffness or any deformity of the fingers, hand, or arm currently limit ^{FILL_YOUTHNAME}? 1. Limits a little 2. Limits a lot
SPANISH	¿Cuánto limita en este momento la rigidez permanente o deformidad de los dedos, de la mano o del brazo a ^{FILL_YOUTHNAME}? 1. Un poco 2. Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_060=1
NEXT	IF PCHE_052d: PCHE_062; Else PCHE_065

PCHE_062_#	
ASK	IF PCHE_052d=1 or if (PCHE_051=1 and PCHE_052=DK or REF) (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the other part or parts of their body that were deformed, missing, or had permanent stiffness was first noticed or occurred? _____ years -9. Does not apply, they have had the condition since birth
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez que otra parte de su cuerpo estaba deformada, faltaba o tenía rigidez permanente, o cuando ocurrió esto? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_052, PCHE_055, PCHE_054, PCHE_058, PCHE_057, PCHE_061, PCHE_060
NEXT	PCHE_063

PCHE_063_#	
ASK	PCHE_052d=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the other part or parts of their body that were deformed, missing, or had permanent stiffness currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La otra parte o partes del cuerpo deformadas, faltantes o con rigidez permanente limitan en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_062
NEXT	IF PCHE_063=1: PCHE_064; Else PCHE_065

PCHE_064_#	
ASK	IF PCHE_063=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the other part or parts of their body that were deformed, missing, or had permanent stiffness currently limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita en este momento la otra parte o partes del cuerpo deformadas, faltantes o con rigidez permanente a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_063
NEXT	PCHE_065

PCHE_065_#	
ASK	ALL (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does ^{FILL_YOUTHNAME} now have or have they ever had any other chronic health condition or life-threatening disease such as asthma, heart condition, anemia, diabetes, or cancer? 1. Yes 0. No
SPANISH	¿Tiene ^{FILL_YOUTHNAME} ahora o ha tenido alguna vez alguna otra afección crónica de salud o enfermedad que pone en peligro la vida, como asma, afecciones del corazón, anemia, diabetes o cáncer? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_051, f_PCHE_052, PCHE_054, PCHE_055, PCHE_057, PCHE_058, PCHE_060, PCHE_061, PCHE_063, PCHE_064
NEXT	IF PCHE_065=1: PCHE_066; Else PCHE_088

f_PCHE_066_# PCHE_066a_#/ PCHE_066b_#/ PCHE_066c_#/ PCHE_066d_#/ PCHE_066e_#/ PCHE_066f_#/ PCHE_066g_#/ PCHE_066g_OTHER_#	
ASK	PCHE_065 = 1 (Continue PCHE Loop 1)
QUESTION TYPE	PCHE_066a, PCHE_066b, PCHE_066c, PCHE_066d, PCHE_066e, PCHE_066f, PCHE_066g: Radio button grid PCHE_066g_OTHER: Text
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	What condition or conditions has ^{FILL_YOUTHNAME} had? COLUMN HEADERS: 1. Yes 0. No ROW ITEMS: a. Asthma [PCHE_066a] b. Heart condition [PCHE_066b] c. Anemia [PCHE_066c] d. Diabetes [PCHE_066d] e. Cancer [PCHE_066e] f. Epilepsy [PCHE_066f] g. Some other condition (Please describe: _____) [PCHE_066g] [PCHE_066g_OTHER]
SPANISH	¿Qué afección o afecciones ha tenido ^{FILL_YOUTHNAME}? COLUMN HEADERS: 1. Sí 0. No ROW ITEMS: a. Asma [PCHE_066a] b. Afección del corazón [PCHE_066b] c. Anemia [PCHE_066c] d. Diabetes [PCHE_066d] e. Cáncer [PCHE_066e] f. Epilepsia [PCHE_066f] g. Alguna otra afección (describa: _____) [PCHE_066g] [PCHE_066g_OTHER]
RANGE	
LIMITS	PCHE_066g_OTHER: Set max 100 characters
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). Set variables as 1 if checked, 0 if not. If PCHE_066g is checked, display PCHE_066g_OTHER text box
CHECK (ENG)	IF NO OPTIONS ARE SELECTED, DISPLAY:

	“You responded on a previous question that ^{FILL_YOUTHNAME} has or had a chronic health condition or life-threatening disease. If the condition that ^{FILL_YOUTHNAME} has or had is not listed here, please select “Some other condition”. If ^{FILL_YOUTHNAME} has not had a condition or problem, please click “Back” to update your answer.”
CHECK (SPAN)	IF NO OPTIONS ARE SELECTED, DISPLAY: “Usted respondió en una pregunta anterior que ^{FILL_YOUTHNAME} tiene o ha tenido un problema de salud crónico o una enfermedad que pone en peligro la vida. Si la afección que tiene o tuvo ^{FILL_YOUTHNAME} no aparece en esta lista, seleccione “Alguna otra afección”. Si ^{FILL_YOUTHNAME} no ha tenido ninguna afección o problema, haga clic en “Back” (Atrás) para actualizar su respuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_065=1
NEXT	IF PCHE_066a=1: PCHE_067; Else if PCHE_066b=1: PCHE_070; PCHE_066c=1: PCHE_073; PCHE_066d=1: PCHE_076; PCHE_066e=1: PCHE_079; PCHE_066f=1: PCHE_082; Else: PCHE_085

PCHE_067_#	
ASK	PCHE_066a=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the asthma was first noticed? _____ years -9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez el asma? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_066
NEXT	PCHE_068

PCHE_068_#	
ASK	IF PCHE_066a=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the asthma currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿El asma limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_067
NEXT	IF PCHE_068=1: PCHE_069; Else if PCHE_066b=1: PCHE_070; PCHE_066c=1: PCHE_073; PCHE_066d=1: PCHE_076; PCHE_066e=1: PCHE_079; PCHE_066f=1: PCHE_082; PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_069_#	
ASK	If PCHE_068=1(yes) (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the asthma currently limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita en este momento el asma a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_068=1
NEXT	IF PCHE_066b=1: PCHE_070; PCHE_066c=1: PCHE_073; PCHE_066d=1: PCHE_076; PCHE_066e=1: PCHE_079; PCHE_066f=1: PCHE_082; PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_070_#	
ASK	IF PCHE_066b=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the heart condition was first noticed? _____ years -9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la afección del corazón? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_066, PCHE_068, PCHE_069
NEXT	PCHE_071

PCHE_071_#	
ASK	IF PCHE_066b=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the heart condition currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La afección del corazón limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_070
NEXT	PCHE_071=1: PCHE_072; PCHE_066c=1: PCHE_073; PCHE_066d=1: PCHE_076; PCHE_066e=1: PCHE_079; PCHE_066f=1: PCHE_082; PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_072_#	
ASK	If PCHE_071=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the heart condition currently limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita en este momento la afección del corazón a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_071=1
NEXT	IF PCHE_066c=1: PCHE_073; PCHE_066d=1: PCHE_076; PCHE_066e=1: PCHE_079; PCHE_066f=1: PCHE_082; PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_073_#	
ASK	IF PCHE_066c=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the anemia was first noticed? _____ years -9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la anemia? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_066, PCHE_068, PCHE_069, PCHE_071, PCHE_072
NEXT	PCHE_074

PCHE_074_#	
ASK	PCHE_066c=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the anemia currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La anemia limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_073
NEXT	IF PCHE_074=1: PCHE_075; PCHE_066d=1: PCHE_076; PCHE_066e=1: PCHE_079; PCHE_066f=1: PCHE_082; PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_075_#	
ASK	If PCHE_074=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the anemia currently limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita en este momento la anemia a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_074=1
NEXT	PCHE_066d=1: PCHE_076; PCHE_066e=1: PCHE_079; PCHE_066f=1: PCHE_082; PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_076_#	
ASK	PCHE_066d=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the diabetes was first noticed? _____ years -9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la diabetes? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_066, PCHE_068, PCHE_069, PCHE_071, PCHE_072, PCHE_074, PCHE_075
NEXT	PCHE_077

PCHE_077_#	
ASK	IF PCHE_066d=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the diabetes currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿Limita en este momento la diabetes a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_076
NEXT	IF PCHE_077=1: PCHE_078; PCHE_066e=1: PCHE_079; PCHE_066f=1: PCHE_082; PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_078_#	
ASK	If PCHE_077=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the diabetes currently limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita en este momento la diabetes a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_077=1
NEXT	IF PCHE_066e=1: PCHE_079; PCHE_066f=1: PCHE_082; PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_079_#	
ASK	IF PCHE_066e=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the cancer was first noticed? _____ years -9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez el cáncer? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY.
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_066, PCHE_068, PCHE_069, PCHE_071, PCHE_072, PCHE_074, PCHE_075, PCHE_077, PCHE_078
NEXT	PCHE_080

PCHE_080_#	
ASK	IF PCHE_066e=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the cancer currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿El cáncer limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_079
NEXT	IF PCHE_080=1: PCHE_081; PCHE_066f=1: PCHE_082; PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_081_#	
ASK	If PCHE_080=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the cancer currently limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita en este momento el cáncer a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_080=1
NEXT	IF PCHE_066f=1: PCHE_082; PCHE_066g: PCHE_085; Else PCHE_088

PCHE_082_#	
ASK	IF PCHE_066f=1 (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the epilepsy was first noticed? _____ years -9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la epilepsia? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_066, PCHE_068, PCHE_069, PCHE_071, PCHE_072, PCHE_074, PCHE_075, PCHE_077, PCHE_078, PCHE_080, PCHE_081
NEXT	PCHE_083

PCHE_083_#	
ASK	IF PCHE_066f=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the epilepsy currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La epilepsia limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_082
NEXT	PCHE_083=1: PCHE_084; PCHE_066g: PCHE_085; Else PCHE_088

PCHE_084_#	
ASK	If PCHE_083=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the epilepsy currently limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita en este momento la epilepsia a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_083=1
NEXT	IF PCHE_066g=1: PCHE_085; Else PCHE_088

PCHE_085_#	
ASK	IF PCHE_066g=1 or if (PCHE_065=1 and PCHE_066=DK or REF) (Continue PCHE Loop 1)
QUESTION TYPE	Numeric Radio special answer option
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How old was ^{FILL_YOUTHNAME} when the other condition was first noticed? _____ years -9. Does not apply, they have had the condition since birth.
SPANISH	¿Qué edad tenía ^{FILL_YOUTHNAME} cuando se detectó por primera vez la otra afección? _____ años -9. No corresponde, tiene la afección desde su nacimiento.
RANGE	0-18
LIMITS	Max 2 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). INCLUDE SEPARATE NUMBOX FOR YEARS WITH A CORRESPONDING LABEL; ALSO INCLUDE A SINGLE SELECT OPTION TO INDICATE THAT THIS DOES NOT APPLY
CHECK (ENG)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Please enter a number between 0 (birth) and ^{FILL_YOUTHAGE} years of age.
CHECK (SPAN)	IF OUT OF RANGE OR GREATER THAN ^{FILL_YOUTHAGE}, DISPLAY A HARD CHECK: Ingrese un número entre 0 (nacimiento) y ^{FILL_YOUTHAGE} años de edad.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PCHE_066, PCHE_068, PCHE_069, PCHE_071, PCHE_072, PCHE_074, PCHE_075, PCHE_077, PCHE_078, PCHE_080, PCHE_081, PCHE_083, PCHE_084
NEXT	PCHE_086

PCHE_086_#	
ASK	IF PCHE_066g=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does the other condition currently limit ^{FILL_YOUTHNAME}? 1. Yes 0. No
SPANISH	¿La otra afección limita en este momento a ^{FILL_YOUTHNAME}? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_085
NEXT	Next: PCHE_086=1: PCHE_087; Else PCHE_088

PCHE_087_#	
ASK	If PCHE_086=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	How much does the other condition currently limit ^{FILL_YOUTHNAME}? - Limits a little - Limits a lot
SPANISH	¿Cuánto limita en este momento la otra afección a ^{FILL_YOUTHNAME}? - Un poco - Mucho
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_086=1
NEXT	PCHE_088

PCHE_088_#	
ASK	All respondents (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Does ^{FILL_YOUTHNAME} regularly (such as daily or weekly) take any medicine or prescription drugs related to a chronic condition? 1. Yes 0. No
SPANISH	¿^{FILL_YOUTHNAME} toma regularmente (por ejemplo, todos los días o todas las semanas) algún medicamento o fármacos con receta relacionados con una afección crónica? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_065, PCHE_068, PCHE_069, PCHE_071, PCHE_072, PCHE_074, PCHE_075, PCHE_077, PCHE_078, PCHE_080, PCHE_081, PCHE_083, PCHE_084, PCHE_086, PCHE_087
NEXT	PCHE_089

PCHE_089_#	
ASK	All respondents (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Is there a place you or another caregiver usually take ^{FILL_YOUTHNAME} when they are sick, or you need advice about their health? 1. Yes 0. No
SPANISH	¿Hay algún lugar al que usted u otro(a) cuidador(a) suelen llevar a ^{FILL_YOUTHNAME} cuando está enfermo(a) o necesita recomendaciones sobre su salud? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_088
NEXT	PCHE_089=1: PCHE_090; Else PCHE_091

PCHE_090_#	
ASK	IF PCHE_089=1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Where does ^{FILL_YOUTHNAME} usually go first? Please choose only one. 1. Doctor's office or outpatient clinic 2. Community Health Clinic or Public Health Clinic 3. Hospital Emergency Room 4. Hospital Outpatient Department 5. Urgent Care 6. Clinic within a drug store or grocery store 7. School (Nurse's Office, Athletic Trainer's Office) 8. Other Clinic or Health Center 9. Some other place
SPANISH	¿A dónde suele ir ^{FILL_YOUTHNAME} primero? Elija una sola opción. 1. Consultorio de un doctor o clínica ambulatoria 2. Clínica de salud comunitaria o clínica de salud pública 3. Sala de emergencias del hospital 4. Departamento para pacientes ambulatorios del hospital 5. Atención médica urgente 6. Clínicas dentro de farmacias o tiendas de comestibles 7. Escuela (oficina de enfermería, oficina de los entrenadores o de atletismo) 8. Otra clínica o centro de salud 9. Algún otro lugar
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_089=1
NEXT	PCHE_091

PCHE_091_#	
ASK	ALL (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	About how long has it been since ^{FILL_YOUTHNAME} last visited a doctor or other health care provider for a routine checkup? 1. Less than a year 2. Between 1 and 2 years ago 3. 2 to 5 years ago 4. More than 5 years ago 0. Does not apply, youth has never had a routine checkup
SPANISH	¿Hace cuánto tiempo aproximadamente visitó ^{FILL_YOUTHNAME} por última vez a un doctor u otro proveedor de atención médica para un chequeo de rutina? 1. Menos de un año 2. Hace entre 1 y 2 años 3. Hace entre 2 y 5 años 4. Hace más de 5 años 0. No corresponde, el(la) joven nunca se ha hecho un chequeo de rutina
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_090, PCHE_089
NEXT	PCHE_092

PCHE_092_#	
ASK	All respondents (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	About how long has it been since ^{FILL_YOUTHNAME} last visited a dentist or other oral health care provider for a routine checkup or dental cleaning? 1. Less than 6 months 2. 6 months to 1 year ago 3. Between 1 and 2 years ago 4. 2 to 5 years ago 5. More than 5 years ago 0. Does not apply, youth has never had a routine dental checkup or cleaning
SPANISH	¿Hace cuánto tiempo aproximadamente visitó ^{FILL_YOUTHNAME} por última vez a un dentista u otro proveedor de atención médica bucodental para un chequeo de rutina o una limpieza dental? 1. Menos de 6 mes 2. Hace de 6 meses a 1 año 3. Hace entre 1 y 2 años 4. Hace entre 2 y 5 años 5. Hace más de 5 años 0. No corresponde, el(la) joven nunca se ha hecho un chequeo de rutina
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_091
NEXT	PCHE_093

PCHE_093_#	
ASK	All respondents (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	During the past 12 months, how many times was ^{FILL_YOUTHNAME} injured or ill and had to be treated by a health care provider? 0. Never 1. 1-3 times 2. 4 or more times
SPANISH	Durante los últimos 12 meses, ¿cuántas veces se lesionó o enfermó ^{FILL_YOUTHNAME} y tuvo que recibir tratamiento por parte de un proveedor de atención médica? 0. Nunca 1. 1-3 veces 2. 4 o más veces
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_092
NEXT	PCHE_094

PCHE_094_#	
ASK	All respondents (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	Some injuries and illnesses are not treated by a health care provider. During the past 12 months, how many times did ^{FILL_YOUTHNAME} miss one or more days of usual activities (such as work or school) due to an injury or illness that was not treated by a health care provider? 0. Never 1. 1-3 times 2. 4 or more times
SPANISH	Algunas lesiones y enfermedades no son tratadas por un proveedor de atención médica. Durante los últimos 12 meses, ¿cuántas veces faltó ^{FILL_YOUTHNAME} uno o más días a sus actividades habituales (como el trabajo o la escuela) debido a una lesión o enfermedad que no fue tratada por parte de un proveedor de atención médica? 0. Nunca 1. 1-3 veces 2. 4 o más veces
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_093
NEXT	PCHE_095

PCHE_095_#	
ASK	All respondents (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	During the past 12 months, has ^{FILL_YOUTHNAME} received any treatment or counseling from a mental health professional? Mental health professionals include psychiatrists, psychologists, psychiatric nurses, and clinical social workers. 1. Yes 0. No
SPANISH	Durante los últimos 12 meses, ¿ha recibido ^{FILL_YOUTHNAME} algún tratamiento o asesoramiento por parte de un profesional de la salud mental? Los profesionales de la salud mental incluyen psiquiatras, psicólogos, enfermeros psiquiátricos y trabajadores sociales clínicos. 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_094
NEXT	PCHE_095=1: PCHE_097; Else PCHE_096

PCHE_096_#	
ASK	If PCHE_095 ≠1 (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	During the past 12 months, did ^{FILL_YOUTHNAME} need any treatment or counseling from a mental health professional? 1. Yes 0. No
SPANISH	Durante los últimos 12 meses, ¿necesitó ^{FILL_YOUTHNAME} algún tratamiento o asesoramiento por parte de un profesional de la salud mental? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_095
NEXT	PCHE_097

PCHE_097_#	
ASK	ALL (Continue PCHE Loop 1)
QUESTION TYPE	Radio
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001
ENGLISH	During the past 12 months, has ^{FILL_YOUTHNAME} taken any medication because of difficulties with their emotions, concentration, or behavior? 1. Yes 0. No
SPANISH	Durante los últimos 12 meses, ¿ha tomado ^{FILL_YOUTHNAME} algún medicamento debido a dificultades con sus emociones, concentración o comportamiento? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15).
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	PCHE_096, PCHE_095
NEXT	f_PCHE_098

f_PCHE_098_# PCHE_098a_#/ PCHE_098b_#/ PCHE_098c_#/ PCHE_098d_#/ PCHE_098e_#/ PCHE_098f_#/ PCHE_098g_#/ PCHE_098h_#/ PCHE_098i_#/ PCHE_098j_#	
ASK	ALL (End PCHE Loop 1)
QUESTION TYPE	Radio grid
FILLS (ENG)	Use fill, FILL_YOUTHNAME, from PCHE_001 Create fill, FILL_STATECHIP: 'STATEPROGRAM1' Create fill, FILL_STATEMED: 'STATEPROGRAM2'
FILLS (SPAN)	Use fill, FILL_YOUTHNAME, from PCHE_001 Create fill, FILL_STATECHIP: 'STATEPROGRAM1' Create fill, FILL_STATEMED: 'STATEPROGRAM2'
ENGLISH	Is ^{FILL_YOUTHNAME} covered by health insurance that includes physician and/or hospital care through any of the following? <i>Please indicate which type(s) of insurance coverage they currently have—note that this may be more than one type.</i> COLUMN HEADERS: 1. Yes 0. No ROW ITEMS: Private insurance through their own job, union, or business [PCHE_098a] Private insurance through a parent or guardian's job, union, or business [PCHE_098b] Private insurance through someone else's job, union, or business [PCHE_098c] Insurance purchased through the HealthCare.gov marketplace, directly from an insurer, or through a professional or retirement association [PCHE_098d] Insurance through a federal (such as Children's Health Insurance Program [CHIP], Medicaid, etc.) or state program (such as ^{FILL_STATECHIP}, ^{FILL_STATEMED}, etc.) [PCHE_098e] Medicare, the plan for people 65 or older and some younger people with specific disabilities that is sponsored by the federal government [PCHE_098f] Military-related health plan such as TRICARE, CHAMPUS, CHAMPVA, or VA hospital care [PCHE_098g] Indian Health Service [PCHE_098h] Another type of health insurance [PCHE_098i] Does not apply, this child is not covered by health insurance [PCHE_098j]
SPANISH	¿Tiene ^{FILL_YOUTHNAME} cobertura por un seguro médico que incluya atención médica y/o hospitalaria a través de alguno de los siguientes? <i>Indique qué tipo o tipos de cobertura de seguro tiene en este momento; tenga en cuenta que puede haber más de un tipo.</i> COLUMN HEADERS: 1. Sí 0. No ROW ITEMS: Seguro privado a través de su propio trabajo, sindicato o empresa [PCHE_098a]

	Seguro privado a través del trabajo, el sindicato o la empresa de un padre/madre o tutor(a) [PCHE_098b] Seguro privado a través del trabajo, sindicato o empresa de otra persona [PCHE_098c] Seguro comprado a través del mercado en HealthCare.gov, directamente de una aseguradora o a través de una asociación profesional o de jubilación [PCHE_098d] Seguro a través de un programa federal (como el Programa de Seguro Médico para Niños [CHIP, por sus siglas en inglés], Medicaid, etc.) o estatal (como ^{FILL_STATECHIP}, ^{FILL_STATEMED}, etc.) [PCHE_098e] Medicare, el plan para personas de 65 años o más y algunas personas más jóvenes con discapacidades específicas que patrocina el Gobierno federal [PCHE_098f] Un plan de salud relacionado con el ejército, como TRICARE, CHAMPUS, CHAMPVA o la atención hospitalaria de Asuntos de los Veteranos (VA, por sus siglas en inglés) [PCHE_098g] Programa de Salud para Indígenas Estadounidenses [PCHE_098h] Otro tipo de seguro médico [PCHE_098i] No corresponde, este(a) niño(a) no tiene cobertura de un seguro médico [PCHE_098j]
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	15
<i>PROGRAM. NOTES</i>	Loop through PPCL Loop 1 (PCHE_001 through f_PCHE_098) for each youth on YOUTHROSTER until LOOPNUMBER=YOUTHROSTERNUM or max loops reached (15). Set variables as 1 if checked, 0 if not.
<i>CHECK (ENG)</i>	If PCHE_098j=1 and any other item =1, display soft check: You reported that this child had at least one type of insurance, and you also reported that this child is not covered by health insurance. Please review and update your response.
<i>CHECK (SPAN)</i>	If PCHE_098j=1 and any other item =1, display soft check: Usted informó que este(a) niño(a) tenía al menos un tipo de seguro médico y también informó que este(a) niño(a) no tiene cobertura de un seguro médico. Revise y actualice sus respuestas.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	PCHE_097
<i>NEXT</i>	PEXP_001

NLSY27
Child Expectations

Preloads:

YOUTH_NAME: Preload from ES Screener for all youth

YOUTHROSTERNUM: Total number of eligible youth in the household, created in ES018_LOOP_END

General Programming Instructions:

NOTE THAT THIS ENTIRE MODULE WILL NEED TO BE REPEATED FOR EACH ELIGIBLE YOUTH IN THE HOUSEHOLD.

Paradata:

Capture item level timing.

Include a time/date stamp at beginning and end of module.

General Notes:

- Do not display response option numbers/letters.
- Do not display DK and REF on each screen at loading.
 - If R tries to move forward without providing a response, display DK ('Don't know') and REF ('Prefer not to answer') on screen.
 - Spanish: display DK ('No lo sé') and REF ('Prefiero no contestar') on screen.
 - Unless otherwise noted, include a soft prompt for R to respond or select DK/REF option:
"Your answers are very important. Please consider selecting a response."
 - Spanish: "Sus respuestas son muy importantes. Considere la posibilidad de seleccionar una respuesta."
 - If R still tries to move forward without answering, assign REF code to missing response.

PEXP_001_#	
ASK	All respondents (Begin PEXP_loop)
QUESTION TYPE	Numeric
FILLS	CREATE FILL YOUTHNAME_#: FILL YOUTHNAME YOUTH_NAME_# FROM PRELOADS. CREATE FILL FILL_PEXPINTRO. If LOOPNUMBER=1, FILL_PEXPINTRO: When we ask a question, we would like you to give us a number from 0 to 100, where "0" means that you think there is absolutely no chance, and "100" means that you think the event is absolutely certain to happen. You can think of the percent chance that some event will occur as the number of chances out of 100 that the event will take place. For example, no one can ever be sure about tomorrow's weather, but if you think that rain is very unlikely tomorrow, you might say that there is a 6 percent chance. If you think there is a very good chance that it will rain tomorrow, you might say that there is an 82 percent chance of rain. If you are positive that it will rain tomorrow, you would say there is a 100 percent chance of rain. What do you think the percent chance is that ^{YOUTHNAME_#} will get the flu sometime in the next year? Percent chance: _____ % ELSE FILL_PEXPINTRO: Empty
FILLS (SPAN)	CREATE FILL YOUTHNAME_#: FILL YOUTHNAME_# FROM PRELOADS. CREATE FILL FILL_PEXPINTRO. If LOOPNUMBER=1, FILL_PEXPINTRO: Cuando le hagamos una pregunta, quisiéramos que nos dé un número del 0 al 100, teniendo en cuenta que "0" significa que cree que no hay absolutamente ninguna posibilidad y que "100" significa que no tiene dudas de que esto ocurrirá. Puede pensar en la posibilidad de que un suceso ocurra como un porcentaje o como un número de posibilidad en una escala del 1 al 100. Por ejemplo, nadie puede garantizar cómo estará el tiempo mañana, pero si cree que es muy poco probable que llueva mañana, podría decir que hay un 6 por ciento de probabilidad de lluvia. Si cree que la probabilidad de que llueva mañana es muy alta, podría decir que hay un 82 por ciento de probabilidad de lluvia. Si tiene certeza de que lloverá mañana, puede decir que hay un 100 por ciento de probabilidad de lluvia. ¿Cuál cree que es el porcentaje de probabilidad de que ^{YOUTHNAME_#} tenga gripe en algún momento del próximo año? Porcentaje de probabilidad: _____ % ELSE FILL_PEXPINTRO: Empty
ENGLISH	Next, we would like to ask your best guess about how likely you think something will happen in ^{YOUTHNAME_#}'s future. ^{FILL_EXPINTRO}

<i>SPANISH</i>	A continuación, nos gustaría que nos diera su mejor estimación sobre la probabilidad de que algo suceda en el futuro de ^{YOUTHNAME_#}. ^{FILL_EXPINTRO}	
<i>RANGE</i>	0-100	
<i>LIMITS</i>	Max 3 digits	
<i>LOOP MAX</i>	15	
<i>PROGRAM. NOTES</i>	Loop through PEXP_LOOP (PEXP_001_# - PEXP_007_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times. Create variable PEXP_LOOP[#].YOUTH_UID=YOUTH_UID_#	
<i>CHECK (ENG)</i>	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number between 0 and 100.	
<i>CHECK (SPAN)</i>	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número entre 0 y 100.	
<i>HELP TEXT (ENG)</i>		
<i>HELP TEXT (SPAN)</i>		
<i>MODE</i>	CASI, CAWI	
<i>NOTES</i>	PEXP_LOOP	
<i>LEAD-IN</i>	PCHE_051, PEXP_007_#	
<i>NEXT</i>	PEXP_002_#	

PEXP_002_#	
ASK	All respondents (continue PEXP_LOOP)
QUESTION TYPE	Numeric
FILLS	Use FILL YOUTHNAME_# from PEXP_001_#
FILLS (SPAN)	Use FILL YOUTHNAME_# from PEXP_001_#
ENGLISH	The next questions ask about ^{YOUTHNAME_#}'s school and work situation at the time of their 20th birthday. Using a scale from 0 to 100, where 0 means absolutely no chance that the event will happen and 100 means that the event is absolutely certain to happen, what do you think the percent chance is that ^{YOUTHNAME_#} will have received a high school diploma by the time they turn 20? Percent chance: _____ %
SPANISH	Las siguientes preguntas son sobre la situación escolar y laboral de ^{YOUTHNAME_#} en el momento en que cumpla los 20 años. En una escala del 0 al 100, en la que “0” significa que no hay absolutamente ninguna posibilidad de que esto ocurra y “100” significa que no tiene dudas de que ocurrirá, ¿cuál cree que es el porcentaje de probabilidad de que ^{YOUTHNAME_#} reciba un diploma de escuela secundaria para cuando cumpla los 20 años? Porcentaje de probabilidad: _____ %
RANGE	0-100
LIMITS	Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PEXP_LOOP (PEXP_001_# - PEXP_007_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number between 0 and 100.
CHECK (SPAN)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número entre 0 y 100.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	PEXP_LOOP
LEAD-IN	PEXP_001_#
NEXT	PEXP_003_#

PEXP_003_#	
ASK	All respondents (continue PEXP_LOOP)
QUESTION TYPE	Numeric
FILLS	Use FILL YOUTHNAME_# from PEXP_001_#
FILLS (SPAN)	Use FILL YOUTHNAME_# from PEXP_001_#
ENGLISH	What do you think the percent chance is that ^{YOUTHNAME_#} will serve time in jail or prison between now and when they turn 20? Percent chance: _____ %
SPANISH	¿Cuál cree que es el porcentaje de probabilidad de que ^{YOUTHNAME_#} pase tiempo en la cárcel o prisión entre ahora y cuando cumpla los 20 años? Porcentaje de probabilidad: _____ %
RANGE	0-100
LIMITS	Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PEXP_LOOP (PEXP_001_# - PEXP_007_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number between 0 and 100.
CHECK (SPAN)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número entre 0 y 100.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	PEXP_LOOP
LEAD-IN	PEXP_002_#
NEXT	PEXP_004_#

PEXP_004_#	
ASK	All respondents (continue PEXP_LOOP)
QUESTION TYPE	Numeric
FILLS	Use FILL YOUTHNAME_# from PEXP_001_#
FILLS (SPAN)	Use FILL YOUTHNAME_# from PEXP_001_#
ENGLISH	What do you think the percent chance is that ^{YOUTHNAME_#} will become the parent of a baby sometime between now and when they turn 20? Percent chance: _____ %
SPANISH	¿Cuál cree que es el porcentaje de probabilidad de que ^{YOUTHNAME_#} sea padre/madre de un bebé en algún momento entre ahora y cuando cumpla los 20 años? Porcentaje de probabilidad: _____ %
RANGE	0-100
LIMITS	Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PEXP_LOOP (PEXP_001_# - PEXP_007_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number between 0 and 100.
CHECK (SPAN)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número entre 0 y 100.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	PEXP_LOOP
LEAD-IN	PEXP_003_#
NEXT	PEXP_005_#

PEXP_005_#	
ASK	All respondents (continue PEXP_LOOP)
QUESTION TYPE	Numeric
FILLS	Use FILL YOUTHNAME_# from PEXP_001_#
FILLS (SPAN)	Use FILL YOUTHNAME_# from PEXP_001_#
ENGLISH	Now think ahead to when ^{YOUTHNAME_#} turns 30 years old. Still using a scale from 0 to 100, where 0 means absolutely no chance that the event will happen and 100 means that the event is absolutely certain to happen, what do you think the percent chance is that ^{YOUTHNAME} will have a four-year college degree by the time they turn 30? Percent chance: _____ %
SPANISH	Ahora piense en el futuro, cuando ^{YOUTHNAME_#} cumpla 30 años. Siga usando una escala del 0 al 100, en la que “0” significa que no hay absolutamente ninguna posibilidad de que esto ocurra y “100” significa que no tiene dudas de que ocurrirá, ¿cuál cree que es el porcentaje de probabilidad de que ^{YOUTHNAME} haya recibido un diploma de universidad de 4 años para cuando cumpla los 30 años? Porcentaje de probabilidad: _____ %
RANGE	0-100
LIMITS	Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PEXP_LOOP (PEXP_001_# - PEXP_007_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number between 0 and 100.
CHECK (SPAN)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número entre 0 y 100.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	PEXP_LOOP
LEAD-IN	PEXP_004_#
NEXT	PEXP_006_#

PEXP_006_#	
ASK	All respondents (continue PEXP_LOOP)
QUESTION TYPE	Numeric
FILLS	Use FILL YOUTHNAME_# from PEXP_001_#
FILLS (SPAN)	Use FILL YOUTHNAME_# from PEXP_001_#
ENGLISH	What do you think the percent chance is that ^{YOUTHNAME_#} will have enough money to support themselves comfortably by age 30? Percent chance: _____ %
SPANISH	¿Cuál cree que es el porcentaje de probabilidad de que ^{YOUTHNAME_#} tenga el dinero suficiente para sustentarse de manera cómoda para cuando cumpla los 30 años? Porcentaje de probabilidad: _____ %
RANGE	0-100
LIMITS	Max 3 digits
LOOP MAX	15
PROGRAM. NOTES	Loop through PEXP_LOOP (PEXP_001_# - PEXP_007_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Please enter a number between 0 and 100.
CHECK (SPAN)	IF NUMBER ENTERED IS OUT OF RANGE, DISPLAY HARD CHECK: Ingrese un número entre 0 y 100.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	PEXP_LOOP
LEAD-IN	PEXP_005_#
NEXT	PEXP_007_#

PEXP_007_#	
ASK	All respondents (End PEXP_LOOP)
QUESTION TYPE	Radio
FILLS	Use FILL YOUTHNAME_# from PEXP_001_#
FILLS (SPAN)	Use FILL YOUTHNAME_# from PEXP_001_#
ENGLISH	As things stand now, what is the highest diploma or degree you expect ^{YOUTHNAME_#} will receive? 0. Do not expect them to receive a diploma or degree 1. High school equivalency such as GED (General Education Development) or HiSET (High School Equivalency Test) 2. High school diploma (Regular 12-year program) 3. Associate/Junior college (AA, AS) 4. Bachelor's degree (BA, BS) 5. Master's degree (MA, MBA, MS) 6. Doctoral degree (PhD, EdD) 7. Professional school degree (MD, DDS, JD)
SPANISH	Como están las cosas ahora, ¿cuál es el diploma o título más alto que usted espera que reciba ^{YOUTHNAME_#}? 0. No espera que reciba un diploma o título 1. Título equivalente al de la escuela secundaria/preparatoria, como el Desarrollo de Educación General (GED, por sus siglas en inglés) o la Prueba de Equivalencia de Escuela Secundaria (HiSET, por sus siglas en inglés) 2. Diploma de escuela secundaria/preparatoria (programa regular de 12 años) 3. Título de dos años (Associate)/escuela semisuperior (AA, AS, por sus siglas en inglés) 4. Título de cuatro años (BA, BS, por sus siglas en inglés) 5. Maestría (MA, MBA, MS, por sus siglas en inglés) 6. Doctorado (PhD, EdD, por sus siglas en inglés) 7. Título profesional (MD, DDS, JD, por sus siglas en inglés)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through PEXP_LOOP (PEXP_001_# - PEXP_007_#) for each roster line in YOUTHROSTER until YOUTHROSTERNUM is reached, with a max of 15 times.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PEXP_006_#
NEXT	IF LOOP NUM = YOUTHROSTERNUM OR LOOP NUM = 15: PCFB_001; Else PEXP_001_#

**Parent/Caregiver
Child Family Background (PCFB)**

PRELOADS:

YOUTH_NAME_#: Name of all eligible youth, created in ES018_LOOP_END
YOUTHROSTERNUM: Total number of eligible youth in the household, HHS
HHSMODE = CASI or CAWI

Paradata:

Capture item level timing
Include a time/date stamp at beginning and end of screener

GENERAL PROGRAMMING NOTES:

ALL ITEMS ARE REQUIRED.

- Do not display response option numbers/letters.
- Do not display DK and REF on each screen at loading.
 - If R tries to move forward without providing a response, display DK ('Don't know') and REF ('Prefer not to answer') on screen.
 - Unless otherwise noted, include a soft prompt for R to respond or select DK/REF option:
"Your answers are very important. Please consider selecting a response."
 - If R still tries to move forward without answering, assign REF code to missing response.

PCFB_001_#	
ASK	All respondents (Begin PCFB Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill FILL YOUTHNAME_#: Fill with YOUTH_NAME from sample preload
FILLS (SPAN)	Create fill FILL YOUTHNAME_#: Fill with YOUTH_NAME from sample preload
ENGLISH	When you think about how you act toward ^{YOUTHNAME_#}, in general, would you say you are very supportive, somewhat supportive, or not very supportive? 1. Very supportive 2. Somewhat supportive 3. Not very supportive
SPANISH	Cuando piensa en cómo actúa usted con respecto a ^{YOUTHNAME_#}, en general, ¿diría que usted le brinda mucho apoyo, algo de apoyo o no mucho apoyo? 1. Mucho apoyo 2. Algo de apoyo 3. No mucho apoyo
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through YOUTH_RELATIONSHIP_LOOP: PCFB_001_# – PCFB_003_# for each eligible youth until LOOP NUMBER = YOUTHROSTERNUM with a max of 15 loops reached. Create variable PCFBLOOP1[#].YOUTH_UID=YOUTH_UID_#
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PEXP_007
NEXT	PCFB_002_#

PCFB_002_#	
ASK	All respondents (continue PCFB Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCFB_001: FILL YOUTHNAME_#
FILLS (SPAN)	Use fill from PCFB_001: FILL YOUTHNAME_#
ENGLISH	In general, would you say you are permissive or strict about making sure ^{YOUTHNAME_#} does the things they are supposed to do? 1. Permissive (not strict) 2. Strict
SPANISH	En general, ¿diría que usted es permisivo(a) o estricto(a) a la hora de asegurarse de que ^{YOUTHNAME_#} haga las cosas que se supone que debe hacer? 1. Permisivo(a), no estricto(a) 2. Estricto(a)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through YOUTH_RELATIONSHIP_LOOP: PCFB_001_# – PCFB_003_# for each eligible youth until LOOP NUMBER = YOUTHROSTERNUM with a max of 15 loops reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	YOUTH RELATIONSHIP LOOP
LEAD-IN	PCFB_001_#
NEXT	PCFB_003_#

PCFB_003_#	
ASK	All respondents (EndPCFB Loop 1)
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from PCFB_001: FILL YOUTHNAME_#
FILLS (SPAN)	Use fill from PCFB_001: FILL YOUTHNAME_#
ENGLISH	How close do you feel to ^{YOUTHNAME_#}? 1. Extremely close 2. Quite close 3. Somewhat close 4. Not very close 5. Not close at all
SPANISH	¿Qué tan cercano(a) se siente a ^{YOUTHNAME_#}? 1. Extremadamente cercano(a) 2. Bastante cercano(a) 3. Un poco cercano(a) 4. No mucho cercano(a) 5. Para nada cercano(a)
RANGE	
LIMITS	
LOOP MAX	15
PROGRAM. NOTES	Loop through YOUTH_RELATIONSHIP_LOOP: PCFB_001_# – PCFB_003_# for each eligible youth until LOOP NUMBER = YOUTHROSTERNUM with a max of 15 loops reached.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI, CAWI
NOTES	
LEAD-IN	PCFB_002_#
NEXT	IF LOOP NUMBER < YOUTHROSTERNUM: Loop again (PCFC_001_#) ELSE: GO TO NEXT MODULEMODULE

NLSY27 Specifications Formatting
Parent/Caregiver Debriefing Questions

PRELOADS:

MODE: CASI, CAWI

YOUTHNAME: From screener

YOUTHROSTER: From screener

YOUTHROSTERNUM: From screener

YOUTH_NAME

GENERAL PROGRAMMER NOTES:

Display DK “don’t know” and REF “prefer not to answer” items only after respondent attempts to advance to the next screen without selecting/entering a response.

If respondent advances to the next screen without selecting DK or REF, assign REF value.

Capture item level timing.

Include a time/date stamp at beginning and end of module.

f_PRDB_1 PRDB_INT1/PRDB_INT2/PRDB_WEB1/PRDB_WEB2/PRDB_WEB3	
ASK	All respondents
QUESTION TYPE	Radio grid
FILLS	Create FILL_MODE: IF MODE = CASI, FILL_MODE: a. Answering questions using the laptop computer [PRDB_INT1] b. Using the calendars on the laptop computer to give dates for events [PRDB_INT2] Else, if MODE = CAWI: FILL_MODE: a. Logging into the web survey [PRDB_WEB1] b. Answering questions in the web survey [PRDB_WEB2] c. Using the calendar feature to give dates for events [PRDB_WEB3]
FILLS (SPAN)	Create FILL_MODE: IF MODE = CASI, FILL_MODE: a. Responder preguntas usando la computadora portátil [PRDB_INT1] b. Usar los calendarios de la computadora portátil para anotar fechas de eventos [PRDB_INT2] Else, if MODE = CAWI: FILL_MODE: a. Iniciar sesión en la encuesta web [PRDB_WEB1] b. Responder preguntas en la encuesta web [PRDB_WEB2] c. Usar la función del calendario para anotar fechas de eventos [PRDB_WEB3]
ENGLISH	Finally, we have a few questions about how you felt overall during the interview. How easy did you find the following? COLUMN HEADERS: 1. Very easy 2. Somewhat easy 3. Not very easy 4. Not easy at all 0. Not applicable ROW ITEMS: ^{FILL_MODE}
SPANISH	Por último, tenemos algunas preguntas sobre cómo se sintió en general durante la entrevista. ¿Qué tan fácil le resultó lo siguiente? COLUMN HEADERS: 1. Muy fácil 2. Algo fácil 3. No muy fácil 4. Para nada fácil 0. No corresponde ROW ITEMS: ^{FILL_MODE}
RANGE	

LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	
NEXT	f_PRDB_2

f_PRDB_2 PRDB_2_1/PRDB_2_2/PRDB_2_3/PRDB_2_4/PRDB_2_O	
ASK	All
QUESTION TYPE	Radio grid, Text
FILLS	Create fill FILL_NUMYOUTH. If YOUTHROSTERNUM=1, FILL_NUMYOUTH: 'child' Else FILL_NUMYOUTH: 'children'
FILLS (SPAN)	Create fill FILL_NUMYOUTH. If YOUTHROSTERNUM=1, FILL_NUMYOUTH: 'su hijo(a) Else FILL_NUMYOUTH: 'sus hijos(as)'
ENGLISH	Do you have any of the following concerns about your ^{FILL_NUMYOUTH} participating in this study in the future? COLUMN HEADERS: 1. Yes 0. No ROW ITEMS: 1. Questions that are uncomfortable for them to answer [PRDB_2_1] 2. Whether their information will stay private [PRDB_2_2] 3. How often they will be asked to complete surveys [PRDB_2_3] 4. Other [PRDB_2_4] Please describe your concerns about your ^{FILL_NUMYOUTH} participating in this study in the future [PRDB_2_O]
SPANISH	¿Tiene alguna de las siguientes preocupaciones sobre la participación de ^{FILL_NUMYOUTH} en este estudio en el futuro? COLUMN HEADERS: 1. Sí 0. No ROW ITEMS: 1. Preguntas que resulten incómodas de responder [PRDB_2_1] 2. La privacidad de su información [PRDB_2_2] 3. Con qué frecuencia se pedirá que complete(n) encuestas [PRDB_2_3] 4. Otras [PRDB_2_4] Describa sus preocupaciones acerca de la participación de ^{FILL_NUMYOUTH} en este estudio en el futuro [PRDB_2_O]
RANGE	
LIMITS	PRDB_2_O: Max 120 characters
LOOP MAX	
PROGRAM. NOTES	If PRDB_2_4 = 1, DISPLAY PRDB_2_O: 'Please describe your concerns about your child(ren) participating in this study in the future.'
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

<i>MODE</i>	CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_PRDB_1
<i>NEXT</i>	f_PRDB_3

f_PRDB_3 PRDB_3_1/PRDB_3_2/PRDB_3_3/PRDB_3_4/PRDB_3_5/PRDB_3_6/PRDB_3_7/PRDB_3_8/PRDB_3_9/PRDB_3_10/PRDB_3_11/PRDB_3_12/PRDB_3_13/PRDB_3_14/PRDB_3_15	
ASK	All
QUESTION TYPE	Radio button
FILLS	FILL_CHILDREN: IF YOUTHROSTERNUM = 1, FILL_CHILDREN: For your child listed below, ELSE, FILL_CHILDREN: For each of your children listed below, FILL YOUTHROSTER
FILLS (SPAN)	FILL_CHILDREN: IF YOUTHROSTERNUM = 1, FILL_CHILDREN: Pensando en el(la) hijo(a) que está enumerado(a) a continuación, ELSE, FILL_CHILDREN: Pensando en cada uno(a) de los(as) hijos(as) enumerados(as) a continuación, FILL YOUTHROSTER
ENGLISH	^{CHILDREN} indicate how likely you think it is they will participate in the next round of this study. COLUMN HEADERS: 1. Very likely 2. Somewhat likely 3. Not very likely 4. Not at all likely ROW ITEMS ^{YOUTHROSTER} [PRDB_3_1] [PRDB_3_2] [PRDB_3_3] [PRDB_3_4] [PRDB_3_5] [PRDB_3_6] [PRDB_3_7] [PRDB_3_8] [PRDB_3_9] [PRDB_3_10] [PRDB_3_11] [PRDB_3_12] [PRDB_3_13] [PRDB_3_14] [PRDB_3_15] .
SPANISH	^{CHILDREN} indique qué tan probable cree que es que participe(n) en la próxima ronda de este estudio. COLUMN HEADERS: 1. Muy probable 2. Algo probable 3. No es muy probable 4. Para nada probable ROW ITEMS ^{YOUTHROSTER} [PRDB_3_1]

	[PRDB_3_2] [PRDB_3_3] [PRDB_3_4] [PRDB_3_5] [PRDB_3_6] [PRDB_3_7] [PRDB_3_8] [PRDB_3_9] [PRDB_3_10] [PRDB_3_11] [PRDB_3_12] [PRDB_3_13] [PRDB_3_14] [PRDB_3_15] .
<i>RANGE</i>	
<i>LIMITS</i>	
<i>LOOP MAX</i>	
<i>PROGRAM. NOTES</i>	
<i>CHECK (ENG)</i>	
<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CASI
<i>NOTES</i>	
<i>LEAD-IN</i>	f_PRDB_2
<i>NEXT</i>	If YOUTHROSTERNUM=1: END Else: PRDB_4

PRDB_4	
ASK	YOUTHROSTERNUM>1
QUESTION TYPE	Radio
FILLS	
FILLS (SPAN)	
ENGLISH	Think about the questions you answered about youth in your household. How confident are you that your answers were as complete and correct as possible for all the youth you were asked about? 1. Very confident 2. Somewhat confident 3. Not very confident 4. Not confident at all
SPANISH	Piense en las preguntas que respondió sobre los jóvenes de su hogar. ¿Qué tan seguro(a) está de que sus respuestas fueron lo más completas posibles para todos los jóvenes sobre los que se le preguntó? 1. Muy seguro(a) 2. Algo seguro(a) 3. No muy seguro(a) 4. Para nada seguro(a)
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CASI
NOTES	
LEAD-IN	f_PRDB_3
NEXT	END

NLSY27 Specifications Formatting
Parent Re-Start Interview (PRSI)

Preloads:

SPCUID: HH_UID of primary P/C selected for interview

SPCNAME: Name of parent/guardian selected for parent/caregiver interview

ALTPCUID: HH_UID of alternate P/C selected for interview

ALTPCNAME: Name of alternate parent/guardian selected for parent/caregiver interview

General Programming Instructions

All items are required.

Do NOT display DK “don’t know” and REF “prefer not to answer” items.

Capture item level timing.

Include a time/date stamp at beginning and end of module.

If the alternate P/C begins the survey after the primary P/C had started it, the data entered by the first parent should be deleted. If a survey is reset because the P/C cannot remember their PIN, all data previously entered should also be deleted. Each time that the data for the case is deleted, the following information should be stored:

Instance of data deletion (first, second, third time, etc.), Date of data deletion, Last item visited

PRSI_NAME	
ASK	All
QUESTION TYPE	Radio
FILLS (ENG)	Create fill, FILL_SPCNAME: 'SPCNAME' Create fill, FILL_ALTPCNAME: 'ALTPCNAME'
FILLS (SPAN)	Create fill, FILL_SPCNAME: 'SPCNAME' Create fill, FILL_ALTPCNAME: 'ALTPCNAME'
ENGLISH	Please select your name from this list of possible respondents: 1. ^{FILL_SPCNAME} 2. ^{FILL_ALTPCNAME} 3. None of these
SPANISH	Seleccione su nombre de esta lista de posibles personas encuestadas: 4. ^{FILL_SPCNAME} 5. ^{FILL_ALTPCNAME} 6. Ninguna de estas opciones
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Only display response option 2 if ALTPCNAME is not missing
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI, CAWI
NOTES	
LEAD_JN	PINF_010
NEXT	If PRSI_NAME=3: PRSI_INELIGIBLE Else if PRSI_NAME=1 and SPCUID=RPC_UID: PRSI_PIN Else if PRSI_NAME=2 and ALTPCUID=RPC_UID: PRSI_PIN Else if PRSI_NAME=2: PC_CONSENT Else if PRSI_NAME=1 and ALTPCUID=RPC_UID: PRSI_INELIGIBLE

PRSI_PIN	
ASK	All
QUESTION TYPE	Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Please enter the 4-digit PIN number you created when you started the survey: Enter PIN:
SPANISH	Ingrese el número PIN de 4 dígitos que creó cuando comenzó la encuesta: Ingrese el PIN:
RANGE	
LIMITS	4 digits
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If PRSI_PIN≠PINF_010a_PIN, display hard check: This PIN does not match the PIN you created. Please try again. If you cannot remember your PIN, please call XXX-XXX-XXXX to reset the survey.
CHECK (SPAN)	If PRSI_PIN≠PINF_010a_PIN, display hard check: Este PIN no coincide con el PIN que creó. Inténtelo de nuevo. Si no recuerda su PIN, llame al XXX-XXX-XXXX para restablecer la encuesta.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI, CAWI
NOTES	
LEAD_IN	PRSI_NAME
NEXT	Return to last item visited in the P/C instrument

PRSI_INELIGIBLE	
ASK	All
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PRSI_NAME, FILL_ALTPCNAME. Create fill, FILL_INELIGIBLE. If PRSI_NAME=1, FILL_INELIGIBLE: You are no longer eligible to participate in this study. ^{FILL_ALTPCNAME} is the only person who can complete the survey. Else FILL_INELIGIBLE: You are not an eligible respondent for this study.
FILLS (SPAN)	Use fill from PRSI_NAME, FILL_ALTPCNAME. Create fill, FILL_INELIGIBLE. If PRSI_NAME=1, FILL_INELIGIBLE: Ya no cumple los requisitos para participar en este estudio. ^{FILL_ALTPCNAME} es la única persona que puede completar la encuesta. Else FILL_INELIGIBLE: Usted no cumple los requisitos para tomar parte en este estudio.
ENGLISH	Thank you for your interest. ^{FILL_INELIGIBLE}
SPANISH	Gracias por su interés. ^{FILL_INELIGIBLE}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI, CAWI
NOTES	
LEAD_IN	PRSI_NAME
NEXT	END

Parent Caregiver Breakoff Module

PCGPAUSE	
ASK	IF BREAKOFF SELECTED AT ANY POINT DURING P/CG INTERVIEW
QUESTION TYPE	PCGPIN: Numeric PCGBRK: Radio button
FILLS (ENG)	Create fill, FILL_PCGMODE IF MODE = CAPI, FILL_PCGMODE = "Otherwise, please wait for the interviewer to return." IF MODE = CAWI, FILL_PCGMODE = "Otherwise, please click Save and close to exit the survey for now." -8. Save and Close For your protection, this page will time out after 20 minutes of inactivity and you will need to re-enter the survey via the main login screen with your access code."
FILLS (SPAN)	Create fill, FILL_PCGMODE IF MODE = CAPI, FILL_PCGMODE = "De lo contrario, espere a que regrese el(la) entrevistador(a)." IF MODE = CAWI, FILL_PCGMODE = "De lo contrario, haga clic en "Guardar y cerrar" para salir de la encuesta por ahora." -8. Guardar y cerrar Para su protección, la página caducará después de 20 minutos de inactividad, y usted deberá volver a ingresar a la encuesta a través de la pantalla principal de inicio de sesión con su código de acceso."
ENGLISH	You have paused the survey. To continue the survey, please select Continue below. For your protection, you will be asked to enter the PIN you created at the beginning of the survey. {FILL_PCGMODE} -9. Continue now -7. Interviewer returned
SPANISH	Usted ha pausado la encuesta. Para continuar con la encuesta, seleccione "Continuar" a continuación. Para su protección, se le pedirá que introduzca el PIN que creó al inicio de la encuesta. {FILL_PCGMODE} -9. Continuar -7. Interviewer returned
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	

<i>CHECK (SPAN)</i>	
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAPI
<i>NOTES</i>	
<i>LEAD-IN</i>	
<i>NEXT</i>	IF PCGBRK=-9: PRSI_PIN IF MODE = CAPI AND PCGBRK = -7: PCGIVRPSWRD IF MODE = CAWI AND PCGBRK = -8 : PCGBRKOFFTHNK ELSE: DO NOT ADVANCE SCREEN.

PCGIVRPSWRD	
ASK	IF MODE = CAPI AND PCGBRK = -9
QUESTION TYPE	Textbox
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	INTERVIEWER: PLEASE ENTER THE PASSWORD TO CONTINUE
SPANISH	INTERVIEWER: PLEASE ENTER THE PASSWORD TO CONTINUE
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	Password = RTI2026 If password is not entered correctly, do not allow the screen to advance.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI
NOTES	
LEAD-IN	
NEXT	IF PCGIVRPSWRD = RTI2026: PCGBRKOFF ELSE: DO NOT ADVANCE

PCGBRKOFF	
ASK	IF MODE = CAPI OR CATI AND PCGBRK = -9
QUESTION TYPE	Radio Button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	INTERVIEWER: YOU HAVE REACHED THIS SCREEN BECAUSE THE RESPONDENT INDICATED THEY DID NOT WANT TO CONTINUE THE INTERVIEW AT THE PRESENT TIME. PLEASE SELECT ONE OPTION BELOW. 1. THE RESPONDENT WANTS TO CONTINUE INTERVIEW AT LATER DATE 0. THE RESPONDENT DOES NOT WANT TO CONTINUE INTERVIEW
SPANISH	INTERVIEWER: YOU HAVE REACHED THIS SCREEN BECAUSE THE RESPONDENT INDICATED THEY DID NOT WANT TO CONTINUE THE INTERVIEW AT THE PRESENT TIME. PLEASE SELECT ONE OPTION BELOW. 1. THE RESPONDENT WANTS TO CONTINUE INTERVIEW AT LATER DATE 0. THE RESPONDENT DOES NOT WANT TO CONTINUE INTERVIEW
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	If PCGBRKOFF = 1, Set CMS status code = PENDING If PCGBRKOFF = 0, Set CMS Status code = BREAKOFF
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAPI / CATI
NOTES	
LEAD-IN	PCGIVRPSWRD
NEXT	IF PCGBRKOFF = 1: PCGBRKOFFTHNK; ELSE: PCGINCENT

PCGBRKOFFTHNK	
ASK	IF PCGBRKOFF = 1
QUESTION TYPE	Instruction
FILLS (ENG)	Create Fill FILL_BRKOFFTHANK Create fill FILL_CASEID: 'CASEID' IF MODE = CAPI , FILL_BRKOFFTHANK, "INTERVIEWER: THANK R FOR THEIR TIME. CLICK HERE TO SCHEDULE BEST TIME FOR FOLLOW UP IN NLSY SCHEDULER (WILL OPEN IN NEW WINDOW).: https://nlsyscheduler.rti.org/Scheduler/Appointment/^{FILL_CASEID}?key=C94BCFC5-8EA5-4B19-B069-CD52A236819A " IF MODE = CAWI, FILL_BRKOFFTHANK, "Thank you for your time. You can return to complete the survey online at any time using the same link and access code you used to begin the survey. You will also need to enter the PIN you created at the beginning of the survey. Otherwise, someone will contact you soon to complete the interview. "
FILLS (SPAN)	Create Fill FILL_BRKOFFTHANK Create fill FILL_CASEID: 'CASEID' IF MODE = CAPI , FILL_BRKOFFTHANK, "INTERVIEWER: THANK R FOR THEIR TIME. CLICK HERE TO SCHEDULE BEST TIME FOR FOLLOW UP IN NLSY SCHEDULER (WILL OPEN IN NEW WINDOW).: https://nlsyscheduler.rti.org/Scheduler/Appointment/^{FILL_CASEID}?key=C94BCFC5-8EA5-4B19-B069-CD52A236819A " IF MODE = CAWI, FILL_BRKOFFTHANK, "Gracias por su tiempo. Puede volver a completar la encuesta por internet en cualquier momento usando el mismo enlace y código de acceso que usó para comenzar la encuesta. También tendrá que introducir el PIN que creó al inicio de la encuesta. Como alternativa, alguien se pondrá en contacto con usted en breve para completar la entrevista. "
ENGLISH	{FILL_BRKOFFTHANK}
SPANISH	{FILL_BRKOFFTHANK}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI / CAPI / CATI
NOTES	
LEAD-IN	
NEXT	IF MODE = CAPI/CATI, IFMS SCHEDULER ELSE: END.

NLSY P/CG Incentive Module

PRELOADS

PRELOAD THE FOLLOWING VARIABLES FROM THE ELIGIBILITY SCREENER:

Eligibility screener status (if breakoff)

PRELOAD THE FOLLOWING VARIABLES FROM THE HOUSEHOLD CAPI SCREENER:

HHS012_ADDRESS1

HHS012_ADDRESS2

HHS012_CITY

HHS012_STATE

HHS012_ZIP

HHS Status (if breakoff)

[PCGINCNTAMT](#)

PCGINCTCC	
ASK	ALL
QUESTION TYPE	Computer Check
FILLS (ENG)	Create fill, FILL_PCGINCNTAMT IF SCRNRBRKOFF = 1, FILL_PCGINCNTAMT = '5' ELSE IF HHSBRKOFF = 1, FILL_PCGINCNTAMT = '5' ELSE, FILL_PCGINCNTAMT using preload = '{PCGINCNTAMT}'
FILLS (SPAN)	Create fill, FILL_PCGINCNTAMT IF SCRNRBRKOFF = 1, FILL_PCGINCNTAMT = '5' ELSE IF HHSBRKOFF = 1, FILL_PCGINCNTAMT = '5' ELSE, FILL_PCGINCNTAMT using preload = '{PCGINCNTAMT}'
ENGLISH	
SPANISH	
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	This is a computer check to route based on respondent breakoff status, either broken off from the screener or broken off from a later module. This impacts the incentive amount.
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	In-Person/CAWI
NOTES	
LEAD-IN	Breakoff module, P/CG Information
NEXT	PCGINCENT

PCGINCENT	
ASK	ALL
QUESTION TYPE	Radio button
FILLS (ENG)	Create fill, FILL_PCGMODEINCENT If MODE = CATI, FILL_PCGMODEINCENT: '3. Cash mailed to you. Cash will take about 14 days to arrive.' If MODE = IN PERSON, FILL_PCGMODEINCENT:'4. Or I can give you Cash now. Else, FILL_PCGMODEINCENT: empty Create fill, FILL_PCGINCNTAMT FILL_PCGINCNTAMT = 50
FILLS (SPAN)	Create fill, FILL_PCGMODEINCENT If MODE = CAWI, FILL_PCGMODEINCENT: '3. Efectivo enviado por correo postal. El efectivo tardará unos 14 días en llegar.' If MODE = IN PERSON, FILL_PCGMODEINCENT:'4. O puedo darle efectivo ahora. Else, FILL_PCGMODEINCENT: empty Create fill, FILL_PCGINCNTAMT FILL_PCGINCNTAMT = 50
ENGLISH	Thank you for taking the time to answer these questions. As a token of appreciation for completing this part of the study, we would like to give you \$^{FILL_PCGINCNTAMT}. Would you prefer to receive...? 1. An electronic gift card that can be used online or in stores. This option includes online shopping (like Amazon), restaurants you can visit (like Starbucks or fast food), or Mastercard. These cards do not expire. ^{FILL_MODEINCENT}
SPANISH	Gracias por tomarse el tiempo de responder estas preguntas. Como muestra de agradecimiento por completar esta parte del estudio, quisiéramos darle \$^{FILL_PCGINCNTAMT} dólares. ¿Prefiere recibir...? 1. Una tarjeta de regalo electrónica que puede usarse por internet o en tiendas. Esta opción incluye compras por internet (como Amazon), restaurantes que puede visitar (como Starbucks o restaurantes de comida rápida), o Mastercard. Estas tarjetas no caducan. ^{FILL_MODEINCENT}
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If PCGINCENT = DK or REF or missing, display soft check: This is required to send you our token of appreciation. If you do not select an option, you will not receive the \$^{FILL_PCGINCNTAMT}.

<i>CHECK (SPAN)</i>	If PCGINCENT = DK or REF or missing, display soft check: Esto es necesario para que podamos enviarle la muestra de agradecimiento. Si no selecciona ninguna opción, no recibirá los \$^{FILL_PCGINCNTAMT} dólares.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	In-Person/CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	Breakoff module, Youth Information
<i>NEXT</i>	If PCGINCENT= 1: PCGINCTDLVRY Else if PCGINCENT= 3: f_PCGINCTNAME Else: PCGINCT_THANK

PCGINCTDLVRY	
ASK	If (PCGINCENT= 1)
QUESTION TYPE	Radio button
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	Would you like to receive the electronic gift card by email or by text? 1. By email 2. By text
SPANISH	¿Desea recibir la tarjeta de regalo electrónica por correo electrónico o por mensaje de texto? 1. Por correo electrónico 2. Por mensaje de texto
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If PCGINCTDLVRY= DK or REF or missing, display soft check: This is required to send you the \$^{FILL_PCGINCNTAMT}. If you do not select an option, you will not receive the \$^{FILL_PCGINCNTAMT}.
CHECK (SPAN)	If PCGINCTDLVRY= DK or REF or missing, display soft check: Esto es necesario para enviarle los \$^{FILL_PCGINCNTAMT} dólares. Si no selecciona ninguna opción, no recibirá los \$^{FILL_PCGINCNTAMT} dólares.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	In-PersonCAWI
NOTES	
LEAD-IN	PCGINCENT = 1
NEXT	IF PCGINCTDLVRY = 1: f_PCGINCT_EMAIL IF PCGINCTDLVRY = 2: f_PCGINCT_PHONE

f_PCGINCT_EMAIL PCGINCT_EMAIL1 / PCGINCT_EMAIL2	
ASK	IF PCGINCTDLVRY = 1
QUESTION TYPE	Textbox
FILLS (ENG)	Use fill from PCGINCENT: FILL_PCGINCNTAMT
FILLS (SPAN)	Use fill from PCGINCENT: FILL_PCGINCNTAMT
ENGLISH	Please provide your email address where you would like us to send your \$^{FILL_PCGINCNTAMT} electronic }.gift card. Enter email address: _____ [PCGINCT_EMAIL1] Please confirm email address: _____ [PCGINCT_EMAIL2]
SPANISH	Indique la dirección de correo electrónico a la que desea que le enviemos sus \$^{FILL_PCGINCNTAMT} dólares en forma de una tarjeta de regalo electrónica. Ingrese la dirección de correo electrónico: _____ [PCGINCT_EMAIL1] Confirme la dirección de correo electrónico: _____ [PCGINCT_EMAIL2]
RANGE	
LIMITS	PCGINCT_EMAIL1: 50 characters PCGINCT_EMAIL2: 50 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If email is not in valid format, display hard check: Please enter a valid email address. If PCGINCT_EMAIL1 != PCGINCT_EMAIL2, display hard check: The email addresses you provided do not match. Please check that the correct email address is entered in both boxes. If PCGINCT_EMAIL1 & PCGINCT_EMAIL2 = DK or REF or missing, display hard check: This is required to send you the \$^{FILL_PCGINCNTAMT}.
CHECK (SPAN)	If email is not in valid format, display hard check: Ingrese una dirección de correo electrónico válida. If PCGINCT_EMAIL1 != PCGINCT_EMAIL2, display hard check: Las direcciones de correo electrónico que ingresó no coinciden. Revise que la dirección de correo electrónico sea correcta en ambas casillas. If PCGINCT_EMAIL1 & PCGINCT_EMAIL2 = DK or REF or missing, display hard check: Esto es necesario para enviarle los \$^{FILL_PCGINCNTAMT} dólares.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	In-PersonCAWI
NOTES	

LEAD-IN	IF PCGINCTDLVRY = 1
NEXT	PCGINCT_THANK

f_PCGINCT_PHONE PCGINCT_PHONE1 / PCGINCT_PHONE2	
ASK	IF PCGINCTDLVRY = 2
QUESTION TYPE	Numeric
FILLS (ENG)	Use fill from PCGINCENT: FILL_PCGINCNTAMT
FILLS (SPAN)	Use fill from PCGINCENT: FILL_PCGINCNTAMT
ENGLISH	Please provide your cell phone number where you would like us to send your \$^{FILL_PCGINCNTAMT} electronic gift card. Enter cell phone number: ____ - ____ - ____ [PCGINCT_PHONE1] Please confirm cell phone number: ____ - ____ - ____ [PCGINCT_PHONE2]
SPANISH	Indique el número de teléfono móvil al que desea que le enviemos sus \$^{FILL_PCGINCNTAMT} dólares en forma de una tarjeta de regalo electrónica. Ingrese el número de teléfono móvil: ____ - ____ - ____ [PCGINCT_PHONE1] Confirme su número de teléfono móvil: ____ - ____ - ____ [PCGINCT_PHONE2]
RANGE	
LIMITS	PCGINCT_PHONE1: 10 digits PCGINCT_PHONE2: 10 digits
LOOP MAX	
PROGRAM. NOTES	Only allow numbers to be entered. Check phone number is entered in valid format.
CHECK (ENG)	If either variable is < 10 digits, display hard check: Please enter a valid cell phone number. If PCGINCT_PHONE1 != PCGINCT_PHONE2, display hard check: The phone numbers you provided do not match. Please check that the correct phone number is entered in both boxes. If PCGINCT_PHONE1 & PCGINCT_PHONE2 = DK or REF or missing, display hard check: This is required to send you the \$^{FILL_PCGINCNTAMT}.
CHECK (SPAN)	If either variable is < 10 digits, display hard check: Ingrese un número de teléfono móvil válido. If PCGINCT_PHONE1 != PCGINCT_PHONE2, display hard check: Los números de teléfono provistos no coinciden. Revise que haya ingresado el número de teléfono correcto en ambas casillas. If PCGINCT_PHONE1 & PCGINCT_PHONE2 = DK or REF or missing, display hard check: Esto es necesario para enviarle los \$^{FILL_PCGINCNTAMT} dólares.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	In-PersonCAWI

<i>NOTES</i>	
<i>LEAD-IN</i>	IF PCGINCTDLVRY = 2
<i>NEXT</i>	PCGINCT_THANK

f_PCGINCTNAME PCGINCTFN / PCGINCTLN	
ASK	IF PCGINCENT= 3 AND MODE = CATI
QUESTION TYPE	Textbox
FILLS (ENG)	Use fill from PCGINCENT: FILL_PCGINCNTAMT
FILLS (SPAN)	Use fill from PCGINCENT: FILL_PCGINCNTAMT
ENGLISH	Please provide your first and last name. First name: _____ [PCGINCTFN] Last name: _____ [PCGINCTLN]
SPANISH	Indique su nombre y apellido. Nombre: _____ [PCGINCTFN] Apellido: _____ [PCGINCTLN]
RANGE	
LIMITS	PCGINCTFN: 30 characters PCGINCTLN: 50 characters
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If PCGINCTFN or PCGINCTLN = DK or REF or missing, display hard check: This is required to send you the \$^{FILL_PCGINCNTAMT} cash.
CHECK (SPAN)	If PCGINCTFN or PCGINCTLN = DK or REF or missing, display hard check: Esto es necesario para enviarle los \$^{FILL_PCGINCNTAMT} dólares en efectivo.
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	CAWI
NOTES	
LEAD-IN	PCGINCENT= 3
NEXT	PCGINCTMAIL

PCGINCTMAIL	
ASK	IF PCGINCENT= 3
QUESTION TYPE	Radio button
FILLS (ENG)	Use fill from HHS012_ADDRESS1: 'FILL_ADDRESS1' Use fill from HHS012_ADDRESS2: 'FILL_ADDRESS2' Use fill from HHS012_CITY: 'FILL_CITY' Use fill from HHS012_STATE: 'FILL_STATE' Use fill from HHS012_ZIP: 'FILL_ZIP'
FILLS (SPAN)	Use fill from HHS012_ADDRESS1: 'FILL_ADDRESS1' Use fill from HHS012_ADDRESS2: 'FILL_ADDRESS2' Use fill from HHS012_CITY: 'FILL_CITY' Use fill from HHS012_STATE: 'FILL_STATE' Use fill from HHS012_ZIP: 'FILL_ZIP'
ENGLISH	We have your mailing address recorded as: ^{FILL_ADDRESS1} ^{FILL_ADDRESS2} ^{FILL_CITY} ^{FILL_STATE} ^{FILL_ZIP} Is this correct? 1. YES 0. NO
SPANISH	Tenemos registrada su dirección como: ^{FILL_ADDRESS1} ^{FILL_ADDRESS2} ^{FILL_CITY} ^{FILL_STATE} ^{FILL_ZIP} ¿Es esto correcto? 1. Sí 0. No
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	

MODE	CAWI
NOTES	
LEAD-IN	f_PCGINCTNAME
NEXT	IF PCGINCTMAIL = 0: f_PCGINCT_ADDRESS IF PCGINCTMAIL = 1: PCGINCT_THANK

f_PCGINCT_ADDRESS PCGINCT_ADDRESS1/ PCGINCT_ADDRESS2/PCGINCT_CITY/PCGINCT_STATE/PCGINCT_ZIP	
ASK	IF PCGINCTMAIL = 2
QUESTION TYPE	PCGINCT_ADDRESS1: Text PCGINCT_ADDRESS2: Text PCGINCT_CITY: Text PCGINCT_STATE: Dropdown PCGINCT_ZIP: Numeric
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	What is your mailing address? ADDRESS LINE 1: [PCGINCT_ADDRESS1] ADDRESS LINE 2: [PCGINCT_ADDRESS2] CITY: [PCGINCT_CITY] STATE: [PCGINCT_STATE] ZIP CODE: [PCGINCT_ZIP]
SPANISH	What is your mailing address? Línea 1 de la dirección: [PCGINCT_ADDRESS1] Línea 2 de la dirección: [PCGINCT_ADDRESS2] Ciudad: [PCGINCT_CITY] Estado: [PCGINCT_STATE] Código postal: [PCGINCT_ZIP]
RANGE	PCGINCT_STATE: List states in alphabetical order
LIMITS	PCGINCT_ADDRESS1: Max 100 characters PCGINCT_ADDRESS2: Max 100 characters PCGINCT_CITY: Max 100 characters PCGINCT_ZIP: Max 5 numbers
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	If zip code does not include exactly 5 numbers, display hard check: "PLEASE ENTER A VALID 5-DIGIT ZIP CODE" If PCGINCT_ADDRESS1 or PCGINCT_CITY or PCGINCT_STATE or PCGINCT_ZIP = DK or REF or missing, display hard check: This is required to send you the \$^{FILL_PCGINCNTAMT} cash.

<i>CHECK (SPAN)</i>	If zip code does not include exactly 5 numbers, display hard check: “INGRESE UN CÓDIGO POSTAL VÁLIDO DE 5 DÍGITOS” If PCGINCT_ADDRESS1 or PCGINCT_CITY or PCGINCT_STATE or PCGINCT_ZIP = DK or REF or missing, display hard check: Esto es necesario para enviarle los \$^{FILL_PCGINCNTAMT} dólares en efectivo.
<i>HELP TEXT (ENG)</i>	
<i>HELP TEXT (SPAN)</i>	
<i>MODE</i>	CAWI
<i>NOTES</i>	
<i>LEAD-IN</i>	IF PCGINCTMAIL = 2
<i>NEXT</i>	PCGINCT_THANK

PCGINCT_THANK	
ASK	ALL
QUESTION TYPE	Informational
FILLS (ENG)	Use fill from PCGINCENT: FILL_PCGINCNTAMT Create fill, FILL_INCENTTYPE If PCGINCTDLVRY= 1, FILL_INCENTTYPE: 'You should receive an email with a link to your \$^{FILL_PCGINCNTAMT} electronic gift card in the next 10 minutes' If PCGINCTDLVRY= 2, FILL_INCENTTYPE: 'You should receive a text message with a link to your \$^{FILL_PCGINCNTAMT} electronic gift card in the next 10 minutes' If PCGINCENT = 3, FILL_INCENTTYPE: 'You should receive \$^{FILL_PCGINCNTAMT} cash in the mail in the next 14 days' If PCGINCENT = 4, FILL_INCENTTYPE: 'Here is your \$^{FILL_PCGINCNTAMT}.
FILLS (SPAN)	Use fill from PCGINCENT: FILL_PCGINCNTAMT Create fill, FILL_INCENTTYPE If PCGINCTDLVRY= 1, FILL_INCENTTYPE: 'Debería recibir un correo electrónico con un enlace a su tarjeta de regalo electrónica de \$^{FILL_PCGINCNTAMT} dólares dentro de los próximos 10 minutos' If PCGINCTDLVRY= 2, FILL_INCENTTYPE: 'Debería recibir un mensaje de texto con un enlace a su tarjeta de regalo electrónica de \$^{FILL_PCGINCNTAMT} dólares dentro de los próximos 10 minutos' If PCGINCENT = 3, FILL_INCENTTYPE: 'Debería recibir \$^{FILL_PCGINCNTAMT} dólares en efectivo por correo dentro de los próximos 14 días' If PCGINCENT = 4, FILL_INCENTTYPE: 'Aquí tiene sus \$^{FILL_PCGINCNTAMT} dólares.
ENGLISH	Thank you. ^{FILL_INCENTTYPE}.
SPANISH	Gracias. ^{FILL_INCENTTYPE}.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	In-Person/CAWI
NOTES	
LEAD-IN	f_PCGINCT_ADDRESS, PCGINCTMAIL, f_PCGINCT_PHONE, f_PCGINCT_EMAIL
NEXT	ESO_47A

PCGINCT_CLOSE	
ASK	ALL
QUESTION TYPE	Informational
FILLS (ENG)	
FILLS (SPAN)	
ENGLISH	INTERVIEWER: THANK R FOR THEIR TIME AND CLOSE OUT INTERVIEW.
SPANISH	INTERVIEWER: THANK R FOR THEIR TIME AND CLOSE OUT INTERVIEW.
RANGE	
LIMITS	
LOOP MAX	
PROGRAM. NOTES	
CHECK (ENG)	
CHECK (SPAN)	
HELP TEXT (ENG)	
HELP TEXT (SPAN)	
MODE	In-Person/CAWI
NOTES	
LEAD-IN	PCGINCT_THANK
NEXT	End.