

### ICR Summary Information

Hours Per Response	408
Number of Respondents	2
Total Estimated Burden Hours	817
Total Estimated Costs	\$421,000
Annualized Capital O&M	\$306,000
Form Number	5900-560 and 5900-561

### Burden Change Table

	Inventory as of this Action	Previously Approved
Respondents	2	110
Responses	2	242
Time Burden (Hours)	817	80,771
Cost Burden (Dollars)	306,000	2,720,000

Table 1: Annual Respondent Burden and Cost – NSPS for Other Solid Waste Incineration Units (4

Burden item	(A) Person hours per occurrence	(B) Non-Labor Costs Per Occurrence	(C) No. of occurrences per respondent per year
1. Applications	N/A		
2. Survey and Studies	N/A		
3. Reporting requirements			
A. Familiarize with rule requirements <sup>c</sup>			
1) Initial review and familiarization with final revisions (new sources)	18	\$0	1
2) Familiarize with rule (existing burden)	4	\$0	1
B. Required activities			
1) Initial performance test and reports			
a) Initial performance tests (PM, dioxins/furans, opacity, fugitives, HCl, Cd, Pb, Hg) <sup>c</sup>	24	\$76,667	1
b) Repeat of initial performance tests <sup>c,d</sup>	24	\$15,333	1
c) Initial performance tests - Air Curtain Incinerators (opacity) <sup>c</sup>	3	\$3,000	1
d) Repeat of initial performance tests - Air Curtain Incinerators <sup>c,d</sup>	3	\$600	1
2) CEMS demonstration (CO, O2)			
a) Initial demonstration <sup>e</sup>	229	\$395,000	1
b) Annual Costs	See 3.B.5		
3) Annual performance tests and test reports (PM, dioxins/furans, opacity, fugitives, HCl, Cd, Pb, Hg) <sup>f</sup>	24	\$76,667	1
4) Annual performance tests and test reports - Air Curtain Incinerators (opacity) <sup>f</sup>	3	\$3,000	1
5) Quarterly Appendix F audits of CEMS (CO)			
a) RATA audit (one per year) <sup>f</sup>	16	\$0	1
b) RAA audit (three per year) <sup>f</sup>	16	\$0	3
c) Daily calibration and operation <sup>f</sup>	0.25	\$73,700	250
6) Waste management plan <sup>c</sup>	20	\$0	1
7) Notification of intent to use substitute means of compliance <sup>c</sup>	4	\$0	1
C. Create information	See 3B		
D. Gather existing information	See 3E		
E. Write Report			
1) Preconstruction report <sup>c</sup>	8	\$0	1
2) Startup notification <sup>c</sup>	2	\$0	1
3) Initial test report <sup>c</sup>			
a) Initial test report (non-ACI) <sup>c</sup>	40	\$0	1
b) Initial test report (ACI) <sup>c</sup>	10	\$0	1
4) Annual compliance reports			

a) Annual compliance report (non-ACI, for units using stack tests) <sup>f</sup>	28	\$0	1
b) Annual compliance report (non-ACI, for units using the SMOC or AWC) <sup>f</sup>	28	\$0	1
c) Annual compliance report (ACI) <sup>g</sup>	10	\$0	1
5) Semiannual deviation reports <sup>i</sup>	24	\$0	2
6) Notification of final compliance	1	\$0	1
<b>Subtotal for Reporting Requirements</b>			
4. Recordkeeping requirements			
A. Familiarize with rule requirements <sup>c</sup>	See 3A		
B. Plan activities	See 3B		
C. Implement activities	See 3B		
D. Develop record system	N/A		
E. Record information			
1) Records of malfunctions <sup>h</sup>	1.5	\$0	52
2) Records of emission rate computations, all emission exceedances and periods when there is no data <sup>i,k</sup>	1.5	\$0	52
3) Records of employee review of operations manual	4	\$0	1
4) Record of control devices operating parameters <sup>k,f</sup>	1.5	\$2,500	52
5) Initial Records of waste burned and information on representative test (weekly)	0.5	\$0	52
6) Copy of representative performance test and documentation	4	\$0	1
7) Records of quarterly waste burned and operating information	1	\$0	4
8) Quarterly records of waste characterization, including % of each waste category	1	\$0	4
9) Records of deviations	0.5	\$0	4
F. Perform Audits	N/A		
<b>Subtotal for Recordkeeping Requirements</b>			
<b>TOTAL (rounded)<sup>j</sup></b>			

**Assumptions:**

<sup>a</sup> EPA estimates that there are 2 existing facilities subject to 40 CFR 60, Subpart EEEE with capacities greater than or respondents due to the final rule requirements.

<sup>b</sup> This ICR uses the following labor rates: \$145.99 (technical), \$177.98 (managerial), and \$74.28 (clerical). These rates are for workers, by occupational and industry group.” The rates are from column 1, “Total compensation.” They have been

<sup>c</sup> This estimate includes additional burden for a one-time only cost for new respondents from revisions to the final rule. Existing units have already completed the waste management plan.

<sup>d</sup> We have assumed that no respondents would be required to repeat a performance test.

<sup>e</sup> We have assumed that the two existing units subject to EEEE have CEMS, and these two units have already completed

<sup>f</sup> We have assumed that the two respondents will continue to record daily calibration and operation or control device

<sup>g</sup> We have assumed that the facilities not conducting initial performance tests will submit an annual compliance report

<sup>h</sup> We have assumed that each respondent will record information 52 times per year.

<sup>i</sup> We have assumed that 10 percent of the non-ACI respondents will report exceedances.

<sup>j</sup> Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

<sup>k</sup> We have assumed that each respondent will record information 52 times per year. The non-labor costs shown for control

40 CFR Part 60, Subpart EEEE) (Final Rule) - Year 1 Burden

145.99 177.98

74.28

(D) Person hours per respondent per year (C=AxB)	(E) Respondents per year <sup>a</sup>	Person-hours per year			(I) Total Hours per Year (F + G + H)	(J) Total Labor Cost per year <sup>b</sup>
		(F) Technical person- hours per year (E=CxD)	(G) Management person hours per year (Ex0.05)	(H) Clerical person hours per year (Ex0.1)		
18	0	0	0	0	0	\$0.00
4	2	8	0.4	0.8	9.2	\$1,299
24	0	0	0	0	0	\$0
24	0	0	0	0	0	\$0
3	0	0	0	0	0	\$0
3	0	0	0	0	0	\$0
229	0	0	0	0	0	\$0
24	2	48	2.4	4.8	55.2	\$7,791
3	0	0	0	0	0	\$0
16	2	32	1.6	3.2	36.8	\$5,194
48	2	96	4.8	9.6	110.4	\$15,582
62.5	2	125	6.25	12.5	143.75	\$20,290
20	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
8	0	0	0	0	0	\$0
2	0	0	0	0	0	\$0
40	0	0	0	0	0	\$0
10	0	0	0	0	0	\$0

28	2	56	2.8	5.6	64.4	\$9,090
28	0	0	0	0	0	\$0
10	0	0	0	0	0	\$0
48	0.2	9.6	0.48	0.96	11.04	\$1,558
1	0	0	0	0	0	\$0
		<b>375</b>	<b>19</b>	<b>37</b>	<b>431</b>	<b>\$60,804</b>
78	2	156	7.8	15.6	179.4	\$25,321
78	0.2	15.6	0.78	1.56	17.94	\$2,532
4	2	8	0.4	0.8	9.2	\$1,299
78	2	156	7.8	15.6	179.4	\$25,321
26	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
2	0	0	0	0	0	\$0
		<b>336</b>	<b>17</b>	<b>34</b>	<b>386</b>	<b>\$54,474</b>
		<b>710</b>	<b>36</b>	<b>71</b>	<b>817</b>	<b>\$115,000</b>

equal to 10 tons per day. These 2 have already conducted initial testing. There is no incremental burden to the

es are from the United States Department of Labor, Bureau of Labor Statistics, September 2024, "Table 2. Civilian increased by 110 percent to account for the benefit packages available to those employed by private industry.

le. Note that the waste management plan is submitted as part of the preconstruction report. We have assumed that the

ted the initial demonstration; therefore no respondents will submit an intitial demonstration report.

operating parameters and conduct annual performance tests.

t. However, these are existing requirements and there is no incremental burden due to the proposed requirements.

ontrol device operating parameters are total cost for the entire year, not the cost per occurrence.

Updated to 2024 labor rates

(K) Total Non-Labor Costs Per Year (B x C x E)	(L) Total Number of Responses per Year (C X E)
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$153,333	0
\$0	0
\$0	0
\$0	0
\$147,400	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0

\$0	2
\$0	0
\$0	0
\$0	0.4
\$0	0
<b>\$300,733</b>	<b>2</b>
\$0	0
\$0	0
\$0	0
\$5,000	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
<b>\$5,000</b>	<b>0</b>
<b>\$306,000</b>	<b>2</b>

Table 2: Annual Respondent Burden and Cost – NSPS for Other Solid Waste Incineration Units (40

Burden item	(A) Person hours per occurrence	(B) Non-Labor Costs Per Occurrence	(C) No. of occurrences per respondent per year
1. Applications	N/A		
2. Survey and Studies	N/A		
3. Reporting requirements			
A. Familiarize with rule requirements <sup>c</sup>			
1) Initial review and familiarization with final revisions (new sources)	18	\$0	1
2) Familiarize with rule (existing burden)	4	\$0	1
B. Required activities			
1) Initial performance test and reports			
a) Initial performance tests (PM, dioxins/furans, opacity, fugitives, HCl, Cd, Pb, Hg) <sup>c</sup>	24	\$76,667	1
b) Repeat of initial performance tests <sup>c,d</sup>	24	\$15,333	1
c) Initial performance tests - Air Curtain Incinerators (opacity) <sup>c</sup>	3	\$3,000	1
d) Repeat of initial performance tests - Air Curtain Incinerators <sup>c,d</sup>	3	\$600	1
2) CEMS demonstration (CO, O2)			
a) Initial demonstration <sup>e</sup>	229	\$395,000	1
b) Annual Costs	See 3.B.5		
3) Annual performance tests and test reports (PM, dioxins/furans, opacity, fugitives, HCl, Cd, Pb, Hg) <sup>f</sup>	24	\$76,667	1
4) Annual performance tests and test reports - Air Curtain Incinerators (opacity) <sup>f</sup>	3	\$3,000	1
5) Quarterly Appendix F audits of CEMS (CO)			
a) RATA audit (one per year) <sup>f</sup>	16	\$0	1
b) RAA audit (three per year) <sup>f</sup>	16	\$0	3
c) Daily calibration and operation <sup>f</sup>	0.25	\$73,700	250
6) Waste management plan <sup>c</sup>	20	\$0	1
7) Notification of intent to use substitute means of compliance <sup>c</sup>	4	\$0	1
C. Create information	See 3B		
D. Gather existing information	See 3E		
E. Write Report			
1) Preconstruction report <sup>c</sup>	8	\$0	1
2) Startup notification <sup>c</sup>	2	\$0	1
3) Initial test report <sup>c</sup>			
a) Initial test report (non-ACI) <sup>c</sup>	40	\$0	1

b) Initial test report (ACI) <sup>c</sup>	10	\$0	1
4) Annual compliance reports			
a) Annual compliance report (non-ACI, for units using stack tests) <sup>f</sup>	28	\$0	1
b) Annual compliance report (non-ACI, for units using the SMOC or AWC) <sup>f</sup>	28	\$0	1
c) Annual compliance report (ACI) <sup>g</sup>	10	\$0	1
5) Semiannual deviation reports <sup>i</sup>	24	\$0	2
6) Notification of final compliance	1	\$0	1
<b>Subtotal for Reporting Requirements</b>			
4. Recordkeeping requirements			
A. Familiarize with rule requirements <sup>c</sup>	See 3A		
B. Plan activities	See 3B		
C. Implement activities	See 3B		
D. Develop record system	N/A		
E. Record information			
1) Records of malfunctions <sup>h</sup>	1.5	\$0	52
2) Records of emission rate computations, all emission exceedances and periods when there is no data <sup>i,k</sup>	1.5	\$0	52
3) Records of employee review of operations manual	4	\$0	1
4) Record of control devices operating parameters <sup>k,f</sup>	1.5	\$2,500	52
5) Initial Records of waste burned and information on representative test (weekly)	0.5	\$0	52
6) Copy of representative performance test and documentation	4	\$0	1
7) Records of quarterly waste burned and operating information	1	\$0	4
8) Quarterly records of waste characterization, including % of each waste category	1	\$0	4
9) Records of deviations	0.5	\$0	4
F. Perform Audits	N/A		
<b>Subtotal for Recordkeeping Requirements</b>			
<b>TOTAL (rounded)<sup>j</sup></b>			

**Assumptions:**

<sup>a</sup> EPA estimates that there are 2 existing facilities subject to 40 CFR 60, Subpart EEEE with capacities greater than or equal to 100 tons per year due to the final rule requirements.

<sup>b</sup> This ICR uses the following labor rates: \$145.99 (technical), \$177.98 (managerial), and \$74.28 (clerical). These rates are based on "Total compensation" by occupational and industry group." The rates are from column 1, "Total compensation." They have been increased by 10% to reflect inflation.

<sup>c</sup> This estimate includes additional burden for a one-time only cost for new respondents from revisions to the final rule. Existing units have already completed the waste management plan.

<sup>d</sup> We have assumed that no respondents would be required to repeat a performance test.

<sup>e</sup> We have assumed that the two existing units subject to EEEE have CEMS, and these two units have already completed

- <sup>f</sup> We have assumed that the two respondents will continue to record daily calibration and operation or control device op
- <sup>g</sup> We have assumed that the facilities not conducting initial performance tests will submit an annual compliance report. ]
- <sup>h</sup> We have assumed that each respondent will record information 52 times per year.
- <sup>i</sup> We have assumed that 10 percent of the non-ACI respondents will report exceedances.
- <sup>j</sup> Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.
- <sup>k</sup> We have assumed that each respondent will record information 52 times per year. The non-labor costs shown for contr

CFR Part 60, Subpart EEEE) (Final Rule) - Year 2 Burden

145.99

177.98

74.28

(D) Person hours per respondent per year (C=AxB)	(E) Respondents per year <sup>a</sup>	Person-hours per year			(I) Total Hours per Year (F + G + H)	(J) Total Labor Cost per year <sup>b</sup>
		(F) Technical person- hours per year (E=CxD)	(G) Management person hours per year (Ex0.05)	(H) Clerical person hours per year (Ex0.1)		
18	0	0	0	0	0	\$0
4	2	8	0.4	0.8	9.2	\$1,298.54
24	0	0	0	0	0	\$0
24	0	0	0	0	0	\$0
3	0	0	0	0	0	\$0
3	0	0	0	0	0	\$0
229	0	0	0	0	0	\$0
24	2	48	2.4	4.8	55.2	\$7,791.22
3	0	0	0	0	0	\$0
16	2	32	1.6	3.2	36.8	\$5,194
48	2	96	4.8	9.6	110.4	\$15,582
62.5	2	125	6.25	12.5	143.75	\$20,289.63
20	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
8	0	0	0	0	0	\$0
2	0	0	0	0	0	\$0
40	0	0	0	0	0	\$0

10	0	0	0	0	0	\$0
28	2	56	2.8	5.6	64.4	\$9,089.75
28	0	0	0	0	0	\$0
10	0	0	0	0	0	\$0
48	0.2	9.6	0.48	0.96	11.04	\$1,558.24
1	0	0	0	0	0	\$0
		<b>375</b>	<b>19</b>	<b>37</b>	<b>431</b>	<b>\$60,804</b>
78	2	156	7.8	15.6	179.4	\$25,321.45
78	0.2	15.6	0.78	1.56	17.94	\$2,532.15
4	2	8	0.4	0.8	9.2	\$1,298.54
78	2	156	7.8	15.6	179.4	\$25,321.45
26	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
2	0	0	0	0	0	\$0
		<b>336</b>	<b>17</b>	<b>34</b>	<b>386</b>	<b>\$54,474</b>
		<b>710</b>	<b>36</b>	<b>71</b>	<b>817</b>	<b>\$115,000</b>

equal to 10 tons per day. These 2 have already conducted initial testing. There is no incremental burden to the respondents

are from the United States Department of Labor, Bureau of Labor Statistics, September 2024, "Table 2. Civilian workers, 110 percent to account for the benefit packages available to those employed by private industry.

Note that the waste management plan is submitted as part of the preconstruction report. We have assumed that the

the initial demonstration; therefore no respondents will submit an initial demonstration report.

erating parameters and conduct annual performance tests.

However, these are existing requirements and there is no incremental burden due to the proposed requirements.

ol device operating parameters are total cost for the entire year, not the cost per occurrence.

Updated to 2024 labor rates

(K) Total Non-Labor Costs Per Year (B x C x E)	(L) Total Number of Responses per Year (C X E)
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$153,333	0
\$0	0
\$0	0
\$0	0
\$147,400	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0

\$0	0
\$0	2
\$0	0
\$0	0
\$0	0.4
\$0	0
<b>\$300,733</b>	<b>2</b>
\$0	0
\$0	0
\$0	0
\$5,000	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
<b>\$5,000</b>	<b>0</b>
<b>\$306,000</b>	<b>2</b>

Table 3: Annual Respondent Burden and Cost – NSPS for Other Solid Waste Incineration Units (4

Burden item	(A) Person hours per occurrence	(B) Non-Labor Costs Per Occurrence	(C) No. of occurrences per respondent per year
1. Applications	N/A		
2. Survey and Studies	N/A		
3. Reporting requirements			
A. Familiarize with rule requirements <sup>c</sup>			
1) Initial review and familiarization with final revisions (new sources)	14	\$0	1
2) Familiarize with rule (existing burden)	4	\$0	1
B. Required activities			
1) Initial performance test and reports			
a) Initial performance tests (PM, dioxins/furans, opacity, fugitives, HCl, Cd, Pb, Hg) <sup>c</sup>	24	\$76,667	1
b) Repeat of initial performance tests <sup>c,d</sup>	24	\$15,333	1
c) Initial performance tests - Air Curtain Incinerators (opacity) <sup>c</sup>	3	\$3,000	1
d) Repeat of initial performance tests - Air Curtain Incinerators <sup>c,d</sup>	3	\$600	1
2) CEMS demonstration (CO, O2)			
a) Initial demonstration <sup>e</sup>	229	\$395,000	1
b) Annual Costs	See 3.B.5		
3) Annual performance tests and test reports (PM, dioxins/furans, opacity, fugitives, HCl, Cd, Pb, Hg) <sup>f</sup>	24	\$76,667	1
4) Annual performance tests and test reports - Air Curtain Incinerators (opacity) <sup>f</sup>	3	\$3,000	1
5) Quarterly Appendix F audits of CEMS (CO)			
a) RATA audit (one per year) <sup>f</sup>	16	\$0	1
b) RAA audit (three per year) <sup>f</sup>	16	\$0	3
c) Daily calibration and operation <sup>f</sup>	0.25	\$73,700	250
6) Waste management plan <sup>c</sup>	20	\$0	1
7) Notification of intent to use substitute means of compliance <sup>c</sup>	4	\$0	1
C. Create information	See 3B		
D. Gather existing information	See 3E		
E. Write Report			
1) Preconstruction report <sup>c</sup>	8	\$0	1
2) Startup notification <sup>c</sup>	2	\$0	1
3) Initial test report <sup>c</sup>			
a) Initial test report (non-ACI) <sup>c</sup>	40	\$0	1

b) Initial test report (ACI) <sup>c</sup>	10	\$0	1
4) Annual compliance reports			
a) Annual compliance report (non-ACI, for units using stack tests) <sup>f</sup>	28	\$0	1
b) Annual compliance report (non-ACI, for units using the SMOC or AWC) <sup>f</sup>	28	\$0	1
c) Annual compliance report (ACI) <sup>g</sup>	10	\$0	1
5) Semiannual deviation reports <sup>i</sup>	24	\$0	2
6) Notification of final compliance	1	\$0	1

**Subtotal for Reporting Requirements**

4. Recordkeeping requirements			
A. Familiarize with rule requirements <sup>c</sup>	See 3A		
B. Plan activities	See 3B		
C. Implement activities	See 3B		
D. Develop record system	N/A		
E. Record information			
1) Records of malfunctions <sup>h</sup>	1.5	\$0	52
2) Records of emission rate computations, all emission exceedances and periods when there is no data <sup>i,k</sup>	1.5	\$0	52
3) Records of employee review of operations manual	4	\$0	1
4) Record of control devices operating parameters <sup>k,f</sup>	1.5	\$2,500	52
5) Initial Records of waste burned and information on representative test (weekly)	0.5	\$0	52
6) Copy of representative performance test and documentation	4	\$0	1
7) Records of quarterly waste burned and operating information	1	\$0	4
8) Quarterly records of waste characterization, including % of each waste category	1	\$0	4
9) Records of deviations	0.5	\$0	4
F. Perform Audits	N/A		

**Subtotal for Recordkeeping Requirements**

**TOTAL (rounded)<sup>j</sup>**

**Assumptions:**

<sup>a</sup> EPA estimates that there are 2 existing facilities subject to 40 CFR 60, Subpart EEEE with capacities greater than or respondents due to the final rule requirements.

<sup>b</sup> This ICR uses the following labor rates: \$145.99 (technical), \$177.98 (managerial), and \$74.28 (clerical). These rate workers, by occupational and industry group.” The rates are from column 1, “Total compensation.” They have been i

<sup>c</sup> This estimate includes additional burden for a one-time only cost for new respondents from revisions to the final rule existing units have already completed the waste management plan.

<sup>d</sup> We have assumed that no respondents would be required to repeat a performance test.

<sup>e</sup> We have assumed that the two existing units subject to EEEE have CEMS, and these two units have already complet

<sup>f</sup> We have assumed that the two respondents will continue to record daily calibration and operation or control device c

- <sup>g</sup> We have assumed that the facilities not conducting initial performance tests will submit an annual compliance report.
- <sup>h</sup> We have assumed that each respondent will record information 52 times per year.
- <sup>i</sup> We have assumed that 10 percent of the non-ACI respondents will report exceedances.
- <sup>j</sup> Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.
- <sup>k</sup> We have assumed that each respondent will record information 52 times per year. The non-labor costs shown for cor

40 CFR Part 60, Subpart EEEE) (Final Rule) - Year 3 Burden

145.99

177.98

74.28

(D) Person hours per respondent per year (C=AxB)	(E) Respondents per year <sup>a</sup>	Person-hours per year			(I) Total Hours per Year (F + G + H)	(J) Total Labor Cost per year <sup>b</sup>
		(F) Technical person- hours per year (E=CxD)	(G) Management person hours per year (Ex0.05)	(H) Clerical person hours per year (Ex0.1)		
14	0	0	0	0	0	\$0
4	2	8	0.4	0.8	9.2	\$1,298.54
24	0	0	0	0	0	\$0
24	0	0	0	0	0	\$0
3	0	0	0	0	0	\$0
3	0	0	0	0	0	\$0
229	0	0	0	0	0	\$0
24	2	48	2.4	4.8	55.2	\$7,791.22
3	0	0	0	0	0	\$0
16	2	32	1.6	3.2	36.8	\$5,194
48	2	96	4.8	9.6	110.4	\$15,582
62.5	2	125	6.25	12.5	143.75	\$20,289.63
20	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
8	0	0	0	0	0	\$0
2	0	0	0	0	0	\$0
40	0	0	0	0	0	\$0

10	0	0	0	0	0	\$0
28	2	56	2.8	5.6	64.4	\$9,089.75
28	0	0	0	0	0	\$0
10	0	0	0	0	0	\$0
48	0.2	9.6	0.48	0.96	11.04	\$1,558.24
1	0	0	0	0	0	\$0
		<b>375</b>	<b>19</b>	<b>37</b>	<b>431</b>	<b>\$60,804</b>
78	2	156	7.8	15.6	179.4	\$25,321.45
78	0.2	15.6	0.78	1.56	17.94	\$2,532.15
4	2	8	0.4	0.8	9.2	\$1,298.54
78	2	156	7.8	15.6	179.4	\$25,321.45
26	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
4	0	0	0	0	0	\$0
2	0	0	0	0	0	\$0
		<b>336</b>	<b>17</b>	<b>34</b>	<b>386</b>	<b>\$54,474</b>
		<b>710</b>	<b>36</b>	<b>71</b>	<b>817</b>	<b>\$115,000</b>

equal to 10 tons per day. These 2 have already conducted initial testing. There is no incremental burden to the

es are from the United States Department of Labor, Bureau of Labor Statistics, September 2024, "Table 2. Civilian increased by 110 percent to account for the benefit packages available to those employed by private industry.

e. Note that the waste management plan is submitted as part of the preconstruction report. We have assumed that the

ed the initial demonstration; therefore no respondents will submit an initial demonstration report.

operating parameters and conduct annual performance tests.

t. However, these are existing requirements and there is no incremental burden due to the proposed requirements.

ontrol device operating parameters are total cost for the entire year, not the cost per occurrence.

Updated to 2024 labor rates

(K) Total Non-Labor Costs Per Year (B x C x E)	(L) Total Number of Responses per Year (C X E)
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$153,333	0
\$0	0
\$0	0
\$0	0
\$147,400	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0

\$0	0
\$0	2
\$0	0
\$0	0
\$0	0.4
\$0	0
<b>\$300,733</b>	<b>2</b>
\$0	0
\$0	0
\$0	0
\$5,000	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
\$0	0
<b>\$5,000</b>	<b>0</b>
<b>\$306,000</b>	<b>2</b>

Table 4 - Summary of Annual Respondent Burden and Cost of Recordkeeping and Reporting Requirements - N

Year	Technical Hours	Clerical Hours	Management Hours	Total Labor Hours	Labor Costs	Non-Labor (Capital/Start up and O&M) Costs
1	710	71	36	817	\$115,000	\$306,000
2	710	71	36	817	\$115,000	\$306,000
3	710	71	36	817	\$115,000	\$306,000
Total	2,131	213	107	2,450	\$345,000	\$918,000
Average	710	71	36	817	\$115,000	\$306,000

  

Year	Number of Respondents	Number of Responses	Reporting Hours	Recordkeeping Hours	Total Hours	Hours per Response
1	2	2	431	386	817	408
2	2	2	431	386	817	408
3	2	2	431	386	817	408
Total	2	6	1,292	1,158	2,450	408
Average	2	2	431	386	817	408

Table 5 - Summary of Incremental Respondent Burden and Cost of Recordkeeping and Reporting Requirements

Year	Technical Hours	Clerical Hours	Management Hours	Total Labor Hours	Labor Costs	Non-Labor (Capital/Start up and O&M) Costs
1	0	0	0	0	\$0	\$0
2	0	0	0	0	\$0	\$0
3	0	0	0	0	\$0	\$0
Total	0	0	0	0	\$0	\$0
Average	0	0	0	0	\$0	\$0

  

Year	Number of Respondents	Number of Responses	Reporting Hours	Recordkeeping Hours	Total Hours	Hours per Response
1	2	2	0	0	0	0
2	2	2	0	0	0	0
3	2	2	0	0	0	0
Total	2	6	0	0	0	0
Average	2	2	0	0	0	0

SPS for Other Solid Waste Incineration Units (40 CFR Part 60, Subpart EEEE) (Final Rule)

Total Costs
\$421,000
\$421,000
\$421,000
\$1,260,000
\$421,000
Hours Per Respondent
408
408
408
1,225
408

ts - NSPS for Other Solid Waste Incineration Units (40 CFR Part 60, Subpart EEEE) (Final Rule)

Total Costs
\$0
\$0
\$0
\$0
\$0
Hours Per Respondent
0
0
0
0
0

Table 6: Average Annual EPA Burden and Cost – NSPS for Other Solid Waste Incineration Units (40 C

Activity	(A)	(B)	(C)	(D)
	EPA person-hours per occurrence	No. of occurrences per plant per year	EPA person-hours per plant per year (C=AxB)	Plants per year <sup>a</sup>
1. Applications	N/A			
2. Familiarization with rule requirements	N/A			
3. Required activities				
A. Create information	N/A			
B. Gather information	See 3A			
C. Report reviews				
1) Review Notifications				
a) Preconstruction report	1	1	1	0
b) Startup notification	0.5	1	0.5	0
c) Notification of intent to use substitute means of compliance	0.5	1	0.5	0
d) Notification of final compliance <sup>c</sup>	1.5	1	1.5	0
2) Review initial compliance test report				
a) Initial test report (non-ACI) <sup>c</sup>	40	1	40	0
b) Initial test report (ACI) <sup>c</sup>	10	1	10	0
3) Review annual compliance report				
a) Annual compliance report (non-ACI, for units using stack tests)	40	1	40	2
b) Annual compliance report (non-ACI, for units using the SMOC or AWC)	10	1	10	0
c) Annual compliance report (ACI)	10	1	10	0
4) Review semiannual deviation reports	16	2	32	0.2
5) Review waste management plan <sup>c</sup>	16	1	16	0
<b>TOTAL ANNUAL BURDEN AND COST (rounded)<sup>d</sup></b>				

**Assumptions:**

<sup>a</sup> We have assumed that there are 2 existing respondents, with no additional new or reconstructed sources becoming subject respondents have capacities greater than 10 TPD and would have no new testing, monitoring, recordkeeping, or reporting req

<sup>b</sup> This ICR uses the following labor rates: \$57.07 (technical), \$76.91 (managerial), and \$30.88 (clerical). These rates are from Schedule, which excludes locality rates of pay. The rates have been increased by 60 percent to account for the benefit package

<sup>c</sup> We have assumed that this is a one-time only cost applicable to new sources.

<sup>d</sup> Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

CFR Part 60, Subpart EEEE) (Final Rule) - Year 1 Burden

57.07

76.91

30.88

Updated to 2024 dollars

(E)	(F)	(G)	(H)
Technical person- hours per year (E=CxD)	Management person-hours per year (Ex0.05)	Clerical person-hours per year (Ex0.1)	Cost, \$ <sup>b</sup>
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
80	4	8	\$5,120
0	0	0	\$0
0	0	0	\$0
6.4	0.32	0.64	\$410
0	0	0	\$0
<b>86</b>	<b>4</b>	<b>9</b>	<b>\$5,530</b>

to the rule over the next three years. We assume that the two existing requirements. Therefore there is no incremental burden to EPA in the Office of Personnel Management (OPM), 2024 General wages available to government employees.

Table7: Average Annual EPA Burden and Cost – NSPS for Other Solid Waste Incineration Units (40 C

Activity	(A)	(B)	(C)	(D)
	EPA person-hours per occurrence	No. of occurrences per plant per year	EPA person-hours per plant per year (C=AxB)	Plants per year <sup>a</sup>
1. Applications	N/A			
2. Familiarization with rule requirements	N/A			
3. Required activities				
A. Create information	N/A			
B. Gather information	See 3A			
C. Report reviews				
1) Review Notifications				
a) Preconstruction report	1	1	1	0
b) Startup notification	0.5	1	0.5	0
c) Notification of intent to use substitute means of compliance	0.5	1	0.5	0
d) Notification of final compliance <sup>c</sup>	1.5	1	1.5	0
2) Review initial compliance test report				
a) Initial test report (non-ACI) <sup>c</sup>	40	1	40	0
b) Initial test report (ACI) <sup>c</sup>	10	1	10	0
3) Review annual compliance report				
a) Annual compliance report (non-ACI, for units using stack tests)	40	1	40	2
b) Annual compliance report (non-ACI, for units using the SMOC or AWC)	10	1	10	0
c) Annual compliance report (ACI)	10	1	10	0
4) Review semiannual deviation reports	16	2	32	0.2
5) Review waste management plan <sup>c</sup>	16	1	16	0
<b>TOTAL ANNUAL BURDEN AND COST (rounded)<sup>d</sup></b>				

**Assumptions:**

<sup>a</sup> We have assumed that there are 2 existing respondents, with no additional new or reconstructed sources becoming subject respondents have capacities greater than 10 TPD and would have no new testing, monitoring, recordkeeping, or reporting req associated with the proposed requirements for the 2 respondents.

<sup>b</sup> This ICR uses the following labor rates: \$57.07 (technical), \$76.91 (managerial), and \$30.88 (clerical). These rates are from Schedule, which excludes locality rates of pay. The rates have been increased by 60 percent to account for the benefit package.

<sup>c</sup> We have assumed that this is a one-time only cost applicable to new sources.

<sup>d</sup> Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

FR Part 60, Subpart EEEE) (Final Rule) - Year 2 Burden

57.07

76.91

30.88

Updated to 2024 dollars

(E)	(F)	(G)	(H)
Technical person- hours per year (E=CxD)	Management person-hours per year (Ex0.05)	Clerical person-hours per year (Ex0.1)	Cost, \$ <sup>b</sup>
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
80	4	8	\$5,120
0	0	0	\$0
0	0	0	\$0
6.4	0.32	0.64	\$410
0	0	0	\$0
<b>86</b>	<b>4</b>	<b>9</b>	<b>\$5,530</b>

to the rule over the next three years. We assume that the two existing requirements. Therefore there is no incremental burden to EPA

from the Office of Personnel Management (OPM), 2024 General Schedule rates available to government employees.

Table 8: Average Annual EPA Burden and Cost – NSPS for Other Solid Waste Incineration Units (40 C

Activity	(A)	(B)	(C)	(D)
	EPA person-hours per occurrence	No. of occurrences per plant per year	EPA person-hours per plant per year (C=AxB)	Plants per year <sup>a</sup>
1. Applications	N/A			
2. Familiarization with rule requirements	N/A			
3. Required activities				
A. Create information	N/A			
B. Gather information	See 3A			
C. Report reviews				
1) Review Notifications				
a) Preconstruction report	1	1	1	0
b) Startup notification	0.5	1	0.5	0
c) Notification of intent to use substitute means of compliance	0.5	1	0.5	0
d) Notification of final compliance <sup>c</sup>	1.5	1	1.5	0
2) Review initial compliance test report				
a) Initial test report (non-ACI) <sup>c</sup>	40	1	40	0
b) Initial test report (ACI) <sup>c</sup>	10	1	10	0
3) Review annual compliance report				
a) Annual compliance report (non-ACI, for units using stack tests)	40	1	40	2
b) Annual compliance report (non-ACI, for units using the SMOC or AWC)	10	1	10	0
c) Annual compliance report (ACI)	10	1	10	0
4) Review semiannual deviation reports	16	2	32	0.2
5) Review waste management plan <sup>c</sup>	16	1	16	0
<b>TOTAL ANNUAL BURDEN AND COST (rounded)<sup>d</sup></b>				

**Assumptions:**

<sup>a</sup> We have assumed that there are 2 existing respondents, with no additional new or reconstructed sources becoming subject to NSPS. The 2 existing respondents have capacities greater than 10 TPD and would have no new testing, monitoring, recordkeeping, or reporting requirements associated with the proposed requirements for the 2 respondents.

<sup>b</sup> This ICR uses the following labor rates: \$57.07 (technical), \$76.91 (managerial), and \$30.88 (clerical). These rates are from the 2014 Schedule, which excludes locality rates of pay. The rates have been increased by 60 percent to account for the benefit package.

<sup>c</sup> We have assumed that this is a one-time only cost applicable to new sources.

<sup>d</sup> Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

CFR Part 60, Subpart EEEE) (Final Rule) - Year 3 Burden

57.07

76.91

30.88

Updated to 2024 dollars

(E)	(F)	(G)	(H)
Technical person- hours per year (E=CxD)	Management person-hours per year (Ex0.05)	Clerical person-hours per year (Ex0.1)	Cost, \$ <sup>b</sup>
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
0	0	0	\$0
80	4	8	\$5,120
0	0	0	\$0
0	0	0	\$0
6.4	0.32	0.64	\$410
0	0	0	\$0
<b>86</b>	<b>4</b>	<b>9</b>	<b>\$5,530</b>

to the rule over the next three years. We assume that the two existing requirements. Therefore there is no incremental burden to EPA

in the Office of Personnel Management (OPM), 2024 General positions available to government employees.

Table 9 - Summary of Annual Agency Burden and Cost - NSPS for Existing Other Solid Waste Incineration Uni

Year	Technical Hours	Management Hours	Clerical Hours	Total Hours	Labor Costs	Non-Labor Costs	Total Costs
1	86	4	9	99	\$5,530	\$0	\$5,530
2	86	4	9	99	\$5,530	\$0	\$5,530
3	86	4	9	99	\$5,530	\$0	\$5,530
Total	259	13	26	298	\$16,590	\$0	\$16,590
Average	86	4	9	99	\$5,530	\$0	\$5,530

Note: There are no incremental costs to the Agency associated with the final rule amendments.

its (40 CFR Part 60, Subpart EEEE) (Final Rule)

**Capital/Startup vs. Operation and Maintenance (O&M)**

(A) Cost Description	(B) Capital/Startup Cost for One Respondent	(C) Number of New Respondents	(D) Total Capital/Startup Cost, (B X C)
Performance Tests (Non-ACI)	\$76,667	0	\$0
Performance Tests (ACI)	\$3,000	0	\$0
CEMS (CO and O2)	\$395,000	0	\$0
Control Device	\$33,800	0	\$0
Total (rounded)			\$0

**I) Costs**

(E) Annual O&M Costs for One Respondent	(F) Number of Respondents with O&M	(G) Total O&M, (E X F)
\$76,667	2	\$153,333
\$3,000	0	\$0
\$73,700	2	\$147,400
\$2,500	2	\$5,000
		\$306,000

<b>Number of Respondents</b>			
	Respondents That Submit Reports		Respondents That Do Not Submit Any Reports
	(A)	(B)	(C)
Year	Number of New Respondents <sup>1</sup>	Number of Existing Respondents	Number of Existing Respondents that keep records but do not submit reports
1	0	2	0
2	0	2	0
3	0	2	0
Average	0	2	0

<sup>1</sup> New respondents include sources with constructed, reconstructed and modified affected facilities.

nts

(D)	(E)
Number of Existing Respondents That Are Also New Respondents	Number of Respondents (E=A+B+C-D)
0	2
0	2
0	2
0	2

**Total Annual Responses**

(A)	(B)	(C)	(D)
Information Collection Activity	Number of Respondents	Number of Responses	Number of Existing Respondents That Keep Records But Do Not Submit Reports
Preconstruction Report	0	1	N/A
Startup notification	0	1	N/A
Notification of intent to use substitute means of compliance	0	1	N/A
Notification of final compliance	0	1	N/A
Initial test report (non-ACI)	0	1	N/A
Initial test report (ACI)	0	1	N/A
Annual compliance reports (non-ACI, for units using stack tests)	2	1	N/A
Annual compliance reports (non-ACI, for units using the SMOC)	0	1	N/A
Annual compliance reports (ACI)	0	1	N/A
Waste Management Plan	0	1	N/A
Semiannual deviation report	0.2	2	N/A
		<b>Total (rounded)</b>	

(E)
Total Annual Responses $E=(B \times C)+D$
0
0
0
0
0
0
2
0
0
0
0.4
2