

American Innovation and Manufacturing Act - HFC Importer of Record

Worksheet Instructions:

Complete and submit an HFC Importer of Record Annual Report if your company is an HFC allowance holder substances. All sections of the report must be completed prior to submission. Provide supporting documentati

Version:

r0.1

Updated:

9/16/2022

Reporting Form Navigation:

[Section 1 - Company Identification](#)

[Section 2 - Corporate Relationships](#)

[Section 3 - Plan for Importing HFCs](#)

EPA may request additional information or ask follow up questions to verify the accuracy of this subn section 114 as authorized under the AIM Act.

Section 1 - Company Identification

Instructions: Complete the following company information.

Company Name:	
Company ID:	
Importer of Record Number:	
Reporting Year:	

Section 2 - Corporate Relationships

Instructions: Please provide the names of all subsidiaries, entities majority owned and/or controlled b names (i.e., "Doing Business As") along with the importer of record number for each entity (even if it i your company's allowances.

	Entity Name	Importer of Record Number
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

Instructions: Please describe the corporate structure of the allowance holder, including the relationsh majority owned and/or controlled by the allowance holder, and DBAs. Also provide information on the subsidiary, entity that is majority owned and/or controlled by the allowance holder, and DBA.

--

Section 3 - Plan for Importing HFCs

Instructions: Identify the single component HFC(s) your company commonly imports and expects to import in the coming year as well as the CAS number for each and/or the HTS code under which each HFC will be imported.

Intended HFC Imports		
HFC	CAS Number	HTS Code
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

Instructions: Identify the HFC blends your company commonly imports and/or expects to import in the coming year as well as the CAS number for each and/or the HTS code under which each HFC blend will be imported. This information can be found on the "Blend List" tab.

1	2a	2b	2c
HFC Blend	HFC Component (1)		
	HFC	HFC Composition of Blend (%)	CAS Number
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

Instructions: Identify the types of cylinders commonly used to import HFCs and HFC blends.

Cylinder Information	
Description	Typical Range of Mass (kg) Contained in Each Cylinder
1	
2	

3		
4		
5		
6		
7		

Instructions: Identify the ports of entry through which your company expects to import HFCs and HFC blends in the coming year.

	Commonly Used Ports of Entry	
1		
2		
3		
4		
5		
6		
7		
8		
9		

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq information are voluntary. An agency may not conduct or sponsor, and a person is not required to respond to, control number. The public reporting and recordkeeping burden for this collection of information is estimated t this information, the accuracy of the provided burden estimates and any suggested methods for minimizing re techniques to the Director, Regulatory Support Division, U.S. Environmental Protection Agency (2821T), 120C control number in any correspondence. Do not send the completed form to this address.

Annual Report

and anticipates being the importer of record for a shipment of regulated ion, as needed, to respond to this reporting request.

mission and supporting documentation, including pursuant to CAA

y the allowance holder, and all entities operating under different is identical to the allowance holder) that intends to import using

ip between the allowance holder and each subsidiary, entity
: owners and their respective percentage of ownership of each

--



e coming year, including the ASHRAE numerical designation of the refrigerant or the percentage

[illegible]

1. (OMB Control No. 2060-0734). Responses to this collection of
a collection of information unless it displays a currently valid OMB
o be 2 hours per response. Send comments on the Agency's need for
spondent burden including through the use of automated collection
) Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB

e of the mixture containing each regulated substance, the CAS numbers for each neat HFC, and the HTS co

[illegible]

de under which each blend will be imported. A list of common HFC Blend compositions

[illegible]

HFC Blends	HFC-23	HFC-32	HFC-125	HFC-134a	HFC-143a	HFC-152a	HFC-227ea	HFC-236fa
R-401A						0.13		
R-401B						0.11		
R-401C						0.15		
R-402A			0.6					
R-402B			0.38					
R-404A			0.44	0.04	0.52			
R-405A						0.07		
R-407A		0.2	0.4	0.4				
R-407B		0.1	0.7	0.2				
R-407C		0.23	0.25	0.52				
R-407D		0.15	0.15	0.7				
R-407E		0.25	0.15	0.6				
R-407F		0.3	0.3	0.4				
R-407G		0.025	0.025	0.95				
R-407H		0.325	0.15	0.525				
R-407I		0.195	0.085	0.72				
R-408A			0.07		0.46			
R-410A		0.5	0.5					
R-410B		0.45	0.55					
R-411A						0.11		
R-411B						0.03		
R-413A				0.88				
R-415A						0.18		
R-415B						0.75		
R-416A				0.59				
R-417A			0.466	0.5				
R-417B			0.79	0.183				
R-417C			0.195	0.788				
R-418A						0.025		
R-419A			0.77	0.19				
R-419B			0.485	0.48				
R-420A				0.88				
R-421A			0.58	0.42				
R-421B			0.85	0.15				
R-422A			0.851	0.115				
R-422B			0.55	0.42				
R-422C			0.82	0.15				
R-422D			0.651	0.315				
R-422E			0.58	0.393				
R-423A				0.525			0.475	
R-424A			0.505	0.47				
R-425A		0.185		0.695			0.12	
R-426A			0.051	0.93				
R-427A		0.15	0.25	0.5	0.1			
R-427C		0.25	0.25	0.4	0.1			
R-428A			0.775		0.2			
R-429A						0.1		
R-430A						0.76		
R-431A						0.29		
R-434A			0.632	0.16	0.18			
R-435A						0.2		
R-437A			0.195	0.785				
R-438A		0.085	0.45	0.442				
R-439A		0.5	0.47					
R-440A				0.016		0.978		
R-442A		0.31	0.31	0.3		0.03	0.05	

R-444A		0.12				0.05		
R-444B		0.415				0.1		
R-445A				0.09				
R-446A		0.68						
R-447A		0.68	0.035					
R-447B		0.68	0.08					
R-448A		0.26	0.26	0.21				
R-448B		0.21	0.21	0.31				
R-449A		0.243	0.247	0.257				
R-449B		0.252	0.243	0.273				
R-449C		0.2	0.2	0.29				
R-450A				0.42				
R-451A				0.102				
R-451B				0.112				
R-452A		0.11	0.59					
R-452B		0.67	0.07					
R-452C		0.125	0.61					
R-453A		0.2	0.2	0.538			0.05	
R-454A		0.35						
R-454B		0.689						
R-454C		0.215						
R-455A		0.215						
R-456A		0.06		0.45				
R-457A		0.18				0.12		
R-457B		0.35				0.1		
R-458A		0.205	0.04	0.614			0.135	0.006
R-459A		0.68						
R-459B		0.21						
R-460A		0.12	0.52	0.14				
R-460B		0.28	0.25	0.2				
R-460C		0.025	0.025	0.46				
R-461A			0.55	0.32	0.05		0.05	
R-462A		0.09	0.42	0.44	0.02			
R-463A		0.36	0.3	0.14				
R-464A		0.27	0.27				0.06	
R-465A		0.21						
R-466A		0.49	0.115					
R-467A		0.22	0.05	0.724				
R-468A		0.215						
R-469A		0.325	0.325					
R-470A		0.17	0.19	0.07			0.03	
R-470B		0.115	0.115	0.03			0.07	
R-471A							0.043	
R-472A		0.12		0.19				
R-473A	0.1		0.1					
R-500						0.262		
R-503	0.401							
R-504		0.482						
R-507			0.5		0.5			
R-507A			0.5		0.5			
R-508A	0.39							
R-508B	0.46							
R-512A				0.05		0.95		
R-513A				0.44				
R-513B				0.415				
R-515A							0.12	
R-515B							0.089	

R-516A				0.085		0.14		
--------	--	--	--	-------	--	------	--	--