

U.S. Environmental Protection Agency

Information Collection Request

Title: NSPS for Stationary Combustion Turbines (40 CFR Part 60, Subpart KKKK) (Renewal)

OMB Control Number: 2060-0582

EPA ICR Number: 2177.10

Abstract:

The New Source Performance Standards (NSPS) for Stationary Combustion Turbines (40 CFR Part 60, Subpart KKKK) were proposed on February 18, 2005, and promulgated on July 6, 2006. These regulations apply to new stationary combustion turbines with a heat input at peak load equal to or greater than 10.7 gigajoules (10 MMBtu) per hour, based on the higher heating value of the fuel. New facilities include those that commenced construction, modification or reconstruction after the date of proposal. This information is being collected to assure compliance with 40 CFR Part 60, Subpart KKKK.

In general, all NSPS standards require initial notifications, performance tests, and periodic reports by the owners/operators of the affected facilities. They are also required to maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. These notifications, reports, and records are essential in determining compliance, and are required of all affected facilities subject to NSPS.

The active (previous) ICR had the following Terms of Clearance (TOC):

In accordance with 5 CFR 1320, EPA is required to include the following information in its submission for information collection request review and approval: (1) supporting statements to show compliance with PRA requirements and other associated laws; (2) a description of the regulatory text applicable to the ICR including submission specifications; (3) a clear description of the data elements being collected under the ICR; (4) copies of the data collection instrument(s) and/or screen shots of the electronic portal where the reporting requirements are submitted to EPA (with the control number and burden statement included); (5) a detailed discussion of how information is submitted and the extent to which electronic reporting is available; (6) evidence of consultation with respondents (by actively reaching out to stakeholders as permitted by the PRA) to ensure the supporting statement's accuracy on availability of data, frequency of collection, clarity of instructions, accuracy of burden estimate, relevance of data elements, and similar PRA matters; and (7) discussion of how EPA addressed substantive concerns raised by respondents and other stakeholders during consultation and in response to comments received on FR notices. In addition, supporting statement A should use the standard 18 question SS-A format. More information can be found at <https://pra.digital.gov/clearance-process/supporting-statement/>.

The relevant regulatory text is referenced in section 12(b) of this document. We have created a supplementary document including the regulatory text that describes the ICR requirements as identified in section 12(b) of this document as requested. This NSPS does not require electronic reporting, and the

Agency has not developed specific reporting forms for these subparts for use within CEDRI. The list of rules and required reports available in CEDRI are available at <https://www.epa.gov/electronic-reporting-air-emissions/cedri>. The notifications and reports required of respondents may be submitted to the authority by any appropriate method such as paper letter or electronic data file. A description of the EPA's consultation with respondents and how EPA responded to any concerns raised by respondents or other stakeholders is discussed in section 8 of this document. Per the Terms of Clearance on the previous ICR, this supporting statement follows the standard 18-question format.

Supporting Statement A

1. NEED AND AUTHORITY FOR THE COLLECTION

Explain the circumstances that make the collection of information necessary. Identify any legal or administrative requirements that necessitate the collection.

The EPA is charged under Section 111 of the Clean Air Act (CAA), as amended, to establish standards of performance for new stationary sources that reflect:

... application of the best technological system of continuous emissions reduction which (taking into consideration the cost of achieving such emissions reduction, or any non-air quality health and environmental impact and energy requirements) the Administrator determines has been adequately demonstrated. Section 111(a)(1).

The Agency refers to this charge as selecting the best demonstrated technology (BDT). Section 111 also requires that the Administrator review and, if appropriate, revise such standards every eight years. In addition, section 114(a) states that the Administrator may require any owner/operator subject to any requirement of this Act to:

(A) Establish and maintain such records; (B) make such reports; (C) install, use, and maintain such monitoring equipment, and use such audit procedures, or methods; (D) sample such emissions (in accordance with such procedures or methods, at such locations, at such intervals, during such periods, and in such manner as the Administrator shall prescribe); (E) keep records on control equipment parameters, production variables or other indirect data when direct monitoring of emissions is impractical; (F) submit compliance certifications in accordance with Section 114(a)(3); and (G) provide such other information as the Administrator may reasonably require.

In the Administrator's judgment, nitrogen oxide (NO_x) and sulfur dioxide (SO₂) emissions from stationary combustion turbines cause or contribute to air pollution that may reasonably be anticipated to endanger public health or welfare. Therefore, the NSPS were promulgated for this source category at 40 CFR Part 60, Subpart KKKK.

2. PRACTICAL UTILITY/USERS OF THE DATA

Indicate how, by whom, and for what purpose the information is to be used. Except for a new collection, indicate the actual use the agency has made of the information received from the current collection.

The recordkeeping and reporting requirements in the standards ensure compliance with the applicable regulations which were promulgated in accordance with the Clean Air Act. The collected information is also used for targeting inspections and as evidence in legal proceedings.

Performance tests are required in order to determine an affected facility's initial capability to comply with the emission standards. Continuous emission monitors are used to ensure compliance with the standards at all times. During the performance test a record of the operating parameters under which compliance was achieved may be recorded and used to determine compliance in place of a continuous emission monitor.

The notifications required in the standards are used to inform the Agency or delegated authority when a source becomes subject to the requirements of the regulations. The reviewing authority may then inspect the source to check if the pollution control devices are properly installed and operated, leaks are being detected and repaired, and the standards are being met. The performance test may also be observed.

The required semiannual reports are used to determine periods of excess emissions, identify problems at the facility, verify operation/maintenance procedures and for compliance determinations.

3. USE OF TECHNOLOGY

Describe whether, and to what extent, the collection of information involves the use of automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses, and the basis for the decision for adopting this means of collection. Also describe any consideration of using information technology to reduce burden.

Some of the respondents are using monitoring equipment that automatically records parameter data. Although personnel at the affected facility must still evaluate the data, internal automation has significantly reduced the burden associated with monitoring and recordkeeping at a plant site.

Electronic copies of records may also be maintained in order to satisfy federal recordkeeping requirements. For additional information on the Paperwork Reduction Act requirements for CEDRI and ERT for this rule, see: <https://www.epa.gov/electronic-reporting-air-emissions/paperwork-reduction-act-pra-cedri-and-ert>.

4. EFFORTS TO IDENTIFY DUPLICATION

Describe efforts to identify duplication. Show specifically why any similar information already available cannot be used or modified for use for the purposes described in Item 2 above.

For reports required to be submitted electronically, the information is sent through the EPA's CDX, using CEDRI, where the appropriate EPA regional office can review it, as well as state and local agencies that have been delegated authority. If a state or local agency has adopted under its own authority its own standards for reporting or data collection, adherence to those non-Federal requirements does not constitute duplication.

For all other reports, if the subject standards have not been delegated, the information is sent directly to the appropriate EPA regional office. Otherwise, the information is sent directly to the delegated state

or local agency. If a state or local agency has adopted its own standards to implement the Federal standards, a copy of the report submitted to the state or local agency can be sent to the Administrator in lieu of the report required by the Federal standards. Therefore, duplication does not exist.

5. MINIMIZING BURDEN ON SMALL BUSINESSES AND SMALL ENTITIES

If the collection of information impacts small businesses or other small entities, describe any methods used to minimize burden.

A majority of the respondents are large entities (i.e., large businesses). However, the impact on small entities (i.e., small businesses) was taken into consideration during the development of the regulation. Due to technical considerations involving the process operations and the types of control equipment employed, the recordkeeping and reporting requirements are the same for both small and large entities. The Agency considers these to be the minimum requirements needed to ensure compliance and, therefore, cannot reduce them further for small entities. To the extent that larger businesses can use economies of scale to reduce their burden, the overall burden will be reduced.

6. CONSEQUENCES OF LESS FREQUENT COLLECTION

Describe the consequence to Federal program or policy activities if the collection is not conducted or is conducted less frequently, as well as any technical or legal obstacles to reducing burden.

Less frequent information collection would decrease the margin of assurance that facilities are continuing to meet the standards. Requirements for information gathering and recordkeeping are useful techniques to ensure that good operation and maintenance practices are applied and emission limitations are met. If the information required by these standards was collected less frequently, the proper operation and maintenance of control equipment and the possibility of detecting violations would be less likely.

7. GENERAL GUIDELINES

Explain any special circumstances that require the collection to be conducted in a manner inconsistent with OMB guidelines.

These reporting or recordkeeping requirements do not violate any of the regulations promulgated by OMB under 5 CFR Part 1320, Section 1320.5.

8. PUBLIC COMMENT AND CONSULTATIONS

8a. Public Comment

If applicable, provide a copy and identify the date and page number of publication in the Federal Register of the Agency's notice, required by 5 CFR 1320.8(d), soliciting comments on the information collection prior to submission to OMB. Summarize public comments received in response to that notice and describe actions taken by the Agency in response to these comments. Specifically address comments received on cost and hour burden.

An announcement of a public comment period for the renewal of this ICR was published in the Federal Register (89 FR 63933) on August 6, 2024. No comments were received on the burden published in the Federal Register for this renewal.

8b. Consultations

Describe efforts to consult with persons outside the Agency to obtain their views on the availability of data, frequency of collection, the clarity of instructions and recordkeeping, disclosure, or reporting format (if any), and on the data elements to be recorded, disclosed, or reported. Consultation with representatives of those from whom information is to be obtained or those who must compile records should occur at least once every 3 years - even if the collection of information activity is the same as in prior periods. There may be circumstances that may preclude consultation in a specific situation. These circumstances should be explained.

The Agency has consulted industry experts and internal data sources to project the number of affected facilities and industry growth over the next three years. The primary source of information as reported by industry, in compliance with the recordkeeping and reporting provisions in the standard, is the Integrated Compliance Information System (ICIS). ICIS is EPA's database for the collection, maintenance, and retrieval of compliance data for industrial and government-owned facilities. The growth rate for the industry is based on our consultations with the Agency's internal industry experts. Approximately 1,030 respondents will be subject to the standard over the three-year period covered by this ICR.

Industry trade association(s) and other interested parties were provided an opportunity to comment on the burden associated with the standard as it was being developed and the standard has been previously reviewed to determine the minimum information needed for compliance purposes. In developing this ICR, we contacted both the Western States Petroleum Association at 916-498-7750, and the Truck and Engine Manufacturer's Association at 312-929-1970. In this case, no comments were received.

It is our policy to respond after a thorough review of comments received since the last ICR renewal as well as those submitted in response to the first Federal Register notice. In this case, no comments were received.

9. PAYMENTS OR GIFTS TO RESPONDENTS

Explain any decisions to provide payments or gifts to respondents, other than remuneration of contractors or grantees.

No payments or gifts are made to respondents.

10. ASSURANCE OF CONFIDENTIALITY

Describe any assurance of confidentiality provided to respondents and the basis for the assurance in statute, regulation, or Agency policy. If the collection requires a systems of records notice (SORN) or privacy impact assessment (PIA), those should be cited and described here.

Any information submitted to the Agency for which a claim of confidentiality is made will be safeguarded according to the Agency policies set forth in Title 40, chapter 1, part 2, subpart B - Confidentiality of Business Information (see 40 CFR 2; 41 FR 36902, September 1, 1976; amended by 43 FR 40000, September 8, 1978; 43 FR 42251, September 20, 1978; 44 FR 17674, March 23, 1979).

11. JUSTIFICATION FOR SENSITIVE QUESTIONS

Provide additional justification for any questions of a sensitive nature, such as sexual behavior and attitudes, religious beliefs, and other matters that are commonly considered private. This justification should include the reasons why the Agency considers the questions necessary, the specific uses to be made of the information, the explanation to be given to persons from whom the information is requested, and any steps to be taken to obtain their consent.

The reporting or recordkeeping requirements in the standard do not include sensitive questions.

12. RESPONDENT BURDEN HOURS & LABOR COSTS

Provide estimates of the hour burden of the collection of information. The statement should:

- *Indicate the number of respondents, frequency of response, annual hour burden, and an explanation of how the burden was estimated. Generally, estimates should not include burden hours for customary and usual business practices.*
 - *If this request for approval covers more than one form, provide separate hour burden estimates for each form and the aggregate the hour burdens.*
 - *Provide estimates of annualized cost to respondents for the hour burdens for collections of information, identifying and using appropriate wage rate categories. The cost of contracting out or paying outside parties for information collection activities should not be included here. Instead, this cost should be included as O&M costs under non-labor costs covered under question 13.*
-

12a. Respondents/NAICS Codes

The respondents to the recordkeeping and reporting requirements are stationary combustion turbines. The United States Standard Industrial Classification (SIC) codes and the corresponding North American Industry Classification System (NAICS) codes for the respondents affected by the standards are listed in the table below:

Standard (40 CFR Part 60, Subpart KKKK)	SIC Codes	NAICS Codes
Electric Power Generation	4911, 4931, 4939	2211
Pipeline Transportation of Natural Gas	4922, 4923	486210
Crude Petroleum and Natural Gas Extraction	1311	211120
Natural Gas Liquid Extraction	1321, 2819	211130
Utilities	4911, 4931, 4939, 4923, 4924, 4925, 4932, 4941, 4971, 4952, 4961	221

Based on our research for this ICR, on average over the next three years, approximately 989 existing respondents will be subject to the standard. It is estimated that an additional 42 (rounded) respondents per year will become subject, for an overall total of 1030 respondents per year. The number of respondents is calculated using the table Number of Respondents that addresses the three years covered by this ICR. None of the facilities in the United States are owned by either state, local, or tribal entities or by the Federal government. They are all owned and operated by privately-owned, for-profit businesses. We assume that they will all respond to EPA inquiries. Based on our consultations with industry representatives, there is an average of one affected facility at each plant site and each plant site has only one respondent (i.e., the owner/operator of the plant site).

The total number of annual responses per year is calculated using the Total Annual Responses table shown below. The number of Total Annual Responses is 2478.

12b. Information Requested

In this ICR, all the data that are recorded or reported is required by the NSPS for Stationary Combustion Turbines (40 CFR Part 60, Subpart KKKK). Any owner/operator subject to the provisions of this part shall maintain a file of these measurements and retain the file for at least two years following the date of such measurements, maintenance reports, and records.

A source must make the following reports:

Notifications	
Notification of construction/reconstruction	§60.7(a)(1)
Notification of actual startup	§60.7(a)(3)
Notification of performance test	§60.8(a)
Notification of CEMS demonstration	§60.7(a)(5)

Reports	
Report of the results of the performance test	§§60.8(a), 60.4375(b)
Excess emission and monitoring performance report	§§60.7(c), 60.4375(a)
Semiannual Compliance Report	§60.7(d)

A source must keep the following records:

Recordkeeping	
Maintain records of occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility; any malfunction of the air pollution control equipment; or any periods during which a CMS or monitoring device is inoperative.	§60.7(b)
Maintain a file of all measurements, including CMS, monitoring device, and performance testing measurements; all CMS performance evaluations; all CMS or monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and all other information required by this part recorded in a permanent form suitable for inspection. The file shall be retained for at least two years following the date of such measurements, maintenance, reports, and records, except some CEMS sub-hourly measurements.	§60.7(f)

12c. Respondent Activities

Respondent Activities
Familiarization with the regulatory requirements.
Install, calibrate, maintain, and operate CMS for fuel consumption and water-to-fuel or steam to fuel ratio or operate NO _x CEMS.
Perform initial performance test, Reference Method 1, 2, 3A, 6, 6C, 7E, 8, 19, and 20 tests, and repeat performance tests if necessary.
Write the notifications and reports listed above.
Enter information required to be recorded above.
Submit the required reports developing, acquiring, installing, and utilizing technology and systems for collecting, validating, and verifying information.
Develop, acquire, install, and utilize technology and systems for processing and maintaining information.
Develop, acquire, install, and utilize technology and systems for disclosing and providing information.

Respondent Activities
Train personnel to be able to respond to a collection of information.
Transmit, or otherwise disclose the information.

12d. Respondent Burden Hours and Labor Costs

Table 1 documents the computation of individual burdens for the recordkeeping and reporting requirements applicable to the industry for the subpart included in this ICR. The individual burdens are expressed under standardized headings believed to be consistent with the concept of burden under the Paperwork Reduction Act. Where appropriate, specific tasks and major assumptions have been identified. Responses to this information collection are mandatory.

The average annual burden to industry over the next three years from these recordkeeping and reporting requirements is estimated to be 106,000 hours (Total Labor Hours from Table 1). These hours are based on Agency studies and background documents from the development of the regulation, Agency knowledge and experience with the NESHAP program, the previously approved ICR, and any comments received.

This ICR uses the following labor rates:

Managerial	\$172.41 (\$82.10 + 110%)
Technical	\$141.75 (\$67.50 + 110%)
Clerical	\$71.36 (\$33.98 + 110%)

These rates are from the United States Department of Labor, Bureau of Labor Statistics, December 2023, "Table 2. Civilian workers by occupational and industry group." The rates are from column 1, "Total compensation." The rates are increased by 110 percent to account for varying industry wage rates and the additional overhead business costs of employing workers beyond their wages and benefits, including business expenses associated with hiring, training, and equipping their employees.

We assume that burdens for managerial tasks take 5% of the time required for technical tasks because the typical tasks for managers are to review and approve reports. Clerical burdens are assumed to take 10% of the time required for technical tasks because the typical duties of clerical staff are to proofread the reports, make copies and maintain records.

13. RESPONDENT CAPITAL AND O&M COSTS

Provide an estimate for the total annual cost burden to respondents or record keepers resulting from the collection of information. (Do not include the cost of any hour burden already reflected on the burden worksheet).

The cost estimate should be split into two components: (a) a total capital and start-up cost component (annualized over its expected useful life) and (b) a total operation and maintenance and purchase of services component. The estimates should consider costs associated with generating, maintaining, and disclosing or providing the information. Include descriptions of methods used to estimate major cost factors including system and technology acquisition, expected useful life of capital

equipment, the discount rate(s), and the period over which costs will be incurred. Capital and start-up costs include, among other items, preparations for collecting information such as purchasing computers and software; monitoring, sampling, drilling, and testing equipment; and record storage facilities. If cost estimates are expected to vary widely, agencies should present ranges of cost burdens and explain the reasons for the variance. The cost of purchasing or contracting out information collections services should be a part of this cost burden estimate.

Generally, estimates should not include purchases of equipment or services, or portions thereof, made: (1) prior to October 1, 1995, (2) to achieve regulatory compliance with requirements not associated with the information collection, (3) for reasons other than to provide information or keep records for the government, or (4) as part of customary and usual business or private practices.

The only type of industry costs associated with the information collection activity in the regulations are labor costs. There are no capital/startup or operation and maintenance costs.

14. AGENCY COSTS

Provide estimates of annualized costs to the Federal government. Also, provide a description of the method used to estimate cost, which should include quantification of hours, operational expenses (such as equipment, overhead, printing, and support staff), and any other expense that would not have been incurred without this collection of information.

14a. Agency Activities

The EPA conducts the following activities in connection with the acquisition, analysis, storage, and distribution of the required information:

- Review notifications and reports, including performance test reports, and excess emissions reports, required to be submitted by industry.
- Audit facility records.
- Input, analyze, and maintain data in the Enforcement and Compliance History Online (ECHO) and ICIS.

Following notification of startup, the reviewing authority could inspect the source to determine whether the pollution control devices are properly installed and operated. Performance test reports are used by the Agency to discern a source's initial capability to comply with the emission standard, and note the operating conditions under which compliance was achieved. Data and records maintained by the respondents are tabulated and published for use in compliance and enforcement programs. The semiannual reports are used for problem identification, as a check on source operation and maintenance, and for compliance determinations.

Information contained in the reports is reported by state and local governments in the ICIS Air database, which is operated and maintained by EPA's Office of Compliance. EPA uses ICIS for tracking air pollution compliance and enforcement by local and state regulatory agencies, EPA regional offices and EPA headquarters. EPA and its delegated Authorities can edit, store, retrieve and analyze the data.

14b. Agency Labor Cost

The 'burden' to the Federal Government is attributed entirely to work performed by either Federal employees or government contractors. The only costs to the Agency are those costs associated with

analysis of the reported information. The EPA's overall compliance and enforcement program includes such activities as the examination of records maintained by the respondents, periodic inspection of sources of emissions, and the publication and distribution of collected information. The average annual Agency burden and cost during the three years of the ICR is estimated to be 3,210 hours at a cost of \$179,000. See Table 2: Average Annual EPA Burden and Cost – NSPS for Stationary Combustion Turbines (40 CFR Part 60, Subpart KKKK) (Renewal).

This cost is based on the average hourly labor rate as follows:

Managerial	\$76.91 (GS-13, Step 5, \$48.07 + 60%)
Technical	\$57.07 (GS-12, Step 1, \$35.67 + 60%)
Clerical	\$30.88 (GS-6, Step 3, \$19.30+ 60%)

These rates are from the Office of Personnel Management (OPM), 2024 General Schedule, which excludes locality, rates of pay. The rates have been increased by 60 percent to account for the benefit packages available to government employees. Details upon which this estimate is based appear at the end of this document in Table 2: Average Annual EPA Burden and Cost –NSPS for Stationary Combustion Turbines (40 CFR Part 60, Subpart KKKK) (Renewal).

14c. Agency Non-Labor Costs

There are no non-labor costs to the Agency associated with this information collection.

15) REASONS FOR CHANGE IN BURDEN

Explain the reasons for any program changes or adjustments reported in the burden or capital/O&M cost estimates.

The increase in burden from the most recently approved ICR is due to an increase in the number of new or modified sources. This ICR updates the number of affected sources subject to the regulation based on an assumption that the industry continues to grow at a similar rate as the previous renewal and based on current estimates and Agency consultations. There is also a slight increase in costs, which is due to the increased sources and use of updated labor rates. This ICR uses labor rates from the most recent Bureau of Labor Statistics report (December 2023) to calculate respondent burden costs. There are no capital or operation and maintenance costs associated with this regulation.

16) PUBLICATION OF DATA

For collections of information whose results will be published, outline plans for tabulation and publication. Address any complex analytical techniques that will be used. Provide the time schedule for the entire project, including beginning and ending dates of the collection of information, completion of report, publication dates, and other actions.

Although this rule does not require electronic reporting, respondents could choose to submit notifications or reports electronically. All non-CBI data submitted electronically to the Agency through CEDRI are available to the public for review and printing and are accessible using WebFIRE. Electronically submitted emissions data from performance testing or performance evaluations using the Electronic Reporting Tool or templates attached to CEDRI, as well as data from reports from regulations with

electronic templates, are tabulated; data submitted as portable document format (PDF) files attached to CEDRI are neither tabulated nor subject to complex analytical techniques. Electronically submitted emissions data used to develop emissions factors undergo complex analytical techniques and the draft emissions factors are available on the Clearinghouse for Inventories and Emission Factors listserv at <https://www.epa.gov/chief/chief-listserv> for public review and printing. Electronically submitted emissions data, as well as other data, obtained from one-time or sporadic information collection requests often undergo complex analytical techniques; results of those activities are included in individual rulemaking dockets and are available at <https://www.regulations.gov/> for public review and printing.

17) DISPLAY OF EXPIRATION DATE

If seeking approval to not display the expiration date for OMB approval of the information collection, explain the reasons that display would be inappropriate.

EPA will display the expiration date for OMB approval of the information collection.

18) CERTIFICATION STATEMENT

Explain each exception to the topics of the certification statement identified in "Certification for Paperwork Reduction Act Submissions."

There are no exceptions to the topics of the certification statement.

Table 1: Annual Respondent Burden and Cost – NSPS for Stationary Combustion Turbines (40 CFR Part 60, Subpart KKKK) (Renewal)

Burden item	(A) Person hours per occurrence	(B) No. of occurrences per respondent per year	(C) Person hours per respondent per year (C=AxB)	(D) Respondents per year ^a	(E) Technical person hours per year (E=CxD)	(F) Management person hours per year (F=Ex0.05)	(G) Clerical person hours per year (G=Ex0.1)	(H) Total Cost per year, \$ ^b
1. Applications	N/A							
2. Surveys and studies	N/A							
3. Reporting requirements								
A. Familiarization with Regulatory Requirements ^c	4	1	4	1030	4,121	206.1	412.1	\$649,136.79
B. Required activities								
Performance test ^d	12	1	12	280	3,363	168.2	336.3	\$529,720.94
Fuel sampling – dual fuel turbines ^e	0.5	52	26	149	3,874	193.7	387.4	\$610,184.88
Fuel sampling – distillate oil only turbines ^f	0.5	5	2.5	8	20.7	1.03	2.07	\$3,259.53
C. Gather existing information	See 3D							
D. Write report								
Notification of construction/ reconstruction ^{g, h}	2	1	2	42	83	4	8	\$13,125.54
Notification of actual startup ^{g, h}	2	1	2	42	83	4	8	\$13,125.54
Notification of performance test ^d	2	1	2	280	560.5	28.0	56.1	\$88,286.82

Notification of demonstration of CEMS ⁱ	2	1	2	13	26	1.3	2.6	\$4,095.17
Initial notification of compliance ^{g, h}	2	1	2	42	83	4	8	\$13,125.54
Semiannual Compliance report ^{j, k}	8	2	16	1030	16,485	824	1649	\$2,596,547.15
Subtotal for Reporting Requirements					33,006			\$4,520,608
4. Recordkeeping requirements								
A. Familiarization with Regulatory Requirement ^c	See 3A							
B. Train personnel ^h	40	1	40	42	1,667	83.33333333	166.6666667	\$262,510.83
C. Continuous monitoring								
Record information ^{k, l}	5	12	60	1030	61,820	3,091	6,182	\$9,737,051.83
Subtotal for Recordkeeping Requirements					73,010			\$9,999,563
TOTAL LABOR BURDEN AND COST (rounded) ^m					106,000			\$14,500,000
Capital and O&M Cost ^m								\$0
Grand Total ^m								\$14,500,000

Assumptions:

^a We have assumed that there is an annual average of 1030 sources currently subject to the regulations, including 989 existing respondents, and approximately 42 new respondents per year (rounded) who will become subject to the standards.

^b This ICR uses the following labor rates: Managerial \$172.41 (\$82.10+ 110%); Technical \$141.75 (\$67.50 + 110%); and Clerical \$71.36 (\$33.98 + 110%). These rates are from the United States Department of Labor, Bureau of Labor Statistics, December 2023, "Table 2. Civilian workers by occupational and industry group." The rates are from column 1, "Total compensation." The rates are increased by 110 percent to account for varying industry wage rates and the additional overhead business costs of employing workers beyond their

wages and benefits, including business expenses associated with hiring, training, and equipping their employees.

^c We have assumed that it will take 4 hours for respondents to familiarize with regulatory requirements and that all sources will have to familiarize with regulatory requirements.

^d We have assumed that 280 respondents will each take 12 hours to conduct annual stack testing to demonstrate compliance with NOx emission limitation.

^e We have assumed that 149 respondents will each take 0.5 hours 52 times per year to complete fuel sampling for the dual fuel turbines.

^f We have assumed that eight respondents will each take 0.5 hours 5 times per year to complete the fuel sampling for the distillate oil only turbines.

^g We have assumed that it will take each new respondent 2 hours to write notification report.

^h We have assumed that this is a one-time report for new respondents.

ⁱ We have assumed that of the 42 new respondents each year, 13 of these respondents will write reports demonstrating CEMS compliance.

^j We have assumed that each of the respondents will take 8 hours twice per year to write the compliance report.

^k The average number of respondents is 1030.

^l We have assumed that it will take each respondent 5 hours twelve times per year to record information.

^m Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

Table 2: Average Annual EPA Burden and Cost – NSPS for Stationary Combustion Turbines (40 CFR Part 60, Subpart KKKK) (Renewal)

Activity	(A) EPA person- hours per occurrence	(B) No. of occurrences per plant per year	(C) EPA person- hours per plant per year (C=AxB)	(D) Plants per year ^a	(E) Technical person- hours per year (E=CxD)	(F) Management person-hours per year (F=Ex0.05)	(G) Clerical person-hours per year (G=Ex0.1)	(H) Cost, \$ ^b
Report Review								
1. Notification of construction/reconstruction ^c	1	1	1	42	42	2	4	\$2,666.81
2. Notification of actual startup ^d	0.5	1	0.5	42	21	1	2	\$1,333.41
3. Notification of performance test	2	1	2	280	560	28	56	\$35,841.96
4. Notification of demonstration of CEMS ^e	2	1	2	13	26	1.3	2.6	\$1,664.09
5. Initial notification of compliance	2	1	2	42	83	4	8	\$5,333.63
6. Semiannual compliance report ^f	2	1	2	1030	2061	103	206	\$131,889.88
TOTAL ANNUAL BURDEN AND COST (rounded)^g					3,210			\$179,000

Assumptions:

^a We have assumed that there is an annual average of 1030 sources currently subject to the regulations, including 989 existing respondents, and approximately 42 new respondents per year (rounded) who will become subject to the standards.

^b This cost is based on the average hourly labor rate as follows: Managerial \$76.91 (GS-13, Step 5, \$48.07 + 60%); Technical \$57.07 (GS-12, Step 1, \$35.67 + 60%); and Clerical \$30.88 (GS-6, Step 3, \$19.30+ 60%). This ICR assumes that Managerial hours are 5 percent of Technical hours, and Clerical hours are 10 percent of Technical hours. These rates are from the Office of Personnel Management (OPM), 2024 General Schedule, which excludes locality, rates of pay. The rates have been increased by 60 percent to account for the benefit packages available to government employees.

^c We have assumed that new respondents will take one hour each to review the notification of construction/reconstruction report.

^d We have assumed that it will take 0.5 hours for new respondents to review the actual startup report.

^e We have assumed that of the 42 new respondents, only 13 of these respondents will review the notification of demonstration of CEMS report.

^f We have assumed that it will take 2 hours once per year to review the compliance report.

^g Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

Number of Respondents

	Respondents That Submit Reports		Respondents That Do Not Submit Any Reports		
	(A)	(B)	(C)	(D)	(E)
Year	Number of New Respondents ^a	Number of Existing Respondents	Number of Existing Respondents that keep records but do not submit reports	Number of Existing Respondents That Are Also New Respondents	Number of Respondents (E=A+B+C-D)
1	47	947	0	0	994
2	47	994	0	0	1041
3	31	1025	0	0	1056
Average ²	42	989	0	0	1030

¹ New respondents include sources with constructed, reconstructed and modified affected facilities.

² Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

Total Annual Responses

(A)	(B)	(C)	(D)	(E)
Information Collection Activity	Number of Respondents	Number of Responses	Number of Existing Respondents That Keep Records But Do Not Submit Reports	Total Annual Responses E=(BxC) +D
Notification of construction/reconstruction	42	1	0	42
Notification of actual startup	42	1	0	42
Notification of performance test	280	1	0	280
Notification of demonstration of CEMS	13	1	0	13
Initial notification of compliance	42	1	0	42
Semiannual compliance report	1030	2	0	2060
			Total	2478