Annual Survey of Laboratory Testing Practices for *C. difficile* Infection

CDC's Emerging Infections Program - Clostridioides difficile Infection Surveillance

To be completed by surveillance officer		
LABID#:		
Completed By:		
Date survey was completed:/		
Was this a new laboratory in 2025?		
○ Yes		
○ No		
Year added to surveillance:		
Is this lab in another EIP site?		
○ Yes		
What state?		
LabID in other EIP site:		
○ No		
Did this lab participate in surveillance in 2025?		
Yes		
○ No		
How often did you receive line lists from this lab in 2025?		
 Whenever there is a positive case 		
○ Daily		
○ Weekly		
Monthly		
Annually		
○ Never		
○ Other		

Section 1: Laboratory Information

Public reporting burden of this collection of information is estimated to average 17 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30329; ATTN: PRA (0920-0978).

Form Approved OMB No. XXX-XXXX
Specify:
How did you receive line lists from this lab in 2025?
Electronic laboratory reporting (e.g. HL7 messaging)
○ Fax
○ Email
○ Mail
 Secure file transfer
Other
Specify:
Did you receive specimens from this lab in 2025?
○ Yes
○ No
Was this lab audited in 2025?
Yes, in person
Yes, not in person
No, not in catchment
No, not audited Specify reason:
Specify reason
Is this a private, commercial lab (e.g. Quest or LabCorp)?
Yes
○ No
Types of facilities in your catchment area served by this lab in 2025 (select all that apply):
○ Hospitals
○ LTACHs
○ LTCFs
Outpatient facilities

Section 2: Survey

To be completed by lab personnel

Instructions: This survey is intended to capture testing practices at your laboratory between January 1, 2025 and December 31, 2025.

Pos	itio	n of the staff who responded to the survey:
	\bigcirc	Laboratory Supervisor
	\bigcirc	Microbiology Supervisor
	\bigcirc	Other
		Specify:
Off	site	Testing
1.	Did	your laboratory ever send specimens off-site for Clostridioides difficile testing in 2025? (Choose one)
	_	Always (no onsite testing performed)
	\cup	LabID of Offsite Lab:
	\bigcirc	Regularly, as part of standard testing algorithm
	\cup	LabID of Offsite Lab:
		Which tests are done offsite, and at which point in the testing algorithm?
	\bigcirc	Not regularly, but when a test ordered by a physician cannot be performed onsite
		Specify tests performed offsite:
	\bigcirc	Never (All testing performed onsite)
	\bigcirc	Unknown
	Ō	Other
	-	Specify:

Testing Routine for CDI

2a. Which testing method(s) for *Clostridioides difficile (C. difficile)* did your laboratory perform in 2025? (Choose all that apply. Include testing methods used for only part of the year or for only a specific subset of specimens, if applicable)

	Did your laboratory use this testing method for Clostridioides difficile (C. difficile) in 2025?	Specify when you used this test (e.g. at provider request, for outpatients, for inpatients with a length of stay > 3 days, for every specimen received)	Did you use this testing method in this way for all of 2025?	What date did you change?	What test did you use in this situation before this date?
GDH and EIA for toxin simultaneously, followed by NAAT for discordant results	☐ Routinely ☐ Sometimes ☐ Never		☐ Yes ☐ No		
NAAT, followed by EIA for toxin and GDH simultaneously if NAAT positive	☐ Routinely ☐ Sometimes ☐ Never		☐ Yes ☐ No		
NAAT, followed by EIA for toxin if NAAT positive	☐ Routinely☐ Sometimes☐ Never		☐ Yes ☐ No		
GDH, followed by NAAT if GDH positive	☐ Routinely ☐ Sometimes ☐ Never		☐ Yes ☐ No		
GDH and EIA for toxin simultaneously, followed by cell cytotoxicity neutralization assay (cytotoxin)	☐ Routinely ☐ Sometimes ☐ Never		☐ Yes ☐ No		

Public reporting burden of this collection of information is estimated to average 19 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30329; ATTN: PRA (0920-0978).

Form Approved OMB No. XXX-XXXX

		1		
Did your laboratory use this testing method for Clostridioides difficile (C. difficile) in 2025?	Specify when you used this test (e.g. at provider request, for outpatients, for inpatients with a length of stay > 3 days, for every specimen received)	Did you use this testing method in this way for all of 2025?	What date did you change?	What test did you use in this situation before this date?
☐ Routinely☐ Sometimes☐ Never		☐ Yes ☐ No		
☐ Routinely☐ Sometimes☐ Never		☐ Yes ☐ No		
☐ Routinely☐ Sometimes☐ Never		☐ Yes ☐ No		
☐ Routinely☐ Sometimes☐ Never		☐ Yes ☐ No		
☐ Routinely ☐ Sometimes ☐ Never		☐ Yes ☐ No		
☐ Routinely ☐ Sometimes ☐ Never		☐ Yes ☐ No		
☐ Routinely ☐ Sometimes ☐ Never		☐ Yes ☐ No		
	use this testing method for Clostridioides difficile (C. difficile) in 2025? Routinely Sometimes Never	use this testing method for Clostridioides difficile (C. difficile) in 2025? (C. difficile) in 2025? Routinely Sometimes Never Routinely Routinely	use this testing method for Clostridioides difficile (C. difficile) in 2025? Routinely	use this testing method for Clostridioides difficile (C. difficile) in 2025? Routinely Sometimes Never Routinely Yes No No No Never Routinely Yes No No No No No No No N

Testing Kits for CDI

3a.	Wh	ich EIA test kit was used by your laboratory in 2025? (Check all that apply; see appendix for additional
	exc	amples)
		Premier (Meridian) Toxins A & B
		Premier (Meridian) Toxin A
		Remel ProSpecT Toxins A & B
		TechLab Toxins A & B
		Inverness Medical/Wampole Toxins A & B QuikCheck
		Inverness Medical/Wampole QuikCheck Complete (Toxins A & B and Antigen)
		Antigen Testing
		Specify antigen testing kit name/manufacturer:
		Other
		Specify other kit name/manufacturer:
		N/A (Do not use EIA testing)
3b.	Wh	ich Nucleic Acid Amplification test was used by your laboratory in 2025? (Check all that apply)
		BD-GeneOhm C. difficile
		BD MAX C. difficile
		Cepheid Xpert C. difficile
		Meridian Illumigene
		Prodesse (Gen-Probe) Progastro CD
		Luminex xTAG GPP
		Biofire Filmarray GI Panel
		Quidel AmpliVue C. difficile Assay
		Great Basin Portrait Toxigenic C. difficile Assay
		Nanosphere Verigene SP
		Other
		Specify other test:
		N/A (Do not use nucleic acid amplification)

Public reporting burden of this collection of information is estimated to average 19 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30329; ATTN: PRA (0920-0978).

Multiplex GI panels

	your laboratory used a multiplexed molecular diagnostic (e.g., Biofire Filmarray GI Panel, Luminex xTAG to test for several GI pathogens in 2025, did your laboratory suppress the <i>C. difficile</i> result so that			
clinici	clinicians could not see it?			
	Yes, C. difficile result is always suppressed			
	Yes, C. difficile result is suppressed at clinician request			
	Yes, C. difficile result is suppressed but laboratory will release the result upon clinician request			
	Yes, C. difficile result is suppressed in certain situations			
	Specify:			
	No, clinicians always see <i>C. difficile</i> result			
	N/A (Do not use multiplexed molecular diagnostic)			
	your laboratory used a multiplexed diagnostic in 2025 and the result was suppressed, where does the ession occur?			
	C. difficile result is suppressed at the multiplexed molecular diagnostic instrument level (the result is not			
	entered into the laboratory information management system (LIMS))			
	C. difficile result is suppressed at the laboratory information management system (LIMS) level			
	C. difficile result is suppressed somewhere else			
	Specify:			
	N/A (Do not use multiplexed molecular diagnostic or the result is never suppressed)			
	step Algorithm Testing for CDI			
	your laboratory used a nucleic acid amplification test (NAAT) (e.g., Cepheid Xpert <i>C. difficile</i>) as <u>first line</u>			
	g followed by a toxin EIA test (whenever NAAT result is positive) in 2025, did your laboratory suppress			
the po	ositive NAAT result so that clinicians could not see it?			
	Yes, NAAT result is always suppressed when NAAT result is positive and confirmatory toxin EIA result is negative			
	Yes, NAAT result is always suppressed but laboratory will release the positive NAAT result upon clinician			
	request			
	request Yes, NAAT result is suppressed in certain situations			
	request Yes, NAAT result is suppressed in certain situations Specify:			
	request Yes, NAAT result is suppressed in certain situations			
5b. If some	request Yes, NAAT result is suppressed in certain situations Specify: No, clinicians always see the positive NAAT result			
5b. If viboth to hel	request Yes, NAAT result is suppressed in certain situations Specify: No, clinicians always see the positive NAAT result N/A (Do not use this type of multistep algorithm testing) your laboratory used NAAT as first line testing followed by confirmatory toxin EIA testing in 2025, and the NAAT and toxin EIA results were released to the clinician, did your laboratory provide any comments			
5b. If very both to hell etc.)?	request Yes, NAAT result is suppressed in certain situations Specify: No, clinicians always see the positive NAAT result N/A (Do not use this type of multistep algorithm testing) your laboratory used NAAT as first line testing followed by confirmatory toxin EIA testing in 2025, and the NAAT and toxin EIA results were released to the clinician, did your laboratory provide any comments p the clinician interpret the test results (e.g., NAAT-positive only result might represent colonization,			
5b. If very both to hell etc.)?	request Yes, NAAT result is suppressed in certain situations Specify: No, clinicians always see the positive NAAT result N/A (Do not use this type of multistep algorithm testing) your laboratory used NAAT as first line testing followed by confirmatory toxin EIA testing in 2025, and the NAAT and toxin EIA results were released to the clinician, did your laboratory provide any comments p the clinician interpret the test results (e.g., NAAT-positive only result might represent colonization, Yes, laboratory provides comments to accompany the test results			

OMB No.	
	o If yes, please specify the situations in which your laboratory provides comments and the
	comments your laboratory uses to accompany the test results:
	N/A (Do not use this type of multistep algorithm testing or NAAT test result is always suppressed)
Testing	g Codes
6 Wha	at are the LOINC or internal testing codes associated with the tests your lab used in 2025 (e.g. LOINC
	13957-6, 34713-8, or 54067-4)?
	Specify:
Labora	itory Policies
	•
7. Did y	your lab have a policy to reject stool specimens for C. difficile testing in 2025? (Read all options. Check
all that	apply, even if it only applies sometimes)
	Yes, when stools are formed (formed stools are defined as stools that do NOT take the shape of the
	container)
	Yes, if there was a positive stool specimen recently (e.g. within 24 hours, within 7 days)
	Yes, if there was a negative stool specimen recently (e.g. within 24 hours, within 7 days)
	Yes, will not accept more than one stool specimen in a 24 hr period
	Yes, if patient is on a specific medication (e.g. laxatives)
	No rejection policy
	Other rejection policies
	Specify other rejection policy:
7a. Did	your rejection policy for stool specimens change between January 1, 2025 and December 31, 2025?
\bigcirc	Yes
	What date did this change occur?//
	Specify changes:
	<u> </u>

Form Approved

8. How many stool samples did you test for *C. difficile* each month in 2025?

Month	Stool samples tested	C. diff+ samples
January		
February		
March		
April		
May		
June		
July		
August		
September		
October		
November		
December		

Appendix: Common C. difficile Test Kit Names and Manufactures

EIA Toxin A & B

Wampole* Toxin A/B Quik Chek

Techlab* C. difficile Toxin A/B II

BioMerieux Vidas C. difficile Toxin A/B

Meridian Immunocard Toxin A/B

Meridian Premier Toxin A/B

Remel Xpect C. difficile Toxin A/B

Remel ProSpecT Toxin A/B

EIA Antigen (GDH)

Wampole* C. difficile Chek-60

Wampole* C. difficile Quik Chek

Meridian Immunocard C. difficile

EIA Toxin A/B and Antigen (Simultaneous Testing)

Wampole* C. difficile Quik Chek Complete

Nucleic Acid Amplification

BD-GeneOhm C. difficile

Cepheid Xpert C. difficile

Great Basin Portrait Toxigenic C. difficile Assay

Luminex xTAG Gastrointestinal Pathogen Panel (xTAG GPP)

Meridian BioScience Illumigene

Nanosphere Verigene SP

Prodesse (Gen-Probe) Progastro CD

Quidel AmpliVue C. difficile Assay

EIA for Toxin B Only

Alere* C. difficile Toxin B

^{*}Techlab, Inverness Medical, Alere, Wampole may be used interchangeably for these test kits