ICR Summary Information

Hours Per Response	29
Number of Respondents	164
Total Estimated Burden Hours	13,000
Total Estimated Costs	\$5,160,000
Annualized Capital O&M	\$4,650,000
Form Number	Not Applicable

	(A)	(B)
Burden Item	Person- hours per occurrence	No. of occurrences per respondent per year
1. Applications	N/A	
2. Surveys and studies	N/A	
3. Acquisition, installation, and utilization of technology and systems ^c	54	1
4. Reporting requirements		
a. Familiarization with Regulatory Requirements ^d	1	1
b. Required activities		
Initial performance test ^{e, f}	24	1
Repeat performance test e, f	24	0.2
Operating, maintenance and monitoring plan e, f	32	1
Startup, shutdown, malfunction (SSM) plan	N/A	
c. Create information	See 4B	
d. Gather existing information	See 4B	
e. Write report		
Notification of applicability ^{e, f}	2	1
Notification of construction/reconstruction	N/A	
Notification/report of actual startup	N/A	
Notification of special compliance requirements	N/A	
Notification of performance test ^e	2	1
Notification of compliance status ^e	4	1
Waiver application ^g	2	1
Report of performance test	See 4B	
Semiannual reports h	8	2
Changing furnace classification i	2	1
Subtotal for Reporting Requirements		
5. Recordkeeping requirements		
a. Familarization with Regulatory Requirements	See 4A	
b. Plan activities	See 4E	
c. Implement activities	See 4B	
Verify lime injection rate	0.1	36
Changing furnace classification i	2	1
d. Develop record system	N/A	
e. Time to enter/transmit information		
Records of all information required by the standards	N/A	
Major sources ^j	1.5	52
Area sources ^k	0.5	52
f. Time to train personnel ¹	4	1
g. Time to adjust existing ways to comply with previous applicable requirements	N/A	

h. Time to disclose information		
New sources ^m	0.25	2
All sources ⁿ	0.25	2
Sources that changed furnace classification i	1	1
i. Time for audits	N/A	
Subtotal for Recordkeeping Requirements		
TOTAL LABOR BURDEN AND COST (rounded) °		
TOTAL CAPITAL AND O&M COSTS (rounded) °		
GRAND TOTAL (rounded) °		

Assumptions:

- ^a We have assumed that the average number of respondents that will be subject to this rule will be 164, of which 56 are major
- ^b This ICR uses the following labor rates: Managerial \$172.41 (\$82.10+ 110%); Technical \$141.75 (\$67.50 + 110%); and Cle Statistics, December 2023, "Table 2. Civilian workers by occupational and industry group." The rates are from column 1, "To additional overhead business costs of employing workers beyond their wages and benefits, including business expenses associ
- ^c We have assumed that it will take each new respondent 54 hours to complete the task. This burden cost is associated with the specifications of this subpart. No additional new major or areas sources are anticipated over the three-year period of this ICR.
- ^d We have assumed that it will take each respondent one hour to read and understand the reporting requirements.
- ^e It is assumed that new area sources will comply by meeting the equipment specifications rather than by conducting performa applicable emission limit, equipment, work practice, or operational standard for affected source or emission unit and report respectively.
- ^f We have assumed new major sources will conduct initial performance tests. We have determined that respondents of new a since it was determined that sweat furnaces sold in the United States now have an afterburner installed and meet the design respondents are required to submit for approval an operation, maintenance and monitoring plan for affected sources.
- ^g It is assumed that there will be no new sources requiring a waiver from the performance test requirements.
- ^h It is assumed that each respondent will take 8 hours to write semiannual report of excess emissions or no excess emissions.
- ⁱ An estimated 51 facilities would change furnace classifications once per year.
- ^j It is assumed that it will take 1.5 hours for major source respondents to enter and transmit records.
- ^k It is assumed that it will take 0.5 hours for existing area source respondents to enter and transmit records.
- ¹ We have assumed that it will take 4 hours to train new employees.
- ^m We have assumed that it will take 0.25 hours to each new respondent to disclose information.
- $^{\scriptscriptstyle \rm n}$ We have assumed that it will take 0.25 hours for each respondent to disclose information.
- °Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

(C)	(D)	(E)	(F)	(G)	(H)
Person- hours per respondent per year (C=AxB)	Respondents per year ^a	Technical person- hours per year (E=CxD)	Management person-hours per year (F=Ex0.05)	Clerical person- hours per year (G=Ex0.1)	Cost (\$) b
54	1.3	72.0	3.6	7.2	\$11,340.47
1	164	163.7	8.2	16.4	\$25,778.04
24	1.3	32.0	1.6	3.2	\$5,040.21
4.8	1.3	6.4	0.3	0.6	\$1,008.04
32	1.3	42.7	2.1	4.3	\$6,720.28
2	1.3	3	0.13	0.27	\$420.02
2	1.3	3	0.13	0.27	\$420.02
2	56 0	224.0 0	11.2 0	22.4	\$35,281.46 \$0.00
_					
16	164	2,619	131	262	\$412,448.62
2	51	101.9	5.1	10.2	\$16,044.14
			3,757		\$514,501
3.6	164	589	29.5	58.9	\$92,800.94
2	51	102	5.1	10.2	\$16,044.14
78	56	4,368	218.4	436.8	\$687,988.39
26	108	2,808	140.4	280.8	\$442,278.25
4	1.3	5	0.3	0.5	\$840.03

0.5	1.3	1	0.03	0.07	\$105.00
0.5	164	82	4.09	8.18	\$12,889.02
1	51	51	2.55	5.09	\$8,022.07
			9,207		\$1,252,946
			13,000		\$510,000
					\$4,650,000
					\$5,160,000

sources. There will be approximately 1.3 new sources per year over the three-year period of this ICR.

erical \$71.36 (\$33.98 + 110%). These rates are from the United States Department of Labor, Bureau of Labor tal compensation." The rates are increased by 110 percent to account for varying industry wage rates and the lated with hiring, training, and equipping their employees.

ne monitoring of all control equipment ensuring that respondents of new respondents meet the required

ince tests. Respondents that are major sources are required to demonstrate initial compliance with the sults in the notification of compliance status report.

rea sources will not be required to conduct emissions testing to show compliance with the emission limit, sidence time of 0.8 seconds or greater and an operating temperature of 1600 °F or greater. All new

Labor Rates	
Technical	\$141.75
Management	\$172.41
Clerical	\$71.36

Responses Hr/Response

441 29

RRR) (Renewal)

	(A)	(B)	(C)	(D)
Activity	EPA person- hours per occurrence	No. of occurrences per plant per year	EPA person- hours per plant-year (C=AxB)	Plants per year ^a
Initial performance tests	40	1.4	56	1.3
Report performance test including retesting ^c	48	1	48	1.3
Notification of applicability	0.5	1	0.5	1.3
Notification of construction/reconstruction	N/A			
Notification of actual startup	N/A			
Notification of special compliance requirements	N/A			
Notification of performance test	2	1	2	1.3
Notification of compliance status ^d	2	1	2	56
Report of performance test ^c	40	1	40	1.3
Repeat of performance test report ^c	40	1	40	1.3
Semiannual reports ^e	4	2	8	164
Review performance test reports and reports from facilities changing furnace classification ^f	4	1	4	60
TOTAL (rounded) i				

Assumptions:

^a We have assumed that the average number of respondents that will be subject to this rule will be 164, of which 56 per year over the three-year period of this ICR.

^b This cost is based on the average hourly labor rate as follows: Managerial \$76.91 (GS-13, Step 5, \$48.07 + 60%); \$30.88 (GS-6, Step 3, \$19.30+60%). This ICR assumes that Managerial hours are 5 percent of Technical hours, an from the Office of Personnel Management (OPM), 2024 General Schedule, which excludes locality, rates of pay. To packages available to government employees.

^c We have assumed that all existing respondents are in compliance with the initial rule requirements.

^d We have assumed that it will take 2 hours for each respondent to complete notification of compliance status.

^e We have assumed that each existing respondent will take 4 hours two times per year to complete the semiannual 1

^f Assumes Agency will review all annual reports, including 4 HF tests/yr, 5 tests/yr for uncontrolled furnaces, and !

^g Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

^h Assumes that 10 percent of plants per year (0.1×6 = 0.6, rounded to 1) will report a malfunction incident.

ⁱ Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

(E)	(F)	(G)	(H)
Technical person- hours per year (E=CxD)	Management person-hours per year (F=Ex0.05)	Clerical person-hours per year (G=Ex0.1)	Cost (\$) b
75	3.73	7.47	\$4,779
64	3.2	6.4	\$4,096
0.67	0.03	0.07	\$43
2.66	0.13	0.27	\$170
112	5.6	11.2	\$7,169
53	2.67	5.33	\$3,414
53	2.67	5.33	\$3,414
1,309	65	131	\$83,803
240	12	24	\$15,361
	2,200		\$122,000

Labor Rates				
Managerial	\$76.91			
Technical	\$57.07			
Clerical	\$30.88			

 $\mathfrak z$ are major sources. There will be approximately 1.3 new sources

; Technical \$57.07 (GS-12, Step 1, \$35.67 + 60%); and Clerical d Clerical hours are 10 percent of Technical hours. These rates are he rates have been increased by 60 percent to account for the benefit

eports.

51 reports/yr for changing furnace classification.

	Capital/Startup vs. Operation and Maintenance				
(A)	(B)	(C)	(D)		
Continuous Monitoring Device	Capital/Startup Cost for One Respondent	Number of New Respondents	Total Capital/Startup Cost, (B X C)		
Bag leak detectors ^a	\$291,111	1.3	\$387,178		
Flow Meters ^b	\$3,000	1.3	\$3,990		
Continuous opacity monitors ^c	\$36,000	0	\$0		
Temporary hoods ^d	\$21,650	109	\$2,359,716		
HF testing ^e	\$11,000	1.3	\$14,630		
Furnace testing ^f	\$10,000	1.3	\$13,300		
Temperature monitors ^g	\$1,200	1.3	\$1,596		
Totals (rounded) h			\$2,780,000		

Assumptions:

^a Assume that 34 percent of major sources (or 19 respondents) will use bag leak detectors on fabric filters with a leak detectors depends on the number of probes on the unit, and O&M costs for bag leak detectors is approximat

^b The operation and maintenance costs of chlorine flow meters are negligible.

^c Sources with fabric filters will be complying with the monitoring requirements through the use of a bag leak de opacity monitors.

^d An estimated 109 furnaces and 28 facilities would need temporary hoods installed every 5 years and testing corper year.

^e An estimated 8 affected facilities would incur a total annual O&M cost of \$11,000 for measurement of hydroge

f Switching furnace classifications would result in total annual O&M costs for testing of \$500,000/yr or, for an e

^g Temperature monitors will be installed at new sweat furnaces at a cost of \$1,200. The O&M costs for temperature

^h Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

O&M) Costs			
(E)	(F)	(G)	
Annual O&M Costs for One Respondent	Number of Respondents with O&M	Total O&M, (E x F)	
\$66,667	19	\$1,266,673	
\$0	0	\$0	
\$7,500	0	\$0	
\$0	0	\$0	
\$11,000	8	\$89,640	
\$10,000	51	\$509,317	
\$0	0	\$0	Totals
		\$1,870,000	\$4,650,000

n average cost to industry at \$291,111. The actual cost of the bag rely \$66,667.

tector or visible emissions observations and not continuous

ıducted. Total annualized cost per furnace would average \$21,650

n fluoride (HF) emissions.

stimated 51 furnaces, a cost of \$10,000 per furnace.

ure monitors are negligible.

			Number of Responder
	Respondents That Submit Reports		Respondents That Do Not Submit Any Reports
	(A)	(B)	(C)
Year	Number of New Respondents ¹	Number of Existing Respondents	Number of Existing Respondents that keep records but do not submit reports
1	1.3	161.0	0
2	1.3	162.3	0
3	1.3	163.7	0
Average	1.3	162.3	0

¹ New respondents include sources with constructed, reconstructed and modified affected facilities.

nts				
(D)	(E)			
Number of Existing Respondents That Are Also New Respondents	Number of Respondents (E=A+B+C-D)			
0	162			
0	164			
0	165			
0	164			

Total Annual Responses					
(A)	(B)	(C)	(D)	(E)	
Information Collection Activity	Number of Respondents	Number of Responses	Number of Existing Respondents That Keep Records But Do Not Submit Reports	Total Annual Responses E=(BxC)+D	
Notification of applicability	1.3	1	0	1.33	
Notification of construction/reconstruction	1.3	1	0	1.33	
Notification of actual startup	1.3	1	0	1.33	
Notification of special compliance requirements	1.3	1	0	1.33	
Notification of performance test	1.3	1	0	1.33	
Notification of compliance status	56	1	0	56	
Waiver application	0	1	0	0	
Semiannual reports	164	2	0	327	
Changing furnace classification	51	1	0	51	
		Total (rounded)		441	