

Manufacturer Averaging, Banking, and Trading Report for Marine Spark Ignition Engines

Last Revision: August 2010 Version Number: 2.1

haust Emission Credits	Submission Date:
------------------------	------------------

MODEL YEAR:			
MANUFACTURER:		Small Volume?:	

Engine Family Name	Pollutant	Maximum Power (kW)*	Engine Type	Production Volume	FEL (g/kW- hr)	Jet Boat Engine Using Credits from Identical OB/PWC Engine?	Name of Associated OB/PWC Engine Family	Useful Life (hours)	Load Factor	Early Credit Multiplier	Standard (g/kW-hr)	Credit Balance (kg)	Messages
				-									
	_								_				
				1									

^{*}Maximum power can be calculated using the Max Power Calc worksheet.

SUMMARY OF CURRENT MODEL YEAR EXHAUST CREDITS (kg)					
	HC+	NO _x	СО		
	OB/PWC	SD/I	OB/PWC	SD/I	
EARLY CREDITS:		0		0	
STANDARD CREDITS:	0	0	0	0	
JETBOAT CREDITS:		0		0	

OMB No. 2060-0338 Approval Expires on 1/31/20XX EPA Form 5900-92

Paperwork Reduction Act Notice

The public reporting and recordkeeping burden for this collection of information is estimated to average 17 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for inimitizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies bursion, U.S. Environmental Protection Agency (28227), 1200 Pensylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed Form 5900-92 to this address.



Manufacturer Averaging, Banking, and Trading Report for Marine Spark Ignition Engines

Last Revision: August 2010 Version Number: 2.1

Calculation of Production-Weighted Maximum Power

The Average Power value corresponding to the final configuration for a particular engine family is the maximum power value used in the exhaust emission credit calculation (Current MY Credit Calc-EXHAUST worksheet)

Engine Family Name	Configuration	Maximum Power Rating (kW)	Production Volume	Cum. Production Volume	Average Power (kW)

Engine Family Name	Configuration	Maximum Power Rating (kW)	Production Volume	Cum. Production Volume	Average Power (kW)

Paperwork Reduction Act Notice

OMB No. 2060-0338 Approval Expires on 1/31/20XX EPA Form 5900-92 The public reporting and recordkeeping burden for this collection of information is estimated to average 17 hours per response. Send comments on the agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, heluding through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed Form 5900-2 to this address.



Manufacturer Averaging, Banking, and Trading Report for Marine Spark Ignition Engines

Last Revision: August 2010 Version Number: 2.1

Evaporative Emission Credits Submission Date:

Emission Family Name of Vessel	Permeation Family Name for Fuel Tank	Tank Category*	Production Volume	Total Area (m²)	FEL (g/m²/day)**	Test Temperature	Adjustment Factor	Standard (g/m²/day)	Credit Balance (kg)	Message(s)
* F	nay not be earned for portable fuel	to also								

^{*} Evaporative emission credits may not be earned for portable fuel tanks.

^{**} If Standard and FEL are based on testing at 40°C, an FEL below 8.3g/m²/day must be based on emissions measurements. If FEL is at or above 8.3g/m²/day, then the FEL must either be based on emission measurements for all such families, or the FEL must be an assigned value of 17.3g/m²/day for all such families.

CREDIT TOTALS- EVA	APORATIVE EMISSIONS
TANK CATEGORY	CREDIT TOTALS (kg)
Personal Watercraft Fuel Tanks	
Other Installed Fuel Tanks	
All Marine Vessel Fuel Tanks	(

	com
OMB No. 2060-0338 Approval Expires on 1/31/20XX EPA Form 5900-92	J.S iny

Paperwork Reduction Act Notice The public reporting and recordkeeping burden for this collection of information is estimated to average 17 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for —iminimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division,—In Environmental Protection Agency (28271), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in my correspondence. Do not send the completed Form 5900-592 to this address.

^{**} If Standard and FEL are based on testing at 28°C, an FEL below 5.0g/m²/day must be based on emissions measurements. If FEL is at or above 5.0g/m²/day, then the FEL must either be based on emission measurements for all such families, or the FEL must be an assigned value of 10.4g/m²/day for all such families.



Manufacturer Averaging, Banking, and Trading Report for Marine Spark Ignition Engines

Field Descriptions (Exhaust and Evaporative Current MY Credit Calculations)

	DESCF	RIPTION
FIELD	EXHAUST	EVAP
Engine Family Name/ Emission Family Name of Vessel	Enter the 12-character emission family name for the engine.	Enter the 12-character emission family name for the vessel.
Pollutant	Select the applicable pollutant (HC+NO _x or CO) from the drop-down menu. The engine family name will have separate line items for each pollutant.	NA
Permeation Family Name for Fuel Tank	NA	Enter the permeation family name for the fuel tank for which your evaporative emission ABT credits are being generated or used.
Maximum Power (kW)	Enter the maximum modal power in kW for the emission data test engine over the certification test cycle. The maximum power shall be determined as directed in 40 CFR 1045.140(d) and can be calculated using the Maximum Power Calculation spreadsheet.	NA NA
Engine Type	Select one of the following two options: 1) Outboard/Personal Watercraft or 2) Sterndrive/Inboard. Note that for Small Volume manufacturers (i.e., if "Yes" is selected in the Small Volume field above the data entry cells), the resulting credit totals for all SD/I engine families will be displayed below the data entry cells as "SD/I – Small Volume" and the corresponding values in the "Standard" column will reflect the provisions for delayed compliance under 40 CFR 1045.145(a).	NA
Tank Category	NA	Select one of the following two options: 1) Personal Watercraft Fuel Tank; 2) Other Installed Fuel Tank.
Production Volume	Enter the production volume of the engine family.	Enter the production volume of the engine family.
Total Area (m²)	NA	Enter the combined internal surface area of all fuel tanks in the family, in m ² .
FEL (g/kW-hr)	Enter the applicable Family Emission Limit for the engine family in g/kW-hr. (OB/PWC- 40 CFR 1045.103; SD/I- 40 CFR 1045.104; SD/I-Jet Boat- 40 CFR 1045.701(d); Special Provisions- 40 CFR 1045.145(b),(c), and (f)).	Enter the applicable Family Emission Limit for the emission family in g/m²/day. (40 CFR 1045.112(b))
Jet Boat Engine Using Credits from Identical OB/PWC Engine? (Yes/No)	Select "Yes" or "No" to indicate whether the jet boat engine family is the same as a certified OB/PWC engine family. Note that Jet Boat Engines are subject to SD/I engine standards. A manufacturer may use exhaust ABT credits from OB/PWC engines subject to the provisions in 40 CFR 1045.701(d).	NA
Name of Associated OB/PWC Engine Family	For engine families with Jet Boat Engine Using Credits from Identical OB/PWC Engine? equal to "Yes," enter the name of the associated OB/PWC engine family. Note that the Jet Boat engine must be the same model as an OB/PWC engine model, but have sales less than the equivalent OB/PWC family.	NΔ
Useful Life (hours)	Select the useful life in hours (350 for OB/PWC or 480 for SD/I). A manufacturer may input a different useful life for exhaust emissions only if it has received approval from EPA for a longer useful life under 40 CFR 1045.103 or 1045.105.	The useful life is 5 years for personal watercraft and 10 years for all other vessels and for portable marine fuel tanks (40 CFR 1045.112). This value is not displayed in the 'Current MY Credit Calc-EVAP' worksheet, but is included in the credit calculation.
Load Factor	This should be 0.207 in most cases. A manufacturer may input a different load factor only if it has received approval from EPA for a Special Test Procedure approved under 40 CFR 1065.10(c)(2).	NA
Test Temperature	NA	Select either 28°C or 40°C to indicate relevant test temperature.
Adjustment Factor	NA .	This field will be automatically populated based on the Test Temperature selection. The Adjustment Factor will be 1.0 if the fuel tank testing was performed at 28° C, or 0.60 if the fuel tank testing was performed at 40° C.
Early Credit Multiplier	This field will be automatically populated. A value of 2.0, 1.5, or 1.25 will be entered for SD/I engine families certified by Small Volume Manufacturers in model year 2008, 2009, and 2010, respectively. 40 CFR 1045.145(b)(5)	NA
Standard (g/kW-hr)	This field will be automatically populated with the applicable HC+NO _x or CO standard in g/kW-hr based on the entries for Pollutant, Maximum Power, and Engine Type.	This field will be automatically populated with the applicable evaporative standard in g/m²/day: 1.5 if the fuel tank testing was performed at 28° C, or 2.5 if the fuel tank testing was performed at 40° C.
Credit Balance (kg)	This field will reflect the total credit balance (in kilograms) for all engine families by averaging set.	This field will reflect the total credit balance (in kilograms) for all marine vessels

Paperwork Reduction Act Notice

OMB No. 2060-0338 Approval Expires on 1/31/20XX EPA Form 5900-92

The public reporting and recordkeeping burden for this collection of information is estimated to average 17 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number (2060-0321) in any correspondence. Do not send the completed Form 5900-92 to this address.



anufacturer Averaging, Banking, and Trading Report for Marine Spark Ignition Engines

Last Revision: August 2010 Version Number: 2.1

Credit Summary for the Part 1045 Marine SI ABT Programs

MODEL YEAR:	
IANUFACTURER:	

		EXHAUST				EVAPORATIVE
		HC+NO _x C	redits (kg)	CO Cred		
		Outboard and Personal Watercraft (OB/PWC)	Sterndrive/Inboard (SD/I)	Outboard and Personal Watercraft (OB/PWC)***	Sterndrive/Inboard (SD/I)	Permeation Emission Credits (kg)
Credit Balances	before Averaging:					
	Early Part 1045 Credits		0		0	
Current MY	Standard Part 1045 Credits	0	0	0	0	0
	Jet Boat Engine Credits using OB/PWC Credits		0		0	
Banked	Early Part 1045 Credits*					
Бапкец	Standard Part 1045 Credits					
Traded	Early Part 1045 Credits					
rraded	Standard Part 1045 Credits					
Credits Applied	to Current MY Balance:					
Current MY	Apply OB/PWC Credits to Jet Boat SD/I Engines**					
Banked	Apply Early Part 1045 Credits					
Bankeu	Apply Standard Part 1045 Credits					
Traded	Apply Early Part 1045 Credits					
rraueu	Apply Standard Part 1045 Credits					
Credit Balances	after Averaging:					
	Early Part 1045 Credits		0		0	
Current MY	Standard Part 1045 Credits	0	0	0	0	0
	Jet Boat SD/I Credits***		0		0	
Banked	Early Part 1045 Credits		0		0	
Dalikeu	Standard Part 1045 Credits	0	0		0	0
Traded	Early Part 1045 Credits		0		0	
Traueu	Standard Part 1045 Credits	0	0		0	0
SUMMARY:						
Standard Part 1	Standard Part 1045 Credits		0	0	0	0
Banked/ Tradeo	d Standard Part 1045 Credits	0	0		0	0
Early Part 1045	Credits		0		0	
Jet Boat SD/I Credits			0		0	

- * Early Part 1045 Banked Credits must be used before the 2013 model year, except for small volume manufacturers who must use them before model year 2014.
- ** Jet boat engines subject to SD/I standards and using credits from OB/PWC engines must: 1) be certified to an FEL that is at or below the Part 1045 standards for OB/PWC engines; 2) be the same model as an OB/PWC engine model, but have sales less than the equivalent OB/PWC family; and 3) only use credits from the manufacturer's same model year OB/PWC engines.
- *** Jet boat engine credits and CO credits for OB/PWC engine families may not be banked or traded. As such, any credits in these categories that are left unused after averaging, will not carry forward to the following MY.

Paperwork Reduction Act Notice

MESSAGES

OMB No. 2060-0321 Approval Expires on 1/31/2011 EPA Form 5900-92

The public reporting and recordkeeping burden for this collection of information is estimated to average 17 hours per response. Send nomments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for inimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies pivision, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB ontrol number in any correspondence. Do not send the completed Form 5900-92 to this address.



Manufacturer Averaging, Banking, and Trading Report for Marine Spark Ignition Engines

Last Revision: August 2010 Version Number: 2.1

Earl	y Eva	porative Allowances for F	iel Tanks Used on Marine SI Eng	gines and Vessels (40 CFR 1045.145(d))	
------	-------	---------------------------	---------------------------------	--	--

Submission Date:

MODEL YEAR:	
MANUFACTURER:	

ALLOWANCES ACCRUED					
Emission Family Name of Vessel	Tank Category	Permeation Family Name for Fuel Tank	Number of Allowances Accrued (Production Vol)	Messages	

ALLOWANCES USED					
Emission Family Name of Vessel	Tank Category	Permeation Family Name for Fuel Tank	Number of Allowances Used (Production Vol)	Messages	

	ALLOWANCES SUMMARY						
Averaging Set	Allowances Accrued (current Model Year)	Allowances Used (current Model Year)	Allowances Available from Previous Model Yrs	TOTAL			
PWC Tank	0	0		0			
Other Installed Tank	0	0		0			
Portable Tank	0	0		0			

Paperwork Reduction Act Notice

Paperwork Reduction Act Notice
The public reporting and recordeseping burden for this collection of information is estimated to average 17 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Awe, NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed Form 5900-92 to this address.

OMB No. 2060-0338 Approval Expires on 1/31/20XX EPA Form 5900-92