



United States
Environmental Protection Agency
Office of Transportation and Air Quality

Manufacturer Production Line Testing Report for Recreational Engines and Vehicles 40 CFR 1051

Last Revision: September 2018 Version Number: 5.2

Manufacturer Data Submission Template -- INSTRUCTIONS

I. About

The instructions in this document are specific to the Small SI template. This template is intended for use by manufacturers who are submitting PLT data in accordance with the specifications in 40 CFR 1054, Subpart D. This template allows engine manufacturers to submit production line testing (PLT) data in a simple, consistent format. Based on the information entered, the template performs the required CumSum and sample size calculations for each parameter (HC and CO) and displays the current status of the test.

It is intended that a copy of this template be created for each engine family for which the reporting of PLT results is required. The engine family name should be included in the submission file name. Note that §1054.345(a) indicates that these data must be submitted for each 'test period' as defined under §1054.310(a). One copy of a template should be maintained per engine family, per year. For instance, the file submitted for the second quarter or test period will contain all test results previously submitted. A field in the 'Submission Template' worksheet can be used to indicate the associated quarter or test period at the engine test level.

Manufacturers who have received approval for using an alternate program should contact EPA for further instructions. The general structure of this reporting template is as follows:

- The primary worksheet for entering PLT data is the worksheet labeled "Submission Template". Only values in cells that are white or yellow may be modified. The green shaded cells contain either labels or calculated values. Cells that are shaded gray or black should not have data entered. Cells that are highlighted in yellow with red bold font have incorrect data and should either be corrected, entered, or deleted. Cells that are shaded pink have missing test results and should be populated.
- The resulting calculations, including an indication of whether the test results yield a status of Pass, Fail, or Open, are displayed in the "Calculations" worksheet.
- The "Notes" worksheet provides space for a manufacturer to provide any additional notes or relevant information for the engine family's PLT information.

Before entering data in this template, international users should ensure that the settings for number handling are consistent with the template. Number handling settings that currently specify the use of a comma for the decimal separator and a period for the thousands separator must be temporarily modified to avoid errors within the automatic calculations. To modify the number handling settings, the users with Excel 2003 should go to the "Tools" menu and select "Options." In the window that appears, the "International" tab should be selected. At the top of this tab there will be a section at the top entitled "Number handling"; the check mark in the "Use system separators" box found within this section should be removed. At this point, a period should be inserted for the decimal separator and a comma should be inserted for the thousands separator. Users with Excel 2007 can get to the appropriate screen by clicking on the Microsoft Office Button, clicking on "Excel Options", and then going to the "Advanced" tab. Users with Excel 2010 should select the "File" tab and select "Options" and "Advanced." There is an option to deselect "Systems Separators", enter a period for the decimal separator and a comma for the thousands separator, and reselect "Systems Separator".

II. General Information

At the top of the "Submission Template" worksheet, there are spaces to enter general information about the PLT test. These fields include:

- Manufacturer contact information (manufacturer name, PLT test contact**, e-mail address, and phone number);
- Annual Production period** (From and To);
- Certified Fuel for engine family**;
- Engine class (I, II, III, IV, or V)**;
- Model Year**;
- Engine family identifier**;
- Projected annual production volume**;
- Indication of whether the engine family is a carry-over family**;
- Sample number, if pre-approved for reduced sample size;
- Indication of whether a Wintertime-Only Engine per §1054.101(c)**;
- Indication of whether meeting Alt CO standards in §1054.145(n)? (CARB Phase 3 Fuel)**;
- Indication of whether the engine family is a marine generator engine family**;
- Emission Test Procedure (Part 1065 or Part 90)**;
- Number of Test Periods (**NOTE:** This field is auto-calculated and cannot be edited);
- Current Test Period**;
- Actual Production, Test Period # (NOTE: Depending on the Test Periods, 1, 2, 3 or 4 may be displayed);
- Comments;

Fields indicated with a ** are required. If any of these fields are missing, Passing Status will not be displayed on the Calculations tab, and a message stating, "You must fill in all yellow highlighted boxes in the header section of the Submission Template" will be displayed.

If an engine family is certified with carry-over emissions data, the field labeled "Is this a carry-over engine family?" should be set to "yes." If EPA has approved a reduced sample size, the user can enter the reduced size in the field labeled "If pre-approved for reduced sample size, enter sample number". The first row of data entered for a carry-over engine family should be the last test results from the previous year, and a test period is not required for this row. If the engine family has been specified as a carry-over engine family, the first row in the Calculations worksheet will appear in pink.

The template also provides fields for users to enter the actual production volume for the current test period as well as the previous test periods for the year. These fields appear once the user has specified the test period for which the report is being submitted. A field for the number of test periods to be used in the year is auto-calculated and cannot be edited. Users should also provide the start and end date for each test period in the "Notes" tab.

*If "Pre-approved reduced sample size is left blank, the minimum required sample size is the lesser of one plus the number of test periods and 1% of the projected production. For carry-over families, it is the lesser of the number of test periods and 1% of the projected production.

The Comments field should be used to describe the reason for invalidating a test, justifying an initial test, describing any nonroutine adjustment, modification, repair, preparation, maintenance, or test for the engine if it was not reported to EPA separately (§1054.350(a)(7)). Information on the facility description, how engines are randomly selected, the model number, time and duration of testing should not be entered in the comments field, but should be maintained in your records and be available if EPA should ask for it.

III. Test Results

PLT test results are composed of test results from individual engines within the engine family being tested. The user should round the initial results to the number of decimal places in the emission standard expressed to one additional significant figure (see §1054.315(a)). The user should then calculate a final result by averaging these results for the engine and rounding this average, again to the number of decimal places in the emission standard expressed to one additional significant figure (see §1054.315(a)). The initial and final results should then be entered into the template. Each initial result corresponding to an individual engine should be entered in its own row, in the "Initial Result" column for each relevant pollutant. Under the column labeled "Final or Initial or Invalid?" (column C), "initial" should be selected; this will gray out the "Final Result" cells and the corresponding "Include in CumSum?" cells in that row will be auto-populated with "no" for each pollutant. After all the initial results for an individual engine have been entered, the final result should be entered on the next row, in the "Final Result" column for each relevant pollutant. Under the column labeled "Final or Initial?", "final" should be selected; this will gray out the "Initial Result" cells for each pollutant. The corresponding "Include in CumSum?" cells for each relevant pollutant will be auto-populated with "yes", assuming that required and valid data has been entered. The date entered in this row should be the date entered for the last initial test (which should be in the previous row).

In the case that there is only a single test corresponding to an individual engine, there is no need for results to be entered separately as initial and final; the test result can be entered once, on a single row, with an entry of "final" in the "Final or Initial or Invalid?" column. When carry-over data is included, only the final result from the last engine tested the previous model year should be filled in - if multiple initial tests were performed on this engine, the initial test results should not be entered.

If "invalid" is selected for a test in the "Final or Initial or Invalid?" cell, the corresponding "Include in CumSum?" cells will be auto-populated with "no" and not used in the calculations.

It is important that data be entered starting in the first row (beginning in cell B34) of the "Submission Template" worksheet. Furthermore, to ensure the accuracy of the CumSum results, the specific engine tests should be entered in the order in which they occurred and in consecutive rows. Skipping rows will preclude accurate CumSum calculations.

The following fields apply to all of the engine tests and are only filled in once:

- HC Emission Limit or FEL (required);
- HC Deterioration Factor (required);
- CO Deterioration Factor (required).

The following fields apply to all of the engine tests and are auto-populated/calculated:

- Deterioration Factor type (multiplicative, applies to all parameters);
- CO Standard (auto-calculated, dependent on Engine Class, if a Marine Generator and if Alt CO Standards (CARB Phase 3 Fuel) are

The following data fields are available for each engine test. Fields that are required for valid CumSum calculations are indicated. The official reporting requirements can be found in §1054.345.

- Test Number; this should be numeric and sequential;
- Final or Initial or Invalid? (required);
- Test Date;
- Fuel Type (required; select Gasoline, CARB Phase 2, CARB Phase 3, CNG, or LPG; must match "Certified Fuel for Engine Family" in header - unless Dual Fuel was entered as the certified fuel);
- Test Period (required for final tests);
- Engine ID;
- Build Date;
- Service Hours Accumulation;
- Test Cycle (Cycle A, Cycle B, Cycle C, or Special);
- HC Initial Result (should only be filled in if "Final or Initial or Invalid" is equal to "initial" or "invalid");
- HC Initial Rounded Result (automatically filled in based on HC Initial Result);
- HC Final Result (based on one or more Initial Result; should only be filled in if "Final or Initial or Invalid" is equal to "final");
- HC Final Deteriorated Result (automatically filled in based on HC Final Result and the HC Deterioration Factor);
- Include (HC Result) in CumSum? (auto-populated based on if "final" and other required data is present and valid);
- CO Initial Result (should only be filled in if "Final or Initial or Invalid" is equal to "initial" or "invalid");
- CO Initial Rounded Result (automatically filled in based on HC Initial Result);
- CO Final Result (based on one or more Initial Result; should only be filled in if "Final or Initial or Invalid" is equal to "final");
- CO Final Deteriorated Result (automatically filled in based on CO Final Result and the CO Deterioration Factor);
- Include (CO result) in CumSum? (auto-populated based on if "final" and other required data is present and valid);
- Test Location;
- Test Contact;
- Invalid Reason/Remedy if Failed Test/Test Comments

IV. Submission Template/Calculations Errors

The following list includes corrections that must be made in order for the Calculations to occur correctly and the Passing Status to be displayed. **NOTE: A "PASS" status will not appear regardless of the number of final tests entered or test results until the FINAL Test Period (i.e., Current Test Period must equal Number of Test Periods for a status of PASS to appear).**

- Required fields in Basic Information header missing. The missing field will be highlighted in yellow. Additionally, a message is displayed in the Calculations worksheet stating "You must fill in all yellow highlighted boxes in the header section of the Submission Template." Calculation and Passing Status will not be displayed until the missing fields are entered.

- Certified Fuel Type for Engine Family does not match one or more Fuel Type(s) in the Submission Template PLT Engine Test Results. Yellow error messages stating "Certified Fuel Type must = 'Fuel Type' below" and "Please correct all incorrect fuel types below (yellow cells)" will be displayed. The mismatched Fuel Type cells will be highlighted in yellow with bold red font so that you can easily correct the incorrect fuels. On the Calculations worksheet, a message is displayed stating "*Please resolve all fuel type discrepancies on the Submission Template." Passing Status will not be displayed until the missing fields are entered, with the exception of a FAIL status. Note: If Dual Fuel Engine is selected for Certified Fuel Type for Engine Family, different Fuel Type may be entered in the test result rows.

- Test result values entered in incorrect final/initial cell. If a row is indicated as final, but there is a value in initial result (or vice versa), a message will appear above the column header stating "Delete values from cells below highlighted in yellow." Additionally, the incorrect cells will be highlighted in yellow. Please delete the incorrect value, and ensure that the correct cell is filled in. This will also occur if values are entered on the same row for both Initial and Final. Additionally, a message is displayed in the Calculations worksheet stating "*Please correct all duplicate test entries on the Submission Template." Passing Status will not be displayed until the incorrect fields are deleted.

- Test result values entered in HC cells (final or initial) when Wintertime-only is "Yes". If "Yes" is selected for "Is this a Wintertime-Only Engine per §1054.101(c)?" the HC cells are all blacked out. A message will appear stating "Wintertime engines are not required to test HC. See §1054.101(c)." If there are any data in the HC cells that were blacked out, there will be a message above the column header stating "Delete values from cells below highlighted in yellow." The cells containing the data will be highlighted in yellow, and should be deleted. A message is displayed in the Calculations worksheet stating "*Please remove all incorrect test entries on the Submission Template." Passing Status will not be displayed until the incorrect fields are deleted.

- Test result values missing in final or initial cell. If a row is indicated as final, but there is not a value in the final result cell, or if a row is indicated as initial, but there is not a value in the initial result cell, a message will appear stating "** There is a missing a test result value for a test in the PLT Engine Test Results table (see pink colored cells below)." Additionally, there will appear another message above the column header stating "Enter the missing test result values in the cells below highlighted in pink." The missing cells will be highlighted in pink, and you should ensure that the correct cell is filled in. A message is displayed in the Calculations worksheet stating "*Please enter missing test result value(s) in the Submission Template worksheet." Passing Status will not be displayed until the missing fields are entered.

- OPEN status due to missing test period test results or actual production values. "You are missing test result(s) and/or actual production for one or more test periods" with an OPEN status. If you do not have final tests for each Test Period up to and including the Current Test Period indicated on the Submission Template, the status will remain OPEN until you enter or correct the final test results for the appropriate Test Period. Another reason for this error is missing Actual Production for one of the periods. Passing Status will not be displayed until the missing fields are entered.

V. Calculations Worksheet - Current PLT Test Status

The "Calculations" worksheet checks the data that is entered and attempts to determine the current status of the PLT test. The test will appear to be in exactly one of three possible statuses -- FAIL, PASS, or OPEN. There will be informative ("Notes") and error messages below the status cells to help indicate issues with the data.

- FAIL: The PLT Test will be in a failing status if, for one or more parameter, there are consecutive engine tests in which the calculated CumSum statistic exceeds the calculated Action Limit value. Once a test has reached a fail status, subsequent tests will not change it.

- PASS: The PLT Test will be a passing status (in the FINAL test period only) if, for all required parameters, the actual number of included engine tests (n) is greater than or equal to the required test sample size (N), and for all required parameters, the mean result is less than or equal to the provided emission limit or FEL. Please note that even if a passing status is achieved, there may be additional requirements for the number of tests required each test period. Please refer to 40 CFR 1054.310 for additional details.

- OPEN: The PLT Test will remain in an open status if it has not yet reached a fail or pass status. If you have an OPEN status but you believe your results should have passed, check that there are test results entered for each test period up to and including the current test period, and that Actual Production for each period is greater than zero.

- NO PASSING STATUS (All Blank): The Passing Status will not be displayed until errors are corrected. Refer to error message(s) and go to the Submission Template worksheet to correct errors/missing data.

VI. Troubleshooting

If there are odd or unexpected results in the "Calculations" worksheet, the following should be checked:

- For HC, has an Emission Limit or FEL been entered?
- For each required parameter, has a deterioration factor been entered?
- Have all engine tests been entered sequentially without skipping rows?
- If this has been indicated as a carry-over engine family, has the final result from the last engine tested the previous model year been entered as the first entry in the worksheet?
- If this has been indicated as a carry-over engine family, has a reduced sample size been entered?
- For each row where the Final or Initial or Invalid? column equals "initial", has the final result been entered for each relevant parameter?
- If there are any rows where the "Final or Initial or Invalid?" column equals "initial", has data mistakenly been entered in the "Final Result" columns for these rows?
- Has an included test inadvertently been marked as Invalid?
- All parameters must continue to be tested until all have met their sample size requirement (N). If you elect to test more engines, the test results will be included in the sample size and CumSum calculations (See §1054.310(i) and §1054.315(e)).
- Has a low Projected Annual Production mistakenly been entered?
- Have all required fields been entered in the header "Basic Information" section of the Submission Template?
- If you have an OPEN status but you believe your results should have passed, check that there are test results entered for each test period up to and including the current test period, and that Actual Production for each valid period is greater than zero. A status of PASS will not appear in any case until the FINAL test period (when Current Test Period = Number of Test Periods).

Paperwork Reduction Act Notice

This collection of information is estimated to average 12 minutes per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including the use of automated collection techniques, to the Director, Collection Strategies Division, U.S. Environmental Protection Agency, Washington, DC 20460.

ough the use of automated collection techniques to the Director, Collection Strategies Division, U.S.
Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460.
Include the OMB control number in any correspondence. Do not send the completed Form 5900-~~xxx~~ to
S address.

OMB No. 2060-0338

Approval Expires on 10/31/20XX

Form PFN-3520-34



Basic Information

<p>*You must fill in all yellow highlighted boxes in the header section below:</p>									
Manufacturer:	Region of origin of EU does not match MY?						Region (ISO3166-1):	Number of Test Periods:	<input type="text" value="3"/>
PLT Test Contact:								Current Test Period:	<input type="text" value="1"/>
Email Address:								Actual Production Test Period 1:	<input type="text" value="2017"/>
Phone #:									
Actual Production Period (mm/yyyy):	From:		To:		<p>If pre-approved Annual Production Volume: Is this a Carry-Over Engine Family? If pre-approved for reduced sample size? If pre-approved for reduced sample size, enter sample number: Type of products: Type of standard for HC or HC+NOx What Emission Test Procedure did you use?:</p>	<p>Pre-Approved Annual Production Volume: Is this a Carry-Over Engine Family? If pre-approved for reduced sample size? If pre-approved for reduced sample size, enter sample number: Type of products: Type of standard for HC or HC+NOx What Emission Test Procedure did you use?:</p>			
Certified Fuel for Engine Family:							Controlled engine		
Test units							Test Units		
Model Year:							Pre-1980 Engine data		
<p>COMMENTS: This family has only one production period</p>									


* If pre-approved reduced sample size is left blank, the minimum required sample size is the lesser of one plus the number of test periods and 1% of the projected production. For carry-over families, it is the lesser of the number of test periods and 1% of the projected production.

PLT Engine/Vehicle Test Results

The first test in a carry-over engine family must be final

[illegible]

1381						1381	
1382						1382	
1383						1383	
1384						1384	
1385						1385	
1386						1386	
1387						1387	
1388						1388	
1389						1389	
1390						1390	
1391						1391	
1392						1392	
1393						1393	
1394						1394	
1395						1395	
1396						1396	
1397						1397	
1398						1398	
1399						1399	
1400						1400	
1401						1401	
1402						1402	
1403						1403	
1404						1404	
1405						1405	
1406						1406	
1407						1407	
1408						1408	
1409						1409	
1410						1410	
1411						1411	
1412						1412	
1413						1413	
1414						1414	
1415						1415	
1416						1416	
1417						1417	
1418						1418	
1419						1419	
1420						1420	
1421						1421	
1422						1422	
1423						1423	
1424						1424	
1425						1425	
1426						1426	
1427						1427	
1428						1428	
1429						1429	
1430						1430	
1431						1431	
1432						1432	
1433						1433	
1434						1434	
1435						1435	
1436						1436	
1437						1437	
1438						1438	
1439						1439	
1440						1440	
1441						1441	
1442						1442	
1443						1443	
1444						1444	
1445						1445	
1446						1446	
1447						1447	
1448						1448	
1449						1449	
1450						1450	
1451						1451	
1452						1452	
1453						1453	
1454						1454	
1455						1455	
1456						1456	
1457						1457	
1458						1458	
1459						1459	
1460						1460	
1461						1461	
1462						1462	
1463						1463	
1464						1464	
1465						1465	
1466						1466	
1467						1467	
1468						1468	
1469						1469	
1470						1470	
1471						1471	
1472						1472	
1473						1473	
1474						1474	
1475						1475	
1476						1476	
1477						1477	
1478						1478	
1479						1479	
1480						1480	
1481						1481	
1482						1482	
1483						1483	
1484						1484	
1485						1485	
1486						1486	
1487						1487	
1488						1488	
1489						1489	
1490						1490	
1491						1491	
1492						1492	
1493						1493	
1494						1494	
1495						1495	
1496						1496	
1497						1497	
1498						1498	
1499						1499	
1500						1500	
1501						1501	
1502						1502	
1503						1503	
1504						1504	
1505						1505	
1506						1506	
1507						1507	
1508						1508	
1509						1509	
1510						1510	
1511						1511	
1512						1512	
1513						1513	
1514						1514	
1515						1515	
1516						1516	
1517						1517	
1518						1518	
1519						1519	
1520						1520	
1521						1521	
1522						1522	
1523						1523	
1524						1524	
1525						1525	
1526						1526	
1527						1527	
1528						1528	
1529						1529	
1530						1530	
1531						1531	
1532						1532	
1533						1533	
1534						1534	
1535						1535	
1536						1536	
1537						1537	
1538						1538	
1539						1539	
1540						1540	
1541						1541	
1542						1542	
1543						1543	
1544						1544	
1545						1545	
1546						1546	
1547						1547	
1548						1548	
1549						1549	
1550						1550	
1551						1551	
1552						1552	
1553						1553	
1554						1554	
1555						1555	
1556						1556	
1557						1557	
1558						1558	
1559						1559	
1560						1560	
1561						1561	
1562						1562	
1563						1563	
1564						1564	
1565						1565	
1566						1566	
1567						1567	
1568						1568	
1569						1569	
1570						1570	
1571						1571	
1572						1572	
1573						1573	
1574						1574	
1575						1575	
1576						1576	
1577						1577	
1578						1578	
1579						1579	
1580						1580	
1581						1581	
1582						1582	
1583						1583	
1584						1584	
1585						1585	
1586						1586	
1587						1587	
1588						1588	
1589						1589	
1590						1590	
1591						1591	
1592						1592	
1593						1593	
1594						1594	
1595						1595	
1596						1596	
1597						1597	
1598						1598	
1599						1599	
1600						1600	





United States
Environmental Protection Agency
Office of Transportation and Air Quality

**Manufacturer Production Line Testing Report for Recreational Engines and Vehicles
40 CFR 1051**

Last Revision: draft June 2019 Version Number: X.X

Manufacturer Notes

Please provide any additional notes here.

Paperwork Reduction Act Notice

The public reporting and recordkeeping burden for this collection of information is estimated to average 12 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden