



NOTICE: This report is **mandatory** under the Federal Energy Administration Act of 1974 (Public Law 93-275). Failure to comply may result in criminal fines, civil penalties and other sanctions as provided by law. For further information concerning sanctions and disclosure information, see the provisions stated on the last page of the instructions. **Title 18 USC 1001 makes it a criminal offense for any person knowingly and willingly to make to any Agency or Department of the United States any false, fictitious, or fraudulent statements as to any matter within its jurisdiction.**

SCHEDULE 1. IDENTIFICATION

1. Who is the survey contact?

- Contact EIA by email at EIA-860@eia.gov to correct or update this information.

Name:	0		
Title:			
Address:			
City:	State:	Zip Code:	
Email:			
Telephone:	Cell Phone:		

2. Who is the survey contact's supervisor?

- Contact EIA by email at EIA-860@eia.gov to correct or update this information.

Name:			
Title:			
Address:			
City:	State:	Zip Code:	
Email:			
Telephone:	Cell Phone:		

Reporting as of December 31

Year

3. What is the name and address of the reporting entity?

Entity Name:			
Entity ID:			
Entity Address:			
City:	State:	Zip Code:	

4. What is the reporting entity's relationship to the power plants reported on Schedule 2?

- Check all that apply.

<input type="checkbox"/>	Owner
<input type="checkbox"/>	Operator
<input type="checkbox"/>	Asset Manager
<input type="checkbox"/>	Other - Explain: <input type="text"/>

5. What type of entity is the principle owner and/or operator for the power plants reported on this form?

- Please select type from drop-down menu.

<input type="checkbox"/>	Cooperative
<input type="checkbox"/>	Investor-Owned Utility (IOU)
<input type="checkbox"/>	Independent Power Producer (IPP)
<input type="checkbox"/>	Municipally-Owned Utility
<input type="checkbox"/>	Political Subdivision
<input type="checkbox"/>	Federally-Owned Utility
<input type="checkbox"/>	State-Owned Utility
<input type="checkbox"/>	Industrial (principal business is not electricity generation)
<input type="checkbox"/>	Commercial (principal business is not electricity generation)

If you have any questions about the data requested on this form, contact the EIA Survey Support Team

By Email
eia4usa@eia.gov

By Phone
 1-855-EIA-4USA (1-855-342-4872)
 Monday - Friday 8:00AM to 6:00PM ET

SCHEDULE 2. POWER PLANT DATA

Complete one SCHEDULE 2 for:

- Each operable power plant;
- Each coal and nuclear plant planned for initial commercial operation within 10 years; or
- Each plant fueled by any energy source other than coal and nuclear planned for initial commercial operation within 5 years.

Entity ID
Entity Name

Reporting as of December 31 Year

1. What are the plant name and EIA Plant Code for this plant?

- Leave EIA Plant Code blank if this is the first submission for this plant.

Plant Name:
EIA Plant Code:

Please provide the Plant Name (Line 14).

2. What is this plant's physical address?

- If plant does not have a permanent address, note in SCHEDULE 7.

Street Address:
State:
City:
County:
Zip Code:

Please provide the Street Address (Line 18). If not determined at this time, put TBD.
Please select the State (Line 19).
Please provide the City (Line 20).
Please provide the County (Line 21).
Please provide the Zip Code (Line 22).

3. What is this plant's latitude and longitude?

- Enter coordinates for central location in plant.
- Report latitude and longitude in **decimal** format.

Plant Latitude:
Plant Longitude:

Please provide Plant Latitude in DECIMAL format (Question 3).
Please provide Plant Longitude in DECIMAL format (Question 3).

4. Which North American Electric Reliability Corporation region does this plant operate in?

Please select the NERC region (Question 4).

5. What is the plant's balancing authority?

- A balancing authority manages supply, demand, and interchanges within an electrically defined area.

Balancing Authority Name
Balancing Authority ID
Balancing Authority Code

Please select the Balancing Authority (Line 32).

6. What is the name of the principle water source used by this plant for cooling or hydroelectric generation?

- If from an aquifer, enter aquifer name.
- Enter "Wells" if aquifer name is unknown.
- Enter "Municipality" if water is from a municipality.
- Enter "UNK" for planned plants where water source is unknown.
- Enter "NA" for plants that do not use a water source for cooling or hydroelectric generation.

7. What is the plant's steam plant type?

1. Plants with combustible-fueled steam-electric generators with a sum of 100 MW or more steam-electric nameplate capacity (including combined cycle steam-electric generators with duct firing).
2. Plants with combustible-fueled steam-electric generators with a sum of 10 MW or more but less than 100 MW steam-electric nameplate capacity (including combined cycle steam-electric generators with duct firing).
3. Plants with nuclear fueled generators, combined cycle steam-electric generators without duct firing and solar thermal electric generators using a steam cycle with a sum of 100 MW or more steam-electric nameplate capacity.
4. Plants with non-steam fueled electric generators (wind, PV, geothermal, fuel cell, combustion turbines, IC engines, etc.) and electric generators not meeting conditions of categories above.

8. Which North American Industry Classification System (NAICS) Code that best describes this plant's primary purpose?

- Select the NAICS code from Table 29 in the Instructions.

Please select the NAICS Code that best describes this plant's primary purpose (Question 8).

9a. Does this plant have Federal Energy Regulatory Commission Qualifying Facility (QF) Cogenerator status?

If Yes, continue to Question 9b - If No, Continue to Question 10a

Please state if the plant has a QF Cogenerator status (Question 9a).

9b. List all applicable QF docket number(s) granted to this plant.

- Include only numbers and dashes, excluding prefixes.

10a. Does this plant have Federal Energy Regulatory Commission Qualifying Facility (QF) Small Power Producer status?

If Yes, continue to Question 10b - If No, Continue to Question 11a

Please state if the plant has a QF Small Power Producer status (Question 10a).

10b. List all applicable QF docket number(s) granted to this plant.

- Include only numbers and dashes, excluding prefixes.

11a. Does this plant have Federal Energy Regulatory Commission Exempt Wholesale Generator (EWG) status?

Please state if the plant has a QF Exempt Wholesale Generator status (Question 11a).

11b. List all applicable docket number(s) granted to this plant.

- Include only numbers and dashes, excluding prefixes.

12A. Is there an ash impoundment (e.g. pond, reservoir) at the plant?

Yes or No

12b. Is this impoundment lined?

Yes, No, or Not Applicable

12c. What was the ash impoundment status as of 12/31 of the reporting year?

13. Who is the current owner of the transmission lines and/or distribution facilities that this plant is interconnected to?

Name of Owner of Transmission/Distribution Facilities
Owner of Transmission/Distribution Facilities ID
Owner of Transmission/Distribution Facilities State

Please select the state of the Transmission/Distribution facility (Question 13).

14. What is this plant's grid voltage at the point(s) of interconnection to transmission or distribution facilities?

- Enter up to three grid voltages.
- If more than three, enter three highest grid voltages.

Kilovolts
 Kilovolts
 Kilovolts

Please enter the plant's grid voltage at the point(s) of interconnection in Kilovolts (Question 14).

15. Does this facility have energy storage capabilities?

- If the facility has battery storage, please fill it as a BA prime mover in Schedule 3A, 3B/C

Yes or No

Please state if this facility has energy storage capabilities (Question 15).

16a. If this facility has an existing natural gas-fired generator for which it has a pipeline connection to a Local Distribution Company (LDC), provide the name of the LDC.

- Skip this question if the plant does not receive natural gas.

16b. If this facility has an existing natural gas-fired generator and has a pipeline connection other than to a Local Distribution Company, provide the name(s) of the owner or operator of each natural gas pipeline that connects directly to this facility or that connects to a lateral pipeline owned by this facility.

- Skip this question if the plant does not receive natural gas.

16c. Does this facility have on-site storage of natural gas?

- Skip this question if the plant does not receive natural gas.

Yes, No, or Not Applicable

16d. If this facility has on-site storage of natural gas, does the facility have the capability to store the natural gas in the form of liquefied natural gas?

- Skip this question if the answer to 16c was 'No'.

Yes, No, or Not Applicable



SCHEDULE 3. GENERATOR INFORMATION
SCHEDULE 3, PART A. GENERATOR INFORMATION - GENERATORS

Complete one SCHEDULE 3, Part A for each generator at this plant that is:

- In commercial operation;
- Capable of commercial operation but currently inactive or on standby;
- Expected to be in commercial operation within 10 years in the case of coal and nuclear generators; or
- Expected to be in commercial operation within 5 years for all generators other than coal and nuclear generators.

Plant Name

EIA Plant Code

If power project and/or generator is **operational** at this time, please fill out Schedule 3A & **3B**.

If power project and/or generator is **under-development** at this time, please fill out Schedule 3A & **3C**.

If the facility has more than 3 generators fill out additional copies of the form: only 3A & **3B (existing)** or **3C (proposed)**.

1. What is the generator ID for this generator?

- Generator ID is the identification most commonly used by plant management to reference this generator.
- The identification code is restricted to five characters and cannot be changed once provided to EIA.
- Enter unique ID for each generator.

Please enter a Generator ID of your choice (Question 1).

What is this generator's status as December 31 of the reporting year?

Please select the generator's status (Row 23).

2. What is this generator's prime mover?

- Select prime mover code from Table 2 in SCHEDULE 3, Part A Instructions.
- For combined cycle units, enter a prime mover code for each generator.

Please select the prime mover code (Question 2).

3. What is this generator's unit or multi-generator code?

- A unit or multi-generator code is the unique 4-character code associated with multiple generators that operate as a single unit (such as a combined cycle unit).
- Each generator operating as a single unit should have the same unit or multi-generator code.
- Leave blank if this generator does not operate as a single unit with another generator.

4. What is this generator's ownership code?

- See Table 3 in SCHEDULE 3, Part A instructions for list of ownership codes.

Please select the generator's ownership code (Question 4).

5. Does this generator have duct burners for the supplementary firing of the turbine exhaust gas? Yes or No

- Answer only for generators with a combined cycle prime mover code of CA, CS, or CC.

6. Can this generator operate while bypassing the heat recovery steam generator? Yes or No

- Answer only for generators with a combined cycle prime mover code of CT or CC.

7a. For this generator what is the RTO/ISO LMP price node designation?

- If this generator operates in an electric system operated by a Regional Transmission Organization (RTO) or Independent System Operator (ISO) and the RTO/ISO calculates a nodal Locational Marginal Price (LMP) at the generator location, then provide the nodal designation used to identify the price node in RTO/ISO LMP price reports.

7b. For this generator what is the RTO/ISO location designation for reporting wholesale sales data to FERC?

- If this generator operates in an electric system operated by a Regional Transmission Organization (RTO) or Independent System Operator (ISO) and the generator's wholesale sales transaction data is reported to FERC for the Electric Quarterly Report, then provide the designation used to report the specific location of the wholesale sales transactions to FERC. In many cases the RTO/ISO location designation may be the same as the RTO/ISO LMP price node designation submitted in line 7a. In these cases enter the same response in both line 7a and line 7b.



SCHEDULE 3. GENERATOR INFORMATION
SCHEDULE 3, PART B. GENERATOR INFORMATION - EXISTING GENERATORS

Complete one SCHEDULE 3, Part B for each generator at this plant that is in commercial operation or capable of commercial operation.

Plant Name
 EIA Plant Code

1a. What is this generator's nameplate capacity?

- Report the highest value in megawatts as measured in alternating current.
- If capacity is expressed in kilovolts amperes, convert to megawatts using formula in SCHEDULE 3, Part B Instructions.
- Round nameplate capacity to nearest tenth.

Generator ID Megawatts (MWac) Generator ID Megawatts (MWac) Generator ID Megawatts (MWac)

1b. What is this generator's nameplate power factor?

- Use the same power factor as the one used to convert the generator's kilovolt ampere measure to megawatts in Question 1a.
- Solar photovoltaic systems, wind turbines, batteries, fuel cells, and flywheels may skip this question.

2a. What is this generator's net capacity?

- Report net summer capacity and net winter capacity for primary fuel source.
- Report in megawatts as measured in alternating current.
- Round capacity to nearest tenth.
- If the net summer capacity exceeds the nameplate capacity reported for Question 1A, explain in SCHEDULE 7.
- For solar photovoltaic generators report the peak net capacity during the day for the generator assuming clear sky conditions on June 21 for summer capacity and on December 21 for winter capacity.

Net summer capacity Megawatts (MWac) Net winter capacity Megawatts (MWac)
 Net summer capacity Megawatts (MWac) Net winter capacity Megawatts (MWac)

Answer question 2b only if the generator is powered by [photovoltaic](#) solar technology.

2b. What is the net capacity of this photovoltaic generator in direct current (DC) under standard test conditions (STC) of 1000 W/m² solar irradiance and 25 degrees Celsius PV module temperature?

Megawatts (MWdc) Megawatts (MWdc) Megawatts (MWdc)

3. What minimum load can this generator operate at continuously?

- Solar generators may skip this question.
- For generators that entered a unit code on SCHEDULE 3, Part A report load when all generators are operating at minimum load.

Megawatts Megawatts Megawatts

4a. Was an uprate or derate project completed on this generator during the reporting year?

Yes - Continue to Question 4b Yes - Continue to Question 4b
 No - Continue to Question 5 No - Continue to Question 5

4b. When was this uprate or derate project completed?

(MM-YYYY) (MM-YYYY) (MM-YYYY)

5a. What was the status of this generator as of December 31 of the reporting year?

- Select the status code from Table 4 in SCHEDULE 3, Part B of the instructions.
- If status code is SB, go to Question 5b.
- For all other status codes, go to Question 6.

5b. Is this generator equipped to be synchronized to the grid?

- Answer only if the status code reported in question 5a is SB.

6. When did this generator begin commercial operation?

(MM-YYYY) (MM-YYYY) (MM-YYYY)

7. When was this generator retired?

(MM-YYYY) (MM-YYYY) (MM-YYYY)

8. If this generator will be retired in the next ten years, what is its estimated retirement date?

(MM-YYYY) (MM-YYYY) (MM-YYYY)

9. Is this generator associated with a combined heat and power system?

Yes - Continue to Question 10 Yes - Continue to Question 10
 No - Continue to Question 11 No - Continue to Question 11

10. Is this generator part of a topping or bottoming cycle?

- In a topping cycle, electricity is produced first and any waste heat from that production is used in a manufacturing or commercial application.
- In a bottoming cycle, thermal output is used in a process other than electricity production and any waste heat is then used to produce electricity.

Topping Topping
 Bottoming Bottoming

11. What is this generator's predominant energy source?

- Enter the energy source code for the fuel used by this generator in the greatest quantity during the reporting year, as measured in Btus.
- Select this energy source code from Table 28 in the instructions.

incorrect Predominant Energy source given the prime mover in Question 2 (Schedule 3A)

incorrect Predominant Energy source given the prime mover in Question 2 (Schedule 3A)

incorrect Predominant Energy source given the prime mover in Question 2 (Schedule 3A)

12. What are the energy sources used by this generator's combustion units for start-up and flame stabilization?

- Answer only for generators whose prime mover code was ST (Steam turbine).
- Enter the energy source code for the fuel used by this generator for start-up and flame stabilization during the reporting year, as measured in Btus.
- Select this energy source code from Table 28 in the instructions.

a.
 b.
 c.
 d.

a.
 b.
 c.
 d.

a.
 b.
 c.
 d.

13. What is this generator's second most predominant energy source?

- Enter the energy source code for the fuel used by this generator in the second quantity during the reporting year, as measured in Btus.
- Do NOT include fuel used only for start-up or flame stabilization.
- Select this energy source code from Table 28 in the instructions.

14. What other energy sources are used by the generator?

- Enter the energy source codes for all other fuels this generator either used or was capable of using during the reporting year in descending order, as measured in Btu. Begin with those actually used and then provide those are capable of being used.
- Select energy source code(s) from Table 28 in the instructions.

a.
b.
c.
d.

a.
b.
c.
d.

a.
b.
c.
d.

15. Is this generator part of a solid fuel gasification system? Yes or No

16. What is the tested heat rate for this generator?

- The tested heat rate is the fuel consumed, in Btus, necessary to generate one net kilowatt-hour of electric energy.
- Enter the tested heat rate under full load conditions for all combustible-fueled and nuclear-fueled generators.
- See SCHEDULE 3, Part B instructions for additional guidance on reporting the tested heat rate.

 Btu/kWh Btu/kWh Btu/kWh

17. What fuel was used to determine this generator's tested heat rate?

- Enter the energy source code for the fuel used to calculate the tested heat rate entered for Question 16.
- Select energy source code from Table 28 in the instructions.
- Enter "M" if multiple fuels were used to calculate the tested heat rate.

18. Is the generator associated with a carbon capture process? Yes or No

19. How many wind turbines or hydrokinetic buoys are there at this generator?

- Wind generators should enter the number of wind turbines.
- Hydrokinetic generators should enter the number of hydrokinetic buoys.
- All other generators should enter 0.

20. RESERVED FOR FUTURE USE

21. What is the minimum amount of time required to bring this generator from cold shut down to full load?

- Solar and wind generator should skip this question.

0 - 10 minutes
 10 minutes - 1 hour
 1 hour - 12 hours
 More than 12 hours

0 - 10 minutes
 10 minutes - 1 hour
 1 hour - 12 hours
 More than 12 hours

0 - 10 minutes
 10 minutes - 1 hour
 1 hour - 12 hours
 More than 12 hours

22. RESERVED FOR FUTURE USE

Answer questions on lines 23 and 24 only if generator is fueled by coal or petroleum coke

23. What combustion technology applies to this generator?

Fluidized Bed
 Pulverized Coal
 Stoker
 Other - Explain in SCHEDULE 7

Fluidized Bed
 Pulverized Coal
 Stoker
 Other - Explain in SCHEDULE 7

Fluidized Bed
 Pulverized Coal
 Stoker
 Other - Explain in SCHEDULE 7

24. What steam conditions apply to this generator?

Sub-Critical
 Super-Critical
 Ultra Super-Critical

Sub-Critical
 Super-Critical
 Ultra Super-Critical

Sub-Critical
 Super-Critical
 Ultra Super-Critical

Answer questions on lines 25 through 28 only if generator is wind-powered

25. What is the predominant manufacturer of the turbines at this generator?

- Enter "UNKNOWN" if predominant turbine manufacturer is unknown.

26. What is the predominant model number of the turbines at this generator?

- Enter "UNKNOWN" if predominant model number is unknown.

27a. What is the average annual wind speed for the turbines included at this generator site?

- If more than one value exists, select the one that best represents the turbines.

 Miles per hour Miles per hour Miles per hour

27b. What is the International Electrotechnical Commission wind quality class for the turbines included in this generator?

- See Table 5 in the SCHEDULE 3, Part B instructions for wind class definitions.
- If more than one wind class exists, select the one that best represents the turbines.

Class 1 - High Wind
 Class 2 - Medium Wind
 Class 3 - Low Wind
 Class 4 - Very Low Wind

Class 1 - High Wind
 Class 2 - Medium Wind
 Class 3 - Low Wind
 Class 4 - Very Low Wind

Class 1 - High Wind
 Class 2 - Medium Wind
 Class 3 - Low Wind
 Class 4 - Very Low Wind

28. What is the hub height of the turbines in this generator?

- If this generator consists of turbines with multiple hub heights, select the one that best represents the turbines.

 Feet Feet Feet

Answer questions on lines 29 through 33 only if generator is powered by photovoltaic or concentrated solar thermal technology

29. What are the solar tracking, concentrating and collector technologies used at this generator?

- Select all applicable solar tracking, concentrating, or collector technologies used at the unit.

Lenses / Mirrors
 Single-Axis Tracking
 Dual-Axis Tracking
 Fixed Tilt
 East-West Fixed Tilt (alternating rows)
 Parabolic Trough
 Bifacial
 Power Tower
 Dish Engine

Lenses / Mirrors
 Single-Axis Tracking
 Dual-Axis Tracking
 Fixed Tilt
 East-West Fixed Tilt (alternating rows)
 Parabolic Trough
 Bifacial
 Power Tower
 Dish Engine

Lenses / Mirrors
 Single-Axis Tracking
 Dual-Axis Tracking
 Fixed Tilt
 East-West Fixed Tilt (alternating rows)
 Parabolic Trough
 Bifacial
 Power Tower
 Dish Engine

Other - Explain in SCHEDULE 7

Other - Explain in SCHEDULE 7

Other - Explain in SCHEDULE 7

30a. For generators having Non-Tracking Fixed Mount technologies or single-axis technologies with a fixed azimuth angle, what is the azimuth angle of the unit?
- Skip this question for units configured with an East-West Fixed Tilt (alternating rows) technology.

30b. For generators having Non-Tracking Fixed Mount technologies or single-axis technologies with a fixed tilt angle, what is the tilt angle of the unit?

31. What type of photovoltaic panels are included in this generator made of? (Select all that apply.)

- Crystalline Silicon
- Thin-Film (CdTe)
- Thin-Film (A-Si)
- Thin-Film (CIGS)
- Thin-Film (Other)
- Other - Explain in SCHEDULE 7

- Crystalline Silicon
- Thin-Film (CdTe)
- Thin-Film (A-Si)
- Thin-Film (CIGS)
- Thin-Film (Other)
- Other - Explain in SCHEDULE 7

- Crystalline Silicon
- Thin-Film (CdTe)
- Thin-Film (A-Si)
- Thin-Film (CIGS)
- Thin-Film (Other)
- Other - Explain in SCHEDULE 7

32a. Is the output from this generator part of a net metering agreement?

32b. If the output from this generator is part of a net metering agreement how much DC capacity (in MW) is part of the net metering agreement (exclude virtual net metering)?

33a. Is the output from this generator part of a known virtual net metering agreement?

33b. If the output from this generator is part of a known virtual net metering agreement how much DC capacity (in MW) is part of the known virtual net metering agreement?

Answer questions on lines 34 through 43 only if generator is an [energy storage device](#) other than pumped storage or thermal storage (examples include battery, flywheel, and compressed air).

34. What is the nameplate energy capacity (MWh)?

35. What is the maximum charge rate (MW)?

36. What is the maximum discharge rate (MW)?

37. For battery applications, what electro-chemical storage technology(s) are used?

- Enter all electro-chemical storage technologies used for battery applications
- Select storage technologies code(s) from Table 5b in the instructions.

38. What is the nameplate reactive power rating (MVAR) for the energy storage device?

39. Which enclosure type best describes where the generator is located?

- Select an enclosure type from Table 5c in the instructions.

40a. What is the primary application (if applicable) of this energy storage device during the reporting year? (select all that apply)?

- Based on the revenues or business case of this battery system, select one application from Table 5d in the instruction.

40b. What is the secondary application (if applicable) of this energy storage device during the reporting year? (select all that apply)?

- Based on the revenues or business case of this battery system, select all that apply

- Arbitrage
- Frequency Regulation or Frequency Response
- Load Following
- Ramping / Spinning Reserve
- Co-Located Renewable Firming
- Transmission and Distribution Deferral
- System Peak Shaving
- End-User Load Management
- Voltage or Reactive Power Support
- Backup Power
- Storing Excess Wind and Solar Generation

- Arbitrage
- Frequency Regulation or Frequency Response
- Load Following
- Ramping / Spinning Reserve
- Co-Located Renewable Firming
- Transmission and Distribution Deferral
- System Peak Shaving
- End-User Load Management
- Voltage or Reactive Power Support
- Backup Power
- Storing Excess Wind and Solar Generation

- Arbitrage
- Frequency Regulation or Frequency Response
- Load Following
- Ramping / Spinning Reserve
- Co-Located Renewable Firming
- Transmission and Distribution Deferral
- System Peak Shaving
- End-User Load Management
- Voltage or Reactive Power Support
- Backup Power
- Storing Excess Wind and Solar Generation

41a. Is the energy storage system intended for dedicated generator firming or storing excess generation?

Yes
 No

Yes
 No

Yes
 No

If the answer to this question is "No", go to line 42

41b. What is the Plant ID and Generator ID of the unit whose generation it is intended to firm or store?

Plant ID

Plant ID

Plant ID

Generator ID

Generator ID

Generator ID

42. Is the energy storage system intended to support a specific generator? How are they connected?

- AC-coupled
- DC-coupled
- DC tightly coupled

- AC-coupled
- DC-coupled
- DC tightly coupled

- AC-coupled
- DC-coupled
- DC tightly coupled

Independent

Independent

Independent

43. Is the energy storage system intended to support a specific substation, transmission or distribution asset?

Yes
 No

Yes
 No

Yes
 No

If a capacity uprate is planned within the next 10 years, answer Lines 44a-44c.

44a. What is the expected incremental increase in the net summer capacity?

Megawatts

Megawatts

Megawatts

44b. What is the expected incremental increase in the net winter capacity?

Megawatts

Megawatts

Megawatts

44c. What is the planned effective date for this capacity uprate?

- The planned effective date is the date that this generator is scheduled to re-enter operation after the modification.

(MM-YYYY)

(MM-YYYY)

(MM-YYYY)

If a capacity derate is planned within the next 10 years, answer Lines 45a-45c.

45a. What is the expected incremental decrease in the net summer capacity?

Megawatts

Megawatts

Megawatts

45b. What is the expected incremental decrease in the net winter capacity?

Megawatts

Megawatts

Megawatts

45c. What is the planned effective date for this capacity derate?

- The planned effective date is the date that this generator is scheduled to re-enter operation after the modification.

(MM-YYYY)

(MM-YYYY)

(MM-YYYY)

If a repowering of this generator is planned within the next 10 years, answer Lines 46a - 46d.

46a. What is the expected new prime mover for this generator?

46b. What is the expected new energy source for this generator?

46c. What is the expected new nameplate capacity for this generator?

- Report the expected value in megawatts as measured in alternating current.

- If capacity is expressed in kilovolt amperes, convert to megawatts using formula in SCHEDULE 3, Part B instruction line 1a.

- Round nameplate capacity to the nearest tenth.

Megawatts

Megawatts

Megawatts

46d. What is the planned effective date for this repowering?

- The planned effective date is the date that this generator is scheduled to re-enter operation after this modification.

(MM-YYYY)

(MM-YYYY)

(MM-YYYY)

47a. Are there any other modifications planned within the next 10 years?

- Other modifications include known planned modifications that may result in changes to system designs questions in future EIA-860 forms

Yes - Explain in SCHEDULE 7
 No

Yes - Explain in SCHEDULE 7
 No

Yes - Explain in SCHEDULE 7
 No

If other planned modifications for this generator were indicated in line 47a., then answer Line 47b.

47b. What is the planned date of these modifications?

(MM-YYYY)

(MM-YYYY)

(MM-YYYY)

All respondents should answer question 48a.

48a. Can this generator burn multiple fuels?

Yes
 No

Yes
 No

Yes
 No

If the answer to this question is "No," go to SCHEDULE 3, PART C. GENERATOR INFORMATION - PROPOSED GENERATORS.

48b. Can this generator co-fire fuels?

Note: **Co-firing** means the simultaneous use of two or more fuels by a single combustion system to meet load. Co-firing excludes the limited use of a secondary fuel for start-up or flame stabilization

Yes
 No

Yes
 No

Yes
 No

If this generator can co-fire fuels, answer Question 48c.

48c. What are the fuel options for co-firing?

- Skip this question if the generator cannot co-fire fuels.

All respondents should answer question 49a.

49a. Can this generator switch between oil and natural gas?

Note: **Fuel switching** means the ability of a combustion system running on one fuel to replace that fuel in its entirety with a substitute fuel. Fuel switching excludes the limited use of a secondary fuel for start-up or flame stabilization

- Answer yes if the combustion system that powers this generator has, in operating order, the equipment AND the regulatory permits necessary to do so.

Yes
 No

Yes
 No

Yes
 No

If this generator can switch between oil and natural gas, answer Questions 49b - 53b.

49b. Can this generator switch between oil and natural gas when operating?

- Skip this question if the generator cannot switch between oil and natural gas.

Yes
 No

Yes
 No

Yes
 No

50a. What is the maximum net summer output achievable when running on natural gas?

- When providing this figure take into account all applicable legal, regulatory, and technical limits.

Megawatts

Megawatts

Megawatts

50b. What is the maximum net winter output achievable when running on natural gas?

- When providing this figure take into account all applicable legal, regulatory, and technical limits.

Megawatts

Megawatts

Megawatts

51a. What is the maximum net summer output achievable when running on oil?

- When providing this figure take into account all applicable legal, regulatory, and technical limits.

Megawatts

Megawatts

Megawatts

51b. What is the maximum net winter output achievable when running on oil?
- When providing this figure take into account all applicable legal, regulatory, and technical limits.

Megawatts

Megawatts

Megawatts

52a. How much time is required to switch this generator from using 100 percent natural gas to 100 percent oil?

0 to 1 hours
Over 1 hours to 6 hours
Over 6 hours to 24 hours
Over 24 hours to 72 hours
Over 72 hours
Unknown or uncertain

0 to 1 hours
Over 1 hours to 6 hours
Over 6 hours to 24 hours
Over 24 hours to 72 hours
Over 72 hours
Unknown or uncertain

0 to 1 hours
Over 1 hours to 6 hours
Over 6 hours to 24 hours
Over 24 hours to 72 hours
Over 72 hours
Unknown or uncertain

52b. How much time is required to switch this generator from using 100 percent oil to using 100 percent natural gas?

0 to 1 hours
Over 1 hours to 6 hours
Over 6 hours to 24 hours
Over 24 hours to 72 hours
Over 72 hours
Unknown or uncertain

0 to 1 hours
Over 1 hours to 6 hours
Over 6 hours to 24 hours
Over 24 hours to 72 hours
Over 72 hours
Unknown or uncertain

0 to 1 hours
Over 1 hours to 6 hours
Over 6 hours to 24 hours
Over 24 hours to 72 hours
Over 72 hours
Unknown or uncertain

53a. Are there factors that limit this generator's ability to switch from natural gas to oil or from oil to natural gas?

Yes - Continue to Question 53b
 No

Yes - Continue to Question 53b
 No

Yes - Continue to Question 53b
 No

53b. Which factors limit this generator's ability to switch from natural gas to oil or from oil to natural gas?
- Select all that apply.

Limited On-Site Fuel Storage
 Air Permit Limits
 Other - Explain in SCHEDULE 7

Limited On-Site Fuel Storage
 Air Permit Limits
 Other - Explain in SCHEDULE 7

Limited On-Site Fuel Storage
 Air Permit Limits
 Other - Explain in SCHEDULE 7



SCHEDULE 3. GENERATOR INFORMATION
SCHEDULE 3, PART C. GENERATOR INFORMATION - PROPOSED GENERATORS

Complete one SCHEDULE 3, Part C for:

- Each coal or nuclear generator expected to be in commercial operation within 10 years at this plant; and
- Each generator fueled by any other primary energy source planned for initial commercial operation within 5 years at this plant.

Plant Name
 EIA Plant Code

1a. What is the expected nameplate capacity for this generator?

- Report the highest value in megawatts as measured in alternating current.
- If capacity is expressed in kilovolt amperes, convert to megawatts using formula in SCHEDULE 3, Part C of the Instructions.
- Round nameplate capacity to nearest tenth.

Generator ID	<input type="text"/>	Megawatts (MWac)	Generator ID	<input type="text"/>	Megawatts (MWac)	Generator ID	<input type="text"/>	Megawatts (MWac)
--------------	----------------------	------------------	--------------	----------------------	------------------	--------------	----------------------	------------------

1b. What is this generator's expected nameplate power factor?

- Use the same power factor as the one used to convert the generator's kilovolt ampere measure to megawatts in Question 1a.

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

2a. What is the expected net capacity for this generator?

- Report the expected net summer capacity and expected net winter capacity for primary fuel source.
- Report in megawatts as measured in alternating current.
- Round capacity to nearest tenth.

Expected Net summer capacity	<input type="text"/>	Megawatts (MWac)	<input type="text"/>	Megawatts (MWac)	<input type="text"/>	Megawatts (MWac)
Expected Net winter capacity	<input type="text"/>	Megawatts (MWac)	<input type="text"/>	Megawatts (MWac)	<input type="text"/>	Megawatts (MWac)

3. What was the status of this proposed generator as of December 31 of the reporting year?

- Select a status code from those listed in Table 6, SCHEDULE 3, Part C Instructions.

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

4. What is the planned original effective date for this generator?

- The planned original effective date is the date that this generator was scheduled to enter operation after construction was completed.
- This date should only be reported once, and should not change once it is reported.

<input type="text"/>	<input type="text"/>	(MM-YYYY)	<input type="text"/>	<input type="text"/>	(MM-YYYY)	<input type="text"/>	<input type="text"/>	(MM-YYYY)
----------------------	----------------------	-----------	----------------------	----------------------	-----------	----------------------	----------------------	-----------

5. What is the planned current effective date for this generator?

- The planned current effective date is the date that this generator is scheduled to start operation.

<input type="text"/>	<input type="text"/>	(MM-YYYY)	<input type="text"/>	<input type="text"/>	(MM-YYYY)	<input type="text"/>	<input type="text"/>	(MM-YYYY)
----------------------	----------------------	-----------	----------------------	----------------------	-----------	----------------------	----------------------	-----------

6. Will this generator be associated with a combined heat and power system?

<input type="text"/>	Yes No	<input type="text"/>	Yes No	<input type="text"/>	Yes No
----------------------	-----------	----------------------	-----------	----------------------	-----------

7. Is this generator part of a site that was previously reported as indefinitely postponed or cancelled?

<input type="text"/>	Yes No Unknown	<input type="text"/>	Yes No Unknown	<input type="text"/>	Yes No Unknown
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------

8. What is the predominant expected energy source for this generator?

- Enter the energy source code for the fuel used in the greatest quantity to fuel this generator, as measured in Btus.
- Select this energy source code from Table 28 in the instructions.

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

9. What is the second most predominant expected energy source for this generator?

- Enter the energy source code for the fuel expected to be used in the second greatest quantity to fuel this generator, as measured in Btus.
- Select this energy source code from Table 28 in the instructions.

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

10. What other energy sources do you expect to use for this generator?

- Enter the energy source codes for all other fuels you expect this generator to use in descending order as measured in Btu.
- Select energy source code(s) from Table 28 in the instructions.

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

Answer questions on lines 11 through 20 only if generator is expected to be an energy storage device (other than pumped storage or thermal storage (examples include battery, flywheel, and compressed air)).

11. What is the expected nameplate energy capacity (MWh)?

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

12. What is the expected maximum charge rate (MW)?

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

13. What is the expected maximum discharge rate (MW)?

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

14. For battery applications, what electro-chemical storage technology(s) are expected to be used?

- Enter all electro-chemical storage technologies used for battery applications
- Select storage technologies code(s) from Table 5b in the instructions.

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

15. What is the expected nameplate reactive power rating (MVAR) for the energy storage device?

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

SCHEDULE 5, PART A. GENERATOR CONSTRUCTION COST INFORMATION – COAL AND NUCLEAR GENERATORS

Complete one SCHEDULE 5, Part A for each coal or nuclear generator that, during the reporting year:

- Began commercial operation; or
- Was under construction, in final testing or in the process of receiving permits and regulatory approvals; or
- Was a nuclear generator that has applied for a combined operating license from the Nuclear Regulatory Commission.

Plant Name

EIA Plant Code

Generator ID	Generator ID	Generator ID
<input type="text"/>	<input type="text"/>	<input type="text"/>

1. What is the total construction cost for this generator? (rounded to the nearest thousand dollars)
- Exclude financing, land acquisition or leasing, government grants, tax benefits, and other incentives from this number.

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

2. What are the total financing costs for this generator? (rounded to the nearest thousand dollars)
- Enter zero if there was no financing cost.

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

3. What is the total cost to construct this generator including financing costs? (rounded to the nearest thousand dollars)
- This value should be the sum of values in lines 1 and 2.

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

SCHEDULE 5, PART B. GENERATOR CONSTRUCTION COST INFORMATION – OTHER THAN COAL AND NUCLEAR GENERATORS

Complete SCHEDULE 5, Part B for each generator (other than coal or nuclear) that began commercial operation during the reporting year

Plant Name
EIA Plant Code

Generator ID	Generator ID	Generator ID
<input type="text"/>	<input type="text"/>	<input type="text"/>

1. What is the total construction cost for this generator? (rounded to the nearest thousand dollars)
- Exclude financing, land acquisition or leasing, government grants, tax benefits, and other incentives from this number.

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

2. What are the total financing costs for this generator? (rounded to the nearest thousand dollars)
- Enter zero if there was no financing cost..

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

3. What is the total cost to construct this generator including financing costs? (rounded to the nearest thousand dollars)
- This value should be the sum of values in lines 1 and 2.

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------



SCHEDULE 6, PART B. BOILER INFORMATION
AIR EMISSIONS STANDARDS AND CONTROL STRATEGIES

For plants with a total steam-electric nameplate capacity of 10 MW or greater but less than 100 MW:

Complete ONLY lines 1,3 to 8, 11,12, 13 and 14 (SO₂, NO_x and Mercury questions) SCHEDULE 6, Part B for each boiler and its associated equipment that serve combustible-fueled steam electric generators or combined cycle steam generators with duct firing.

For plants with a total steam-electric nameplate capacity of 100 MW or greater:

Complete one SCHEDULE 6, Part B in its entirety for each boiler and its associated equipment that serve combustible-fueled steam electric generators and combined cycle steam generators with duct firing.

Plant Name
 EIA Plant Code

1. What is the boiler identification code?

Boiler ID Boiler ID Boiler ID

2a. What type of boiler standards is the boiler operating under?

- D - Standards of Performance for fossil-fuel fired steam boilers for which construction began after August 17, 1971.
- Da - Standards of Performance for fossil-fuel fired steam boilers for which construction began after September 18, 1978.
- Db - Standards of Performance for fossil-fuel fired steam boilers for which construction began after June 19, 1984.
- Dc - Standards of Performance for small industrial-commercial-institutional steam generating units
- N - Not covered under New Source Performance Standards.

2b. Is this boiler operating under a New Source Review Permit (NSRP)?

Yes Yes Yes
 No No No

2c. What are the list date and identification number of this NSR Permit?

NSR Permit Identification Number
 NSR Permit List Date

Sulfur Dioxide Regulations

Boilers that burn only natural gas may select "Not Applicable" for line 3a and skip lines 3b, 3c, 3d, 3e, 4, 5a, and 5b.

3a. What is the regulatory level of the most stringent regulation that this boiler is operating under to meet sulfur dioxide control standards?

Select one Select one Select one

Federal	<input type="text"/>	<input type="text"/>	<input type="text"/>
State	<input type="text"/>	<input type="text"/>	<input type="text"/>
Local	<input type="text"/>	<input type="text"/>	<input type="text"/>
Unavailable or Unknown	<input type="text"/>	<input type="text"/>	<input type="text"/>
Not Applicable	<input type="text"/>	<input type="text"/>	<input type="text"/>

3b. What is the emission rate specified by the most stringent sulfur dioxide regulation?

Answer should correspond to response on line 3a.

3c. What is the percent of sulfur to be scrubbed specified by the most stringent sulfur dioxide regulation?

Answer should correspond to response on line 3a.

3d. What is the unit of measurement specified by the most stringent sulfur dioxide regulation?

Answer should correspond to response on line 3a. Select from Table 10 in the instructions for units.

3e. What is the time period specified by the most stringent sulfur dioxide regulation?

Answer should correspond to response on line 3a.

Select this from Table 11 in the instructions.

4. In what year did the boiler become compliant or is expected to become compliant with the most stringent sulfur dioxide regulation?

Answer should correspond to response on line 3a.

(YYYY) (YYYY) (YYYY)

5a. What is your existing strategy for complying with the most stringent sulfur dioxide regulation?

Answer only if already in compliance.

Select up to three strategies that apply from Table 12 in the instructions for SCHEDULE 6, Part B.

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

5b. What is your proposed strategy for complying with the most stringent sulfur dioxide regulation?

Answer only if not already in compliance.

Select up to three strategies that apply from Table 12 in the instructions for SCHEDULE 6, Part B.

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

Nitrogen Oxide Regulations

6a. What is the regulatory level of the most stringent regulation that this boiler is operating under to meet nitrogen oxide control standards?

Select one. Select one. Select one.

Federal	<input type="text"/>	<input type="text"/>	<input type="text"/>
State	<input type="text"/>	<input type="text"/>	<input type="text"/>
Local	<input type="text"/>	<input type="text"/>	<input type="text"/>
Unavailable or Unknown	<input type="text"/>	<input type="text"/>	<input type="text"/>
Not Applicable	<input type="text"/>	<input type="text"/>	<input type="text"/>

6b. What is the emission rate specified by the most stringent nitrogen oxide regulation?

Answer should correspond to response on line 6a.

6c. What is the unit of measurement specified by the most stringent nitrogen oxide regulation?

Answer should correspond to response on line 6a.

Select this from Table 13 in the instructions.

[] [] []

6b. What is the emission rate specified by the most stringent nitrogen oxide regulation?

Answer should correspond to response on line 6a.

Select this from Table 11 in the instructions.

[] [] []

7. In what year did the boiler became compliant or is expected to become compliant with the most stringent nitrogen oxide regulation?

Answer should correspond to response on line 6a.

[] (YYYY) [] (YYYY) [] (YYYY)

8a. What is your existing strategy for complying with the most stringent nitrogen oxide regulation?

Answer only if already in compliance.

Select up to three strategies that apply from Table 14 in the instructions for SCHEDULE 6, Part B.

[] [] []
[] [] []
[] [] []

8b. What is your proposed strategy for complying with the most stringent nitrogen oxide regulation?

Answer only if not already in compliance.

Select up to three strategies that apply from Table 14 in the instructions for SCHEDULE 6, Part B.

[] [] []
[] [] []
[] [] []

Particulate Matter Regulations

9a. What is the regulatory level of the most stringent regulation that this boiler is operating under to meet particulate matter standards?

Select one.

Select one.

Select one.

Federal []
State []
Local []
Unavailable or Unknown []
Not Applicable []

[]
[]
[]
[]
[]

[]
[]
[]
[]
[]

9b. What is the emission rate specified by the most stringent particulate matter regulation?

Answer should correspond to response on line 9a.

[] [] []

9c. What is the unit of measurement specified by the most stringent particulate matter regulation?

Answer should correspond to response on line 9a.

Select this from Table 15 in the instructions.

[] [] []

9d. What is the time period specified by the most stringent particulate matter regulation?

Answer should correspond to response on line 9a.

Select this from Table 11 in the instructions.

[] [] []

10. In what year did the boiler became compliant or is expected to become compliant with the most stringent particulate matter regulation?

Answer should correspond to response on line 9a.

[] (YYYY) [] (YYYY) [] (YYYY)

Mercury and Acid Gas Regulations

11. What is the regulatory level of the most stringent regulation that this boiler is operating under to meet mercury and acid gas standards?

Select one.

Select one.

Select one.

Federal []
State []
Local []
Unavailable or Unknown []
Not Applicable []

[]
[]
[]
[]
[]

[]
[]
[]
[]
[]

12. In what year did the boiler became compliant or is expected to become compliant with the most stringent mercury and acid gas regulation?

Answer should correspond to response on line 11.

[] (YYYY) [] (YYYY) [] (YYYY)

13. What is your existing strategy for complying with the most stringent mercury control regulation?

Answer if already in compliance.

Select up to three strategies that apply from Table 16 in the instructions for SCHEDULE 6, Part B.

[] [] []
[] [] []
[] [] []

14. What is your proposed strategy for complying with the most stringent mercury control regulation?

Answer if not already in compliance.

Select up to three strategies that apply from Table 16 in the instructions for SCHEDULE 6, Part B.

[] [] []
[] [] []
[] [] []



SCHEDULE 6, PART C. BOILER INFORMATION - DESIGN PARAMETERS

For plants with a total nameplate capacity of at least 10 MW but less than 100 MW:

Answer ONLY lines 1 through 3 of SCHEDULE 6, Part C for each boiler and its associated equipment that serve combustible-fueled steam electric generators, including combined cycle steam generators with duct firing.

For plants with a total nameplate capacity of 100 MW or greater:

Complete one SCHEDULE 6, Part C in its entirety for each boiler and its associated equipment that serve combustible-fueled steam electric generators, including combined cycle steam generators with duct firing.

Plant Name

EIA Plant Code

Boiler ID

Boiler ID

Boiler ID

1a. Is this boiler a heat recovery steam generator (HRSG)?

1b. What was this boiler's status as of December 31 of the reporting year?

Select the boiler status code from the list in Table 17 in the SCHEDULE 6, Part C instructions.

2. What is the actual or projected in-service date for this boiler?

If month is unknown, use June.

(MM-YYYY)

3. What is the actual or projected retirement date for this boiler?

If month is unknown, use June.

(MM-YYYY)

4. What type of boiler is this?

Select up to three codes from the list of firing codes from Table 18 in the SCHEDULE 6, PART C instructions.

5. What is the maximum continuous steam flow at 100 percent load for this boiler?

1000 lbs per hour

6. What is the design firing rate at the maximum continuous steam flow for coal and petroleum coke?

Enter firing rate data for the coal and petroleum coke, not for startup or flame stabilization fuels.

For waste-heat boilers with auxiliary firing, enter the firing rate for auxiliary firing.

Round to nearest tenth.

tons per hour

7. What is the design firing rate at the maximum continuous steam flow for petroleum liquids?

Enter firing rate data for the petroleum liquids, not for startup or flame stabilization fuels.

For waste-heat boilers with auxiliary firing, enter the firing rate for auxiliary firing.

Round to the nearest tenth.

barrels per hour

8. What is the design firing rate at the maximum continuous steam flow for natural gas?

Enter firing rate data for the natural gas, not for startup or flame stabilization fuels.

For waste-heat boilers with auxiliary firing, enter the firing rate for auxiliary firing.

Round to nearest tenth.

thousand cubic feet per hour

9. What is the design firing rate at the maximum continuous steam flow for energy sources other than coal, petroleum or natural gas?

Enter firing rate data for other than coal, petroleum or natural gas, not for startup or flame stabilization fuels.

For waste-heat boilers with auxiliary firing, enter the firing rate for auxiliary firing.

Round to nearest tenth.

Specify the primary fuel (see Table 28 for fuel codes) for which value is provided along with related measurement unit in SCHEDULE 7.

10. What is the design waste-heat input rate at maximum continuous steam flow for this boiler?

million Btu per hour

11. What fuels are used by this boiler in order of predominance?

Select energy source code(s) from Table 28 in the instructions.

12. What is the turndown ratio for this boiler?

The turndown ratio is the boiler's maximum output to its minimum output (to the nearest 0.1).

13. What is the efficiency of this boiler when it is burning reported primary fuel at 100 percent load? (to nearest 0.1 percent)

percent

14. What is the efficiency of this boiler when it is burning reported primary fuel at 50 percent load? (to nearest 0.1 percent)

percent

15. What is the total air flow (including excess air) at 100 percent load?

cubic feet per minute

16. Does the boiler have a wet bottom or a dry bottom?

For coal-capable boilers only.

Wet Bottom is defined as having slag tanks installed at the furnace's throat to contain and remove molten ash from the furnace.

Dry Bottom is defined as having no slag tanks installed at the furnace's throat so bottom ash drops through the throat to bottom ashwater hoppers.

Enter W for Wet OR D for Dry.

17. Is the boiler capable of fly ash re-injection?

Yes
No



SCHEDULE 6, PART D. COOLING SYSTEM INFORMATION - DESIGN PARAMETERS

Complete SCHEDULE 6, PART D for plants with a total steam-electric nameplate capacity of 100 MW or greater including:

- Nuclear generators;
- Combustible fueled steam electric generators, including combined cycle steam-electric generators with and without duct firing; and
- Solar thermal generators using a steam cycle.

Plant Name

EIA Plant Code

1. What is the identification code of the cooling system?

Enter the code commonly associated by plant management with this cooling system. This should be the same code entered on SCHEDULE 6, PART A, Line 1, Row 3. The identification code is restricted to six characters and cannot be changed once provided to EIA.

2. What was the status of this cooling system as of December 31 of the reporting year?

Select from the equipment status codes in Table 19 of the SCHEDULE 6, PART D of the instructions.

3. What is the actual or projected in-service date of commercial operation for this cooling system?

For operating systems, enter the date that this control began commercial operation.
 For planned systems, enter the date that this system is expected to begin commercial operation.

(MM-YYYY)

4a. What type of cooling system is this?

Enter up to four codes from Table 20 in the SCHEDULE 6, PART D of the instructions.
 Select HT from the list of codes if this plant has a downstream helper tower associated with all boilers at the plant instead of a particular boiler.

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

4b. If this is a hybrid cooling system, what percent of the cooling load is served by dry cooling components?

Percent

5. What is the name of the water source for this cooling system?

Enter name if different from the name of the water body entered in SCHEDULE 2, Question 6.
 Include the source used for makeup water.

6. What is the name of the cooling system's discharge body of water?

Enter only if water discharge location is different from cooling water source.

7. What is the cooling water source code for this system?

Select the cooling water source code from Table 21 in SCHEDULE 6, PART D of the instructions.

8. What type of cooling water is used for this system?

Select the cooling water type from Table 22 in SCHEDULE 6, PART D of the instructions.

9. What is the design maximum cooling water flow rate at 100 percent load at intake?

Gallons per minute

10. What is the actual or projected in-service date for the chlorine discharge control structures and equipment?

For operating equipment and structures, enter the date that this control began commercial operation.
 For planned equipment and structures, enter the date that this system is expected to begin commercial operation.

(MM-YYYY)

COOLING PONDS

11. What is the actual or projected in-service date for the cooling ponds?

A cooling pond is a natural or man-made body of water that is used for dissipating waste heat from power plants.
 For operating cooling ponds, enter the date that the cooling pond began commercial operation.
 For planned cooling ponds, enter the date that the cooling pond is expected to begin commercial operation.

(MM-YYYY)

12. What is the total surface area for the cooling ponds?

A cooling pond is a natural or man-made body of water that is used for dissipating waste heat from power plants.

Acres

13. What is the total volume of the cooling ponds?

Acres feet

COOLING TOWERS

14. What is the actual or projected in-service date for the cooling towers?

For operating cooling towers, enter the date that the cooling tower began commercial operation.
 For planned cooling towers, enter the date that the cooling tower expected to begin commercial operation.

(MM-YYYY)

15. What types of cooling towers are at this plant or are planned to be at this plant?

Enter all codes that apply from Table 23 in SCHEDULE 6, PART D of the Instructions.

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

16. What is the design rate of water flow at 100 percent load for the cooling towers?

Gallons per minute

17. What is the maximum design power requirement for the cooling towers at 100 percent load?

Megawatts

INSTALLED COST OF COOLING SYSTEM EXCLUDING LAND AND CONDENSERS (Thousand Dollars)

18. What is the total installed cost for this cooling system?

For existing cooling systems, enter the installed cost (in nominal dollars).

For planned cooling systems, enter the anticipated cost to bring a planned system into commercial operation.

Include the cost of all major modifications.

(Thousand Dollars)

19. What is the installed cost for the cooling ponds?

(Thousand Dollars)

20. What is the installed cost for the cooling towers?

(Thousand Dollars)

21. What is the installed cost for the chlorine discharge control structures and equipment?

(Thousand Dollars)

COOLING WATER INTAKE AND OUTLET LOCATIONS

22a. What is the maximum distance of water intake from shore?

Feet

22b. What is the maximum distance of water outlet from shore?

Feet

23a. What is the average distance of water intake below surface?

Feet

23b. What is the average distance of water outlet below surface?

Feet



SCHEDULE 6, PART E. FLUE GAS PARTICULATE COLLECTOR INFORMATION

Complete SCHEDULE 6, Part E for each installed system or equipment that reduces particulate matter at:
 • Combustible fueled steam electric generators where the plant's total steam-electric nameplate capacity is 10 MW or greater, or
 • Combined cycle steam generators with duct firing, where the plant's total steam-electric nameplate capacity is 10 MW or greater.

Plant Name
 EIA Plant Code

1. What is the Identification Code associated with the equipment controlling particulate matter?
 This should be the same ID as entered on SCHEDULE 6, PART A, Line 1, Row 4 (Associated Particulate Matter Control Systems). Complete one SCHEDULE 5, PART E for each Particulate Matter Control ID.

Identification Code

2. What type of flue gas particulate matter control is this?
 Enter flue gas particulate matter control codes from the Table 24 in SCHEDULE 6, PART E of the instructions. Enter up to three type codes. These should be the same equipment types entered on SCHEDULE 6, PART A, LINE 2, COLUMN A for Particulate Matter Control. If more than three are needed, enter in SCHEDULE 7, Comments.

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

DESIGN FUEL SPECIFICATIONS FOR ASH AND SULFUR

3. What is the design fuel specification for ash when burning coal or petroleum coke?
 percent by weight (to the nearest 0.1)

4. What is the design fuel specification for ash when burning petroleum liquids?
 percent by weight (to the nearest 0.1)

5. What is the design fuel specification for sulfur when burning coal or petroleum coke?
 percent by weight (to the nearest 0.1)

6. What is the design fuel specification for sulfur when burning petroleum liquids?
 percent by weight (to the nearest 0.1)

DESIGN SPECIFICATIONS AT 100 PERCENT GENERATOR LOAD

7. What is the design collection efficiency for this flue gas particulate collector at 100 percent load?
 percent (to the nearest 0.1)

8. What is the design particulate emission rate for this collector at 100 percent load?
 Pounds per hour

9. What is the particulate collector gas exit rate at 100 percent load?
 Actual cubic feet per minute

10. What is the particulate collector gas exit temperature?
 Degrees Fahrenheit



**SCHEDULE 6, PART F. FLUE GAS DESULFURIZATION UNIT INFORMATION
 (INCLUDING COMBUSTION TECHNOLOGIES)**

Complete one SCHEDULE 6, Part F for each system or equipment installed to control sulfur dioxide emissions at this plant.

Plant Name

EIA Plant Code

1. What is the identification code for the equipment associated with this sulfur dioxide control?
 This should be the same codes entered on SCHEDULE 6, PART A, Line 1, Row 5 (Associated Sulfur Dioxide Control Systems).

Identification Code

2. What type of sulfur dioxide control is this?
 Enter the sulfur dioxide control code(s) from the Table 25 in SCHEDULE 6, PART F of the instructions. These should be the same codes entered on SCHEDULE 6, PART A, Line 2, Column A for Sulfur Dioxide Control.

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

3. What type(s) of sorbent(s) is used by this unit?
 Select up to four sorbent codes from Table 26 in the SCHEDULE 6, PART F of the instructions.

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

4. Is there any salable byproduct recovery?

Yes	<input type="text"/>	<input type="text"/>	<input type="text"/>
No	<input type="text"/>	<input type="text"/>	<input type="text"/>

5. What are the annual pond and land fill requirements?
 Report requirements to the nearest acre-foot per year.

Acre Feet

6a. Is there a sludge pond associated with this unit?

Yes	<input type="text"/>	<input type="text"/>	<input type="text"/>
No	<input type="text"/>	<input type="text"/>	<input type="text"/>

6b. Is the sludge pond lined?
 Do not answer 6b if the response to 6a is "No"

Yes	<input type="text"/>	<input type="text"/>	<input type="text"/>
No	<input type="text"/>	<input type="text"/>	<input type="text"/>

7. Can flue gas bypass the flue gas desulfurization unit?

Yes	<input type="text"/>	<input type="text"/>	<input type="text"/>
No	<input type="text"/>	<input type="text"/>	<input type="text"/>

8. What is the design specification for ash when burning coal or petroleum coke?

Percent by weight (to the nearest 0.1)	<input type="text"/>	<input type="text"/>	<input type="text"/>
--	----------------------	----------------------	----------------------

9. What is the design specification for sulfur when burning coal or petroleum coke?

Percent by weight (to the nearest 0.1)	<input type="text"/>	<input type="text"/>	<input type="text"/>
--	----------------------	----------------------	----------------------

10. What is the total number of flue gas desulfurization unit scrubber trains or modules?

11. How many flue gas desulfurization unit scrubber trains or modules are operated at 100 percent load?

12. What is this unit's design removal efficiency for sulfur dioxide when operating at 100 percent load?
 Report removal efficiency as the percent by weight of gases removed from the flue gas.

Percent by weight (to the nearest 0.1)	<input type="text"/>	<input type="text"/>	<input type="text"/>
--	----------------------	----------------------	----------------------

13. What is the design sulfur dioxide emission rate for this unit when operating at 100 percent load?

Pounds per hour

14. What is the flue gas exit rate for this unit?

Actual cubic feet per minute

15. What is this unit's flue gas exit temperature?

Degrees Fahrenheit

16. What percentage of flue gas enters the flue gas desulfurization unit when operating at 100 percent load?

percent of total

INSTALLED COST OF FLUE GAS DESULFURIZATION UNIT, EXCLUDING LAND (Thousand Dollars)

17. What are the installed or anticipated costs of all FGD structures and equipment, excluding land?

(Thousand Dollars)
 (+) (+) (+)

18. What are the installed costs of the sludge transport and disposal system?

(Thousand Dollars)
 (+) (+) (+)

19. What other installed costs are there pertaining to the installation of the FGD unit?

(Thousand Dollars)

(=)

(=)

(=)

20. What are the total installed costs of the FGD unit?

(Thousand Dollars)



SCHEDULE 6, PART G. STACK AND FLUE INFORMATION - DESIGN PARAMETERS

For plants with a total steam-electric nameplate capacity of 100 MW or greater:

Plant Name

EIA Plant Code

1. What is this stack or flue equipment's identification code?

Enter the Identification code commonly used by plant management for this stack or flue. This should be the same ID code entered on SCHEDULE 6, PART A, Line 1, Row 8.

Identification Code

2. What is the actual or projected in-service date for this stack or flue?

For operating units, enter the date that the unit began commercial operation.
 For planned units, enter the date that this unit is expected to begin commercial operation.

(MM-YYYY)

3. What was the status of this stack or flue as of December 31 of the reporting year?

Select one status code from Table 27 in the SCHEDULE 6, PART G of the instructions.

4. What is this stack's height at the top, as measured from the ground?

Feet

5. What is the cross-sectional area at the top of this stack?

Square Feet

DESIGN FLUE GAS EXIT AT TOP OF STACK

6. What is the design flue gas exit rate at the top of the stack at 100 percent load?

Rate is approximately equal to (cross-sectional area at the top of the flue) x (velocity) x 60.

Actual cubic feet per minute

7. What is the design flue gas exit rate at the top of the stack at 50 percent load?

Rate is approximately equal to (cross-sectional area at the top of the flue) x (velocity) x 60.

Actual cubic feet per minute

8. What is the design flue gas exit temperature at the top of the stack at 100 percent load?

Degrees Fahrenheit

9. What is the design flue gas temperature at the top of the stack at 50 percent load?

Degrees Fahrenheit

10. What is the design flue gas velocity at the top of the stack at 100 percent load?

Feet per second

11. What is the design flue gas velocity at the top of the stack at 50 percent load?

Feet per second

ACTUAL SEASONAL FLUE GAS EXIT TEMPERATURE

12. What is the average flue gas exit temperature for the summer season?

Report the arithmetic mean of measured or estimated temperatures during operating hours.
 The summer season includes June, July and August.

Degrees Fahrenheit

13. What is the average flue gas exit temperature for the winter season?

Report the arithmetic mean of measured or estimated temperatures during operating hours.
 The winter season includes December, January and February (see instructions).

Degrees Fahrenheit

14. Were the flue gas exit temperatures measured or estimated?

Enter "M" for measured.
 Enter "E" for estimated.

