

SUPPORTING STATEMENT - PART B for
OMB Control Number 0584-0299:
FNA-380-1 Quality Control Review Schedule

Tiffany Wilkinson
Supplemental Nutrition Assistance Program
USDA, Food and Nutrition Administration
5601 Sunnyside Ave, Bldg 4
Beltsville, MD 20705
7033052805
Tiffany.wilkinson@usda.gov

Table of Contents

B.1 RESPONDENT UNIVERSE AND SAMPLING METHODS.....	3
B.2 PROCEDURES FOR THE COLLECTION OF INFORMATION.....	3
B.3 METHODS TO MAXIMIZE THE RESPONSE RATES AND TO DEAL WITH NONRESPONSE.....	3
B.4 TEST OF PROCEDURES OR METHODS TO BE UNDERTAKEN.....	4
B.5 INDIVIDUALS CONSULTED ON STATISTICAL ASPECTS & INDIVIDUALS COLLECTING AND/OR ANALYZING DATA.....	4

B.1 Respondent Universe and Sampling Methods

Describe (including a numerical estimate) the potential respondent universe and any sampling or other respondent selection method to be used. Data on the number of entities (e.g., establishments, State and local government units, households, or persons) in the universe covered by the collection and in the corresponding sample are to be provided in tabular form for the universe as a whole and for each of the strata in the proposed sample. Indicate expected response rates for the collection as a whole. If the collection had been conducted previously, include the actual response rate achieved during the last collection.

This is a request for a currently approved information collection request. The Quality Control (QC) system and its reporting requirements are applicable to all of the 53 State agencies administering the Supplemental Nutrition Assistance Program (SNAP). Each State agency is required to select a sample of households from its active case universe, which is the universe of households certified and issued benefits. State sample selection choices result in an estimated yearly national sample of 46,558 active cases. One hundred percent of all cases are reviewed, but for varying reasons, not all cases can be completed due to failure to reach households and inability to obtain required information to complete a review.

B.2 Procedures for the Collection of Information

Describe the procedures for the collection of information including:

- **Statistical methodology for stratification and sample selection,**
- **Estimation procedure,**
- **Degree of accuracy needed for the purpose described in the justification,**
- **Unusual problems requiring specialized sampling procedures, and**
- **Any use of periodic (less frequent than annual) data collection cycles to reduce burden.**

The active case sample procedure is generally in the form of systematic random sampling. Stratification is an option available to State agencies, subject to FNA approval. State agencies opting to use stratification divide their sample universe according to household case characteristics, such as geographic or program area (i.e., public assistance or general assistance), prior to random selection.

B.3 Methods to Maximize the Response Rates and to Deal with Nonresponse

Describe methods to maximize response rates and to deal with issues of non-response. The accuracy and reliability of information collected must be shown to

be adequate for intended uses. For collections based on sampling, a special justification must be provided for any collection that will not yield "reliable" data that can be generalized to the universe studied.

The QC system attempts to control the potential bias of non-response with a completion standard of 98 percent for both the active and negative case samples. This percentage is the ratio of the number of completed reviews to the number of cases selected as "subject to review" or to the minimum number of cases computed from the sample size equations, whichever is larger. If a State agency does not complete the required number of reviews, then its error rates are adjusted by assigning two standard deviations of the estimated error rates added to the regressed error rates to those cases not completed in order to calculate the State agency's official error rates. Two standard deviations correspond to approximately a 95 percent confidence interval. The use of standard deviations of the mean is a common device for measuring the dispersion in a simple distribution and represents a natural breakpoint.

B.4 Test of Procedures or Methods to be Undertaken

Describe any tests of procedures or methods to be undertaken. Testing is encouraged as an effective means of refining collections of information to minimize burden and improve utility. Tests must be approved if they call for answers to identical questions from 10 or more respondents. A proposed test or set of tests may be submitted for approval separately or in combination with the main collection of information.

No testing of information-collection procedures is planned.

B.5 Individuals Consulted on Statistical Aspects & Individuals Collecting and/or Analyzing Data

Provide the name and telephone number of individuals consulted on statistical aspects of the design and the name of the agency unit, contractor(s), grantee(s), or other person(s) who will actually collect and/or analyze the information for the agency.

Zhigang Ma, (703) 605-3231 and Shawnee Anderson , (703) 605-1534, Statisticians, Supplemental Nutrition Assistance Program, Program Administration and Nutrition Division, Quality Control Branch, are responsible for analyzing the national QC data.