

Testing Facility Name: _____ Testing Facility ID (FluSurv-NET use only): _____
 Name of person responding to questions for laboratory: _____ Date: _____



Form Approved
 OMB No. 0920-0978

FluSurv-NET Laboratory Survey 2026–2027 Season

Survey Introduction

Administer this survey to labs that serve FluSurv-NET hospitals. The questions in this survey refer to **diagnostic testing** ordered by healthcare providers for routine clinical care of **hospitalized and emergency department (ED) patients only**. All questions relate to testing performed on-site within the lab facility unless otherwise specified. If a FluSurv-NET hospital lab sends specimens to one or more labs (other than commercial or state public health labs) for clinical influenza, please have each lab complete this survey.

- Do NOT administer this survey to commercial labs or to state public health labs
- Do NOT administer this survey to labs that are not affiliated with FluSurv-NET hospitals
- Do NOT include information on testing for the purposes of influenza surveillance (EIP influenza)
- Do NOT include information on testing for outpatients

This survey should take 5-10 minutes to complete. Thank you for your time!

Question

1. What is the role of the person completing this survey?

- Laboratory staff at testing facility FluSurv-NET staff

2. Please select the choice which best describes the laboratory type: (select one)

- Hospital (private/public/community) laboratory County public health laboratory
 Federal government (military, IHS, Veteran's Affairs) hospital laboratory Other (specify): _____
 University/medical school hospital laboratory

Influenza

3. Does the laboratory perform diagnostic testing for influenza on-site?

- Yes → Answer question 4 No → Skip to question 8

4. Does the laboratory perform rapid influenza antigen diagnostic test (rapid test, RIDT)?

- Yes, pediatric patients only → Answer question 4a No, we confirm RIDT tests performed elsewhere in the hospital (such as ED) → Skip to question 5
 Yes, adult patients only → Answer question 4a No → Skip to question 5
 Yes, pediatric and adult patients → Answer question 4a

4a. Select the kit name(s) (manufacturer) for the rapid influenza antigen diagnostic test(s) performed or planned to be used at the laboratory:

(Check all that apply)

(<https://www.cdc.gov/flu/professionals/diagnosis/table-ridt.html>)

- | | |
|---|--|
| <input type="checkbox"/> Acucy Influenza A&B Test (Sekisui Diagnostics, LLC) | <input type="checkbox"/> OSOM Flu SARS-CoV-2 Combo Test (Sekisui Diagnostics, LLC) |
| <input type="checkbox"/> BD Veritor™ System for Rapid Detection of Flu A+B (CLIA-waived), (Becton Dickinson & Co.) | <input type="checkbox"/> OSOM Ultra Plus Flu A&B Test (Sekisui Diagnostics, LLC) |
| <input type="checkbox"/> BD Veritor™ System for Rapid Detection of Flu A+B (Moderately Complex), (Becton Dickinson & Co.) | <input type="checkbox"/> QuickVue® Influenza A+B Test (Quidel Corp.) |
| <input type="checkbox"/> BD Veritor™ System for Rapid Detection of SARS-CoV-2 & Flu A+B (Becton Dickinson & Co.) | <input type="checkbox"/> SARS-CoV-2 & Flu A/B Rapid Antigen Test (Roche) |
| <input type="checkbox"/> Binax NOW® Influenza A&B Card 2 (Abbott) | <input type="checkbox"/> SEKISUI Diagnostics™ OSOM™ Ultra Plus Flu A and B Test Kit (Fisher Scientific™) |
| <input type="checkbox"/> BioSign® Flu A+B or LifeSign LLC Status Flu A & B (Princeton BioMeditech Corp.) | <input type="checkbox"/> Sofia® Analyzer and Influenza A+B FIA (CLIA-waived) (Quidel Corp.) |
| <input type="checkbox"/> CareStart Flu A&B Plus, (Access Bio, Inc.) | <input type="checkbox"/> Sofia® Analyzer and Influenza A+B FIA (Quidel Corp.) |
| <input type="checkbox"/> McKesson Consult Influenza A & B Test (McKesson Medical-Surgical Inc.) | <input type="checkbox"/> Sofia® 2 Flu + SARS Antigen FIA, (Quidel) |
| <input type="checkbox"/> Meridian Bioscience™ ImmunoCard STAT!™ FLU A&B (Fisher Scientific™) | <input type="checkbox"/> Sure-Vue™ Signature Influenza A and B Test Kit |
| | <input type="checkbox"/> XPECT™ Influenza A/B (Remel Inc./Thermo Fisher Scientific™) |
| | <input type="checkbox"/> Other, specify: _____ |

Public reporting burden of this collection of information is estimated to average 8 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30329; ATTN: PRA (0920-0978).

5. Does the laboratory perform molecular assays (including rapid molecular, RT-PCR, RVPs) for influenza?

Yes → Answer questions 5a-5b

No → Skip to question 6

5a. Select kit name(s) (manufacturer) for all molecular assays performed or planned to be used at the laboratory: (Check all that apply) (https://www.cdc.gov/flu/php/laboratories/nucleic-acid-detection.html?CDC_AAref_Val) **Multiplex Assays Authorized for Simultaneous Detection of Influenza Viruses and SARS-CoV-2 by FDA:** (https://www.cdc.gov/flu/hcp/testing-methods/flu-covid19-detection.html?CDC_AAref_Val)

- | | |
|---|--|
| <input type="checkbox"/> Alinity M Resp-4 Plex Assay (Abbott) [†] | <input type="checkbox"/> ePlex Respiratory Pathogen Panel 2, (Roche Diagnostics) [†] |
| <input type="checkbox"/> Allplex Respiratory Panel A1 (Seegene) [†] | <input type="checkbox"/> ID Now™ Influenza A&B (CLIA Waived), (Abbott) [†] |
| <input type="checkbox"/> Allplex RV Master Assay (Seegene) [†] | <input type="checkbox"/> ID Now™ Influenza A&B 2 (CLIA Waived) (Abbott) [†] |
| <input type="checkbox"/> Allplex SARS-CoV-2/Flu A/Flu B/RSV Assay (Seegene) [†] | <input type="checkbox"/> Liaison NES Flu A/B, RSV, & COVID-19 Assay (Diasorin) [†] |
| <input type="checkbox"/> Aptima SARS-CoV-2/Flu A/B (Hologic) [†] | <input type="checkbox"/> Liaison Plex Respiratory Flex Assay (Diasorin) [†] |
| <input type="checkbox"/> ARIES® Flu A/B & RSV+SARS-CoV-2 Assay (Diasorin) [†] | <input type="checkbox"/> Lyra Influenza A+B Assay, (Quidel) |
| <input type="checkbox"/> BD Respiratory Viral Panel for BD MAX System (BD) [†] | <input type="checkbox"/> NeuMoDX influenza A/b, RSV, and SARS-Cov-2 Vantage Assay (Qiagen) [†] |
| <input type="checkbox"/> BioCode® CoV-2 Flu Plus Assay (Applied BioCode Inc) [†] | <input type="checkbox"/> Nx-TAG® Respiratory Pathogen Panel, (Diasorin) [†] |
| <input type="checkbox"/> BioCode® Respiratory Pathogen Panel, (Applied BioCode Inc) [†] | <input type="checkbox"/> Nx-TAG® Respiratory Pathogen Panel v2 (Diasorin) [†] |
| <input type="checkbox"/> BioFire® FilmArray Pneumonia (PN) Panel | <input type="checkbox"/> Nx-TAG® Respiratory Pathogen Panel + SARS-CoV-2 (Diasorin) [†] |
| <input type="checkbox"/> BioFire® FilmArray Pneumonia plus (PNplus) Panel (Biomerieux) [†] | <input type="checkbox"/> Panther Fusion® Flu A/B RSV, Assay (Hologic) |
| <input type="checkbox"/> BioFire® Respiratory Panel 2.1 (RP2.1) (Biomerieux) [†] | <input type="checkbox"/> Panther Fusion® SARS-CoV-2/Flu A/B/RSV (Hologic) [†] |
| <input type="checkbox"/> BioFire® Respiratory Panel 2.1-EZ (RP2.1-EZ) (Biomerieux) [†] | <input type="checkbox"/> QIAstat-Dx Respiratory Panel Mini (QIAGEN) [†] |
| <input type="checkbox"/> BioFire® Respiratory 2.1plus (RP2.1plus) Panel (Biomerieux) [†] | <input type="checkbox"/> QIAstat-Dx Respiratory Panel Plus (QIAGEN) [†] |
| <input type="checkbox"/> BioFire® SpotFire® Respiratory Panel [†] | <input type="checkbox"/> QIAstat-Dx Respiratory SARS-CoV-2 Panel (QIAGEN) [†] |
| <input type="checkbox"/> BioFire® SpotFire® Respiratory Panel Mini [†] | <input type="checkbox"/> Quest Diagnostics RC COVID-19 +Flu RT-PCR, (Quest Diagnostics) [†] |
| <input type="checkbox"/> BioFire® SpotFire® Respiratory/Sore Throat (R/ST) Panel [†] | <input type="checkbox"/> RealStar Influenza Screen & Type RT-PCR (Altona Diagnostics) |
| <input type="checkbox"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza A Subtyping Kit), (CDC Influenza Division) | <input type="checkbox"/> RealStar Influenza Screen & Type RT-PCR 4.0 (Altona Diagnostics) [†] |
| <input type="checkbox"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza A/B Typing Kit), (CDC Influenza Division) | <input type="checkbox"/> Simplexa™ COVID-19/Flu A/B/RSV Direct (Diasorin) [†] |
| <input type="checkbox"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza B Lineage Genotyping Kit), (CDC Influenza Division) | <input type="checkbox"/> Simplexa™ COVID-19 & Flu A/B Direct (Diasorin) [†] |
| <input type="checkbox"/> CDC Influenza A/H5 (Asian Lineage) Virus Real-Time RT-PCR Primer and Probe Set, (CDC Influenza Division) | <input type="checkbox"/> Simplexa™ Flu A/B & RSV Direct Gen II (Diasorin) [†] |
| <input type="checkbox"/> CDC Influenza SARS-CoV-2 (Flu SC2) Multiplex Assay (CDC Influenza Division) [†] | <input type="checkbox"/> Solana Influenza A+B Assay, (Quidel) |
| <input type="checkbox"/> Cobas Liat Influenza A/B & RSV, (Roche Diagnostics) [†] | <input type="checkbox"/> Solana Respiratory Viral Panel, (Quidel) |
| <input type="checkbox"/> Cobas Liat SARS-CoV-2, Influenza A/B, and RSV (Roche) [†] | <input type="checkbox"/> The Metrix COVID/Flu Test (Sekisui Diagnostics) [†] |
| <input type="checkbox"/> Cobas SARS-CoV-2 & Influenza A/B (Roche Diagnostics) [†] | <input type="checkbox"/> Verigene® Respiratory Pathogen Nucleic Acid Test (RP Flex), (Diasorin) [†] |
| <input type="checkbox"/> Cobas SARS-CoV-2 & Influenza A/B Nucleic Acid Test, (Roche Diagnostics) | <input type="checkbox"/> Xpert Xpress COV-2/Flu/RSV plus (Cepheid) [†] |
| | <input type="checkbox"/> Xpert Xpress Flu (Cepheid) [†] |
| | <input type="checkbox"/> Xpert Xpress Flu/RSV Assay, (Cepheid) [†] |
| | <input type="checkbox"/> In-house developed PCR assay |
| | <input type="checkbox"/> Other, specify: _____ |

[†]= Rapid Molecular ^{*}= can detect subtype [‡]=Multiplex for influenza/SARS-CoV-2

5b. Does the laboratory perform influenza A subtyping?

Yes

No

6. Of the kits selected in 4a and 5a, which influenza test kit does the laboratory perform most frequently for hospitalized and ED pediatric patients (aged 0-17 years)? (Select one)

- | | |
|---|--|
| <input type="radio"/> Two kits are equally used most frequently | <input type="radio"/> BioFire® FilmArray Pneumonia (PN) Panel |
| <input type="radio"/> Acucy Influenza A&B Test (Sekisui Diagnostics, LLC) | <input type="radio"/> BioFire® FilmArray Pneumonia plus (PNplus) Panel (Biomerieux) |
| <input type="radio"/> Alinity M Resp-4 Plex Assay (Abbott) [†] | <input type="radio"/> BioFire® Respiratory Panel 2.1 (RP2.1) (Biomerieux) [†] |
| <input type="radio"/> Allplex Respiratory Panel A1 (Seegene) [†] | <input type="radio"/> BioFire® Respiratory Panel 2.1-EZ (RP2.1-EZ) (Biomerieux) [†] |
| <input type="radio"/> Allplex RV Master Assay (Seegene) [†] | <input type="radio"/> BioFire® Respiratory 2.1plus (RP2.1plus) Panel (Biomerieux) [†] |
| <input type="radio"/> Allplex SARS-CoV-2/Flu A/Flu B/RSV Assay (Seegene) [†] | <input type="radio"/> BioFire® SpotFire® Respiratory Panel [†] |
| <input type="radio"/> Aptima SARS-CoV-2/Flu A/B (Hologic) [†] | <input type="radio"/> BioFire® SpotFire® Respiratory Panel Mini [†] |
| <input type="radio"/> ARIES® Flu A/B & RSV+SARS-CoV-2 Assay (Diasorin) [†] | <input type="radio"/> BioFire® SpotFire® Respiratory/Sore Throat (R/ST) Panel [†] |
| <input type="radio"/> BD Respiratory Viral Panel for BD MAX System (BD) [†] | <input type="radio"/> BioSign® Flu A+B or LifeSign LLC Status Flu A & B (Princeton BioMeditech Corp.) |
| <input type="radio"/> BD Veritor™ System for Rapid Detection of Flu A+B (CLIA-waived) (Becton Dickinson & Co.) | <input type="radio"/> CareStart Flu A&B Plus (Access Bio, Inc.) |
| <input type="radio"/> BD Veritor™ System for Rapid Detection of Flu A+B (Moderately Complex) (Becton Dickinson & Co.) | <input type="radio"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza A Subtyping Kit), (CDC Influenza Division) |
| <input type="radio"/> BD Veritor™ System for Rapid Detection of SARS-CoV-2 & Flu A+B (Becton Dickinson & Co.) | <input type="radio"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza A/B Typing Kit), (CDC Influenza Division) |
| <input type="radio"/> Binax NOW® Influenza A&B Card 2 (Abbott) | <input type="radio"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza B Lineage Genotyping Kit), (CDC Influenza Division) |
| <input type="radio"/> BioCode® CoV-2 Flu Plus Assay (Applied BioCode Inc) [†] | <input type="radio"/> CDC Influenza A/H5 (Asian Lineage) Virus Real-Time RT-PCR Primer and Probe Set (CDC Influenza Division) |
| <input type="radio"/> BioCode® Respiratory Pathogen Panel (Applied BioCode Inc) [†] | |

- CDC Influenza SARS-CoV-2 (Flu SC2) Multiplex Assay (CDC Influenza Division)*
- Cobas Liat Influenza A/B & RSV (Roche Diagnostics)†
- Cobas Liat SARS-CoV-2, Influenza A/B, and RSV (Roche)††
- Cobas SARS-CoV-2 & Influenza A/B (Roche Diagnostics)††
- Cobas SARS-CoV-2 & Influenza A/B Nucleic Acid Test (Roche Diagnostics)
- ePlex Respiratory Pathogen Panel 2 (Roche Diagnostics)*
- ID Now™ Influenza A&B (CLIA-Waived) (Abbott)†
- ID Now™ Influenza A&B 2 (CLIA-Waived) (Abbott)†
- In-house developed PCR assay
- Liaison NES Flu A/B, RSV, & COVID-19 Assay (Diasorin)††
- Liaison Plex Respiratory Flex Assay (Diasorin)*
- Lyra Influenza A+B Assay (Quidel)
- McKesson Consult Influenza A & B Test (McKesson Medical-Surgical Inc.)
- Meridian Bioscience™ ImmunoCard STAT!™ FLU A&B (Fisher Scientific™)
- NeuMoDX Influenza A/b, RSV, and SARS-CoV-2 Vantage Assay (Qiagen)†
- Nx-TAG® Respiratory Pathogen Panel (Diasorin)†
- Nx-TAG® Respiratory Pathogen Panel v2 (Diasorin)*
- Nx-TAG® Respiratory Pathogen Panel + SARS-CoV-2 (Diasorin)*
- OSOM Flu SARS-CoV-2 Combo Test (Sekisui Diagnostics, LLC)
- OSOM Ultra Plus Flu A&B Test (Sekisui Diagnostics, LLC)
- Panther Fusion® Flu A/B RSV Assay (Hologic)
- Panther Fusion® SARS-CoV-2/Flu A/B/RSV (Hologic)†
- QIAstat-Dx Respiratory Panel Mini (QIAGEN)†
- QIAstat-Dx Respiratory Panel Plus (QIAGEN)†
- QIAstat-Dx Respiratory SARS-CoV-2 Panel (QIAGEN)†
- Quest Diagnostics RC COVID-19 + Flu RT-PCR (Quest Diagnostics)†
- QuickVue® Influenza A+B Test (Quidel Corp.)
- RealStar Influenza Screen & Type RT-PCR (Altona Diagnostics)
- RealStar Influenza Screen & Type RT-PCR 4.0 (Altona Diagnostics)*
- SARS-CoV-2 & Flu A/B Rapid Antigen Test (Roche)
- SEKISUI Diagnostics™ OSOM™ Ultra Plus Flu A and B Test Kit (Fisher Scientific™)
- Simplexa™ COVID-19/Flu A/B/RSV Direct (Diasorin)†
- Simplexa™ COVID-19 & Flu A/B Direct (Diasorin)†
- Simplexa™ Flu A/B & RSV Direct Gen II (Diasorin)†
- Sofia® Analyzer and Influenza A+B FIA (CLIA-waived) (Quidel Corp.)
- Sofia® Analyzer and Influenza A+B FIA (Quidel Corp.)
- Sofia® 2 Flu + SARS Antigen FIA (Quidel)
- Solana Influenza A+B Assay (Quidel)
- Solana Respiratory Viral Panel (Quidel)
- Sure-Vue™ Signature Influenza A and B Test Kit
- The Metrix COVID/Flu Test (Sekisui Diagnostics)††
- Verigene® Respiratory Pathogen Nucleic Acid Test (RP Flex) (Diasorin)*
- XPECT™ Influenza A/B (Remel Inc./Thermo Fisher Scientific™)
- Xpert Xpress COV-2/Flu/RSV plus (Cepheid)††
- Xpert Xpress Flu (Cepheid)†
- Xpert Xpress Flu/RSV Assay (Cepheid)†
- Not applicable (no pediatric testing)
- Other, specify: _____

†= Rapid Molecular * = can detect subtype ‡=Multiplex for influenza/SARS-CoV-2

6a. If you responded to 6 that two kits are used with equal frequency for pediatric testing, please select the two kits. If not applicable, skip to question 7.

- | | |
|---|--|
| <ul style="list-style-type: none"> <input type="checkbox"/> Acuity Influenza A&B Test (Sekisui Diagnostics, LLC) <input type="checkbox"/> Alinity M Resp-4 Plex Assay (Abbott)† <input type="checkbox"/> Allplex Respiratory Panel A1 (Seegene)† <input type="checkbox"/> Allplex RV Master Assay (Seegene)† <input type="checkbox"/> Allplex SARS-CoV-2/Flu A/Flu B/RSV Assay (Seegene)† <input type="checkbox"/> Aptima SARS-CoV-2/Flu/A/B (Hologic)† <input type="checkbox"/> ARIES® Flu A/B & RSV+SARS-CoV-2 Assay (Diasorin)† <input type="checkbox"/> BD Respiratory Viral Panel for BD MAX System (BD)† <input type="checkbox"/> BD Veritor™ System for Rapid Detection of Flu A+B (CLIA-waived) (Becton Dickinson & Co.) <input type="checkbox"/> BD Veritor™ System for Rapid Detection of Flu A+B (Moderately Complex) (Becton Dickinson & Co.) <input type="checkbox"/> BD Veritor™ System for Rapid Detection of SARS-CoV-2 & Flu A+B (Becton Dickinson & Co.) <input type="checkbox"/> Binax NOW® Influenza A&B Card 2 (Abbott) <input type="checkbox"/> BioCode® CoV-2 Flu Plus Assay (Applied BioCode Inc)† <input type="checkbox"/> BioCode® Respiratory Pathogen Panel (Applied BioCode Inc)† <input type="checkbox"/> BioFire® FilmArray Pneumonia (PN) Panel <input type="checkbox"/> BioFire® FilmArray Pneumonia plus (PNplus) Panel (Biomerieux) <input type="checkbox"/> BioFire® Respiratory Panel 2.1 (RP2.1) (Biomerieux)† <input type="checkbox"/> BioFire® Respiratory Panel 2.1-EZ (RP2.1-EZ) (Biomerieux)† <input type="checkbox"/> BioFire® Respiratory 2.1plus (RP2.1plus) Panel (Biomerieux)† <input type="checkbox"/> BioFire® SpotFire® Respiratory Panel†† <input type="checkbox"/> BioFire® SpotFire® Respiratory Panel Mini†† <input type="checkbox"/> BioFire® SpotFire® Respiratory/Sore Throat (R/ST) Panel†† <input type="checkbox"/> BioSign® Flu A+B or LifeSign LLC Status Flu A & B (Princeton BioMeditech Corp.) <input type="checkbox"/> CareStart Flu A&B Plus (Access Bio, Inc.) <input type="checkbox"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza A Subtyping Kit), (CDC Influenza Division) <input type="checkbox"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza A/B Typing Kit), (CDC Influenza Division) | <ul style="list-style-type: none"> <input type="checkbox"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza B Lineage Genotyping Kit), (CDC Influenza Division) <input type="checkbox"/> CDC Influenza A/H5 (Asian Lineage) Virus Real-Time RT-PCR Primer and Probe Set (CDC Influenza Division) <input type="checkbox"/> CDC Influenza SARS-CoV-2 (Flu SC2) Multiplex Assay (CDC Influenza Division)† <input type="checkbox"/> Cobas Liat Influenza A/B & RSV (Roche Diagnostics)† <input type="checkbox"/> Cobas Liat SARS-CoV-2, Influenza A/B, and RSV (Roche)†† <input type="checkbox"/> Cobas SARS-CoV-2 & Influenza A/B (Roche Diagnostics)†† <input type="checkbox"/> Cobas SARS-CoV-2 & Influenza A/B Nucleic Acid Test (Roche Diagnostics) <input type="checkbox"/> ePlex Respiratory Pathogen Panel 2 (Roche Diagnostics)* <input type="checkbox"/> ID Now™ Influenza A&B (CLIA-Waived) (Abbott)† <input type="checkbox"/> ID Now™ Influenza A&B 2 (CLIA-Waived) (Abbott)† <input type="checkbox"/> In-house developed PCR assay <input type="checkbox"/> Liaison NES Flu A/B, RSV, & COVID-19 Assay (Diasorin)†† <input type="checkbox"/> Liaison Plex Respiratory Flex Assay (Diasorin)* <input type="checkbox"/> Lyra Influenza A+B Assay (Quidel) <input type="checkbox"/> McKesson Consult Influenza A & B Test (McKesson Medical-Surgical Inc.) <input type="checkbox"/> Meridian Bioscience™ ImmunoCard STAT!™ FLU A&B (Fisher Scientific™) <input type="checkbox"/> NeuMoDX Influenza A/b, RSV, and SARS-CoV-2 Vantage Assay (Qiagen)† <input type="checkbox"/> Nx-TAG® Respiratory Pathogen Panel (Diasorin)† <input type="checkbox"/> Nx-TAG® Respiratory Pathogen Panel v2 (Diasorin)* <input type="checkbox"/> Nx-TAG® Respiratory Pathogen Panel + SARS-CoV-2 (Diasorin)† <input type="checkbox"/> OSOM Flu SARS-CoV-2 Combo Test (Sekisui Diagnostics, LLC) <input type="checkbox"/> OSOM Ultra Plus Flu A&B Test (Sekisui Diagnostics, LLC) <input type="checkbox"/> Panther Fusion® Flu A/B RSV Assay (Hologic) <input type="checkbox"/> Panther Fusion® SARS-CoV-2/Flu A/B/RSV (Hologic)† <input type="checkbox"/> QIAstat-Dx Respiratory Panel Mini (QIAGEN)† <input type="checkbox"/> QIAstat-Dx Respiratory Panel Plus (QIAGEN)† <input type="checkbox"/> QIAstat-Dx Respiratory SARS-CoV-2 Panel (QIAGEN)† <input type="checkbox"/> Quest Diagnostics RC COVID-19 + Flu RT-PCR (Quest Diagnostics)† |
|---|--|

- QuickVue® Influenza A+B Test (Quidel Corp.)
- RealStar Influenza Screen & Type RT-PCR (Altona Diagnostics)
- RealStar Influenza Screen & Type RT-PCR 4.0 (Altona Diagnostics)*
- SARS-CoV-2 & Flu A/B Rapid Antigen Test (Roche)
- SEKISUI Diagnostics™ OSOM™ Ultra Plus Flu A and B Test Kit (Fisher Scientific™)
- Simplexa™ COVID-19/Flu A/B/RSV Direct (Diasorin)*
- Simplexa™ COVID-19 & Flu A/B Direct (Diasorin)*
- Simplexa™ Flu A/B & RSV Direct Gen II (Diasorin)*
- Sofia® Analyzer and Influenza A+B FIA (CLIA-waived) (Quidel Corp.)
- Sofia® Analyzer and Influenza A+B FIA (Quidel Corp.)

- Sofia® 2 Flu + SARS Antigen FIA (Quidel)
- Solana Influenza A+B Assay (Quidel)
- Solana Respiratory Viral Panel (Quidel)
- Sure-Vue™ Signature Influenza A and B Test Kit
- The Metrix COVID/Flu Test (Sekisui Diagnostics)**
- Verigene® Respiratory Pathogen Nucleic Acid Test (RP Flex) (Diasorin)*
- XPECT™ Influenza A/B (Remel Inc./Thermo Fisher Scientific™)
- Xpert Xpress COV-2/Flu/RSV plus (Cepheid)**
- Xpert Xpress Flu (Cepheid)*
- Xpert Xpress Flu/RSV Assay (Cepheid)*
- Other, specify: _____

*= Rapid Molecular **= can detect subtype ‡=Multiplex for influenza/SARS-CoV-2

7. Of the kits selected in 4a and 5a, which influenza test kit does the laboratory perform most frequently for hospitalized and ED adult patients (aged ≥18 years)? (Select one)

- | | |
|---|--|
| <ul style="list-style-type: none"> <input type="radio"/> Two kits are equally used most frequently <input type="radio"/> Acucy Influenza A&B Test (Sekisui Diagnostics, LLC) <input type="radio"/> Alinity M Resp-4 Plex Assay (Abbott)† <input type="radio"/> Allplex Respiratory Panel A1 (Seegene)* <input type="radio"/> Allplex RV Master Assay (Seegene)* <input type="radio"/> Allplex SARS-CoV-2/Flu A/Flu B/RSV Assay (Seegene)* <input type="radio"/> Aptima SARS-CoV-2/Flu A/B (Hologic)† <input type="radio"/> ARIES® Flu A/B & RSV+SARS-CoV-2 Assay (Diasorin)* <input type="radio"/> BD Respiratory Viral Panel for BD MAX System (BD)† <input type="radio"/> BD Veritor™ System for Rapid Detection of Flu A+B (CLIA-waived) (Becton Dickinson & Co.) <input type="radio"/> BD Veritor™ System for Rapid Detection of Flu A+B (Moderately Complex) (Becton Dickinson & Co.) <input type="radio"/> BD Veritor™ System for Rapid Detection of SARS-CoV-2 & Flu A+B (Becton Dickinson & Co.) <input type="radio"/> Binax NOW® Influenza A&B Card 2 (Abbott) <input type="radio"/> BioCode® CoV-2 Flu Plus Assay (Applied BioCode Inc)* <input type="radio"/> BioCode® Respiratory Pathogen Panel (Applied BioCode Inc)* <input type="radio"/> BioFire® FilmArray Pneumonia (PN) Panel <input type="radio"/> BioFire® FilmArray Pneumonia plus (PNplus) Panel (Biomerieux) <input type="radio"/> BioFire® Respiratory Panel 2.1 (RP2.1) (Biomerieux)* <input type="radio"/> BioFire® Respiratory Panel 2.1-EZ (RP2.1-EZ) (Biomerieux)* <input type="radio"/> BioFire® Respiratory 2.1plus (RP2.1plus) Panel (Biomerieux)* <input type="radio"/> BioFire® SpotFire® Respiratory Panel** <input type="radio"/> BioFire® SpotFire® Respiratory Panel Mini** <input type="radio"/> BioFire® SpotFire® Respiratory/Sore Throat (R/ST) Panel** <input type="radio"/> BioSign® Flu A+B or LifeSign LLC Status Flu A & B (Princeton BioMeditech Corp.) <input type="radio"/> CareStart Flu A&B Plus (Access Bio, Inc.) <input type="radio"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza A Subtyping Kit), (CDC Influenza Division) <input type="radio"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza A/B Typing Kit), (CDC Influenza Division) <input type="radio"/> CDC Human Influenza Virus Real-Time RT-PCR Diagnostic Panel (Influenza B Lineage Genotyping Kit), (CDC Influenza Division) <input type="radio"/> CDC Influenza A/H5 (Asian Lineage) Virus Real-Time RT-PCR Primer and Probe Set (CDC Influenza Division) <input type="radio"/> CDC Influenza SARS-CoV-2 (Flu SC2) Multiplex Assay (CDC Influenza Division)† <input type="radio"/> Cobas Liat Influenza A/B & RSV (Roche Diagnostics)* <input type="radio"/> Cobas Liat SARS-CoV-2, Influenza A/B, and RSV (Roche)** <input type="radio"/> Cobas SARS-CoV-2 & Influenza A/B (Roche Diagnostics)** <input type="radio"/> Cobas SARS-CoV-2 & Influenza A/B Nucleic Acid Test (Roche Diagnostics) <input type="radio"/> ePlex Respiratory Pathogen Panel 2 (Roche Diagnostics)* | <ul style="list-style-type: none"> <input type="radio"/> ID Now™ Influenza A&B (CLIA-Waived) (Abbott)† <input type="radio"/> ID Now™ Influenza A&B 2 (CLIA-Waived) (Abbott)† <input type="radio"/> In-house developed PCR assay <input type="radio"/> Liaison NES Flu A/B, RSV, & COVID-19 Assay (Diasorin)** <input type="radio"/> Liaison Plex Respiratory Flex Assay (Diasorin)* <input type="radio"/> Lyra Influenza A+B Assay (Quidel) <input type="radio"/> McKesson Consult Influenza A & B Test (McKesson Medical-Surgical Inc.) <input type="radio"/> Meridian Bioscience™ ImmunoCard STAT!™ FLU A&B (Fisher Scientific™) <input type="radio"/> NeuMoDX Influenza A/b, RSV, and SARS-CoV-2 Vantage Assay (Qiagen)† <input type="radio"/> Nx-TAG® Respiratory Pathogen Panel (Diasorin)* <input type="radio"/> Nx-TAG® Respiratory Pathogen Panel v2 (Diasorin)* <input type="radio"/> Nx-TAG® Respiratory Pathogen Panel + SARS-CoV-2 (Diasorin)* <input type="radio"/> OSOM Flu SARS-CoV-2 Combo Test (Sekisui Diagnostics, LLC) <input type="radio"/> OSOM Ultra Plus Flu A&B Test (Sekisui Diagnostics, LLC) <input type="radio"/> Panther Fusion® Flu A/B RSV Assay (Hologic) <input type="radio"/> Panther Fusion® SARS-CoV-2/Flu A/B/RSV (Hologic)* <input type="radio"/> QIAstat-Dx Respiratory Panel Mini (QIAGEN)† <input type="radio"/> QIAstat-Dx Respiratory Panel Plus (QIAGEN)* <input type="radio"/> QIAstat-Dx Respiratory SARS-CoV-2 Panel (QIAGEN)* <input type="radio"/> Quest Diagnostics RC COVID-19 + Flu RT-PCR (Quest Diagnostics)† <input type="radio"/> QuickVue® Influenza A+B Test (Quidel Corp.) <input type="radio"/> RealStar Influenza Screen & Type RT-PCR (Altona Diagnostics) <input type="radio"/> RealStar Influenza Screen & Type RT-PCR 4.0 (Altona Diagnostics)* <input type="radio"/> SARS-CoV-2 & Flu A/B Rapid Antigen Test (Roche) <input type="radio"/> SEKISUI Diagnostics™ OSOM™ Ultra Plus Flu A and B Test Kit (Fisher Scientific™) <input type="radio"/> Simplexa™ COVID-19/Flu A/B/RSV Direct (Diasorin)* <input type="radio"/> Simplexa™ COVID-19 & Flu A/B Direct (Diasorin)* <input type="radio"/> Simplexa™ Flu A/B & RSV Direct Gen II (Diasorin)* <input type="radio"/> Sofia® Analyzer and Influenza A+B FIA (CLIA-waived) (Quidel Corp.) <input type="radio"/> Sofia® Analyzer and Influenza A+B FIA (Quidel Corp.) <input type="radio"/> Sofia® 2 Flu + SARS Antigen FIA (Quidel) <input type="radio"/> Solana Influenza A+B Assay (Quidel) <input type="radio"/> Solana Respiratory Viral Panel (Quidel) <input type="radio"/> Sure-Vue™ Signature Influenza A and B Test Kit <input type="radio"/> The Metrix COVID/Flu Test (Sekisui Diagnostics)** <input type="radio"/> Verigene® Respiratory Pathogen Nucleic Acid Test (RP Flex) (Diasorin)* <input type="radio"/> XPECT™ Influenza A/B (Remel Inc./Thermo Fisher Scientific™) <input type="radio"/> Xpert Xpress COV-2/Flu/RSV plus (Cepheid)** <input type="radio"/> Xpert Xpress Flu (Cepheid)* <input type="radio"/> Xpert Xpress Flu/RSV Assay (Cepheid)* <input type="radio"/> Not applicable (no adult testing) <input type="radio"/> Other, specify: _____ |
|---|--|

*= Rapid Molecular **= can detect subtype ‡=Multiplex for influenza/SARS-CoV-2

FluSurv-NET site use only

10. List all in - catchment FluSurv-NET hospital IDs (hosp_TX) associated with this testing facility. *(Do not include names - CDC receives this info)*

Hospital ID 1 (Required): _____	Hospital ID 6: _____
Hospital ID 2: _____	Hospital ID 7: _____
Hospital ID 3: _____	Hospital ID 8: _____
Hospital ID 4: _____	Hospital ID 9: _____
Hospital ID 5: _____	Hospital ID 10: _____