

References

Abdul-Quader A, Heckathorn D, McKnight C et al. Effectiveness of respondent-driven sampling for recruiting drug users in New York City: Findings from a pilot study. *Journal of Urban Health* 2006; 83(3):459-476.

Abreu, DA, F Winters. Using Monetary Incentives to Reduce Attrition in the Survey of Income and Program Participation. *Proceedings of the Survey Research Methods Section of the American Statistical Association*. Washington, DC, 1999.

Bennett BW, DuBose S, Huang YA, Johnson CH, Hoover KW, Wiener J, Purcell DW, Sullivan PS. Population Percentage and Population Size of Men Who Have Sex With Men in the United States, 2017-2021: Meta-Analysis of 5 Population-Based Surveys. *JMIR Public Health Surveill.* 2024;10:e56643.

Bradley H, Hall EW, Asher A, Furukawa NW, Jones CM, Shealey J, Buchacz K, Handanagic S, Crepaz N, Rosenberg ES. Estimated Number of People Who Inject Drugs in the United States. *Clin Infect Dis.* 2023;76(1):96-102.

Centers for Disease Control and Prevention. Estimated HIV incidence and prevalence in the United States, 2018–2022. *HIV Surveillance Supplemental Report* 2024;29(No. 1). <https://www.cdc.gov/hiv-data/nhss/estimated-hiv-incidence-and-prevalence.html>. Published May 2024. Accessed January 28, 2025.

Church, A. H. Estimating the Effect of Incentives on Mail Survey Response Rates: A Meta-Analysis. *Public Opinion Quarterly* 1993; 57(1): 62-79.

Diaz RM, Ayala G, Bein E, Henne J, Marin BV. The impact of homophobia, poverty, and racism on the mental health of gay and bisexual Latino men: Findings from 3 US cities. *American Journal of Public Health* 2001; 91(6):927-932.

Draus P, Siegal H, Carlson R, Falck R, Wang J. Cracking the cornfields: Recruiting illicit stimulant drug users in rural Ohio. *The Sociological Quarterly* 2005; 46:165-189.

Grey JA, Bernstein KT, Sullivan PS, Purcell DW, Chesson HW, Gift TL, Rosenberg ES. Estimating the Population Sizes of Men Who Have Sex With Men in US States and Counties Using Data From the American Community Survey. *JMIR Public Health Surveill.* 2016; 21;2(1):e14.

Halberti, CH, S Kumanyika, M Bowman, SL Bellamy, V Briggs, S Brown, B Bryant, E Delmoor, JC Johnson, J Purnell, R Rogers, B Weathers. Participation rates and representativeness of African Americans recruited to a health promotion program. *Health Education Research* 2010; 25(1) 6-13.

Heckathorn D. Respondent-driven sampling: a new approach to the study of hidden populations. *Social Problems* 1997; 44(2):174-199.

Heckathorn D. Respondent-driven sampling II: Deriving valid population estimates from chain-referral samples of hidden populations. *Social Problems* 2002; 49(1):11-34.

Heckathorn D, Semaan S, Broadhead R, James Hughes. Extensions of respondent-driven sampling: a new approach to the study of injection drug users aged 18-25. *AIDS and Behavior* 2002; 6(1):55-67.

Johnston LG, Sabin K, Mai Thu Hien, Phame Thi Houng. Assessment of respondent driven sampling for recruiting female sex workers in two Vietnamese cities: Reaching the unseen sex worker. *Journal of Urban Health* 2006; 83(7):i16-i28.

Kulka R. The use of incentives to survey "hard to reach" respondents: a brief review of empirical research and current research practice. Seminar on New Directions in Statistical Methodology, 1995 #23, 256-289. 1995. FCSM Statistical Policy Working Papers. Ref Type: Report

Lansky, A, AS Abdul-Quader, M Cribbin, T Hall, TJ Finlayson, RS Garfein, LS Lin, PS Sullivan. Developing an HIV behavioral surveillance system for injecting drug users: the National HIV Behavioral Surveillance System. *Public Health Reports* 2007; 122(S1): 48-55.

Mackellar D, Valleroy L, Karon J, Lemp G, Janssen R. The Young Men's Survey: Methods for estimating HIV seroprevalence and risk factors among young men who have sex with men. *Public Health Reports* 1996; 111(S1):138-144.

Magnani R, Sabin K, Saidel T, Heckathorn D. Review of sampling hard-to-reach and hidden populations for HIV surveillance. *AIDS* 2005; 19(Suppl 2):S67-S72.

Mansergh G, Naorat S, Jommaroeng R et al. Adaptation of venue-day-time sampling in Southeast Asia to access men who have sex with men for HIV assessment in Bangkok. *Field Methods* 2006; 18(2):135-152

McFarland W, Caceres C. HIV surveillance among men who have sex with men. *AIDS* 2001; 15(Supplement 3):S23-S32.

McKnight C, Des Jarlais D, Bramson H et al. Respondent-driven sampling in a study of drug users in New York City: Notes from the field. *Journal of Urban Health* 2006; 83(7):i54-i59.

Muhib F, Lin L, Stueve A et al. A venue-based method for sampling hard-to-reach populations. *Public Health Reports* 2001; 116(Supplement 1):216-222.

Ramirez-Valles J, Heckathorn D, Vazquez R, Diaz RM, Carlson R. From networks to populations: The development and application of respondent-driven sampling among IDUs and Latino gay men. *AIDS and Behavior* 2005; 9(4):387-402.

Semaan S, Lauby J, Liebman J. Street and network sampling in evaluation studies of HIV risk-reduction interventions. *AIDS Reviews* 2002; 4:213-223.

Shettle, C, and G Mooney. Monetary Incentives in Government Surveys. *Journal of Official Statistics*. 1999. 15: 231-50.

Stormer A, Tun W, Guli L et al. An analysis of respondent driven sampling with injection drug users (IDU) in Albania and the Russian Federation. *Journal of Urban Health* 2006; 83(7):i73-i82.

Stueve A, O'Donnell L, Duran R, San Doval A, Blome J. Time-space sampling in minority

communities: Results with young Latino men who have sex with men. *American Journal of Public Health* 2001; 91(6):922-926.

Thiede, H, M Romero, K Bordelon, H Hagan, CS Murril. Using a jail-based survey to monitor HIV and risk behaviors among Seattle area injection drug users. *Journal of Urban Health* 2001; 78(2): 264-278.

Valleroy L, Mackellar D, Karon J et al. HIV prevalence and associated risks in young men who have sex with men. *JAMA* 2000; 284(2):198-204.

Wang J, Carlson R, Falck R, Siegal H, Rahman A, Li L. Respondent-driven sampling to recruit MDMA users: a methodological assessment. *Drug and Alcohol Dependence* 2005; 78(5):147-157.

Whiteman, MK, P Langenberg, K Kjerulff, et al. A randomized trial of incentives to improve response rates to a mailed women's health questionnaire. *Journal of Womens Health* 2003; 12: 821-828.

Xia Q, Tholandi M, Osmond D et al. The effect of venue sampling on estimates of HIV prevalence and sexual risk behaviors in men who have sex with men. *Sexually Transmitted Diseases* 2006; 33(9):545-550.

Yancey, AK, AN Ortega, SK Kumanyika. Effective recruitment and retention of minority research participants. *Annual Review of Public Health* 2006; 27(1): 1-28.

Yeka W, Maibani-Michie G, Prybylski D, Colby D. Application of respondent driven sampling to collect baseline data on FSWs and MSM for HIV risk reduction interventions in two urban centres in Papua New Guinea. *Journal of Urban Health* 2006; 83(7):i60-i72.