

From: <Saved by Windows Internet Explorer 7>
Subject: Instructions For CCC-901
Date: Mon, 20 Dec 2010 16:49:52 -0500
MIME-Version: 1.0
Content-Type: text/html;
charset="Windows-1252"
Content-Transfer-Encoding: quoted-printable
Content-Location: http://forms.sc.egov.usda.gov/eForms/instruction?
FileType=TipInstruction&FileName=CCC901.HTML
X-MimeOLE: Produced By Microsoft MimeOLE V6.00.2900.5931

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML xmlns=3D"http://www.w3.org/TR/REC-html40" xmlns:v =3D=20
"urn:schemas-microsoft-com:vml" xmlns:o =3D=20
"urn:schemas-microsoft-com:office:office" xmlns:w =3D=20
"urn:schemas-microsoft-com:office:word"><HEAD><TITLE>Instructions For =
CCC-901</TITLE>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Dwindows-1252">
<META content=3DWord.Document name=3DProgId>
<META content=3D"MSHTML 6.00.6000.17092" name=3DGENERATOR>
<META content=3D"Microsoft Word 11" name=3DOriginator><LINK=20
href=3D"CCC0901_files/filelist.xml" rel=3DFile-List><!--[if gte mso =
9]><xml>
  <o:DocumentProperties>
    <o:Author>James.Baxa</o:Author>
    <o:LastAuthor>anita.crowell</o:LastAuthor>
    <o:Revision>2</o:Revision>
    <o:TotalTime>2</o:TotalTime>
    <o:LastPrinted>2009-04-07T13:27:00Z</o:LastPrinted>
    <o:Created>2009-04-07T17:24:00Z</o:Created>
    <o:LastSaved>2009-04-07T17:24:00Z</o:LastSaved>
    <o:Pages>1</o:Pages>
    <o:Words>1192</o:Words>
    <o:Characters>6797</o:Characters>
    <o:Company>USDA</o:Company>
    <o:Lines>56</o:Lines>
    <o:Paragraphs>15</o:Paragraphs>
    <o:CharactersWithSpaces>7974</o:CharactersWithSpaces>
    <o:Version>11.9999</o:Version>
  </o:DocumentProperties>
</xml><![endif]><!--[if gte mso 9]><xml>
  <w:WordDocument>
    <w:ValidateAgainstSchemas/>
    <w:SaveIfXMLInvalid>>false</w:SaveIfXMLInvalid>
    <w:IgnoreMixedContent>>false</w:IgnoreMixedContent>
    <w:AlwaysShowPlaceholderText>>false</w:AlwaysShowPlaceholderText>
    <w:Compatibility>
      <w:BreakWrappedTables/>
      <w:SnapToGridInCell/>
      <w:WrapTextWithPunct/>
      <w:UseAsianBreakRules/>
      <w:UseWord2002TableStyleRules/>
    </w:Compatibility>
    <w:BrowserLevel>MicrosoftInternetExplorer4</w:BrowserLevel>
  </w:WordDocument>
</xml><![endif]><!--[if gte mso 9]><xml>
  <w:LatentStyles DefLockedState=3D"false" LatentStyleCount=3D"156">
  </w:LatentStyles>
</xml><![endif]><-->
<STYLE>@font-face {
  font-family: Tahoma;
}
@page {mso-footnote-separator: url("CCC0901_files/header.htm") fs; =
```

```

mso-footnote-continuation-separator: url("CCC0901_files/header.htm") =
fcs; mso-endnote-separator: url("CCC0901_files/header.htm") es; =
mso-endnote-continuation-separator: url("CCC0901_files/header.htm") ecs; =
}
@page Section1 {size: 8.5in 11.0in; margin: 1.0in 1.25in 1.0in 1.25in; =
mso-header-margin: .5in; mso-footer-margin: .5in; mso-footer: =
url("CCC0901_files/header.htm") f1; mso-paper-source: 0; }
P.MsoNormal {
    FONT-SIZE: 12pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; =
mso-style-parent: ""; mso-pagination: widow-orphan; =
mso-fareast-font-family: "Times New Roman"
}
LI.MsoNormal {
    FONT-SIZE: 12pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; =
mso-style-parent: ""; mso-pagination: widow-orphan; =
mso-fareast-font-family: "Times New Roman"
}
DIV.MsoNormal {
    FONT-SIZE: 12pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; =
mso-style-parent: ""; mso-pagination: widow-orphan; =
mso-fareast-font-family: "Times New Roman"
}
H1 {
    FONT-SIZE: 14pt; MARGIN: 12pt 0in 3pt; FONT-FAMILY: Arial; =
mso-pagination: widow-orphan; mso-style-next: Normal; mso-outline-level: =
1; mso-bidi-font-size: 16.0pt; mso-font-kerining: 16.0pt
}
H2 {
    FONT-SIZE: 14pt; MARGIN: 12pt 0in 3pt; FONT-STYLE: italic; FONT-FAMILY: =
Arial; mso-pagination: widow-orphan; mso-style-next: Normal; =
mso-outline-level: 2
}
H3 {
    FONT-SIZE: 12pt; MARGIN: 12pt 0in 3pt; FONT-FAMILY: "Times New Roman"; =
mso-bidi-font-weight: normal; mso-pagination: widow-orphan; =
mso-style-next: Normal; mso-outline-level: 3; mso-style-update: auto
}
H4 {
    FONT-SIZE: 12pt; MARGIN: 12pt 0in 3pt; FONT-STYLE: italic; FONT-FAMILY: =
"Times New Roman"; mso-pagination: widow-orphan; mso-style-next: Normal; =
mso-outline-level: 4; mso-bidi-font-size: 14.0pt
}
P.MsoHeader {
    FONT-SIZE: 12pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; =
mso-pagination: widow-orphan; mso-fareast-font-family: "Times New =
Roman"; tab-stops: center 3.0in right 6.0in
}
LI.MsoHeader {
    FONT-SIZE: 12pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; =
mso-pagination: widow-orphan; mso-fareast-font-family: "Times New =
Roman"; tab-stops: center 3.0in right 6.0in
}
DIV.MsoHeader {
    FONT-SIZE: 12pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; =
mso-pagination: widow-orphan; mso-fareast-font-family: "Times New =
Roman"; tab-stops: center 3.0in right 6.0in
}
P.MsoFooter {
    FONT-SIZE: 12pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; =
mso-pagination: widow-orphan; mso-fareast-font-family: "Times New =
Roman"; tab-stops: center 3.0in right 6.0in
}
LI.MsoFooter {
    FONT-SIZE: 12pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; =

```

```

mso-pagination: widow-orphan; mso-fareast-font-family: "Times New =
Roman"; tab-stops: center 3.0in right 6.0in
}
DIV.MsoFooter {
    FONT-SIZE: 12pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; =
mso-pagination: widow-orphan; mso-fareast-font-family: "Times New =
Roman"; tab-stops: center 3.0in right 6.0in
}
P.MsoAcetate {
    FONT-SIZE: 8pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: Tahoma; =
mso-pagination: widow-orphan; mso-fareast-font-family: "Times New =
Roman"; mso-style-noshow: yes
}
LI.MsoAcetate {
    FONT-SIZE: 8pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: Tahoma; =
mso-pagination: widow-orphan; mso-fareast-font-family: "Times New =
Roman"; mso-style-noshow: yes
}
DIV.MsoAcetate {
    FONT-SIZE: 8pt; MARGIN: 0in 0in 0pt; FONT-FAMILY: Tahoma; =
mso-pagination: widow-orphan; mso-fareast-font-family: "Times New =
Roman"; mso-style-noshow: yes
}
P.Heading3Cent {
    FONT-WEIGHT: bold; FONT-SIZE: 12pt; MARGIN: 12pt 0in 3pt; FONT-FAMILY: =
"Times New Roman"; TEXT-ALIGN: center; mso-bidi-font-weight: normal; =
mso-style-parent: "Heading 3"; mso-pagination: widow-orphan; =
mso-fareast-font-family: "Times New Roman"; mso-outline-level: 3; =
mso-style-name: "Heading 3 Cent"
}
LI.Heading3Cent {
    FONT-WEIGHT: bold; FONT-SIZE: 12pt; MARGIN: 12pt 0in 3pt; FONT-FAMILY: =
"Times New Roman"; TEXT-ALIGN: center; mso-bidi-font-weight: normal; =
mso-style-parent: "Heading 3"; mso-pagination: widow-orphan; =
mso-fareast-font-family: "Times New Roman"; mso-outline-level: 3; =
mso-style-name: "Heading 3 Cent"
}
DIV.Heading3Cent {
    FONT-WEIGHT: bold; FONT-SIZE: 12pt; MARGIN: 12pt 0in 3pt; FONT-FAMILY: =
"Times New Roman"; TEXT-ALIGN: center; mso-bidi-font-weight: normal; =
mso-style-parent: "Heading 3"; mso-pagination: widow-orphan; =
mso-fareast-font-family: "Times New Roman"; mso-outline-level: 3; =
mso-style-name: "Heading 3 Cent"
}
DIV.Section1 {
    page: Section1
}
OL {
    MARGIN-BOTTOM: 0in
}
UL {
    MARGIN-BOTTOM: 0in
}
</STYLE>
<!--[if gte mso 10]>
<style>
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Table Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-parent:"";
mso-padding-alt:0in 5.4pt 0in 5.4pt;

```

```

mso-para-margin:0in;
mso-para-margin-bottom:.0001pt;
mso-pagination:widow-orphan;
font-size:10.0pt;
font-family:"Times New Roman";
mso-ansi-language:#0400;
mso-fareast-language:#0400;
mso-bidi-language:#0400;}
table.MsoTableGrid
{mso-style-name:"Table Grid";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
border:solid windowtext 1.0pt;
mso-border-alt:solid windowtext .5pt;
mso-padding-alt:0in 5.4pt 0in 5.4pt;
mso-border-insideh:.5pt solid windowtext;
mso-border-insidev:.5pt solid windowtext;
mso-para-margin:0in;
mso-para-margin-bottom:.0001pt;
mso-pagination:widow-orphan;
font-size:10.0pt;
font-family:"Times New Roman";
mso-ansi-language:#0400;
mso-fareast-language:#0400;
mso-bidi-language:#0400;}
</style>
<![endif]--><!--[if gte mso 9]><xml>
  <o:shapedefaults v:ext=3D"edit" spidmax=3D"2050"/>
</xml><![endif]--><!--[if gte mso 9]><xml>
  <o:shapelayout v:ext=3D"edit">
    <o:idmap v:ext=3D"edit" data=3D"1"/>
  </o:shapelayout></xml><![endif]--></HEAD>
<BODY lang=3DEN-US style=3D"tab-interval: .5in">
<DIV class=3DSection1>
<H1>Instructions For CCC-901</H1>
<H2>MEMBER'S INFORMATION</H2>
<H3>Producers are required to complete this form to report information =
about=20
their farming operation. This information is used by FSA to determine =
the=20
ownership interest of entities for payment limitation purposes.</H3>
<P class=3DMsoNormal><B=20
style=3D"mso-bidi-font-weight: normal"><o:p>&nbsp;</o:p></B></P>
<P class=3DMsoNormal><B style=3D"mso-bidi-font-weight: normal">Submit =
the original=20
of the completed form in hard copy or facsimile to the appropriate FSA =
servicing=20
office.</B> </P>
<P class=3DMsoNormal><B style=3D"mso-bidi-font-weight: normal"><SPAN=20
style=3D"LAYOUT-GRID-MODE: line"><o:p>&nbsp;</o:p></SPAN></B></P>
<P class=3DMsoNormal><B style=3D"mso-bidi-font-weight: normal"><SPAN=20
style=3D"LAYOUT-GRID-MODE: line">Customers who have established =
electronic access=20
credentials with USDA may electronically transmit this form to the USDA=20
servicing office, <U>provided</U> that (1) the customer submitting the =
form is=20
the only person required to sign the transaction, or (2) the customer =
has an=20
approved Power of Attorney (Form FSA-211) on file with USDA to sign for =
other=20
customers for the program and type of transaction represented by this=20
form.</SPAN></B><B style=3D"mso-bidi-font-weight: normal"><SPAN=20
style=3D"FONT-SIZE: 10pt; mso-bidi-font-size: =
12.0pt"><o:p></o:p></SPAN></B></P>

```

<P class=3DMsoNormal><B style=3D"mso-bidi-font-weight: normal"><SPAN=20 style=3D"FONT-SIZE: 10pt; mso-bidi-font-size: = 12.0pt"><o:p> </o:p></P>

<P class=3DMsoNormal><B style=3D"mso-bidi-font-weight: normal"><SPAN=20 style=3D"LAYOUT-GRID-MODE: line">Features for transmitting the form = electronically=20 are available to those customers with access credentials only.<SPAN=20 style=3D"mso-spacerun: yes"> To establish online access = credentials=20 with USDA, follow the instructions provided at the USDA eForms web=20 site.<o:p></o:p></P>

<H2>All items applicable to the payment entity must be completed by = following=20 the instructions provided below.</H2>

<H4>Items 1-3</H4>

<DIV align=3Dcenter>

<TABLE class=3DMsoNormalTable=20 style=3D"BORDER-RIGHT: medium none; BORDER-TOP: medium none; = BORDER-LEFT: medium none; BORDER-BOTTOM: medium none; BORDER-COLLAPSE: = collapse; mso-border-alt: solid windowtext 1.5pt; mso-padding-alt: 0in = 5.4pt 0in 5.4pt; mso-border-insideh: 1.5pt solid windowtext; = mso-border-insidev: 1.5pt solid windowtext"=20 cellSpacing=3D0 cellPadding=3D0 border=3D1>

<THEAD>

<TR style=3D"HEIGHT: 30.5pt; mso-yfti-irow: 0; mso-yfti-firstrow: = yes">

<TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: windowtext 1.5pt solid; PADDING-LEFT: 5.4pt; BACKGROUND: = aqua; PADDING-BOTTOM: 0in; BORDER-LEFT: windowtext 1.5pt solid; WIDTH: = 81pt; PADDING-TOP: 0in; BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: = 30.5pt"=20 vAlign=3Dtop width=3D108>

<P class=3DHeading3Cent>Fld Name /
Item No.</P></TD>

<TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: windowtext 1.5pt solid; PADDING-LEFT: 5.4pt; BACKGROUND: = aqua; PADDING-BOTTOM: 0in; BORDER-LEFT: medium none; WIDTH: 351pt; = PADDING-TOP: 0in; BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.5pt; = mso-border-left-alt: solid windowtext 1.5pt"=20 vAlign=3Dtop width=3D468>

<P class=3DHeading3Cent>Instruction</P></TD></TR></THEAD>

<TBODY>

<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 1">

<TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; = BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 81pt; PADDING-TOP: 0in; = BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; = mso-border-top-alt: solid windowtext 1.5pt"=20 vAlign=3Dtop width=3D108>

<P class=3DMsoNormal>1 and 2</P>

<P class=3DMsoNormal>County and State Name</P></TD>

<TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; = BORDER-LEFT: medium none; WIDTH: 351pt; PADDING-TOP: 0in; BORDER-BOTTOM: = windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid = windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20 vAlign=3Dtop width=3D468>

<P class=3DMsoNormal>Enter the name of the county and State where = the=20 farming operation is located. =20

If in more than one county, enter the name of the county =
 that has=20
 been designated as the administrative county.<SPAN=20
 style=3D"mso-spacerun: yes"> </P></TD></TR>
 <TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 2; mso-yfti-lastrow: yes">
 <TD=20
 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
 BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
 BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 81pt; PADDING-TOP: 0in; =
 BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
 mso-border-top-alt: solid windowtext 1.5pt"=20
 vAlign=3Dtop width=3D108>
 <P class=3DMsoNormal>3</P>
 <P class=3DMsoNormal>Program Year</P></TD>
 <TD=20
 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
 BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
 BORDER-LEFT: medium none; WIDTH: 351pt; PADDING-TOP: 0in; BORDER-BOTTOM: =
 windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
 windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
 vAlign=3Dtop width=3D468>
 <P class=3DMsoNormal>Enter the current program year, or the year =
 for which=20
 this information is applicable. =
 </P></TD></TR></TBODY></TABLE></DIV>
 <H4>Part A, Items 1-5</H4>
 <DIV align=3Dcenter>
 <TABLE class=3DMsoNormalTable=20
 style=3D"BORDER-RIGHT: medium none; BORDER-TOP: medium none; =
 BORDER-LEFT: medium none; BORDER-BOTTOM: medium none; BORDER-COLLAPSE: =
 collapse; mso-border-alt: solid windowtext 1.5pt; mso-padding-alt: 0in =
 5.4pt 0in 5.4pt; mso-border-insideh: 1.5pt solid windowtext; =
 mso-border-insidev: 1.5pt solid windowtext"=20
 cellSpacing=3D0 cellPadding=3D0 border=3D1>
 <THEAD>
 <TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 0; mso-yfti-firstrow: =
 yes">
 <TD=20
 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
 BORDER-TOP: windowtext 1.5pt solid; PADDING-LEFT: 5.4pt; BACKGROUND: =
 aqua; PADDING-BOTTOM: 0in; BORDER-LEFT: windowtext 1.5pt solid; WIDTH: =
 81pt; PADDING-TOP: 0in; BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: =
 30.1pt"=20
 vAlign=3Dtop width=3D108>
 <P class=3DHeading3Cent>Fld Name /
Item No.</P></TD>
 <TD=20
 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
 BORDER-TOP: windowtext 1.5pt solid; PADDING-LEFT: 5.4pt; BACKGROUND: =
 aqua; PADDING-BOTTOM: 0in; BORDER-LEFT: medium none; WIDTH: 351pt; =
 PADDING-TOP: 0in; BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
 mso-border-left-alt: solid windowtext 1.5pt"=20
 vAlign=3Dtop width=3D468>
 <P class=3DHeading3Cent>Instruction</P></TD></TR></THEAD>
 <TBODY>
 <TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 1">
 <TD=20
 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
 BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
 BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 81pt; PADDING-TOP: 0in; =
 BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
 mso-border-top-alt: solid windowtext 1.5pt"=20
 vAlign=3Dtop width=3D108>
 <P class=3DMsoNormal>Part A</P>
 <P class=3DMsoNormal>Legal Entity Name</P></TD>

Enter the name of the legal entity earning the payment.
Member=92s Name
Enter the names of the members making up the legal entity listed in Part A. <i>(This could be a person or a legal entity.)</i>
Social Security Number/ Tax ID Number
Enter the social security number or tax identification number of the members.

[illegible]

of that legal entity in this item. <SPAN=20
style=3D"mso-spacerun: yes"> (If more than one member is a =
legal=20
entity, use a separate, supplemental sheet to provide the requested =
information=20
for each embedded legal entity.)</H3>
<H4>Part B, Items 1-5</H4>
<DIV align=3Dcenter>
<TABLE class=3DMsoNormalTable=20
style=3D"BORDER-RIGHT: medium none; BORDER-TOP: medium none; =
BORDER-LEFT: medium none; BORDER-BOTTOM: medium none; BORDER-COLLAPSE: =
collapse; mso-border-alt: solid windowtext 1.5pt; mso-padding-alt: 0in =
5.4pt 0in 5.4pt; mso-border-insideh: 1.5pt solid windowtext; =
mso-border-insidev: 1.5pt solid windowtext"=20
cellSpacing=3D0 cellPadding=3D0 border=3D1>
<THEAD>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 0; mso-yfti-firstrow: =
yes">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: windowtext 1.5pt solid; PADDING-LEFT: 5.4pt; BACKGROUND: =
aqua; PADDING-BOTTOM: 0in; BORDER-LEFT: windowtext 1.5pt solid; WIDTH: =
76.8pt; PADDING-TOP: 0in; BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: =
30.1pt"=20
vAlign=3Dtop width=3D102>
<P class=3DHeading3Cent>Fld Name /
Item No.</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: windowtext 1.5pt solid; PADDING-LEFT: 5.4pt; BACKGROUND: =
aqua; PADDING-BOTTOM: 0in; BORDER-LEFT: medium none; WIDTH: 5in; =
PADDING-TOP: 0in; BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-left-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D480>
<P class=3DHeading3Cent>Instruction</P></TD></TR></THEAD>
<TBODY>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 1">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 76.8pt; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D102>
<P class=3DMsoNormal>Part B</P>
<P class=3DMsoNormal>Embedded Legal Entity Name</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 5in; PADDING-TOP: 0in; BORDER-BOTTOM: =
windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter the name of the embedded legal entity =
that is a=20
member of the legal entity entered in Part A.</P>
<P class=3DMsoNormal><o:p> </o:p></P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 2">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 76.8pt; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D102>

<P class=3DMsoNormal>1</P> <P class=3DMsoNormal>Member=92s Name</P></TD>
<TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; = BORDER-LEFT: medium none; WIDTH: 5in; PADDING-TOP: 0in; BORDER-BOTTOM: = windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid = windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20 vAlign=3Dtop width=3D480> <P class=3DMsoNormal>Enter the names of the members making up the = legal=20 entity listed in&nbsp; = Part B. <I=20 style=3D"mso-bidi-font-style: normal">(This could be a person or a = legal=20 entity.)<o:p></o:p></I></P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 3"> <TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; = BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 76.8pt; PADDING-TOP: 0in; = BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; = mso-border-top-alt: solid windowtext 1.5pt"=20 vAlign=3Dtop width=3D102> <P class=3DMsoNormal>2 </P> <P class=3DMsoNormal>Social Security/Tax ID Number</P></TD>
<TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; = BORDER-LEFT: medium none; WIDTH: 5in; PADDING-TOP: 0in; BORDER-BOTTOM: = windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid = windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20 vAlign=3Dtop width=3D480> <P class=3DMsoNormal>Enter the social security number or tax = identification=20 number of the members. <I=20 style=3D"mso-bidi-font-style: = normal"><o:p></o:p></I></P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 4"> <TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; = BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 76.8pt; PADDING-TOP: 0in; = BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; = mso-border-top-alt: solid windowtext 1.5pt"=20 vAlign=3Dtop width=3D102> <P class=3DMsoNormal>3</P> <P class=3DMsoNormal>Address</P></TD>
<TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; = BORDER-LEFT: medium none; WIDTH: 5in; PADDING-TOP: 0in; BORDER-BOTTOM: = windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid = windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20 vAlign=3Dtop width=3D480> <P class=3DMsoNormal>Enter the address of each member of the=20 entity.</P></TD></TR>
<TR style=3D"HEIGHT: 8.4pt; mso-yfti-irow: 5"> <TD=20 style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; = BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; = BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 76.8pt; PADDING-TOP: 0in; = BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 8.4pt; = mso-border-top-alt: solid windowtext 1.5pt"=20

[illegible]

BORDER-TOP: windowtext 1.5pt solid; PADDING-LEFT: 5.4pt; BACKGROUND: =
aqua; PADDING-BOTTOM: 0in; BORDER-LEFT: windowtext 1.5pt solid; WIDTH: =
1in; PADDING-TOP: 0in; BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: =
30.1pt"=20
vAlign=3Dtop width=3D96>
<P class=3DHeading3Cent>Field Name /
Item No.</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: windowtext 1.5pt solid; PADDING-LEFT: 5.4pt; BACKGROUND: =
aqua; PADDING-BOTTOM: 0in; BORDER-LEFT: medium none; WIDTH: 5in; =
PADDING-TOP: 0in; BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-left-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D480>
<P class=3DHeading3Cent>Instruction</P></TD></TR></THEAD>
<TBODY>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 1">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 1in; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>Part C</P>
<P class=3DMsoNormal>Embedded Legal Entity Name</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 5in; PADDING-TOP: 0in; BORDER-BOTTOM: =
windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter the name of the embedded legal entity =
that is a=20
member of the legal entity entered in Part B.</P>
<P class=3DMsoNormal><o:p> </o:p></P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 2">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 1in; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>1</P>
<P class=3DMsoNormal>Member=92s Name</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 5in; PADDING-TOP: 0in; BORDER-BOTTOM: =
windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter the names of the members making up the =
legal=20
entity listed in =
Part C. <I=20
style=3D"mso-bidi-font-style: normal">(This could be a person =
or<SPAN=20
style=3D"mso-spacerun: yes"> legal=20
entity.)<o:p></o:p></I></P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 3">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =

BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 1in; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>2</P>
<P class=3DMsoNormal>Social Security/Tax ID Number</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 5in; PADDING-TOP: 0in; BORDER-BOTTOM: =
windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter the social security number or tax =
identification=20
number of the members. <I=20
style=3D"mso-bidi-font-style: =
normal"><o:p></o:p></I></P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 4">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 1in; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>3</P>
<P class=3DMsoNormal>Address</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 5in; PADDING-TOP: 0in; BORDER-BOTTOM: =
windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter the address of each =
member(s).</P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 5">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 1in; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>4</P>
<P class=3DMsoNormal>Percent Share</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 5in; PADDING-TOP: 0in; BORDER-BOTTOM: =
windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter the percent share of the legal entity =
that each=20
member owns.</P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 6; mso-yfti-lastrow: yes">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 1in; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =

[illegible]

BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 81pt; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D108>
<P class=3DMsoNormal>Part D</P>
<P class=3DMsoNormal>Embedded Legal Entity Name</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 351pt; PADDING-TOP: 0in; BORDER-BOTTOM: =
windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D468>
<P class=3DMsoNormal>Enter the name of the embedded legal entity =
that is a=20
member of the legal entity entered in Part C.</P>
<P class=3DMsoNormal><o:p> </o:p></P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 2">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 81pt; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D108>
<P class=3DMsoNormal>1</P>
<P class=3DMsoNormal>Member=92s Name</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 351pt; PADDING-TOP: 0in; BORDER-BOTTOM: =
windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D468>
<P class=3DMsoNormal>Enter the names of the members making up the =
legal=20
entity listed in Part D. <I style=3D"mso-bidi-font-style: =
normal">(This=20
could be a person or a legal entity.)<o:p></o:p></I></P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 3">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: windowtext 1.5pt solid; WIDTH: 81pt; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; HEIGHT: 30.1pt; =
mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D108>
<P class=3DMsoNormal>2</P>
<P class=3DMsoNormal>Social Security/ Tax ID Number</P></TD>
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 351pt; PADDING-TOP: 0in; BORDER-BOTTOM: =
windowtext 1.5pt solid; HEIGHT: 30.1pt; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
vAlign=3Dtop width=3D468>
<P class=3DMsoNormal>Enter the social security number or tax =
identification=20
number of the member(s).<I=20
style=3D"mso-bidi-font-style: =
normal"><o:p></o:p></I></P></TD></TR>
<TR style=3D"HEIGHT: 30.1pt; mso-yfti-irow: 4">
<TD=20
style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =

[illegible]

Part E, Items 1-6 Minor Members or Shareholders

Fld Name / Item No.	Instruction
 	
 	If none of the members listed Parts A-D is a minor, check =93N/A=94 (not applicable), then GO TO Part F.

[illegible]

FSA, only the last 4 digits are required.

6(a) = 96 6(d) Separate Status of Minors = 85	Check = 93 YES = 94 if any minor listed in Part E is a producer on a farm and the parent or guardian has no interest. Check = 93 NO = 94 if the minor is a producer on a farm and the parent or guardian has an interest in the farming operation. b) Check = 93 YES = 94 if the minor listed in Part E maintains a separate household from the parent or guardian and personally carries out all farming activities with respect to the minor's own farming operation, including maintaining separate accounting. Check = 93 NO = 94 if the minor does not maintain a separate household from the parent or guardian and does not personally carry out all farming activities with respect to the minor's own farming operation, including
---	---

maintaining separate accounting

<P class=3DMsoNormal><o:p> </o:p></P>

<P class=3DMsoNormal>c) Check=20

=93YES=94 if the minor listed in Part E who is represented by a =

<SPAN=20

style=3D"mso-spacerun: yes"> </P>

<P class=3DMsoNormal><SPAN=20

style=3D"mso-spacerun: yes"> =

court-appointed=20

guardian or conservator, live in a household other </P>

<P class=3DMsoNormal><SPAN=20

style=3D"mso-spacerun: yes"> than =

the=20

parents=92 household(s), and have a vested ownership in the </P>

<P class=3DMsoNormal><SPAN=20

style=3D"mso-spacerun: yes"> =

farm.<SPAN=20

style=3D"mso-spacerun: yes"> Check =93NO=94 if the =

minor, who is=20

represented by a court-</P>

<P class=3DMsoNormal><SPAN=20

style=3D"mso-spacerun: yes"> =

appointed=20

guardian or conservator, does not live in a separate </P>

<P class=3DMsoNormal><SPAN=20

style=3D"mso-spacerun: yes"> =

household other=20

than the parents=92 household(s), and does not have a </P>

<P class=3DMsoNormal><SPAN=20

style=3D"mso-spacerun: yes"> vested =

ownership=20

in the farm. </P>

<P class=3DMsoNormal><o:p> </o:p></P>

<P class=3DMsoNormal=20

style=3D"MARGIN-LEFT: 13.75pt; TEXT-INDENT: -13.75pt; mso-list: l4 =

level1 lfo7"><![if !supportLists]><SPAN=20

style=3D"mso-list: Ignore">d)<SPAN=20

style=3D"FONT: 7pt 'Times New Roman'"> =20

<![endif]>If =93YES=94 is checked for all Items 6(a) =

through=20

6(c), write the name of the minor in the space provided at 6(d).=20

</P></TD></TR></TBODY></TABLE>

<H4>Part F, Items 1-3 Certification</H4>

<TABLE class=3DMsoTableGrid=20

style=3D"BORDER-RIGHT: medium none; BORDER-TOP: medium none; =

MARGIN-LEFT: 5.4pt; BORDER-LEFT: medium none; BORDER-BOTTOM: medium =

none; BORDER-COLLAPSE: collapse; mso-border-alt: solid windowtext 1.5pt; =

mso-padding-alt: 0in 5.4pt 0in 5.4pt; mso-border-insideh: 1.5pt solid =

windowtext; mso-border-insidev: 1.5pt solid windowtext; =

mso-yfti-tbllook: 480"=20

cellSpacing=3D0 cellPadding=3D0 border=3D1>

<TBODY>

<TR style=3D"mso-yfti-irow: 0; mso-yfti-firstrow: yes">

<TD=20

style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =

BORDER-TOP: windowtext 1.5pt solid; PADDING-LEFT: 5.4pt; BACKGROUND: =

aqua; PADDING-BOTTOM: 0in; BORDER-LEFT: windowtext 1.5pt solid; WIDTH: =

81pt; PADDING-TOP: 0in; BORDER-BOTTOM: windowtext 1.5pt solid"=20

vAlign=3Dtop width=3D108>

<P class=3DMsoNormal style=3D"TEXT-ALIGN: center" =

align=3Dcenter><B=20

style=3D"mso-bidi-font-weight: normal">Field Name/ Item=20

No.<o:p></o:p></P></TD>

Instruction
Signature (By)
An individual member, or an authorized representative of the entity identified in Part A, shall sign the certification.
Title Relationship
If an authorized representative for the entity identified in Part A signs this document, use this field to show the individual's representative capacity. (For example, agent or attorney-in-fact.)

```

BORDER-BOTTOM: windowtext 1.5pt solid; mso-border-top-alt: solid =
windowtext 1.5pt"=20
    vAlign=3Dtop width=3D108>
        <P class=3DMsoNormal>3 </P>
        <P class=3DMsoNormal>Date</P></TD>
    <TD=20
        style=3D"BORDER-RIGHT: windowtext 1.5pt solid; PADDING-RIGHT: 5.4pt; =
BORDER-TOP: medium none; PADDING-LEFT: 5.4pt; PADDING-BOTTOM: 0in; =
BORDER-LEFT: medium none; WIDTH: 4.95in; PADDING-TOP: 0in; =
BORDER-BOTTOM: windowtext 1.5pt solid; mso-border-left-alt: solid =
windowtext 1.5pt; mso-border-top-alt: solid windowtext 1.5pt"=20
        vAlign=3Dtop width=3D475>
            <P class=3DMsoNormal>Enter the date the form was=20
signed.</P></TD></TR></TBODY></TABLE>
<P class=3DMsoNormal><o:p>&nbsp;</o:p></P></DIV></BODY></HTML>

```