

U.S. Environmental Protection Agency

Information Collection Request

Title: NESHAP for Primary Magnesium Refining (40 CFR Part 63, Subpart TTTTT) (Renewal)

OMB Control Number: 2060-0536

EPA ICR Number: 2098.11

Abstract: The National Emission Standards for Hazardous Air Pollutants (NESHAP) for Primary Magnesium Refining (40 CFR Part 63, Subpart TTTTT) were proposed on January 22, 2003; promulgated on October 10, 2003; and most recently amended on November 19, 2020. These regulations apply to both existing and new facilities that perform primary magnesium refining where the total hazardous air pollutants (HAPs) emitted are greater than, or equal to, 10 tons per year for each HAP, or where the total HAPs emitted are greater than, or equal to, 25 tons per year of any combination of HAPs. New facilities include those that commenced construction or reconstruction after the date of proposal. This information is being collected to assure compliance with 40 CFR Part 63, Subpart TTTTT.

In general, all NESHAP standards require initial notifications, performance tests, and periodic reports by the owners/operators of the affected facilities. They are also required to maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. These notifications, reports, and records are essential in determining compliance, and are required of all affected facilities subject to NESHAP.

The Office of Management and Budget (OMB) approved the currently active ICR without any "Terms of Clearance."

Supporting Statement A

1. NEED AND AUTHORITY FOR THE COLLECTION

Explain the circumstances that make the collection of information necessary. Identify any legal or administrative requirements that necessitate the collection.

The EPA is charged under Section 112 of the Clean Air Act, as amended, to establish standards of performance for each category or subcategory of major sources and area sources of hazardous air pollutants. These standards are applicable to new or existing sources of hazardous air pollutants and shall require the maximum degree of emission reduction. In addition, section 114(a) states that the Administrator may require any owner/operator subject to any requirement of this Act to:

- (A) Establish and maintain such records; (B) make such reports; (C) install, use, and maintain such monitoring equipment, and use such audit procedures, or methods; (D) sample such emissions (in accordance with such procedures or methods, at such locations, at such intervals, during such periods, and in such manner as the Administrator shall prescribe); (E) keep records on control equipment parameters,

production variables or other indirect data when direct monitoring of emissions is impractical; (F) submit compliance certifications in accordance with Section 114(a)(3); and (G) provide such other information as the Administrator may reasonably require.

In the Administrator's judgment, HAP emissions from primary magnesium refining facilities cause or contribute to air pollution that may reasonably be anticipated to endanger public health or welfare. Therefore, the NESHAP were promulgated for this source category at 40 CFR Part 63, Subpart TTTTT.

2. PRACTICAL UTILITY/USERS OF THE DATA

Indicate how, by whom, and for what purpose the information is to be used. Except for a new collection, indicate the actual use the agency has made of the information received from the current collection.

The recordkeeping and reporting requirements in these standards ensure compliance with the applicable regulations which were promulgated in accordance with the Clean Air Act. The collected information is also used for targeting inspections and as evidence in legal proceedings.

Performance tests are required in order to determine an affected facility's initial capability to comply with these emission standards. Continuous emission monitors are used to ensure compliance with these same standards at all times. During the performance test a record of the operating parameters under which compliance was achieved may be recorded and used to determine compliance in place of a continuous emission monitor.

The notifications required in these standards are used to inform either the Agency or its delegated authority when a source becomes subject to the requirements of the regulations. The reviewing authority may then inspect the source to check if the pollution control devices are properly installed and operated, leaks are being detected and repaired and that these standards are being met. The performance test may also be observed.

The required semiannual reports are used to determine periods of excess emissions, identify problems at the facility, verify operation/maintenance procedures, and for compliance determinations.

3. USE OF TECHNOLOGY

Describe whether, and to what extent, the collection of information involves the use of automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses, and the basis for the decision for adopting this means of collection. Also describe any consideration of using information technology to reduce burden.

Some of the respondents are using monitoring equipment that automatically records parameter data. Although personnel at the affected facility must still evaluate the data, internal automation has significantly reduced the burden associated with monitoring and recordkeeping at a plant site.

The rule was amended to include electronic reporting provisions on November 19, 2020. Respondents are also required to submit electronic copies of notifications required in 40 CFR 63.9(b) and 63.9(j) through EPA's CEDRI. The notification is an upload of their currently required notification in portable document format (PDF) file. For the purposes of this ICR, it is assumed that there is no additional burden associated with the requirement for respondents to submit the notifications and reports electronically.

The supplemental files to this ICR renewal contain screenshots showing the CDX homepage for CEDRI login, the CEDRI PRA screen, and the CEDRI interface for managing reports for various subparts.

Electronic copies of records may also be maintained in order to satisfy federal recordkeeping requirements. For additional information on the Paperwork Reduction Act requirements for CEDRI and ERT for this rule, see: <https://www.epa.gov/electronic-reporting-air-emissions/paperwork-reduction-act-pra-cedri-and-ert>.

4. EFFORTS TO IDENTIFY DUPLICATION

Describe efforts to identify duplication. Show specifically why any similar information already available cannot be used or modified for use for the purposes described in Item 2 above.

For reports required to be submitted electronically, the information is sent through the EPA's CDX, using CEDRI, where the appropriate EPA regional office can review it, as well as state and local agencies that have been delegated authority. If a state or local agency has adopted under its own authority its own standards for reporting or data collection, adherence to those non-Federal requirements does not constitute duplication.

For all other reports, if the subject standards have not been delegated, the information is sent directly to the appropriate EPA regional office. Otherwise, the information is sent directly to the delegated state or local agency. If a state or local agency has adopted its own standards to implement the Federal standards, a copy of the report submitted to the state or local agency can be sent to the Administrator in lieu of the report required by the Federal standards. Therefore, duplication does not exist.

5. MINIMIZING BURDEN ON SMALL BUSINESSES AND SMALL ENTITIES

If the collection of information impacts small businesses or other small entities, describe any methods used to minimize burden.

There are no small entities (e.g., small businesses) affected by this regulation.

6. CONSEQUENCES OF LESS FREQUENT COLLECTION

Describe the consequence to Federal program or policy activities if the collection is not conducted or is conducted less frequently, as well as any technical or legal obstacles to reducing burden.

Less frequent information collection would decrease the margin of assurance that facilities are continuing to meet the standards. Requirements for information gathering and recordkeeping are useful techniques to ensure that good operation and maintenance practices are applied and emission limitations are met. If the information required by these standards was collected less frequently, the proper operation and maintenance of control equipment and the possibility of detecting violations would be less likely.

7. GENERAL GUIDELINES

Explain any special circumstances that require the collection to be conducted in a manner inconsistent with OMB guidelines.

With the following exception, the proposed collection does not create special circumstances requiring justification under 5 CFR 1320.5.

These standards require the respondents to maintain all records, including reports and notifications for at least five years. This is consistent with the General Provisions as applied to the standards. EPA believes that the five-year records retention requirement is consistent with the Part 70 permit program and the five-year statute of limitations on which the permit program is based. The retention of records for five years allows EPA to establish the compliance history of a source, any pattern of non-compliance and to determine the appropriate level of enforcement action. EPA has found that the most flagrant violators have violations extending beyond five years. In addition, EPA would be prevented from pursuing the violators due to the destruction or nonexistence of essential records.

8. PUBLIC COMMENT AND CONSULTATIONS

8a. Public Comment

If applicable, provide a copy and identify the date and page number of publication in the Federal Register of the Agency's notice, required by 5 CFR 1320.8(d), soliciting comments on the information collection prior to submission to OMB. Summarize public comments received in response to that notice and describe actions taken by the Agency in response to these comments. Specifically address comments received on cost and hour burden.

An announcement of a public comment period for the renewal of this ICR was published in the Federal Register (89 FR 63933) on August 6, 2024. No comments were received on the burden published in the Federal Register for this renewal.

8b. Consultations

Describe efforts to consult with persons outside the Agency to obtain their views on the availability of data, frequency of collection, the clarity of instructions and recordkeeping, disclosure, or reporting format (if any), and on the data elements to be recorded, disclosed, or reported. Consultation with representatives of those from whom information is to be obtained or those who must compile records should occur at least once every 3 years - even if the collection of information activity is the same as in prior periods. There may be circumstances that may preclude consultation in a specific situation. These circumstances should be explained.

The Agency has consulted industry experts and internal data sources to project the number of affected facilities and industry growth over the next three years. The primary source of information as reported by industry, in compliance with the recordkeeping and reporting provisions in the standard, is the Integrated Compliance Information System (ICIS). ICIS is EPA's database for the collection, maintenance, and retrieval of compliance data for industrial and government-owned facilities. The growth rate for the industry is based on our consultations with the Agency's internal industry experts. Approximately one respondent will be subject to the standard over the three-year period covered by this ICR.

Industry trade association(s) and other interested parties were provided an opportunity to comment on the burden associated with the standard as it was being developed and the standard has been previously reviewed to determine the minimum information needed for compliance purposes. In developing this ICR, we contacted both the American Foundry Society at 1-800-537-4237, and the US Magnesium LLC at 801-532-2043. In this case, no comments were received.

It is our policy to respond after a thorough review of comments received since the last ICR renewal as well as those submitted in response to the first Federal Register notice. In this case, no comments were received.

9. PAYMENTS OR GIFTS TO RESPONDENTS

Explain any decisions to provide payments or gifts to respondents, other than remuneration of contractors or grantees.

No payments or gifts are made to respondents.

10. ASSURANCE OF CONFIDENTIALITY

Describe any assurance of confidentiality provided to respondents and the basis for the assurance in statute, regulation, or Agency policy. If the collection requires a systems of records notice (SORN) or privacy impact assessment (PIA), those should be cited and described here.

Any information submitted to the Agency for which a claim of confidentiality is made will be safeguarded according to the Agency policies set forth in Title 40, chapter 1, part 2, subpart B - Confidentiality of Business Information (see 40 CFR 2; 41 FR 36902, September 1, 1976; amended by 43 FR 40000, September 8, 1978; 43 FR 42251, September 20, 1978; 44 FR 17674, March 23, 1979).

11. JUSTIFICATION FOR SENSITIVE QUESTIONS

Provide additional justification for any questions of a sensitive nature, such as sexual behavior and attitudes, religious beliefs, and other matters that are commonly considered private. This justification should include the reasons why the Agency considers the questions necessary, the specific uses to be made of the information, the explanation to be given to persons from whom the information is requested, and any steps to be taken to obtain their consent.

The reporting or recordkeeping requirements in the standard do not include sensitive questions.

12. RESPONDENT BURDEN HOURS & LABOR COSTS

Provide estimates of the hour burden of the collection of information. The statement should:

- *Indicate the number of respondents, frequency of response, annual hour burden, and an explanation of how the burden was estimated. Generally, estimates should not include burden hours for customary and usual business practices.*
 - *If this request for approval covers more than one form, provide separate hour burden estimates for each form and the aggregate the hour burdens.*
 - *Provide estimates of annualized cost to respondents for the hour burdens for collections of information, identifying and using appropriate wage rate categories. The cost of contracting out or paying outside parties for information collection activities should not be included here. Instead, this cost should be included as O&M costs under non-labor costs covered under question 13.*
-

12a. Respondents/NAICS Codes

The respondents to the recordkeeping and reporting requirements are primary magnesium refining facilities. The United States Standard Industrial Classification (SIC) codes and the corresponding North

American Industry Classification System (NAICS) codes for the respondents affected by the standards are listed in the table below:

Standard (40 CFR Part 63, Subpart TTTT)	SIC Codes	NAICS Codes
Nonferrous Metal (except Aluminum) Smelting and Refining	3339	331410

Based on our research for this ICR, on average over the next three years, approximately **one** existing respondent will be subject to the standard. It is estimated that no additional respondents per year will become subject, for an overall total of one respondent per year. The number of respondents is calculated using the table Number of Respondents that addresses the three years covered by this ICR. None of the facilities in the United States are owned by either state, local, or tribal entities or by the Federal government. They are all owned and operated by privately-owned, for-profit businesses. We assume that they will all respond to EPA inquiries. Based on our consultations with industry representatives, there is an average of one affected facility at each plant site and each plant site has only one respondent (i.e., the owner/operator of the plant site).

The total number of annual responses per year is calculated using the table Total Annual Responses shown below. The number of Total Annual Responses is eight.

12b. Information Requested

In this ICR, all the data that are recorded or reported is required by the NESHAP for Primary Magnesium Refining (40 CFR Part 63, Subpart TTTT). Any owner/operator subject to the provisions of this part shall maintain a file of these measurements and retain the file for at least five years following the date of such measurements, maintenance reports, and records.

A source must make the following reports:

Notifications	
Initial notification	§§63.9930(a), 63.9(b)
Notification of compliance status	§§63.9930(e), 63.9(h)
Notification of construction or reconstruction	§§63.9930(a), 63.5(b)(4), 63.9(b)(5)
Notification of actual startup	§§63.9930(a), 63.9(b)(4)(v), 63.9(b)(5)(ii)
Notification of performance test	§§63.9930(d), 63.7(b), 63.8(e), 63.9(e)
Notification of reclassification to area source status or to revert back to	§§63.9(b), 63.9(j)

Notifications	
major source status (electronic submission)	

Reports	
Semiannual report	§§63.9931(a), (b)
Report of performance test	§63.9930(e)
Immediate startup, shutdown, malfunction report	§63.9931(c), §63.10(d)(5)

A source must keep the following records:

Recordkeeping	
Retention of records for five years	§§63.9933(b), 63.10(b)
Copies of notifications and reports	§63.9932(a)(1)
Startup, shutdown, and malfunction plan/records	§§63.9932(a)(2), 63.6(e)(iii)-(v)
Documentation of performance tests and opacity observations	§§63.9932(a)(3), 63.10(b)(2)(viii)
Records required to demonstrate continuous compliance	§63.9932(b)

12c. Respondent Activities

Respondent Activities
Familiarization with the regulatory requirements.

Respondent Activities
Install, calibrate, maintain, and operate CPMS for pressure drop and liquid supply pressure for wet scrubber.
Perform initial performance test, Reference Method 1, 2, 2F, 2G, 3, 3A, 3B, 4, 5, 5D, 18, 23, 25D, 26, 26A, 201, 201A, 301, 303, 303A, 304, 304A, 304B, 305, 306, 306A, 306B, 307, 308, 310A, 310B, 310C, 311, 312A, 312B, 312C, 313A, 313B, 315, 316, 318, 319, 320, or 321 tests, and repeat performance tests if necessary.
Write the notifications and reports listed above.
Enter information required to be recorded above.
Submit the required reports developing, acquiring, installing, and utilizing technology and systems for collecting, validating, and verifying information.
Develop, acquire, install, and utilize technology and systems for processing and maintaining information.
Develop, acquire, install, and utilize technology and systems for disclosing and providing information.
Train personnel to be able to respond to a collection of information.
Transmit, or otherwise disclose the information.

12d. Respondent Burden Hours and Labor Costs

Table 1 documents the computation of individual burdens for the recordkeeping and reporting requirements applicable to the industry for the subpart included in this ICR. The individual burdens are expressed under standardized headings believed to be consistent with the concept of burden under the Paperwork Reduction Act. Where appropriate, specific tasks and major assumptions have been identified. Responses to this information collection are mandatory.

The average annual burden to industry over the next three years from these recordkeeping and reporting requirements is estimated to be 972 hours (Total Labor Hours from Table 1). These hours are based on Agency studies and background documents from the development of the regulation, Agency knowledge and experience with the NESHAP program, the previously approved ICR, and any comments received.

This ICR uses the following labor rates:

Managerial	\$172.41 (\$82.10 + 110%)
Technical	\$141.75 (\$67.50 + 110%)
Clerical	\$71.36 (\$33.98 + 110%)

These rates are from the United States Department of Labor, Bureau of Labor Statistics, December 2023, "Table 2. Civilian workers by occupational and industry group." The rates are from column 1, "Total compensation." The rates are increased by 110 percent to account for varying industry wage rates and the additional overhead business costs of employing workers beyond their wages and benefits, including business expenses associated with hiring, training, and equipping their employees.

We assume that burdens for managerial tasks take 5% of the time required for technical tasks because the typical tasks for managers are to review and approve reports. Clerical burdens are assumed to take 10% of the time required for technical tasks because the typical duties of clerical staff are to proofread the reports, make copies and maintain records.

13. RESPONDENT CAPITAL AND O&M COSTS

Provide an estimate for the total annual cost burden to respondents or record keepers resulting from the collection of information. (Do not include the cost of any hour burden already reflected on the burden worksheet).

The cost estimate should be split into two components: (a) a total capital and start-up cost component (annualized over its expected useful life) and (b) a total operation and maintenance and purchase of services component. The estimates should consider costs associated with generating, maintaining, and disclosing or providing the information. Include descriptions of methods used to estimate major cost factors including system and technology acquisition, expected useful life of capital equipment, the discount rate(s), and the period over which costs will be incurred. Capital and start-up costs include, among other items, preparations for collecting information such as purchasing computers and software; monitoring, sampling, drilling, and testing equipment; and record storage facilities. If cost estimates are expected to vary widely, agencies should present ranges of cost burdens and explain the reasons for the variance. The cost of purchasing or contracting out information collections services should be a part of this cost burden estimate.

Generally, estimates should not include purchases of equipment or services, or portions thereof, made: (1) prior to October 1, 1995, (2) to achieve regulatory compliance with requirements not associated with the information collection, (3) for reasons other than to provide information or keep records for the government, or (4) as part of customary and usual business or private practices.

The type of industry costs associated with the information collection activities in the subject standard(s) are both labor costs which are addressed elsewhere in this ICR and the costs associated with continuous monitoring. The capital/startup costs are one-time costs when a facility becomes subject to this regulation. The annual operation and maintenance costs are the ongoing costs to maintain the monitor(s) and other costs such as photocopying and postage.

The total capital/startup costs for this ICR are \$0. This is the total of column D shown below in the table Capital/Startup vs. Operation and Maintenance (O&M) Costs.

The total operation and maintenance (O&M) costs for this ICR are \$1,820. This is the total of column G shown below in the table Capital/Startup vs. Operation and Maintenance (O&M) Costs.

14. AGENCY COSTS

Provide estimates of annualized costs to the Federal government. Also, provide a description of the method used to estimate cost, which should include quantification of hours, operational expenses (such as equipment, overhead, printing, and support staff), and any other expense that would not have been incurred without this collection of information.

14a. Agency Activities

The EPA conducts the following activities in connection with the acquisition, analysis, storage, and distribution of the required information:

- Review notifications and reports, including performance test reports, and excess emissions reports, required to be submitted by industry.
- Audit facility records.
- Input, analyze, and maintain data in the Enforcement and Compliance History Online (ECHO) and ICIS.

Following notification of startup, the reviewing authority could inspect the source to determine whether the pollution control devices are properly installed and operated. Performance test reports are used by the Agency to discern a source's initial capability to comply with the emission standard, and note the operating conditions under which compliance was achieved. Data and records maintained by the respondents are tabulated and published for use in compliance and enforcement programs. The semiannual reports are used for problem identification, as a check on source operation and maintenance, and for compliance determinations.

Information contained in the reports is reported by state and local governments in the ICIS Air database, which is operated and maintained by EPA's Office of Compliance. EPA uses ICIS for tracking air pollution compliance and enforcement by local and state regulatory agencies, EPA regional offices and EPA headquarters. EPA and its delegated Authorities can edit, store, retrieve and analyze the data.

14b. Agency Labor Cost

The 'burden' to the Federal Government is attributed entirely to work performed by either Federal employees or government contractors. The only costs to the Agency are those costs associated with analysis of the reported information. The EPA's overall compliance and enforcement program includes such activities as the examination of records maintained by the respondents, periodic inspection of sources of emissions, and the publication and distribution of collected information. The average annual Agency burden and cost during the three years of the ICR is estimated to be 92 hours at a cost of \$5,120. See Table 2: Average Annual EPA Burden and Cost – NESHAP for Primary Magnesium Refining (40 CFR Part 63, Subpart TTTTT) (Renewal).

This cost is based on the average hourly labor rate as follows:

Managerial	\$76.91 (GS-13, Step 5, \$48.07 + 60%)
Technical	\$57.07 (GS-12, Step 1, \$35.67 + 60%)
Clerical	\$30.88 (GS-6, Step 3, \$19.30+ 60%)

These rates are from the Office of Personnel Management (OPM), 2024 General Schedule, which excludes locality, rates of pay. The rates have been increased by 60 percent to account for the benefit packages available to government employees. Details upon which this estimate is based appear at the end of this document in Table 2: Average Annual EPA Burden and Cost –NESHAP for Primary Magnesium Refining (40 CFR Part 63, Subpart TTTTT) (Renewal).

14c. Agency Non-Labor Costs

There are no non-labor costs to the Agency associated with this information collection.

15) REASONS FOR CHANGE IN BURDEN

Explain the reasons for any program changes or adjustments reported in the burden or capital/O&M cost estimates.

There is no change in burden from the most recently approved ICR as currently identified in the OMB Inventory of Approved Burdens. This is due to two considerations. First, the regulations have not changed over the past three years and are not anticipated to change over the next three years. Second, the growth rate for this industry is very low or non-existent. Operation and maintenance (O&M) and labor costs have been adjusted upwards based on inflation.

16) PUBLICATION OF DATA

For collections of information whose results will be published, outline plans for tabulation and publication. Address any complex analytical techniques that will be used. Provide the time schedule for the entire project, including beginning and ending dates of the collection of information, completion of report, publication dates, and other actions.

All non-CBI data submitted electronically to the Agency through CEDRI are available to the public for review and printing and are accessible using WebFIRE. Electronically submitted emissions data from performance testing or performance evaluations using the Electronic Reporting Tool or templates attached to CEDRI, as well as data from reports from regulations with electronic templates, are tabulated; data submitted as portable document format (PDF) files attached to CEDRI are neither tabulated nor subject to complex analytical techniques. Electronically submitted emissions data used to develop emissions factors undergo complex analytical techniques and the draft emissions factors are available on the Clearinghouse for Inventories and Emission Factors listserv at <https://www.epa.gov/chief/chief-listserv> for public review and printing. Electronically submitted emissions data, as well as other data, obtained from one-time or sporadic information collection requests often undergo complex analytical techniques; results of those activities are included in individual rulemaking dockets and are available at <https://www.regulations.gov/> for public review and printing.

17) DISPLAY OF EXPIRATION DATE

If seeking approval to not display the expiration date for OMB approval of the information collection, explain the reasons that display would be inappropriate.

EPA will display the expiration date for OMB approval of the information collection.

18) CERTIFICATION STATEMENT

Explain each exception to the topics of the certification statement identified in "Certification for Paperwork Reduction Act Submissions."

There are no exceptions to the topics of the certification statement.

Table 1: Annual Respondent Burden and Cost – NESHAP for Primary Magnesium Refining (40 CFR Part 63, Subpart TTTT) (Renewal)

Burden Item	(A) Person hours per occurrence	(B) Number of occurrences per year	(C) Person hours per respondent per year (C=AxB)	(D) Respondents per year ^a	(E) Technical person hours per year (E=CxD)	(F) Management person hours per year (F=Ex0.05)	(G) Clerical person hours per year (G=Ex0.1)	(H) Annual costs (\$) ^b
1. Reporting requirements								
a. Familiarize with regulatory requirements	4	1	4	1	4	0.2	0.4	\$630.03
b. Process/review information	4	4	16	1	16	0.8	1.6	\$2,520.10
c. Write reports								
i. Initial notification	2	1	2	0	0	0	0	\$0
ii. Notification of compliance status ^c	2	1	2	1	2	0.10	0.20	\$315.01
iii. Notification of construction/reconstruction	2	1	2	0	0	0	0	\$0
iv. Notification of actual startup	2	1	2	0	0	0	0	\$0
v. Notification of performance test ^c	2	2	4	1	4	0.20	0.40	\$630.03
vi. Report of performance test ^{c, d}	180	2	360	1	360	18	36	\$56,702.34
vii. Semiannual report ^e	20	2	40	1	40	2	4	\$6,300.26
viii. Startup, shutdown, malfunction report	4	1	4	1	4	0.2	0.4	\$630.03
Subtotal for Reporting Requirements					495			\$67,728
2. Recordkeeping requirements								
a. Familiarize with regulatory requirements	4	1	4	1	4	0.2	0.4	\$630.03
b. Plan activities	12	1	12	1	12	0.6	1.2	\$1,890.08
c. Implement activities	12	1	12	1	12	0.6	1.2	\$1,890.08
d. Time to train personnel	10	1	10	1	10	0.5	1	\$1,575.07
e. Time to enter information	-	-	-	-	-	-	-	-
f. Store, file, and maintain records ^f	1	365	365	1	365	18.25	36.5	\$57,489.87
g. Retrieve records/reports ^g	1	12	12	1	12	0.6	1.2	\$1,890.08

Subtotal for Recordkeeping Requirements						477		\$65,365
Total Labor Burden and Costs (rounded) ^h						972		\$133,000
Total Capital and O&M Costs (rounded) ^h								\$1,820
Grand Total (rounded) ^h								\$135,000

Assumptions:

^a There is one respondent subject to the rule, with no new sources expected over the next three years of this ICR.

^b This ICR uses the following labor rates: Managerial \$172.41 (\$82.10+ 110%); Technical \$141.75 (\$67.50 + 110%); and Clerical \$71.36 (\$33.98 + 110%). These rates are from the United States Department of Labor, Bureau of Labor Statistics, December 2023, "Table 2. Civilian workers by occupational and industry group." The rates are from column 1, "Total compensation." The rates are increased by 110 percent to account for varying industry wage rates and the additional overhead business costs of employing workers beyond their wages and benefits, including business expenses associated with hiring, training, and equipping their employees. This ICR assumes that Managerial hours are 5 percent of Technical hours, and Clerical hours are 10 percent of Technical hours.

^c 40 CFR 63.9912 requires performance testing no less frequently than twice (at mid-term and renewal) of each term of the Title V permit, or every 2.5 years, for each emission point. For the U.S. Magnesium facility subject to this rule, we have assumed that 4 emission units must be tested twice during the permit term, and that performance tests are conducted for approximately two emission units in each year in the three year period of this ICR. We assume that 20% of tests will need to be repeated. (4 units x 2 tests / 5 years = 1.6 units per year, 1.6 units x 0.20 = 0.32 units with repeat testing, 1.6 + 0.32 = 1.92 or 2 units per year.) This estimate is consistent with an estimate of \$49,000 provided by the U.S. Magnesium facility.

^d We assume that this includes Method 23 test.

^e We assumed that it will take the respondent 20 hours two times per year to complete semiannual reports.

^f This includes inspection of unpaved areas.

^g We assume that it will take 1 hour once per month to retrieve records/reports.

^h Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

Table 2: Average Annual EPA Burden and Cost – NESHAP for Primary Magnesium Refining (40 CFR Part 63, Subpart TTTT) (Renewal)

Burden Item	(A) Person hours per occurrence	(B) Number of occurrences per year	(C) Person hours per respondent per year (C=AxB)	(D) Respondents per Year ^a	(E) Technical person hours per year (E=CxD)	(F) Management person hours per year (F=Ex0.05)	(G) Clerical person hours per year (G=Ex0.1)	(H) Annual costs (\$) ^b
1. Initial performance test ^c	24	1.6	38.4	0	0	0	0	\$0
2. Repeat performance test ^c	24	0.32	7.68	0	0	0	0	\$0
3. Report review					0	0	0	\$0
a. Initial notification	8	1	8	0	0	0	0	\$0
b. Notification of performance test ^c	8	2	16	1	16	0.80	1.60	\$1,024.09
c. Notification of compliance status ^c	8	1	8	1	8	0.40	0.80	\$512.04
d. Notification of construction/reconstruction	8	1	8	0	0	0	0	\$0
e. Notification of actual startup	8	1	8	0	0	0	0	\$0
f. Report of performance test ^c	8	2	16	1	16	0.80	1.60	\$1,024.09
g. Semiannual report ^d	16	2	32	1	32	1.6	3.2	\$2,048.18
h. Startup, shutdown, malfunction report ^e	8	1	8	1	8	0.4	0.8	\$512.04
Total (rounded) ^f					92			\$5,120

Assumptions:

^a There is one respondent subject to this rule, with no new sources expected over the next three years of this ICR.

^b This cost is based on the average hourly labor rate as follows: Managerial \$76.91 (GS-13, Step 5, \$48.07 + 60%); Technical \$57.07 (GS-12, Step 1, \$35.67 + 60%); and Clerical \$30.88 (GS-6, Step 3, \$19.30 + 60%). This ICR assumes that Managerial hours are 5 percent of Technical hours, and Clerical hours are 10 percent of Technical hours. These rates are from the Office of Personnel Management (OPM), 2024 General Schedule, which excludes locality, rates of pay. The rates have been increased by 60 percent to account for the benefit packages available to government employees.

^c 40 CFR 63.9912 requires a performance testing no less frequently than twice (at mid-term and renewal) of each term of the Title V permit, or every 2.5 years, for each emission point. For the U.S. Magnesium facility subject to this rule, we have assumed that 4 emission units must be tested twice during the permit term, and that performance tests are conducted for approximately two emission units in each year in the three year period of this ICR. We

assume that 20% of tests will need to be repeated. (4 units x 2 tests / 5 years = 1.6 units per year, 1.6 units x 0.20 = 0.32 units with repeat testing, 1.6 + 0.32 = 1.92 or 2 units per year.) We assume that Agency personnel only attend initial and repeat of initial performance tests.

^d We have assumed that it would take 16 hours two times per year to review semiannual reports.

^e We have assumed that it will take eight hours once per year to review the startup, shutdown, malfunction report.

^f Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.

Number of Respondents					
	Respondents That Submit Reports		Respondents That Do Not Submit Any Reports		
	(A)	(B)	(C)	(D)	(E)
Year	Number of New Respondents ¹	Number of Existing Respondents	Number of Existing Respondents that keep records but do not submit reports	Number of Existing Respondents That Are Also New Respondents	Number of Respondents (E=A+B+C-D)
1	0	1	0	0	1
2	0	1	0	0	1
3	0	1	0	0	1
Average	0	1	0	0	1

¹ New respondents include sources with constructed, reconstructed and modified affected facilities.

Total Annual Responses				
(A)	(B)	(C)	(D)	(E)
Information Collection Activity	Number of Respondents	Number of Responses	Number of Existing Respondents That Keep Records But Do Not Submit Reports	Total Annual Responses $E=(B \times C)+D$
Initial notification	0	1	0	0
Notification of compliance status	1	1	0	1
Notification of construction/reconstruction	0	1	0	0
Notification of actual startup	0	1	0	0
Notification of performance test ^a	1	2	0	2
Report of performance test ^a	1	2	0	2
Semiannual report	1	2	0	2
Startup, shutdown, malfunction report	1	1	0	1
			Total	8

^a 40 CFR 63.9912 requires performance testing no less frequently than twice (at mid-term and renewal) of each term of the Title V permit, or every 2.5 years, for each emission point. For the U.S. Magnesium facility subject to this rule, we have assumed that 4 emission units must be tested twice during the permit term, and that performance tests are conducted for approximately two emission units in each year in the three year period of this ICR. We assume that 20% of tests will need to be repeated. (4 units x 2 tests / 5 years = 1.6 units per year, 1.6 units x 0.20 = 0.32 units with repeat testing, 1.6 + 0.32 = 1.92 or 2 units per year.)

Capital/Startup vs. Operation and Maintenance (O&M) Costs						
(A) Continuous Monitoring Device	(B) Capital/Startup Cost for One Respondent ^a	(C) Number of New Respondents	(D) Total Capital/Startup Cost, (B X C)	(E) Annual O&M Costs for One Respondent ^a	(F) Number of Respondents with O&M	(G) Total O&M, (E X F)
CPMS	\$24,247	0	\$0	\$1,819	1	\$1,819
		Total (rounded) ^b	\$0			\$1,820

^a Costs were updated from 2007 \$ to 2024 \$ using the CEPCI CE Index.

^b Totals have been rounded to 3 significant figures. Figures may not add exactly due to rounding.