

```

<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="content-type" content="text/html; charset=utf-8"/>
    <title></title>
    <meta name="generator" content="LibreOffice 24.2.7.2 (Linux)"/>
    <meta name="created" content="2026-09-10T17:17:00"/>
    <meta name="changed" content="2026-09-11T18:41:00"/>
    <meta name="AppVersion" content="16.0000"/>
    <meta name="AuthorIds_UIVersion_512" content="5670"/>
    <meta name="ContentTypeId" content="0x010100F2D39385235E384C8AF4AC60446E
5C40"/>
    <style type="text/css">
        @page { size: 8.5in 11in; margin-left: 1in; margin-right: 1in; m
argin-top: 0.5in; margin-bottom: 0.5in }
        p { line-height: 115%; text-align: left; orphans: 2; widows: 2;
margin-bottom: 0.1in; direction: ltr; background: transparent }
        h1 { line-height: 100%; text-align: left; page-break-inside: avo
id; orphans: 2; widows: 2; margin-top: 0in; margin-bottom: 0in; direction: ltr;
background: transparent; page-break-after: avoid }
        h1.western { font-family: "Times New Roman", serif; font-size: 1
6pt; font-weight: bold }
        h1.cjk { font-family: ; font-size: 16pt; font-weight: bold }
        h1.ctl { font-family: "Times New Roman"; font-size: 16pt; font-w
eight: bold }
        h2 { line-height: 100%; text-align: left; page-break-inside: avo
id; orphans: 2; widows: 2; margin-top: 0in; margin-bottom: 0in; direction: ltr;
background: transparent; page-break-after: avoid }
        h2.western { font-family: "Times New Roman", serif; font-size: 1
4pt; font-weight: bold }
        h2.cjk { font-family: "Calibri"; font-size: 14pt; font-weight: b
old }
        h2.ctl { font-family: ; font-size: 13pt; font-weight: bold }
        h3 { line-height: 100%; text-align: left; orphans: 2; widows: 2;
margin-left: 0.5in; margin-top: 0in; margin-bottom: 0in; direction: ltr; backgr
ound: transparent }
        h3.western { font-family: "Times New Roman", serif; font-size: 1
2pt; font-weight: bold }
        h3.cjk { font-size: 12pt; font-weight: bold }
        h3.ctl { font-size: 12pt }
        a:link { color: #0000ff; text-decoration: underline }
    </style>
</head>
<body lang="en-US" link="#0000ff" vlink="#800000" dir="ltr">
<div title="header"><p style="line-height: 100%; margin-bottom: 0in"><font face=
"Times New Roman, serif"><font size="2" style="font-size: 10pt">Case
Service Report (RSA-911)</font></font></p>
    <p style="line-height: 100%; margin-bottom: 0in"><font face="Times New R
oman, serif"><font size="2" style="font-size: 10pt">OMB
Control Number: 1820-0508</font></font></p>
    <p style="line-height: 100%; margin-bottom: 0in"><font face="Times New R
oman, serif"><font size="2" style="font-size: 10pt">September
2026</font></font></p>
    <p style="line-height: 100%; margin-bottom: 0.46in"><br/>
</p>
</div><p align="center" style="line-height: 100%; margin-bottom: 0in">
<br/>
</p>

```

<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">APPENDIX
B</p>

<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">Information
Collection</p>

<p align="center" style="line-height: 100%; margin-bottom: 0in">for

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">Case
Service Report (RSA-911)</p>

<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">Summary
of Public Comments and Responses</p>

<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>
<p align="center" style="line-height: 100%; margin-bottom: 0in">

</p>

font size="3" style="font-size: 12pt"><i>Federal Register</i>on August 6, 2026 (ED-2026-SCC-1717). RSA received 1 comment regarding a proposed clarification to the RSA-911. Below, RSA summarizes the comment and accepts the suggestion.</p><p style="line-height: 100%; margin-bottom: 0in">

</p><ol type="I" start="2"><h1 class="western">Comment and Responses</h1>

<p style="line-height: 100%; margin-bottom: 0in">

</p><h2 class="western">

</h2><h2 class="western" style="text-indent: -0.25in; margin-left: 0.5in">Specific Data Elements

</h2><h3 class="western" style="margin-left: 0in">

</h3><h3 class="western">Data Elements 343, 344, 345, 346, and 347

</h3><p style="line-height: 100%; margin-bottom: 0in">

</p><p style="line-height: 100%; margin-left: 0.5in; margin-bottom: 0in"><u>Comment:</u>

RSA received one comment expressing confusion regarding the definition of a Participant as it pertains to the Measurable Skill Gain (MSG) data elements. The commenter suggested that RSA include the text “while receiving training services under a signed Individualized Plan for Employment (IPE)” to each MSG data element description. The commenter believes that this language will provide additional clarification and support the edit check specifications.></p>

<p style="line-height: 100%; margin-bottom: 0in">

</p><p style="line-height: 100%; margin-left: 0.5in; margin-bottom: 0in"><u>Department Response:</u>

RSA thanks the commenter and accepts the suggestion. To each of the MSG data elements, RSA will add the clarification that submitted dates should reflect skill gains achieved while receiving training services under a signed IPE.></p>

<p style="line-height: 100%; margin-left: 0.5in; margin-bottom: 0in">

</p><p style="line-height: 100%; margin-left: 0.5in; margin-bottom: 0in">

</p>

<h3 class="western" style="margin-left: 0in">

</h3>

<div title="footer"><p align="center" style="line-height: 100%; margin-top: 0.46 in; margin-bottom: 0in">

 <sdfield type=PAGE subtype=RANDOM form at=PAGE>2</sdfield></p>

</div>

</body>

</html>