<!DOCTYPE html>

<html>
<head>

	<meta http-equiv="content-type" content="text/html; charset=utf-8"/>
	<title></title>
	<meta name="generator" content="LibreOffice 24.2.7.2 (Linux)"/>
	<meta name="author" content="U.S. Office of Government Ethics"/>
	<meta name="created" content="2011-05-12T14:43:25"/>
	<meta name="changedby" content="Jody Keegan"/>
	<meta name="changed" content="2026-11-16T16:43:22"/>
	<meta name="AppVersion" content="16.0300"/>
	<meta name="Company" content="US Office of Government Ethics"/>
	<meta name="MSIP_Label_defa4170-0d19-0005-0004-bc88714345d2_ActionId" co
ntent="f3038296-0eda-4f20-b35a-ed7e1fd17b51"/>
	<meta name="MSIP_Label_defa4170-0d19-0005-0004-bc88714345d2_ContentBits"
 content="0"/>
	<meta name="MSIP_Label_defa4170-0d19-0005-0004-bc88714345d2_Enabled" con
tent="true"/>
	<meta name="MSIP_Label_defa4170-0d19-0005-0004-bc88714345d2_Method" cont
ent="Standard"/>
	<meta name="MSIP_Label_defa4170-0d19-0005-0004-bc88714345d2_Name" conten
t="defa4170-0d19-0005-0004-bc88714345d2"/>
	<meta name="MSIP_Label_defa4170-0d19-0005-0004-bc88714345d2_SetDate" con
tent="2024-01-09T21:49:34Z"/>
	<meta name="MSIP_Label_defa4170-0d19-0005-0004-bc88714345d2_SiteId" cont
ent="c0abca44-0182-40a9-8010-01ec94254f77"/>

	<style type="text/css">
		body,div,table,thead,tbody,tfoot,tr,th,td,p { font-family:"Calib
ri"; font-size:x-small }
		a.comment-indicator:hover + comment { background:#ffd; position:
absolute; display:block; border:1px solid black; padding:0.5em; }
		a.comment-indicator { background:red; display:inline-block; bord
er:1px solid black; width:0.5em; height:0.5em; }
		comment { display:none; }
	</style>

</head>

<body>
<hr>

		<h1>Overview</h1>
		<A HREF="#table0">Instructions </A>
		<A HREF="#table1">Cover Page</A>
		<A HREF="#table2">Part 1</A>
		<A HREF="#table3">Part 2</A>
		<A HREF="#table4">Part 3</A>
		<A HREF="#table5">Part 4</A>
		<A HREF="#table6">Part 5</A>
		<A HREF="#table7">Part 6</A>
		<A HREF="#table8">Part 7</A>
		<A HREF="#table9">Part 8</A>
		<A HREF="#table10">Part 9</A>
		<A HREF="#table11">Summary of Contents</A>

<hr>

<A NAME="table0"><h1>Sheet 1: Instructions </h1></A>
<table cellspacing="0" border="0">
<colgroup width="484"></colgroup>
<colgroup width="8"></colgroup>
<colgroup width="525"></colgroup>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "OGE Form 278e (Updated xx\/2026) (Expires 08\/31\/2027)"}">OGE Form 278e (Updated xx/2026) (Expires 08/31/2027)</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="30" align="left" valign=top data-sheets-value="{ "1": 2, "2": "U.S. Office of Government Ethics; 5 C.F.R. part 2634"}">U.S. Office of Government Ethics; 5 C.F.R. part 2634</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td colspan=3 height="44" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Executive Branch Personnel Public Financial Disclosure Report (OGE Form 278e)"}">Executive Branch Personnel Public Financial Disclosure Report (OGE Form 278e)</td>
</tr>
<tr>
<td colspan=3 height="20" align="left" valign=top bgcolor="#D9D9D9" data-sheets-value="{ "1": 2, "2": "General Instructions for Completing the OGE Form 278e"}">General Instructions for Completing the OGE Form 278e</td>
</tr>
<tr>
<td height="20" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="20" align="left" valign=top data-sheets-value="{ "1": 2, "2": "For detailed guidance on reporting see: Public Financial Disclosure Guide"}">For detailed guidance on reporting see: Public Financial Disclosure Guide</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="17" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":

2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="24" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Should I Use This Form?"}">Should I Use This Form?</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "What Parts Must I Complete?"}">What Parts Must I Complete?</td>
	</tr>
	<tr>
		<td height="20" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Candidate: Yes, you should file your report using this form."}">Candidate: Yes, you should file your report using this form.</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": "• All filers must complete Parts 1, 2, 3, 5, 6, and 8."}">• All filers must complete Parts 1, 2, 3, 5, 6, and 8.</td>
	</tr>
	<tr>
		<td height="19" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Other Category of Filer: In most cases, individuals will file their public financial "}">Other Category of Filer: In most cases, individuals will file their public financial </td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "• Complete Part 4 if you are filing a Nominee or New Entrant report. Otherwise leave blank."}">• Complete Part 4 if you are filing a Nominee or New Entrant report. Otherwise leave blank.</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "disclosure reports through an electronic financial disclosure system. Do not use"}">disclosure reports through an electronic financial disclosure system. Do not use</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "• Complete Part 7 if you are filing an Annual or Termination report. Otherwise leave blank."}">• Complete Part 7 if you are filing an Annual or Termination report. Otherwise leave blank.</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "this form if you plan to file using an electronic financial disclosure system. "}">this form if you plan to file using an electronic financial disclosure system. </td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>

```
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="22" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;When Must I File?&quot;}"><b>When Must I File?</b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Warnings&quot;}"><b>Warnings</b></td>
        </tr>
        <tr>
                <td height="21" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Candidate: Within 30 days of becoming a candidate for nomination or election&quot;}">Candidate: Within 30 days of becoming a candidate for nomination or election</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;to the office of President or Vice President, or by May 15 of that calendar year,&quot;}">to the office of President or Vice President, or by May 15 of that calendar year,</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Knowing and willful falsification of information, or failure to file or report &quot;}">Knowing and willful falsification of information, or failure to file or report </td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;whichever is later, but at least 30 days before the election, and on or before &quot;}">whichever is later, but at least 30 days before the election, and on or before </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;information required to be reported by 5 U.S.C § 13104 may subject you&quot;}">information required to be reported by 5 U.S.C § 13104 may subject you</td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;May 15 of each succeeding year you continue to be a candidate&quot;}">May 15 of each succeeding year you continue to be a candidate</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;to a civil monetary penalty and to disciplinary action by your employing agency &quot;}">to a civil monetary penalty and to disciplin
```

ary action by your employing agency </td>
</tr>
<tr>
<td height="22" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Nominee: No later than 5 days after nomination by the President"}">Nominee: No later than 5 days after nomination by the President</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": "or other appropriate authority under 5 U.S.C. § 13106. Knowing and willful"}">or other appropriate authority under 5 U.S.C. § 13106. Knowing and willful</td>
</tr>
<tr>
<td height="21" align="left" valign=top data-sheets-value="{ "1": 2, "2": "New Entrant: Within 30 days of assuming a covered position"}">New Entrant: Within 30 days of assuming a covered position</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": "falsification of information required to be filed by 5 U.S.C. § 13104 may also"}">falsification of information required to be filed by 5 U.S.C. § 13104 may also</td>
</tr>
<tr>
<td height="21" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Annual: No later than May 15 annually"}">Annual: No later than May 15 annually</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": "subject you to criminal prosecution "}">subject you to criminal prosecution </td>
</tr>
<tr>
<td height="28" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Termination: Within 30 days of leaving a covered position"}">Termination: Within 30 days of leaving a covered position</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="23" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Are Extensions Available?"}">Are Extensions Available?</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="72" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Extensions for candidates are granted by the Federal Election Commission. For other filers, the employing agency may grant an extension of up to 45 days for good cause shown with the possibility of one ad

ditional extension of up to 45 days."}">Extensions for candidates are granted by the Federal Election Commission. For other filers, the employing agency may grant an extension of up to 45 days for good cause shown with the possibility of one additional extension of up to 45 days.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="27" align="left" valign=top data-sheets-value="{ "1": 2, "2": "What Happens if I File Late?"}">What Happens if I File Late?</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="96" align="left" valign=top data-sheets-value="{ "1": 2, "2": "You will be subject to a $200 late filing fee if you filer your report more than 30 days after the due date (including any extensions). A report is considered to be filed when it is received by the agency. Agencies may waive this fee if the delay was caused by extraordinary circumstances. Unless waived, the agency may collect the fee for deposit with the United States Treasury."}">You will be subject to a $200 late filing fee if you filer your report more than 30 days after the due date (including any extensions). A report is considered to be filed when it is received by the agency. Agencies may waive this fee if the delay was caused by extraordinary circumstances. Unless waived, the agency may collect the fee for deposit with the United States Treasury.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="21" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="17" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="19" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>

```
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></
td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td colspan=3 height="24" align="left" valign=top data-sheets-va
lue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026) (
Expires 08\/31\/2027)&quot;}"><font color="#000000">OGE Form 278e (Updated xx/20
26) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td colspan=3 height="20" align="left" valign=middle bgcolor="#D
9D9D9" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions
for Completing Part 1 of the OGE Form 278e: Filer's Positions Held Outside Unite
d States Government&quot;}"><b><u><font color="#0000FF"><a href="#'Part 1'.A1">I
nstructions for Completing Part 1 of the OGE Form 278e: Filer's Positions Held O
utside United States Government</a></font></u></b></td>
                </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><font color=
"#000000"><br></font></b></td>
                <td align="left" valign=middle sdnum="1033;0;@" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><font color="#000000"><b
r></font></b></td>
                <td align="left" valign=middle sdnum="1033;0;@" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><font color="#000000"><b
r></font></b></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><font color=
"#000000"><br></font></b></td>
                <td align="left" valign=middle sdnum="1033;0;@" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><font color="#000000"><b
r></font></b></td>
                <td align="left" valign=middle sdnum="1033;0;@" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><font color="#000000"><b
r></font></b></td>
        </tr>
        <tr>
                <td height="22" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Period:&quot;}"><b><font color="#0
00000">Reporting Period:</font></b></td>
                <td align="left" valign=top sdnum="1033;0;@" data-sheets-value="
{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><font color="#000000"><br><
/font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Completing the Fields: &quot;}"><b><font color="#000000"
>Completing the Fields: </font></b></td>
        </tr>
        <tr>
```

<td height="20" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Candidate, Nominee, or New Entrant: Preceding two calendar years and current"}">Candidate, Nominee, or New Entrant: Preceding two calendar years and current</td>
<td align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "Organization Name: Provide the name of the organization. "}">Organization Name: Provide the name of the organization. </td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "year to filing date"}">year to filing date</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "City\/State: Provide the city and state in which the organization is located."}">City/State: Provide the city and state in which the organization is located.</td>
</tr>
<tr>
<td height="19" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Annual: Preceding calendar year and current year to filing date"}">Annual: Preceding calendar year and current year to filing date</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "Organization Type: Describe the type of organization."}">Organization Type: Describe the type of organization.</td>
</tr>
<tr>
<td height="21" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Termination: Current calendar year to termination date (in addition, the preceding "}">Termination: Current calendar year to termination date (in addition, the preceding </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "Position Held: Provide the title or a brief functional description of the position"}">Position Held: Provide the title or a brief functional description of the position</td>
</tr>
<tr>
<td height="20" align="left" valign=top data-sheets-value="{ "1": 2, "2": "calendar year if an Annual report for that year is required but has not yet been filed)"}">calendar year if an Annual report for that year is required but has not yet been filed)</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "you hold or held. "}">you hold or held. </td>
</tr>

```
        <tr>
                <td height="23" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;From: Provide the month and year in which you began in the position.&quot;}"><font color="#000000">From: Provide the month and year in which you began in the position.</font></td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Requirement: &quot;}"><font color="#000000">Reporting Requirement: </font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;To: Provide the month and year in which the position ended.  If you still hold the&quot;}"><font color="#000000">To: Provide the month and year in which the position ended.  If you still hold the</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Report any positions that you held at any time during the reporting period&quot;}"><font color="#000000">Report any positions that you held at any time during the reporting period</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;position, write \&quot;present.\&quot;&quot;}"><font color="#000000">position, write &quot;present.&quot;</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;(excluding positions with the United States Government). Reportable positions&quot;}"><font color="#000000">(excluding positions with the United States Government). Reportable positions</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;include those of an officer, director, trustee, general partner, proprietor, &quot;}"><font color="#000000">include those of an officer, director, trustee, general partner, proprietor, </font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Nothing to Report: If you do not have anything to report, write \&quot;None.\&quot;&quot;}"><font color="#000000">Nothing to Report: If you do not have anything to report, write &quot;None.&quot;</font></td>
        </tr>
        <tr>
                <td height="17" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;representative, employee, or consultant of any for-profit or non-profit organization&quot;}"><font color="#000000">representative, employee, or consultant of any for-profit or non-profit organization</fon
```

```
t></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="17" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;(whether compensated or uncompensated).&quot
;}"><font color="#000000">(whether compensated or uncompensated).</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="11" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></
td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><b><font color="#000000"><br></font></b></td>
        </tr>
        <tr>
                <td height="23" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Exceptions: &quot;}"><b><font color="#000000
">Exceptions: </font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Do not report the following: (1) positions h
eld as part of your official duties&quot;}"><font color="#000000">Do not report
the following: (1) positions held as part of your official duties</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;with the United States Government; (2) posit
ions with religious, social, fraternal,&quot;}"><font color="#000000">with the U
nited States Government; (2) positions with religious, social, fraternal,</font>
</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;or political entities; (3) positions solely
of an honorary nature; (4) mere membership&quot;}"><font color="#000000">or poli
tical entities; (3) positions solely of an honorary nature; (4) mere membership<
/font></td>
```

```
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="17" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;in an organization; and (5) passive investme
nt interests as a limited partner or &quot;}"><font color="#000000">in an organi
zation; and (5) passive investment interests as a limited partner or </font></td
>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="22" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;non-managing member of a limited liability c
ompany. &quot;}"><font color="#000000">non-managing member of a limited liabilit
y company. </font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;In addition, you do not need to report se
rvice as a member of an advisory board or&quot;}"><font color="#000000">In addit
ion, you do not need to report service as a member of an advisory board or</font
></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;committee if the following criteria are met:
 (1) the advisory board or committee is that of&quot;}"><font color="#000000">co
mmittee if the following criteria are met: (1) the advisory board or committee i
s that of</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;a non-profit or governmental organization; (
2) your service is unpaid; (3) you have no&quot;}"><font color="#000000">a non-p
rofit or governmental organization; (2) your service is unpaid; (3) you have no<
/font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
```

<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "fiduciary duties of the sort exercised by officers, directors, or trustees; and (4) your role"}">fiduciary duties of the sort exercised by officers, directors, or trustees; and (4) your role</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "does not involve sufficient supervision by the organization to create a common law"}">does not involve sufficient supervision by the organization to create a common law</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="26" align="left" valign=top data-sheets-value="{ "1": 2, "2": "employee-employer relationship."}">employee-employer relationship.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="21" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="20" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="20" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="18" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</

```
td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></
td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></
td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td colspan=3 height="23" align="left" valign=top data-sheets-va
lue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026) (
Expires 08\/31\/2027)&quot;}"><font color="#000000">OGE Form 278e (Updated xx/20
```

```
26) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td colspan=3 height="20" align="left" valign=middle bgcolor="#D
9D9D9" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions
for Completing Part 2 of the OGE Form 278e: Filer's Employment Assets &amp; Inco
me and Retirement Accounts&quot;}"><b><u><font color="#0000FF"><a href="#'Part 2
'.A1">Instructions for Completing Part 2 of the OGE Form 278e: Filer's Employmen
t Assets &amp; Income and Retirement Accounts</a></font></u></b></td>
                </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><u><font color="#0000FF"><br>
</font></u></b></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Period:&quot;}"><b><font color="#0
00000">Reporting Period:</font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Value: Report the value of an asset by selecting the app
ropriate category.&quot;}">Value: Report the value of an asset by selecting the
appropriate category.</td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Candidate, Nominee, or New Entrant: Precedin
g calendar year and current year&quot;}">Candidate, Nominee, or New Entrant: Pre
ceding calendar year and current year</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Income Type: &quot;}"><font color="#000000">Income Type:
 </font></td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;to filing date&quot;}">to filing date</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;(1) Income Less than $201: Leave this field blank.&quot;
}"><font color="#000000">(1) Income Less than $201: Leave this field blank.</fon
t></td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Annual: Preceding calendar year&quot;}">Annu
al: Preceding calendar year</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;(2) Asset Qualifies as an EIF: Leave this field blank.&q
uot;}"><font color="#000000">(2) Asset Qualifies as an EIF: Leave this field bla
```

```
nk.</font></td>
        </tr>
        <tr>
                <td height="57" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Termination: Current calendar year to termination date (in addition, the preceding calendar year if an Annual Report for that year is required but has not yet been filed)&quot;}">Termination: Current calendar year to termination date (in addition, the preceding calendar year if an Annual Report for that year is required but has not yet been filed)</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;(3) Dividends, Interest, Capital Gains, or Rent or Royalties: Enter these types of income into the field.

                                        (4) Other Income: Provide an appropriate description (e.g., \&quot;salary\&quot;).&quot;}">(3) Dividends, Interest, Capital Gains, or Rent or Royalties: Enter these types of income into the field.

                                                                (4) Other Income: Provide an appropriate description (e.g., &quot;salary&quot;).</td>
        </tr>
        <tr>
                <td height="15" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Requirements: &quot;}"><b>Reporting Requirements: </b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Income Amount: &quot;}">Income Amount: </td>
        </tr>
        <tr>
                <td height="21" align="left" valign=bottom data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;• Report each source of your earned and other non-investment income over $200 &quot;}">• Report each source of your earned and other non-investment income over $200 </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;(1) Income Less than $201: Select \&quot;None (or less than $201).\&quot; &quot;}">(1) Income Less than $201: Select &quot;None (or less than $201).&quot; </td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;during the reporting period (e.g., salary, fees, partnership share and other business&quot;}">during the reporting period (e.g., salary, fees, partnership share and other business</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;(2) Asset Qualifies as an EIF: Select the category that
```

corresponds to the total"}">(2) Asset Qualifies as an EIF: Select the category that corresponds to the total</td>
	</tr>
	<tr>
		<td height="20" align="left" valign=top data-sheets-value="{ "1": 2, "2": "income, honoraria, scholarships, and prizes).\u000a\u000a"}">income, honoraria, scholarships, and prizes).

</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "amount of income received during the reporting period."}">amount of income received during the reporting period.</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "• Report each asset related to your business, employment, or other income-"}">• Report each asset related to your business, employment, or other income-</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "(3) Dividends, Interest, Capital Gains or Rent or Royalties: Select the category that"}">(3) Dividends, Interest, Capital Gains or Rent or Royalties: Select the category that</td>
	</tr>
	<tr>
		<td height="18" align="left" valign=top data-sheets-value="{ "1": 2, "2": "generating activities if the value of the asset at the end of the reporting period"}">generating activities if the value of the asset at the end of the reporting period</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "corresponds to the total amount of income received during the reporting period. "}">corresponds to the total amount of income received during the reporting period. </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "exceeded $1,000 or if more than $200 in income was received during the reporting"}">exceeded $1,000 or if more than $200 in income was received during the reporting</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "(4) Other Cases: Provide the exact amount of income received during the reporting"}">(4) Other Cases: Provide the exact amount of income received during the reporting</td>
	</tr>
	<tr>
		<td height="17" align="left" valign=top data-sheets-value="{ "1": 2, "2": "period (e.g., equity in business or partnership, stock options, retirement plans\/"}">period (e.g., equity in business or partnership, stock options, retirement plans/</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "period in the space provided."}">period in the space provided.</td>
	</tr>

```
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;accounts and their underlying holdings as appropriate, anticipated payments&quot;}">accounts and their underlying holdings as appropriate, anticipated payments</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="18" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;such as severance payments, deferred compensation, and intellectual property, &quot;}">such as severance payments, deferred compensation, and intellectual property, </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Nothing to Report: If you do not have anything to report, write \&quot;None.\&quot;&quot;}">Nothing to Report: If you do not have anything to report, write &quot;None.&quot;</td>
        </tr>
        <tr>
                <td height="17" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;such as book deals and patents).&quot;}">such as book deals and patents).</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="17" align="left" valign=bottom data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;• Report each underlying asset that was worth more than $1,000 at the end of the&quot;}">• Report each underlying asset that was worth more than $1,000 at the end of the</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><br></b></td>
        </tr>
        <tr>
                <td height="17" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;reporting period in an individual retirement account (IRA), 401(k), or other defined&quot;}">reporting period in an individual retirement account (IRA), 401(k), or other defined</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Definitions:&quot;}"><b>Definitions:</b></td>
        </tr>
        <tr>
                <td height="22" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;contribution plan.&quot;}">contribution plan.</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Excepted Investment Fund (EIF): An excepted investment fund is an investment fund that&quot;}">Excepted Investment Fund (EIF): An exc
```

```
epted investment fund is an investment fund that</td>
	</tr>
	<tr>
		<td height="20" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;Exceptions: &quot;}">Exceptions: </td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;is (1) widely held; (2) either publicly traded or widely
 diversified; and (3) independently&quot;}">is (1) widely held; (2) either publi
cly traded or widely diversified; and (3) independently</td>
	</tr>
	<tr>
		<td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;• Do not include assets or income from Unite
d States Government employment.&quot;}">• Do not include assets or income from U
nited States Government employment.</td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;managed, meaning you neither exercise control nor have t
he ability to exercise control over&quot;}">managed, meaning you neither exercis
e control nor have the ability to exercise control over</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;• Do not include assets that were acquired s
eparately from your business,&quot;}">• Do not include assets that were acquired
 separately from your business,</td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;the financial interests held by the fund. A fund is wide
ly diversified if it does not have a &quot;}">the financial interests held by th
e fund. A fund is widely diversified if it does not have a </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;employment, or other income-generating activ
ities (e.g., assets purchased&quot;}">employment, or other income-generating act
ivities (e.g., assets purchased</td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;stated policy of concentrating its investments in an ind
ustry, business or single country other&quot;}">stated policy of concentrating i
ts investments in an industry, business or single country other</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;through a brokerage account) because you wil
l report these assets in Part 6.&quot;}">through a brokerage account) because yo
u will report these assets in Part 6.</td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
		<td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;than the United States or bonds of a single state within
 the United States.&quot;}">than the United States or bonds of a single state wi
thin the United States.</td>
	</tr>
```

```
        <tr>
                <td height="33" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;Do not include account numbers or family
members' names.&quot;}"><b>Do not include account numbers or family members' nam
es.</b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;All mutual funds and exchange-traded funds (ETFs) are ex
cepted investment funds.&quot;}"><b>All mutual funds and exchange-traded funds (
ETFs) are excepted investment funds.</b></td>
        </tr>
        <tr>
                <td height="40" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;Completing the Fields:&quot;}"><b><font c
olor="#000000">Completing the Fields:</font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Received: You have received income when you have the rig
ht to exercise control over the income regardless of whether you have taken actu
al possession&quot;}">Received: You have received income when you have the right
 to exercise control over the income regardless of whether you have taken actual
 possession</td>
        </tr>
        <tr>
                <td height="37" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Description: Provide a description sufficien
t to identify the asset or source being reported.&quot;}"><font color="#000000">
Description: Provide a description sufficient to identify the asset or source be
ing reported.</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;EIF: If you are reporting an investment vehi
cle that invests in assets of its own you &quot;}">EIF: If you are reporting an
investment vehicle that invests in assets of its own you </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;need to report each underlying asset that wa
s individually worth more than $1,000 at&quot;}">need to report each underlying
asset that was individually worth more than $1,000 at</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;end of the reporting period or from which mo
re than $200 income was received during &quot;}"><font color="#000000">end of th
```

```
e reporting period or from which more than $200 income was received during </fon
t></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;the reporting period. As an exception to thi
s requirement, however, you do not need to&quot;}">the reporting period. As an e
xception to this requirement, however, you do not need to</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;report the underlying assets of an investmen
t vehicle that qualifies as an excepted&quot;}">report the underlying assets of
an investment vehicle that qualifies as an excepted</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;investment fund (EIF). Indicate whether your
 entry qualifies as an excepted &quot;}">investment fund (EIF). Indicate whether
 your entry qualifies as an excepted </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;investment fund. If your entry is not an inv
estment vehicle at all, select \&quot;N\/A\&quot;.  &quot;}">investment fund. If
 your entry is not an investment vehicle at all, select &quot;N/A&quot;.  </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
```

```
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><b><font color="#FF0000"><br></font></b></td
>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></
td>
                <td align="center" valign=top data-sheets-value="{ &quot;1&quot;
: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td colspan=3 height="21" align="left" valign=top data-sheets-va
lue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026) (
Expires 08\/31\/2027)&quot;}"><font color="#000000">OGE Form 278e (Updated xx/20
26) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td height="20" align="left" valign=middle bgcolor="#D9D9D9" dat
a-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Comple
ting Part 3 of the OGE Form 278e: Filer's Employment Agreements and Arrangements
 &quot;}"><b><u><font color="#0000FF"><a href="#'Part 3'.A1">Instructions for Co
mpleting Part 3 of the OGE Form 278e: Filer's Employment Agreements and Arrangem
ents </a></font></u></b></td>
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br>
</font></td>
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br>
</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><u><font color="#0000FF"><br>
</font></u></b></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><u><font color="#0000FF"><br>
</font></u></b></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="24" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Period:&quot;}"><b><font color="#0
00000">Reporting Period:</font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Completing the Fields:&quot;}"><b>Completing the Fields:
</b></td>
```

```
        </tr>
        <tr>
                <td height="18" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Candidate, Nominee, or New Entrant: As of the date of filing.&quot;}"><font color="#000000">Candidate, Nominee, or New Entrant: As of the date of filing.</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Employer or Party: Provide the parties to the agreement or arrangement, other than yourself.&quot;}">Employer or Party: Provide the parties to the agreement or arrangement, other than yourself.</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Annual: Preceding calendar year and current year to filing date.&quot;}">Annual: Preceding calendar year and current year to filing date.</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;In most cases, the other party will be your employer.&quot;}">In most cases, the other party will be your employer.</td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Termination: Current calendar year to termination date (in addition, the preceding &quot;}">Termination: Current calendar year to termination date (in addition, the preceding </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;City\/State: Provide the city and state of the other parties. &quot;}">City/State: Provide the city and state of the other parties. </td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;calendar year if an Annual report for that year is required but has not yet been filed).&quot;}">calendar year if an Annual report for that year is required but has not yet been filed).</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Status and Terms: Briefly describe the type of agreement or arrangement, its terms&quot;}">Status and Terms: Briefly describe the type of agreement or arrangement, its terms</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;(in particular, the timing and form of any payments), and its current status.&quot;}">(in particular, the timing and form of any payments), and its current status.</td>
        </tr>
        <tr>
                <td height="22" align="left" valign=top data-sheets-value="{ &qu
```

ot;1": 2, "2": "Reporting Requirement: "}">Reporting Requirement: </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "Date: Provide the month and year in which the agreement or arrangement began. In many "}">Date: Provide the month and year in which the agreement or arrangement began. In many </td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Report any agreements or arrangements that you had during the reporting period "}">Report any agreements or arrangements that you had during the reporting period </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "cases, this will be when you joined the employer or otherwise became eligible for coverage"}">cases, this will be when you joined the employer or otherwise became eligible for coverage</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "for the following: (1) continuing participation in an employee welfare"}">for the following: (1) continuing participation in an employee welfare</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "under the agreement or arrangement."}">under the agreement or arrangement.</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "or benefit plan maintained by a former employer; (2) leave of absence; "}">or benefit plan maintained by a former employer; (2) leave of absence; </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "(3) future employment; or (4) continuation of payments by a former employer"}">(3) future employment; or (4) continuation of payments by a former employer</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "Nothing to Report: If you do not have anything to report, write \"None.\""}">Nothing to Report: If you do not have anything to report, write "None."</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "(e.g., severance payments)."}">(e.g., severance payments).</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>

<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="21" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Exceptions: "}">Exceptions: </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Do not report the following: (1) agreements and arrangements with the "}">Do not report the following: (1) agreements and arrangements with the </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "United States Government, such as your participation in the Federal Employees"}">United States Government, such as your participation in the Federal Employees</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Retirement System or the Civil Service Retirement System; (2) agreements "}">Retirement System or the Civil Service Retirement System; (2) agreements </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "and arrangements of your spouse or your dependent children; and (3) if you are"}">and arrangements of your spouse or your dependent children; and (3) if you are</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>

```
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;filing a Nominee, New Entrant, or Candidate report, any agreement or arrangement &quot;}">filing a Nominee, New Entrant, or Candidate report, any agreement or arrangement </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;that will end before you file your report.&quot;}">that will end before you file your report.</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
```

<td height="16" align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td colspan=3 height="17" align="left" valign=top data-sheets-value="{ "1": 2, "2": "OGE Form 278e (Updated xx\/2026) (Expires 08\/31\/2027)"}">OGE Form 278e (Updated xx/2026) (Expires 08/31/2027)</td>
</tr>
<tr>
<td height="20" align="left" valign=middle bgcolor="#D9D9D9" data-sheets-value="{ "1": 2, "2": "Instructions for Completing Part 4 of the OGE Form 278e: Filer's Sources of Compensation Exceeding $5,000 in a Year "}"><u>Instructions for Completing Part 4 of the OGE Form 278e: Filer's Sources of Compensation Exceeding $5,000 in a Year </u></td>
<td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="24" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Reporting Period:"}">Reporting Period:</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "Completing the Fields:"}">Completing the Fields:</td>

```
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Nominee or New Entrant: Preceding two calendar years and current year to filing date&quot;}">Nominee or New Entrant: Preceding two calendar years and current year to filing date</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Source Name: Provide the name of the source.&quot;}">Source Name: Provide the name of the source.</td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Other Reports: N\/A&quot;}">Other Reports: N/A</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;City\/State: Provide the city and state in which this source is located.&quot;}">City/State: Provide the city and state in which this source is located.</td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Brief Description of Duties: Provide a brief description of your duties or the&quot;}">Brief Description of Duties: Provide a brief description of your duties or the</td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Requirement: &quot;}"><b><font color="#000000">Reporting Requirement: </font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;type of services rendered.&quot;}">type of services rendered.</td>
        </tr>
        <tr>
                <td height="21" align="left" valign=bottom data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Report any source (except the United States Government) that paid more than&quot;}"><font color="#000000">Report any source (except the United States Government) that paid more than</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;$5,000 for your services during any year of the reporting period. Report &quot;}"><font color="#000000">$5,000 for your services during any year of the reporting period. Report </font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
```

<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "Nothing to Report: If you do not have anything to report and you are filing"}">Nothing to Report: If you do not have anything to report and you are filing</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "employers and any clients to whom you personally provided services. You"}">employers and any clients to whom you personally provided services. You</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "a Nominee or New Entrant report, write \"None.\""}">a Nominee or New Entrant report, write "None."</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "must report a source even if the source made its payment to your employer and "}">must report a source even if the source made its payment to your employer and </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "not to you. Do not report a client who paid your employer if you did not provide"}">not to you. Do not report a client who paid your employer if you did not provide</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="21" align="left" valign=top data-sheets-value="{ "1": 2, "2": "the services for which the client made the payment."}">the services for which the client made the payment.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="19" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Exception: "}">Exception: </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="21" align="left" valign=bottom data-sheets-value="{ "1": 2, "2": "The name of a source of compensation may be excluded only if that information is "}">The name of a source of compensation may be excluded only if that information is </td>
<td align="left" valign=top data-sheets-value="{ "1":

2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "specifically determined to be confidential a
s a result of a privileged relationship "}">specifica
lly determined to be confidential as a result of a privileged relationship </fon
t></td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "established by law and if the disclosure is
specifically prohibited: "}">established by law and i
f the disclosure is specifically prohibited: </td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "• by law or regulation,"}"><font color=
"#000000">• by law or regulation,</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "• by a rule of a professional licensing orga
nization, or"}">• by a rule of a professional licensi
ng organization, or</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="18" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "• by a client agreement that at the time of
engagement of the filer's services \u000a"}">• by a client agreement that a
t the time of engagement of the filer's services
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "expressly provided that the client's name wo
uld not be disclosed publicly to any "}">expressly provided that the client
's name would not be disclosed publicly to any </td>
<td align="left" valign=top data-sheets-value="{ "1":

2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="25" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "person."}">person.</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="17" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "If you exclude the name of any source, you m
ust indicate in the report that such "}">If you exclude the name of any sou
rce, you must indicate in the report that such </td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "information has been excluded, the number of
 sources excluded, and, if applicable, "}">information has been excluded, t
he number of sources excluded, and, if applicable, </td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "a citation to the statute, regulation, rule
of professional conduct, or other authority "}">a citation to the statute,
regulation, rule of professional conduct, or other authority </td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "pursuant to which disclosure of the informat
ion is specifically prohibited."}">pursuant to which disclosure of the info
rmation is specifically prohibited.</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle data-sheets-value="{
"1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
	</tr>

```
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td colspan=3 height="16" align="left" valign=top data-sheets-va
lue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026) (
Expires 08\/31\/2027)&quot;}"><font color="#000000">OGE Form 278e (Updated xx/20
26) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td height="16" align="left" valign=middle bgcolor="#D9D9D9" dat
a-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Comple
ting Part 5 of the OGE Form 278e: Spouse's Employment Assets &amp;amp; Income and Re
tirement Accounts&quot;}"><b><u><font color="#0000FF"><a href="#'Part 5'.A1">Ins
tructions for Completing Part 5 of the OGE Form 278e: Spouse's Employment Assets
 &amp;amp; Income and Retirement Accounts</a></font></u></b></td>
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br>
</font></td>
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br>
</font></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
```

```
        <tr>
                <td height="22" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Period:&quot;}"><b>Reporting Period:</b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Completing the Fields: &quot;}"><b>Completing the Fields: </b></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Candidate, Nominee, or New Entrant: Preceding calendar year and current year &quot;}">Candidate, Nominee, or New Entrant: Preceding calendar year and current year </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Complete these fields using the instructions from Part 2 with two exceptions.  First, &quot;}">Complete these fields using the instructions from Part 2 with two exceptions.  First, </td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;to filing date&quot;}">to filing date</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;you do not need to provide the exact amount of your spouse's earned income, other &quot;}">you do not need to provide the exact amount of your spouse's earned income, other </td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Annual: Preceding calendar year&quot;}">Annual: Preceding calendar year</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;than honoraria.  Instead, simply describe the type of income in the Income Type field &quot;}">than honoraria.  Instead, simply describe the type of income in the Income Type field </td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Termination: Current calendar year to termination date (in addition, the preceding &quot;}">Termination: Current calendar year to termination date (in addition, the preceding </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;and leave the Income Amount field blank.  Second, the value and income amount&quot;}">and leave the Income Amount field blank.  Second, the value and income amount</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;calendar year if an Annual report for that year is required but has not yet been filed)&quot;}">calendar year if an Annual report for that year is required but has not yet been filed)</td>
```

```
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;fields include a category labeled \&quot;Over $1,000,000
.\&quot;  You may use this category&quot;}">fields include a category labeled &q
uot;Over $1,000,000.&quot;  You may use this category</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;or you may use the higher value and amount categories.
&quot;}">or you may use the higher value and amount categories.  </td>
        </tr>
        <tr>
                <td height="24" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Requirement: &quot;}"><b>Reporting
 Requirement: </b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;• Report each source, but not the amount, of
 earned income for your spouse over &quot;}">• Report each source, but not the a
mount, of earned income for your spouse over </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Nothing to Report: If you do not have anything to report
, write \&quot;None.\&quot;&quot;}">Nothing to Report: If you do not have anythi
ng to report, write &quot;None.&quot;</td>
        </tr>
        <tr>
                <td height="35" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;$1,000 during the reporting period. &quot;}"
>$1,000 during the reporting period. </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;• Report each source and the exact amount of
 each honorarium for your spouse over $200 &quot;}">• Report each source and the
 exact amount of each honorarium for your spouse over $200 </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="23" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;during the reporting period. &quot;}">during
 the reporting period. </td>
```

```
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;• Report each asset related to your spouse's
 employment, business activities, &quot;}">• Report each asset related to your s
pouse's employment, business activities, </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;other income-generating activities (1) that
ended the reporting period with a value &quot;}">other income-generating activit
ies (1) that ended the reporting period with a value </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;greater than $1,000 or (2) from which more t
han $200 in income was received&quot;}">greater than $1,000 or (2) from which mo
re than $200 in income was received</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;during the reporting period (e.g., equity in
 business or partnership, stock options,&quot;}">during the reporting period (e.
g., equity in business or partnership, stock options,</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="17" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;retirement plans\/accounts and their underly
ing holdings as appropriate, deferred &quot;}">retirement plans/accounts and the
ir underlying holdings as appropriate, deferred </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="15" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;compensation, and intellectual property, suc
h as book deals and patents).&quot;}">compensation, and intellectual property, s
uch as book deals and patents).</td>
```

<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="56" align="left" valign=top data-sheets-value="{ "1": 2, "2": "• Report each underlying asset that was worth more than $1,000 at the end of the reporting period in an individual retirement account (IRA), 401(k), or other defined contribution plan."}">• Report each underlying asset that was worth more than $1,000 at the end of the reporting period in an individual retirement account (IRA), 401(k), or other defined contribution plan.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="9" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="18" align="left" valign=bottom data-sheets-value="{ "1": 2, "2": "Exceptions: "}">Exceptions: </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "• Do not include assets or income from United States Government employment."}">• Do not include assets or income from United States Government employment.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "• Do not include assets that were acquired separately from your spouse's"}">• Do not include assets that were acquired separately from your spouse's</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "business, employment, or other income-generating activities (e.g., assets "}">business, employment, or other income-generating activities (e.g., assets </td>

<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "purchased through a brokerage account) because you will report these assets "}">purchased through a brokerage account) because you will report these assets </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "in Part 6."}">in Part 6.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="36" align="left" valign=middle data-sheets-value="{ "1": 2, "2": "Do not include account numbers or family member's names."}">Do not include account numbers or family member's names.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td colspan=3 height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "OGE Form 278e (Updated xx\/2026) (Expires 08\/31\/2027)"}">OGE Form 278e (Updated xx/2026) (Expires 08/31/2027)</td>
</tr>
<tr>
<td height="16" align="left" valign=middle bgcolor="#D9D9D9" data-sheets-value="{ "1": 2, "2": "Instructions for Completing Part 6 of the OGE Form 278e: Other Assets and Income"}"><u>Instructions for Completing Part 6 of the OGE Form 278e: Other Assets and Income</u></td>
<td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="20" align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=middle data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>

```
        <tr>
                <td height="20" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="23" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Period:&quot;}"><b>Reporting Perio
d:</b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Completing the Fields: &quot;}"><b>Completing the Fields
: </b></td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Candidate, Nominee, or New Entrant: Precedin
g calendar year and current year&quot;}">Candidate, Nominee, or New Entrant: Pre
ceding calendar year and current year</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Complete these fields using the instructions from Part 2
 with one exception.&quot;}">Complete these fields using the instructions from P
art 2 with one exception.</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;to filing date&quot;}">to filing date</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;The value and income amount fields include a category la
beled \&quot;Over $1,000,000.\&quot;  &quot;}">The value and income amount field
s include a category labeled &quot;Over $1,000,000.&quot;  </td>
        </tr>
        <tr>
                <td height="17" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Annual: Preceding calendar year&quot;}">Annu
al: Preceding calendar year</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;You may use this category only for your spouse's or depe
ndent child's assets.&quot;}">You may use this category only for your spouse's o
r dependent child's assets.</td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Termination: Current calendar year to termin
ation date (in addition, the preceding &quot;}">Termination: Current calendar ye
ar to termination date (in addition, the preceding </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Do not use this category for your assets or assets held
```

```
jointly with your spouse&quot;}">Do not use this category for your assets or ass
ets held jointly with your spouse</td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;calendar year if an Annual report for that y
ear is required but has not yet been filed)&quot;}">calendar year if an Annual r
eport for that year is required but has not yet been filed)</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;or dependent child.  &quot;}">or dependent child.  </td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Requirement: &quot;}"><b>Reporting
 Requirement: </b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Nothing to Report: If you do not have anything to report
, write \&quot;None.\&quot; &quot;}">Nothing to Report: If you do not have anyth
ing to report, write &quot;None.&quot; </td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Report each asset held for investment or the
 production of income, not already reported&quot;}">Report each asset held for i
nvestment or the production of income, not already reported</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;in Part 2 or Part 5, that ended the reportin
g period with a value greater than $1,000&quot;}">in Part 2 or Part 5, that ende
d the reporting period with a value greater than $1,000</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;or from which more than $200 in income was r
eceived during the reporting period. &quot;}">or from which more than $200 in in
come was received during the reporting period. </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
```

2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "For purposes of the value and income thresholds, aggregate your interests with "}">For purposes of the value and income thresholds, aggregate your interests with </td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="17" align="left" valign=top data-sheets-value="{ "1": 2, "2": "those of your spouse and your dependent children. NOTE: Report each underlying "}">those of your spouse and your dependent children. NOTE: Report each underlying </td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "holding of a brokerage account, managed account, or college savings plan that "}">holding of a brokerage account, managed account, or college savings plan that </td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="25" align="left" valign=top data-sheets-value="{ "1": 2, "2": "meets the reporting threshold described above."}">meets the reporting threshold described above.</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="23" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Exceptions: "}">Exceptions: </td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Do not report any of the following: (1) a personal residence that you did not rent "}">Do not report any of the following: (1) a personal residence that you did not rent </td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>

```
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;out during the reporting period; (2) reti
rement benefits from the United States &quot;}">out during the reporting period;
 (2) retirement benefits from the United States </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="19" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;Government, including the Thrift Savings
Plan; (3) income from social security, &quot;}">Government, including the Thrift
 Savings Plan; (3) income from social security, </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;veterans' benefits, and other similar Uni
ted States Government benefits;&quot;}">veterans' benefits, and other similar Un
ited States Government benefits;</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;(4) deposits in a single financial instit
ution aggregating $5,000 or less in money &quot;}">(4) deposits in a single fina
ncial institution aggregating $5,000 or less in money </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;market accounts, certificates of deposit,
 savings accounts, checking accounts or&quot;}">market accounts, certificates of
 deposit, savings accounts, checking accounts or</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;other cash deposits (unless the income ex
ceeded $200); (5) shares in a single &quot;}">other cash deposits (unless the in
come exceeded $200); (5) shares in a single </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
```

```
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;money market mutual fund aggregating $5,0
00 or less (unless the income exceeded&quot;}">money market mutual fund aggregat
ing $5,000 or less (unless the income exceeded</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;$200); (6) loans made by you or your spou
se to each other or to a parent, &quot;}">$200); (6) loans made by you or your s
pouse to each other or to a parent, </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;sibling, child, or grandchild; (7) intere
sts of a spouse living separate and apart with &quot;}">sibling, child, or grand
child; (7) interests of a spouse living separate and apart with </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;the intention of terminating the marriage
 or providing for a permanent separation; &quot;}">the intention of terminating
the marriage or providing for a permanent separation; </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;(8) interests of a former spouse or a spo
use from whom you are permanently&quot;}">(8) interests of a former spouse or a
spouse from whom you are permanently</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;separated; and (9) payments from a spouse
 or former spouse associated with a &quot;}">separated; and (9) payments from a
spouse or former spouse associated with a </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
```

```
        <tr>
                <td height="16" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;divorce or permanent separation.&quot;}">
divorce or permanent separation.</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="31" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;Do not include account numbers or family
members' names.&quot;}"><b>Do not include account numbers or family members' nam
es.</b></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="34" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
```

```
                <td height="34" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="40" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td colspan=3 height="16" align="left" valign=top data-sheets-va
lue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026) (
Expires 08\/31\/2027)&quot;}"><font color="#000000">OGE Form 278e (Updated xx/20
26) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td height="16" align="left" valign=middle bgcolor="#D9D9D9" dat
a-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Comple
ting Part 7 of the OGE Form 278e: Transactions&quot;}"><b><u><font color="#0000F
F"><a href="#'Part 7'.A1">Instructions for Completing Part 7 of the OGE Form 278
e: Transactions</a></font></u></b></td>
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#0000FF"><br>
</font></td>
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#0000FF"><br>
</font></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Period:&quot;}"><b><font color="#0
00000">Reporting Period:</font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Completing the Fields:&quot;}"><b>Completing the Fields:
</b></td>
        </tr>
```

```
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><font color="#000000"><br></font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Candidate, Nominee, or New Entrant: N\/A&quot;}"><font color="#000000">Candidate, Nominee, or New Entrant: N/A</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Description: Provide the name of the asset.&quot;}">Description: Provide the name of the asset.</td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Annual: Preceding calendar year&quot;}">Annual: Preceding calendar year</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Type: Specify the type of transaction as a purchase, sale, or exchange.&quot;}">Type: Specify the type of transaction as a purchase, sale, or exchange.</td>
        </tr>
        <tr>
                <td height="18" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Termination: Current calendar year to termination date (in addition, the preceding &quot;}">Termination: Current calendar year to termination date (in addition, the preceding </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Date: Provide the month, day, and year of the transaction.  &quot;}">Date: Provide the month, day, and year of the transaction.  </td>
        </tr>
        <tr>
                <td height="18" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;calendar year if an Annual report for that year is required but has not yet been filed)&quot;}">calendar year if an Annual report for that year is required but has not yet been filed)</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Amount: Report the amount of the transaction by selecting the appropriate category.&quot;}">Amount: Report the amount of the transaction by selecting the appropriate category.</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;You may use the \&quot;Over $1,000,000\&quot; category o
```

```
nly for transactions involving&quot;}">You may use the &quot;Over $1,000,000&quo
t; category only for transactions involving</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Requirement: &quot;}"><b>Reporting
 Requirement: </b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;your spouse's or dependent child's assets.  Do not use t
his category for your assets &quot;}">your spouse's or dependent child's assets.
  Do not use this category for your assets </td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;or assets held jointly with your spouse or dependent chi
ld.  &quot;}">or assets held jointly with your spouse or dependent child.  </td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Report any purchase, sale, or exchange of re
al property or securities in excess &quot;}">Report any purchase, sale, or excha
nge of real property or securities in excess </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;of $1,000 that was made by you, your spouse,
 or your dependent child during&quot;}"><font color="#000000">of $1,000 that was
 made by you, your spouse, or your dependent child during</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Nothing to Report: If you do not have anything to report
, write \&quot;None.\&quot; &quot;}">Nothing to Report: If you do not have anyth
ing to report, write &quot;None.&quot; </td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;the reporting period.&quot;}"><font color="#
000000">the reporting period.</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
```

2, "2": ""}">
</td>
</tr>
<tr>
<td height="19" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Exceptions: "}">Exceptions: </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Do not report the following: (1) a personal residence, unless the personal "}">Do not report the following: (1) a personal residence, unless the personal </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "residence was rented out at any point during the reporting period; (2) cash"}">residence was rented out at any point during the reporting period; (2) cash</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "accounts (e.g., checking, savings, CDs, money market accounts) and money market "}">accounts (e.g., checking, savings, CDs, money market accounts) and money market </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "mutual funds; (3) Treasury bills, notes, and bonds; (4) Thrift Saving Plan accounts;"}">mutual funds; (3) Treasury bills, notes, and bonds; (4) Thrift Saving Plan accounts;</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "(5) an underlying asset held within an excepted investment fund, an excepted trust, "}">(5) an underlying asset held within an excepted investment fund, an excepted trust, </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>

```
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;or a qualified trust; (6) transactions that you already reported in your periodic&quot;}">or a qualified trust; (6) transactions that you already reported in your periodic</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;transaction report (OGE Form 278-T), unless your agency requires duplicate&quot;}">transaction report (OGE Form 278-T), unless your agency requires duplicate</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;reporting; (7) transactions that occurred when you were not a public financial &quot;}">reporting; (7) transactions that occurred when you were not a public financial </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;disclosure filer or an employee of the United States Government; (8) transactions&quot;}">disclosure filer or an employee of the United States Government; (8) transactions</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;that occurred solely by and between you, your spouse, and your dependent children; &quot;}">that occurred solely by and between you, your spouse, and your dependent children; </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;(9) interests of a spouse living separate and apart with the intention of terminating&quot;}">(9) interests of a spouse living separate and apart with the intention of terminating</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
```

```
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;the marriage or providing for a permanent se
paration; and (10) interests of a &quot;}">the marriage or providing for a perma
nent separation; and (10) interests of a </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;former spouse or a spouse from whom you are
permanently separated.&quot;}">former spouse or a spouse from whom you are perma
nently separated.</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
```

```
        </tr>
        <tr>
                <td colspan=3 height="16" align="left" valign=top data-sheets-va
lue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026) (
Expires 08\/31\/2027)&quot;}"><font color="#000000">OGE Form 278e (Updated xx/20
26) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td height="16" align="left" valign=middle bgcolor="#D9D9D9" dat
a-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Comple
ting Part 8 of the OGE Form 278e: Liabilities&quot;}"><b><u><font color="#0000FF
"><a href="#'Part 8'.A1">Instructions for Completing Part 8 of the OGE Form 278e
: Liabilities</a></font></u></b></td>
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#0000FF"><br>
</font></td>
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#0000FF"><br>
</font></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="23" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Period: &quot;}"><b><font color="#
000000">Reporting Period: </font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Completing the Fields:&quot;}"><b><font color="#000000">
Completing the Fields:</font></b></td>
        </tr>
        <tr>
                <td height="18" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Candidate, Nominee, or New Entrant: Precedin
g calendar year and current year &quot;}"><font color="#000000">Candidate, Nomin
ee, or New Entrant: Preceding calendar year and current year </font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Creditor Name: Provide the name of the creditor\/lending
 institution.&quot;}"><font color="#000000">Creditor Name: Provide the name of t
he creditor/lending institution.</font></td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;to filing date&quot;}">to filing date</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Type: Identify the type of liability.&quot;}">Type: Iden
tify the type of liability.</td>
        </tr>
        <tr>
```

<td height="18" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Annual: Preceding calendar year"}">Annual: Preceding calendar year</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "Amount: Select the appropriate category of amount or value. For revolving charge"}">Amount: Select the appropriate category of amount or value. For revolving charge</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Termination: Current calendar year to termination date (in addition, the preceding "}">Termination: Current calendar year to termination date (in addition, the preceding </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "accounts, use the value of the liability at the end of the reporting period. For all"}">accounts, use the value of the liability at the end of the reporting period. For all</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "calendar year if an Annual report for that year is required but has not yet been filed)"}">calendar year if an Annual report for that year is required but has not yet been filed)</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "other liabilities, select the category that corresponds to the highest amount owed"}">other liabilities, select the category that corresponds to the highest amount owed</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "during the reporting period. You may use the \"Over $1,000,000\" category only for"}">during the reporting period. You may use the "Over $1,000,000" category only for</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Reporting Requirement: "}">Reporting Requirement: </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": "your spouse's or dependent child's liabilities. Do not use this category for your"}">your spouse's or dependent child's liabilities. Do not use this category for your</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>

```
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;liabilities or a joint liability for you and your spouse
 or dependent child.  &quot;}"><font color="#000000">liabilities or a joint liab
ility for you and your spouse or dependent child.  </font></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Report liabilities over $10,000 that you, yo
ur spouse, or your dependent child&quot;}"><font color="#000000">Report liabilit
ies over $10,000 that you, your spouse, or your dependent child</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Year Incurred: Provide the year that the liability was i
ncurred.  &quot;}"><font color="#000000">Year Incurred: Provide the year that th
e liability was incurred.  </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;owed at any time during the reporting period
.&quot;}"><font color="#000000">owed at any time during the reporting period.</f
ont></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Rate: Provide the interest rate. Describing the rate in
reference to a prime rate,&quot;}"><font color="#000000">Rate: Provide the inter
est rate. Describing the rate in reference to a prime rate,</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><b><br></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;such as \&quot;prime + 1,\&quot; is also sufficient. &qu
ot;}">such as &quot;prime + 1,&quot; is also sufficient. </td>
        </tr>
        <tr>
                <td height="21" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Exceptions: &quot;}"><b><font color="#000000
">Exceptions: </font></b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Term: Specify, in years or months, the time that the loa
n allows for repayment.&quot;}">Term: Specify, in years or months, the time that
 the loan allows for repayment.</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Do not report the following: (1) loans secur
ed by a personal motor vehicle, &quot;}"><font color="#000000">Do not report the
 following: (1) loans secured by a personal motor vehicle, </font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;If applicable, you may write \&quot;on demand\&quot; or
\&quot;revolving.\&quot;&quot;}">If applicable, you may write &quot;on demand&qu
ot; or &quot;revolving.&quot;</td>
```

```
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;household furniture, or appliances, provided that the loan does not exceed the&quot;}">household furniture, or appliances, provided that the loan does not exceed the</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;item's purchase price; (2) revolving charge accounts, such as credit card balances, &quot;}">item's purchase price; (2) revolving charge accounts, such as credit card balances, </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Nothing to Report: If you do not have anything to report, write \&quot;None.\&quot;&quot;}">Nothing to Report: If you do not have anything to report, write &quot;None.&quot;</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;where the outstanding liability did not exceed $10,000 at the end of the reporting&quot;}">where the outstanding liability did not exceed $10,000 at the end of the reporting</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;period; (3) personal liabilities owed to a spouse, parent, sibling, or child of yours, &quot;}">period; (3) personal liabilities owed to a spouse, parent, sibling, or child of yours, </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;your spouse, or your dependent child; (4) liabilities of a spouse living separate&quot;}">your spouse, or your dependent child; (4) liabilities of a spouse living separate</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;and apart with the intention of terminating the marriage or providing for a &quot;}">and apart with the intention of terminating the marriage or providing for a </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
```

```
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;permanent separation; (5) liabilities of a f
ormer spouse or a spouse from whom &quot;}">permanent separation; (5) liabilitie
s of a former spouse or a spouse from whom </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font color="#000000"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;you are permanently separated; and (6) oblig
ations arising from divorce or &quot;}">you are permanently separated; and (6) o
bligations arising from divorce or </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;permanent separation.&quot;}">permanent sepa
ration.</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="26" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Mortgage Reporting&quot;}"><b>Mortgage Repor
ting</b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;The following officials are required to repo
rt mortgage information about an&quot;}">The following officials are required to
 report mortgage information about an</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
```

<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "residence they may own including a personal residence that is not rented out:"}">residence they may own including a personal residence that is not rented out:</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": " • the President"}"> • the President</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": " • the Vice-President"}"> • the Vice-President</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": " • any Presidentially appointed, Senate-confirmed (PAS) appointees and "}"> • any Presidentially appointed, Senate-confirmed (PAS) appointees and </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "nominees except for the following:"}">nominees except for the following:</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "   - Foreign Service Officers below the rank of ambassador,"}">   - Foreign Service Officers below the rank of ambassador,</td>
<td align="center" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "   - uniformed service members 0-6 or below, and"}">   - uniformed service members 0-6 or below, and</td>

<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "   - special Government employees (SGE)."}">   - special Government employees (SGE).</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "If you are not a nominee or appointee to a PAS position, you are not required to"}">If you are not a nominee or appointee to a PAS position, you are not required to</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "to report a mortgage or home equity loan secured by your personal residence, "}">to report a mortgage or home equity loan secured by your personal residence, </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="18" align="left" valign=top data-sheets-value="{ "1": 2, "2": "unless you rented out the personal residence during the reporting period."}">unless you rented out the personal residence during the reporting period.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>

```
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td colspan=3 height="16" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026) (Expires 08\/31\/2027)&quot;}"><font color="#000000">OGE Form 278e (Updated xx/2026) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td height="16" align="left" valign=middle bgcolor="#D9D9D9" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Completing Part 9 of the OGE Form 278e: Gifts and Travel Reimbursements&quot;}"><b><u><font color="#0000FF"><a href="#'Part 9'.A1">Instructions for Completing Part 9 of the OGE Form 278e: Gifts and Travel Reimbursements</a></font></u></b></td>
```

```
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#0000FF"><br>
</font></td>
                <td align="left" valign=middle bgcolor="#D9D9D9" data-sheets-val
ue="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font color="#0000FF"><br>
</font></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Period:&quot;}"><b>Reporting Perio
d:</b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Completing the Fields:&quot;}"><b>Completing the Fields:
</b></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Candidate, Nominee, or New Entrant: N\/A&quo
t;}">Candidate, Nominee, or New Entrant: N/A</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Source Name: Provide the identity of the source.&quot;}"
>Source Name: Provide the identity of the source.</td>
        </tr>
        <tr>
                <td height="22" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Annual: Preceding calendar year. &quot;}">An
nual: Preceding calendar year. </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;City\/State: Provide the source's city and state of busi
ness or residence.&quot;}">City/State: Provide the source's city and state of bu
```

```
siness or residence.</td>
        </tr>
        <tr>
                <td height="23" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;Termination: Current calendar year to ter
mination date (in addition, the preceding &quot;}">Termination: Current calendar
 year to termination date (in addition, the preceding </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Brief Description: Describe the nature of the item or re
imbursement received.&quot;}">Brief Description: Describe the nature of the item
 or reimbursement received.</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;calendar year if an Annual report for that y
ear is required but has not yet been filed).&quot;}">calendar year if an Annual
report for that year is required but has not yet been filed).</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;For travel-related gifts and reimbursements, include a t
ravel itinerary, the dates of&quot;}">For travel-related gifts and reimbursement
s, include a travel itinerary, the dates of</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;travel, and the nature of the expenses.  Although not re
quired, it is helpful to specify&quot;}">travel, and the nature of the expenses.
  Although not required, it is helpful to specify</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Reporting Requirement: &quot;}"><b>Reporting
 Requirement: </b></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;your relationship to the source or note the basis on whi
ch you accepted the gift or&quot;}">your relationship to the source or note the
basis on which you accepted the gift or</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;reimbursement.&quot;}">reimbursement.</td>
        </tr>
        <tr>
                <td height="19" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;• Report gifts totaling more than $525 that
you, your spouse, and your dependent&quot;}">• Report gifts totaling more than $
525 that you, your spouse, and your dependent</td>
```

```
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Value: Provide the fair market value of the gift(s) or t
ravel reimbursement(s).&quot;}">Value: Provide the fair market value of the gift
(s) or travel reimbursement(s).</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;children received from any one source during
 the reporting period.&quot;}">children received from any one source during the
reporting period.</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="18" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;• Report travel reimbursements totaling more
 than $525 that you, your spouse, &quot;}">• Report travel reimbursements totali
ng more than $525 that you, your spouse, </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;Nothing to Report: If you do not have anything to report
, write \&quot;None.\&quot; &quot;}">Nothing to Report: If you do not have anyth
ing to report, write &quot;None.&quot; </td>
        </tr>
        <tr>
                <td height="22" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;and your dependent children received from an
y one source during the reporting period.&quot;}">and your dependent children re
ceived from any one source during the reporting period.</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="20" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;If more than one gift or travel reimburse
ment was received from a single source:&quot;}">If more than one gift or travel
reimbursement was received from a single source:</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;(1) Determine the value of each item receive
d from that source; (2) exclude each&quot;}">(1) Determine the value of each ite
m received from that source; (2) exclude each</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
```

<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": " item valued at $210 or less; and (3) add the value of those items valued at more"}"> item valued at $210 or less; and (3) add the value of those items valued at more</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "than $210. If the total is more than $525, then you must report each item valued "}">than $210. If the total is more than $525, then you must report each item valued </td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="22" align="left" valign=top data-sheets-value="{ "1": 2, "2": "at more than $210."}">at more than $210.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "NOTE: These amounts apply to gifts and travel reimbursements received in"}">NOTE: These amounts apply to gifts and travel reimbursements received in</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="35" align="left" valign=top data-sheets-value="{ "1": 2, "2": "calendar years 2026-2028. The next three-year adjustment of these amounts is   scheduled to occur in 2029."}">calendar years 2026-2028. The next three-year adjustment of these amounts is
    scheduled to occur in 2029.</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "Exceptions: "}">Exceptions: </td>

```
>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Do not report the following: (1) anything re
ceived from a relative; (2) bequests &quot;}">Do not report the following: (1) a
nything received from a relative; (2) bequests </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;and other forms of inheritance; (3) suitable
 mementos of a function honoring you&quot;}">and other forms of inheritance; (3)
 suitable mementos of a function honoring you</td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;(e.g., retirement party); (4) food, lodging,
 transportation, and entertainment or &quot;}">(e.g., retirement party); (4) foo
d, lodging, transportation, and entertainment or </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;reimbursements provided by a foreign governm
ent within a foreign country or by &quot;}">reimbursements provided by a foreign
 government within a foreign country or by </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><br></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;the United States Government, the District o
f Columbia, or a state or local &quot;}">the United States Government, the Distr
ict of Columbia, or a state or local </td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
```

2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "government; (5) food and beverages not consu
med in connection with a gift of"}">government; (5) food and beverages not
consumed in connection with a gift of</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "overnight lodging; (6) anything given to you
r spouse or dependent child totally"}">overnight lodging; (6) anything give
n to your spouse or dependent child totally</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "independent of their relationship to you; (7
) gifts in the nature of communications "}">independent of their relationsh
ip to you; (7) gifts in the nature of communications </td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "to your office, such as subscriptions to new
spapers and periodicals; (8) gifts of "}">to your office, such as subscript
ions to newspapers and periodicals; (8) gifts of </td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "hospitality (food, lodging, entertainment) o
n the donor's personal or family "}">hospitality (food, lodging, entertainm
ent) on the donor's personal or family </td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
<td align="left" valign=top data-sheets-value="{ "1":
2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top data-sheets-value="{ &qu
ot;1": 2, "2": "premises, as defined in 5 C.F.R. Part 2634;
(9) any gifts and travel reimbursements "}">premises, as defined in 5 C.F.R
. Part 2634; (9) any gifts and travel reimbursements </td>
<td align="left" valign=top data-sheets-value="{ "1":

2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "received when you were not an employee of the United States Government; and"}">received when you were not an employee of the United States Government; and</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "(10) any reimbursements you received for political trips that were required to be"}">(10) any reimbursements you received for political trips that were required to be</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "reported under section 304 of the Federal Election Campaign Act of 1971 "}">reported under section 304 of the Federal Election Campaign Act of 1971 </td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=top data-sheets-value="{ "1": 2, "2": "(2 U.S.C. § 434)."}">(2 U.S.C. § 434).</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td align="left" valign=top data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
</table>
<!-- ** -->
<hr>
<A NAME="table1"><h1>Sheet 2: Cover Page</h1></A>
<table cellspacing="0" border="0">
	<colgroup width="229"></colgroup>
	<colgroup width="177"></colgroup>
	<colgroup width="55"></colgroup>
	<colgroup width="293"></colgroup>
	<colgroup width="226"></colgroup>
	<colgroup width="284"></colgroup>
	<tr>
		<td colspan=3 height="17" align="left" valign=top data-sheets-value="{ "1": 2, "2": "OGE Form 278e (Updated xx\/2026) (Expires 08\/31\/2027)"}">OGE Form 278e (Updated xx/2026) (Expires 08/31/2027)</td>

```
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td rowspan=7 align="left" valign=bottom data-sheets-value="{ &q
uot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br><
img src="175148001_html_234ce62a.png" width=193 height=114 hspace=16 vspace=10>
                </font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td height="19" align="left" valign=middle data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;U.S. Office of Government Ethics; 5 C.F.R
. part 2634 | Form Approved: OMB No. (3209-0001) &quot;}"><font face="Times New
Roman" color="#000000">U.S. Office of Government Ethics; 5 C.F.R. part 2634 | Fo
rm Approved: OMB No. (3209-0001) </font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman" color="#000000"
><br></font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" hei
ght="17" align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&
quot;: 2, &quot;2&quot;: &quot;Report Type: &quot;}"><font face="Times New Roman
" color="#000000">Report Type: </font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot
;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" hei
ght="22" align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&
quot;: 2, &quot;2&quot;: &quot;Year (Annual Report only):&quot;}"><font face="Ti
mes New Roman" color="#000000">Year (Annual Report only):</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
```

<td align="left" valign=bottom data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=bottom data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=bottom data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" height="18" align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ "1": 2, "2": "Date of Appointment:"}">Date of Appointment:</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "mm\/yyyyy"}">mm/yyyyy</td>
<td align="left" valign=bottom data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top sdnum="1033;0;M/D/YYYY" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=bottom data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" height="18" align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ "1": 2, "2": "Date of Termination:"}">Date of Termination:</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "mm\/yyyyy"}">mm/yyyyy</td>
<td align="left" valign=bottom data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=top sdnum="1033;0;M/D/YYYY" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td align="left" valign=bottom data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" height="18" align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ "1": 2, "2": "Appointment Type:"}">Appointment Type:</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}"><font face="Arial" color="#0033CC">
<img src="1751

```
48001_html_d4efd4cd.png" width=175 height=18 hspace=1 vspace=0>
                </font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td height="47" align="left" valign=middle data-sheets-value="{
 &quot;1&quot;: 2, &quot;2&quot;: &quot;Executive Branch Personnel Public Financi
al Disclosure Report (OGE Form 278e)&quot;}"><font face="Times New Roman" size=4
>Executive Branch Personnel Public Financial Disclosure Report (OGE Form 278e)</
font></td>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=middle data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=bottom bgcolor="#FFFFCC" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Filer's Information&quot;}"><font fa
ce="Times New Roman">Filer's Information</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="17" align="left" valign=bottom bgcolor="#FFFFCC" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;Last Name&quot;}"><font face="Times New Roman"
>Last Name</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=bottom bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2,
 &quot;2&quot;: &quot;First Name&quot;}"><font face="Times New Roman">First Name
</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=bottom bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2,
 &quot;2&quot;: &quot;MI&quot;}"><font face="Times New Roman">MI</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

```
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=bottom bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2,
 &quot;2&quot;: &quot;Position&quot;}"><font face="Times New Roman">Position</fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=bottom bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2,
 &quot;2&quot;: &quot;Agency&quot;}"><font face="Times New Roman">Agency</font><
/td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="34" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></
font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=bottom bgcolor="#FFFFCC" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Other Federal Government Positions H
eld During the Preceding 12 Months:&quot;}"><font face="Times New Roman">Other F
ederal Government Positions Held During the Preceding 12 Months:</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{
 &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033
CC"><br></font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
```

```
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=bottom bgcolor="#FFFFCC" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Name of Congressional Committee Cons
idering Nomination (Nominees only):&quot;}"><font face="Times New Roman">Name of
 Congressional Committee Considering Nomination (Nominees only):</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{
 &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033
CC"><br></font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=bottom bgcolor="#FFFFCC" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Filer's Certification – I certify th
at the statements I have made in this report are true, complete, and correct to
the best of my knowledge:&quot;}"><font face="Times New Roman">Filer's Certifica
tion – I certify that the statements I have made in this report are true, comple
te, and correct to the best of my knowledge:</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" col
span=3 height="60" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2
, &quot;2&quot;: &quot;Signature:&quot;}"><font face="Times New Roman">Signature
:</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=2 align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&qu
ot;: &quot;Date:&quot;}"><font face="Times New Roman">Date:</font></td>
                <td align="left" valign=top data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="13" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br
></font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
```

```
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-left: 2px solid
 #000000; border-right: 2px solid #000000" colspan=5 height="33" align="left" va
lign=bottom bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quo
t;: &quot;Agency Ethics Official's Opinion – On the basis of information contain
ed in this report, I conclude that the filer is in compliance with applicable la
ws and regulations \u000a(subject to any comments below)&quot;}"><font face="Tim
es New Roman">Agency Ethics Official's Opinion – On the basis of information con
tained in this report, I conclude that the filer is in compliance with applicabl
e laws and regulations <br>(subject to any comments below)</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" col
span=3 height="60" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2
, &quot;2&quot;: &quot;Signature:&quot;}"><font face="Times New Roman">Signature
:</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=2 align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&qu
ot;: &quot;Date:&quot;}"><font face="Times New Roman">Date:</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=bottom bgcolor="#FFFFCC" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Other Review Conducted By:&quot;}"><
font face="Times New Roman">Other Review Conducted By:</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" col
span=3 height="60" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2
, &quot;2&quot;: &quot;Signature:&quot;}"><font face="Times New Roman">Signature
:</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=2 align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&qu
ot;: &quot;Date:&quot;}"><font face="Times New Roman">Date:</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
```

```
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=bottom bgcolor="#FFFFCC" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;U.S. Office of Government Ethics Cer
tification (if required):&quot;}"><font face="Times New Roman">U.S. Office of Go
vernment Ethics Certification (if required):</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" col
span=3 height="60" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2
, &quot;2&quot;: &quot;Signature:&quot;}"><font face="Times New Roman">Signature
:</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=2 align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2, &quot;2&qu
ot;: &quot;Date:&quot;}"><font face="Times New Roman">Date:</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td height="13" align="left" valign=bottom data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br
></font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=bottom bgcolor="#FFFFCC" data-sheets-valu
e="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Comments of Reviewing Officials:&quo
t;}"><font face="Times New Roman">Comments of Reviewing Officials:</font></td>
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="64" align="left" valign=top data-sheets-value="{ &quot;1&quot;: 2
, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></
td>
```

```
                <td align="left" valign=bottom data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td
>
        </tr>
</table>
<!-- ************************************************************************
-->
<hr>
<A NAME="table2"><h1>Sheet 3: <em>Part 1</em></h1></A>
<table cellspacing="0" border="0">
        <colgroup width="22"></colgroup>
        <colgroup width="212"></colgroup>
        <colgroup width="119"></colgroup>
        <colgroup width="227"></colgroup>
        <colgroup width="220"></colgroup>
        <colgroup span="2" width="94"></colgroup>
        <tr>
                <td colspan=7 height="16" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026
) (Expires 08\/31\/2027)&quot;}"><font face="Times New Roman">OGE Form 278e (Upd
ated xx/2026) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td colspan=7 height="18" align="center" valign=bottom sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions
 for Part 1&quot;}"><u><font color="#0000FF"><a href="#Instructions_for_Completi
ng_Part_1_of_the_OGE_Form_278e__Filer_s_Positions_Held_Outside_United_States_Gov
ernment">Instructions for Part 1</a></font></u></td>
                </tr>
        <tr>
                <td colspan=7 height="18" align="center" valign=top bgcolor="#FF
FF00" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;If you need more pages, follow these instructions. Note: You must add pages b
efore entering information.&quot;}"><u><font color="#0000FF"><a href="https://su
pport.microsoft.com/en-us/office/move-or-copy-worksheets-or-worksheet-data-47207
967-bbb2-4e95-9b5c-3c174aa69328">If you need more pages, follow these instructio
ns. Note: You must add pages before entering information.</a></font></u></td>
                </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000" colspan=7 height="1
8" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;Note: This is a public form. Do not include account n
umbers, street addresses, or family members' names.  See instructions for requir
ed information.&quot;}"><font color="#FF0000">Note: This is a public form. Do no
t include account numbers, street addresses, or family members' names.  See inst
ructions for required information.</font></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@"
 data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Filer's Name&quot;}
"><font face="Times New Roman" color="#000000">Filer's Name</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" colspan=2 align="left" valign=middl
e bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;
Page Number&quot;}"><font face="Times New Roman" color="#000000">Page Number</fo
nt></td>
                </tr>
        <tr>
```

```
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="20" align="left" valign=middle sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0
033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=2 align="center" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
lid #000000; border-right: 2px solid #000000" colspan=7 height="20" align="left"
 valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;Part 1: Filer's Positions Held Outside United Stat
es Government&quot;}"><b><font face="Times New Roman" size=3 color="#000000">Par
t 1: Filer's Positions Held Outside United States Government</font></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="21" align="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;#&quot;}"><b><font face="Times New Roman" size
=1 color="#000000">#</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &q
uot;1&quot;: 2, &quot;2&quot;: &quot;Organization Name&quot;}"><b><font face="Ti
mes New Roman">Organization Name</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2,
 &quot;2&quot;: &quot;City\/State&quot;}"><b><font face="Times New Roman">City/S
tate</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2,
 &quot;2&quot;: &quot;Organization Type&quot;}"><b><font face="Times New Roman">
Organization Type</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=middle bgcolor=
"#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Position H
eld&quot;}"><b><font face="Times New Roman" color="#000000">Position Held</font>
</b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="center" valign=middle bgcolo
r="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;From&quo
t;}"><b><font face="Times New Roman" color="#000000">From</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;:
2, &quot;2&quot;: &quot;To &quot;}"><b><font face="Times New Roman" color="#0000
00">To </font></b></td>
        </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;1.&q
uot;}"><font face="Times New Roman">1.</font></td>
                <td style="border-top: 2px solid #000000; border-left: 1px solid
```

```
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 2px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 2px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 2px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;2.&q
uot;}"><font face="Times New Roman">2.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;3.&q
uot;}"><font face="Times New Roman">3.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
```

#000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "4."}">4.</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "5."}">5.</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid

```
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;6.&q
uot;}"><font face="Times New Roman">6.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;7.&q
uot;}"><font face="Times New Roman">7.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
```

#000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "8."}">8.</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "9."}">9.</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid

```
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;10.&
quot;}"><font face="Times New Roman">10.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;11.&
quot;}"><font face="Times New Roman">11.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
```

```
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;12.&
quot;}"><font face="Times New Roman">12.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;13.&
quot;}"><font face="Times New Roman">13.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
```

#000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "14."}">14.</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "15."}">15.</td>
<td style="border-top: 1px solid #000000; border-left: 1px solid

```
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;16.&
quot;}"><font face="Times New Roman">16.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;17.&
quot;}"><font face="Times New Roman">17.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
```

```
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;18.&
quot;}"><font face="Times New Roman">18.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;19.&quot;}"><font face="Times New Roman">19.</font
></td>
```

```
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
lid #000000; border-right: 1px solid #000000" height="32" align="left" valign=to
p sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;2
0.&quot;}"><font face="Times New Roman">20.</font></td>
                <td style="border-bottom: 2px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 2px solid #000000; border-right: 1px s
olid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quo
t;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><
br></font></td>
                <td style="border-bottom: 2px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 2px solid #000000; border-right: 1px s
olid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quo
t;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><
br></font></td>
                <td style="border-bottom: 2px solid #000000; border-right: 1px s
olid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &q
uot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"
><br></font></td>
                <td style="border-bottom: 2px solid #000000; border-left: 1px so
lid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1
033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><f
ont face="Arial" color="#0033CC"><br></font></td>
        </tr>
</table>
<!-- ************************************************************************
-->
<hr>
<A NAME="table3"><h1>Sheet 4: <em>Part 2</em></h1></A>
```

```
<table cellspacing="0" border="0">
	<colgroup width="22"></colgroup>
	<colgroup width="328"></colgroup>
	<colgroup width="38"></colgroup>
	<colgroup width="172"></colgroup>
	<colgroup width="131"></colgroup>
	<colgroup width="163"></colgroup>
	<colgroup width="133"></colgroup>
	<tr>
		<td colspan=7 height="16" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026
) (Expires 08\/31\/2027)&quot;}"><font face="Times New Roman">OGE Form 278e (Upd
ated xx/2026) (Expires 08/31/2027)</font></td>
		</tr>
	<tr>
		<td colspan=7 height="18" align="center" valign=bottom sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions
 for Part 2&quot;}"><u><font color="#0000FF"><a href="#Instructions_for_Completi
ng_Part_2_of_the_OGE_Form_278e__Filer_s_Employment_Assets___Income_and_Retiremen
t_Accounts">Instructions for Part 2</a></font></u></td>
		</tr>
	<tr>
		<td colspan=7 height="18" align="center" valign=top bgcolor="#FF
FF00" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;If you need more pages, follow these instructions. Note: You must add pages b
efore entering information.&quot;}"><u><font color="#0000FF"><a href="https://su
pport.microsoft.com/en-us/office/move-or-copy-worksheets-or-worksheet-data-47207
967-bbb2-4e95-9b5c-3c174aa69328">If you need more pages, follow these instructio
ns. Note: You must add pages before entering information.</a></font></u></td>
		</tr>
	<tr>
		<td style="border-bottom: 2px solid #000000" colspan=7 height="1
8" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;Note: This is a public form. Do not include account n
umbers, street addresses, or family members' names.  See instructions for requir
ed information.&quot;}"><font color="#FF0000">Note: This is a public form. Do no
t include account numbers, street addresses, or family members' names.  See inst
ructions for required information.</font></td>
		</tr>
	<tr>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=6 height="20" align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@"
 data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Filer's Name&quot;}
"><font face="Times New Roman">Filer's Name</font></td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=middle bgcolor=
"#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;:
 &quot;Page Number&quot;}"><font face="Times New Roman">Page Number</font></td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=6 height="17" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{
 &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033
CC"><br></font></td>
		<td style="border-right: 2px solid #000000" align="center" valig
n=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
	</tr>
```

```
        <tr>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
lid #000000; border-right: 2px solid #000000" colspan=7 height="21" align="left"
 valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;Part 2: Filer's Employment Assets &amp; Income and
 Retirement Accounts&quot;}"><b><font face="Times New Roman" size=3 color="#0000
00">Part 2: Filer's Employment Assets &amp; Income and Retirement Accounts</font
></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top b
gcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2
&quot;: &quot;#&quot;}"><b><font face="Times New Roman" color="#000000">#</font>
</b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top bgcolor="#FF
FFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Description &q
uot;}"><b><font face="Times New Roman" color="#000000">Description </font></b></
td>
                <td style="border-top: 2px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top bgcolor="#FFF
FCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;EIF&quot;}"><b>
<font face="Times New Roman" color="#000000">EIF</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &q
uot;2&quot;: &quot; Value&quot;}"><b><font face="Times New Roman" color="#000000
"> Value</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top bgcolor="#F
FFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &q
uot;Income Type&quot;}"><b><font face="Times New Roman" color="#000000">Income T
ype</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=2 align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&qu
ot;: 2, &quot;2&quot;: &quot;Income Amount &quot;}"><b><font face="Times New Rom
an" color="#000000">Income Amount </font></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;1.&quot;}"><font face="Times New Roman" color="#00
0000">1.</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><a class="comment-indicator"></a>
                <comment>Specify whether the entry qualifies as an Excepted Inve
stment Fund.  If the entry is not an investment vehicle at all, select &quot;N/A
.&quot;</comment>
                <font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
```

gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
		<comment>Select a category of income if appropriate. See Part 2 instructions for more information.
</comment>
		
</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
	<comment>Provide the exact amount of income in this field if appropriate. See Part 2 instructions for more information.
</comment>
	
</td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "2."}">2.</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "3."}">3.</td>

<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "4."}">4.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q

uot;: 2, "2": "5."}">5.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "6."}">6.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol

```
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;7.&quot;}"><font face="Times New Roman" color="#00
0000">7.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;8.&quot;}"><font face="Times New Roman" color="#00
0000">8.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
```

```
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;9.&quot;}"><font face="Times New Roman" color="#00
0000">9.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;10.&quot;}"><font face="Times New Roman" color="#0
00000">10.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
```

```
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;11.&quot;}"><font face="Times New Roman" color="#0
00000">11.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;12.&quot;}"><font face="Times New Roman" color="#0
00000">12.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "13."}">13.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "14."}">14.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}"><font

```
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;15.&quot;}"><font face="Times New Roman" color="#0
00000">15.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;16.&quot;}"><font face="Times New Roman" color="#0
00000">16.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "17."}">17.</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "18."}">18.</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu

ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "19."}"><font face="Times New Roman" color="#0
00000">19.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="21" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "20."}"><font face="Times New Roman" color="#0
00000">20.</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol

```
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
</table>
<!-- ************************************************************************
-->
<hr>
<A NAME="table4"><h1>Sheet 5: <em>Part 3</em></h1></A>
<table cellspacing="0" border="0">
        <colgroup width="22"></colgroup>
        <colgroup width="147"></colgroup>
        <colgroup width="109"></colgroup>
        <colgroup width="311"></colgroup>
        <colgroup width="249"></colgroup>
        <colgroup width="53"></colgroup>
        <colgroup width="99"></colgroup>
        <tr>
                <td colspan=7 height="16" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026
) (Expires 08\/31\/2027)&quot;}"><font face="Times New Roman">OGE Form 278e (Upd
ated xx/2026) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td colspan=7 height="18" align="center" valign=bottom sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions
 for Part 3&quot;}"><u><font color="#0000FF"><a href="#Instructions_for_Completi
ng_Part_3_of_the_OGE_Form_278e__Filer_s_Employment_Agreements_and_Arrangements">
Instructions for Part 3</a></font></u></td>
                </tr>
        <tr>
                <td colspan=7 height="18" align="center" valign=top bgcolor="#FF
FF00" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;If you need more pages, follow these instructions. Note: You must add pages b
efore entering information.&quot;}"><u><font color="#0000FF"><a href="https://su
pport.microsoft.com/en-us/office/move-or-copy-worksheets-or-worksheet-data-47207
967-bbb2-4e95-9b5c-3c174aa69328">If you need more pages, follow these instructio
ns. Note: You must add pages before entering information.</a></font></u></td>
                </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000" colspan=7 height="1
8" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;Note: This is a public form. Do not include account n
umbers, street addresses, or family members' names.  See instructions for requir
ed information.&quot;}"><font color="#FF0000">Note: This is a public form. Do no
t include account numbers, street addresses, or family members' names.  See inst
ructions for required information.</font></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@"
```

```
 data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Filer's Name&quot;}
"><font face="Times New Roman" color="#000000">Filer's Name</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" colspan=2 align="left" valign=middl
e bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quo
t;2&quot;: &quot;Page Number&quot;}"><font face="Times New Roman" color="#000000
">Page Number</font></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="20" align="left" valign=middle sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0
033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=2 align="center" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
lid #000000; border-right: 2px solid #000000" colspan=7 height="20" align="left"
 valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;Part 3: Filer's Employment Agreements and Arrangem
ents &quot;}"><b><font face="Times New Roman" size=3>Part 3: Filer's Employment
Agreements and Arrangements </font></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="17" align="left" valign=bottom bgcolor="#FFFFCC" sdnum="1033;0;@" data-shee
ts-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;#&quot;}"><b><font face="Time
s New Roman" color="#000000">#</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=middle bgcolor=
"#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;:
 &quot;Employer or Party&quot;}"><b><font face="Times New Roman" color="#000000"
>Employer or Party</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-s
heets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;City\/State&quot;}"><b><fo
nt face="Times New Roman" color="#000000">City/State</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Status and Terms &quot;}"><b><f
ont face="Times New Roman" color="#000000">Status and Terms </font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=middle bgcolo
r="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot
;: &quot;Date&quot;}"><b><font face="Times New Roman" color="#000000">Date</font
></b></td>
        </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;1.&quot;}"><font face="Times New Roman">1.</font><
/td>
```

```
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;2.&quot;}"><font face="Times New Roman" color="#00
0000">2.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;3.&quot;}"><font face="Times New Roman">3.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
```

```
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;4.&quot;}"><font face="Times New Roman" color="#00
0000">4.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;5.&quot;}"><font face="Times New Roman">5.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;6.&quot;}"><font face="Times New Roman" color="#00
0000">6.</font></td>
```

```
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;7.&quot;}"><font face="Times New Roman">7.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;8.&quot;}"><font face="Times New Roman" color="#00
0000">8.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
```

```
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;9.&quot;}"><font face="Times New Roman">9.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;
1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br
></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="50" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;10.&
quot;}"><font face="Times New Roman" color="#000000">10.</font></td>
                <td style="border-top: 1px solid #000000; border-right: 1px soli
d #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br>
</font></td>
                <td style="border-top: 1px solid #000000" align="left" valign=to
p sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&
quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdn
um="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;
}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 2px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;11.&quot;}"><font face="Times New Roman" color="#0
00000">11.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
```

```
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="50" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;12.&quot;}"><font face="Times New Roman" color="#0
00000">12.</font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
	</tr>
</table>
<!-- ************************************************************************
-->
<hr>
<A NAME="table5"><h1>Sheet 6: <em>Part 4</em></h1></A>
<table cellspacing="0" border="0">
	<colgroup width="22"></colgroup>
	<colgroup width="218"></colgroup>
	<colgroup width="109"></colgroup>
	<colgroup width="185"></colgroup>
	<colgroup width="239"></colgroup>
	<colgroup width="131"></colgroup>
	<colgroup width="79"></colgroup>
	<tr>
		<td colspan=7 height="16" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026
) (Expires 08\/31\/2027)&quot;}"><font face="Times New Roman">OGE Form 278e (Upd
ated xx/2026) (Expires 08/31/2027)</font></td>
		</tr>
	<tr>
		<td colspan=7 height="18" align="center" valign=bottom data-shee
```

```
ts-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Part 4&quot;
}"><u><font color="#0000FF"><a href="#Instructions_for_Completing_Part_4_of_the_
OGE_Form_278e__Filer_s_Sources_of_Compensation_Exceeding__5_000_in_a_Year">Instr
uctions for Part 4</a></font></u></td>
                </tr>
        <tr>
                <td colspan=7 height="18" align="center" valign=top bgcolor="#FF
FF00" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;If you need more pages, follow these instructions. Note: You must add pages b
efore entering information.&quot;}"><u><font color="#0000FF"><a href="https://su
pport.microsoft.com/en-us/office/move-or-copy-worksheets-or-worksheet-data-47207
967-bbb2-4e95-9b5c-3c174aa69328">If you need more pages, follow these instructio
ns. Note: You must add pages before entering information.</a></font></u></td>
                </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000" colspan=7 height="1
8" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quo
t;: &quot;Note: This is a public form. Do not include account numbers, street ad
dresses, or family members' names.  See instructions for required information.&q
uot;}"><font color="#FF0000">Note: This is a public form. Do not include account
 numbers, street addresses, or family members' names.  See instructions for requ
ired information.</font></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="20" align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@"
 data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Filer's Name&quot;}
"><font face="Times New Roman" color="#000000">Filer's Name</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" colspan=2 align="left" valign=middl
e bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;
Page Number&quot;}"><font face="Times New Roman" color="#000000">Page Number</fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{
 &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033
CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=2 align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></
font></td>
                </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
lid #000000; border-right: 2px solid #000000" colspan=7 height="20" align="left"
 valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&
quot;: &quot;Part 4: Filer's Sources of Compensation Exceeding $5,000 in a Year
&quot;}"><b><font face="Times New Roman" size=3>Part 4: Filer's Sources of Compe
nsation Exceeding $5,000 in a Year </font></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;#&quot;}"><b><font face="Times New Roman" size
```

=1 color="#000000">#</td>
		<td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000" align="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &q
uot;1": 2, "2": "Source Name"}"><font face="Times Ne
w Roman">Source Name</td>
		<td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000" align="left" valign=middle bgcolor="
#FFFFCC" data-sheets-value="{ "1": 2, "2": "City\/State
"}">City/State</td>
		<td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ "1
": 2, "2": "Brief Description of Duties"}"><font fac
e="Times New Roman">Brief Description of Duties</td>
	</tr>
	<tr>
		<td style="border-top: 2px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "1.&q
uot;}">1.</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "
1": 2, "2": ""}">
</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" colspan=4 align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "&quo
t;}">
</td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "2.&q
uot;}">2.</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "
1": 2, "2": ""}">
</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" colspan=4 align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "&quo
t;}">
</td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "3.&q
uot;}">3.</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "
1": 2, "2": ""}">
</td>

```
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" colspan=4 align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quo
t;}"><font face="Arial" color="#0033CC"><br></font></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;4.&q
uot;}"><font face="Times New Roman">4.</font></td>
                <td style="border-top: 1px solid #000000" align="left" valign=to
p sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&
quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 2px soli
d #000000" colspan=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value=
"{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#00
33CC"><br></font></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;5.&quot;}"><font face="Times New Roman">5.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;6.&quot;}"><font face="Times New Roman">6.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
```

```
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;7.&quot;}"><font face="Times New Roman">7.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;8.&quot;}"><font face="Times New Roman">8.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;9.&quot;}"><font face="Times New Roman">9.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
```

```
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;10.&quot;}"><font face="Times New Roman">10.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;11.&quot;}"><font face="Times New Roman">11.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;12.&quot;}"><font face="Times New Roman">12.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
```

```
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;13.&quot;}"><font face="Times New Roman">13.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;14.&quot;}"><font face="Times New Roman">14.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;15.&quot;}"><font face="Times New Roman">15.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
```

<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" colspan=4 align="left" valign=top s
dnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "&quo
t;}">
</td>
</tr>
<tr>
<td style="border-bottom: 1px solid #000000; border-left: 2px so
lid #000000; border-right: 1px solid #000000" height="32" align="left" valign=to
p sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "1
6."}">16.</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ "1": 2, "2": ""}"><fon
t face="Arial" color="#0033CC">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ "1": 2, "2": ""}"><fon
t face="Arial" color="#0033CC">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 2px solid #000000" colspan=4 align="left" valign=top
sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "&qu
ot;}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "17."}">17.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "18."}">18.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo

```
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
		</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;19.&quot;}"><font face="Times New Roman">19.</font
></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
		</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="23" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;20.&quot;}"><font face="Times New Roman">20.</font
></td>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=4 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
		</tr>
</table>
<!-- ************************************************************************
-->
<hr>
<A NAME="table6"><h1>Sheet 7: <em>Part 5</em></h1></A>
<table cellspacing="0" border="0">
	<colgroup width="22"></colgroup>
	<colgroup width="328"></colgroup>
	<colgroup width="38"></colgroup>
	<colgroup width="172"></colgroup>
	<colgroup width="131"></colgroup>
	<colgroup width="163"></colgroup>
	<colgroup width="133"></colgroup>
	<tr>
		<td colspan=7 height="16" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026
) (Expires 08\/31\/2027)&quot;}"><font face="Times New Roman">OGE Form 278e (Upd
```

```
ated xx/2026) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td colspan=7 height="18" align="center" valign=bottom data-shee
ts-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Part 5&quot;
}"><u><font color="#0000FF"><a href="#Instructions_for_Completing_Part_5_of_the_
OGE_Form_278e__Spouse_s_Employment_Assets___Income_and_Retirement_Accounts">Inst
ructions for Part 5</a></font></u></td>
                </tr>
        <tr>
                <td colspan=7 height="18" align="center" valign=top bgcolor="#FF
FF00" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;If you need more pages, follow these instructions. Note: You must add pages b
efore entering information.&quot;}"><u><font color="#0000FF"><a href="https://su
pport.microsoft.com/en-us/office/move-or-copy-worksheets-or-worksheet-data-47207
967-bbb2-4e95-9b5c-3c174aa69328">If you need more pages, follow these instructio
ns. Note: You must add pages before entering information.</a></font></u></td>
                </tr>
        <tr>
                <td colspan=7 height="18" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Note: This is a public form. Do
 not include account numbers, street addresses, or family members' names.  See i
nstructions for required information.&quot;}"><font color="#FF0000">Note: This i
s a public form. Do not include account numbers, street addresses, or family mem
bers' names.  See instructions for required information.</font></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=6 height="20" align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@"
 data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Filer's Name&quot;}
"><font face="Times New Roman">Filer's Name</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=middle bgcolor=
"#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;:
 &quot;Page Number&quot;}"><font face="Times New Roman">Page Number</font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=6 height="17" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{
 &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033
CC"><br></font></td>
                <td style="border-right: 2px solid #000000" align="center" valig
n=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
lid #000000; border-right: 2px solid #000000" colspan=7 height="21" align="left"
 valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;Part 5: Spouse's Employment Assets &amp;amp; Income an
d Retirement Accounts&quot;}"><b><font face="Times New Roman" size=3 color="#000
000">Part 5: Spouse's Employment Assets &amp;amp; Income and Retirement Accounts</fo
nt></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top b
gcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2
```

```
&quot;: &quot;#&quot;}"><b><font face="Times New Roman" color="#000000">#</font>
</b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top bgcolor="#FF
FFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Description&qu
ot;}"><b><font face="Times New Roman" color="#000000">Description</font></b></td
>
                <td style="border-top: 2px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top bgcolor="#FFF
FCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;EIF&quot;}"><b>
<font face="Times New Roman" color="#000000">EIF</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &q
uot;2&quot;: &quot; Value&quot;}"><b><font face="Times New Roman" color="#000000
"> Value</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top bgcolor="#F
FFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &q
uot;Income Type&quot;}"><b><font face="Times New Roman" color="#000000">Income T
ype</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=2 align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&qu
ot;: 2, &quot;2&quot;: &quot;Income Amount &quot;}"><b><font face="Times New Rom
an" color="#000000">Income Amount </font></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;1.&quot;}"><font face="Times New Roman" color="#00
0000">1.</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><a class="comment-indicator"></a>
                <comment>Specify whether the entry qualifies as an Excepted Inve
stment Fund.  If the entry is not an investment vehicle at all, select &quot;N/A
.&quot;
</comment>
                <font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><a cla
ss="comment-indicator"></a>
                <comment>Select a category of income if appropriate.  See Part 5
 instructions for more information.
```

```
</comment>
                <font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><a cl
ass="comment-indicator"></a>
        <comment>Provide the exact amount of income in this field if appropriate
.  See Part 5 instructions for more information.</comment>
        <font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;2.&quot;}"><font face="Times New Roman" color="#00
0000">2.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;3.&quot;}"><font face="Times New Roman" color="#00
0000">3.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

```
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;4.&quot;}"><font face="Times New Roman" color="#00
0000">4.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;5.&quot;}"><font face="Times New Roman" color="#00
0000">5.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
```

```
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;6.&quot;}"><font face="Times New Roman" color="#00
0000">6.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;7.&quot;}"><font face="Times New Roman" color="#00
0000">7.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
```

lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ "1": 2, "2": ""}"><fon
t face="Arial" color="#0033CC">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1": 2, "2": ""}"><b
r></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "8."}"><font face="Times New Roman" color="#00
0000">8.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ "1": 2, "2": ""}"><fon
t face="Arial" color="#0033CC">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1": 2, "2": ""}"><b
r></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "9."}"><font face="Times New Roman" color="#00
0000">9.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &

quot;2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "10."}">10.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "11."}">11.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol

```
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;12.&quot;}"><font face="Times New Roman" color="#0
00000">12.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;13.&quot;}"><font face="Times New Roman" color="#0
00000">13.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
```

```
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;14.&quot;}"><font face="Times New Roman" color="#0
00000">14.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;15.&quot;}"><font face="Times New Roman" color="#0
00000">15.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
amp;quot;2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "16."}"><font face="Times New Roman" color="#0
00000">16.</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
amp;quot;2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "17."}"><font face="Times New Roman" color="#0

```
00000">17.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;18.&quot;}"><font face="Times New Roman" color="#0
00000">18.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
```

ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "19."}">19.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 2px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="24" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "20."}">20.</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
</table>

<!-- **
-->
<hr>
<A NAME="table7"><h1>Sheet 8: Part 6</h1></A>
<table cellspacing="0" border="0">
	<colgroup width="22"></colgroup>
	<colgroup width="328"></colgroup>
	<colgroup width="38"></colgroup>
	<colgroup width="172"></colgroup>
	<colgroup width="131"></colgroup>
	<colgroup width="163"></colgroup>
	<colgroup width="133"></colgroup>
	<tr>
		<td colspan=7 height="16" align="left" valign=middle data-sheets
-value="{ "1": 2, "2": "OGE Form 278e (Updated xx\/2026
) (Expires 08\/31\/2027)"}">OGE Form 278e (Upd
ated xx/2026) (Expires 08/31/2027)</td>
		</tr>
	<tr>
		<td colspan=7 height="18" align="center" valign=bottom data-shee
ts-value="{ "1": 2, "2": "Instructions for Part 6 &quot
;}"><u><a href="#Instructions_for_Completing_Part_6_of_the
_OGE_Form_278e__Other_Assets_and_Income">Instructions for Part 6 </u>
</td>
		</tr>
	<tr>
		<td colspan=7 height="18" align="center" valign=top bgcolor="#FF
FF00" sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": &qu
ot;If you need more pages, follow these instructions. Note: You must add pages b
efore entering information."}"><u><a href="https://su
pport.microsoft.com/en-us/office/move-or-copy-worksheets-or-worksheet-data-47207
967-bbb2-4e95-9b5c-3c174aa69328">If you need more pages, follow these instructio
ns. Note: You must add pages before entering information.</u></td>
		</tr>
	<tr>
		<td style="border-bottom: 2px solid #000000" colspan=7 height="1
8" align="left" valign=middle data-sheets-value="{ "1": 2, "2&quo
t;: "Note: This is a public form. Do not include account numbers, street ad
dresses, or family members' names. See instructions for required information.&q
uot;}">Note: This is a public form. Do not include account
 numbers, street addresses, or family members' names. See instructions for requ
ired information.</td>
		</tr>
	<tr>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=6 height="20" align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@"
 data-sheets-value="{ "1": 2, "2": "Filer's Name"}
">Filer's Name</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=middle bgcolor=
"#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2":
 "Page Number"}">Page Number</td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=6 height="17" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{
 "1": 2, "2": ""}"><font face="Arial" color="#0033
CC">
</td>

```
                <td style="border-right: 2px solid #000000" align="center" valig
n=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
lid #000000; border-right: 2px solid #000000" colspan=7 height="21" align="left"
 valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;Part 6: Other Assets and Income&quot;}"><b><font f
ace="Times New Roman" size=3 color="#000000">Part 6: Other Assets and Income</fo
nt></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-left: 2px solid
 #000000; border-right: 1px solid #000000" height="32" align="left" valign=top b
gcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2
&quot;: &quot;#&quot;}"><b><font face="Times New Roman" color="#000000">#</font>
</b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top bgcolor="#FF
FFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Description &q
uot;}"><b><font face="Times New Roman" color="#000000">Description </font></b></
td>
                <td style="border-top: 2px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top bgcolor="#FFF
FCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;EIF&quot;}"><b>
<font face="Times New Roman" color="#000000">EIF</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &q
uot;2&quot;: &quot; Value&quot;}"><b><font face="Times New Roman" color="#000000
"> Value</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 1px solid #000000" align="left" valign=top bgcolor="#F
FFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &q
uot;Income Type&quot;}"><b><font face="Times New Roman" color="#000000">Income T
ype</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" col
span=2 align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&qu
ot;: 2, &quot;2&quot;: &quot;Income Amount &quot;}"><b><font face="Times New Rom
an" color="#000000">Income Amount </font></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;1.&quot;}"><font face="Times New Roman" color="#00
0000">1.</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><a class="comment-indicator"></a>
                <comment>Specify whether the entry qualifies as an Excepted Inve
stment Fund.  If the entry is not an investment vehicle at all, select &quot;N/A
.&quot;
```

</comment>
		
</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ "1": 2, "2": ""}"><a cla
ss="comment-indicator">
		<comment>Select a category of income if appropriate. See Part 6
 instructions for more information.
</comment>
		
</td>
		<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}"><a cl
ass="comment-indicator">
	<comment>Provide the exact amount of income in this field if appropriate
. See Part 6 instructions for more information.
</comment>
	
</td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "2."}"><font face="Times New Roman" color="#00
0000">2.</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
		<td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ "1": 2, "2": ""}"><fon
t face="Arial" color="#0033CC">
</td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
		<td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1": 2, "2": ""}"><b
r></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol

```
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;3.&quot;}"><font face="Times New Roman" color="#00
0000">3.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;4.&quot;}"><font face="Times New Roman" color="#00
0000">4.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
```

```
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;5.&quot;}"><font face="Times New Roman" color="#00
0000">5.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;6.&quot;}"><font face="Times New Roman" color="#00
0000">6.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
```

```
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;7.&quot;}"><font face="Times New Roman" color="#00
0000">7.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;8.&quot;}"><font face="Times New Roman" color="#00
0000">8.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

```
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;9.&quot;}"><font face="Times New Roman" color="#00
0000">9.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="103
3;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fon
t face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;10.&quot;}"><font face="Times New Roman" color="#0
00000">10.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
```

```
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;11.&quot;}"><font face="Times New Roman" color="#0
00000">11.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;12.&quot;}"><font face="Times New Roman" color="#0
00000">12.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "13."}">13.</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "14."}">14.</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu

ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "15."}"><font face="Times New Roman" color="#0
00000">15.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "16."}"><font face="Times New Roman" color="#0
00000">16.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol

```
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;17.&quot;}"><font face="Times New Roman" color="#0
00000">17.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;18.&quot;}"><font face="Times New Roman" color="#0
00000">18.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
```

ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "19."}"><font face="Times New Roman" color="#0
00000">19.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="27" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "20."}"><font face="Times New Roman" color="#0
00000">20.</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol

```
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033
;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
 face="Arial" color="#0033CC"><br></font></td>
        </tr>
</table>
<!-- ************************************************************************
-->
<hr>
<A NAME="table8"><h1>Sheet 9: <em>Part 7</em></h1></A>
<table cellspacing="0" border="0">
        <colgroup width="22"></colgroup>
        <colgroup width="227"></colgroup>
        <colgroup width="195"></colgroup>
        <colgroup span="2" width="138"></colgroup>
        <colgroup width="245"></colgroup>
        <tr>
                <td colspan=7 height="16" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026
) (Expires 08\/31\/2027)&quot;}"><font face="Times New Roman">OGE Form 278e (Upd
ated xx/2026) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td colspan=6 height="18" align="center" valign=bottom data-shee
ts-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Part 7&quot;
}"><u><font color="#0000FF"><a href="#Instructions_for_Completing_Part_7_of_the_
OGE_Form_278e__Transactions">Instructions for Part 7</a></font></u></td>
                </tr>
        <tr>
                <td colspan=6 height="18" align="center" valign=top bgcolor="#FF
FF00" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;If you need more pages, follow these instructions. Note: You must add pages b
efore entering information.&quot;}"><u><font color="#0000FF"><a href="https://su
pport.microsoft.com/en-us/office/move-or-copy-worksheets-or-worksheet-data-47207
967-bbb2-4e95-9b5c-3c174aa69328">If you need more pages, follow these instructio
ns. Note: You must add pages before entering information.</a></font></u></td>
                </tr>
        <tr>
                <td colspan=6 height="18" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Note: This is a public form. Do
 not include account numbers, street addresses, or family members' names.  See i
nstructions for required information.&quot;}"><font color="#FF0000">Note: This i
s a public form. Do not include account numbers, street addresses, or family mem
bers' names.  See instructions for required information.</font></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000" colspan=5 height="20" align="left" v
align=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
```

```
t;: 2, &quot;2&quot;: &quot;Filer's Name&quot;}"><font face="Times New Roman" co
lor="#000000">Filer's Name</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{
&quot;1&quot;: 2, &quot;2&quot;: &quot;Page Number&quot;}"><font face="Times New
 Roman" color="#000000">Page Number</font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000" colspan=5 height="17" align="left" v
align=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;:
 &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
lid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1
033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><f
ont face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-left: 2px solid
 #000000; border-right: 2px solid #000000" colspan=6 height="21" align="left" va
lign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot
;: 2, &quot;2&quot;: &quot;Part 7: Transactions &quot;}"><b><font face="Times Ne
w Roman" size=3 color="#000000">Part 7: Transactions </font></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-
value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;#&quot;}"><b><font face="Times N
ew Roman" color="#000000">#</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&qu
ot;: 2, &quot;2&quot;: &quot;Description&quot;}"><b><font face="Times New Roman"
 color="#000000">Description</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &qu
ot;1&quot;: 2, &quot;2&quot;: &quot;Type&quot;}"><b><font face="Times New Roman"
 color="#000000">Type</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top bgcolor="#FF
FFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;Date &quot;}"><b><font face="Times New Roman" color="#000000">Date </font></b
></td>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &q
uot;2&quot;: &quot;Amount &quot;}"><b><font face="Times New Roman" color="#00000
0">Amount </font></b></td>
        </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;1.&quot;}"><font face="Times New Roman">1.</font><
/td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
```

```
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;2.&quot;}"><font face="Times New Roman">2.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;3.&quot;}"><font face="Times New Roman">3.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

```
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;4.&quot;}"><font face="Times New Roman">4.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;5.&quot;}"><font face="Times New Roman">5.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;6.&quot;}"><font face="Times New Roman">6.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
```

```
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;7.&quot;}"><font face="Times New Roman">7.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;8.&quot;}"><font face="Times New Roman">8.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

```
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;9.&quot;}"><font face="Times New Roman">9.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;10.&quot;}"><font face="Times New Roman">10.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;11.&quot;}"><font face="Times New Roman">11.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
```

```
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;12.&quot;}"><font face="Times New Roman">12.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;13.&quot;}"><font face="Times New Roman">13.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

```
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;14.&quot;}"><font face="Times New Roman">14.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;15.&quot;}"><font face="Times New Roman">15.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;16.&quot;}"><font face="Times New Roman">16.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
```

```
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;17.&quot;}"><font face="Times New Roman">17.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;18.&quot;}"><font face="Times New Roman">18.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

```
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;19.&quot;}"><font face="Times New Roman">19.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="23" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;20.&quot;}"><font face="Times New Roman">20.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
</table>
<!-- ************************************************************************
-->
<hr>
<A NAME="table9"><h1>Sheet 10: <em>Part 8</em></h1></A>
<table cellspacing="0" border="0">
        <colgroup width="22"></colgroup>
        <colgroup width="184"></colgroup>
```

```
        <colgroup width="72"></colgroup>
        <colgroup width="116"></colgroup>
        <colgroup width="87"></colgroup>
        <colgroup width="162"></colgroup>
        <colgroup width="98"></colgroup>
        <colgroup span="2" width="124"></colgroup>
        <tr>
                <td colspan=9 height="16" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026
) (Expires 08\/31\/2027)&quot;}"><font face="Times New Roman">OGE Form 278e (Upd
ated xx/2026) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
                <td colspan=9 height="18" align="center" valign=bottom data-shee
ts-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Part 8&quot;
}"><u><font color="#0000FF"><a href="#Instructions_for_Completing_Part_8_of_the_
OGE_Form_278e__Liabilities">Instructions for Part 8</a></font></u></td>
                </tr>
        <tr>
                <td style="border-right: 1px solid #b2b2b2" colspan=9 height="18
" align="center" valign=top bgcolor="#FFFF00" sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;If you need more pages, follow these
instructions. Note: You must add pages before entering information.&quot;}"><u><
font color="#0000FF"><a href="https://support.microsoft.com/en-us/office/move-or
-copy-worksheets-or-worksheet-data-47207967-bbb2-4e95-9b5c-3c174aa69328">If you
need more pages, follow these instructions. Note: You must add pages before ente
ring information.</a></font></u></td>
                </tr>
        <tr>
                <td colspan=9 height="18" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Note: This is a public form. Do
 not include account numbers, street addresses, or family members' names.  See i
nstructions for required information.&quot;}"><font color="#FF0000">Note: This i
s a public form. Do not include account numbers, street addresses, or family mem
bers' names.  See instructions for required information.</font></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=8 height="20" align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@"
 data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Filer's Name&quot;}
"><font face="Times New Roman" color="#000000">Filer's Name</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="left" valign=middle bgcolor=
"#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;:
 &quot;Page Number&quot;}"><font face="Times New Roman" color="#000000">Page Num
ber</font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=8 height="17" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{
 &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033
CC"><br></font></td>
                <td style="border-right: 2px solid #000000" align="center" valig
n=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
```

```
lid #000000; border-right: 2px solid #000000" colspan=9 height="21" align="left"
 valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;Part 8: Liabilities&quot;}"><b><font face="Times N
ew Roman" size=3 color="#000000">Part 8: Liabilities</font></b></td>
                </tr>
        <tr>
                <td style="border-bottom: 1px solid #000000; border-left: 2px so
lid #000000; border-right: 1px solid #000000" height="32" align="left" valign=to
p bgcolor="#FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quo
t;2&quot;: &quot;#&quot;}"><b><font face="Times New Roman" color="#000000">#</fo
nt></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&qu
ot;: 2, &quot;2&quot;: &quot;Creditor Name&quot;}"><b><font face="Times New Roma
n" color="#000000">Creditor Name</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&qu
ot;: 2, &quot;2&quot;: &quot;Type &quot;}"><b><font face="Times New Roman" color
="#000000">Type </font></b></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top bgcolor="#
FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &
quot;Amount &quot;}"><b><font face="Times New Roman" color="#000000">Amount </fo
nt></b></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top bgcolor="#
FFFFCC" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &
quot;Year Incurred&quot;}"><b><font face="Times New Roman" color="#000000">Year
Incurred</font></b></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 1px solid #000000" align="left" valign=top bgcolor="#
FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Rate &quot;}
"><b><font face="Times New Roman" color="#000000">Rate </font></b></td>
                <td style="border-bottom: 1px solid #000000; border-left: 1px so
lid #000000; border-right: 2px solid #000000" align="left" valign=top bgcolor="#
FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Term &quot;}
"><b><font face="Times New Roman" color="#000000">Term </font></b></td>
        </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;1.&quot;}"><font face="Times New Roman">1.</font><
/td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
```

<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "2."}">2.<
/td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "3."}">3.<
/td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}"><font face="Arial" color="#0033CC">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo

```
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;4.&quot;}"><font face="Times New Roman">4.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;5.&quot;}"><font face="Times New Roman">5.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
```

span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" colspan=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "6."}">6.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" colspan=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" colspan=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol

id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "7."}">7.<
/td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "8."}">8.<
/td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol

```
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;9.&quot;}"><font face="Times New Roman">9.</font><
/td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;10.&quot;}"><font face="Times New Roman">10.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
```

```
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;11.&quot;}"><font face="Times New Roman">11.</font
></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
	</tr>
	<tr>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;12.&quot;}"><font face="Times New Roman">12.</font
></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
		<td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

```
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;13.&quot;}"><font face="Times New Roman">13.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;14.&quot;}"><font face="Times New Roman">14.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
```

<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "15."}">15.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "16."}"><font face="Times New Roman">16.</font

```
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;17.&quot;}"><font face="Times New Roman">17.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
```

```
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;18.&quot;}"><font face="Times New Roman">18.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;19.&quot;}"><font face="Times New Roman">19.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
```

```
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="26" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;20.&quot;}"><font face="Times New Roman">20.</font
></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=2 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
</table>
<!-- ************************************************************************
-->
<hr>
<A NAME="table10"><h1>Sheet 11: <em>Part 9</em></h1></A>
<table cellspacing="0" border="0">
        <colgroup width="22"></colgroup>
        <colgroup width="209"></colgroup>
        <colgroup width="109"></colgroup>
        <colgroup width="200"></colgroup>
        <colgroup width="276"></colgroup>
        <colgroup width="94"></colgroup>
        <colgroup width="79"></colgroup>
        <tr>
                <td colspan=9 height="16" align="left" valign=middle data-sheets
-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated xx\/2026
) (Expires 08\/31\/2027)&quot;}"><font face="Times New Roman">OGE Form 278e (Upd
ated xx/2026) (Expires 08/31/2027)</font></td>
                </tr>
        <tr>
```

```
                <td colspan=7 height="18" align="center" valign=bottom data-shee
ts-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Instructions for Part 9&quot;
}"><u><font color="#0000FF"><a href="#Instructions_for_Completing_Part_9_of_the_
OGE_Form_278e__Gifts_and_Travel_Reimbursements">Instructions for Part 9</a></fon
t></u></td>
                </tr>
        <tr>
                <td colspan=7 height="18" align="center" valign=top bgcolor="#FF
FF00" sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &qu
ot;If you need more pages, follow these instructions. Note: You must add pages b
efore entering information.&quot;}"><u><font color="#0000FF"><a href="https://su
pport.microsoft.com/en-us/office/move-or-copy-worksheets-or-worksheet-data-47207
967-bbb2-4e95-9b5c-3c174aa69328">If you need more pages, follow these instructio
ns. Note: You must add pages before entering information.</a></font></u></td>
                </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000" colspan=7 height="1
8" align="left" valign=middle data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quo
t;: &quot;Note: This is a public form. Do not include account numbers, street ad
dresses, or family members' names.  See instructions for required information.&q
uot;}"><font color="#FF0000">Note: This is a public form. Do not include account
 numbers, street addresses, or family members' names.  See instructions for requ
ired information.</font></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="20" align="left" valign=middle bgcolor="#FFFFCC" sdnum="1033;0;@"
 data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Filer's Name&quot;}
"><font face="Times New Roman" color="#000000">Filer's Name</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" colspan=2 align="left" valign=middl
e bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;
Page Number&quot;}"><font face="Times New Roman" color="#000000">Page Number</fo
nt></td>
                </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=5 height="17" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{
 &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033
CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 2px solid #000000" col
span=2 align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></
font></td>
                </tr>
        <tr>
                <td style="border-bottom: 2px solid #000000; border-left: 2px so
lid #000000; border-right: 2px solid #000000" colspan=7 height="21" align="left"
 valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&
quot;: &quot;Part 9: Gifts and Travel Reimbursements &quot;}"><b><font face="Tim
es New Roman" size=3>Part 9: Gifts and Travel Reimbursements </font></b></td>
                </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000" height="32" align="left" valign=midd
le bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot
;#&quot;}"><b><font color="#000000">#</font></b></td>
```

```
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2,
 &quot;2&quot;: &quot;Source Name&quot;}"><b><font face="Times New Roman" color=
"#000000">Source Name</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2,
 &quot;2&quot;: &quot;City\/State&quot;}"><b><font face="Times New Roman" color=
"#000000">City/State</font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=middle bgcolor="#FFFFCC" data-sheets-value="{ &quot;1
&quot;: 2, &quot;2&quot;: &quot;Brief Description &quot;}"><b><font face="Times
New Roman" color="#000000">Brief Description </font></b></td>
                <td style="border-top: 2px solid #000000; border-bottom: 2px sol
id #000000; border-right: 2px solid #000000" align="center" valign=middle bgcolo
r="#FFFFCC" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Value&qu
ot;}"><b><font face="Times New Roman" color="#000000">Value</font></b></td>
        </tr>
        <tr>
                <td style="border-top: 2px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;1.&quot;}"><font face="Times New Roma
n">1.</font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 2px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;2.&quot;}"><font face="Times New Roma
n">2.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
```

```
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;3.&quot;}"><font face="Times New Roma
n">3.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;
0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font
face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="10
33;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><fo
nt face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;4.&quot;}"><font face="Times New Roma
n" color="#000000">4.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&
quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br><
/font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdn
um="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;
}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 2px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;5.&quot;}"><font face="Times New Roma
n" color="#000000">5.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&
quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br><
/font></td>
```

```
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdn
um="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;
}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 2px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;6.&quot;}"><font face="Times New Roma
n" color="#000000">6.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&
quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br><
/font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdn
um="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;
}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 2px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;7.&quot;}"><font face="Times New Roma
n" color="#000000">7.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&
quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br><
/font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdn
um="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;
}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 2px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
```

```
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;8.&quot;}"><font face="Times New Roma
n" color="#000000">8.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&
quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br><
/font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdn
um="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;
}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 2px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;9.&quot;}"><font face="Times New Roma
n" color="#000000">9.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&
quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br><
/font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdn
um="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;
}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 2px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><b
r></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-left: 2px solid
 #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value
="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;10.&quot;}"><font face="Times New Rom
an" color="#000000">10.</font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&
quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br><
/font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0
;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font f
ace="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-left: 1px solid
 #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdn
um="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;
}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-right: 2px soli
d #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot
```

;1": 2, "2": ""}">
</td>
		</tr>
		<tr>
			<td style="border-top: 1px solid #000000; border-left: 2px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "11."}">11.</td>
			<td style="border-top: 1px solid #000000; border-left: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
			<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
			<td style="border-top: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
			<td style="border-top: 1px solid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
		</tr>
		<tr>
			<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "12."}">12.</td>
			<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
			<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
			<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" colspan=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
			<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" align="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
		</tr>
		<tr>
			<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" height="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "13."}">13.</td>
			<td style="border-top: 1px solid #000000; border-bottom: 1px solid #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
			<td style="border-top: 1px solid #000000; border-bottom: 1px sol

```
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;14.&quot;}"><font face="Times New Roman" color="#0
00000">14.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;15.&quot;}"><font face="Times New Roman" color="#0
00000">15.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
```

```
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;16.&quot;}"><font face="Times New Roman" color="#0
00000">16.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;17.&quot;}"><font face="Times New Roman" color="#0
00000">17.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quo
t;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></fo
nt></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &
quot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
        </tr>
        <tr>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&q
uot;: 2, &quot;2&quot;: &quot;18.&quot;}"><font face="Times New Roman" color="#0
00000">18.</font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &qu
ot;2&quot;: &quot;&quot;}"><font face="Arial" color="#0033CC"><br></font></td>
                <td style="border-top: 1px solid #000000; border-bottom: 1px sol
```

id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="32" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "19."}"><font face="Times New Roman" color="#0
00000">19.</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 1px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>
</tr>
<tr>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 2px solid #000000; border-right: 1px solid #000000" hei
ght="24" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&q
uot;: 2, "2": "20."}"><font face="Times New Roman" color="#0
00000">20.</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" ali
gn="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &qu
ot;2": ""}">
</td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 1px solid #000000" col
span=3 align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1&quo
t;: 2, "2": ""}">
</fo
nt></td>
<td style="border-top: 1px solid #000000; border-bottom: 2px sol
id #000000; border-left: 1px solid #000000; border-right: 2px solid #000000" ali
gn="center" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, &
quot;2": ""}">
</td>

```
        </tr>
</table>
<!-- ************************************************************************
-->
<hr>
<A NAME="table11"><h1>Sheet 12: <em>Summary of Contents</em></h1></A>
<table cellspacing="0" border="0">
        <colgroup width="994"></colgroup>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;OGE Form 278e (Updated x
x\/2026) (Expires 08\/31\/2027)&quot;}"><font face="Times New Roman">OGE Form 27
8e (Updated xx/2026) (Expires 08/31/2027)</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Summary of Contents&quot
;}"><b><font face="Times New Roman">Summary of Contents</font></b></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;1. Filer's Positions Hel
d Outside United States Government&quot;}"><b><font face="Times New Roman">1. Fi
ler's Positions Held Outside United States Government</font></b></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Part 1 discloses positio
ns that the filer held at any time during the reporting period (excluding positi
ons with the United States Government).  Positions are reportable even if &quot;
}"><font face="Times New Roman">Part 1 discloses positions that the filer held a
t any time during the reporting period (excluding positions with the United Stat
es Government).  Positions are reportable even if </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;the filer did not receiv
e compensation.  This section does not include the following: (1) positions with
 religious, social, fraternal, or political organizations; (2) positions solely
of an &quot;}"><font face="Times New Roman">the filer did not receive compensati
on.  This section does not include the following: (1) positions with religious,
social, fraternal, or political organizations; (2) positions solely of an </font
></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;honorary nature; (3) pos
itions held as part of the filer's official duties with the United States Govern
ment; (4) mere membership in an organization; and (5) passive investment interes
ts &quot;}"><font face="Times New Roman">honorary nature; (3) positions held as
```

```
part of the filer's official duties with the United States Government; (4) mere
membership in an organization; and (5) passive investment interests </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;as a limited partner or
non-managing member of a limited liability company.&quot;}"><font face="Times Ne
w Roman">as a limited partner or non-managing member of a limited liability comp
any.</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;2. Filer's Employment As
sets &amp;amp; Income and Retirement Accounts&quot;}"><b><font face="Times New Roman
">2. Filer's Employment Assets &amp;amp; Income and Retirement Accounts</font></b></
td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Part 2 discloses the fol
lowing:&quot;}"><font face="Times New Roman">Part 2 discloses the following:</fo
nt></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;• Sources of earned and
other non-investment income of the filer totaling more than $200 during the repo
rting period (e.g., salary, fees, partnership share, honoraria, scholarships,&qu
ot;}"><font face="Times New Roman">• Sources of earned and other non-investment
income of the filer totaling more than $200 during the reporting period (e.g., s
alary, fees, partnership share, honoraria, scholarships,</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;and prizes)&quot;}"><fon
t face="Times New Roman">and prizes)</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;• Assets related to the
filer's business, employment, or other income-generating activities (1) that end
ed the reporting period with a value greater than $1,000 or (2) from which&quot;
}"><font face="Times New Roman">• Assets related to the filer's business, employ
ment, or other income-generating activities (1) that ended the reporting period
with a value greater than $1,000 or (2) from which</font></td>
```

```
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;more than $200 in income
 was received during the reporting period (e.g., equity in business or partnersh
ip, stock options, retirement plans\/accounts and their underlying holdings &quo
t;}"><font face="Times New Roman">more than $200 in income was received during t
he reporting period (e.g., equity in business or partnership, stock options, ret
irement plans/accounts and their underlying holdings </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;as appropriate, deferred
 compensation, and intellectual property, such as book deals and patents)&quot;}
"><font face="Times New Roman">as appropriate, deferred compensation, and intell
ectual property, such as book deals and patents)</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;This section does not in
clude assets or income from United States Government employment or assets that w
ere acquired separately from the filer's business, employment, or other&quot;}">
<font face="Times New Roman">This section does not include assets or income from
 United States Government employment or assets that were acquired separately fro
m the filer's business, employment, or other</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;income-generating activi
ties (e.g., assets purchased through a brokerage account).  Note: The type of in
come is not required if the amount of income is $0 - $200 or if the asset &quot;
}"><font face="Times New Roman">income-generating activities (e.g., assets purch
ased through a brokerage account).  Note: The type of income is not required if
the amount of income is $0 - $200 or if the asset </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;qualifies as an excepted
 investment fund (EIF).&quot;}"><font face="Times New Roman">qualifies as an exc
epted investment fund (EIF).</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;3. Filer's Employment Ag
reements and Arrangements&quot;}"><b><font face="Times New Roman">3. Filer's Emp
loyment Agreements and Arrangements</font></b></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
```

es New Roman">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "Part 3 discloses agreements or arrangements that the filer had during the reporting period with an employer or former employer (except the United States Government), such as "}">Part 3 discloses agreements or arrangements that the filer had during the reporting period with an employer or former employer (except the United States Government), such as </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "the following:"}">the following:</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "• Future employment"}">• Future employment</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "• Leave of absence"}">• Leave of absence</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "• Continuing payments from an employer, including severance and payments not yet received for previous work (excluding ordinary salary from a current employer)"}">• Continuing payments from an employer, including severance and payments not yet received for previous work (excluding ordinary salary from a current employer)</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "• Continuing participation in an employee welfare, retirement, or other benefit plan, such as pensions or a deferred compensation plan"}">• Continuing participation in an employee welfare, retirement, or other benefit plan, such as pensions or a deferred compensation plan</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "• Retention or disposition of employer-awarded equity, sharing in profits or carried interests (e.g., vested and unvested stock options, restricted stock, future share of a company's"}">• Retention or disposition of employer-awarded equity, sharing in profits or carried interests (e.g., vested and unvested stock options, restricted stock, future share of a company's</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "profits, etc.)"}"><

font face="Times New Roman">profits, etc.)</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "4. Filer's Sources of Compensation Exceeding $5,000 in a Year"}">4. Filer's Sources of Compensation Exceeding $5,000 in a Year</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "Part 4 discloses sources (except the United States Government) that paid more than $5,000 in a calendar year for the filer's services during any year of the reporting period. The filer"}">Part 4 discloses sources (except the United States Government) that paid more than $5,000 in a calendar year for the filer's services during any year of the reporting period. The filer</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "discloses payments both from employers and from any clients to whom the filer personally provided services. The filer discloses a source even if the source made its payment to the"}">discloses payments both from employers and from any clients to whom the filer personally provided services. The filer discloses a source even if the source made its payment to the</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "filer's employer and not to the filer. The filer does not disclose a client's payment to the filer's employer if the filer did not provide the services for which the client is paying."}">filer's employer and not to the filer. The filer does not disclose a client's payment to the filer's employer if the filer did not provide the services for which the client is paying.</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "OGE Form 278e (Updated xx\/2026) (Expires 08\/31\/2027)"}">OGE Form 278e (Updated xx/2026) (Expires 08/31/2027)</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "5. Spouse's Employment Assets & Income and Retirement Accounts"}"><font face="Times New Roma

```
n">5. Spouse's Employment Assets &amp;amp; Income and Retirement Accounts</font></b>
</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Part 5 discloses the fol
lowing:&quot;}"><font face="Times New Roman">Part 5 discloses the following:</fo
nt></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;• Sources of earned inco
me (excluding honoraria) for the filer's spouse totaling more than $1,000 during
 the reporting period (e.g., salary, consulting fees, and partnership share)&quo
t;}"><font face="Times New Roman">• Sources of earned income (excluding honorari
a) for the filer's spouse totaling more than $1,000 during the reporting period
(e.g., salary, consulting fees, and partnership share)</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;• Sources of honoraria f
or the filer's spouse greater than $200 during the reporting period&quot;}"><fon
t face="Times New Roman">• Sources of honoraria for the filer's spouse greater t
han $200 during the reporting period</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;• Assets related to the
filer's spouse's employment, business activities, other income-generating activi
ties (1) that ended the reporting period with a value greater than $1,000 or&quo
t;}"><font face="Times New Roman">• Assets related to the filer's spouse's emplo
yment, business activities, other income-generating activities (1) that ended th
e reporting period with a value greater than $1,000 or</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;(2) from which more than
 $200 in income was received during the reporting period (e.g., equity in busine
ss or partnership, stock options, retirement plans\/accounts and their &quot;}">
<font face="Times New Roman">(2) from which more than $200 in income was receive
d during the reporting period (e.g., equity in business or partnership, stock op
tions, retirement plans/accounts and their </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;underlying holdings as a
ppropriate, deferred compensation, and intellectual property, such as book deals
 and patents)&quot;}"><font face="Times New Roman">underlying holdings as approp
riate, deferred compensation, and intellectual property, such as book deals and
patents)</font></td>
```

```
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;This section does not in
clude assets or income from United States Government employment or assets that w
ere acquired separately from the filer's spouse's business, &quot;}"><font face=
"Times New Roman">This section does not include assets or income from United Sta
tes Government employment or assets that were acquired separately from the filer
's spouse's business, </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;employment, or other inc
ome-generating activities (e.g., assets purchased through a brokerage account).
 Note: The type of income is not required if the amount of income is $0 - $200 &
quot;}"><font face="Times New Roman">employment, or other income-generating acti
vities (e.g., assets purchased through a brokerage account).  Note: The type of
income is not required if the amount of income is $0 - $200 </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;or if the asset qualifie
s as an excepted investment fund (EIF).  Amounts of income are not required for
a spouse's earned income (excluding honoraria).&quot;}"><font face="Times New Ro
man">or if the asset qualifies as an excepted investment fund (EIF).  Amounts of
 income are not required for a spouse's earned income (excluding honoraria).</fo
nt></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;6. Other Assets and Inco
me&quot;}"><b><font face="Times New Roman">6. Other Assets and Income</font></b>
</td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Tim
es New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Part 6 discloses each as
set, not already reported, (1) that ended the reporting period with a value grea
ter than $1,000 or (2) from which more than $200 in investment income &quot;}"><
font face="Times New Roman">Part 6 discloses each asset, not already reported, (
1) that ended the reporting period with a value greater than $1,000 or (2) from
which more than $200 in investment income </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data
```

-sheets-value="{ "1": 2, "2": "was received during the reporting period. For purposes of the value and income thresholds, the filer aggregates the filer's interests with those of the filer's spouse and dependent "}">was received during the reporting period. For purposes of the value and income thresholds, the filer aggregates the filer's interests with those of the filer's spouse and dependent </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "children. This section does not include the following types of assets: (1) a personal residence (unless it was rented out during the reporting period); (2) income or retirement "}">children. This section does not include the following types of assets: (1) a personal residence (unless it was rented out during the reporting period); (2) income or retirement </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "benefits associated with United States Government employment (e.g., Thrift Savings Plan); and (3) cash accounts (e.g., checking, savings, money market accounts) at a single "}">benefits associated with United States Government employment (e.g., Thrift Savings Plan); and (3) cash accounts (e.g., checking, savings, money market accounts) at a single </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "financial institution with a value of $5,000 or less (unless more than $200 in income was received). Additional exceptions apply. Note: The type of income is not required if the "}">financial institution with a value of $5,000 or less (unless more than $200 in income was received). Additional exceptions apply. Note: The type of income is not required if the </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "amount of income is $0 - $200 or if the asset qualifies as an excepted investment fund (EIF)."}">amount of income is $0 - $200 or if the asset qualifies as an excepted investment fund (EIF).</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "7. Transactions"}">7. Transactions</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "Part 7 discloses purchases, sales, or exchanges of real property or securities in excess of $1,000 made

on behalf of the filer, the filer's spouse, or dependent child during the report
ing"}">Part 7 discloses purchases, sales, or e
xchanges of real property or securities in excess of $1,000 made on behalf of th
e filer, the filer's spouse, or dependent child during the reporting</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "period. This section do
es not include transactions that concern the following: (1) a personal residence
, unless rented out; (2) cash accounts (e.g., checking, savings, CDs, money mark
et "}">period. This section does not include
transactions that concern the following: (1) a personal residence, unless rented
 out; (2) cash accounts (e.g., checking, savings, CDs, money market </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "accounts) and money mark
et mutual funds; (3) Treasury bills, bonds, and notes; and (4) holdings within a
 Thrift Savings Plan account. Additional exceptions apply."}"><font face="
Times New Roman">accounts) and money market mutual funds; (3) Treasury bills, bo
nds, and notes; and (4) holdings within a Thrift Savings Plan account. Addition
al exceptions apply.</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": " "}"><font face="Ti
mes New Roman"> </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "8. Liabilities"}"><
b>8. Liabilities</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": ""}"><font face="Tim
es New Roman">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "Part 8 discloses liabili
ties over $10,000 that the filer, the filer's spouse or dependent child owed at
any time during the reporting period. This section does not include the followi
ng types "}">Part 8 discloses liabilities over
 $10,000 that the filer, the filer's spouse or dependent child owed at any time
during the reporting period. This section does not include the following types
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "of liabilities: (1) mort
gages on a personal residence, unless rented out (note: certain PAS nominees and
 appointees are required to report all mortgages); (2) loans secured by "}"
>of liabilities: (1) mortgages on a personal reside
nce, unless rented out (note: certain PAS nominees and appointees are required t
o report all mortgages); (2) loans secured by </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "a personal motor vehicle

, household furniture, or appliances, unless the loan exceeds the item's purchas
e price; and (3) revolving charge accounts, such as credit card balances, if the
 "}">a personal motor vehicle, household furni
ture, or appliances, unless the loan exceeds the item's purchase price; and (3)
revolving charge accounts, such as credit card balances, if the </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "outstanding liability di
d not exceed $10,000 at the end of the reporting period. Additional exceptions
apply."}">outstanding liability did not exceed
 $10,000 at the end of the reporting period. Additional exceptions apply.</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": ""}"><font face="Tim
es New Roman">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "9. Gifts and Travel Reim
bursements"}">9. Gifts and Travel Reimburse
ments</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": ""}"><font face="Tim
es New Roman">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "This section discloses:&
quot;}">This section discloses:</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": ""}"><font face="Tim
es New Roman">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "• Gifts totaling more th
an $525 that the filer, the filer's spouse, and dependent children received from
 any one source during the reporting period."}"><font face="Times New Roman
">• Gifts totaling more than $525 that the filer, the filer's spouse, and depend
ent children received from any one source during the reporting period.</t
d>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "• Travel reimbursements
totaling more than $525 that the filer, the filer's spouse, and dependent childr
en received from any one source during the reporting period."}"><font face=
"Times New Roman">• Travel reimbursements totaling more than $525 that the filer
, the filer's spouse, and dependent children received from any one source during
 the reporting period.</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data

-sheets-value="{ "1": 2, "2": ""}">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "For purposes of this section, the filer need not aggregate any gift or travel reimbursement with a value of $210 or less. Regardless of the value, this section does not include the"}">For purposes of this section, the filer need not aggregate any gift or travel reimbursement with a value of $210 or less. Regardless of the value, this section does not include the</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "following items: (1) anything received from relatives; (2) anything received from the United States Government or from the District of Columbia, state, or local governments; "}">following items: (1) anything received from relatives; (2) anything received from the United States Government or from the District of Columbia, state, or local governments; </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "(3) bequests and other forms of inheritance; (4) gifts and travel reimbursements given to the filer's agency in connection with the filer's official travel; (5) gifts of hospitality (food, "}">(3) bequests and other forms of inheritance; (4) gifts and travel reimbursements given to the filer's agency in connection with the filer's official travel; (5) gifts of hospitality (food, </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "lodging, entertainment) at the donor's residence or personal premises; and (6) anything received by the filer's spouse or dependent children totally independent of their relationship to the "}">lodging, entertainment) at the donor's residence or personal premises; and (6) anything received by the filer's spouse or dependent children totally independent of their relationship to the </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "filer. Additional exceptions apply."}">filer. Additional exceptions apply.</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "OGE Form 278e (Updated xx\/2026) (Expires 08\/31\/2027)"}">OGE Form 278e (Updated xx/2026) (Expires 08/31/2027)</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "Privacy Act Statement"}">Privacy Act Statement</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data

-sheets-value="{ "1": 2, "2": ""}">
</td>
</tr>
<tr>
<td height="16" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "5 U.S.C. § 13101 et seq., and 5 C.F.R. Part 2634 of the U. S. Office of Government Ethics regulations require the reporting of this information. "}">5 U.S.C. § 13101 et seq., and 5 C.F.R. Part 2634 of the U. S. Office of Government Ethics regulations require the reporting of this information. </td>
</tr>
<tr>
<td height="16" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "Failure to provide the requested 'information may result in separation, disciplinary action, or civil action. The primary use of the information on this report"}">Failure to provide the requested 'information may result in separation, disciplinary action, or civil action. The primary use of the information on this report</td>
</tr>
<tr>
<td height="16" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "is for review by Government officials to determine compliance with applicable Federal laws and regulations. This report may also be disclosed upon request to any"}">is for review by Government officials to determine compliance with applicable Federal laws and regulations. This report may also be disclosed upon request to any</td>
</tr>
<tr>
<td height="16" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "requesting person in accordance with 5 U.S.C § 13107 and § 13122(b)(1) or as otherwise authorized by law. You may inspect applications for public access "}">requesting person in accordance with 5 U.S.C § 13107 and § 13122(b)(1) or as otherwise authorized by law. You may inspect applications for public access </td>
</tr>
<tr>
<td height="16" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "of your own form upon request. Additional disclosures of the information on this report may be made: (1) to any requesting person, subject to the limitation contained in"}">of your own form upon request. Additional disclosures of the information on this report may be made: (1) to any requesting person, subject to the limitation contained in</td>
</tr>
<tr>
<td height="16" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "section 208(d)(1) of title 18, any determination granting an exemption pursuant to sections 208(b)(1) and 208(b)(3) of title 18; (2) to a Federal, State, or local law enforcement"}">section 208(d)(1) of title 18, any determination granting an exemption pursuant to sections 208(b)(1) and 208(b)(3) of title 18; (2) to a Federal, State, or local law enforcement</td>
</tr>
<tr>
<td height="16" align="left" valign=top sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "agency if the disclosing agency becomes aware of violations or potential violations of law or regulation;

(3) to a source when necessary to obtain information relevant to a conflict of i
nterest investigation or determination; (4) to the National Archives and Records
 Administration or the General Services Administration in records management ins
pections; (5) to the Office of Management and Budget during legislative coordina
tion on private relief legislation; (6) when the disclosing agency determines th
at the records"}">agency if the disclosing age
ncy becomes aware of violations or potential violations of law or regulation; (
3) to a source when necessary to obtain information relevant to a conflict of in
terest investigation or determination; (4) to the National Archives and Records
Administration or the General Services Administration in records management insp
ections; (5) to the Office of Management and Budget during legislative coordinat
ion on private relief legislation; (6) when the disclosing agency determines tha
t the records</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "are arguably relevant to
 a proceeding before a court, grand jury, or administrative or adjudicative body
, or in a proceeding before an administrative or adjudicative"}"><font face
="Times New Roman">are arguably relevant to a proceeding before a court, grand j
ury, or administrative or adjudicative body, or in a proceeding before an admini
strative or adjudicative</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "body when the adjudicato
r determines the records to be relevant to the proceeding; (7) to reviewing offi
cials in a new office, department or agency when an employee"}"><font face=
"Times New Roman">body when the adjudicator determines the records to be relevan
t to the proceeding; (7) to reviewing officials in a new office, department or a
gency when an employee</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "transfers or is detailed
 from one covered position to another, a public financial disclosure report and
any accompanying documents, including statements notifying an employee’s "}
">transfers or is detailed from one covered positio
n to another, a public financial disclosure report and any accompanying document
s, including statements notifying an employee’s </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "supervising ethics offic
e of the commencement of negotiations for future employment or compensation or o
f an agreement for future employment or compensation; (8) to a Member "}"><
font face="Times New Roman">supervising ethics office of the commencement of neg
otiations for future employment or compensation or of an agreement for future em
ployment or compensation; (8) to a Member </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "of Congress or a congres
sional office in response to an inquiry made on behalf of and at the request of
an individual who is the subject of the record; (9) to contractors and other &qu
ot;}">of Congress or a congressional office in resp
onse to an inquiry made on behalf of and at the request of an individual who is
the subject of the record; (9) to contractors and other </td>
	</tr>
	<tr>

<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "non-Government employees working on a contract, service or assignment for the Federal Government when necessary to accomplish a function related to this system of records; "}">non-Government employees working on a contract, service or assignment for the Federal Government when necessary to accomplish a function related to this system of records; </td>
</tr>
<tr>
<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "(10) on the OGE Website and to any person, department or agency, any written ethics agreement, including certifications of ethics agreement compliance, filed with OGE by an individual "}">(10) on the OGE Website and to any person, department or agency, any written ethics agreement, including certifications of ethics agreement compliance, filed with OGE by an individual </td>
</tr>
<tr>
<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "nominated by the President to a position requiring Senate confirmation; (11) on the OGE Website and to any person, department or agency, any certificate of divestiture "}">nominated by the President to a position requiring Senate confirmation; (11) on the OGE Website and to any person, department or agency, any certificate of divestiture </td>
</tr>
<tr>
<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "issued by OGE; (12) on the OGE Website and to any person, department or agency, any waiver of the restrictions contained in Executive Order 13989 or any superseding executive order; "}">issued by OGE; (12) on the OGE Website and to any person, department or agency, any waiver of the restrictions contained in Executive Order 13989 or any superseding executive order; </td>
</tr>
<tr>
<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "(13) to appropriate agencies, entities and persons when there has been a suspected or confirmed breach of the system of records, the agency maintaining the records has determined that "}">(13) to appropriate agencies, entities and persons when there has been a suspected or confirmed breach of the system of records, the agency maintaining the records has determined that </td>
</tr>
<tr>
<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "there is a risk of harm to individuals, the agency, the Federal Government, or national security, and the disclosure is reasonably necessary to assist in connection with the agency's efforts"}">there is a risk of harm to individuals, the agency, the Federal Government, or national security, and the disclosure is reasonably necessary to assist in connection with the agency's efforts</td>
</tr>
<tr>
<td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ "1": 2, "2": "to respond to the suspected or confirmed breach or to prevent, minimize, or remedy such harm; and (14) to another Federal agency or Federal entity, when the agency maintaining the "}">to respond to the suspected or confirmed breac

h or to prevent, minimize, or remedy such harm; and (14) to another Federal agen
cy or Federal entity, when the agency maintaining the </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "record determines that i
nformation from this system of records is reasonably necessary to assist the rec
ipient agency or entity in responding to a suspected or confirmed breach or in&q
uot;}">record determines that information from this
 system of records is reasonably necessary to assist the recipient agency or ent
ity in responding to a suspected or confirmed breach or in</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "preventing, minimizing,
or remedying the risk of harm to individuals, the recipient agency or entity, th
e Federal Government, or national security. See also the OGE\/GOVT-1 executive &
quot;}">preventing, minimizing, or remedying the ri
sk of harm to individuals, the recipient agency or entity, the Federal Governmen
t, or national security. See also the OGE/GOVT-1 executive </td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "branch-wide Privacy Act
system of records."}">branch-wide Privacy Act
system of records.</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": ""}"><font face="Tim
es New Roman">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": ""}"><font face="Tim
es New Roman">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": ""}"><font face="Tim
es New Roman">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "Public Burden Informatio
n"}">Public Burden Information</
td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": ""}"><font face="Tim
es New Roman">
</td>
	</tr>
	<tr>
		<td height="16" align="left" valign=middle sdnum="1033;0;@" data
-sheets-value="{ "1": 2, "2": "This collection of infor
mation is estimated to take an average of ten hours per response, including time
 for reviewing the instructions, gathering the data needed, and completing the f
orm. "}"><font face="Times New Roman">This collection of information is est
imated to take an average of ten hours per response, including time for reviewin

```
g the instructions, gathering the data needed, and completing the form. </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Program Counsel, &quot;}"><font face="Times New Roman">Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Program Counsel, </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;U.S. Office of Government Ethics (OGE), 250 E Street S.W., Suite 750, Washington, DC 20024-3249.&quot;}"><font face="Times New Roman">U.S. Office of Government Ethics (OGE), 250 E Street S.W., Suite 750, Washington, DC 20024-3249.</font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;&quot;}"><font face="Times New Roman"><br></font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;Pursuant to the Paperwork Reduction Act, as amended, an agency may not conduct or sponsor, and no person is required to respond to, a collection of information unless it displays a &quot;}"><font face="Times New Roman">Pursuant to the Paperwork Reduction Act, as amended, an agency may not conduct or sponsor, and no person is required to respond to, a collection of information unless it displays a </font></td>
        </tr>
        <tr>
                <td height="16" align="left" valign=middle sdnum="1033;0;@" data-sheets-value="{ &quot;1&quot;: 2, &quot;2&quot;: &quot;currently valid OMB control number (that number, 3209-0001, is displayed here and at the top of the first page of this OGE Form 278e).&quot;}"><font face="Times New Roman">currently valid OMB control number (that number, 3209-0001, is displayed here and at the top of the first page of this OGE Form 278e).</font></td>
        </tr>
</table>
<!-- ************************************************************************
-->
</body>

</html>
```