PUBLIC SUBMISSION

As of: 9/29/26, 2:19 PM
Received: September 20, 2026
Status: Draft
Category: End-Stage Renal Disease Facility - HPA20
Tracking No. mub-ccz3-1czm
Comments Due: September 21, 2026
Submission Type: Web

Docket: CMS-2026-2544
The In-Center Hemodialysis Consumer Assessment of Healthcare Providers and Systems Survey Mode Experiment (CMS-10105)

Comment On: CMS-2026-2544-0001
The In-Center Hemodialysis Consumer Assessment of Healthcare Providers and Systems Survey Mode Experiment (CMS-10105)

Document: CMS-2026-2544-DRAFT-0003
Comment on CMS-2026-2544-0001

Submitter Information

Email: hunttjornhom.amy@mayo.edu
Organization: Mayo Clinic

General Comment

Thank you for the opportunity to comment. To best reflect the partnership between the dialysis clinic staff and the patient's equipment and supply vendors, we recommend the wording of questions 23 and 24 be changed as follows:
• Q23: In the last 3 months, if you had problems with your home dialysis equipment and needed support from your dialysis center staff, how often were the staff able to help you?
• Q24: In the last 3 months, if you had problems receiving your home dialysis supplies and needed support from your dialysis center staff, how often were the staff able to help you?