APPROVED BY OMB: NO. 3150-0056 EXPIRES: 06/30/2008 CONFIDENTIAL WHEN COMPLETED INTERNATIONAL ATOMIC ENERGY AGENCY DEPARTMENT OF SAFEGUARDS AND INSPECTION **DESIGN INFORMATION QUESTIONNAIRE\*** (CONTINUED) IAEA USE ONLY The "Confidential" marking on this form is for IAEA purposes only. It indicates that the IAEA considers the information in the completed form to be 'safeguards confidential' and is not to be confused with any U.S. security classification. Questions which are not applicable may be left unanswered. REPROCESSING PLANTS **OVERALL PROCESS PARAMETERS** GENERAL FLOW DIAGRAM(S) ATTACHED UNDER REF. NOS. 13. FACILITY DESCRIPTION (indicating all process modification stages, (The diagram(s) should also indicate equipment, hoods, cells, and those areas storage areas and feed, product and waste which contain nuclear material, as well as those specific areas where hold-up of points as pertaining to the measurement control nuclear material can occur) and accountancy of nuclear material) 14. PROCESS DESCRIPTION (Also indicating the modification of physical and chemical forms)

OVERALL PROCESS PARAMETERS		
15. DESIGN CAPACITY (in weight of principle products per annum)		
16. ANTICIPATED ANNUAL THROUGHPUT (in the form of a forward programme (if applicable), indicating the proportion of various feeds and products)		
17. OTHER IMPORTANT ITEMS OF EQUIPMENT USING, PRODUCING, OR PROCESSING NUCLEAR MATERIAL, IF ANY (such as testing and experimental equipment)		

N-74 (6-2005) CONFIDENTIAL 4

	NUCLEAR M	NUCLEAR MATERIAL DESCRIPTION AND FLOW			
18.	MAIN MATERIAL DESCRIPTION	FEED	PROD	UCT (1)	
i)	Main Types of Accountability Units to Be Handled in the Facility				
ii)	Chemical and Physical Form (for feed include types of fuel element/ assemblies, give detailed description indicating general structure and overall dimensions of fuel element/assemblies, including nuclear material content and enrichment) Attach drawing(s)				
iii)	Throughput, Enrichment Ranges and Pu contents (for normal flow sheet operation indicating if blending and/or recycling takes place)				
	Batch Size/Flow Rate and Campaign Period, Means of Batch Identification				

	NUCLEAR MATERIAL DESCRIPTION AND FLOW				
18.		MAIN MATERIAL DESCRIPTION (Continued)	FEED	PRODU	CT (1)
V	<b>'</b> )	Storage and Plant Inventory (indicating any change with throughput)			
	vi)	Frequency of Receipt or Shipment (batches/units per month)			
( r	inc nea	STE MATERIAL luding contaminated equipment, asured discards, and retained tte).			
[ i]		cribe for each waste stream: Major Contributions (sources)			
ii	i)	Type of Waste			
ii	ii)	Chemical and Physical Form (liquid, solid, etc.)			
	v)	Estimated Enrichment Ranges, and Uranium/Plutonium Content  xample, uranium and plutonium.			

	NUCLEAR MATERIAL DESCRIPTION AND FLOW			
19. WAS	TE MATERIAL (Continued)			
v)	Estimated Quantities Per Year, Period of Storing			
	Waste Generated Rates (as % of input/throughput, quantities per month)			
vii)	Store Inventory Range and Maximum Capacity			
viii)	Method and Frequency of Recovery/Disposal			
20. WAS	TE TREATMENT SYSTEM	DIAGRAM(S) ATTACHED UNDER REFERENCE NUMBERS:		

NUCLEAR MATERIAL DESCRIPTION AND FLOW		
21. OTHER NUCLEAR MATERIAL IN THE FACILITY AND ITS LOCATION, IF ANY	DIAGRAM(S) ATTACHED UNDER REFERENCE NUMBERS:	
22. SCHEMATIC FLOW SHEET FOR NUCLEAR MATERIAL (identifying sampling points, flow and inventory measurement points, accountability areas, inventory locations, etc.)	DIAGRAM(S) ATTACHED UNDER REFERENCE NUMBERS:	

	NUCLEAR MATERIAL DESCRIPTION AND FLOW		
23.	TYPES, FORM, RANGES OF ENRICHMENT, PU CONTENT, RANGES OF QUANTITIES OF NUCLEAR MATERIAL FLOW FOR EACH NUCLEAR MATERIAL HANDLING AREA, i.e.:  process area storage area other locations  (Also indicate maximum quantities of nuclear material to be handled in accountability areas at the one time.)		
24.	RECYCLE PROCESSES (briefly describe any such processes giving source and form of material, method of storage, normal inventory, frequency of processing, duration of temporary storage, schedules for any external recycling, measurement method of fissile content of recycle material)	DIAGRAM(S) ATTACHED UNDER REFERENCE NUMBERS:	

	NUCLEAR MATERIAL DESCRIPTION AND FLOW			
25.	INV	ENTORY		
	i)	In-Process (within plant and equipment during normal operation; indicate quantity, range of enrichment, Pu content, form and principal locations and any significant change in time or throughput; also indicate anticipated residual hold-up and mechanism)		
	ii)	Feed and Product Storage		
	iii)	Other Locations (quantity, range of enrichment, Pu content, form and location of inventory not already specified)		
			LEAR MATERIAL HANDLING ACH ACCOUNTABILITY AREA)	
26.	COMSTC	NTAINERS, PACKAGING, AND DRAGE AREA DESCRIPTION	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:  SEPARATE NOTE TO BE ATTACHED.  Describe for feeds, products, and wastes: the type and size of storage and shipping containers and packaging used, (including nominal capacity and capacity for normal operation, and type of material); method of storage or packing, filling and emptying procedures, shielding; and any special identification features.	

NUCLEAR MATERIAL HANDLING (FOR EACH ACCOUNTABILITY AREA)			
27. METHODS AND MEANS OF TRANSFER OF NUCLEAR MATERIAL (Describe also equipment used for handling of feed, product, and waste.)			
28. TRANSPORTATION ROUTES FOLLOWED BY NUCLEAR MATERIAL (with reference to plant layout)	DRAWING(S) ATTACHED UNDER REFERENCE NUMBERS:		
30. SHIELDING (for storage and transfer)			

# **PLANT MAINTENANCE** 30. MAINTENANCE, DECONTAMINATION, SEPARATE NOTE TO BE ATTACHED **CLEAN-OUT** Describing plans and procedures for decontamination and clean-out of equipment containing nuclear material, defining all sampling and measurement points associated with: i) Normal Plant Maintenance; ii) Plant and Equipment Decontamination and Subsequent Nuclear Material Recovery; iii) Plant and Equipment Clean-out Including Means of Ensuring Vessels Are Empty; iv) Plant Start-up and Plant Shutdown (if difference from normal operations) (In cases where clean-out and/or sampling is not possible, indicate how the hold-up of nuclear material is measured or calculated.) **PROTECTION AND SAFETY MEASURES** 31. BASIC MEASURES FOR PHYSICAL PROTECTION OF NUCLEAR MATERIAL

32.	SPECIFIC HEALTH AND SAFETY RULES
	FOR INSPECTOR COMPLIANCE
	(if extensive, attach separately)

#### **NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL**

33. SYSTEM DESCRIPTION

Give a description of the nuclear material accountancy system, the method of recording and reporting accountancy data and establishing material balances, frequency of material balances, procedures for account adjustment after plant inventory, mistakes, etc., under the following headings:

i) General

(This section should also state what general and subsidiary ledgers will be used, their form (hard copies, tapes, microfilms, etc.), as well as who has the responsibility and authority. Source data (e.g., shipping and receiving forms, the initial recording of measurements and measurement control sheets). The procedures for making adjustments; the source data and records should be covered as well as how the adjustments are authorized and substantiated).

SPECIMEN FORMS USED IN ALL PROCEDURES ATTACHED UNDER REFERENCE NUMBERS:

N-74 (6-2005) CONFIDENTIAL 13

DATE:

NUCLEAR MATE	FRIAL ACCOUNTANCY AND CONTROL
33. SYSTEM DESCRIPTION (Continued)	
i) General (continued)	

N-74 (6-2005)

	NUCLEAR MATE	RIAL ACCOUNTANCY AND CONTROL
33.	SYSTEM DESCRIPTION (Continued)	
i	ii) Receipts (including method of dealing with shipper/ receiver differences and subsequent account corrections, the checks and measurements used to confirm nuclear material content and the persons responsible for those determinations should be defined)	
i	iii) Shipments (products, waste, measured discards)	

	NUCLEAR MATE	ERIAL ACCOUNTANCY AND CONTROL
SYS'iv)	Physical Inventory Description of procedures, scheduled frequency, estimated distribution of nuclear material, methods of operator's inventory taking (both for item and/or bulk accountancy, including relevant assay method), accessability and possible verification method for irradiated nuclear material, expected accuracy, and access to nuclear material.  (In particular, the description of procedures should also provide the basic inventory approach to be used, i.e., planning, organizing, and conducting the inventory, pre-listing, use of prior measurement data; who has primary responsibility for the inventory; how process clean-out is accomplished; the accountancy of process residual hold-up.)	LIST OF MAJOR ITEMS OF EQUIPMENT REGARDED AS NUCLEAR MATERIAL CONTAINERS ATTACHED UNDER REFERENCE NUMBERS:
v)	Measured Discards. (Methods of estimation of quantities per year/month, method of disposal.	

NUCLEAR MATE	ERIAL ACCOUNTANCY AND CONTROL
TEM DESCRIPTION (Continued)	
Retained Waste (Method of estimation of quantities per year, method and envisaged period of storage; indicate also possible subsequent uses of retained waste)	
Unmeasured Losses (Indicate the methods used to estimate unmeasured losses)	
	Retained Waste (Method of estimation of quantities per year, method and envisaged period of storage; indicate also possible subsequent uses of retained waste)  Unmeasured Losses (Indicate the methods used to estimate

NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL		
33. SYSTEM DESCRIPTION (Continued)		
viii) Operation Records and Accounts (Including log books, general ledgers, internal transfer forms, method of adjustment or correction and retention location, and languages; control measures and responsibility for records)		
34. FEATURES RELATED TO CONTAINMENT AND SURVEILLANCE MEASURES (General description of applied or possible measures)		

NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL			
35.	MEA POII IDEI	REACH FLOW AND INVENTORY ASUREMENT POINT, AND SAMPLING NTS OF ACCOUNTABILITY AREAS, NTIFIED IN PARTICULAR UNDER QS. 13, 23, GIVE THE FOLLOWING*	IF NECESSARY, ATTACH DRAWING(S)
	i)	Description of Location, Type, Identification	
	ii)	Type of Inventory Change Expected at This Measurement Point	
	iii)	Possibilities to Use This Measurement Point for Physical Inventory Taking	
	iv)	Physical and Chemical Form of Nuclear Material (including enrichment range, Pu content, and cladding materials description)	
* F	or ead	ch measurement point, fill in separate sheet.	

NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL		
35. FOR EACH FLOW AND INVENTORY MEASUREMENT POINT, AND SAMPLING POINTS OF ACCOUNTABILITY AREAS, IDENTIFIED IN PARTICULAR UNDER QS. 13, 22, 23, GIVE THE FOLLOWING* (Continued)		
v) Nuclear Material Containers, Packaging, and Method of Storage		
vi) Sampling Procedure and Equipment Used (including number of samples taken, frequency and rejection criteria)		
vii) Measurement/Analytical Method(s) and Equipment Used and Corresponding Accuracies  * For each measurement point, fill in separate sheet.		
roi each measurement point, fill in separate sheet		

NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL		
35. FOR EACH FLOW AND INVENTORY MEASUREMENT POINT, AND SAMPLING POINTS OF ACCOUNTABILITY AREAS, IDENTIFIED IN PARTICULAR UNDER QS. 13, 22, 23, GIVE THE FOLLOWING* (Continued)		
viii) Source and Level of Random and Systematic Errors for Feed, Products, Waste (weight, volume, sampling, analytical)		
ix) Calculative and Error Propagation Techniques		
x) Technique and Frequency of Calibration of Equipment Used, and Standards Used		
* For each measurement point, fill in separate sheet		

	NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL		
MEASU POINTS IDENTII	ACH FLOW AND INVENTORY REMENT POINT, AND SAMPLING GOF ACCOUNTABILITY AREAS, FIED IN PARTICULAR UNDER QS. 13, GIVE THE FOLLOWING* (Continued)		
of Sa	ogramme for the Continuing Appraisal the Accuracy of Weight, Volume, impling and Analytical Techniques and easurement Methods		
xii) Pr Da	ogramme for Statistical Evaluation of tal a from (x) to (xi)		
Ba (st co for are	ethod of Converting Source Data to tech Data and and calculative procedures, instants and empirical relationships feed, products in sub-accounting eas, and waste)		

NUCLEAR MATERIAL ACCOUNTANCY AND CONTROL		
35. FOR EACH FLOW AND INVENTORY MEASUREMENT POINT, AND SAMPLING POINTS OF ACCOUNTABILITY AREAS, IDENTIFIED IN PARTICULAR UNDER QS. 13, 22, 23, GIVE THE FOLLOWING* (Continued)		
xiv) Means of Batch Identification		
xv) Anticipated Batch Flow Rate Per Year		
xvi) Anticipated Number of Inventory Batches Present at Measurement Point		
xvii) Anticipated Number of Items Per Flow and Inventory Batches		
* For each measurement point, fill in separate sheet.		

NUCLEAR MATI	ERIAL ACCOUNTANCY AND CONTROL
35. FOR EACH FLOW AND INVENTORY MEASUREMENT POINT, AND SAMPLING POINTS OF ACCOUNTABILITY AREAS, IDENTIFIED IN PARTICULAR UNDER QS. 13, 22, 23, GIVE THE FOLLOWING* (Continued)	
xviii) Type, Composition and Quantity of Nuclear Material Per Batch (with indication of batch data, total weight of each element of nuclear material and form of nuclear material)	
xix) Features Related to Containment- Surveillance Measures	
36. OVERALL LIMIT OF ERROR  Describe procedures to combine individual	
measurement error measurements to obtain the overall limit of error for:	
i) S/R Differences	
ii) Book Inventory iii) Physical Inventory	
iv) MUF	
* For each measurement point, fill in separate sheet.	

DATE:

0	PTIONAL INFORMATION
37. OPTIONAL INFORMATION (that the operator considers relevant to safeguarding the facility)	
	Signature of Responsible Officer:
	Date:

N-74 (6-2005) CONFIDENTIAL 25