



VIS Definitions Button and the VIS User Guide link provide explanation of each search fields, Owners First Name, Owners Last Name, Business organization Name, Vessel name, Registration Authority, Hull ID Number Registration Number, Build Year.

Data Definition Screen – 5 of 8 search terms

The screenshot shows a web browser window titled "USCG VIS Definitions Page - Windows Internet Explorer provided by U. S. Coast Guard". The address bar contains "USCG Web Search". The page has a navigation menu with links for "VIS Home", "VIS Search", "Definitions", "Contact Us", and "Log Off". Below the menu is a "Skip Navigation" link. The main content area lists five search terms, each with a grey input field and a descriptive paragraph:

- Vessel Name:**
You may search by typing in the name of the vessel you are looking for.
- Owner Name:**
You may search by typing in the name of the owner of the vessel you are looking for
- Business/Organization Name:**
You may search by typing in the name of the business/organization that owns the vessel you are looking for.
- Registration Authority:**
You may search using the state/authority in which the vessel is registered. Due to the vast number of records within the database, this field can only be used in conjunction with other search variables.
- Hull ID Number:**
You may search by using the hull number of the vessel you are searching for.

The browser status bar at the bottom indicates "Local intranet | Protected Mode: Off" and a zoom level of "100%".

Data Definition 8 of 8 search terms

USCG VIS Definitions Page - Windows Internet Explorer provided by U. S. Coast Guard

USCG Web Search

File Edit View Favorites Tools Help

USCG VIS Definitions Page

Search variables.

Hull ID Number:

You may search by using the hull number of the vessel you are searching for.

Registration Number:

A vessel is issued a state registration number. You can search for the vessel using its registration number. Coast Guard registered vessels have registration numbers that are preceded with the letters D and O (DO123456789).

Build Year:

You may search for a vessel specific to the year it was constructed. Due to the vast number of record within the database, this field can only be used in conjunction with other search variables.

Wild Card Characters:

Wildcard characters are automatically added to all text based searches. However, if you wish to further refine your search you may use two wildcard characters. The underscore '_' character replaces a single character. Example: J_pan searches for Japan, Jbpan, Jcpan and so on. The percent '%' character can be used to replace any combination of characters. Example: Ja% would return both Japan and Jacksonville.

Local intranet | Protected Mode: Off 100%

VIS USER GUIDE

Search Variables

Vessel Name:

You may search by typing in the name of the vessel you are looking for.

Owner Name:

You may search by typing in the name of the owner of the vessel you are looking for.

Business/Organization Name:

You may search by typing in the name of the business/organization that owns the vessel you are looking for.

Registration Authority:

You may search using the state in which the vessel is registered. Due to the vast number of records within the database, this field can only be used in conjunction with other search variables.

Hull ID Number:

You may search by using the hull number of the vessel you are searching for.

Registration Number:

A vessel is issued a state registration number. You can search for the vessel using its registration number.

Build Year:

You may search for a vessel specific to the year it was constructed. Due to the vast number of records within the database, this field can only be used in conjunction with other search variables.

Wild Card Characters:

Wildcard characters are automatically added to vessel name searches. However, if you wish to further refine your search you may use two wildcard characters. The underscore '_' character replaces a single character. Example: J_pan searches for Japan, Jbpan, Jcpan

and so on. The percent '%' character can be used to replace any combination of characters. Example: Ja% would return both Japan and Jacksonville.