HOW CAN I GET AHEAD OF SEPSIS?

- Talk to your doctor or nurse about steps you can take to prevent infections. Some steps include taking good care of chronic conditions and getting recommended vaccines.
- 2. Practice good hygiene, such as handwashing, and keeping cuts clean until healed.
- 3. Know the symptoms of sepsis.
- **4.** ACT FAST. Get medical care IMMEDIATELY if you suspect sepsis or have an infection that's not getting better or is getting worse.

Always remember, sepsis is a medical emergency. Time matters. If you or your loved one suspects sepsis or has an infection that's not getting better or is getting worse, ask your doctor or nurse, "Could this infection be leading to sepsis?"

To learn more about sepsis and how to prevent infections, visit **www.cdc.gov/sepsis**.

This project has been funded in whole or in part with Federal funds from the National Center for Emerging Zoonotic and Infectious Diseases (NCEZID), Centers for Disease Control and Prevention (CDC), Department of Health and Human Services (HHS), under Contract No. 200-2016-F-90343.



FOR PATIENTS AND FAMILIES

IT'S TIME TO TALK ABOUT SEPSIS.

Infections put you and your family at risk for a life-threatening condition called sepsis.



KNOW THE RISKS. SPOT THE SIGNS. ACT FAST.





More than **1.5 million** people get sepsis each year in the U.S.

At least **250,000** Americans die from sepsis each year.

WHAT IS SEPSIS?

Sepsis is the body's extreme response to an infection. It is life-threatening, and without timely treatment, sepsis can rapidly cause tissue damage, organ failure, and death.

Sepsis happens when an infection you already have in your skin, lungs, urinary tract or somewhere else triggers a chain reaction throughout your body.

WHAT CAUSES SEPSIS?

When germs get into a person's body, they can cause an infection. If that infection isn't stopped, it can cause sepsis.

WHO IS AT RISK?

Anyone can get an infection, and almost any infection can lead to sepsis. Certain people are at higher risk:

- Adults 65 or older
- People with chronic conditions, such as diabetes, lung disease, cancer and kidney disease
- People with weakened immune systems
- Children younger than one

The most frequently identified germs that cause infections that can develop into sepsis include Staphylococcus aureus (staph), Escherichia coli (E. coli), and some types of Streptococcus (strep).



FEVER, OR SHIVERING, OR FEELING VERY COLD



EXTREME PAIN OR DISCOMFORT



SWEATY SKIN

FOR PATIENTS AND FAMILIES



START THE CONVERSATION TODAY.

Sepsis is the body's extreme response to an infection. It is life-threatening, and without timely treatment, sepsis can rapidly cause tissue damage, organ failure, and death.

Below are questions and answers you can use to start a conversation with your doctor or nurse.



"I want to keep my family safe.

How can I protect them from sepsis?"

- Talk to your doctor or nurse about steps you can take to prevent infections. Some steps include taking good care of chronic conditions and getting recommended vaccines.
- Practice good hygiene, such as handwashing, and keeping cuts clean until healed.
- Know the symptoms of sepsis.
- ACT FAST. Get medical care IMMEDIATELY if you suspect sepsis or have an infection that's not getting better or is getting worse.

"My elderly father has diabetes. Could he be at higher risk for infections that can lead to sepsis?"

Anyone can get an infection, and almost any infection can lead to sepsis.

People with chronic conditions such as diabetes, lung disease, cancer, and kidney disease are at higher risk of developing infections that can lead to sepsis. Sepsis almost more commonly occurs in:

- Adults 65 or older
- People with weakened immune systems
- Children younger than one

"I have an infection that doesn't seem to be getting any better. I am concerned this could be leading to sepsis. What can I do to make sure this does not happen?"

Always remember, sepsis is a medical emergency. Act fast. Get medical care immediately if you suspect sepsis or have an infection that's not getting better or is getting worse.

If you or your loved one suspects sepsis or has an infection that's not getting better or is getting worse, ask your doctor or nurse, "Could this infection be leading to sepsis?"

"My 6-month-old son had a low-grade fever and cough yesterday.

But, today, he is not alert, is making fewer wet diapers, and is having difficulty breathing. Could this be leading to sepsis?"

Talk to your doctor or nurse and ask if this could be leading to sepsis.

There is no single symptom of sepsis. Symptoms can include a combination of any of the following:

- Confusion or disorientation
- Shortness of breath
- High heart rate
- Fever, or shivering, or feeling very cold
- Extreme pain or discomfort
- Clammy or sweaty skin

"My grandmother has a urinary tract infection. She has had a fever for the past few days. She has also been confused and disoriented. Could her infection be leading to sepsis?"

Infections put you and your family at risk for sepsis. Sepsis happens when an infection you already have—in your skin, lungs, urinary tract or somewhere else—triggers a chain reaction throughout your body.

To learn more about sepsis and how to prevent infections, visit **www.cdc.gov/sepsis.**





KNOW THE RISKS. SPOT THE SIGNS, ACT FAST.

FOR PATIENTS AND FAMILIES

PROTECT YOURSELF AND YOUR FAMILY FROM SEPSIS.

When infections and illnesses don't improve, ask your doctor or nurse, "Could this infection be leading to sepsis?"

Infections put you and your family at risk for sepsis.

WHAT IS SEPSIS?

Sepsis is the body's extreme response to an infection. It is life-threatening, and without timely treatment, sepsis can rapidly cause tissue damage, organ failure, and death.

Sepsis happens when an infection you already have in your skin, lungs, urinary tract or somewhere else triggers a chain reaction throughout your body.

WHO IS AT RISK?

Anyone can get an infection, and almost any infection can lead to sepsis. Certain people are at higher risk:

- Adults 65 or older
- People with chronic conditions, such as diabetes, lung disease, cancer, and kidney disease
- People with weakened immune systems
- Children younger than one

The most frequently identified germs that cause infections that can develop into sepsis include Staphylococcus aureus (staph), Escherichia coli (E. coli), and some types of Streptococcus (strep).

HOW CAN I GET AHEAD OF SEPSIS?

- 1. Talk to your doctor or nurse about steps you can take to prevent infections. Some steps include taking good care of chronic conditions and getting recommended vaccines.
- 2. Practice good hygiene, such as handwashing, and keeping cuts clean until healed.
- 3. Know the symptoms of sepsis.
- 4. ACT FAST. Get medical care IMMEDIATELY if you suspect sepsis or have an infection that's not getting better or is getting worse.

WHAT ARE THE SYMPTOMS?

There is no single symptom of sepsis. Symptoms of sepsis can include a combination of any of the following:



CONFIISION OR DISORIENTATION



SHORTNESS OF BREATH



HIGH HEART RATE



FEVER, OR SHIVERING, OR FEELING VERY COLD



EXTREME PAIN OR DISCOMEORT



SWEATY SKIN

Sepsis is a medical emergency. Time matters.

To learn more about sepsis and how to prevent infections, visit www.cdc.gov/sepsis.





KNOW THE RISKS, SPOT THE SIGNS, ACT FAST.

FOR PATIENTS AND FAMILIES

STAY HEALTHY. PROTECT YOURSELF FROM SEPSIS.

Take charge of your health. Chronic conditions, such as diabetes, put you at risk for infections that can lead to a life-threatening condition called sepsis.

It's time to talk about sepsis. Ask your doctor or nurse, "How can I prevent infections?"

WHAT IS SEPSIS?

Sepsis is the body's extreme response to an infection. It is life-threatening, and without timely treatment, sepsis can rapidly cause tissue damage, organ failure, and death.

Sepsis happens when an infection you already have—in your skin, lungs, urinary tract or somewhere else—triggers a chain reaction throughout your body.

AM I AT RISK?

Anyone can get an infection, and almost any infection can lead to sepsis. People with chronic conditions such as diabetes, lung disease, cancer, and kidney disease, are at higher risk of developing infections that can lead to sepsis. Sepsis also more commonly occurs in:

- Adults 65 or older
- People with weakened immune systems
- Children younger than one

The most frequently identified germs that cause infections that can develop into sepsis include *Staphylococcus aureus* (staph), *Escherichia coli* (E. coli), and some types of *Streptococcus* (strep).

HOW CAN I GET AHEAD OF SEPSIS?

- Talk to your doctor or nurse about steps you can take to prevent infections. Some steps include taking good care of chronic conditions and getting recommended vaccines.
- Practice good hygiene, such as handwashing, and keeping cuts clean until healed.
- 3. Know the symptoms of sepsis.
- **4.** ACT FAST. Get medical care IMMEDIATELY if you suspect sepsis or have an infection that's not getting better or is getting worse.

WHAT ARE THE SYMPTOMS?

There is no single symptom of sepsis. Symptoms of sepsis can include a combination of any of the following:



CONFUSION OR DISORIENTATION





HIGH HEART RATE



FEVER, OR SHIVERING, OR FEELING VERY COLD



EXTREME PAIN OR DISCOMFORT



CLAMMY OR SWEATY SKIN

Always remember, sepsis is a medical emergency. Time matters. If you or your loved one suspects sepsis or has an infection that's not getting better or is getting worse, ask your doctor or nurse, "Could this infection be leading to sepsis?"

To learn more about sepsis and how to prevent infections, visit **www.cdc.gov/sepsis**.





4 WAYS TO **GET AHEAD OF SEPSIS**



Infections put you and your loved ones at risk for a life-threatening condition called sepsis.

Sepsis is the body's extreme response to an infection. It is a medical emergency, and without timely treatment, it can rapidly cause tissue damage, organ failure, and death. Sepsis happens when an infection you already have — in your skin, lungs, urinary tract, or somewhere else — triggers a chain reaction throughout your body.

Anyone can get an infection, and almost any infection can lead to sepsis.

PREVENT INFECTIONS

Talk to your doctor or nurse about steps you can take to prevent infections.



Remember to wash your hands and keep cuts clean.

KNOW THE SYMPTOMS

Symptoms can include a combination of any of these:



Get medical care IMMEDIATELY if you suspect sepsis or have an infection that's not getting better or is getting worse.



Take good care of chronic conditions




















Always remember, sepsis is a medical emergency. Time matters.

To learn more about sepsis and how to prevent infections, visit www.cdc.gov/sepsis.





FOR PATIENTS AND FAMILIES



KNOW THE RISKS. SPOT THE SIGNS, ACT FAST.

PROTECT YOURSELF AND YOUR FAMILY FROM SEPSIS.

Sepsis happens when an infection you already have—in your skin, lungs, urinary tract or somewhere else—triggers a chain reaction throughout your body.

It is life-threatening, and without timely treatment, sepsis can rapidly cause tissue damage, organ failure, and death.



How can I get ahead of sepsis?

- 1. Talk with your doctor or nurse about steps you can take to prevent infections. Some steps include taking good care of chronic conditions and getting recommended vaccines.
- 2. Practice good hygiene, such as handwashing, and keeping cuts clean until healed.
- 3. Know the symptoms of sepsis.
- 4. ACT FAST. Get medical care immediately if you suspect sepsis or have an infection that's not getting better or is getting worse.


To learn more about sepsis and how to prevent infections, visit, www.cdc.gov/sepsis.











It's time to talk about sepsis. Why?

Because any infection – like a wound, pneumonia, or a urinary tract infection - can lead to sepsis. Because sepsis is a medical emergency.

If you or a loved one suspects sepsis or has an infection that's not getting better, ask your doctor or nurse, "Could this infection be leading to sepsis?"







It's time to talk about sepsis. Why?


Because any infection — like a wound, pneumonia, or a urinary tract infection — can lead to sepsis.

Because sepsis is a medical emergency.

If you or a loved one suspects sepsis or has an infection that's not getting better, ask your doctor or nurse, "Could this infection be leading to sepsis?"







It's time to talk about sepsis. Why?

Because any infection – like a wound, pneumonia, or a urinary tract infection – can lead to sepsis. Because sepsis is a medical emergency.

If you or a loved one suspects sepsis or has an infection that's not getting better, ask your doctor or nurse, "Could this infection be leading to sepsis?"





