

PART 241 – Passenger Origin-Destination Survey Report

OMB NO: 2139-0001
EXPIRATION DATE: 2/28/2017

Paperwork Reduction Act Burden Statement

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2139-0001. Public reporting for this collection of information is estimated to be approximately 7 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information. All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, James Bouse, OAI/BTS/OST-R, RTS-42, Room E34, 1200 New Jersey Avenue, SE, Washington, D.C. 20590 or e-mail – james.bouse@dot.gov.

REQUIREMENTS

RECORD DESCRIPTION: **Origin-Destination Survey Report – U.S. Carriers**

Field Description	Data Type	Length	Comments	Sample Data
Carrier code	Character	2	IATA code	XX
Year	Numeric	3	Date: YYQ Where '09' = Year: 2009 Quarter: 4	094
Fare	Numeric	variable	Value of the ticket in whole U.S. dollars(\$)	4913
Passenger Count	Numeric	variable		3
1 st Airport Code	Character	3	1 st Airport Code is the 3 letter code for the first Origin airport	BOS
1 st Operating Carrier	Character	2	IATA Carrier Code	IO
1 st Ticketed Carrier	Character	2	IATA Carrier Code	XX
1 st Fare Basis Code	Character	1	C - Unrestricted Business Class D - Restricted Business Class F - Unrestricted First Class G - Restricted First Class X - Restricted Coach Y - Unrestricted Coach U - Unknown	G
2 nd Airport Code	Character	3	2 nd Airport Code is the 3 letter code for the first destination airport	LAX
2 nd Operating Carrier	Character	2		VA
2 nd Ticketed Carrier	Character	2		VA
2 nd Fare Basis Code	Character	1		G
3 rd Airport Code			3 rd Airport Code is the 3 letter code for the second destination airport	SYD
3 rd Operating Carrier	Character	2	Surface Segment Indicator – for Operating Carrier.	--
3 rd Ticketed Carrier	Character	2	Surface Segment Indicator – for Ticketed Carrier	--
3 rd Fare Basis Code	Character	1	For surface travel segment, leave the	

			<i>Fare Basis Code blank</i>	
4 th Airport Code	Character	3	<i>4th Airport Code is the 3 letter code for the third destination airport</i>	CNS
4 th Operating Carrier	Character	2		DJ
4 th Ticketed Carrier	Character	2		VA
4 th Fare Basis Code	Character	1		G
5 th Airport Code	Character	3	<i>5th Airport Code is the 3 letter code for the fourth destination airport</i>	BNE
5 th Operating Carrier	Character	2		VA
5 th Ticketed Carrier	Character	2		VA
5 th Fare Basis Code	Character	1		G
6 th Airport Code	Character	3	<i>6th Airport Code is the 3 letter code for the fifth destination airport</i>	LAX
6 th Operating Carrier	Character	2		IO
6 th Ticketed Carrier	Character	2		IO
6 th Fare Basis Code	Character	1		G
7 th Airport Code	Character	3	<i>7th Airport Code is the 3 letter code for the sixth destination airport.</i>	BOS
7 th Operating Carrier	Character	2		OH
7 th Ticketed Carrier	Character	2		DL
7 th Fare Basis Code	Character	1		G
8 th Airport Code	Character	3	<i>8th Airport Code is the 3 letter code for the seventh destination airport, and in this example, the final destination for this ticket</i>	DCA
8 th Operating Carrier	Character	2	If 23 coupons have to be recorded, then the format continues as follows:	EV
8 th Ticketed Carrier	Character	2		DL
8 th Fare Basis Code	Character	1		X
9 th Airport Code	Character	3	<i>9th Airport Code is the 3 letter code for the eight destination airport, and in this example, the final destination for this ticket</i>	CLT
9 th Operating Carrier	Character	2		YV
9 th Ticketed Carrier	Character	2		YV
9 th Fare Basis Code	Character	1		X
10 th Airport Code	Character	3	<i>10th Airport Code is the 3 letter code for the ninth destination airport, and in this example, the final destination for this ticket</i>	ATL
10 th Operating Carrier	Character	2		FL
10 th Ticketed Carrier	Character	2		FL
10 th Fare Basis Code	Character	1		Y
11 th Airport Code	Character	3	<i>11th Airport Code is the 3 letter code for the tenth destination airport, and in this example, the final destination for this ticket</i>	MIA
11 th Operating Carrier	Character	2		MQ
11 th Ticketed Carrier	Character	2		AA
11 th Fare Basis Code	Character	1		G

12 th Airport Code	Character	3	<i>12th Airport Code is the 3 letter code for the eleventh destination airport, and in this example, the final destination for this ticket</i>	FLL
12 th Operating Carrier	Character	2		NK
12 th Ticketed Carrier	Character	2		NK
12 th Fare Basis Code	Character	1		X
13 th Airport Code	Character	3	<i>13th Airport Code is the 3 letter code for the twelfth destination airport, and in this example, the final destination for this ticket</i>	FMY
13 th Operating Carrier	Character	2		NK
13 th Ticketed Carrier	Character	2		NK
13 th Fare Basis Code	Character	1		X
14 th Airport Code	Character	3	<i>14th Airport Code is the 3 letter code for the thirteenth destination airport, and in this example, the final destination for this ticket</i>	ATL
14 th Operating Carrier	Character	2		EV
14 th Ticketed Carrier	Character	2		DL
14 th Fare Basis Code	Character	1		Y
15 th Airport Code	Character	3	<i>15th Airport Code is the 3 letter code for the fourteenth destination airport, and in this example, the final destination for this ticket</i>	LAS
15 th Operating Carrier	Character	2		SY
15 th Ticketed Carrier	Character	2		SY
15 th Fare Basis Code	Character	1		Y
16 th Airport Code	Character	3	<i>16th Airport Code is the 3 letter code for the fifteenth destination airport, and in this example, the final destination for this ticket</i>	SAN
16 th Operating Carrier	Character	2		XE
16 th Ticketed Carrier	Character	2		CO
16 th Fare Basis Code	Character	1		y
17 th Airport Code	Character	3	<i>17th Airport Code is the 3 letter code for the sixteenth destination airport, and in this example, the final destination for this ticket</i>	MEX
17 th Operating Carrier	Character	2		AM
17 th Ticketed	Character	2		MX
17 th Fare Basis Code	Character	1		Y
18 th Airport Code	Character	3	<i>18th Airport Code is the 3 letter code for the seventeenth destination airport, and in this example, the final destination for this ticket</i>	LIM
18 th Operating Carrier	Character	2		AA
18 th Ticketed Carrier	Character	2		AA
18 th Fare Basis Code	Character	1		y
19 th Airport Code	Character	3	<i>19th Airport Code is the 3 letter code for</i>	MEX

			<i>the eighteenth destination airport, and in this example, the final destination for this ticket</i>	
19 th Operating Carrier	Character	2		MX
19 th Ticketed Carrier	Character	2		MX
19 th Fare Basis Code	Character	1		Y
20 th Airport Code	Character	3	<i>20th Airport Code is the 3 letter code for the nineteenth destination airport, and in this example, the final destination for this ticket</i>	LAX
20 th Operating Carrier	Character	2		AA
20 th Ticketed Carrier	Character	2		AA
20 th Fare Basis Code	Character	1		G
21 th Airport Code	Character	3	<i>21th Airport Code is the 3 letter code for the twentieth destination airport, and in this example, the final destination for this ticket</i>	PDX
21 th Operating Carrier	Character	2		QX
21 th Ticketed Carrier	Character	2		AS
21 th Fare Basis Code	Character	1		G
22 nd Airport Code	Character	3	<i>22nd Airport Code is the 3 letter code for the twenty-first destination airport, and in this example, the final destination for this ticket</i>	ANC
22 nd Operating Carrier	Character	2		NW
22 nd Ticketed Carrier	Character	2		AS
22 nd Fare Basis Code	Character	1		Y
23 rd Airport Code	Character	3	<i>23rd Airport Code is the 3 letter code for the twenty-second destination airport, and in this example, the final destination for this ticket</i>	BNE
23 rd Operating Carrier	Character	2		VA
23 rd Ticketed Carrier	Character	2		VA
23 rd Fare Basis Code	Character	1		G
24 th Airport Code	Character	3	<i>24th Airport Code is the 3 letter code for the twenty-third destination airport, and in this example, the final destination for this ticket</i>	SYD

RECORD FORMAT:

The **Origin-Destination Survey** reports must be created as an electronic “comma separated values” file, using ASCII text character encoding, for uploading via the “eSubmit” application.

The comma separated values file MUST BE indicated when naming the file with file extension [CSV] or [csv] following the file name.

The file name is flexible and may be determined by the individual air carrier, but the comma separated values (csv) file format is required, as outlined in the rule entitled, *Submitting Airline Data via the Internet*.

The fields in the sample record shown below follow the same order as the above record description, separated by commas, and saved with the file name extension of .csv.

Suggested file name: XX201003-OND.csv

Sample Record Format:

XX,94,4913,1,BOS,IO,XX,G,LAX,VA,VA,G,SYD,-,-,-, ,CNS,DJ,VA,G,BNE,VA,VA,G,LAX,IO,IO,G,BOS

NOTE: The second itinerary in the sample record format above indicates a surface segment between SYD and CNS. The --,-, , indicate the positions the two carriers and fare code would have occupied had there been air transportation between the two airports.

PART 241 – Passenger Origin-Destination Survey Report

OMB NO: 2139-0001
EXPIRATION DATE: 2/28/2017

Paperwork Reduction Act Burden Statement

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2139-0001. Public reporting for this collection of information is estimated to be approximately 7 hours per response, including the time for reviewing instructions, completing and reviewing the collection of information. All responses to this collection of information are mandatory, as authorized by 14 CFR, Part 241. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, James Bouse, OAI/BTS/OST-R, RTS-42, Room E34, 1200 New Jersey Avenue, SE, Washington, D.C. 20590 or e-mail – James.Bouse@dot.gov.

REQUIREMENTS

RECORD DESCRIPTION: Origin-Destination Survey Report – Foreign Carriers

Field Description	Data Type	Length	Comments	Sample Data
Carrier code	Character	2	IATA code	XX
Year	Numeric	3	Date: YYQ Where '09' = Year: 2009 Quarter: 4	094
Fare	Numeric	variable	Value of the ticket in whole U.S. dollars(\$)	1234
Passenger Count	Numeric	variable		3
1 st Airport Code	Character	3	1 st Airport Code is the 3 letter code for the first Origin airport	BOS
1 st Operating Carrier	Character	2	IATA Carrier Code	IO
1 st Ticketed Carrier	Character	2	IATA Carrier Code	XX
1 st Fare Basis Code	Character	1	C - Unrestricted Business Class D - Restricted Business Class F - Unrestricted First Class G - Restricted First Class X - Restricted Coach Y - Unrestricted Coach U - Unknown	G
2 nd Airport Code	Character	3	2 nd Airport Code is the 3 letter code for the first destination airport	LAX

2 nd Operating Carrier	Character	2		VA
2 nd Ticketed Carrier	Character	2		VA
2 nd Fare Basis Code	Character	1		G
3 rd Airport Code			3 rd Airport Code is the 3 letter code for the second destination airport	SYD
3 rd Operating Carrier	Character	2	Surface Segment Indicator - for Operating Carrier.	--
3 rd Ticketed Carrier	Character	2	Surface Segment Indicator - for Ticketed Carrier	--
3 rd Fare Basis Code	Character	1	For surface travel segment	
4 th Airport Code	Character	3	4 th Airport Code is the 3 letter code for the third destination airport	CNS
4 th Operating Carrier	Character	2		DJ
4 th Ticketed Carrier	Character	2		VA
4 th Fare Basis Code	Character	1		G
5 th Airport Code	Character	3	5 th Airport Code is the 3 letter code for the fourth destination airport	BNE
5 th Operating Carrier	Character	2		VA
5 th Ticketed Carrier	Character	2		VA
5 th Fare Basis Code	Character	1		G
6 th Airport Code	Character	3	6 th Airport Code is the 3 letter code for the fifth destination airport	LAX
6 th Operating Carrier	Character	2		IO
6 th Ticketed Carrier	Character	2		IO
6 th Fare Basis Code	Character	1		G
7 th Airport Code	Character	3	7 th Airport Code is the 3 letter code for the sixth destination airport and in this example, the final destination for this ticket	BOS
8 th Airport Code	Character	3	8 th Airport Code is the 3 letter code for the seventh destination airport, and in this example, the final destination for this ticket	DCA
8 th Operating Carrier	Character	2	If 23 coupons have to be recorded, then the format continues as follows:	EV
8 th Ticketed Carrier	Character	2		DL
8 th Fare Basis Code	Character	1		X
9 th Airport Code	Character	3	9 th Airport Code is the 3 letter code for the eight destination airport, and in this example, the final destination for this ticket	CLT
9 th Operating Carrier	Character	2		YV
9 th Ticketed Carrier	Character	2		YV
9 th Fare Basis Code	Character	1		X
10 th Airport Code	Character	3	10 th Airport Code is the 3 letter code for the ninth destination airport, and in this example, the final destination for this ticket	ATL
10 th Operating Carrier	Character	2		FL
10 th Ticketed Carrier	Character	2		FL

10 th Fare Basis Code	Character	1		Y
11 th Airport Code	Character	3	11 th Airport Code is the 3 letter code for the tenth destination airport, and in this example, the final destination for this ticket	MIA
11 th Operating Carrier	Character	2		MQ
11 th Ticketed Carrier	Character	2		AA
11 th Fare Basis Code	Character	1		G
12 th Airport Code	Character	3	12 th Airport Code is the 3 letter code for the eleventh destination airport, and in this example, the final destination for this ticket	FLL
12 th Operating Carrier	Character	2		NK
12 th Ticketed Carrier	Character	2		NK
12 th Fare Basis Code	Character	1		X
13 th Airport Code	Character	3	13 th Airport Code is the 3 letter code for the twelfth destination airport, and in this example, the final destination for this ticket	FMY
13 th Operating Carrier	Character	2		NK
13 th Ticketed Carrier	Character	2		NK
13 th Fare Basis Code	Character	1		X
14 th Airport Code	Character	3	14 th Airport Code is the 3 letter code for the thirteenth destination airport, and in this example, the final destination for this ticket	ATL
14 th Operating Carrier	Character	2		EV
14 th Ticketed Carrier	Character	2		DL
14 th Fare Basis Code	Character	1		Y
15 th Airport Code	Character	3	15 th Airport Code is the 3 letter code for the fourteenth destination airport, and in this example, the final destination for this ticket	LAS
15 th Operating Carrier	Character	2		SY
15 th Ticketed Carrier	Character	2		SY
15 th Fare Basis Code	Character	1		Y
16 th Airport Code	Character	3	16 th Airport Code is the 3 letter code for the fifteenth destination airport, and in this example, the final destination for this ticket	SAN
16 th Operating Carrier	Character	2		XE
16 th Ticketed Carrier	Character	2		CO
16 th Fare Basis Code	Character	1		y
17 th Airport Code	Character	3	17 th Airport Code is the 3 letter code for the sixteenth destination airport, and in this example, the final destination for this ticket	MEX
17 th Operating Carrier	Character	2		AM
17 th Ticketed	Character	2		MX
17 th Fare Basis Code	Character	1		Y

18 th Airport Code	Character	3	<i>18th Airport Code is the 3 letter code for the seventeenth destination airport, and in this example, the final destination for this ticket</i>	LIM
18 th Operating Carrier	Character	2		AA
18 th Ticketed Carrier	Character	2		AA
18 th Fare Basis Code	Character	1		Y
19 th Airport Code	Character	3	<i>19th Airport Code is the 3 letter code for the eighteenth destination airport, and in this example, the final destination for this ticket</i>	MEX
19 th Operating Carrier	Character	2		MX
19 th Ticketed Carrier	Character	2		MX
19 th Fare Basis Code	Character	1		Y
20 th Airport Code	Character	3	<i>20th Airport Code is the 3 letter code for the nineteenth destination airport, and in this example, the final destination for this ticket</i>	LAX
20 th Operating Carrier	Character	2		AA
20 th Ticketed Carrier	Character	2		AA
20 th Fare Basis Code	Character	1		G
21 th Airport Code	Character	3	<i>21th Airport Code is the 3 letter code for the twentieth destination airport, and in this example, the final destination for this ticket</i>	PDX
21 th Operating Carrier	Character	2		QX
21 th Ticketed Carrier	Character	2		AS
21 th Fare Basis Code	Character	1		G
22 nd Airport Code	Character	3	<i>22nd Airport Code is the 3 letter code for the twenty-first destination airport, and in this example, the final destination for this ticket</i>	ANC
22 nd Operating Carrier	Character	2		NW
22 nd Ticketed Carrier	Character	2		AS
22 nd Fare Basis Code	Character	1		Y
23 rd Airport Code	Character	3	<i>23rd Airport Code is the 3 letter code for the twenty-second destination airport, and in this example, the final destination for this ticket</i>	BNE
23 rd Operating Carrier	Character	2		VA
23 rd Ticketed Carrier	Character	2		VA
23 rd Fare Basis Code	Character	1		G
24 th Airport Code	Character	3	<i>24th Airport Code is the 3 letter code for the twenty-third destination airport, and in this example, the final destination for this ticket</i>	SYD

RECORD FORMAT:

The **Origin-Destination Survey** reports must be created as an electronic “comma separated values” file, using ASCII text character encoding, for uploading via the “eSubmit” application.

The comma separated values file MUST BE indicated when naming the file with file extension [CSV] or [csv] following the file name.

The file name is flexible and may be determined by the individual air carrier, but the comma separated values (csv) file format is required, as outlined in the rule entitled, *Submitting Airline Data via the Internet*.

The fields in the sample record shown below follow the same order as the above record description, separated by commas, and saved with the file name extension of .csv.

Suggested file name: XX201003-FOND.csv

Sample Record Format:

XX, 94, 1234, 1, BOS, I0, XX, G, LAX, VA, VA, G, SYD, - , - , - , CNS, DJ, VA, G, BNE, VA, VA, G, LAX, I0, I0, G, BOS

NOTE:

The second itinerary in the sample record format above indicates a surface segment between SYD and CNS. The --,-- , indicate the positions where the ticketing carrier, the operating carrier, and the fare basis code information would have been entered had there been air transportation between the two airports.