

# Exposure Assessment Protocol: Biological and Environmental Sampling of Per- and Polyfluoroalkyl Substances (PFAS)

---

## **FUNDED AND SPONSORED BY**

Agency for Toxic Substances and Disease Registry (ATSDR)  
4770 Buford Highway, MS F-59  
Atlanta, GA 30341

## Table of Contents

<b>Abbreviations and Acronyms.....</b>	<b>4</b>
<b>Project Overview.....</b>	<b>6</b>
Title.....	6
Protocol Summary.....	6
Participating Agencies/Contractors.....	7
Conflicts of Interest.....	7
<b>Introduction.....</b>	<b>8</b>
Literature Review.....	8
Justification for Exposure Assessments.....	12
<i>Limitations of the Investigation</i> .....	12
Intended/Potential Use of Exposure Assessment Findings.....	13
Exposure Assessment Locations.....	13
Site-specific Community Engagement.....	15
Objectives.....	15
<b>Procedures and Methods.....</b>	<b>16</b>
Sampling Strategy.....	16
Biological Sampling Eligibility Criteria and Recruitment.....	19
Environmental Sampling Eligibility and Recruitment.....	20
Sample Collection Procedures.....	21
Informed Consent/Assent.....	21
Blood Sampling.....	21
Urine Sampling.....	25
Questionnaire.....	26
Environmental Sample Collection Teams.....	28
Drinking Water Sampling.....	28

Indoor Dust Sampling.....	29
Anticipated Risks and Benefits.....	31
Privacy Protections.....	32
Data Handling and Analysis.....	33
Data Handling.....	33
Statistical Analysis of Serum and Urine Data from Individual Participants.....	33
Statistical Analysis of Aggregate Data.....	33
Environmental Data.....	34
Anticipated Products.....	34
<b>References.....</b>	<b>36</b>
<b>Appendix A: Community Event Evaluation Survey, Recruitment Letter and Phone Script.....</b>	<b>44</b>
<b>Appendix B: Privacy Act Statement, Consent, Parental Permission and Assent Forms, and Biological Testing Tracking Form.....</b>	<b>56</b>
<b>Appendix C: Sample Collection Logs.....</b>	<b>76</b>
<b>Appendix D: Chain of Custody Forms.....</b>	<b>81</b>
<b>Appendix E: Urine Collection Instructions.....</b>	<b>83</b>
<b>Appendix F: Questionnaire.....</b>	<b>85</b>
<b>Appendix G: Results Letters.....</b>	<b>105</b>
<b>Appendix H: Site Health and Safety Plan.....</b>	<b>121</b>
Introduction.....	122
Personnel Training Requirements.....	122
Personal Protective Equipment.....	123
Emergency Procedures.....	123
Personal Injury.....	123
Fire or Explosion.....	123
Natural Hazards.....	123
Equipment Failure.....	123
Centrifuge Safety Procedures.....	124
<b>Appendix I: Data Management Plan.....</b>	<b>125</b>



## Abbreviations and Acronyms

11CI-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid
9CI-PF3ONS	9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid
ALT	Alanine aminotransferase
ATSDR	Agency for Toxic Substances and Disease Registry
DCHI	Division of Community Health Investigations
DE	Design effect
dL	Deciliter
DoD	US Department of Defense
DONA	4,8-dioxa-3H-perfluorononanoic acid
EA	Exposure Assessment
EPA	Environmental Protection Agency
EtFOSAA	N-ethyl perfluorooctanesulfonamidoacetic acid
FRB	Field reagent blank
FtS 8:2	fluorotelomer sulfonic acid 8:2
FtS 6:2	fluorotelomer sulfonic acid 6:2
FtS 4:2	fluorotelomer sulfonic acid 4:2
g	Gram
GGT	Gamma-glutamyl transferase
HDL	High density lipoprotein
HFPO-DA (GenX)	hexafluoropropylene oxide dimer acid
ICC	intra-cluster correlation coefficient
L	Liter
LDL	Low density lipoprotein
LOD	Limit of detection
MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid
Mg	Milligrams
mL	Milliliter
MRL	Minimum risk level
n-PFOA	ammonium perfluorooctanoate
n-PFOS	sodium perfluoro-1-octanesulfonate

NCEH	National Center for Environmental Health
NDAAs	National Defense Authorization Act
Ng	Nanogram
NHANES	National Health and Nutrition Examination Survey
NIEHS	National Institute of Environmental Health Sciences
PFAS	Per- and polyfluoroalkyl substances
PFBA	perfluorobutanoic acid
PFBS	perfluorobutane sulfonic acid
PFDA	perfluorodecanoic acid
PFDS	perfluorodecane sulfonic acid
PFDoA	perfluorododecanoic acid
PFHpA	perfluoroheptanoic acid
PFHpS	perfluoroheptane sulfonic acid
PFHxA	perfluorohexanoic acid
PFHxS	perfluorohexane sulfonic acid
PFNA	perfluorononanoic acid
PFNS	perfluorononane sulfonic acid
PFOA	perfluorooctanoic acid
PFOS	perfluorooctane sulfonic acid
PFOSA	perfluorooctane sulfonamide
PFPeA	perfluoropentanoic acid
PFPeS	perfluoropentane sulfonic acid
PFTA	perfluorotetradecanoic acid
PFTrA	perfluorotridecanoic acid
PFUnA	perfluoroundecanoic acid
Sb-PFOA	mixture of perfluoro-5-methylheptanoic acid isomers
Sm-PFOS	mixture of sodium perfluoro-5-methylheptane sulfonate isomers

## Project Overview

### Title

Biological and Environmental Sampling of Per- and Polyfluoroalkyl Substances (PFAS)

### Protocol Summary

Under Section 8006 of the Consolidated Appropriations Act, 2018, ATSDR is required to conduct statistically based biomonitoring exposure assessments (EAs) at “no less than eight current or former domestic military installations” that have or have had documented exposures to PFAS in drinking water. This protocol describes how these EAs will be conducted.

For each site, a statistically based, community sampling design will be used to determine:

- The distribution of PFAS serum concentrations in communities with recent or past exposures to PFAS in drinking water.
- PFAS urine concentrations from a subset of participants with recent or past exposures to PFAS in drinking water.
- PFAS concentrations in indoor dust and tap water samples from a subset of homes of participants in biological sampling.

A questionnaire will be administered to all participants to gather information to characterize each individual’s exposure.

Blood and urine samples from EA participants will be analyzed to determine the distribution of PFAS levels in each community. Individual and aggregated community serum and urine concentrations will be compared to reference ranges from nationally representative data. Environmental samples will be analyzed to determine PFAS exposure concentrations and, in conjunction with questionnaire data, to provide insight into environmental contributors to biological PFAS concentrations across all included sites.

Each exposure assessment will include the following goals:

- **Provide a public health service to the community:** This investigation will provide information to community members about their PFAS body burden, including an assessment of how their PFAS concentrations compare to national reference populations. The investigation will also provide information about aggregate serum concentrations and exposure in the community from which participants are selected.

Depending on the results of the investigation, ATSDR will make recommendations to further reduce exposure or conduct additional activities to better understand the impact of PFAS exposure on human health.

- **Generate information about pathways of exposures in the community:** Environmental sampling data will be combined with biological sampling results to generate information about

the impact of drinking water and some non-drinking water PFAS exposure pathways on PFAS body burden in each community. For example, environmental sampling data might allow investigators to assess the relative contribution of dust to PFAS exposure, but not necessarily other exposure sources such as foods.

- **Inform future studies to evaluate the impact of PFAS exposure on human health:** The results of these EAs will inform the design and implementation of the CDC Multi-site PFAS Health Study.
  - For example, exploration of indoor dust sampling and analysis may provide valuable insight into the utility of including indoor dust sampling in future PFAS studies.
  - Similarly, collection of paired serum and urine samples will provide information on relationships between PFAS concentrations measured in these media and may generate insight into the utility of measuring PFAS in urine in future health studies.
  - Additionally, measurement of PFAS in serum and urine will generate data that could potentially be used for validation and calibration of physiologically-based pharmacokinetic modeling tools in support of historical dose reconstruction for PFAS health studies.
  - Tracking information on recruitment outcomes and response rates will allow ATSDR to improve methodology for conducting statistically representative sampling in the future.

### Participating Agencies/Contractors

Institution	Role
Agency for Toxic Substances and Disease Registry	Sponsoring Agency, Funding Agency
Centers for Disease Control and Prevention	Collaborating Agency
Eastern Research Group	Contractor
Abt Associates	Contractor

### Conflicts of Interest

The investigators report no conflicts of interest that would prevent them from objectively carrying out the investigation.



## Introduction

### Literature Review

PFAS are a large family of chemicals with several thousand members. They are used in a variety of industrial and consumer applications and products, including: fire-fighting foams; personal care and cleaning products; as well as oil, stain, grease, and water-repellent coatings on carpet, textiles, leather, and paper [1]. Perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorononanoic acid (PFNA), and perfluorohexane sulfonic acid (PFHxS) are the most extensively studied PFAS but there is little toxicity data available for other PFAS.

PFOS is no longer manufactured in the United States. In January 2006, the Environmental Protection Agency (EPA) initiated the 2010/15 PFOA Stewardship Program, in which the eight major companies in the PFAS industry committed to working toward eliminating emissions and product content of PFOA by 2015 [2, 3]. The goals set forth by this program were met, resulting in a significant decrease in the manufacture and use of PFOA in the United States. However, PFOA, PFOS, and other PFAS continue to be found in the environment, wildlife, and blood of the general population [4-7]. Additionally, new PFAS have been developed to replace PFOA and PFOS, many of which have been detected in environmental samples near manufacturing facilities [8-10]. Very little is known about these new PFAS, though they may have the potential to cause adverse health effects.

Due to past environmental contamination, PFAS have been detected in numerous public and private drinking water systems throughout the United States. As a result, public health agencies are concerned about the possible health risks for communities exposed to these drinking water supplies as well as other sources of PFAS contamination. In 2016 the EPA established a lifetime health advisory level of 70 parts per trillion for two PFAS (PFOA and PFOS, either separately or combined) in drinking water [11, 12]. This health advisory level offers a margin of protection for all Americans throughout their life from adverse health effects resulting from exposure to PFOA and PFOS in drinking water. These values may be revised as the science of PFAS progresses or if new values are established for other PFAS. In addition, several states have developed their own standards and guidance.

Human dietary exposure is thought to be a significant exposure route for PFAS [13-19]. Some PFAS have been shown to accumulate in fish. In the general population, fish and shellfish consumption have been associated with PFAS serum levels [20-22]. In communities near PFAS point-sources, a positive relationship between consumption of fish from PFAS-impacted waters and serum PFAS concentrations have been clearly demonstrated [23]. Additionally, several peer reviewed studies have shown a direct correlation between PFAS concentrations in soil and bioaccumulation in plants [13, 14, 24]. PFAS have been detected in potatoes and cereal seeds as well as leafy vegetables and fruits [24]. Thus, consideration of the consumption of locally-grown fruits and vegetables as well as locally-caught fish is important for exposure assessment.

Infant consumption of formula reconstituted with PFAS-contaminated water as well as consumption of breastmilk from mothers who have been exposed to PFAS are significant dietary sources of PFAS exposure for young children. Empirical data have demonstrated that infant PFOA serum concentrations

are higher than those of older individuals exposed to the same contaminated drinking water source for breastfed infants and those fed formula reconstituted with PFAS-contaminated water [25, 26]

ATSDR is currently updating its Toxicological Profile for Perfluoroalkyls. The profile will include Minimal Risk Levels (MRLs) for four PFAS (PFOA, PFOS, PFHxS, and PFNA). MRLs are estimates of daily human exposure to a hazardous substance at or below which that substance is not expected to pose a measurable risk of adverse non-cancerous (e.g., neurological, respiratory, or reproductive) effects. MRLs are used to derive screening values used by ATSDR health assessors and others to identify potentially harmful levels of contaminants at hazardous waste sites and determine whether further investigation is needed to protect communities from exposure.

Limited epidemiological studies have assessed the relationship between PFAS exposure and adverse health effects in humans. These studies have been conducted in occupationally exposed populations, residential populations exposed to PFAS through contaminated drinking water, and the general United States population.

PFOS, PFOA, PFHxS, and PFNA have been more widely studied than other PFAS. Some, but not all, studies in humans with PFAS exposure have shown that certain PFAS may:

- affect growth [27, 28], learning [29], and behavior [30-32] of infants and older children
- lower a woman's chance of getting pregnant [33, 34]
- interfere with the body's natural hormones [35, 36]
- increase cholesterol levels [37-40]
- affect the immune system [41-45]
- increase the risk of cancer [46]

Scientists are still learning about the health effects of exposures to mixtures of PFAS. More research will help scientists fully understand how PFAS may affect human health.

Although none of the results are definitive due to limitations in the study designs and relevance of the PFAS exposures in those studies to community settings and relevance of other factors that may influence health effects in affected communities, these studies have generated concerns amongst communities with identified exposures to PFAS. Though the PFAS exposure assessments described in this protocol are not designed to assess the relationship between PFAS exposure and health effects, they will measure body burden of PFAS, may result in recommendations to reduce exposure, and will inform the design and implementation of future health studies.

For instance, epidemiological studies have demonstrated a positive association between serum PFOA and elevated cholesterol levels in occupational and residential populations, though no consistent trend between serum PFOA and low density lipoprotein (LDL) and high density lipoprotein (HDL) is evident [47-50]. PFOA and PFOS have been shown to modulate expression of genes related to cholesterol metabolism and transport in men and women [51].

Evaluation of liver enzymes suggests that there is a positive association between serum PFOA and liver enzymes and an inverse association between serum PFOA and bilirubin levels [48-50, 52, 53]. This

association is evident in both occupational and residential populations. A positive relationship between liver enzyme gamma-glutamyl transferase (GGT) and PFOA serum concentration was observed in an occupational cohort [49]. A positive association between serum PFOA and serum PFOS concentrations and serum alanine aminotransferase (ALT) levels (a marker of hepatocellular damage) was observed in a large residential study [52].

There is evidence to suggest a positive association between serum PFOA and chronic kidney disease [54, 55] in the general population, although questions remain. Because of the cross-sectional nature of some studies, it is not clear if high PFOA and PFOS serum concentrations preceded the observed chronic kidney disease or vice versa [4]. Similarly, some cross-sectional studies also indicate an association between serum PFAS concentrations and early menopause, however the design of these studies makes it difficult to determine the direction of causality [4].

PFOA has been associated with kidney and testicular cancer in a survivor cohort living near a chemical plant [54]. A retrospective cohort study showed an association between length of employment at 3M Chemical Division (while PFAS production was ongoing) and prostate cancer [56]. In 2005, EPA's Science Advisory Board suggested that PFOA is "likely to be carcinogenic in humans," based on the evidence available at the time [57]. The International Agency for Research on Cancer has characterized PFOA as "possibly carcinogenic to humans [46, 58]."

Immune system responses have been observed in adults exposed to PFAS. Epidemiological studies suggest a positive association between serum PFOA and serum PFOS concentrations and suppressed antibody responses to vaccines. *In vitro* studies with human cell lines suggest that PFOA inhibits cytokines that help regulate immune responses [59]. In studies of children, evidence suggests that early development of the adaptive immune system may be vulnerable to exposure to PFOA and PFOS [60]. Studies in the Faroe Islands showed that a doubling in PFOA and PFOS exposure at seven years of age was associated with clinically-significant decreases in diphtheria antibody concentrations at 7 and 13 years of age [61]. In 2016, the National Toxicology Program concluded that both PFOA and PFOS are presumed to be an immune hazard to humans [62].

Cross-sectional studies provide some evidence for associations between exposure to PFOA and other PFAS species and asthma-related outcomes in children, though this is not yet well studied [63, 64]. There is no evidence of association between human maternal serum PFOA or PFOS and preterm birth [65], despite observed impacts on pup mortality in rodent studies [66]. A modest inverse association between maternal PFOS serum concentration and birth weight in full term infants has been observed [65].

In animals, adverse health effects have been demonstrated in response to PFOA and PFOS exposure [67, 68]. These studies identify increased liver weight as one of the primary critical effects [67, 69-73]. Other effects include changes in spleen and thymus [70, 74], as well as developmental effects [68, 75]. However, it is important to note that extrapolation from animals to humans is uncertain because of pronounced differences in elimination rates and substantial variability across species [76-78].

There is much uncertainty regarding the toxicokinetics of PFAS, especially in humans [79]. The toxicokinetic behavior of these compounds appears to be very different in humans than in laboratory

species. The rate at which PFAS are eliminated from the body is an important driver of toxicity, with longer half-lives indicating greater potential for bioaccumulation [80]. Biological half-life has been estimated in humans for several PFAS in both occupationally [81] and residentially exposed populations [80, 82, 83]. However, differences in the studied populations, including the level of exposure and the treatment of ongoing background exposures, have resulted in discrepancies across estimates [83].

PFAS excretion is an important determinant of human body burden for these compounds. In humans, PFAS are excreted primarily in the urine [78, 80, 84, 85]. Renal excretion of PFAS occurs by both active and passive mechanisms and is determined by the sum of glomerular filtration, renal tubular secretion and renal tubular absorption [77-79]. Diabetes [86] is associated with a significant lifetime risk of kidney disease [87] and diabetic kidney disease is the leading cause of end-stage renal disease in North America [87]. Diabetic kidney disease is characterized by the development of macroalbuminuria which is followed by a decline in glomerular filtration rate [88, 89]. Hepatitis C has been shown to be an important risk factor for the development of renal insufficiency and decline in glomerular filtration rate [90]. Chronic kidney disease is characterized by decreased kidney function [91]. Clinically, decreased kidney function is a diagnostic marker of chronic kidney disease and is defined by a glomerular filtration rate persistently below 60 mL/minute/1.73 m<sup>2</sup> [89, 92, 93]. Anemia is a common complication of chronic kidney disease [94]. An analysis of NHANES data demonstrated that lower estimated glomerular filtration rate was associated with higher prevalence of anemia in non-Hispanic white persons, non-Hispanic black persons, and Mexican Americans [95]. Diabetes, hepatitis C, chronic kidney disease and decreased kidney function, and anemia may have the potential to significantly impact glomerular filtration and PFAS excretion.

Dialysis treatment, often prescribed for individuals with kidney disease, may also have the potential to increase the removal of some PFAS from the body and thereby lower some PFAS serum concentrations. The primary treatment for renal failure is hemodialysis, a process by which a patient's blood is drawn out through a tube, pumped through a dialyzer to remove waste products and then returned to the patient's body. The membranes used in dialysis have been shown to provide clearance of PFAS [96]. In particular, concentrations of POFA and PFOS were reduced following dialysis with polysulfone dialysis membranes [96, 97].

Scientific evidence reported in the peer reviewed literature clearly demonstrates that PFAS accumulate in humans in protein-rich compartments including kidney, liver, and blood. This is attributed primarily to the fact that PFAS have a strong affinity for binding to serum proteins, serum albumin in particular [84]. For example, PFOA and PFNA have been reported to be 90% and 99.9% bound to human serum albumin [98]. As such, anything that causes significant blood loss will impact the excretion profile. In particular, menstrual fluid contains high levels of albumin [99]. Epidemiologic studies have shown that higher PFAS serum concentrations are measured in postmenopausal women compared with women who are still menstruating [100, 101]. Further, pharmacokinetic modeling provides additional evidence that menstrual cycles affect PFAS serum concentrations [102, 103].

Relatedly, PFAS have been demonstrated to pass through the placental barrier and into the developing fetus during gestation. PFAS have been measured in maternal serum [104-109], cord blood [27, 29, 104, 108, 110-114], placenta [76, 106, 107, 115], fetal tissue [116], and neonates [117, 118]. These studies

clearly establish gestation and birth as a significant excretion pathway for mothers and a significant exposure pathway for infants. Women who have been pregnant have a distinct excretion profile from women who have not.

Further, lactation is also a significant excretion pathway for breastfeeding women, and an exposure route for breastfed infants [119-129]. PFAS have been measured in breastmilk in many populations and the duration of breastfeeding has been demonstrated to be positively associated with serum-PFAS concentrations in children and negatively associated with PFAS-serum concentrations in mothers [130].

## **Justification for Exposure Assessments**

Human exposure to PFAS is a growing environmental health concern. These EAs will fulfill the requirements of the 2018 Consolidated Appropriations Act, which requires CDC/ATSDR to conduct statistically-based biomonitoring EAs in “no less than eight current or former domestic military installations” that have or have had documented exposures to PFAS in drinking water.

The results of these EAs may help individual participants and their communities better understand the magnitude of their environmental exposures to PFAS. The sampling is designed to yield results that are generalizable to the entire population consuming the drinking water in each community and to allow for estimation of serum PFAS concentrations in community members who were not tested.

## **Limitations of the Investigation**

PFAS concentrations measured in this EA cannot be used to predict the occurrence of disease for an individual and cannot explain an individual's current health problems.

Serum, urine, and environmental PFAS concentrations may improve the understanding of exposure in this community, but will not provide discrete information about all sources of exposure. Additionally, it is not possible to identify every potential confounding exposure. CDC/ATSDR will take this limitation into account when drawing conclusions. The results of this investigation may generate new hypotheses about which PFAS exposure pathways exist in this community. The results of this investigation will be applicable to all the individuals eligible for inclusion in the investigation (see 'Biological Sampling Eligibility and Recruitment' section for eligibility criteria), but cannot be generalized to groups not eligible for inclusion in the investigation.

The results will not be applicable to residents who previously lived in the community but moved away prior to this work or to residents who have moved into the community within one year of this work. While the results are generalizable to the community as a whole, they will not be able to estimate the exact concentrations for individual community members. After analysis of the data, ATSDR will include information on our website and through community meetings to provide individuals with specific information about what the data can and can not say about their exposures. The investigation is designed to estimate the mean concentration of PFOS in the population with a given level of precision. Estimates for other species or in sub-populations may not have the same level of precision in estimating means. The actual precision for other estimated means will be presented with the results.

While CDC/ATSDR will strive to obtain a representative sample at each site, the ultimate outcome of recruitment may introduce limitations in the ability to make generalizations in each community. These limitations may result in uncertainty in conclusions regarding the comparison of a community's exposure profile to nationally representative data. CDC/ATSDR will track non-response rates in order to evaluate the potential impact of the response on generalizability of conclusions.

At all sites identified for exposure assessments, mitigation actions have been implemented to reduce concentrations of PFOA and PFOS in drinking water to below 70 ppt. While there may be ongoing exposure to lower concentrations of PFAS in drinking water, the elevated exposures to PFOA and PFOS have been stopped (to the best of our knowledge). While remediation targeted PFOA and PFOS (per the EPA lifetime health advisory guidance) it is likely that the concentrations of some of the other PFAS chemicals were also reduced. In most cases, less than one biological half-life of time has passed since exposure was reduced. This means that the exposure assessments will attempt to quantify PFAS concentrations in blood and urine based on past exposure to PFAS above 70 ppt, not current exposure.

## **Intended/Potential Use of Exposure Assessment Findings**

Individual blood and urine results will be provided to participants. Household environmental sampling results will be provided to each participant following laboratory analysis and quality assurance procedures, depending on when analytical methods become available. If a participant's blood or urine concentration level is higher than the 95th percentile reported in the National Health and Nutrition

Examination Survey (NHANES) data, or if the participant's tap water sample is higher than either the EPA lifetime health advisory or a state value, that participant will be contacted sooner in order to facilitate rapid exposure source assessment and mitigation, as needed. If PFAS concentrations in tap water samples are higher than either the EPA lifetime health advisory or a state value, we will contact local water utilities and state drinking water officials to share this information. CDC/ATSDR intends to align communications with participants regarding water sampling concentrations with EPA's guidelines for use of the lifetime health advisory. The findings from each EA will be released as a report for the general public as soon as possible and aggregate findings will be submitted for publication in the peer-reviewed scientific literature.

The findings of these EAs will inform design and implementation for the multi-site PFAS health study that will be conducted by CDC/ATSDR in consultation with the National Institute of Environmental Health Sciences (NIEHS) and the US Department of Defense (DoD).

### Exposure Assessment Locations

EAs will occur at no less than eight communities associated with current or former military facilities that have or have had documented exposures to PFAS in drinking water.

ATSDR developed a multistep approach to selecting sites for the PFAS exposure assessments. The process reflects the legislative requirements and the scientific needs of the project. At each step of the process, efforts were made to collect as much information as possible.

ATSDR drew on a variety of candidate sources to assemble a list of candidate sites. Sources of information included information from other federal agencies, including DoD and EPA's UCMR3 data. ATSDR applied inclusion criteria to the candidate list to ensure that the communities were near a current or former military installation, had a completed drinking water exposure pathway for PFOA and/or PFOS above the EPA's lifetime health advisory of 70 ppt, a population of potentially exposed persons larger than the sample size calculated in the 'Sampling Strategy' section, no previous CDC/ATSDR sponsored PFAS biomonitoring at the site, and how recently PFAS exposure mitigation had been implemented.

ATSDR categorized the eligible sites based on the predominant source of drinking water to ensure the exposure assessments included communities served by both public and/or private water systems and private wells. ATSDR used information from the local water utilities to estimate the exposed population for each site. ATSDR evaluated the maximum measured concentrations of PFOA and PFOS combined in drinking water to assess the magnitude of exposure. ATSDR estimated the duration of exposure using information about initial use of AFFF at nearby military installations, service dates for drinking water wells, and information about documented releases of AFFF to surface water. Based on the information available, ATSDR chose sites that included both private well and water system sites and a geographical diversity of sites.

Listed in alphabetical order by county, the sites selected for PFAS exposure assessments are:

- Berkeley County, WV near Shepherd Field Air National Guard Base (Berkeley County)
- El Paso County, CO near Peterson Air Force Base (El Paso County)
- Fairbanks North Star Borough, AK near Eielson Air Force Base (Fairbanks North Star Borough)
- Hampden County, MA near Barnes Air National Guard Base (Hampden County)
- Lubbock County, TX near Reese Technology Center (Lubbock County)
- New Castle County, DE near New Castle Air National Guard Base (New Castle County)
- Orange County, NY near Stewart Air National Guard Base (Orange County)
- Spokane County, WA near Fairchild Air Force Base (Spokane County)

To our knowledge, all municipal systems serving the communities identified as exposure assessment sites took steps to reduce concentrations of PFOA and PFOS below 70 ppt between 2014 and 2017. Additionally, the information available for private wells within these communities indicates that either treatment systems were installed, or alternate sources of water provided between 2015 and 2018 in cases where PFOA and PFOS concentrations in private wells exceeded 70 ppt. Exposure to lower levels of a wide range of PFAS may be ongoing. When available, concentrations of PFAS over time will be used to understand the exposure history at these sites, including after mitigation, but PFAS data are not generally available prior to 2013.

Six of the selected communities (Berkeley County, El Paso County, Hampden County, New Castle County, Orange County, and Spokane County) have water systems that had PFOA + PFOS above 70 ppt. In order to draw generalizable conclusions, the sample frame in these communities will include only public water customers. The other two communities (Fairbanks North Star Borough and Lubbock County) had a large number of private wells with PFOA + PFOS above 70 ppt but no affected municipal systems. The sample frame in these communities will include only households with private wells.

### ***Site-specific Community Engagement***

ATSDR/NCEH will hold a community-wide public information meeting during the recruitment phase in all EA locations. The intended audience is prospective EA participants. A Community Event Evaluation Survey (“the Survey”) (Appendix A) will be used as a way for the EA team to receive feedback from prospective EA participants about ATSDR’s PFAS public health messaging, the ATSDR PFAS EA enrollment processes, and to gauge local feelings toward the ATSDR PFAS EA project. The survey data will help EA team members adjust and enhance public health messaging and EA project information in real time.

The goals of the Survey are:

1. To learn whether our messages and materials were understood by the audience;
2. To understand community feelings towards the project; and
3. To document whether potential participants understand how individuals are selected for potential participation in the Exposure Assessment.



The Survey questions have been adapted from the ATSDR Communications Toolkit available here: [https://www.atsdr.cdc.gov/communications-toolkit/documents/16\\_event-evaluation-form-final-101315\\_508.pdf](https://www.atsdr.cdc.gov/communications-toolkit/documents/16_event-evaluation-form-final-101315_508.pdf)

## Objectives

The overall objective of the PFAS Exposure Assessments (all sites) is to characterize exposures and biomonitoring levels in communities exposed to PFAS in drinking water, and to identify patterns in exposure amongst these communities. Each EA will attempt to answer the following questions:

- What are serum PFAS concentrations in the community? How do these concentrations compare to United States reference populations (e.g. NHANES)?
- Can PFAS be detected in urine samples from members of the community? If so, how do these concentrations compare to reference populations across the United States?
- What are environmental contributors to PFAS concentrations in blood and urine? What does environmental sampling data suggest about exposure in the community?
- What can we learn about PFAS exposures to inform future PFAS studies?

## Procedures and Methods

### Sampling Strategy

A one-stage cluster sample — where each household in the area receiving impacted water is a cluster and all individuals in a selected household are included in the sample — will be used to identify participants for each EA. Clusters (households) will be randomly selected from the sampling frame. This sampling design is representative of the impacted population, allowing for inferences to be made on the entire sampling frame. A step-by-step approach for the one-stage cluster sampling is described below.

#### 1. ESTABLISH THE SAMPLING FRAME

A geographic area where PFAS exposure is known or expected will be defined and a complete list of all exposed/affected households in this area will be identified. This list comprises the sampling frame. Depending on the operations of the water system, the geographic area may be defined by the service boundaries of specific municipal water systems. The geographic area may also be defined as the area with impacted private drinking water wells.

For simple water systems expected to deliver drinking water with consistent PFAS concentrations to all end users (e.g. municipal drinking water systems with one ground water supply well, or municipal drinking water systems with a surface water source), the sampling frame will consist of all households served by the impacted water system.

The list of households served by municipal water systems can be obtained from the water company or from local municipal water supply billing information.

Sequential numbers will be assigned to each household (1, 2, 3,...N) in the sampling frame.

## 2. CALCULATE SAMPLE SIZE

The required sample size of independent individuals in each community for blood sampling is given by:

$$m = \left[ \frac{z_{\frac{\alpha}{2}} \cdot \sigma}{E} \right]^2$$

Where,

m = sample size (individuals)

z = Z value (e.g. 1.96 for 95% confidence level)

$\alpha$  = level of significance

E = maximum error

$\sigma$  = standard deviation of the logarithm of measured PFAS levels.

If local biomonitoring data are available to determine the standard deviation of the natural logarithm of measured PFAS levels, this data can be used. If these data are not available, national data from NHANES will be used to calculate the necessary sample size, as described below.

The geometric mean for serum PFOS was 4.72  $\mu\text{g/L}$  for the US population in 2015–2016 NHANES. The corresponding 95% confidence interval (4.40, 5.07) and the NHANES sample size of 1,993 are used to estimate the standard deviation of the ln (values). Using the upper limit of the confidence interval:

$$\hat{\sigma} = \frac{\sqrt{1993} \cdot [\ln(5.07) - \ln(4.72)]}{1.96} = 1.63$$

Then, the sample size of independent individuals to estimate the mean with precision 15% of the ln (geometric mean), and 5% level of significance is:

$$m = \left[ \frac{1.96 \cdot 1.63}{0.15 \cdot \ln(4.72)} \right]^2 = 188$$

Since data are collected using a cluster design, individuals within a household are not independent. The lack of independence must be accounted for by incorporating the design effect (DE) into calculation of the required sample size. The required sample size for a cluster sample is the sample size for an independent sample multiplied by DE.

$$DE = 1 + ICC * (k - 1)$$

Where,

DE = design effect

ICC = intra-cluster correlation coefficient

k = cluster size

A pilot of representative biomonitoring for PFAS conducted by the New York State Department of Health and the Pennsylvania Department of Health resulted in retrospective calculations of the intra-cluster correlation coefficient (ICC) for PFAS in serum ranging from 0.39 to 0.54 (unpublished data from New York State Department of Health and Pennsylvania Department of Health, 2019). To be conservative, we assume an ICC of 0.54 for our calculation of the design effect.

The average household (cluster) size for the communities selected as exposure assessment sites ranges from 2.4 to 3.0 individuals per household. To be conservative, we assume a household (cluster) size of 3 for our calculation of the design effect.

Using these values, the design effect is:

$$1 + 0.54 * (3 - 1) = 2.1$$

As a conservative assumption, we use a design effect of 2.1 to calculate our required sample size.

$$sample\ size = DE$$

This results in a sample size of  $2.1 * 188 = 395$  individuals accounting for intraclass correlation. To be conservative, we will use this design effect for all communities, even when a smaller average household size would result in a lower design effect.

Assuming all individuals from each selected household are included in the sample, the required number of households that should be contacted for recruitment is given by

$$n = sample\ size * \left(\frac{N}{M}\right)$$

Where,

n = required number of households  
N = the total number of households in the sampling frame  
M = the total number of individuals in the sampling frame

In the Hampden County community (the first exposure assessment site)  $m = 395$ ,  $N = 2,882$ ,  $M = 7,665$  so a sample of  $n = 149$  households is needed. Values for  $N$  and  $M$  taken from 2010 census data for census tract 8125 in Hampden County, MA. At the pilot sites, a within household response rate of 85% was achieved for households in which at least one person participated. Assuming this response rate applies at all sites, the total number of households that need to be contacted in order to get 395 individuals to participate is 269 households. This value is based on an 85% household participation rate ( $149/0.85 = 175$ ) and a general response rate of 65% ( $175/0.65 = 269$ ).

Sample size estimate will be adjusted to ensure adequate precision despite non-participating households, using an estimated household response rate of 65%. In Hampden County,  $n = 149/0.65 = 229$  households will be contacted. The number of households contacted in each community will be based on the total number of households and total number of individuals in the sampling frame but will use the same sample size of individuals for all sites. The sample size of 188 independent individuals (based on the original NHANES calculation) will be used for all sites and will be modified by response rate, design effect and required household sample size.

Sampling weights for both households and children are needed to calculate prevalence estimates and make inferences about the entire population of children three years of age or older. Sampling weights can be adjusted to account for unequal probabilities of selection that may have occurred due to non-response from potential participants. Complex survey procedures in SAS/SUDAAN software or EpiInfo software will be used to account for unequal weighting, stratification and clustering in the sample (SAS Institute, Inc., Cary, NC; RTI International, Research Triangle Park, NC).

### 3. SELECT HOUSEHOLDS

Each household in the sampling frame will be assigned a number (1, 2, 3,...N). A random number generator will be used to create a list of random numbers equal in size to the number of households in the sampling frame. Households will be contacted for recruitment into the EA based on estimated household size in the community and using an estimated response rate. If the response rate is lower than estimated, a reserve sample of households will be contacted for recruitment into the EA to reach the target sample size. If the reserve sample is used, households within the reserve sample will be given equal opportunity to participate as households initially invited to participate.

## Biological Sampling Eligibility Criteria and Recruitment

Households identified in the sampling strategy will be contacted by mail and phone. The recruitment letter and script for recruitment phone calls can be found in Appendix A. Based on response rates from national surveys (e.g., National Health and Nutrition Examination Survey, Behavior Risk Factor Surveillance System) EA staff will make up to eight attempts to reach each randomly selected household by phone.

In order to ensure that a sufficient number of participants are included in each EA to allow for generalizable conclusions about the exposure of the impacted community, a target for the number of participants in each EA will be set, as described in the 'Sampling Strategy' section of the protocol.

To increase the likelihood that the target sample size will be reached at each EA site, a reserve sample will be contacted for recruitment if the response rate is lower than estimated. Site-specific response rate estimates will be used to calculate the number of households to be approached for recruitment to meet the target sample size. Each randomly-selected household in this block of households will have an equal opportunity to participate, meaning that study staff will carry out the planned outreach to all households within the block, regardless of whether the target sample size was met before all households were contacted for recruitment. If, on the other hand, sample size requirements are not met after attempting recruitment from the initial sample, a reserve sample will be identified and approached using the same outreach described above. The size of the reserve sample required will vary from site to site.

To decrease the chance of participation bias - in which those that do not choose to participate are substantively different from those that do - households that choose not to participate will not be replaced. Information on recruitment, contact attempts, eligibility, enrollment, and batch number will be collected and used to assess for bias and also to weight data accordingly during the analysis phase.

EA staff will schedule biological sampling appointments for all recruited participants during the initial phone call. Recruited participants will receive a letter that confirms their participation, provides information about the assessment and includes a toll-free number for participants to call with any questions.

For sampled households that agree to participate, each individual will be screened in to the study using a series of eligibility questions when they are contacted for recruitment into the EA (Appendix A). Individuals within each selected household must meet the following inclusion criteria to participate in this investigation:

- Is three years of age or older
- Has lived in the community for at least one year
- Does not have a bleeding disorder and is not anemic

Children younger than 3 years old are excluded from the assessments because the reference values to be used for comparison for serum concentrations in this investigation are only available for children ages three and older [5, 131]. Children under three years old may still be sampled at the request of

parents or guardians; however, the child's general state of health, age, and size will be taken into consideration and EA personnel may elect not to collect a blood sample from any child identified as potentially at risk from doing so. While individual results from children under age three will be reported to parents or guardians, data from these participants will not be included in the analysis. Individuals with bleeding disorders or anemia will be excluded in order to reduce burden and risk of blood sampling.

To assess for the potential impact on PFAS excretion and resulting concentrations in blood and urine, participants with diagnosed conditions that impact kidney function (e.g., kidney disease, diabetes, hepatitis C) will be asked to self-identify via the questionnaire, but will not be excluded from the assessment. Similarly, because pregnancy can impact PFAS excretion, pregnant women will neither be targeted nor excluded, but will also be asked to self-identify via the questionnaire.

Participants will not be reimbursed or incentivized to take part in the EA and, similarly, there will be no costs to participants.

### **Environmental Sampling Eligibility and Recruitment**

An arbitrary target of ten percent of households recruited into the EA will also be invited to participate in exploratory environmental (indoor dust and tap water) sampling. These households will be randomly selected from the list of households that have been recruited into the EA. Each household must meet the following eligibility criteria to take part in environmental sampling:

- At least one member of the household is participating in biological sampling
- Head of household reports that people who live in the home primarily drink tap water.

In order to ensure an adequate number of households are identified for environmental sampling, an estimated response rate of 65% will be used to determine how many households will be invited to participate in environmental sampling. For example, if a target of 15 households are needed for environmental sampling, then  $n = 15/0.65 = 23$  will be the number of households randomly selected to receive environmental sampling invitations.

Similar to the multi-stage recruitment approach described above, if sample size goals are not met after attempting to recruit from the first batch of randomly-selected households, subsequent batches will be identified and approached. The head of household from households randomly selected for environmental sampling will be invited to participate in environmental sampling during a follow up phone call. A home visit will be scheduled for environmental sampling during the same two-week period of biological sampling.

All participating households will receive a follow-up letter confirming their participation and sampling appointments.

Figure 1 visually depicts the recruitment process.

## Sample Collection Procedures

### Informed Consent/Assent

Upon arrival at the centralized sample collection location, a Privacy Act Statement, PRA statement, consent, assent, and parental permission forms (Appendix B) will be provided for participants to read and sign prior to any sample collection activities. Participants will also be provided a Biological Testing Tracking Form that they will carry with them throughout the EA testing process to ensure that all appropriate forms are completed and biological samples are provided (Appendix B). Consent forms will be provided for all adults aged  $\geq 18$  years (Appendix B). Assent forms (Appendix B) will be provided for children aged 12–17. Parental permission forms (Appendix B) will be provided for the parents or guardians of all children participating in the investigation. Consent/assent forms include: the purpose of the assessment; procedures for sample collection; benefits and risks of participation; and contact information should participants have additional questions. All forms are written at the appropriate reading level for each group. All signed consent/assent/parental permission forms will be mailed to and securely archived at ATSDR.


### Blood Sampling

A licensed/qualified phlebotomist will collect approximately 6 mL of blood in a red top tube by venipuncture from all EA participants (adults and children). Each blood tube will be labeled with a preprinted bar-coded label associated with the participant. A collection log will also be maintained (Appendix C). Each sample tube will be placed upright in a rack; the blood will be allowed to clot for 30 minutes to 1 hour to create maximum serum yield. Following clotting, the red top tube will be centrifuged for 15 minutes at 1000 – 1300 g force.

After the contents in the tube have clotted and been centrifuged, two serum aliquots will be obtained. In the first, a minimum of 1.0 mL serum will be pipetted into a cryovial (designated as serum sample #1). The remaining serum (max 1.8 mL) will be pipetted into a second cryovial (designated as serum sample #2). Following serum aliquoting, the red top tube and its contents will be safely discarded into a biohazard multipurpose container.

To protect anonymity, the samples will be labeled with a coded identification number. The identification number on the serum sample will match the identification number on the blood sample in order to pair each individual's blood and urine samples.

**FIGURE 1: PFAS EXPOSURE ASSESSMENT RECRUITMENT PROCESS**



↓

**Invite randomly selected households to participate in environmental sampling and schedule environmental sampling appointments.**

All serum sample #1 cryovials will be placed inside storage boxes provided by the laboratory. Each box will be placed inside a plastic Saf-T-Pak™ biohazard bag along with an absorbent pad and sealed. This plastic bag will be placed inside a larger Tyvek® bag and sealed. The bagged specimen boxes will be placed inside a Styrofoam shipping container. Dry ice will be added to the shipper and serum specimens will be maintained in their frozen state. EA personnel will perform twice daily checks to ensure that samples remain frozen and add dry ice as needed. The blood samples will be shipped overnight on dry ice to the NCEH Laboratory in Atlanta, Georgia preferably on Wednesdays and Mondays during the sample collection period. Field and laboratory staff will maintain and manage proper chain of custody (Appendix D) for all serum samples.

All serum sample #2 cryovials will be packed in storage boxes and shipping containers and maintained in a frozen state on dry ice as described above. These samples will be shipped overnight on dry ice to a centralized bio-specimen repository where they will be stored. Consent forms will allow participants to choose whether or not they consent to the storage of their serum sample for future use (Appendix B).

Serum sample #1 cryovials will be received by the NCEH laboratory and analyzed for the suite of PFAS measured in the most recent NHANES cycle with publically available data. Additional analytes may be added should methods become available. Test results will be reported as nanograms of the analyte per milliliter of serum (ng/mL). All laboratory analysis will be conducted with established procedures for quality assurance and control according to NCEH methodology.

Table 1 provides the list of the PFAS currently measured in NHANES in serum and the associated limits of detection. For PFOA and PFOS, samples will be analyzed for individual PFOA and PFOS isomers, but both isomer-specific and aggregated values will be reported to allow for comparison to past NHANES that only reported aggregate measurements (up to NHANES 2011-12).

<b>Table 1: List of PFAS proposed to be measured in serum in this investigation - abbreviation, associated chemical name, and current limit of detection (LOD)</b>		
<b>Abbreviation</b>	<b>Chemical Name</b>	<b>LOD (ng/mL)</b>
MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	0.1
PFHxS	perfluorohexane sulfonic acid	0.1
Total PFOS	perfluorooctane sulfonic acid	--
n-PFOS	sodium perfluoro-1-octanesulfonate	0.1
Sm-PFOS	mixture of sodium perfluoro-5-methylheptane sulfonate isomers	0.1
Total PFOA	perfluorooctanoic acid	--
n-PFOA	ammonium perfluorooctanoate	0.1
Sb-PFOA	mixture of perfluoro-5-methylheptanoic acid isomers	0.1
PFNA	perfluorononanoic acid	0.1
PFDA	perfluorodecanoic acid	0.1
PFUnA	perfluoroundecanoic acid	0.1
PFDoA	perfluorododecanoic acid	0.1

\* ng/mL - nanograms per milliliter



### ***Urine Sampling***

All participants will be mailed a labeled urine collection cup, urine collection instructions (Appendix E), insulated cooler, and ice pack, which they'll be instructed to store in their freezer. The morning of their blood sampling appointment, participants will collect a first-morning urine sample (filling at least one quarter of the cup, if possible), cap the container, seal the container in a plastic bag, and place in a refrigerator until they travel to the blood sampling location. Participants will transport their sample to EA staff in an insulated cooler with the frozen ice pack.

Urine samples will be placed inside storage boxes provided by the laboratory. Each box will be placed inside a plastic Saf-T-Pak™ biohazard bag along with an absorbent pad and sealed. This plastic bag will be placed inside a larger Tyvek® bag and sealed. The bagged specimen boxes will be placed inside a Styrofoam shipping container. Dry ice will be added to the shipper and urine specimens will maintained in their frozen state. EA personnel will perform twice daily checks to ensure that samples remain frozen and will add dry ice as needed. All urine samples will be shipped overnight on dry ice to a centralized bio-specimen repository on Wednesdays and Mondays during the sample collection period. Field and bio-specimen repository staff will maintain and manage proper chain of custody (Appendix D) for all urine samples.

In order to evaluate whether the available method for measuring PFAS in urine is able to detect PFAS in urine samples, an initial subset of ten percent of urine samples will be analyzed for PFAS. If possible, the initial subset of urine samples will be selected randomly from participants with the highest drinking water exposures. If it is not possible to stratify participants based on drinking water exposure, ten percent will be randomly selected from the entire sampling frame. For each sample selected for laboratory analysis, biorepository personnel will pipette 1.8 mL of urine into a cryovial and ship samples overnight on dry ice from the bio-specimen repository to the NCEH laboratory in Atlanta, Georgia. Biorepository staff and NCEH/ATSDR personnel will maintain and manage proper chain of custody (Appendix D) for all urine samples.

If the geometric mean PFAS urine concentrations in a community are higher than the NHANES 95<sup>th</sup> percentile, all urine samples for the community will be shipped from the repository to the NCEH laboratory and analyzed. The geometric mean will be used in this instance because it minimizes the effect of very high or very low values.

To protect anonymity, the samples will be labeled with a coded identification number. The identification number on the urine sample will match the identification number on the serum sample in order to pair each individual's blood and urine samples.

Urine samples selected for laboratory analysis will be analyzed for PFAS and creatinine. Additional analytes may be added should methods become available. If the geometric mean PFAS concentrations in this initial subset are elevated compared to the U.S. national reference population, as defined by the 2013-2014 NHANES 95th percentile, all other urine samples from the site will be analyzed.

PFAS test results will be reported as nanograms per milliliter of urine (ng/mL). Creatinine results will be reported as milligrams per deciliter of urine (mg/dL). Laboratory processing, analysis methods, quality assurance and quality control measures will be conducted in accordance with NCEH laboratory methods.

Table 2 provides the list of PFAS to be measured in urine in this investigation and associated limits of detection. For PFOA and PFOS, samples will be analyzed for individual PFOA and PFOS isomers, but both isomer-specific and aggregated values will be reported.

<b>Table 2: List of proposed PFAS to be measured in urine in this investigation - abbreviation, associated chemical name, and current limit of detection (LOD)</b>		
<b>Abbreviation</b>	<b>Chemical Name</b>	<b>LOD (ng/mL)</b>
PFBS	perfluorobutane sulfonic acid	0.1
PFHpS	perfluoroheptane sulfonic acid	0.1
PFHxS	perfluorohexane sulfonic acid	0.1
Total PFOS	perfluorooctane sulfonic acid	--
n-PFOS	sodium perfluoro-1-octanesulfonate	0.1
Sm-PFOS	mixture of sodium perfluoro-5-methylheptane sulfonate isomers	0.1
PFBA	perfluorobutanoic acid	0.1
PFPeA	perfluoropentanoic acid	0.1
PFHxA	perfluorohexanoic acid	0.1
PFHpA	perfluoroheptanoic acid	0.1
Total PFOA	perfluorooctanoic acid	--
n-PFOA	ammonium perfluorooctanoate	0.1
Sb-PFOA	mixture of perfluoro-5-methylheptanoic acid isomers	0.1
PFNA	perfluorononanoic acid	0.1
PFDA	perfluorodecanoic acid	0.1
PFUnA	perfluoroundecanoic acid	0.1
HFPO-DA (GenX)	hexafluoropropylene oxide dimer acid	0.1
DONA	4,8-dioxa-3H-perfluorononanoic acid	0.1
9Cl-PF3ONS	9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid	0.1
* ng/mL - nanograms per milliliter		

In the event that unexpected serum PFAS concentrations are measured in an individual, ATSDR may use this information to provide context to the result. For example, if an individual reports that they have kidney disease and has PFAS serum concentrations that are significantly higher than others in the household, ATSDR may inform the individual that kidney disease may reduce the rate at which PFAS are cleared from the body, which could have contributed to the observed PFAS serum concentration. Similarly, if a woman who reports multiple pregnancies and significant breastfeeding duration and has

lower PFAS serum concentrations than others in her household, ATSDR may inform the individual that pregnancy and breastfeeding are excretion pathways that may have resulted in lower PFAS serum concentrations in her body. In all cases, ATSDR will explain that an individual's PFAS body burden is the product of many complex factors, including but not limited to drinking water exposure, non-drinking water exposure, as well as active and passive excretion.

ATSDR will not use this information to assess impact at the aggregate level or to inform comparisons to the NHANES cohort.

Children (ages 12 - 17) participating in the study will not be asked questions that are inappropriate for their age (pregnancy, blood donation) and will be allowed to obtain parental assistance in answering questions they have difficulty answering.

In order to characterize the potential for additional exposures, participants will also be asked about their occupational history; use of certain consumer products; and the frequency with which they work with the soil, consume locally grown vegetables, and eat locally caught fish. In an effort to understand recent behavioral changes that may impact PFAS exposure, participants will be asked to identify any recent changes related to drinking water, consumption of locally caught fish and locally grown vegetables, or other changes that may impact their exposure to PFAS.

Answers to questions on the questionnaire will not be used to disqualify participants from the study.

#### ***Environmental Sample Collection Teams***

Sample collection teams comprised of at least two EA staff people, at least one of whom is an ATSDR staff person, will travel together to each household selected to participate in environmental sampling.

#### ***Drinking Water Sampling***

A subset of 10% of participating households will be selected for environmental sampling, including drinking water sampling. Identification and recruitment of these households is described in more detail in the 'Environmental Sampling Eligibility and Recruitment' section of this protocol.

A drinking water sample will be collected from the primary drinking water location (e.g. kitchen tap) at each household. If point of use filtration is in place, every attempt will be made to collect a sample prior to filtration and after filtration. Samples will be collected in accordance with EPA Method 537.1. Each sample will be collected in a 250 mL polypropylene bottle with a polypropylene screw cap. A preservation reagent (Trizma) will be added as a solid to each sample bottle prior to shipment to the field (or prior to sample collection).

Sample handlers will wash their hands before sampling and wear nitrile gloves while filling and sealing the sample bottles. The tap will be opened and allowed to flush until the water temperature has stabilized (approximately 3 to 5 min). Samples will be collected from the flowing system, taking care not to flush out the sample preservation reagent. Bottles should be filled to near capacity, but samples do not need to be collected headspace free. After collecting the sample, the sample handler will cap the bottle and agitate by hand until preservative is dissolved. The sample will be kept sealed from time of collection until extraction at the laboratory.

A field reagent blank (FRB) will be prepared along with each household tap water sample, and field duplicates collected when indicated per EPA Method 537.1. Prior to the investigation, laboratory staff will prepare two bottles for each household, one empty (preservative free) bottle, and another filled with reagent water and preservatives, which will be sealed. These bottles will be shipped to the sampling site along with the sample bottles. At the sampling site, the sampler will open the bottle containing the preserved reagent water and pour it into the empty sample bottle, after which the sampler will seal and label this bottle as the FRB. The FRB will be shipped back to the laboratory along with the tap water sample and analyzed to ensure that PFAS were not introduced into the sample during sample collection/handling.

Samples placed in insulated shipping containers with ice packs and cooled to less than 10 degrees Celsius (but not frozen). Tap water samples will be maintained in their cooled state with EA personnel performing twice daily checks of cooler temperature and adding ice packs as needed. Water samples will be shipped overnight to a laboratory accredited to perform EPA Method 537.1. Staff will maintain and manage proper chain of custody (Appendix D) for all water samples.

Samples will be analyzed for PFAS according to EPA method 537.1 by an EPA-approved laboratory. Test results will be reported as ng/L. All laboratory analysis will be conducted with established procedures for quality assurance and control. Table 3 provides the list of PFAS that will be measured in drinking water in this EA.

<b>Table 3. List of PFAS to be measured in drinking water in this investigation - Abbreviation, Chemical Name, and Lowest Concentration Minimum Reporting Level (LCMRL)</b>		
<b>Abbreviation</b>	<b>Chemical Name</b>	<b>LCMRL (ng/L)</b>
HFPO-DA	hexafluoropropylene oxide dimer acid	4.3
EtFOSAA	N-ethyl perfluorooctanesulfonamidoacetic acid	4.8
MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid	4.3
PFBS	perfluorobutane sulfonic acid	6.3
PFDA	perfluorodecanoic acid	3.3
PFDoA	perfluorododecanoic acid	1.3
PFHpA	perfluoroheptanoic acid	0.63
PFHxS	perfluorohexane sulfonic acid	2.4
PFHxA	perfluorohexanoic acid	1.7
PFNA	perfluorononanoic acid	0.83
PFOS	perfluorooctane sulfonic acid	2.7
PFOA	perfluorooctanoic acid	0.82
PFTA	perfluorotetradecanoic acid	1.2
PFTrA	perfluorotridecanoic acid	0.53
PFUnA	perfluoroundecanoic acid	5.2
11Cl-PF3OUdS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	1.5
9Cl-PF3ONS	9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid	1.8

DONA	4,8-dioxa-3H-perfluorononanoic acid	0.55
ng/L – nanograms per liter		

### **Indoor Dust Sampling**

Measurements of household dust may act (to some extent) as a proxy for the presence of the analytes in products used in the household and as a descriptor of direct exposures (dust ingestion). Dust collection is intended to generate additional information about the contribution of non-drinking water exposures to overall PFAS exposure. Dust collection is exploratory and will yield information about how levels of PFAS in indoor dust samples correlated with PFAS serum concentrations. A subset of 10% of participating households will be selected for environmental sampling, including indoor dust sampling. Identification and recruitment of these households is described in more detail in the ‘Recruitment’ section of this protocol.

A composite dust sample will be collected from the floor of three locations inside each selected home – the primary living space as identified by the home owner (e.g., living room, family room, television room), the kitchen, and the bedroom in which EA participants spend the most time, as identified by the homeowner. Vacuum sampling will be used to collect dust samples. Unless otherwise indicated, the method described in the EPA technical standard operating procedure for High Volume Indoor Dust Sampling at Residences for Risk-Based Exposure to Metals (available here: [https://www.epa.gov/sites/production/files/documents/r8-src\\_src-dust-01.pdf](https://www.epa.gov/sites/production/files/documents/r8-src_src-dust-01.pdf)), will be used to collect samples. This protocol is suitable for the collection of interior dust samples from either hard or smooth and highly textured surfaces, including brickwork and rough concrete as well as carpeting.

Dust will be removed from the designated surface area by means of a flowing air stream passing through a sampling nozzle at a specific velocity and flow rate. Dust will be separated from the air mechanically by a cyclone and collected in a catch bottle attached to the bottom of the cyclone. After collection, the bottle will be tightly capped, labeled, and placed upright in a storage container. All sampling equipment will be decontaminated and inspected for cleanliness prior to collection of each sample. Quality control samples will be collected to identify any potential cross-contamination between samples. Samples will be kept at an ambient temperature and shipped to an EPA approved and DOD accredited laboratory for analysis.

Indoor dust samples will be analyzed for 24 PFAS and PFAS precursors by an EPA-approved laboratory. An EPA-validated isotope dilution method (such as SWA 846) will be used to measure PFAS in indoor dust samples when it is available and approved for use. Samples will be held at the identified laboratory until the analytical method is available for analysis.

Table 4 identifies the species to be measured in indoor dust samples.

<b>Table 4. List of PFAS and PFAS precursors to be measured in indoor dust samples in this investigation - Abbreviation and Chemical Name</b>	
<b>Abbreviation</b>	<b>Chemical Name</b>
PFTA	perfluorotetradecanoic acid
PFTrA	perfluorotridecanoic acid
PFDoA	perfluorododecanoic acid
PFUnA	perfluoroundecanoic acid
PFDA	perfluorodecanoic acid
PFNA	perfluorononanoic acid
PFOA	perfluorooctanoic acid
PFHpA	perfluoroheptanoic acid
PFHxA	perfluorohexanoic acid
PFPeA	perfluoropentanoic acid
PFBA	perfluorobutanoic acid
PFDS	perfluorodecane sulfonic acid
PFNS	perfluorononane sulfonic acid
PFOS	perfluorooctane sulfonic acid
PFHpS	perfluoroheptane sulfonic acid
PFHxS	perfluorohexane sulfonic acid
PFPeS	perfluoropentanes ulfonic acid
PFBS	perfluorobutane sulfonic acid
PFOSA	perfluorooctanesulfonamide
FtS 8:2	fluorotelomer sulfonic acid 8:2
FtS 6:2	fluorotelomer sulfonic acid 6:2
FtS 4:2	fluorotelomer sulfonic acid 4:2
EtFOSAA	N-ethyl perfluorooctanesulfonamidoacetic acid
MeFOSAA	N-methyl perfluorooctanesulfonamidoacetic acid

## Anticipated Risks and Benefits

Participants may experience some discomfort and bruising in the area where the blood sample was collected. Blood samples will be collected by licensed and trained phlebotomists. Risk of harm from participation in this investigation is considered minimal.

All participants in this EA will be informed of the concentration of PFAS in their serum and how their serum concentrations compare to national reference populations. The subset of participants whose urine was randomly selected for analysis will be informed of the concentration of PFAS in their urine; as detailed in the methods above, if the geometric mean for a subset exceeds the NHANES 95<sup>th</sup> percentile, all urine samples from that site will be analyzed and results shared with participants. The subset of

participants whose households were randomly selected for dust and tap water PFAS analysis will receive these results.

Participants will be informed that their participation in this EA will help advance the understanding of PFAS exposure and will inform future PFAS health studies. Upon completion of the EA, participants will be provided an interpretation of their results by a public health professional.

The total time it will take participants to read through and sign consent/assent/parental permission forms, respond to the questionnaire, and provide a blood and urine specimen is estimated to be less than one hour. The total time it will take participants to have environmental samples collected is estimated to be about 20 minutes.

All sample collection and analysis is provided at no cost to participants.

## Privacy Protections

Personal privacy will be protected to the fullest extent possible by applicable federal and state laws and regulations. For the data sets collected at each site, the HIPAA Safe Harbor de-identification method will be applied to extract specific personally identifiable information (PII) and store them separately from other information. When the data sets from all sites are reconciled at CDC/ATSDR, statistical re-identification risk assessment principles and methods will be used to fully de-identify the data set. All documents with personally identifiable information (i.e., consent forms, assent forms, collection logs, etc.) will be kept in locked cabinets and all electronic data will be stored on a password-protected network servers behind firewalls, accessible only to those staff working directly with raw data. Coded biospecimens and environmental samples will be sent to the laboratories—no personally identifiable information will be included. Any reports produced from this information will not identify specific individuals.

Records will be retained and disposed of in accordance with the ATSDR Records Control Schedule. Physical copies of assessment materials and reports will be maintained at ATSDR until no longer needed by program officials and will be kept in accordance with the corresponding retention schedules. Computer documents will be disposed of when no longer needed by program officials. Personal identifiers will be deleted from records when no longer needed and will be retained no longer than five years. Disposal methods will include erasing computer files, shredding paper materials, or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years.

In compliance with federal and state privacy protection laws and regulations, the limited data set may be shared with other federal, state and/or local public health and environmental agencies via data use agreements for research purposes to advance the scientific understanding of human exposures to PFAS. These agencies must also protect this private information. Each state health department will act in compliance with their respective Sunshine Laws, which may impact the potential for information sharing.

## Data Handling and Analysis

### Data Handling

A detailed data management plan for all data collected in the exposure assessment can be found in Appendix I.

For all serum and urine samples, sample analysis, data quality assurance and quality control will be performed by the NCEH laboratory according to CDC/ATSDR protocols. Data that meets the required quality assurance and quality control specifications will be used for analysis.

For tap water data, data quality assurance and quality control will be performed by the identified laboratory as described in EPA Method 537.1 and only valid data will be used for analysis.

For indoor dust data, data quality assurance and data quality control will be performed by the identified laboratory according to the EPA-approved method (when available) or in accordance with another identified method capable of quantifying PFAS in a solid matrix should no EPA method be available in time to satisfy the needs of this project.

Questionnaire data will be collected using the Epi Info software tool and will be kept in a secure and encrypted electronic database.

All data will be transmitted via secure connections and methods to ATSDR or ATSDR contractor for incorporation into a centralized data management repository protected by CDC/ATSDR network firewall and additional security access controls. All results will be electronically transmitted in spreadsheet format using a secured and password-protected network.

### Statistical Analysis of Serum and Urine Data from Individual Participants

National values for 12 PFAS in serum are available from the 2013–2014 NHANES and are considered to be national measures of exposure for the general US population. The NHANES geometric mean and 95<sup>th</sup> percentile for each PFAS serum concentration will be used as a comparison value for each EA participant.

National values for 18 PFAS in urine are being developed from the 2013–2014 NHANES. These will be considered national measures of exposure in the US population. The NHANES geometric mean and 95<sup>th</sup> percentile for each PFAS urine concentration will be used as a comparison values for each EA participant, when available. Only 10% of collected urine samples will be analyzed initially. If the geometric mean PFAS urine concentrations in a community are higher than the NHANES 95<sup>th</sup> percentile, all urine samples for the community will be shipped from the repository to the NCEH laboratory and analyzed as described above.

Questionnaire data will be used to aid in the interpretation of anomalous biomonitoring results.

### Statistical Analysis of Aggregate Data

Individual participant data will be analyzed in aggregate to estimate community-level PFAS exposure. Aggregate urine data analysis will only be performed if all samples are analyzed at a site. Based on prior studies showing a log-normal distribution of PFAS concentrations in humans, and to allow for direct



comparison to NHANES data, the geometric mean with associated 95<sup>th</sup> percentile confidence interval, 90<sup>th</sup> percentile, and 95<sup>th</sup> percentile will be calculated for total PFAS and for each species, provided the proportion of censored data (data below the limit of detection [132]) does not equal or exceed 40%. For datasets in which the rate of censoring is below 40%, the limit of detection divided by square root of 2 (LOD/ $\sqrt{2}$ ) will be substituted for non-detect values [133]. For datasets in which censoring is equal to or greater than 40%, only high sample percentiles will be reported (e.g., 90<sup>th</sup> percentile, 95<sup>th</sup> percentile) [132]. Given the limitations in using substitution when calculating summary statistics for censored data, a sensitivity analysis of aggregated PFAS data will be performed using other statistical methods to account for censoring. For datasets in which <50% data are censored, Kaplan-Meier method [132] will be used to estimate the geometric mean with associated 95<sup>th</sup> percent confidence interval, 90<sup>th</sup> percentile, and 95<sup>th</sup> percentile. For datasets in which 50–80% of data are censored, maximum likelihood estimation will be used, and for datasets with >80% censoring, only high sample percentiles will be reported. Given that no nationally representative comparison values using these methods are available, results of this sensitivity analysis will be used only as a comparison to results obtained using simple substitution of censored values.

Where possible, summary statistics will be stratified based on participants characteristics (male/female, age categories, drinking water source, etc...) as reported in the questionnaires.

### ***Environmental Data***

Concentrations of PFAS in tap water samples will be compared to federal and/or state drinking water guidelines/advisories for PFAS as they are available.

Prior to any statistical evaluation, one participant will be identified from each household that is expected to be most exposed to the conditions in that household. For example, an adult who does not work outside of the home and who reports drinking primarily unfiltered tap water would be preferable over an adult who works outside of the home or who frequently drinks bottled water.

Following an exploratory analysis to confirm the distribution of the environmental data we will apply statistical tests as appropriate. If appropriate, Pearson's correlation test will be applied to evaluate the strength of the association between PFAS concentrations in drinking water and indoor dust, and the serum and urine concentrations measured in the sentinel participant. Data distributions will be assessed and transformed as necessary to meet statistical assumptions such as normality. Statistical significance of correlation will be evaluated using a two-sided Student's t-test based on a 95% confidence level. Correlation coefficients and statistical significance will only be determined when the rate of detection is greater than 60%.

Other statistical analyses (e.g., regression modeling) may be performed as appropriate and will be described in detail in the final reports.

### ***Anticipated Products***

Individual test results with a written explanation of meaning will be provided by mail to the participants (Appendix G). Biological sampling results for individuals will be provided separately from environmental sampling results. Following dissemination of individual results, an EA team member will be available to discuss individual questions by phone or email.

At the conclusion of each exposure assessment, a report will summarize the overall aggregate findings and conclusions of the assessment, but will not reveal personal identifiers. If warranted, recommendations for additional actions such as continued monitoring, educational activities, or interventions to reduce exposure will be made. Aggregate findings from all exposure assessments will be summarized in a final report and in manuscript(s) submitted for publication in the peer-reviewed scientific literature.

## References

1. ATSDR, *Draft Toxicological Profile for Perfluoroalkyls*. US Department of Health and Human Services, 2009. **Agency for Toxic Substances and Disease Registry**.
2. USEPA, *Revisions to the Unregulated Contaminant Monitoring Regulation (UCMR 3) for Public Water Systems*, in 77 FR 26071, E.P. Agency, Editor. 2012. p. 26071 -26101 (31 pages).
3. USEPA, *Public Comment Draft Health Effects Document for Perfluorooctanoic Acid (PFOA)*. Office of Water, 2014.
4. Calafat, A.M., et al., *Perfluorochemicals in pooled serum samples from United States residents in 2001 and 2002*. *Environ Sci Technol*, 2006. **40**(7): p. 2128-34.
5. Calafat, A.M., et al., *Polyfluoroalkyl chemicals in the U.S. population: data from the National Health and Nutrition Examination Survey (NHANES) 2003-2004 and comparisons with NHANES 1999-2000*. *Environ Health Perspect*, 2007. **115**(11): p. 1596-602.
6. Kannan, K., et al., *Perfluorooctanesulfonate and related fluorochemicals in human blood from several countries*. *Environ Sci Technol*, 2004. **38**(17): p. 4489-95.
7. Taniyasu, S., et al., *A survey of perfluorooctane sulfonate and related perfluorinated organic compounds in water, fish, birds, and humans from Japan*. *Environ Sci Technol*, 2003. **37**(12): p. 2634-9.
8. Gomis, M.I., et al., *Comparing the toxic potency in vivo of long-chain perfluoroalkyl acids and fluorinated alternatives*. *Environ Int*, 2018. **113**: p. 1-9.
9. Sun, M., et al., *Legacy and Emerging Perfluoroalkyl Substances Are Important Drinking Water Contaminants in the Cape Fear River Watershed of North Carolina*. *Environmental Science & Technology Letters*, 2016. **3**(12): p. 415-419.
10. Xiao, F., *Emerging poly- and perfluoroalkyl substances in the aquatic environment: A review of current literature*. *Water Res*, 2017. **124**: p. 482-495.
11. USEPA, *Drinking Water Health Advisory for Perfluorooctanoic Acid (PFOA)*. 2016.
12. USEPA, *Drinking Water Health Advisory for Perfluorooctane Sulfonate (PFOS)*. 2016.
13. Herzke, D., et al., *Perfluorinated alkylated substances in vegetables collected in four European countries; occurrence and human exposure estimations*. *Environ Sci Pollut Res Int*, 2013. **20**(11): p. 7930-9.
14. Lechner, M. and H. Knapp, *Carryover of perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS) from soil to plant and distribution to the different plant compartments studied in cultures of carrots (*Daucus carota* ssp. *Sativus*), potatoes (*Solanum tuberosum*), and cucumbers (*Cucumis Sativus*)*. *J Agric Food Chem*, 2011. **59**(20): p. 11011-8.
15. Vestergren, R., et al., *Dietary exposure to perfluoroalkyl acids for the Swedish population in 1999, 2005 and 2010*. *Environ Int*, 2012. **49**: p. 120-7.
16. Halldorsson, T.I., et al., *Dietary predictors of perfluorinated chemicals: a study from the Danish National Birth Cohort*. *Environ Sci Technol*, 2008. **42**(23): p. 8971-7.
17. Noorlander, C.W., et al., *Levels of perfluorinated compounds in food and dietary intake of PFOS and PFOA in the Netherlands*. *J Agric Food Chem*, 2011. **59**(13): p. 7496-505.
18. Wang, X., et al., *The occurrence, exposure and risk assessment of perfluoroalkyl acids in food from mainland, China*. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*, 2017.

19. Xiao, F., M.F. Simcik, and J.S. Gulliver, *Partitioning characteristics of perfluorooctane sulfonate between water and foods*. Arch Environ Contam Toxicol, 2012. **62**(1): p. 42-8.
20. Christensen, K.Y., et al., *Perfluoroalkyl substances and fish consumption*. Environ Res, 2017. **154**: p. 145-151.
21. Denys, S., et al., *Is the fresh water fish consumption a significant determinant of the internal exposure to perfluoroalkylated substances (PFAS)?* Toxicol Lett, 2014. **231**(2): p. 233-8.
22. Shu, H., et al., *Temporal trends and predictors of perfluoroalkyl substances serum levels in Swedish pregnant women in the SELMA study*. PLoS One, 2018. **13**(12): p. e0209255.
23. Hansen, S., et al., *Exposure to per- and polyfluoroalkyl substances through the consumption of fish from lakes affected by aqueous film-forming foam emissions - A combined epidemiological and exposure modeling approach. The SAMINOR 2 Clinical Study*. Environ Int, 2016. **94**: p. 272-82.
24. Ghisi, R., T. Vamerali, and S. Manzetti, *Accumulation of perfluorinated alkyl substances (PFAS) in agricultural plants: A review*. Environ Res, 2019. **169**: p. 326-341.
25. Emmett, E.A., et al., *Community exposure to perfluorooctanoate: relationships between serum levels and certain health parameters*. J Occup Environ Med, 2006. **48**(8): p. 771-9.
26. Goeden, H.M., C.W. Greene, and J.A. Jacobus, *A transgenerational toxicokinetic model and its use in derivation of Minnesota PFOA water guidance*. J Expo Sci Environ Epidemiol, 2019. **29**(2): p. 183-195.
27. Apelberg, B.J., et al., *Cord serum concentrations of perfluorooctane sulfonate (PFOS) and perfluorooctanoate (PFOA) in relation to weight and size at birth*. Environ Health Perspect, 2007. **115**(11): p. 1670-6.
28. Cao, W., et al., *Perfluoroalkyl substances in umbilical cord serum and gestational and postnatal growth in a Chinese birth cohort*. Environ Int, 2018. **116**: p. 197-205.
29. Chen, M.H., et al., *Perfluorinated compound levels in cord blood and neurodevelopment at 2 years of age*. Epidemiology, 2013. **24**(6): p. 800-8.
30. Hoyer, B.B., et al., *Exposure to perfluoroalkyl substances during pregnancy and child behaviour at 5 to 9 years of age*. Horm Behav, 2017.
31. Lien, G.W., et al., *Perfluoroalkyl substances in cord blood and attention deficit/hyperactivity disorder symptoms in seven-year-old children*. Chemosphere, 2016. **156**: p. 118-127.
32. Oulhote, Y., et al., *Behavioral difficulties in 7-year old children in relation to developmental exposure to perfluorinated alkyl substances*. Environ Int, 2016.
33. Fei, C., et al., *Maternal levels of perfluorinated chemicals and subfecundity*. Hum Reprod, 2009. **24**(5): p. 1200-5.
34. Wang, B., et al., *Perfluoroalkyl substances and endometriosis-related infertility in Chinese women*. Environ Int, 2017.
35. Joensen, U.N., et al., *PFOS (perfluorooctanesulfonate) in serum is negatively associated with testosterone levels, but not with semen quality, in healthy men*. Hum Reprod, 2013. **28**(3): p. 599-608.
36. Zhou, Y., et al., *Interaction effects of polyfluoroalkyl substances and sex steroid hormones on asthma among children*. Sci Rep, 2017. **7**(1): p. 899.

37. Liu, H.S., et al., *Association among total serum isomers of perfluorinated chemicals, glucose homeostasis, lipid profiles, serum protein and metabolic syndrome in adults: NHANES, 2013-2014*. Environ Pollut, 2017.
38. Mora, A.M., et al., *Early life exposure to per- and polyfluoroalkyl substances and mid-childhood lipid and alanine aminotransferase levels*. Environ Int, 2017. **111**: p. 1-13.
39. Steenland, K., et al., *Association of perfluorooctanoic acid and perfluorooctane sulfonate with serum lipids among adults living near a chemical plant*. Am J Epidemiol, 2009. **170**(10): p. 1268-78.
40. Frisbee, S.J., et al., *Perfluorooctanoic acid, perfluorooctanesulfonate, and serum lipids in children and adolescents: results from the C8 Health Project*. Arch Pediatr Adolesc Med, 2010. **164**(9): p. 860-9.
41. Grandjean, P., et al., *Serum vaccine antibody concentrations in children exposed to perfluorinated compounds*. Jama, 2012. **307**(4): p. 391-7.
42. Grandjean, P. and R. Clapp, *Perfluorinated Alkyl Substances: Emerging Insights Into Health Risks*. New Solut, 2015. **25**(2): p. 147-63.
43. Dalsager, L., et al., *Association between prenatal exposure to perfluorinated compounds and symptoms of infections at age 1-4years among 359 children in the Odense Child Cohort*. Environ Int, 2016. **96**: p. 58-64.
44. Timmermann, C.A., et al., *Association between perfluoroalkyl substance exposure and asthma and allergic disease in children as modified by MMR vaccination*. J Immunotoxicol, 2017. **14**(1): p. 39-49.
45. Oulhote, Y., et al., *Children's white blood cell counts in relation to developmental exposures to methylmercury and persistent organic pollutants*. Reprod Toxicol, 2017. **68**: p. 207-214.
46. Benbrahim-Tallaa, L., et al., *Carcinogenicity of perfluorooctanoic acid, tetrafluoroethylene, dichloromethane, 1,2-dichloropropane, and 1,3-propane sultone*. Lancet Oncol, 2014. **15**(9): p. 924-5.
47. Fitz-Simon, N., et al., *Reductions in serum lipids with a 4-year decline in serum perfluorooctanoic acid and perfluorooctanesulfonic acid*. Epidemiology, 2013. **24**(4): p. 569-76.
48. Olsen, G.W. and L.R. Zobel, *Assessment of lipid, hepatic, and thyroid parameters with serum perfluorooctanoate (PFOA) concentrations in fluorochemical production workers*. Int Arch Occup Environ Health, 2007. **81**(2): p. 231-46.
49. Sakr, C.J., et al., *Cross-sectional study of lipids and liver enzymes related to a serum biomarker of exposure (ammonium perfluorooctanoate or APFO) as part of a general health survey in a cohort of occupationally exposed workers*. J Occup Environ Med, 2007. **49**(10): p. 1086-96.
50. Sakr, C.J., et al., *Longitudinal study of serum lipids and liver enzymes in workers with occupational exposure to ammonium perfluorooctanoate*. J Occup Environ Med, 2007. **49**(8): p. 872-9.
51. Fletcher, T., et al., *Associations between PFOA, PFOS and changes in the expression of genes involved in cholesterol metabolism in humans*. Environ Int, 2013. **57-58**: p. 2-10.
52. Gallo, V., et al., *Serum perfluorooctanoate (PFOA) and perfluorooctane sulfonate (PFOS) concentrations and liver function biomarkers in a population with elevated PFOA exposure*. Environ Health Perspect, 2012. **120**(5): p. 655-60.

53. Olsen, G.W., et al., *Plasma cholecystikinin and hepatic enzymes, cholesterol and lipoproteins in ammonium perfluorooctanoate production workers*. Drug Chem Toxicol, 2000. **23**(4): p. 603-20.
54. Vaughn, B., A. Winqvist, and K. Steenland, *Perfluorooctanoic acid (PFOA) exposures and incident cancers among adults living near a chemical plant*. Environ Health Perspect, 2013. **121**(11-12): p. 1313-8.
55. Watkins, D.J., et al., *Exposure to perfluoroalkyl acids and markers of kidney function among children and adolescents living near a chemical plant*. Environ Health Perspect, 2013. **121**(5): p. 625-30.
56. Gilliland, F.D. and J.S. Mandel, *Mortality among employees of a perfluorooctanoic acid production plant*. J Occup Med, 1993. **35**(9): p. 950-4.
57. USEPA, *Draft Risk Assessment of the Potential Human Health Effects Associated with Exposure to PFOA and its Salts*. Office of Pollution Prevention and Toxics, 2005.
58. Chiu, W.A., et al., *Use of high-throughput in vitro toxicity screening data in cancer hazard evaluations by IARC Monograph Working Groups*. Altex, 2017.
59. Looker, C., et al., *Influenza vaccine response in adults exposed to perfluorooctanoate and perfluorooctanesulfonate*. Toxicol Sci, 2014. **138**(1): p. 76-88.
60. Grandjean, P., et al., *Estimated exposures to perfluorinated compounds in infancy predict attenuated vaccine antibody concentrations at age 5-years*. J Immunotoxicol, 2017. **14**(1): p. 188-195.
61. Grandjean, P., et al., *Serum Vaccine Antibody Concentrations in Adolescents Exposed to Perfluorinated Compounds*. Environ Health Perspect, 2017. **125**(7): p. 077018.
62. Program), N.N.T., *Monograph on Immunotoxicity Associated with Exposure to Perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS)*. 2016, National Toxicology Program: Research Triangle Park, NC.
63. Humblet, O., et al., *Perfluoroalkyl Chemicals and Asthma among Children 12-19 Years of Age: NHANES (1999-2008)*. Environ Health Perspect, 2014.
64. Dong, G.H., et al., *Serum polyfluoroalkyl concentrations, asthma outcomes, and immunological markers in a case-control study of Taiwanese children*. Environ Health Perspect, 2013. **121**(4): p. 507-13, 513e1-8.
65. Darrow, L.A., C.R. Stein, and K. Steenland, *Serum perfluorooctanoic acid and perfluorooctane sulfonate concentrations in relation to birth outcomes in the Mid-Ohio Valley, 2005-2010*. Environ Health Perspect, 2013. **121**(10): p. 1207-13.
66. Luebker, D.J., et al., *Neonatal mortality from in utero exposure to perfluorooctanesulfonate (PFOS) in Sprague-Dawley rats: dose-response, and biochemical and pharmacokinetic parameters*. Toxicology, 2005. **215**(1-2): p. 149-69.
67. Kennedy, G.L., Jr., et al., *The toxicology of perfluorooctanoate*. Crit Rev Toxicol, 2004. **34**(4): p. 351-84.
68. Lau, C., J.L. Butenhoff, and J.M. Rogers, *The developmental toxicity of perfluoroalkyl acids and their derivatives*. Toxicol Appl Pharmacol, 2004. **198**(2): p. 231-41.
69. Butenhoff, J.L., et al., *Pharmacokinetics of perfluorooctanoate in cynomolgus monkeys*. Toxicol Sci, 2004. **82**(2): p. 394-406.
70. Cui, L., et al., *Studies on the toxicological effects of PFOA and PFOS on rats using histological observation and chemical analysis*. Arch Environ Contam Toxicol, 2009. **56**(2): p. 338-49.

71. Guruge, K.S., et al., *Gene expression profiles in rat liver treated with perfluorooctanoic acid (PFOA)*. *Toxicol Sci*, 2006. **89**(1): p. 93-107.
72. Ikeda, T., et al., *The induction of peroxisome proliferation in rat liver by perfluorinated fatty acids, metabolically inert derivatives of fatty acids*. *J Biochem*, 1985. **98**(2): p. 475-82.
73. Kawashima, Y., et al., *Characterization of hepatic responses of rat to administration of perfluorooctanoic and perfluorodecanoic acids at low levels*. *Toxicology*, 1995. **99**(3): p. 169-78.
74. Qazi, M.R., et al., *The atrophy and changes in the cellular compositions of the thymus and spleen observed in mice subjected to short-term exposure to perfluorooctanesulfonate are high-dose phenomena mediated in part by peroxisome proliferator-activated receptor-alpha (PPARalpha)*. *Toxicology*, 2009. **260**(1-3): p. 68-76.
75. Butenhoff, J.L., et al., *The reproductive toxicology of ammonium perfluorooctanoate (APFO) in the rat*. *Toxicology*, 2004. **196**(1-2): p. 95-116.
76. Albrecht, P.P., et al., *A species difference in the peroxisome proliferator-activated receptor alpha-dependent response to the developmental effects of perfluorooctanoic acid*. *Toxicol Sci*, 2013. **131**(2): p. 568-82.
77. Han, X., et al., *Renal elimination of perfluorocarboxylates (PFCAs)*. *Chem Res Toxicol*, 2012. **25**(1): p. 35-46.
78. Harada, K., et al., *Renal clearance of perfluorooctane sulfonate and perfluorooctanoate in humans and their species-specific excretion*. *Environ Res*, 2005. **99**(2): p. 253-61.
79. Andersen, M.E., et al., *Pharmacokinetic modeling of saturable, renal resorption of perfluoroalkylacids in monkeys--probing the determinants of long plasma half-lives*. *Toxicology*, 2006. **227**(1-2): p. 156-64.
80. Zhang, Y., et al., *Biomonitoring of perfluoroalkyl acids in human urine and estimates of biological half-life*. *Environ Sci Technol*, 2013. **47**(18): p. 10619-27.
81. Olsen, G.W., et al., *Half-life of serum elimination of perfluorooctanesulfonate, perfluorohexanesulfonate, and perfluorooctanoate in retired fluorochemical production workers*. *Environ Health Perspect*, 2007. **115**(9): p. 1298-305.
82. Bartell, S.M., et al., *Rate of decline in serum PFOA concentrations after granular activated carbon filtration at two public water systems in Ohio and West Virginia*. *Environ Health Perspect*, 2010. **118**(2): p. 222-8.
83. Worley, R.R., et al., *Per- and polyfluoroalkyl substances in human serum and urine samples from a residentially exposed community*. *Environ Int*, 2017. **106**: p. 135-143.
84. Jian, J.M., et al., *A short review on human exposure to and tissue distribution of per- and polyfluoroalkyl substances (PFASs)*. *Sci Total Environ*, 2018. **636**: p. 1058-1069.
85. Zhang, T., et al., *PFOS and PFOA in paired urine and blood from general adults and pregnant women: assessment of urinary elimination*. *Environ Sci Pollut Res Int*, 2015. **22**(7): p. 5572-9.
86. Perkins, B.A., et al., *Risk Factors for Kidney Disease in Type 1 Diabetes*. *Diabetes Care*, 2019.
87. Costacou, T. and T.J. Orchard, *Cumulative Kidney Complication Risk by 50 Years of Type 1 Diabetes: The Effects of Sex, Age, and Calendar Year at Onset*. *Diabetes Care*, 2018. **41**(3): p. 426-433.
88. Williams, M.E., *Diabetic nephropathy: the proteinuria hypothesis*. *Am J Nephrol*, 2005. **25**(2): p. 77-94.

89. Harris, R.C., 126 - *Diabetes and The Kidney*, in *Goldman's Cecil Medicine (Twenty Fourth Edition)*, L. Goldman and A.I. Schafer, Editors. 2012, W.B. Saunders: Philadelphia. p. 781-783.
90. Shoreibah, M., et al., *Effect of Hepatitis C Treatment on Renal Function in Liver Transplant Patients*. *J Clin Transl Hepatol*, 2018. **6**(4): p. 391-395.
91. Webster, A.C., et al., *Chronic Kidney Disease*. *Lancet*, 2017. **389**(10075): p. 1238-1252.
92. Appel, G.B. and J. Radhakrishnan, 123 - *Glomerular Disorders and Nephrotic Syndromes*, in *Goldman's Cecil Medicine (Twenty Fourth Edition)*, L. Goldman and A.I. Schafer, Editors. 2012, W.B. Saunders: Philadelphia. p. 761-771.
93. Mitch, W.E., 132 - *Chronic Kidney Disease*, in *Goldman's Cecil Medicine (Twenty Fourth Edition)*, L. Goldman and A.I. Schafer, Editors. 2012, W.B. Saunders: Philadelphia. p. 810-818.
94. Rozen-Zvi, B., et al., *Intravenous Versus Oral Iron Supplementation for the Treatment of Anemia in CKD: Systematic Review and Meta-analysis*. *American Journal of Kidney Diseases*, 2008. **52**(5): p. 897-906.
95. Astor, B.C., et al., *Association of kidney function with anemia: the Third National Health and Nutrition Examination Survey (1988-1994)*. *Arch Intern Med*, 2002. **162**(12): p. 1401-8.
96. Liu, W.S., et al., *Dialysis Membranes Influence Perfluorochemical Concentrations and Liver Function in Patients on Hemodialysis*. *Int J Environ Res Public Health*, 2018. **15**(11).
97. Liu, W.S., et al., *Associations between perfluorinated chemicals and serum biochemical markers and performance status in uremic patients under hemodialysis*. *PLoS One*, 2018. **13**(7): p. e0200271.
98. Bischel, H.N., L.A. MacManus-Spencer, and R.G. Luthy, *Noncovalent Interactions of Long-Chain Perfluoroalkyl Acids with Serum Albumin*. *Environmental Science & Technology*, 2010. **44**(13): p. 5263-5269.
99. Cederholm-Williams, S.A., M.C. Rees, and A.C. Turnbull, *Consumption of fibrinolytic proteins in menstrual fluid from women with normal menstrual blood loss*. *J Clin Pathol*, 1984. **37**(8): p. 879-81.
100. Knox, S.S., et al., *Implications of early menopause in women exposed to perfluorocarbons*. *J Clin Endocrinol Metab*, 2011. **96**(6): p. 1747-53.
101. Taylor, K.W., et al., *Polyfluoroalkyl chemicals and menopause among women 20-65 years of age (NHANES)*. *Environ Health Perspect*, 2014. **122**(2): p. 145-50.
102. Ruark, C.D., et al., *Quantitative bias analysis for epidemiological associations of perfluoroalkyl substance serum concentrations and early onset of menopause*. *Environ Int*, 2017. **99**: p. 245-254.
103. Wong, F., et al., *Enhanced elimination of perfluorooctane sulfonic acid by menstruating women: evidence from population-based pharmacokinetic modeling*. *Environ Sci Technol*, 2014. **48**(15): p. 8807-14.
104. Cariou, R., et al., *Perfluoroalkyl acid (PFAA) levels and profiles in breast milk, maternal and cord serum of French women and their newborns*. *Environ Int*, 2015. **84**: p. 71-81.
105. Chan, E., et al., *Perfluorinated acids and hypothyroxinemia in pregnant women*. *Environ Res*, 2011. **111**(4): p. 559-64.
106. Chen, F., et al., *Isomer-Specific Transplacental Transfer of Perfluoroalkyl Acids: Results from a Survey of Paired Maternal, Cord Sera and Placentas*. *Environ Sci Technol*, 2017.



107. Chen, F., et al., *Chlorinated Polyfluoroalkyl Ether Sulfonic Acids in Matched Maternal, Cord, and Placenta Samples: A Study of Transplacental Transfer*. Environ Sci Technol, 2017.
108. Fromme, H., et al., *Pre- and postnatal exposure to perfluorinated compounds (PFCs)*. Environ Sci Technol, 2010. **44**(18): p. 7123-9.
109. Han, W., et al., *Perfluoroalkyl and polyfluoroalkyl substances in matched parental and cord serum in Shandong, China*. Environ Int, 2018. **116**: p. 206-213.
110. Apelberg, B.J., et al., *Determinants of fetal exposure to polyfluoroalkyl compounds in Baltimore, Maryland*. Environ Sci Technol, 2007. **41**(11): p. 3891-7.
111. Arbuckle, T.E., et al., *Umbilical cord blood levels of perfluoroalkyl acids and polybrominated flame retardants*. Int J Hyg Environ Health, 2013. **216**(2): p. 184-94.
112. Chen, M.H., et al., *Perfluorinated compounds in umbilical cord blood and adverse birth outcomes*. PLoS One, 2012. **7**(8): p. e42474.
113. Inoue, K., et al., *Perfluorooctane sulfonate (PFOS) and related perfluorinated compounds in human maternal and cord blood samples: assessment of PFOS exposure in a susceptible population during pregnancy*. Environ Health Perspect, 2004. **112**(11): p. 1204-7.
114. Lee, Y.J., et al., *Concentrations of perfluoroalkyl compounds in maternal and umbilical cord sera and birth outcomes in Korea*. Chemosphere, 2013. **90**(5): p. 1603-9.
115. Mamsen, L.S., et al., *Concentration of perfluorinated compounds and cotinine in human foetal organs, placenta, and maternal plasma*. Sci Total Environ, 2017. **596-597**: p. 97-105.
116. Mamsen, L.S., et al., *Concentrations of perfluoroalkyl substances (PFASs) in human embryonic and fetal organs from first, second, and third trimester pregnancies*. Environ Int, 2019. **124**: p. 482-492.
117. Wang, Y., et al., *Association between maternal serum perfluoroalkyl substances during pregnancy and maternal and cord thyroid hormones: Taiwan maternal and infant cohort study*. Environ Health Perspect, 2014. **122**(5): p. 529-34.
118. Liu, J., et al., *Comparison on gestation and lactation exposure of perfluorinated compounds for newborns*. Environ Int, 2011. **37**(7): p. 1206-12.
119. Barbarossa, A., et al., *Perfluoroalkyl substances in human milk: a first survey in Italy*. Environ Int, 2013. **51**: p. 27-30.
120. Jusko, T.A., et al., *Demographic, Reproductive, and Dietary Determinants of Perfluorooctane Sulfonic (PFOS) and Perfluorooctanoic Acid (PFOA) Concentrations in Human Colostrum*. Environ Sci Technol, 2016. **50**(13): p. 7152-62.
121. Kang, H., et al., *Elevated levels of short carbon-chain PFCAs in breast milk among Korean women: Current status and potential challenges*. Environ Res, 2016. **148**: p. 351-359.
122. Karrman, A., et al., *Biomonitoring perfluorinated compounds in Catalonia, Spain: concentrations and trends in human liver and milk samples*. Environ Sci Pollut Res Int, 2010. **17**(3): p. 750-8.
123. Karrman, A., et al., *Exposure of perfluorinated chemicals through lactation: levels of matched human milk and serum and a temporal trend, 1996-2004, in Sweden*. Environ Health Perspect, 2007. **115**(2): p. 226-30.
124. Kim, S.K., et al., *Distribution of perfluorochemicals between sera and milk from the same mothers and implications for prenatal and postnatal exposures*. Environ Pollut, 2011. **159**(1): p. 169-74.

125. Llorca, M., et al., *Infant exposure of perfluorinated compounds: levels in breast milk and commercial baby food*. Environ Int, 2010. **36**(6): p. 584-92.
126. Motas Guzman, M., et al., *Perfluorinated carboxylic acids in human breast milk from Spain and estimation of infant's daily intake*. Sci Total Environ, 2016. **544**: p. 595-600.
127. So, M.K., et al., *Health risks in infants associated with exposure to perfluorinated compounds in human breast milk from Zhoushan, China*. Environ Sci Technol, 2006. **40**(9): p. 2924-9.
128. Thomsen, C., et al., *Changes in concentrations of perfluorinated compounds, polybrominated diphenyl ethers, and polychlorinated biphenyls in Norwegian breast-milk during twelve months of lactation*. Environ Sci Technol, 2010. **44**(24): p. 9550-6.
129. von Ehrenstein, O.S., et al., *Polyfluoroalkyl chemicals in the serum and milk of breastfeeding women*. Reprod Toxicol, 2009. **27**(3-4): p. 239-45.
130. Mogensen, U.B., et al., *Breastfeeding as an Exposure Pathway for Perfluorinated Alkylates*. Environ Sci Technol, 2015. **49**(17): p. 10466-73.
131. Ye, X., et al., *Per- and polyfluoroalkyl substances in sera from children 3 to 11 years of age participating in the National Health and Nutrition Examination Survey 2013-2014*. Int J Hyg Environ Health, 2018. **221**(1): p. 9-16.
132. Helsel, D.R., *Statistics for Censored Environmental Data Using Minitab and R*. 2011: Wiley.
133. Hornung, R.W. and L.D. Reed, *Estimation of Average Concentration in the Presence of Nondetectable Values*. Applied Occupational and Environmental Hygiene, 1990. **5**(1): p. 46-51.

## **Appendix A: Community Event Evaluation Survey, Recruitment Letter and Phone Script**

# PFAS Exposure Assessment Community Event Evaluation Survey

Form Approved  
OMB No. 0923-xxxx  
Exp. Date

ATSDR estimates the average public reporting burden for this collection of information as 5 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

Thank you for attending this event. We would appreciate your feedback.

	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree
<b>Information Provided</b>					
1. The information presented today was clear and easy to understand.					
2. The materials were helpful and contained useful information used (for example, presentation slides, brochures, videos, etc.).					
3. I understand what is happening in my community regarding the PFAS Exposure Assessment.					
4. I understand who to get in touch with if I have a question about the Exposure Assessment project.					
5. I understand what ATSDR will do next in my community for the Exposure Assessment.					
<b>Presenter</b>					
6. The presenter spoke in a way that was clear and easy to understand.					
7. The presenter interacted well with the audience.					
8. The presenter seemed well-informed about my community.					
<b>Logistics</b>					
9. This event was held at a time that was convenient for me.					
10. This event was held at a location that was convenient for me.					

Please continue on the back.

HHS/ATSDR Lockup Graphic

11. How did you hear about this event? Please check all that apply:

- Letter       Email       Flier    Facebook/Twitter    Friend or family member  
 ATSDR website       TV       Other \_\_\_\_\_  
\_\_\_\_\_

12. Was there any information you expected to receive at this event but did not get? Y / N  
Please explain \_\_\_\_\_

13. Do you understand how individuals are selected for potential participation in the  
Exposure Assessment? Y / N

14. Anything else you want to share? \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## PFAS Exposure Assessment, biological sampling

### Household Recruitment Letter

Reading Level: 9.9

Dear [Insert Name],

Your household is invited to be a part of an assessment that will measure the levels of per- and polyfluoroalkyl substances (PFAS) in people living in your community. PFAS are a large group of man-made chemicals that have been used in industry and consumer products worldwide since the 1950s. The Centers for Disease Control and Prevention/Agency for Toxic Substances and Disease Registry (CDC/ATSDR) is trying to determine the level of PFAS in the bodies of people who may have consumed contaminated drinking water while living near the [Insert name of city/town/place here]. This exposure assessment is required by Congress to better understand potential exposures to PFAS near current or former military bases.

CDC/ATSDR will conduct this exposure assessment from [insert dates here]. **This letter explains the procedures, risks, and benefits of our exposure assessment to help you decide if you would like to participate.**

**Within the next week, an ATSDR representative will call you to discuss the exposure assessment, answer any questions you have, and sign you up if you decide to take part. The call will take about 5 minutes of your time. Only households receiving letters are being asked to participate. You can also contact us at [insert contact information].**

Here is what you can expect if you choose to participate in the exposure assessment project:

First, when you arrive for your appointment, we will greet you and check you in and will ask you to sign a form agreeing to participate in the testing. We will then ask you to answer a few questions about yourself, your health, and possible exposure to PFAS through water, food, and your environment. The questionnaire should take less than 30 minutes to complete.

We will also ask you to give us a blood sample and urine sample. A phlebotomist will draw a small amount of your blood for testing. On the morning of your blood sampling appointment, you will collect a sample of your first morning urine in a collection cup we will provide. Your samples will be labeled with a unique code. Only the project coordinator will be able to identify whose blood and urine the sample is from.

**Your blood and urine will not be tested for HIV, or for the presence of alcohol or drugs.** There will be no charge to you for the sample collection or the laboratory analysis. Your blood sample will be sent to the National Center for Environmental Health (NCEH) laboratory in Atlanta, GA. It will be analyzed for twelve PFAS. Some of the urine samples we collect will be analyzed for PFAS – the rest will be saved and

stored for analysis in the future, if you give us permission. We will give you the results if we analyze your urine sample in the future.

As soon as test results are available, we will mail them to you at the address you provided on the questionnaire. If you would like to talk with a healthcare provider about your results, one working on the exposure assessment will be available to you free of charge.

Your PFAS level results (not including any information that would identify you personally) will also be used by ATSDR to improve the understanding of PFAS exposure.

Research to better understand the health effects associated with PFAS exposure is ongoing, but scientists are not currently certain of how PFAS levels in the blood can affect a person's health. More research is needed to clarify the risks posed by PFAS exposure. It is possible that new tests will be developed in the future that will increase our understanding of how PFAS impact human health. We would like to keep your blood and urine samples so that scientists can test for more things if new tests are developed. To do this, we will need your permission when you give us your samples. We will provide you with the results of future testing.

### **The Benefits of Participating in Our Exposure Assessment**

**Your participation in this assessment will give you information about levels of PFAS in your body and potentially help you reduce your exposure.** Your participation will provide a better understanding of the extent of exposure to PFAS within your community and will also help scientists understand the range of PFAS exposure and possible exposure sources in your community. Work to better understand the health effects associated with PFAS exposure is ongoing, but scientists are not currently certain of how PFAS levels in the body can affect a person's health. More work is needed to clarify the risks posed by PFAS exposure. Your participation in this assessment will help advance this research.

We will **not** be able to tell you if the PFAS levels in your blood or urine will make you sick now or later in life. You will be able to call project staff during and after the exposure assessment if you have any questions about your results. If your doctor has questions about PFAS, he or she may also call project staff or the physician working on the exposure assessment. The names and phone numbers of people to call are listed below.

### **The Risks of Participating in Our Exposure Assessment**

This exposure assessment requires 6 milliliters of blood (which is about 1 teaspoon). You may feel a sharp sting from the needle used to draw your blood. Sometimes a bruise or small blood clot appears at the site. These bruises or clots usually go away on their own. Putting heat on the site can also help the bruise or clot to go away. Although it is not common, the needle could irritate a nerve. This irritation can cause temporary numbness in part of the arm.

Risk of injury from the blood draw is higher for people with bleeding disorders and for anyone on blood thinning medications (such as Coumadin) and other therapies. If you have a bleeding disorder or are taking blood thinning medication, we recommend that you talk to your doctor before participating in this exposure assessment. Another possible risk from the blood draw is infection, which can develop as a result of the puncture through the skin. Much like they do in other healthcare settings such as doctor's offices and hospitals, our certified phlebotomists will follow standard precautions to minimize this risk. You or your health insurance company would be responsible for any follow-up care if you are injured as a result of the blood draw.

## Additional Information and Privacy Act Statement:

- **Results:** We will send you a letter with your PFAS test results along with how they compare to levels in other people in the United States. We do not yet know enough to say whether there are levels in the blood or urine that are safe or unsafe. This assessment will only tell you how much PFAS are currently in your body. It will not tell you when or for how long you were exposed.
- **Privacy:** All personally identifiable information (such as name, address, date of birth) gathered for the exposure assessment is private. This information is protected to the extent possible by (*insert name of state here*) and federal laws related to privacy protection. Only trained and authorized project staff will have access to information that can identify you, and we will keep all of the information in a secure, locked database or file at all times. Aside from the exposure assessment team, you are the only one who will receive your individual results. In accordance with CDC/ATSDR's policy regarding data access, sampling results that do not include PII may be used by public health researchers for approved research purposes.
- **Voluntary Participation:** Participation in this exposure assessment is completely voluntary. Your choice will not affect your current or future relationships with groups that are part of the exposure assessment. Even if you decide to participate, you are free to quit the exposure assessment at any time. If project staff decide it is in your best interest, or if you fail to meet the exposure assessment criteria, you may be removed from the exposure assessment without your consent.

The enclosed fact sheets provide more information about PFAS.

You can expect a call within the next week from [INSERT CALL DETAILS] inviting you to participate in the exposure assessment.

If you would like to indicate your willingness to be a part of this exposure assessment now, please contact us [INSERT PHONE NUMBER and HOURS OF OPERATION]. Remember, only households receiving an invitation letter are eligible to participate.

If you have any additional questions, please feel free to contact [*insert contact information*].

Thank you,

Enclosures:

- PFAS Frequently Asked Questions Fact Sheet
- PFAS Family Tree Fact Sheet
- PFAS Exposure Assessment Fact Sheet



From: [https://www.atsdr.cdc.gov/pfas/additional\\_resources.html](https://www.atsdr.cdc.gov/pfas/additional_resources.html)

# Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS)

## Frequently Asked Questions

### What are PFAS?

Perfluoroalkyl and polyfluoroalkyl substances (PFAS) are a large group of man-made chemicals that have been used in industry and consumer products worldwide since the 1950s.

- PFAS do not occur naturally, but are widespread in the environment.
- PFAS are found in people, wildlife and fish all over the world.
- Some PFAS can stay in people's bodies a long time.
- Some PFAS do not break down easily in the environment.



### How can I be exposed to PFAS?

PFAS contamination may be in drinking water, food, indoor dust, some consumer products, and workplaces. Most non worker exposures occur through drinking contaminated water or eating food that contains PFAS.

Although some types of PFAS are no longer used, some products may still contain PFAS:

- Food packaging materials
- Nonstick cookware
- Stain resistant carpet treatments
- Water resistant clothing
- Cleaning products
- Paints, varnishes and sealants
- Firefighting foam
- Some cosmetics



### How can I reduce my exposure to PFAS?

PFAS are present at low levels in some food products and in the environment (air, water, soil etc.), so you probably cannot prevent PFAS exposure altogether. However, if you live near known sources of PFAS contamination, you can take steps to reduce your risk of exposure.

- If your drinking water contains PFAS above the EPA Lifetime Health Advisory, consider using an alternative or treated water source for any activity in which you might swallow water:
  - drinking
  - food preparation
  - cooking
  - brushing teeth, and
  - preparing infant formula
- Check for fish advisories for water bodies where you fish.
  - Follow fish advisories that tell people to stop or limit eating fish from waters contaminated with PFAS or other compounds.
  - Research has shown the benefits of eating fish, so continue to eat fish from safe sources as part of your healthy diet.
- Read consumer product labels and avoid using those with PFAS.



# The family tree of perfluoroalkyl and polyfluoroalkyl substances (PFAS)

6/9/17

## Names and abbreviations

This fact sheet tells you about chemical names within the family of perfluoroalkyl and polyfluoroalkyl substances (PFAS) and their basic chemical structure. It also spells out abbreviations for common PFAS.

PFAS are a family of man-made chemicals that contain carbon, fluorine, and other elements.

The family tree image below, Figure 1, shows some of the different families of PFAS. For simplicity, it does not include all PFAS subfamilies. Follow along – starting at the “fallen apple” of PFC and then continuing up the tree trunk into the branches.




Figure 1.  
Family Tree of  
perfluoroalkyl and  
polyfluoroalkyl  
Substances

Agency for Toxic Substances and Disease Registry  
Division of Community Health Investigations



CS278160-A

Page 1

## PFC

In the past, scientists used the abbreviation PFC to stand for perfluorinated chemicals.

However, using the abbreviation PFC can be confusing because it is also an abbreviation for perfluorocarbons. Perfluorocarbons are an entirely different family of chemicals, also known as greenhouse gases.

The term PFC has fallen off the family tree, but it remains in the diagram as a reminder of past use. You may still see informational materials using the term "PFC" instead of PFAS.

## PFAS

Perfluoroalkyl substances and polyfluoroalkyl substances are called PFAS for short. The PFAS family includes hundreds of chemicals. The different structures of the PFAS molecules are the basis for different chemical properties and different chemical names. See Table 1 for abbreviations and chemical names.

Table 1. **Common PFAS: Abbreviations and Names**

Abbreviation	Chemical name
PFOS	Perfluorooctane sulfonic acid
PFOA (aka C8)	Perfluorooctanoic acid
PFNA	Perfluorononanoic acid
PFDA	Perfluorodecanoic acid
PFOSA (aka FOSA)	Perfluorooctane sulfonamide
MeFOSAA (aka Me-PFOSA-AcOH)	2-(N-Methyl-perfluorooctane sulfonamido) acetic acid
Et-FOSAA (aka Et-PFOSA-AcOH)	2-(N-Ethyl-perfluorooctane sulfonamido) acetic acid
PFHxS	Perfluorohexane sulfonic acid

## PFAS Exposure Assessment, biological sampling

### Household Eligibility Screener

Reading Level: 8.5

Form Approved  
OMB No. 0923-xxxx  
Exp. Date  
.....

ATSDR estimates the average public reporting burden for this collection of information as 5 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

Hello, I am \_\_\_\_\_ from [Insert affiliation], calling on behalf of the Agency for Toxic Substances and Disease Registry, or ATSDR for short. May I please speak with the head of the household?

I would like to take about 5 minutes of your time today to invite you and the members of your household to be part of an exposure assessment. The assessment will measure chemicals called per- and polyfluoroalkyl substances, or PFAS, in the bodies of people living in your area. PFAS are a large group of man-made chemicals that have been used in industry and consumer products worldwide since the 1950s.

ATSDR is a federal public health agency that is part of the Centers for Disease Control and Prevention. It is working to understand how people living in your area have been exposed to PFAS. This will help us determine if exposure to these chemicals is a problem in your community and it will help us to design future studies to understand how these chemicals affect people's health. To do this, we need people in this community to participate in blood and urine testing.

We are calling today because ATSDR is interested in recruiting everyone in your household who is eligible to take part in this assessment. Taking part in the exposure assessment will include signing a form agreeing to be tested, giving a blood sample, giving a urine sample, and completing a short questionnaire. ATSDR will ask questions to better understand the lab test results. The time required to participate is about 30 minutes.

According to the Privacy Act, we will protect the private information that you provide for yourself and your family. If you enroll in the assessment, we will give you a copy of our Privacy Act Statement before we get your consent to participate.

Is it okay if I ask you a few questions to see if you and other members of your household qualify to take part in the exposure assessment?

Yes                      No

OK, thanks a lot. You are free to answer or not answer these questions. You can also ask me any questions you have.

**If 'Yes', Screening Questions:**

1. Have you or someone in your household lived in the community full time for at least one year?

Yes                      No                      Don't Know                      Refused to Answer

a. Of these people how many are 3 years old and older? \_\_\_\_\_

b. Do any of these people have a bleeding disorder that prevents them from giving a blood sample?

Yes                      No                      Don't Know                      Refused to Answer

i. If 'yes', how many? \_\_\_\_\_

**\*\*If there are people who have lived in the community for more than one year, are older than 3, and don't have a bleeding disorder, proceed to question 2.**

2. Are you and others from your household willing to participate in the exposure assessment?  
This will include a blood test, urine test, and answering questions from a questionnaire.

Yes                      No                      Refused to Answer

**If No:** Okay, thank you for your time. Goodbye.

**If Yes:** Thank you very much.

All members of your household who have lived in the home for at least one year, who are older than the age of 3, and who do not have a bleeding disorder will be eligible to participate. Each individual will be given the opportunity to decide for him or herself whether or not they want to participate. We will attempt to schedule your sample collection appointment now. You will receive a letter in the mail with confirmation of your appointment time and location.

We have two additional questions.

While at home, do you and your family members primarily drink tap water?

Yes                      No                      Refused to Answer.

Can you please confirm the best contact information to reach you?

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_



**PFAS Exposure Assessment, environmental sampling**  
**Household Recruitment Script for Environmental Sampling**

**Reading Level: 10.1**

ATSDR estimates the average public reporting burden for this collection of information as 5 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

*Note: Ten percent of household recruited into the exposure assessment that report drinking tap water in the home will be randomly selected for environmental sampling. This script will be used to contact and invite these selected households to participate in environmental sampling.*

Hello, I am \_\_\_\_\_ from [insert affiliation], calling on behalf of the Agency for Toxic Substances and Disease Registry. May I please speak to someone who can make decisions about participating in our study?

As I'm sure you remember, your household recently agreed to participate in an exposure assessment to measure chemicals called per- and polyfluoroalkyl substances, or PFAS, in the bodies of people living in your area. A small subset of households participating in the exposure assessment has been selected for additional environmental sampling of PFAS in the home.

We would like to collect tap water and indoor dust samples from some homes to understand if people living in your area are exposed to PFAS while at home. To do this, we need households in this community to participate in environmental sampling as well as blood and urine testing.

For this part of the exposure assessment, we will collect a drinking water sample from the source in your home you and your family most often drink water (e.g. kitchen tap). Then, we will collect indoor dust samples from up to three locations inside your home. The time required for us to collect these samples is estimated to be about 20 minutes. The environmental sampling will be in addition to collection of blood and urine from you and others in your household.

Are you willing to participate in the environmental sampling part of the exposure assessment?

Yes                      No                      Refused to Answer

**If No:** Okay, thank you for your time. Goodbye.

**If Yes:** Thank you very much. We will be in your community to collect samples [insert dates]. Your blood and urine sampling appointment is at [insert date and time]. When would be a good time for us to schedule a home visit to collect your environmental samples?





## **Appendix B: Privacy Act Statement, Consent, Parental Permission and Assent Forms, and Biological Testing Tracking Form**

**PRIVACY ACT STATEMENT  
FOR  
PFAS EXPOSURE ASSESSMENT - BIOLOGICAL AND ENVIRONMENTAL SAMPLING**

This statement provides the notice required by the Privacy Act of 1974 (5 USC § 552a(e)(3)).

- **Authority:** The Agency for Toxic Substances and Disease Registry (ATSDR) has the authority to collect this information under **Section 8006 of the Consolidated Appropriations Act** of 2018. ATSDR also conducts exposure assessments under the “Comprehensive Environmental Response, Compensation, and Liability Act of 1980” (CERCLA) as amended by “Superfund Amendments and Reauthorization Act of 1986” (SARA) (42 U.S.C. 9601, 9604).
- **Purpose:** ATSDR is conducting this assessment to study your exposure to per- and polyfluoroalkyl substances (PFAS) from drinking water. ATSDR is collecting this information on you or your child for:
  - Adult consent, parental permission, and child assent to participate in questionnaires, and blood and urine collections.
  - Collection of drinking water and dust samples in a subset of households.
  - Sending your, your child’s, or your household results back to you.
- **Routine Uses:**
  - ATSDR will share these records with National Center for Environmental Health. NCEH will provide (1) laboratory analysis of biological samples collected from participants and (2) support with statistical analysis.
  - ATSDR may disclose these records to its contractors to locate individuals exposed or potentially exposed to PFAS, and to conduct interviews and other assessment activities. The contractor must comply with the requirements of the Privacy Act to protect your or and your child’s records.
  - Other routine uses as described in System of Records Notice (SORN) No. 09-19-0001 - “Records of Persons Exposed or Potentially Exposed to Toxic or Hazardous Substances.” See <https://www.gpo.gov/fdsys/pkg/FR-2011-01-25/pdf/2010-33004.pdf>.
- **Disclosure:** Providing this information is voluntary. ATSDR needs this information for you or your child to take part in the study. ATSDR may not include incomplete records in the data analysis. ATSDR needs up-to-date contact information to send you or your child’s study results.

Respondent ID No:

Form Approved  
OMB No. 0923-xxxx  
Exp. Date

## PFAS Exposure Assessment, Biological

### Sampling

### Adult Consent Form ( $\geq 18$ years of age)

Reading Level: 8.7

ATSDR estimates the average public reporting burden for this collection of information as 10 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

We are doing an exposure assessment (EA) on chemicals called PFAS. PFAS stands for Per- and Polyfluoroalkyl Substances. We want to give you some information so you can decide whether you want to take part.

PFAS have been found in the drinking water supply in *(insert name of city/town/place here)*. Scientists and doctors don't yet know how PFAS may affect people's health. A first step in figuring that out is measuring the amount of PFAS in the bodies of people who may have come into contact with this contaminated water.

PFAS are chemicals that were used in a wide range of ways in the United States, such as in personal care and cleaning products; oil, stain and grease-repelling coatings on carpet, textiles, leather and paper; and in fire-fighting foams. PFAS are found in the environment (in the air, soil, and water). And they can stay in the human body for years.

The main goal for this assessment is to find out how much PFAS are in the blood and urine of people in *(Insert name of city/town/place here)* who may have been exposed to contaminated drinking water. We will conduct this assessment from *(insert dates here)*.

We hope you will agree to be part of this exposure assessment. If you have any questions about this form while filling it out, please don't hesitate to ask. Thank you for considering being in this assessment.

**Follow these instructions:** This form tells you about the assessment. It also says what will happen if you decide to take part. If you agree to take part in this assessment, please sign at the end of the form.

### Procedures for the Exposure Assessment

First, we will ask you to answer a few questions.

A few weeks ago, we mailed you a container for a urine collection and instructions on how to collect the sample. After you sign this consent form, we will ask for the urine sample you collected first thing this morning. We will also ask you to give us a blood sample today. A phlebotomist will draw a small amount of your blood for testing. We will label your blood and urine samples with a code only. Only the project coordinator will be able to identify who gave the blood and urine samples. The questionnaire should take about 30 minutes to complete.

We will send your blood to the National Center for Environmental Health (NCEH) laboratory in Atlanta, GA, for analysis. Your urine sample will be sent to *[insert name and location of bio-specimen repository]*. Only recently have scientists been able to measure PFAS in urine. Because the method for measuring PFAS in urine is developing, not all urine samples collected will be analyzed for PFAS. Instead, ATSDR will randomly chose a percentage of urine samples for PFAS analysis. All of the blood and urine samples will be stored and may be analyzed in the future. If your urine or blood samples are analyzed in the future, we will give you the results.

**Your blood and urine will not be tested for HIV, or for the presence of alcohol or drugs and your DNA will not be used for any purpose.** There will be no charge to you for the sample collection or the laboratory analysis.

At the end of the exposure assessment, we will mail your test results to you at the address you provide today. If you would like to talk with a doctor about your results, you can talk to one working on the exposure assessment free of charge.

ATSDR will also use your PFAS level results (but not any information that would identify you personally) to better understand PFAS exposure in your community.

Scientists are not sure how PFAS levels in the blood can affect a person's health. However, our main purpose for this assessment is to see if people in your community are exposed to unusual levels of PFAS. It is possible that new tests will be developed in the future that will increase our understanding about PFAS. We would like to keep your blood and urine samples so that scientists can test for more things if new tests are developed. To do this, we need your permission.

### **The Benefits of Taking Part in Our Exposure Assessment**

Your participation in this assessment will help us understand the range of PFAS exposure and possible exposure sources in your community. Scientists are not sure how PFAS levels in the body can affect a person's health. More work is needed to clarify the risks posed by PFAS exposure. Your participation in this assessment will help advance this knowledge.

We will **not** be able to tell you if the PFAS levels in your blood or urine will make you sick now or later in life. You will be able to call project staff during and after the exposure assessment if you have any questions about your results. If your doctor has questions about PFAS, he or she may also call project

staff or the physician working on the exposure assessment. The names and phone numbers of people to call are listed below.

### **The Risks of Taking Part in Our Exposure Assessment**

This exposure assessment requires approximately 6 milliliters of blood (which is about 1 teaspoon). You may feel a sharp sting from the needle used to draw your blood. Sometimes a bruise or small blood clot appears at the site. These bruises or clots usually go away on their own. Putting heat on the site can also help the bruise or clot to go away. Although it is not common, the needle could irritate a nerve. This irritation may cause temporary numbness in part of the arm.

Risk of injury from the blood draw is higher for people with bleeding disorders, such as aplastic anemia, and for anyone on blood thinning medications (such as Coumadin) and other therapies. If you have such a bleeding disorder or are taking blood thinning medication, we recommend that you talk to your doctor before joining this exposure assessment. Also, infection could also develop as a result of the puncture through the skin. You or your health insurance company would be responsible for any follow-up care if you are injured as a result of the blood draw.

### **Additional Information:**

- **Results:** We will send you a letter with your PFAS test results along with how they compare to levels in other people in the United States. All participants will receive blood testing results and a percentage of participants will receive urine testing results. We do not yet know enough to say whether there are levels in the blood or urine that are safe or unsafe. This assessment will only tell you how much PFAS are currently in your body. It will not tell you when or for how long you were exposed.
- **Privacy:** All personally identifiable information (PII) (such as name, address, date of birth) gathered during the exposure assessment is private and will not be publically released. This information is protected to the extent possible by (*insert name of state here*) and federal laws and regulations related to privacy protection. Only trained and authorized project staff will have access to information that can identify you, and we will keep all of the information in a secure, locked database or file at all times. Aside from the exposure assessment team, you are the only one who will receive your individual results. In accordance with CDC/ATSDR's policy regarding data access, sampling results that do not include PII may be used by public health researchers for approved research purposes.
- **Voluntary Participation:** Participation in this exposure assessment is completely voluntary. Your choice will not affect your current or future relationships with groups that are part of the exposure assessment. Even if you decide to participate, you are free to quit the exposure assessment at any time. If project staff decide it is in your best interest, or if you fail to meet the

exposure assessment qualifications, you may be removed from the exposure assessment without your consent. If at any time in the future, you would like to have your blood or urine sample destroyed or removed from the assessment, please call (*insert name and phone number of Study coordinator*).

## Adult Consent

By marking the check boxes below and signing this form, you are confirming that you understand the goals of the exposure assessment, and that you agree, of your own free will, to participate. You are also confirming you will allow the project staff to collect, store, and share the information gathered for the exposure assessment as described above. You will receive a copy of this form for your records.

I agree to participate in this Exposure Assessment and provide a blood and urine sample.

Yes       No

I understand that I will receive my PFAS test results by mail. I will be able to compare some of my test results with national levels.

Yes       No

I understand that project staff will not be able to determine if the PFAS levels in my body will impact my health.

Yes       No

I agree that my PFAS test results may be shared with other federal, state, and local environmental and health agencies. Your identifying information will be protected to the extent possible by law should you choose to allow ATSDR to share your results with other federal, state or local agencies.

Yes       No

I understand that my PFAS test results and questionnaire data may be used for additional analysis in the future.

Yes       No

I agree to allow my blood and urine samples to be saved and used for other PFAS-related tests. If your blood and urine are analyzed in the future, we will send you the results.

Yes       No

I agree to let ATSDR/NCEH keep my contact information and contact me in the future for possible follow-up studies (may be research or non-research studies).

Yes       No

Participant's Name: \_\_\_\_\_  
(Printed)

Participant's Signature: \_\_\_\_\_

Date Signed: \_\_\_\_\_

Street Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone number (area code): \_\_\_\_\_

Project Representative's  
Name: \_\_\_\_\_  
(Printed)

Project Representative's  
Signature: \_\_\_\_\_



**PFAS Exposure Assessment, Biological Sampling  
Parental Permission Form (≤18 years of age)  
Flesch-Kincaid Reading Level: 9.2**

ATSDR estimates the average public reporting burden for this collection of information as 10 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

We are doing a study on chemicals called PFAS. PFAS stands for Per- and Polyfluoroalkyl Substances. We want to give you some information about it so you can decide whether you want your child/ward to participate.

PFAS have been found in the drinking water supply in (*insert name of city/town/place here*). PFAS are chemicals that were used in a wide range of ways in the United States. PFAS are found in the environment (in the air, soil, and water). And they can stay in the human body for years.

Scientists and doctors don't yet know how PFAS may affect people's health. The first step in figuring that out is measuring the amount of PFAS in the bodies of people who may have come into contact with this contaminated water.

The main goal for this assessment is to find out how much PFAS are in the blood and urine of people in (*insert name of city/town/place here*) who may have been exposed to contaminated drinking water. We will conduct this study from (*insert dates here*).

We hope you will agree to let your child be part of this exposure assessment. If you have any questions about this form at any time while filling it out, please don't hesitate to ask. Thank you for considering allowing your child/ward to be in this assessment.

**Follow these instructions:** This form contains information about the assessment and what will happen if you and your child decide to participate. If you and your child agree for the child to take part in this assessment, please sign at the end of the form.

## **Procedures for the Exposure Assessment**

First, we will ask you to answer a few questions.

We will also ask your child to give us a blood and urine sample. A phlebotomist will draw a small amount of his or her blood for testing. We will ask for the urine sample your child collected this morning. Your child's samples will be labeled with a code only. Only the project coordinator will be able to identify who gave the blood and urine samples. The questionnaire should take about 15 minutes to complete.

We will send your child's blood to the National Center for Environmental Health (NCEH) laboratory in Atlanta, GA, for analysis. Your child's urine sample will be sent to [*insert name and location of bio-specimen repository*].

Only recently have scientists been able to measure PFAS in urine. Because the method for measuring PFAS in urine is developing, not all urine samples collected will be analyzed for PFAS. Instead, ATSDR will randomly chose a percentage of urine samples for PFAS analysis. All of the blood and urine samples will be stored and may be analyzed in the future. If your child's urine or blood samples are analyzed in the future, we will give you the results.

**Your child's blood and urine will not be tested for HIV, or for the presence of alcohol or drugs and your DNA will not be used for any purpose.** There will be no charge for the sample collection or the laboratory analysis.

At the completion of the exposure assessment, we will mail your child's test results to you at the address you provide today. If you would like to talk with a doctor about your results, you can talk to one working on the exposure assessment free of charge.

ATSDR will also use your child's PFAS level results (not including any information that would identify him or her personally) to better understand PFAS exposure in your community.

Research to better understand the health effects associated with PFAS exposure is ongoing, but scientists are not currently certain of how PFAS levels in the blood can affect a person's health. More research is needed to clarify the risks posed by PFAS exposure. It is possible that new tests will be developed in the future that will increase our understanding of how PFAS impact human health. We would like to keep your child's blood and urine samples so that scientists can test for more things if new tests are developed. To do this, we need your permission. If your child's samples are tested again in the future, you will be contacted again to give permission for the tests.

## **The Benefits of Taking Part in Our Exposure Assessment**

Your child's participation in this assessment will help us understand the range of PFAS exposure and possible exposure sources in your community. Work to better understand the health effects associated with PFAS exposure is ongoing, but scientists are not currently certain of how PFAS levels in the body

can affect a person's health. More work is needed to clarify the risks posed by PFAS exposure. Your child's participation in this assessment will help advance this knowledge.

We will **not** be able to tell you if the PFAS levels in your child's blood or urine will make your child sick now or later in life. You will be able to call project staff during and after the exposure assessment if you have any questions about your child's results. If your child's doctor has questions about PFAS, he or she may also call project staff or the physician working on the exposure assessment. The names and phone numbers of people to call are listed below.

### **The Risks of Taking Part in Our Exposure Assessment**

This exposure assessment requires approximately 6 milliliters of blood (which is about 1 teaspoon). Your child may feel a sharp sting from the needle used to draw your blood. Sometimes a bruise or small blood clot appears at the site. These bruises or clots usually go away on their own. Putting heat on the site can also help the bruise or clot to go away. Although it is not common, the needle could irritate a nerve. This irritation may cause temporary numbness in part of the arm.

Risk of injury from the blood draw is higher for people with bleeding disorders, such as aplastic anemia, and for anyone on blood thinning medications (such as Coumadin) and other therapies. If your child has such a bleeding disorder or are taking blood thinning medication, we recommend that you talk to your doctor before joining this exposure assessment. Infection could also develop as a result of the puncture through the skin. You or your health insurance company would be responsible for any follow-up care if your child is injured as a result of the blood draw.

### **Additional Information:**

- **Results:** We will send you a letter with your child's PFAS test results along with how they compare to levels in other children in the United States. All participants will receive blood testing results and a percentage of participants will receive urine testing results. We do not yet know enough to say whether there are levels in the blood or urine that are safe or unsafe. This assessment will only tell you how much PFAS are currently in your child's body. It will not tell you when or for how long your child was exposed.
- **Privacy:** All personally identifiable information (PII) (such as name, address, date of birth) gathered during the exposure assessment is private and will not be publically released. This information is protected to the extent possible by (*insert name of state here*) and federal laws and regulations related to privacy protection. Only trained and authorized project staff will have access to information that can identify your child, and we will keep all of the information in a secure, locked database or file at all times. Aside from the exposure assessment team, you are the only one who will receive your child's individual results. In accordance with CDC/ATSDR's policy regarding data access, sampling results that do not include PII may be used by public health researchers for approved research purposes.

- **Voluntary Participation:** Participation in this exposure assessment is completely voluntary. Your choice will not affect your current or future relationships with groups that are part of the exposure assessment. Even if you decide to let your child participate, you are free to quit the exposure assessment at any time. If project staff decide it is in your child's best interest, or if your child fails to meet the exposure assessment qualifications, he or she may be removed from the exposure assessment without your consent. If at any time in the future, you would like to have your child's blood or urine sample destroyed or removed from the assessment, please call *(insert name and phone number of Study coordinator)*.

## Consent Form

By marking the check boxes below and signing this form, you are confirming that you understand the goals of the exposure assessment, and that you agree, of your own free will, to let your child participate. You are also confirming you will allow the project staff to collect, store, and share the information gathered for the exposure assessment as described above. You will receive a copy of this form for your records.

I agree to allow my child/ward to participate in this Exposure Assessment and that a blood and urine sample will be collected.

**Yes**             **No**

I understand that I will receive my child/ward's PFAS test results by mail. I will be able to compare some of my child/ward's test results with national averages.

**Yes**             **No**

I understand that project staff will not be able to determine if the PFAS levels in my child/ward's body will impact my health.

**Yes**             **No**

I agree that my child/ward's PFAS test results may be shared with other federal, state, and local environmental and health agencies. Your identifying information will be protected to the extent possible by law should you choose to share your results with other federal, state or local agencies.

**Yes**             **No**

I understand that my child/ward's PFAS test results and questionnaire data may be used for additional analysis in the future.

**Yes**             **No**

I agree to allow my child/ward's blood and urine samples to be saved and used for other PFAS-related tests. If your child/ward's blood and urine are analyzed in the future, we will send you the results.

**Yes**             **No**

I agree to let ATSDR/NCEH keep my child/ward's contact information and contact me in the future for possible follow-up studies (may be research or non-research studies).

Yes       No

Parent/Guardian's Name: \_\_\_\_\_  
(Printed)

Parent/Guardian's Signature: \_\_\_\_\_

Respondent ID No:

--

Date Signed: \_\_\_\_\_

Street Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone number (area code): \_\_\_\_\_

Project Representative's  
Name: \_\_\_\_\_  
(Printed)

Project Representative's  
Signature: \_\_\_\_\_

Respondent ID No:

Form Approved  
OMB No. 0923-xxxx  
Exp. Date

**PFAS Exposure Assessment, Biological Sampling  
Assent Form (12-17 years of age)  
Reading Level: 7.0**

ATSDR estimates the average public reporting burden for this collection of information as 10 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

We are doing a study on chemicals called PFAS. PFAS stands for Per- and Polyfluoroalkyl Substances. Your parents have said that you could take part in the study. We want to give you some information about it so you can decide whether you want to participate.

PFAS have been found in the drinking water supply in *(insert name of city/town/place here)*. PFAS are chemicals that were used in a wide range of ways in the United States. PFAS are found in the environment (in the air, soil, and water). And they can stay in the human body for years.

Scientists and doctors don't yet know how PFAS may affect people's health. The first step in figuring that out is measuring the amount of PFAS in the bodies of people who may have come into contact with this contaminated water.

The main goal for this assessment is to find out how much PFAS are in the blood and urine of people in *(Insert name of city/town/place here)* who were exposed to contaminated drinking water. We will conduct this study from *(insert dates here)*.

We hope you will agree to be part of this exposure assessment. If you have any questions about this form at any time while filling it out, please don't hesitate to ask. Thank you for considering being in this assessment.

The questionnaire should take about 15 minutes to complete.

**Follow these instructions:** This form contains information about the assessment and what will happen if you decide to participate. If you agree to take part in this assessment, please sign at the end of the form.

### **What will happen?**

If you choose to be in this assessment, we will draw a small amount of blood from a vein in your arm. First we will clean the skin on your arm by gently rubbing it with alcohol. The needle stick may hurt a little for a few seconds. The person taking the blood will be very careful. You will also be asked to give us the urine sample you collected this morning. Your blood and urine samples will not have your name or other personal information on them. **Your blood and urine will not be tested for HIV, or for the presence of alcohol or drugs and your DNA will not be used for any purpose.**

### **You have the right to refuse or withdraw.**

It is your choice whether to be in this assessment. You can expect the same medical care from your doctor whether you are in the assessment or not in the assessment. There is no penalty if you choose not to be in this assessment. You may stop being in this assessment at any time. If at any time in the future, you would like to have your blood or urine sample destroyed or removed from the assessment, please call (*insert name and phone number of Study coordinator*).

### **Do you want more information?**

We will give you a copy of this form to keep. If you have any questions, concerns, or complaints about this assessment, please contact the following people:

- If you have questions about this assessment or questions related to injury from the assessment, call (*insert name and phone number of Study coordinator*).
- If you have questions about your rights as a participant in this assessment, please call (*insert name and phone number of Study coordinator*).

Project Name: \_\_\_\_\_

Project Coordinator's Name: \_\_\_\_\_  
(Printed)

Project Coordinator's Signature: \_\_\_\_\_

**As described above, you are being asked to participate in an exposure assessment. You may participate by indicating your assent to the items below. You may assent to all, some, or none of the items.**

**To be in this assessment, please sign your initials in the box next to each item you agree to.**

I agree to have a sample of my blood drawn from my arm with a needle.

I agree to give a urine sample.

I agree to allow my blood and urine samples to be saved and used for other PFAS-related tests in the future.

I agree to let ATSDR/NCEH keep my contact information and contact me or my parents in the future for possible follow-up studies (may be research or non-research studies).

**I have read the assent form (or someone has read it to me), and I agree to be in this assessment. My initials above show which parts of the assessment I agree to participate in.**

Participant's Name: \_\_\_\_\_  
(Printed)

Participant's Signature: \_\_\_\_\_

Date Signed: \_\_\_\_\_

Street Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone number (area code): \_\_\_\_\_



Respondent ID No:

Form Approved  
OMB No. 0923-xxxx  
Exp. Date

**PFAS Exposure Assessment, Environmental Sampling  
Head of Household Consent Form  
Flesch-Kincaid Reading Level: 9.7**

ATSDR estimates the average public reporting burden for this collection of information as 10 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

You are invited to take part in an assessment that will measure the levels of per- and polyfluoroalkyl substances (PFAS) in your drinking water and indoor dust. We are trying to determine the levels of PFAS in the homes of people who may have consumed contaminated drinking water while living near (*Insert name of city/town/place here*).

**This letter will explain the procedures, risks, and benefits of our exposure assessment to help you decide if you will take part.**

**Procedures for the Exposure Assessment**

First, we will collect a drinking water sample from the source in your home you and your family most often drink water (e.g. kitchen tap). Then, we will collect indoor dust from up to three locations inside your home.

We will label your water and dust samples with a code only. Only the project coordinator will be able to identify whose house the samples are from.

We will send your water and dust samples to [*insert names of laboratory*] to measure the levels of PFAS. There will be no charge for the sample collection or the laboratory analysis. At the end of the exposure assessment, we will mail your test results to you at the address you provided today. If you would like to talk with an exposure assessment staff person about your results, you can free of charge.

Methods to measure PFAS in water and dust samples are still being developed and improved. It is possible that new tests will be developed in the future that will increase our ability to measure PFAS in water and dust. We would like to keep your water and dust samples so that scientists can test for more things if new tests are developed. To do this, we need your permission.

### The Risks of Taking Part in Our Exposure Assessment

You might be inconvenienced. It will take about 15 minutes for us to collect samples from your home. We may need to run water from your well which might lower the volume of water in your well for a brief recharge period.

### The Benefits of Taking Part in Our Exposure Assessment

Your participation in this assessment will help us understand the range of PFAS exposure and possible exposure sources in your community. You will find out the levels of PFAS in your home. If we find PFAS levels that may be of concern for your health, we will recommend things you can do to reduce your exposure.

### Additional Information:

- **Results:** We will send you a letter with your PFAS level results along with how they compare to any available health based guidelines.
- **Privacy:** All personally identifiable information (PII) (such as name, address, date of birth) gathered for the exposure assessment is private and will not be publically released. This information is protected to the extent possible by (*insert name of state here*) and federal laws and regulations related to privacy protection. Only trained and authorized project staff will have access to information that can identify you. We will keep all of the information in a secure, locked database or file at all times. Aside from the exposure assessment team, you are the only one who will receive your individual results. In accordance with CDC/ATSDR's policy regarding data access, sampling results that do not include PII may be used by public health researchers for approved research purposes.
- **Voluntary Participation:** Participation in this exposure assessment is completely voluntary. Your choice will not affect your current or future relationships with groups that are part of the exposure assessment. Even if you decide to take part, you are free to quit the exposure assessment at any time. If at any time in the future, you would like to have your samples destroyed or removed from the assessment, please call (*insert name and phone number of Study coordinator*).

## Consent Form

By marking the check boxes below and signing this form, you are confirming that you understand the goals of the exposure assessment, and that you agree, of your own free will, to participate. You are also confirming you will allow the project staff to collect, store, and share the information gathered for the exposure assessment as described above. You will receive a copy of this form for your records.

I agree to allow drinking water and indoor dust samples to be collected from my home and analyzed for PFAS.

Yes       No

I understand that I will receive my environmental sampling results by mail. I will be able to compare some of my results with health advisory levels.

Yes       No

I agree that my environmental sampling results may be shared with other federal, state, and local environmental and health agencies and local water utilities. Your identifying information will be protected to the extent possible by law should you choose to share your results with other federal, state or local agencies.

Yes       No

I agree that my indoor dust and water samples may be saved for additional PFAS-related analysis in the future.

Yes       No

I agree to let ATSDR/NCEH keep my contact information and contact me in the future for possible follow-up studies (may be research or non-research studies).

Yes       No

Participant's

Name: \_\_\_\_\_  
(Printed)

Participant's

Signature: \_\_\_\_\_

Date

Signed: \_\_\_\_\_

Street Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone number (area code): \_\_\_\_\_

Project Representative's  
Name: \_\_\_\_\_  
(Printed)

Project Representative's  
Signature: \_\_\_\_\_

## PFAS EA Biological Testing Tracking Form

ATSDR estimates the average public reporting burden for this collection of information as 20 minutes per response, including the time for moving from station to station at the data collection site and providing a blood and urine sample to the PFAS EA team. An agency may not conduct or sponsor, and a person is not required to respond to collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0923-00xx).

### PFAS EA Biological Testing Tracking Form:

Participant ID Number \_\_\_\_\_ Sample Collection Date \_\_\_\_\_

### Adult and Child Participants

- Please indicate when you have completed the activity at each station
- Make sure to bring your sheet of labels with you to each station
- Return this form to the check-in area before you leave
- Thank you for participating!

Station	Completion		Comments
	Yes	No	
Sign In	Yes	No	
Consent/Parental Permission/Assent Form	Yes	No	
Questionnaire	Yes	No	
Blood Draw	Yes	No	

Urine Sample Collection	Yes	No	
-------------------------	-----	----	--

## Appendix C: Sample Collection Logs

## PFAS Exposure Investigation, blood and urine sampling

DLS Study number	
DLS study Name	
<b>SAMPLE COLLECTION LOG SHEET</b>	
DATE: _____	COLLECTION DATE: _____
VISIT NUMBER: _____	RECEIVED BY: _____

UC= Urine Cup, BLD= Red top (blood tube for serum yield)

Place a label in the label section of the specimen log sheet.

= SPECIMEN COLLECTED       = SPECIMEN NOT COLLECTED (Please leave blank if specimen is not collected)

<b>LABEL</b>			<b>Comments:</b>	<b>LABEL</b>			<b>Comments:</b>
	UC				UC		
	BLD				BLD		
<b>LABEL</b>				<b>LABEL</b>			
<b>LABEL</b>			<b>Comments:</b>	<b>LABEL</b>			<b>Comments:</b>
	UC				UC		
	BLD				BLD		
<b>LABEL</b>				<b>LABEL</b>			

LABEL			Comments:	LABEL			Comments:	
	UC				UC			
	BLD				BLD			
LABEL			Comments:	LABEL			Comments:	
	UC				UC			
	BLD				BLD			
LABEL			Comments:	LABEL			Comments:	
	UC				UC			
	BLD				BLD			

## Environmental Sample Collection Form

Form Approved  
OMB No. 0923-xxxx  
Exp. Date



ATSDR estimates the average public reporting burden for this collection of information as 15 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

EA ID: \_\_\_\_\_

Date and time of Sample Collection: \_\_\_\_\_

Address of Sample Collection: \_\_\_\_\_

Notes:

Samples Collected:

Tap Water - Sample ID \_\_\_\_\_

Tap Water Sample Location Description \_\_\_\_\_

Tap Water 2 - Sample ID \_\_\_\_\_

Tap Water 2 Sample Location Description \_\_\_\_\_

Tap Water Blank - Sample ID \_\_\_\_\_

Indoor Dust - Sample ID \_\_\_\_\_

Indoor Dust Sample Location Description \_\_\_\_\_

Indoor Dust Blank - Sample ID \_\_\_\_\_

Data Collection Technician: \_\_\_\_\_

Printed Name

Signature

Location of Samples Inside the Home:



## Appendix D: Chain of Custody Forms

## NCEH/Chamblee Sample Logistics Chain of Custody Sample Shipping/Receiving Form

1. Project: \_\_\_\_\_ Project #: \_\_\_\_\_

2. Sender	3. Carrier	4. Receiver
Signature _____ Date _____  Sent from _____	Company _____  Date _____  Pkg Tracking No. _____	Date _____ Lab Custodian Signature _____  Date _____  Condition upon Receipt _____ _____

### 5. Shipment Description

Number of packages _____
Sealed (yes or no) _____
Types of containers _____
Condition prior to shipment _____
_____
_____

### 6. Contents

Sample I.D. Number	Type of Sample	Legal Seal Intact? (yes or no)	Legal Seal No. (if any)	Condition (damaged, loss of liquid, etc.)

## Appendix E: Urine Collection Instructions

## PFAS Exposure Assessment

### Urine Collection Instructions

#### Flesch-Kincaid Reading Level (without agency or chemical names): 8.5

When you receive the urine collection kit, please put the freezer pack in the freezer so you can use it to transport your sample to the collection location. Please collect a sample of your first morning urine void on the day of your scheduled blood collection appointment. Write down the date and time of the collection. Please use the following instructions:

**Step 1:** When you get up in the morning, collect a sample of your urine in the provided cup the first time you use the bathroom. Please try to fill at least one quarter of the cup.

- Make sure to wash your hands with **water only** before collecting your sample. Do not use any soap, lotion, or other personal care products.

**Step 2:** Cap the urine collection cup and seal in the provided plastic bag.

**Step 3:** Record the date and time of your collected urinary sample on your urine collection log.

- If some of the sample spills, or you forget to record the time of collection your sample will still be able to be used for the investigations. Please write down any comments you want us to know about on your collection log.

**Step 4:** Place your sample in your refrigerator until it is time to go to your blood collection appointment.

**Step 5:** Bring your urine sample, inside the provided cooler box packed with the frozen ice pack, and your urine collection log to your blood collection appointment.

## Appendix F: Questionnaire



Respondent ID No:

Form Approved  
OMB No. 0923-xxxx  
Exp. Date  
. . . . .

**PFAS Exposure Assessment, ADULT (≥ 18 years of age) Questionnaire**

**Note: Questionnaire will be administered by Exposure Assessment staff.**

ATSDR estimates the average public reporting burden for this collection of information as 30 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

**Script: Hello. As a part of the PFAS Exposure Assessment, I'm going to ask you some questions to learn about things that might impact your exposure to PFAS. Before I do so, I want to tell you about why we are collecting this information, and how we will protect your privacy. The statement I'm about to read you is required by the Privacy Act of 1974.**

**Note: The Privacy Act Statement below will be read to the participants and they will be provided a hard copy (see Appendix B of protocol).**

**"PRIVACY ACT STATEMENT:**

**ATSDR has the authority under Section 8006 of the Consolidated Appropriations Act of 2018 and the "Comprehensive Environmental Response, Compensation, and Liability Act of 1980" (CERCLA) as amended by "Superfund Amendments and Reauthorization Act of 1986" (SARA) to collect this information from you. We are conducting this assessment to evaluate your exposure to per- and polyfluoroalkyl substances, also called PFAS. ATSDR is collecting information from you to learn more about things that might impact your exposure to PFAS, and so that we can send your results back to you. ATSDR will share these records with the National Center for Environmental Health (NCEH), who may provide research or support staff and laboratory or statistical analysis. ATSDR may also disclose these records to its contractors in order to locate individuals who have been exposed to PFAS and to conduct interviews and other research activities. The contractor must comply with the requirements of the Privacy Act to protect your records. Providing this information is voluntary. ATSDR needs this information for you to take part in the assessment. ATSDR may not include incomplete records in the data analysis. ATSDR needs up-to-date contact information to send you your results."**

**Now I'm going to ask you some questions. Answering these questions and collecting your blood and urine should take about 30 minutes.**

**Name (last name, first name) : \_\_\_\_\_**

Date of Birth: \_\_\_\_\_ (Month/Day/Year) Sex: Male Female

Address: \_\_\_\_\_

Height (inches): \_\_\_\_\_ Weight (pounds): \_\_\_\_\_

1. Do you consider yourself to be Hispanic, Latino, or of Spanish origin?

- Yes
- No

2. Which one or more of the following would you say is your race? (select all that apply)

- American Indian or Alaska Native
- Asian
- Black or African American
- Native Hawaiian or Other Pacific Islander
- White

3. How long have you lived at your current address?

- \_\_\_\_\_ (months) \_\_\_\_\_ (years)
- Don't Know
- Refused to Answer

4. Is this your full-time residence?

- Yes
- No

**If No**, how much time do you reside at this address?

\_\_\_ Days per week    \_\_\_ Weeks per month    \_\_\_ Months per year     Not Applicable

- Don't know
- Refused to answer

5. Please list the places you have lived for the last 20 years:

Location (City, State)	Dates (MM/YYYY) of Residence
------------------------	------------------------------


6. Has your doctor ever told you that you have:

- Kidney Disease     Yes     No     Don't Know     Refused to Answer

**Questions 7 - 8 are for adult (≥18 years) females only.**

7. Do you have any biological children?

- Yes

If Yes, how many? \_\_\_\_

- No  
 Don't Know  
 Refused to Answer

8. Have you ever breastfed?

- Yes

If Yes, for how long (total for all children)? \_\_\_\_\_ (months)

- No  
 Don't Know  
 Refused to Answer

9. How frequently do you donate blood and/or plasma (select one)?

- Once every eight weeks     A few times per year     Once per year     Rarely     Never     Don't Know     Refused to Answer

10. What is your current main source of drinking water in your home? (select one)

- Public water system (City or County) Provide name: \_\_\_\_\_
- Private Well
- Community well
- Bottled Water
- Don't Know
- Refused to answer

**11.** If you have a private well, has it been tested for PFAS?

- Yes
- No
- Don't Know
- Refused to Answer

**If yes,** do you know the date it was tested, who did the testing, and the results of the PFAS testing?

Date (month/year)	Company/Government	PFAS Results

**12.** During the time you lived in a home served by the water source identified above, on average how many 8-oz cups of water or beverages prepared with tap water did you drink while at home per day?

\_\_\_\_\_ (8-oz cups)

- Didn't drink tap water
- Don't know
- Refused to answer

Note: 1 cup = 8-oz; 2 cups = 1 pint (16-oz); 4 cups = 1 quart (32-oz); 16 cups = 1 Gallon (128-oz)

13. Which, if any, water filter or treatment device(s) are you currently using to filter or treat the tap water you drink? (select all that apply)

- Whole house carbon filter
- Under the sink carbon filter
- Faucet filter
- Pitcher filter
- Refrigerator filter
- None, use bottled water only
- Reverse osmosis (RO) system
- Other, specify:  
\_\_\_\_\_
- Don't Know
- Refused to answer
- Not Applicable
- None, no filter or treatment device used

14. How often is your home cleaned (e.g. sweep, mop, vacuum)?

- Every day
- Once per week
- Once per month
- A few times per year
- Rarely
- Never
- Don't know
- Refused to Answer

15. How frequently do you apply stain resistant products (i.e. Scotchguard – sometimes applied to carpeting or upholstered furniture) in your home?

- Every day
- Once per week
- Once per month

- A few times per year
- Rarely
- Never
- Don't know
- Refused to Answer

16. What type of flooring do you have in your living room?

- Hardwood
- Tile
- Laminate
- Carpet
- Vinyl
- Other

17. What type of flooring do you have in your kitchen?

- Hardwood
- Tile
- Laminate
- Carpet
- Vinyl
- Other

18. What type of flooring do you have in your bedrooms?

- Hardwood
- Tile
- Laminate
- Carpet
- Vinyl
- Other

19. How frequently do you come into direct contact with the soil (e.g. gardening, digging, farming, building, repairing, etc...) in [*insert affected area/sampling frame/locations*] (select one)?

- Every day
- Once per week
- Once per month
- A few times per year
- Rarely
- Never
- Don't know
- Refused to Answer

20. If you come into direct contact with soil, at what address or place (e.g. daycare) does this occur (list all locations)? If you come into contact with soil at more than one location, what percentage of your total contact with soil happens at each location (percentages should sum to 100%)?

---

---

- Don't know
- Refused to answer
- Not Applicable

21. Do you eat vegetables or fruits grown at your home or other locally grown vegetables or fruits from [*insert affected area/sampling frame/locations*]?

- Yes
- No
- Don't Know
- Refused to Answer

If yes, how often do you eat locally grown or home grown fruits or vegetables? (select one)

- Every day
- Once per week
- Once per month
- A few times per year
- Rarely
- Never
- Don't know
- Refused to Answer

22. Do you eat fish locally caught from ponds, lakes or rivers in [*insert affected area/sampling frame/locations*]?

- Yes
- No
- Don't Know
- Refused to Answer

If **yes**, how often do you eat locally-caught fish (select one)?

- 3 times per week or more
- A few times per month
- A few times per year
- Rarely
- Never
- Don't know
- Refused to Answer

23. How often you consume milk from animals raised on farms within [*insert affected area/sampling frame/locations*]?

- Every day
- Once per week
- Once per month
- A few times per year
- Rarely
- Never
- Don't know
- Refused to Answer



24. How often you consume fast food?

- Every day
- Once per week
- Once per month
- A few times per year
- Rarely
- Never
- Don't know
- Refused to Answer

25. Please select any changes that have occurred in the last 12 months:

- My drinking water source changed from private well to public water system.
- My drinking water source changed from private well to bottled water.
- My drinking water source changed from public water system to bottled water.
- I have installed a filtration system on my private well.
- My drinking water source changed in some other way (please explain):

---

- My consumption of locally caught fish has increased.
- My consumption of locally caught fish has decreased.
- My consumption of locally grown vegetables has increased.
- My consumption of locally grown vegetables has decreased.
- Other behaviors related to PFAS exposure (please explain):

---

- Refused to Answer

**26.** Please list your job title and where you have worked for the past 20 years. Please also identify the main source of drinking water used at each workplace (public water, private well, community well, bottled water), if known.

- Not Applicable
- Refused to Answer

Company Name	Workplace location	Job Title	Year Started	Year Ended	Drinking Water Source

**27.** During the time you worked, on average how many 8-oz cups of tap water or beverages prepared with tap water did you drink while at work per day?

- \_\_\_\_ (8-oz cups)
- Didn't drink tap water
- Not applicable
- Don't know
- Refused to answer

Note: 1 cup = 8-oz; 2 cups = 1 pint (16-oz); 4 cups = 1 quart (32-oz); 16 cups = 1 Gallon (128-oz)

**28.** Did you in the last 20 years work in any of the following industries? (select all that apply)

- Manufacturing of nonstick cookware such as Teflon® coated pots/pans
- Manufacturing of stain resistant coatings (e.g. Scotchguard®) used on carpets, upholstery, and other fabrics
- Manufacturing of water resistant clothing (e.g. Gore-Tex®)

- Manufacturing of aqueous film forming foam (AFFF)
- Manufacturing/Processing/Formulating facility of PFAS chemicals (3M, DuPont, Chemours, etc)
- Military
- Aviation
- Firefighting
- Never worked in the industries listed above
- Refused to answer

29. If you worked in any of the industries listed in question 28, worked in the production of any of the consumer products listed in Table 1 (below), worked with PFAS-containing substances as described in Table 1 under the header "Industrial Uses," please provide your job title, brief job description, and duration of your work.

Job Title	Job Description	Years Worked

30. Have you ever had your blood tested for any PFAS?

- Yes
- No

- o Don't Know

If yes, when, where, and what was the result?

Date of PFAS Test	Who conducted test?	Results

31. Is there anything else you want to tell us about your PFAS exposures?

---

**Table 1. Common Uses of PFAS**

<b>Consumer Products</b>	<b>Industrial Uses</b>
Cookware (Teflon®, Nonstick)	Photo-Imaging
Fast Food Containers	Metal Plating
Candy Wrappers	Semiconductor Coatings
Microwave Popcorn Bags	Aviation Hydraulic Fluids
Personal Care Products (Shampoo, Dental Floss)	Medical Devices
Cosmetics (Nail Polish, Eye Makeup)	Fire-Fighting Foam
Paints and Varnishes	Insect Baits
Stain Resistant Carpet	Printer and Copy Machine Parts
Stain Resistant Chemicals (Scotchguard®)	Chemically Driven Oil Production
Water Resistant Apparel (Gore-Tex®)	Textiles, Upholstery, Apparel and Carpets
Cleaning Products	Paper and Packaging
Electronics	Rubber and Plastics

\*\*\* THANK YOU \*\*\*

Respondent ID No:

Form Approved  
OMB No. 0923-xxxx  
Exp. Date

## PFAS Exposure Assessment, Child (<18 years or age of majority) Questionnaire

**Note: Questionnaire will be administered by Exposure Assessment staff to the child. If the child is under the age of 16 years, a parent or legal guardian can help answer all questions on behalf of the child.**

ATSDR estimates the average public reporting burden for this collection of information as 15 minutes per response, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0923-xxxx).

**Note: Questionnaire will be administered by Exposure Assessment staff to the child. However, a parent or legal guardian can help answer all questions on behalf of the child. In particular, the parent or legal guardian may be asked to assist in completion of questions related to infant feeding history and places of residence.**

**Script: Hello. As a part of the PFAS Exposure Assessment, I'm going to ask you some questions to learn about things that might impact your exposure to PFAS. Before I do so, I want to tell you about why we are collecting this information, and how we will protect your privacy. The statement I'm about to read you is required by the Privacy Act of 1974.**

**Note: The Privacy Act Statement below will be read to the participants and they will be provided a hard copy. Privacy Act Statement is available in Appendix B.**

### **"PRIVACY ACT STATEMENT:**

**ATSDR has the authority under Section 8006 of the Consolidated Appropriations Act of 2018 and the "Comprehensive Environmental Response, Compensation, and Liability Act of 1980" (CERCLA) as amended by "Superfund Amendments and Reauthorization Act of 1986" (SARA) to collect this information from you. We are conducting this assessment to evaluate your exposure to per- and polyfluoroalkyl substances, also called PFAS. ATSDR is collecting information from you to learn more about things that might impact your exposure to PFAS, and so that we can send your results back to you. ATSDR will share these records with the National Center for Environmental Health (NCEH), who may provide research or support staff and laboratory or statistical analysis. ATSDR may also disclose these records to its contractors in order to locate individuals who have been exposed to PFAS and to conduct interviews and other research activities. The contractor must comply with the requirements of the Privacy Act to protect your records. Providing this information is voluntary. ATSDR needs this**

**information for you to take part in the assessment. ATSDR may not include incomplete records in the data analysis. ATSDR needs up-to-date contact information to send you your results.”**

**Now I'm going to ask you some questions. Answering these questions and collecting your blood and urine should take about 30 minutes.**

**Child's Name:** \_\_\_\_\_

**Child's Date of Birth:** \_\_\_\_\_ (Month/Day/Year)      **Sex:** Male    Female

**Address:** \_\_\_\_\_

**Height (inches):** \_\_\_\_\_      **Weight (pounds):** \_\_\_\_\_

1. What is your birth order (e.g. first, second, or third born etc.)?

\_\_\_\_\_

- Don't know
- Refused to answer

2. Do you consider yourself to be Hispanic, Latino, or of Spanish origin?

- Yes
- No

3. Which one or more of the following would you say is your race? (select all that apply)

- American Indian or Alaska Native
- Asian
- Black or African American
- Native Hawaiian or Other Pacific Islander
- White

4. How many years have you lived in your current home?

*Note: If parent is assisting in response, please ask how long the child has lived in the home.*

\_\_\_\_\_ (months) \_\_\_\_\_ (years)

- Don't know
- Refused to answer

5. Is this your full-time residence?

- Yes
- No

**If No**, how much time do you reside at this address?

\_\_\_ Days per week    \_\_\_ Weeks per month    \_\_\_ Months per year        Not  
Applicable

- Don't know
- Refused to answer

6. How many 8-oz cups of tap water or beverages prepared with tap water do you drink per day at home?

- \_\_\_ (8-oz cups)
- Don't drink tap water
- Don't know
- Refused to answer

**Note:** 1 cup = 8-oz; 2 cups = 1 pint (16-oz); 4 cups = 1 quart (32-oz); 16 cups = 1 Gallon (128-oz)

7. How frequently do you play in or touch the soil or dirt in [*insert affected area/sampling frame/locations*]? (Select one)

- Every day
- A few times per week
- A few times per month
- Rarely
- Never
- Don't know
- Refused to answer

8. If you play in or touch the soil or dirt, at what address or place (e.g. daycare) does this occur (list all locations)? If you play in or touch the soil or dirt at more than one location, what percentage of your total contact with soil happens at each location (percentages should sum to 100%)?

---

---

- Don't know
- Refused to answer
- Not Applicable

9. During the growing season, how often do you eat vegetables or fruits grown at your home or other locally grown vegetables or fruits from (*insert affected area/sampling frame/locations*)? (Select one)

- Every day
- Once per week
- Once per month
- A few times per year
- Rarely
- Never
- Don't know
- Refused to Answer

10. How often do you eat fish locally caught from ponds, lakes or rivers in (*insert affected area/sampling frame/locations*)? (Select one)

- Every day
- Once per week
- Once per month
- A few times per year



- Rarely
- Never
- Don't know
- Refused to Answer

11. How often do you consume milk from animals raised on farms within (*insert sampling/affected area/location or list of affected farms*)?

- Every day
- Once per week
- Once per month
- A few times per year
- Rarely
- Never
- Don't know
- Refused to Answer

12. Did you drink formula reconstituted with tap water as an infant?

- Yes  
**If Yes**, for how long? \_\_\_\_ (months)
- No
- Don't know
- Refused to answer
- Not Applicable

13. Are you currently, or were you previously breastfed?

- Yes  
If Yes, for how long? \_\_\_\_ (months)
- No
- Don't know
- Refused to answer
- Not Applicable

14. Are you currently attending, or have you attended, a school or daycare?

- Yes
- No
- Don't know
- Refused to answer
- Not Applicable

15. Please provide the name of your school or daycare and duration you attended each school/daycare, as well as the main drinking water source (public water, private well, community well, bottled water, water from home, don't know), if known.

Name of School/Daycare	Address	Duration Attended		Located in Affected area?		Main Drinking Water Source
		Start Year	End Year	Yes	No	

--	--	--	--	--	--	--

16. How many 8-oz cups of water or beverages prepared with tap water do you drink per day at day care/school?

\_\_\_\_\_

- Don't drink tap water
- Don't know
- Refused to answer

**Note:** 1 cup = 8-oz; 2 cups = 1 pint (16-oz); 4 cups = 1 quart (32-oz); 16 cups = 1 Gallon (128-oz)

17. Have you ever had your blood tested for PFAS?

- Yes
- No
- Don't Know

If yes, when, where, and what was the result?

Date of PFAS Test	Who conducted test?	Results

18. Is there anything else you want to tell us about your PFAS exposures?

\_\_\_\_\_

\*\*\* THANK YOU\*\*\*

## Appendix G: Results Letters

**PFAS Exposure Assessment  
Example Result Letter, Biological Sampling**

[Insert Date]

[Name]

Address

City, State, Zip code]

Dear [Insert Name],

Thank you for being a part of the CDC/ATSDR PFAS exposure assessment. We tested your blood and urine for per- and polyfluoroalkyl substances (PFAS). We are grateful for the time and effort you gave to this project. This letter is to give you your test results along with how they compare to measurements from others. You may share these results with your doctor if you would like – it's your choice, however we note that there are no clinical guidelines for interpreting PFAS blood and urine levels. Research to better understand the health effects associated with PFAS exposure is ongoing, but scientists are not currently certain of how PFAS levels in the blood can affect a person's health. More research is needed to clarify the risks posed by PFAS exposure.

### **The Results of Your Blood Test**

Table 1 provides a list of all the specific PFAS that we measured in your blood. The table also lists the acronyms for the PFAS.

Table 2 shows the concentration of specific PFAS we found in your blood. The table also compares your PFAS levels to people in the United States, namely, the geometric mean and 95<sup>th</sup> percentile values, when available.

Table 3 shows your results compared to results from other members in your community who also participated in this assessment. Your result is in units of micrograms per liter (µg/L). One µg/L equals one part per billion, equivalent to about one drop of ink in a large tanker ship.

### **The Results of Your Urine Test (Include only if urine sampling was conducted)**

Table 4 provides a list of all the specific PFAS that we measured in your urine. The table also lists the acronyms for the PFAS.

Table 5 shows the concentration of specific PFAS we found in your urine. The table also shows range of PFAS levels for people in the United States, namely, the geometric mean and 95<sup>th</sup> percentile values, when available.

Table 6 shows your results compared to results from other members in your community who also participated in this assessment. Your result is in units of micrograms per liter (µg/L). One µg/L equals one part per billion, equivalent to about one drop of ink in a large tanker ship.

### A Little Help Interpreting the Results

The tables in this letter provide a lot of information. To fully understand all this information, you need to know about a survey called NHANES (the National Health and Nutrition Examination Survey).

Every year, the CDC examines about 5,000 people from across the country. As part of the survey, CDC takes blood and urine samples and tests them for chemicals like PFAS (among other things) in a subset of the overall group. The NHANES blood and urine tests for PFAS chemicals come from a representative sample of members of the U.S. population (age 12 and older).

Having a representative sample of the U.S. population means NHANES helps CDC estimate, for example, the levels of PFAS in the U.S. population. That is how we can compare the results of your blood and urine tests to reference values for people in the United States.

Now, let's talk about interpreting your results, presented in Tables 2, 3, 5, and 6. The diagrams below should help you understand the data we are giving you.

	<b>Your Level in µg/L</b>	<b>Geometric Mean in µg/L</b>	<b>95<sup>th</sup> percentile in µg/L</b>
PFDA	[insert level]	*	< 0.1**

This column lists all the different chemicals (PFAS) that we measured in your blood.

This column shows the geometric mean of results from the 2013-2014 NHANES survey (Table 2) or your community (Table 3).

This column shows the concentration that we found in your blood.

This column shows the 95<sup>th</sup> percentile of results from the 2013-2014 NHANES survey (Table 2) or your community (Table 3).

A couple of important notes:

- If your PFAS result is in **bold**, then it is higher than the reference value (95<sup>th</sup> percentile). This means that your result is higher than what is measured in most people in the United States.
- If your result is not bold, then it is not higher than the reference value (95<sup>th</sup> percentile) and does not higher than what is measured in most people in the United States.

**Table 1: List of measured PFAS measured in blood and corresponding acronyms**

PFAS	Acronym
perfluorodecanoic acid	PFDA
perfluorododecanoic acid	PFDoA
perfluorohexane sulfonic acid	PFHxS
perfluorononanoic acid	PFNA
total perfluorooctanoic acid	PFOA
ammonium perfluorooctanoate	n-PFOA
mixture of perfluoro-5-methylheptanoic acid isomers	Sb-PFOA
total perfluorooctane sulfonic acid	PFOS
sodium perfluoro-1-octanesulfonate	n-PFOS
mixture of sodium perfluoro-5-methylheptane sulfonate isomers	Sm-PFOS
N-methyl perfluorooctanesulfonamidoacetic acid	MeFOSAA
perfluoroundecanoic acid	PFUnA

**Table 2: Your PFAS blood levels compared to what has been measured in the general U.S. Population**

PFAS	Your Level	U.S. population	U.S. Population 95 <sup>th</sup> percentile in
------	------------	-----------------	--

	in µg/L	Geometric Mean in µg/L <sup>a</sup>	µg/L <sup>a</sup>
PFDA	[insert level]	0.185	0.700
PFDoA		*	0.200
PFHxS		1.35	5.60
PFNA		0.675	2.00
PFOA		1.94	5.57
n-PFOA			
Sb-PFOA			
PFOS		4.99	18.5
n-PFOS			
Sm-PFOS			
MeFOSAA		*	0.600
PFUnA		*	0.500

Note: Above results from NHANES 2013-2014.  
 ND - Not detected.\* Geometric mean was not calculated because not enough people had results that were detectable. \*\*95<sup>th</sup> percentile was below the limit of detection, 0.1 µg/L.

<sup>a</sup>Source: CDC. The National Report on Human Exposure to Environmental Chemicals, Updated Tables, February 2017. Available at: <https://www.cdc.gov/exposurereport/>



**Table 3: Your PFAS blood levels compared to other people who participated in this assessment from [insert community name]**

PFAS	Your Level (µg/L)	Geometric Mean in µg/L (# participants)	95 <sup>th</sup> percentile in your community in µg/L
PFDA	[insert level]	[insert mean]	[insert value]
PFDoA			
PFHxS			
PFNA			
PFOA			
n-PFOA			
Sb-PFOA			
PFOS			
n-PFOS			
Sm-PFOS			
MeFOSAA			
PFUnA			
ND- Not detected.			

(Only include Tables 4-6 if urine sampling was conducted.)

**Table 4: List of measured PFAS measured in urine and corresponding acronyms**

<b>PFAS</b>	<b>Acronym</b>
perfluorobutane sulfonic acid	PFBS
perfluoroheptane sulfonic acid	PFHpS
perfluorohexane sulfonic acid	PFHxS
total perfluorooctane sulfonic acid	PFOS
sodium perfluoro-1-octanesulfonate	n-PFOS
mixture of sodium perfluoro-5-methylheptane sulfonate isomers	Sm-PFOS
perfluorobutanoic acid	PFBA
perfluoropentanoic acid	PFPeA
perfluorohexanoic acid	PFHxA
perfluoroheptanoic acid	PFHpA
total perfluorooctanoic acid	PFOA
ammonium perfluorooctanoate	n-PFOA
mixture of perfluoro-5-methylheptanoic acid isomers	Sb-PFOA
perfluorononanoic acid	PFNA
perfluorodecanoic acid	PFDA
perfluoroundecanoic acid	PFUnA
hexafluoropropylene oxide dimer acid	HFPO-DA (GenX)
4,8-dioxa-3H-perfluorononanoic acid	DONA
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid	9Cl-PF3ONS

**Table 5: Your PFAS urine levels compared to what has been measured in the general U.S. Population**

PFAS	Your Level in µg/L	U.S. population Geometric Mean in µg/L <sup>a</sup>	U.S. Population 95 <sup>th</sup> percentile in µg/L <sup>a</sup>
PFBS	[insert level]		
PFHpS			
PFHxS			
PFOS			
n-PFOS			
Sm-PFOS			
PFBA			
PFPeA			
PFHxA			
PFHpA			
PFOA			
n-PFOA			
Sb-PFOA			
PFNA			
PFDA			
PFUnA			
HFPO-DA (GenX)			
DONA			
9CI-PF3ONS			

Note: Above results from NHANES 2013–2014.

ND – Not detected.\* Geometric mean was not calculated because not enough people had results that were detectable. \*\*95<sup>th</sup> percentile was below the limit of detection, 0.1 µg/L.

**Table 6: Your PFAS urine levels and the range of PFAS urine levels found in other people in your community who were tested.**

<b>PFAS</b>	<b>Your Level (µg/L)</b>	<b>Range of levels in study participants (µg/L)</b>
PFBS		
PFHpS		
PFHxS		
PFOS		
n-PFOS		
Sm-PFOS		
PFBA		
PFPeA		
PFHxA		
PFHpA		
PFOA		
n-PFOA		
Sb-PFOA		
PFNA		
PFDA		
PFUnA		
HFPO-DA (GenX)		
DONA		
9CI-PF3ONS		
ND - Not detected		

## What Do These Results Mean to Your Health?

These results tell you how much PFAS is currently present in your body from all sources combined, such as water, food, and other environmental sources. You can compare your results with others from your community and also people across the United States.

Although a number of scientific studies have been completed, outcomes of these studies have not been consistent and additional factors still need to be considered. More research is needed to fully understand the possible negative health effects related to PFAS exposure. As of today, based on studies in humans and animals, scientists believe that some of the non-cancer health effects from PFAS exposure include:

- Increased cholesterol levels;
- Decrease in response from the body to some vaccines (immune system);
- Increased risk of thyroid disease;
- Decreased fertility in women;
- Increase in the risk of high blood pressure or pre-eclampsia in pregnant women; or
- Lower infant birth weights.

While numerous studies have examined possible relationships between levels of PFAS in blood and harmful health effects in people and animals, most of these studies analyzed only a small number of chemicals in the PFAS family. To date, scientists have learned that not all PFAS have the same health effects.

Some (but not all) PFAS build up in the human body. The levels of many PFAS go down slowly over time once exposure stops. Scientists across multiple federal agencies are studying how different amounts of PFAS in the body over time might affect human health. In addition, investigators are actively studying whether being exposed to multiple PFAS chemicals at the same time have health effects that are additive.

It is important to remember that the likelihood of adverse health effects depends on several factors, such as the concentration of PFAS, as well as the frequency and duration of exposure. More frequent exposure can increase risk. Higher concentration and length of time exposed can lead to increased risk.

Your participation in this study, when combined with others, may eventually help us better understand any potential health risks from PFAS exposure in the future.

### **What about Your Exposure? [Include only one category below]**

[Use for results below reference values compared to NHANES or community]

- Your sample showed that your PFAS levels are within the values of what has been reported for people living in US or in the [insert community name] community.
- Please see the included handouts for more information about PFAS and how to reduce your exposure.

[Use for results above reference values compared to NHANES or community]

- While your results were above the 95% percentile found in the people living in the United States or in the [insert community name], it is important to remember that scientists do not know what these levels mean in terms of affecting your health, if at all.
- Please see the included handouts for more information about PFAS and how to reduce your exposure.

### **Next Steps**

Please call [*phone number*] to discuss any questions you may have. Your personal test results will be kept private. Your results may be combined with other participants in your community and used in a summary report; however, no one will be able to identify you.

### **More Information**

- If you or your doctor have any medically related questions about these results or wish to further discuss these results, please contact [*name*] by phone [*number*] or email [*email*].
- For additional information about PFAS from the CDC and the Agency for Toxic Substances and Disease Registry, please visit: <http://www.atsdr.cdc.gov/pfas/index.html>.
- For additional information about PFAS from the U.S. Environmental Protection Agency, please visit: <https://www.epa.gov/PFAS>.

Thank you again for being part of the PFAS assessment.

**PFAS Exposure Assessment  
Example Result Letter, Environmental Sampling**

[Insert Date]

[Name

Address

City, State, Zip code]

Dear [Insert Name],

Thank you for being a part of the CDC/ATSDR PFAS exposure assessment. We tested your household drinking water and indoor dust for per- and polyfluoroalkyl substances (PFAS). We are grateful for allowing us to collect samples from your home for this project. This letter is to give you your test results along with what they mean. You may share these results if you would like – it's your choice.

### **The Results of Your Drinking Water Test**

Table 1 provides a list of all the specific PFAS that we measured in your drinking water. The table also lists the acronyms for the PFAS.

Table 1 also shows any federal or state drinking water concentration screening values for these PFAS. These screening values serve as a screening tool to help public health professionals decide where to look more closely at potential health effects from the environment.

Your results are in units of micrograms per liter ( $\mu\text{g/L}$ ). One  $\mu\text{g/L}$  equals one part per billion, equivalent to about one drop of ink in a large tanker ship.

**Table 1: Your PFAS drinking water levels compared to federal and state screening values.**

<b>PFAS</b>	<b>Abbreviation</b>	<b>Your Tap Water Level in µg/L</b>	<b>Screening value in µg/L</b>
perfluorobutane sulfonic acid	PFBS	[insert level]	[insert level]
perfluorodecanoic acid	PFDA		
perfluorododecanoic acid	PFDoA		
perfluoroheptanoic acid	PFHpA		
perfluorohexane sulfonic acid	PFHxS		
perfluorononanoic acid	PFNA		
perfluorooctanoic acid	PFOA		
perfluorooctanesulfonic acid	PFOS		
perfluorooctanesulfonamide	PFOSA		
N-ethyl perfluorooctanesulfonamidoacetic acid	EtFOSAA		
N-methyl perfluorooctanesulfonamidoacetic acid	MeFOSAA		
perfluoroundecanoic acid	PFUnA		
hexafluoropropylene oxide dimer acid	HFPO-DA		
perfluorohexanoic acid	PFHxA		
perfluorotetradecanoic acid	PFTA		
perfluorotridecanoic acid	PFTrA		
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	11Cl-PF3OUdS		
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid	9Cl-PF3ONS		
4,8-dioxa-3H-perfluorononanoic acid	DONA		
ND - Not detected.			



If any of your PFAS drinking water results are in **bold**, then they exceed a screening value [*insert state specific screening level if available, and/or EPA Lifetime Health Advisory Level*]. This means that your drinking water contains one or more PFAS at levels that are higher than is recommended by a federal or state environmental or health agency.

[Use text below only if one or more PFAS levels exceed a screening value.]

Your drinking water had levels of [*insert name of PFAS that exceed screening value*] that exceeded a screening value [*insert state specific screening level if available, and/or EPA Lifetime Health Advisory Level*]. We recommend that you consider options to reduce risk, such as seeking an alternative drinking water source, or in the case of parents of formula-fed infants, using formula that does not require adding water. It is not necessary to consider using an alternative water source for bathing, washing dishes, doing laundry, or for other activities that do not cause you to swallow water.

## The Results of Your Indoor Dust Test

Table 2 provides a list of all the specific PFAS that we measured in your indoor dust. The table also lists the acronyms for the PFAS. Your results are in units of micrograms per liter ( $\mu\text{g/L}$ ). One  $\mu\text{g/L}$  equals one part per billion, equivalent to about one drop of ink in a large tanker ship.

This exposure assessment is one of the first to measure PFAS in indoor dust. Because of this, we cannot tell you what a safe level of PFAS in indoor dust is.

However, your results will help us to understand how people are exposed to PFAS in indoor dust. We will share our findings with you in our final report.

**Table 2: Your PFAS indoor dust levels.**

<b>PFAS</b>	<b>Abbreviation</b>	<b>Your Level in µg/kg</b>
perfluorotetradecanoic acid	PFTA	[insert level]
perfluorotridecanoic acid	PFTrA	
perfluorododecanoic acid	PFDoA	
perfluoroundecanoic acid	PFUnA	
perfluorodecanoic acid	PFDA	
perfluorononanoic acid	PFNA	
perfluorooctanoic acid	PFOA	
perfluoroheptanoic acid	PFHpA	
perfluorohexanoic acid	PFHxA	
perfluoropentanoic acid	PFPeA	
perfluorobutanoic acid	PFBA	
perfluorodecane sulfonic acid	PFDS	
perfluorononane sulfonic acid	PFNS	
perfluorooctane sulfonic acid	PFOS	
perfluoroheptane sulfonic acid	PFHpS	
perfluorohexane sulfonic acid	PFHxS	
perfluoropentane sulfonic acid	PFPeS	
perfluorobutane sulfonic acid	PFBS	
perfluorooctanesulfonamide	PFOSA	
fluorotelomer sulfonic acid 8:2	FtS 8:2	
fluorotelomer sulfonic acid 6:2	FtS 6:2	
fluorotelomer sulfonic acid 4:2	FtS 4:2	
N-ethyl perfluorooctanesulfonamidoacetic acid	EtFOSAA	
N-methyl perfluorooctanesulfonamidoacetic acid	MeFOSAA	

## Next Steps

Please call [*phone number*] to discuss any questions you may have. Your test results will be kept private. Your results may be combined with other participants in your community and used in a summary report; however, no one will be able to identify you.

***If participant's tap water sample is higher than the EPA lifetime health advisory, include text below:***

Your tap water sample contained PFAS at a level higher than the EPA lifetime health advisory. EPA's health advisory levels were calculated to offer a margin of protection against adverse health effects to the most sensitive populations: fetuses during pregnancy and breastfed infants. EPA's health advisory levels are calculated based on the drinking water intake of lactating women, who drink more water than other people and can pass these chemicals along to nursing infants through breastmilk.

ATSDR recommends that you consider options to reduce risk, such as seeking an alternative water source for any activity in which you might swallow water:

- Drinking,
- Food preparation,
- Cooking,
- Brushing teeth, and
- Preparing infant formula.

## More Information

- If you or your doctor have any medically related questions about these results or wish to further discuss these results, please contact [*name*] by phone [*number*] or email [*email*].
- For additional information about PFAS from the CDC and the Agency for Toxic Substances and Disease Registry, please visit:  
<http://www.atsdr.cdc.gov/pfas/index.html>.
- For additional information about PFAS from the U.S. Environmental Protection Agency, please visit: <https://www.epa.gov/PFAS>.
- For more information about the EPA Lifetime Health Advisories for PFOA and PFOS, please visit:  
[https://www.epa.gov/sites/production/files/2016-06/documents/drinkingwaterhealthadvisories\\_pfoa\\_pfos\\_updated\\_5.31.16.pdf](https://www.epa.gov/sites/production/files/2016-06/documents/drinkingwaterhealthadvisories_pfoa_pfos_updated_5.31.16.pdf)

Thank you again for being part of the PFAS assessment.

## Appendix H: Site Health and Safety Plan

## Introduction

This Site Health and Safety Plan (SHSP) defines applicability and responsibility regarding compliance with the Agency for Toxic Substances and Disease Registry (ATSDR) Health and Safety Program for Hazardous Substance Field Activities.

This SHSP defines site requirements and protocol applicable during all activities. It extends to all ATSDR employees, ATSDR contractors, and site visitors invited by ATSDR.

Site emergency response procedures and any potential fire, explosion, health, or safety hazards of the operation must be communicated to all personnel. Noncompliance with site safety procedures will not be tolerated. Personnel not observing safety procedures could be suspended from participation in site activities.

Development of this plan included consideration of current safety standards and recommendations as defined by the Environmental Protection Agency (EPA), the Occupational Safety and Health Administration (OSHA), the National Institute for Occupational Safety and Health (NIOSH), the American Conference of Governmental Industrial Hygienists (ACGIH), health effects and standards for known contaminants, and procedures designed to account for potential exposure to unknown substances.

## Personnel Training Requirements

All site personnel will be trained in accordance with the requirements contained in the CDC/ATSDR Mandatory Training Requirements. At a minimum, all personnel will be trained to recognize on-site hazards, the provisions of this SHSP, and identification of responsible personnel.

All personnel are required to complete the following training courses:

- Blood Borne Pathogen Training
- Safety Survival Skills Part 1 - General Responsibilities
  
- Personal Protective Equipment Training
- Human Research Protections Training
- First aid/CPR/Automated External Defibrillator (AED) Training

All site personnel and agents (on-site contractors, fellows, and others appointed or retained to work under the auspices of CDC) who intend to collection information from human subjects must have a Scientific Ethics Verification (SEV) number.

## **Personal Protective Equipment**

Anyone entering the site must be fully aware of and protected against potential hazards. The purpose of personal protective equipment (PPE) is to shield or isolate individuals from chemical, physical, and biological hazards that could be encountered at the site.

Personnel working with blood or urine samples are required to wear Level D PPE to include closed toed shoes, long pants, and gloves. Personnel working with centrifuges should wear eye protection. Respirators are not required. Gloves should be changed in between handling each participant's sample. Urine containers, used pipettes, gloves, and blood collection materials should be placed in appropriate biohazard containers.

## **Emergency Procedures**

On-site personnel will use the following standard emergency procedures. Notify the site lead of any on-site emergencies. The site lead is responsible for ensuring that appropriate emergency procedures are followed.

### ***Personal Injury***

When an injury occurs the site lead will assess its nature. A qualified first aid provider should initiate appropriate first aid and continue appropriate emergency medical services. If necessary, injured personnel will be transported to a local area hospital.

### ***Fire or Explosion***

If a fire or explosion occurs on site, the emergency will be announced and all personnel will leave the area through emergency exits (unless directed otherwise). The fire department shall be contacted (911), and all personnel shall be moved a safe distance from the involved area. If it is safe to do so, site personnel can take the following actions:

- Use on site fire-fighting equipment to control or extinguish the fire; and
- Remove or isolate flammable or other hazardous materials that could contribute to the fire.

### ***Natural Hazards***

The site lead has responsibility for safety of ATSDR personnel if natural hazards (e.g., thunderstorms, tornadoes, hurricanes, etc.) occur. The site lead will inform personnel of current and impending weather conditions.

### ***Equipment Failure***

If any site worker experiences a protective equipment failure or alteration that affects the protection factor, that person shall immediately wash hands as needed and replace the failed equipment.

If any other on-site equipment fails to operate properly, the site lead shall be notified and will then determine the effect of this failure on continuing operations at the site.

## Centrifuge Safety Procedures

Prior to starting any operation that deals with a biological, chemical or radiological hazard, emergency procedures should be established to determine the course of action in the case of an incident. The emergency procedures should be based on the materials being used, the hazards associated with the materials, the type of equipment being used, the operations, and the type of incident that could result. The emergency procedures should be posted near the centrifuge. All centrifuge operators should be familiar with the emergency procedures.

1. Put on appropriate personal protective equipment (gloves) when responding to ALL centrifuge incidents and BEFORE opening the centrifuge to retrieve materials.
2. If a tube breaks or a spill occurs, and an aerosol containing an infectious agent is generated, turn off the centrifuge, and immediately evacuate the area. Be sure to notify others in the laboratory to evacuate. Secure the area and notify the Office of Health and Safety.
  - If tubes containing hazardous materials break or leak, the entire rotor load and centrifuge should be considered contaminated. The tubes, rotor, adapters, buckets and centrifuge chamber should be decontaminated using appropriate decontamination procedures and then washed.
  - There is no single cleaning, disinfecting, or decontaminating process that is suitable for all tubes, rotors, and other centrifuge components. The selection of a disinfectant should be based on the agent involved and the rotor material. If the wrong method or type of cleaner is used, it could result in damaged equipment. It is important to follow the manufacturer's recommendations.
  - If a leak should occur, call DLS Logistics for further assistance (Cynthia Weekfall - 770-488-7227)
3. If a liquid spill (with no aerosol) has occurred, contain the liquid and decontaminate as appropriate.
4. If a tube is identified as being broken while removing it from the rotor/carrier, or if there is a suction sound when removing the tube, do not continue to pull the tube from the rotor/carrier. Leave the tube in the rotor/carrier and contain the liquid by sealing the rotor/carrier. Remove the rotor/carrier from the centrifuge, place it in a biological safety cabinet or chemical fume hood, depending upon the hazard, and continue operations to remedy the spill.

## Appendix I: Data Management Plan



# NCEH/ATSDR Data Management Plan Form

**Table 1 – Core DMP Elements** (should be filled out when project approval is sought)

<p><b>MRID</b> (NCEH/ATSDR metadata repository identifier - for NCEH/ATSDR OD use only.) P1805-0008</p>
<p><b>*Title</b> Biological and Environmental Sampling of Per- and Polyfluoroalkyl Substances (PFAS)</p>
<p><b>*Description</b> A statistically based, community sampling design will be used to determine</p> <ul style="list-style-type: none"> <li>- PFAS serum concentrations from participants living in communities with exposures to PFAS in drinking water.</li> <li>- PFAS urine concentrations from a subset of participants living in communities with exposures to PFAS in drinking water.             <ul style="list-style-type: none"> <li>o An initial 10% of urine samples will be analyzed for 18 PFAS and creatinine. Additional analytes may be added should methods become available. If the geometric mean PFAS concentrations in this initial subset are elevated compared to the U.S. national reference population, as defined by the 2013-2014 NHANES 95th percentile, all other urine samples from the site will be analyzed.</li> </ul> </li> <li>- PFAS concentrations in indoor dust and tap water samples from a subset (10%) of homes of participants in biological sampling.</li> </ul> <p>A questionnaire will be administered to all participants to gather information that can be used to characterize each individual's exposure.</p> <p>The collected data will be analyzed to determine PFAS blood levels for individual participants as well as the community as a whole. Serum and urine concentrations will be compared to reference ranges from nationally representative data, and correlations between environmental and biological PFAS concentrations will be evaluated.</p>
<p><b>*Last DMP Update</b> May 2, 2018</p>
<p><b>*Contact Name and Email</b> CDC PI or POC Name (last, first): Worley, Rachel CDC PI or POC e-mail address: idz7@cdc.gov CDC PI or POC phone number: 770-488-1549</p>

**Organization**

ATSDR/DCHI/SSB

**\*Unique Identifier and catalog/database name**

TBD

**\*Data Access Level(s) – CHECK ALL APPLY**

*(The degree to which the data collected as part of this project could be made publicly available, regardless of whether it has been made available. Projects can have multiple datasets or different data elements within a single dataset that are approved for different levels of public access.)*

**PUBLIC Release**

- Public release – Full dataset

*(Dataset can be made available without restrictions; data steward no longer controls data. **This should be the default selection for all datasets unless justified otherwise.**)*

- Public release – Aggregate data

*(Underlying dataset cannot be released or shared, but aggregate/summary data can be made available to public access without restriction)*

Justification (required if selected): Underlying dataset cannot be released in order to protect personally identifiable information, only aggregate summary data will be made available to public access without restriction.

- Public release - Release by ad-hoc request

*(Metadata will be released and the dataset is available by ad-hoc request; data requests CANNOT be denied; no data use agreement or restrictions; data steward no longer controls data.)*

Justification (required if selected):

**RESTRICTED Release**

- Restricted use data sharing

*(Dataset is available to particular parties under certain use restrictions or use agreement; data not always under CDC custody. The use restriction/agreement (or template) needs to be attached.*

Justification (required if selected): Limited data set (including no direct PII) may be shared with approved data requestors for approved scientific purposes via data use agreement.

- Restricted access data sharing

*(Dataset is only available in an RDC; data need to remain under CDC custody.)*

Justification (required if selected):

**No Data Release/Sharing**

**Access Rights/Restrictions**

*(Include information regarding access or restrictions based on privacy, security, or other policies of the owner of the data. Include an explanation for the selected "Public Access Level" above.)*

In compliance with federal and state privacy protection laws and regulations, the limited data set may be shared with other federal, state and/or local public health and environmental agencies via data use agreements for research purposes to advance the scientific understanding of human exposures to PFAS.

**License/Other Agreements**

*(The license or non-license [i.e., public domain] status with which the dataset will be published. See [Open Licenses](#) for more information. May include DTA, MTA, IAA, MOU or other agreements concerning data use and access.)*

**\*Publisher/Owner**

*(The publishing entity and optionally their parent organization(s). This could be the "owner" of the data.)*

CDC/ATSDR

**Access URL(s), If Known**

*(URL providing indirect access to the DMP, dataset, data dictionary [variable names and valid values], data collection instrument and other relevant information, including the research protocol if possible.)*

TBD

**Download URL(s), If Known**

*(URL providing direct access to a downloadable file of the dataset, summary data, or data tables.)*

TBD

**\*Spatial**

*(The range of spatial applicability of a dataset. Could include a geographic region or a named place [city, county, state, region, country].)*

Data will be collected from no less than eight communities across the United States and U.S. Territories.

**\*Temporal**

*(The range of temporal applicability of project)*

Start date of data collection (month/year): April 2019

End date of data collection (month/year): December 2020

**Table 2 – Additional DMP Elements** (should be filled out where possible when project approval is sought; however, many fields can only be filled out later when publication/report is cleared)

<p><b>*Tags/Keywords</b>  <i>(Keywords to help users discover the dataset.)</i>                  PFAS, PFOA, PFOS, PFNA, PFHxS</p>										
<p><b>*Intramural or Extramural Project</b>  <input type="checkbox"/> Intramural  <input checked="" type="checkbox"/> Extramural (grant, cooperative agreement, contract, IAA, CDC Foundation, other)                  Specify mechanism: Project will be conducted using the ATSDR/DCHI Mission Support contract mechanism.</p>										
<p><b>Project Type – CHECK ALL APPLY</b>  <i>(Multiple selections may apply.)</i></p> <table border="0"> <tr> <td><input type="checkbox"/> Research</td> <td><input type="checkbox"/> Emergency</td> </tr> <tr> <td><input checked="" type="checkbox"/> Non-research</td> <td><input checked="" type="checkbox"/> Exposure investigation</td> </tr> <tr> <td><input type="checkbox"/> Surveillance</td> <td><input type="checkbox"/> Ongoing collection</td> </tr> <tr> <td><input type="checkbox"/> Evaluation</td> <td><input type="checkbox"/> Other</td> </tr> </table>	<input type="checkbox"/> Research	<input type="checkbox"/> Emergency	<input checked="" type="checkbox"/> Non-research	<input checked="" type="checkbox"/> Exposure investigation	<input type="checkbox"/> Surveillance	<input type="checkbox"/> Ongoing collection	<input type="checkbox"/> Evaluation	<input type="checkbox"/> Other		
<input type="checkbox"/> Research	<input type="checkbox"/> Emergency									
<input checked="" type="checkbox"/> Non-research	<input checked="" type="checkbox"/> Exposure investigation									
<input type="checkbox"/> Surveillance	<input type="checkbox"/> Ongoing collection									
<input type="checkbox"/> Evaluation	<input type="checkbox"/> Other									
<p><b>Dates</b>                  Estimated date of data release/sharing (month/year): December 2020                  Preservation expiration date (year that the dataset will be available until): TBD</p>										
<p><b>Data Category</b>  <i>(For explanation of D1 to D10 codes, see Table on page 1)</i></p> <table border="0"> <tr> <td><input type="checkbox"/> D1</td> <td><input checked="" type="checkbox"/> D2</td> <td><input type="checkbox"/> D3</td> <td><input type="checkbox"/> D4</td> <td><input type="checkbox"/> D5</td> </tr> <tr> <td><input type="checkbox"/> D6</td> <td><input type="checkbox"/> D7</td> <td><input type="checkbox"/> D8</td> <td><input type="checkbox"/> D9</td> <td><input type="checkbox"/> D10</td> </tr> </table> <p><u>Justification:</u> (provide detailed information about the data category selected above. If D6 is selected, provide quantitative estimates of costs in releasing data and expected volume of use. If D7 is selected, specify the reason that prevents the owner from releasing/sharing the data.)</p> <p>Data will be collected by a contractor or cooperative agreement partner funded by CDC/ATSDR.</p>	<input type="checkbox"/> D1	<input checked="" type="checkbox"/> D2	<input type="checkbox"/> D3	<input type="checkbox"/> D4	<input type="checkbox"/> D5	<input type="checkbox"/> D6	<input type="checkbox"/> D7	<input type="checkbox"/> D8	<input type="checkbox"/> D9	<input type="checkbox"/> D10
<input type="checkbox"/> D1	<input checked="" type="checkbox"/> D2	<input type="checkbox"/> D3	<input type="checkbox"/> D4	<input type="checkbox"/> D5						
<input type="checkbox"/> D6	<input type="checkbox"/> D7	<input type="checkbox"/> D8	<input type="checkbox"/> D9	<input type="checkbox"/> D10						
<p><b>Population Represented</b>  <i>(e.g., “residents of x,” “inpatients at x,” “users of product x”)</i>                  TBD – Residents of no fewer than eight communities with PFAS contaminated drinking water. Exact locations to be determined.</p>										

**Data Collection Protocol**

*(Brief description with reference to document or website that provides detailed information.)*

Participants in each exposure assessment will complete consent/assent/parental permission forms, provide blood and urine samples and respond to a questionnaire at a centralized location in the community. Participants will be responsible for collecting first morning urine samples in their homes and transporting them to the centralized blood collection location. A subset of participant households will be randomly selected for environmental (i.e., indoor dust and tap water) sampling. Administration of consent forms for environmental sampling and indoor dust and tap water sample collection will take place during a home visit.

All blood samples will be shipped to the NCEH laboratory for analysis of PFAS concentrations and then shipped to a bio-specimen repository for storage. A subset of urine samples will be shipped to the NCEH laboratory for analysis of PFAS concentrations. The remaining urine samples will be shipped to a bio-specimen repository for storage. Drinking water and indoor dust samples will be shipped to an EPA-accredited laboratory for analysis of PFAS concentrations and then stored.

Detailed data collection procedures are available in the protocol for the assessments.

**Data Management Protocol**

*(Brief description with reference to physical location(s) or system(s) where data will be housed (e.g., CDC shared network drive, data host system name, SQL database, etc.) and to data formats. Include the locations of dataset both before data release and after data release.)*

All data will be transmitted to ATSDR or ATSDR contractor for incorporation into a centralized data management system. All results will be electronically transmitted in spreadsheet format using a secured and password-protected network.

All documents with personal identifying information (i.e., consent forms, assent forms, collection logs, etc.) will be kept in locked cabinets and all electronic data will be stored on a password-protected network servers behind firewalls, accessible only to those staff working directly with raw data.

De-identified samples will be sent to the laboratories—no individual identifiers will be included. Any reports produced from this information will not identify specific individuals.

**Process for Omitting Identifying Information**

*(Description of what identifiers are in the database, how they will be removed, and by whom.)*

All samples and data will be identified with a unique code. Only the project coordinator will have access to the link between the sample identification code and personal identifying information in order to facilitate communication of individual results with participants.

**Data Quality Protocol (to address issues of privacy protection and statistical stability)**

*(Brief description with reference to document or website that provides detailed information. Describe methods for data validation and error resolution, removal or shielding of any proprietary information, removal or shielding of sensitive information [i.e., data with dual use applicability], removal or shielding of any individually identifying information including indirect identification.)*

All laboratory analyses will be conducted with established procedures for quality assurance and control according to NCEH and EPA protocols. These methods are identified in the protocol for the exposure assessments and are available from NCEH and EPA.

**Data Retention/Disposal Plan**

*(State when and how the dataset will be archived or destroyed [in accordance with CDC/ATSDR Records Control Schedule: <http://isp-v-maso-apps/RecSched/images/RCS.pdf>].)*

Records will be retained and disposed of in accordance with the CDC Records Control Schedule. Physical copies of assessment materials and reports will be maintained at ATSDR until no longer needed by program officials and will be kept no longer than five years following completion of the exposure assessment in accordance with retention schedules. Computer documents will be disposed of when no longer needed by program officials and will be kept no longer than five years following the study. Personal identifiers will be deleted from records when no longer needed. Disposal methods will include erasing computer files, shredding paper materials, or transferring records to the Federal Records Center when no longer needed for evaluation and analysis. Records are retained for 20 years.

**Data Analysis Plan**

*(Brief description of planned use of the data. Can include reference to document [e.g., information collection request, research protocol, or other] that provides more detailed information.)*

Data will be analyzed for each individual participant and in aggregate. Detailed information is provided in the protocol.

**Publication Plan**

*(Brief description of planned CDC-authored and CDC-coauthored publications, including topic, type of publication, and estimated timeline.)*

Aggregate findings from the exposure assessments are expected to be published as ATSDR reports and in the peer reviewed literature. The topic of publications will be human exposure to per- and polyfluoroalkyl substances. Reports and publications are estimated to be released in 2020 and 2021.

**Data Release Documentation**

*(List documents provided to users, e.g., variable definitions, codebook, metadata file, guidance on data use.)*

TBD

**Data Release Format**

*(Recommend to use non-proprietary format when possible, such as CSV, JSON, etc. Also specify data dictionary file format.)*

CSV



**Data Release Notification**

*(State how potential users will be informed of dataset availability.)*

TBD

**Date Form Completed:** April 14, 2018

**By:** Rachel Worley, PhD, Environmental Health Scientist

*Name, Title*

**Date Form Last Revised:** May 2, 2018

**By:** Rachel Worley, PhD, Environmental Health Scientist

*Name, Title*