

Schedule S Dashboard

Drafted Applications

Approved by OMB 9999-0000 [Help](#)

[Start New Schedule S](#)

Find Applications: [Search](#) [Clear Search](#)

DRAFT 0 **SUBMITTED** 1

Actions	File Number	Call Sign	Filing Description	Date Created	Date Saved
---------	-------------	-----------	--------------------	--------------	------------

Filing Description

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

* Description:

Cancel

Save & Continue »

APPLICATION SECTIONS	
→	Filing Description
	Satellite Information
	Operating Frequency Bands
	Geostationary Satellite Orbital Information
	Non-Geostationary Satellite Orbital Information
	Receiving Beams
	Receiving Channels
	Transmitting Beams
	Transmitting Channels
	Certification Questions
	Application Summary

Satellite Information

Approved by OMB 9999-0000
FAQ Save & Quit

* indicates required field

Attachments Draft Copy

* Select Orbit Type:

GSO
 NGSO

* Space Station or Satellite Network Name:

* Estimated Lifetime of Satellite(s) From Date of Launch:

 Years

* Will the space station(s) operate on a Common Carrier basis?

Yes No « Clear

Back

Save & Continue »

APPLICATION SECTIONS
✓ Filing Description
→ Satellite Information
Operating Frequency Bands
Geostationary Satellite Orbital Information
Non-Geostationary Satellite Orbital Information
Receiving Beams
Receiving Channels
Transmitting Beams
Transmitting Channels
Certification Questions
Application Summary

Operating Frequency Bands

Approved by OMB 9999-0000
FAQ Save & Quit

Add Frequency Band

The list of Operating Frequency Bands is empty.
Please click the Add Frequency Band button to enter the required information.

Back

Save & Continue »

APPLICATION SECTIONS
✓ Filing Description
✓ Satellite Information
→ Operating Frequency Bands
Geostationary Satellite Orbital Information
Receiving Beams
Receiving Channels
Transmitting Beams
Transmitting Channels
Certification Questions
Application Summary

Add/Edit Operating Frequency Bands

Approved by QMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Nature of Service:

* Select Nature of Service:

Mobile-Satellite Service

Select...
17/24 GHz Broadcasting-Satellite Service
Digital Broadcast Service
Direct-to-Home in the Fixed-Satellite Service
Earth Exploration-Satellite Service
Fixed-Satellite Service
Mobile-Satellite Service
Radionavigation-Satellite Service
Satellite Digital Audio Radio Service

Frequency Band:

* Select Frequency Band:

Mode Type:

* Select Mode Type:

[Back](#)

[Save & Continue >](#)

APPLICATION SECTIONS
✓ Filing Description
✓ Satellite Information
→ Operating Frequency Bands
Geostationary Satellite Orbital Information
Receiving Beams
Receiving Channels
Transmitting Beams
Transmitting Channels
Certification Questions
Application Summary

Add/Edit Operating Frequency Bands

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Nature of Service:

* Select Nature of Service:

Fixed-Satellite Service

Frequency Band:

* Select Frequency Band:

Select... MHz
Select...
3400.0-3600.0
3600.0-3700.0
3700.0-4200.0
5850.0-5925.0
5925.0-6425.0
6425.0-6725.0
6725.0-7025.0
10700.0-10950.0
10950.0-11200.0
11200.0-11450.0
11450.0-11700.0
11700.0-12200.0
12200.0-12750.0
12750.0-13250.0
13750.0-14000.0
14000.0-14500.0
18300.0-18800.0
18800.0-19300.0
19700.0-20200.0

Mode Type:

* Select Mode Type:

[Back](#)

[Save & Continue >](#)

APPLICATION SECTIONS
Filing Description
Satellite Information
Operating Frequency Bands
Geostationary Satellite Orbital Information
Receiving Beams
Receiving Channels
Transmitting Beams
Transmitting Channels
Certification Questions
Application Summary

Add/Edit Operating Frequency Bands

Approved by OMB 9999-0000

[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Nature of Service:

* Select Nature of Service:

Fixed-Satellite Service

Frequency Band:

* Select Frequency Band:

3600.0-3700.0 MHz

Mode Type:

* Select Mode Type:

Receive

Transmit

[Back](#)

[Save & Continue](#)

APPLICATION SECTIONS

✓ Filing Description

✓ Satellite Information

→ Operating Frequency Bands

Geostationary Satellite Orbital Information

Receiving Beams

Receiving Channels

Transmitting Beams

Transmitting Channels

Certification Questions

Application Summary

Orbital Information For Geostationary Satellites

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Orbital Longitude Information

* Orbital Longitude: degrees

* Hemisphere of Orbital Longitude:

Longitudinal Tolerance or East/West Station-Keeping

* Toward West: degrees

* Toward East: degrees

Inclination Excursion or North/South Station-Keeping Tolerance

* Inclination Excursion or North/South Station-Keeping Tolerance: degrees

Antenna Axis Attitude Accuracy

* Roll: degrees

* Pitch: degrees

* Yaw: degrees

APPLICATION SECTIONS

✓ Filing Description

✓ Satellite Information

✓ Operating Frequency Bands

→ Geostationary Satellite Orbital Information

Receiving Beams

Receiving Channels

Transmitting Beams

Transmitting Channels

Certification Questions

Application Summary

[Back](#)

[Save & Continue »](#)

Receiving Beam

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

Add Beam

The list of beams is empty.
Please click the Add Beam button to enter the required information.

Back

Save & Continue »

APPLICATION SECTIONS
✓ Filing Description
✓ Satellite Information
✓ Operating Frequency Bands
✓ Geostationary Satellite Orbital Information
➔ Receiving Beams
Receiving Channels
Transmitting Beams
Transmitting Channels
Certification Questions
Application Summary

Add Receiving Beam

Approved by QMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Beam Information

* Beam ID:

* Receive Beam Frequency: * Lower Limit: MHz * Upper Limit: MHz

* Beam Type:

* Polarization:

* Peak Gain: dBi

* Antenna Pointing Error: degrees

* Antenna Rotational Error: degrees

* Polarization Alignment Relative to the Equatorial Plane: degrees

* Polarization Switchable: No Yes

APPLICATION SECTIONS
✓ Filing Description
✓ Satellite Information
✓ Operating Frequency Bands
✓ Geostationary Satellite Orbital Information
→ Receiving Beams
Receiving Channels
Transmitting Beams
Transmitting Channels
Certification Questions
Application Summary

(Continued on next page - all one screen)

* Co- or Cross Polar Mode:

C
 X

* G/T at Max Gain Point:

dB/K

* Min Saturation Flux Density:

dBW/m²

* Max Saturation Flux Density:

dBW/m²

GSO Antenna Gain Data

Please attach the file [here](#)


Service Area

Please attach the file for service area diagram [here](#)

Description: 

[Back](#)

[Save & Continue »](#)

 Technical problems or trouble accessing the system? [Submit a help request for assistance](#) or contact (877) 480-3201 or TTY: (717) 338-2824

Federal Communications Commission
445 12th Street SW
Washington, DC 20554

Phone: 1-888-225-5322
TTY: 1-888-835-5322
Fax: 1-866-418-0232
[Contact Us](#)

[RSS](#)
[Privacy Policy](#)
[Moderation Policy](#)
[Website Policies & Notices](#)
[Required Browser & Plug-ins](#)

[FOIA](#)
[No Fear Act Data](#)
[Open Government Directive](#)
[Plain Writing Act](#)
[2009 Recovery and Reinvestment Act](#)

Receiving Beam

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

Add Beam

TEST Delete Edit

Frequency:	5925.0 MHz -6200.0 MHz	Polarization Switchable:	No	Attachments
Beam Type:	Fixed	Polarization Alignment Relative ...	45.0°	View Attachments »
Polarization:	LHCP	G/T at Max Gain Point:	59.0 dB/K	
Peak Gain:	59.0 dBi	Min. Saturation Flux Density:	-42.0 dBW/m ²	
Antenna Pointing Error:	0.2°	Max. Saturation Flux Density:	-12.0 dBW/m ²	
Antenna Rotational Error:	0.1°	Co- or Cross Polar Mode:	C	
		Service Area Description:	see attached	

APPLICATION SECTIONS

- ✓ Filing Description
- ✓ Satellite Information
- ✓ Operating Frequency Bands
- ✓ Geostationary Satellite Orbital Information
- ➔ **Receiving Beams**
 - Receiving Channels
 - Transmitting Beams
 - Transmitting Channels
 - Certification Questions
 - Application Summary

Showing 1 to 1 of 1

«First Prev **1** Next Last»

Back

Save & Continue »

Technical problems or trouble accessing the system? [Submit a help request for assistance](#) or contact (877) 480-3201 or TTY: (717) 338-2824

Federal Communications Commission
 445 12th Street SW
 Washington, DC 20554

Phone: 1-888-225-5322
 TTY: 1-888-835-5322
 Fax: 1-866-418-0232
[Contact Us](#)

RSS
[Privacy Policy](#)
[Moderation Policy](#)
[Website Policies & Notices](#)
[Required Browser & Plug-ins](#)

FOIA
[No Fear Act Data](#)
[Open Government Directive](#)
[Plain Writing Act](#)
[2009 Recovery and Reinvestment Act](#)

Receiving Channels

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Please provide the following information for each receiving beam.
 Each receiving beam should have at least 1 channel.

Add Channels

* Channel ID:	* Channel Bandwidth (MHz):	* Center Frequency (MHz)	* Feeder Link, Service Link or TT&C	Actions
				Add Row
				Back
				Save & Continue »

APPLICATION SECTIONS

- ✓ Filing Description
- ✓ Satellite Information
- ✓ Operating Frequency Bands
- ✓ Geostationary Satellite Orbital Information
- ✓ Receiving Beams
- Receiving Channels
- Transmitting Beams
- Transmitting Channels
- Certification Questions
- Application Summary

Transmitting Beam

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

Add Beam

The list of beams is empty.
Please click the Add Beam button to enter the required information.

Back

Save & Continue »

APPLICATION SECTIONS
✓ Filing Description
✓ Satellite Information
✓ Operating Frequency Bands
✓ Geostationary Satellite Orbital Information
✓ Receiving Beams
✓ Receiving Channels
→ Transmitting Beams
Transmitting Channels
Certification Questions
Application Summary

Add Transmitting Beam

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Beam Information

* Beam ID:

* Receive Beam Frequency: * Lower Limit: MHz * Upper Limit: MHz

* Beam Type:

* Polarization:

* Peak Gain: dBi

* Antenna Pointing Error: degrees

* Antenna Rotational Error: degrees

* Polarization Alignment Relative to the Equatorial Plane: degrees

* Polarization Switchable: No Yes

APPLICATION SECTIONS
✓ Filing Description
✓ Satellite Information
✓ Operating Frequency Bands
✓ Geostationary Satellite Orbital Information
✓ Non-Geostationary Satellite Orbital Information
✓ Receiving Beams
✓ Receiving Channels
→ Transmitting Beams
✓ Transmitting Channels
✓ Certification Questions
✓ Application Summary

(continued on the next page - all one screen in the program)

* Co- or Cross Polar Mode:

C
 X

* Max. Transmit EIRP Density:

dBW/Hz

* Max. Transmit EIRP:

dBW

GSO Antenna Gain Data

Please attach the file [here](#)


Service Area

Please attach the file for service area diagram [here](#)

Description: 

[Back](#)

[Save & Continue »](#)

 Technical problems or trouble accessing the system? [Submit a help request for assistance](#) or contact (877) 480-3201 or TTY: (717) 338-2824

Federal Communications Commission
445 12th Street SW
Washington, DC 20554

Phone: 1-888-225-5322
TTY: 1-888-835-5322
Fax: 1-866-418-0232
[Contact Us](#)

[RSS](#)
[Privacy Policy](#)
[Moderation Policy](#)
[Website Policies & Notices](#)
[Required Browser & Plugins](#)

[FOIA](#)
[No Fear Act Data](#)
[Open Government Directive](#)
[Plain Writing Act](#)
[2009 Recovery and Reinvestment Act](#)

Max. Power Flux Density for TRA1

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Add Max. Power Flux Density

	* 0° - 5°	* 5° - 10°	* 10° - 15°	* 15° - 20°	* 20° - 25°	* 25° - 90°	
* BW:	(dbW/m ² /BW);	(dbW/m ² /BW);	(dbW/m ² /BW);	(dbW/m ² /BW);	(dbW/m ² /BW);	(dbW/m ² /BW);	Actions

Add Row

Back

Save & Continue »

APPLICATION SECTIONS

- ✓ Filing Description
- ✓ Satellite Information
- ✓ Operating Frequency Bands
- ✓ Geostationary Satellite Orbital Information
- ✓ Receiving Beams
- ✓ Receiving Channels
- **Transmitting Beams**
 - Transmitting Channels
 - Certification Questions
 - Application Summary

Max. Power Flux Density for TRA1

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Add Max. Power Flux Density

*BW:	*0° - 5° (dbW/m ² /BW):	*5° - 10° (dbW/m ² /BW):	*10° - 15° (dbW/m ² /BW):	*15° - 20° (dbW/m ² /BW):	*20° - 25° (dbW/m ² /BW):	*25° - 90° (dbW/m ² /BW):	Actions
Select...	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Remove

Add Row

Back

Save & Continue »

APPLICATION SECTIONS

- ✓ Filing Description
- ✓ Satellite Information
- ✓ Operating Frequency Bands
- ✓ Geostationary Satellite Orbital Information
- ✓ Receiving Beams
- ✓ Receiving Channels
- **Transmitting Beams**
 - Transmitting Channels
 - Certification Questions
 - Application Summary

Technical problems or trouble accessing the system? [Submit a help request for assistance](#) or contact (877) 480-3201 or TTY: (717) 338-2824

Transmitting Channels

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Please provide the following information for each transmitting beam.
 Each transmitting beam should have at least 1 channel.

Add Channels

* Channel ID:	* Channel Bandwidth (MHz):	* Center Frequency (MHz)	* Feeder Link, Service Link or TT&C	Actions
				Add Row

[Back](#)

[Save & Continue »](#)

APPLICATION SECTIONS
✓ Filing Description
✓ Satellite Information
✓ Operating Frequency Bands
✓ Geostationary Satellite Orbital Information
✓ Receiving Beams
✓ Receiving Channels
✓ Transmitting Beams
→ Transmitting Channels
Certification Questions
Application Summary

Technical problems or trouble accessing the system? [Submit a help request for assistance](#) or contact (877) 480-3201 or TTY: (717) 338-2824

Federal Communications Commission
 445 12th Street SW
 Washington, DC 20554
 Phone: 1-888-225-5322
 TTY: 1-888-835-5322
 Fax: 1-866-418-0232
[Contact Us](#)

[RSS](#)
[Privacy Policy](#)
[Moderation Policy](#)
[Website Policies & Notices](#)
[Required Browser & Plug-ins](#)

[FOIA](#)
[No Fear Act Data](#)
[Open Government Directive](#)
[Plain Writing Act](#)
[2009 Recovery and Reinvestment Act](#)

Transmitting Channels

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

Please provide the following information for each transmitting beam.
 Each transmitting beam should have at least 1 channel.

Add Channels

* Channel ID:	* Channel Bandwidth (MHz):	* Center Frequency (MHz)	* Feeder Link, Service Link or TT&C	Actions
<input type="text" value="5678"/>	<input type="text" value="100.0"/>	<input type="text" value="3650.0"/>	<input type="text" value="Service Link"/> ▼	<input type="button" value="Remove"/>
				<input type="button" value="Add Row"/>
<input type="button" value="Back"/>				<input type="button" value="Save & Continue >"/>

APPLICATION SECTIONS
✓ Filing Description
✓ Satellite Information
✓ Operating Frequency Bands
✓ Geostationary Satellite Orbital Information
✓ Receiving Beams
✓ Receiving Channels
✓ Transmitting Beams
→ Transmitting Channels
✓ Certification Questions
Application Summary

Application summary

Approved by QMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

General Information

Filing Description: test

Attachments

[View Attachments »](#)

Satellite Information

[View Satellite Information »](#)

Operating Frequency Bands

[View Frequency Bands »](#)

Geostationary Satellite Orbital Information

[View Geostationary Satellite Orbital Information »](#)

Receiving Beams

[View Receiving Beams »](#)

Receiving Channels

[View Receiving Channels »](#)

Transmitting Beams

[View Transmitting Beams »](#)

Transmitting Channels

[View Transmitting Channels »](#)

APPLICATION SECTIONS

- [✓ Filing Description](#)
- [✓ Satellite Information](#)
- [✓ Operating Frequency Bands](#)
- [✓ Geostationary Satellite Orbital Information](#)
- [✓ Receiving Beams](#)
- [✓ Receiving Channels](#)
- [✓ Transmitting Beams](#)
- [✓ Transmitting Channels](#)
- [✓ Certification Questions](#)
- [→ Application Summary](#)

[Back](#)

[Save & Continue »](#)

Schedule S Dashboard

Application summary

* indicates required field

General Information

Filing Description: test

Attachments

[View Attachments »](#)

Satellite Information

[View Satellite Information »](#)

Geostationary Satellite Orbital Information

[View Geostationary Satellite Orbital Information »](#)

Receiving Beams

[View Receiving Beams »](#)

Transmitting Beams

[View Transmitting Beams »](#)

Operating Frequency Bands

[View Frequency Bands »](#)

Receiving Channels

[View Receiving Channels »](#)

Transmitting Channels

[View Transmitting Channels »](#)

Link/Direct a Schedule S to an IB 312

* 312 file number:

* FCC Registration Number (FRN):

[Cancel](#) [Submit](#)

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

APPLICATION SECTIONS

[Filing Description](#)

[Satellite Information](#)

[Operating Frequency Bands](#)

[Geostationary Satellite Orbital Information](#)

[Receiving Beams](#)

[Receiving Channels](#)

[Transmitting Beams](#)

[Transmitting Channels](#)

[Certification Questions](#)

[Application Summary](#)

[Back](#)

[Save & Continue »](#)

Technical problems or trouble accessing the system? Submit a help request for assistance or contact (877) 480-3201 or TTY: (717) 338-2824

Federal Communications Commission
445 12th Street SW
Washington, DC 20554

Phone: 1-888-225-5322
TTY: 1-888-835-5322
Fax: 1-866-418-0232

RSS
[Privacy Policy](#)
[Moderation Policy](#)
[Website Policies & Notices](#)
[Required Browser & Plugins](#)

FOIA
[No Fear Act Data](#)
[Open Government Directive](#)
[Plain Writing Act](#)
[2009 Recovery and Reinvestment Act](#)

Certification

Approved by OMB 9999-0000
[FAQ](#) [Save & Quit](#)

* indicates required field

[Attachments](#) [Draft Copy](#)

* Are the applicable service area coverage requirements of 25.143(b)(2)(ii) and (iii), or 25.144(a)(3)(i), or 25.145(c)(1) and (2), or 25.146(f)(1) and (2), or 25.148(c), or 25.225 met?

Yes No N/A [Clear](#)

* Are the applicable frequency tolerances of 25.202(e) and out-of-band emission limits of 25.202(f)(1),(2), and (3) met?

Yes No N/A [Clear](#)

* Are the cessation of emissions requirements of 25.207 met?

Yes No [Clear](#)

* Are the applicable power-flux-density limits of 25.208 met, and is the appropriate technical showing provided within the application?

Yes No N/A [Clear](#)

* For NGSO applications, are the applicable equivalent-power-flux-density limits of 25.208 met, and is the appropriate technical showing provided within the application?

Yes No N/A [Clear](#)

* Are the applicable full-frequency-reuse requirements of 25.210 met?

Yes No N/A [Clear](#)

* If the application is for a 17/24 GHz BSS space station, will it be operated at an offset location with full power and interference protection in accordance with 25.262(b)?

Yes No N/A [Clear](#)

[Back](#)

[Save & Continue »](#)

APPLICATION SECTIONS
✓ Filing Description
✓ Satellite Information
✓ Operating Frequency Bands
✓ Geostationary Satellite Orbital Information
✓ Receiving Beams
✓ Receiving Channels
✓ Transmitting Beams
✓ Transmitting Channels
→ Certification Questions
Application Summary

Technical problems or trouble accessing the system? [Submit a help request for assistance](#) or contact (877) 480-3201 or TTY: (717) 338-2824