CDC estimates the average public reporting burden for this collection of information as 3 minutes per survey, including the time for reviewing instructions, searching existing data/information sources, gathering and maintaining the data/information needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D74, Atlanta, Georgia 30333; ATTN: PRA (0920XXXX).

OBGYN BI-MI Proficiency Rating Scale (PRS) - <u>Provider/Trainee Follow-Up</u> (3m and 6m)

Instructions:

Please indicate how well you did each of the following during your <u>most recent brief intervention with a patient in your clinic regarding alcohol use.</u>

Use the following anchors for items 1-10 and please note that <u>Item 11</u> has its own set of anchors below it.

- 1 = I did not do this.
- 2 = I attempted, but could improve on skill/technique for best practice.
- 3 = I performed this skill/technique at a level that is approaching acceptable.
- 4= I did this well, with good technique.
- 5 = I did very well, with positive reception & engagement from the patient.

1.	Ask for permission to talk about patient's alcohol use.	1	2	3	4	5
2.	Assess quantity, frequency, & consequences of alcohol use.	1	2	3	4	5
3.	Explain NIAAA low risk drinking guidelines (including "0 drinks for pregnant women" and associated health risks.	1	2	3	4	5
4.	Advise the patient to quit or cut down on alcohol use.	1	2	3	4	5
5.	Help her think about pros & cons of her alcohol use.	1	2	3	4	5
6.	Ask how ready she is to make a change.	1	2	3	4	5
7.	Help the patient make a plan or set a goal for decreasing use and/or discussing further.	1	2	3	4	5
8.	Explore patient's own reasons for quitting or cutting down on alcohol use.	1	2	3	4	5
9.	Work with the patient as a partner (respectfully and non-judgmentally) in addressing her alcohol use issues.	1	2	3	4	5

of this conversation, the	patient's motivation to cu	t down or	
ol, or at least to consider	doing so, was increased.		
2	3	4	
Disagree	Neutral	Agree	Strongly
	ol, or at least to consider	ol, or at least to consider doing so, was increased.	2 3 4

2

3

5

10. Support her autonomy and choice regarding substance

use.

Thanks for your participation and feedback!