# Attachment 3a

# Summary of Examination and Questionnaire Changes in 2021-2022

### TABLE OF CONTENTS

MEC EXAMINATION CHANGE SUMMARY	2
DESCRIPTION OF CHANGES	4
QUESTIONNAIRE CHANGE SUMMARY	6
DESCRIPTION OF CHANGES	7
HOUSEHOLD SCREENER QUESTIONNAIRE (SCQ) AND FAMILY RELATIONSHIP QUESTIONNAIRE (SFQ)	7
SAMPLE PERSON QUESTIONNAIRE (HPQ)	8
FAMILY QUESTIONNAIRE (HFQ)	14
MEC INTERVIEW - ACASI	15
MEC INTERVIEW - CAPI	17
DIETARY INTERVIEW	18
SPECIAL FOLLOW-UP OUESTIONNAIRES	18

#### **MEC Examination Change Summary**

In 2021-2022, the NHANES Examination consist of the following components:

- Anthropometry Body Measures
- Standing Balance
- Dual Energy X-Ray Absorptiometry (DXA)
- Blood Pressure Measurement
- Liver Elastography
- Urine collection
- Venipuncture

To promote the safety of survey participants as well as field staff in the context of the pandemic, for the 2021-2022 cycle, NHANES program will make the following changes to the examination components to shorten the face-to-face contact in the Mobil Examination Center (MEC), and to preserve the essential data collection needed in monitoring the nation's health.

- For the Standing Balance Component, all nonessential subcomponents (i.e., binocular static visual acuity, dynamic visual acuity, contrast sensitivity and lensometer) will not be conducted so that the length of the component and overall time in the MEC is reduced.
- Dual Energy X-Ray Absorptiometry (DXA) component will be modified to drop the
  osteoporosis assessment of the spine and femur. Reasoning for this change is to reduce
  the length of the component and overall time in the MEC.
- Measurement of resting pulse rate will be discontinued for children 0-7 years. This
  change is made to reduce the overall MEC exam time, and in account of the relatively
  lower utility of this data item for this age group. Resting pulse rate will still be measured
  for survey participants 8 years and older as part of their blood pressure measurements.
  Blood pressure has always been measured among participants 8 years and older. No
  changes anticipated for this protocol or the target age group in the 2021-22 cycle.
- While the exam protocol for venipuncture/phlebotomy component will remain the same, improved talking points for children and their parents, and additional distraction and pain management techniques will be implemented to improve the phlebotomy response rates for children aged 1-17 years old. Blood will be collected for COVID-19 serology tests. This will provide data for national estimates of COVID-19 immunity. In addition, this information can be used in conjunction with other exam and lab data collected to further assess the effect of COVID-19 on the nation's health. There are other changes in lab analytes planned for the 2021-22 cycle as well. Complete lists of these changes are provided in Attachment 6a. Lab analytes from previous cycles of NHANES are found in Attachment 6b.
- Audiometry and the Words-In-Noise components will not be conducted for safety reasons. The exam is required to be conducted in a relatively small soundproof booth where the MEC staff must spend time with the participants to set-up the earphones and look inside the participant's ear. Afterwards, the participant was left in this booth with

door closed through the exam. Therefore, it was decided to not conduct this exam during this data collection period.

- The Cognitive Function component was conducted as part of the MEC Interview. In 2021-22, we will not conduct this exam. The target group for this exam is participants 60 years and older, and the exam requires the participant and the MEC staff to interact face-to-face to complete the multiple domains of the test. Individuals 60 years and older are at higher risk for severe illness from COVID-19. Given the situation of the pandemic, it was deemed best not to conduct this exam to reduce the face-to-face contact and overall time for this group of participants.
- The Oral Health examination will not be conducted for safety reasons. NHANES is a
  health study, not conducting an exam during which the MEC dentist is looking and
  touching the inside of a participant's open mouth seems prudent in the context of
  pandemic.
- HPV swab collection in both males and females will not be conducted to reduce the time
  of the overall survey for participant and MEC Staff safety.

Traditionally, each MEC examination session was scheduled with 10-12 participants. To preserve proper social distancing, fewer participants will be scheduled in each MEC section so the person/space ratio in the MEC is consistent with CDC guidance. Additional sanitary protocols will be implemented in the MEC to clean the equipment and contacting surfaces after the completion of each individual exam and each exam section.

Screening for COVID-19 will take place prior to participants and visitors (i.e., interpreters, consultants, contractors, etc.) entering the NHANES Mobile Examination Center (MEC). The screening protocol will follow the most updated CDC guidance. Participants and visitors will be asked about any COVID-19 symptoms and/or contacts with individuals diagnosed having COVID-19. Temperatures via thermal thermometers will also be taken. Those with symptoms, or who have had contact to individuals with COVID-19 will not be allowed to enter the MEC and their visits will be rescheduled if possible. If there is a reliable COVID-19 antigen test that is readily available and feasible for the MEC setting and staff resource when NHANES returns to the field, NHANES will seek additional OMB approval to request use of this test.

All screening questions and temperature checks will be completed by NHANES staff and be done in a large canopy tent outside the MEC. This tent will be large enough to allow tables/chairs with social distancing inside. Upon arrival to the MEC location, all participants that arrive via car will be asked to remain in their cars until called by MEC staff to come to the tent for check-in. This will enable safe social distancing and allowing the staff to help check in participants that arrive via public transportation or ride-hailing services (i.e., taxi, Uber, Lyft). Each participant or family members will be screened at a time with sanitizing occurring after each screening. Everyone will be advised mask wearing is mandatory and will be provided with a mask or will be allowed to wear their own mask if they choose.

To increase operational efficiency, NHANES has modified the examination that formerly only conducted by physicians to allow a broader range of health care providers to conduct. This provides greater flexibility in hiring and resource management. In 2021-22, the MEC clinician role may be filled by a Registered Nurse, Nurse Practitioner, Physician Assistant as well as a physician. In some cases, when the MEC is operating under extended hours, it may be filled by a remote clinician on staff. In these situations, participants will receive referral and consultations

that they usually receive in-person from the clinician in the MEC through an audio or teleconference from a trained clinician from the study remotely.

### **Description of changes**

Component Name Target Age	Descriptions
MEC Entry Screening  Target Age: Birth+	- All participants and visitors will be required to complete the screening process prior to enter the MEC.
	- Body temperatures will be taken. A temperature lower than 100.4 degree Fahrenheit is required for MEC entry.
	- 4 questions will be asked on:
	COVID-19 related symptoms
	Contacts with individuals diagnosed with COVID-19 or having symptoms consistent with COVID-19
	Currently under COVID-19 related isolating or quarantining
	Currently waiting on a COVID-19 test result
Anthropometry - Body Measures	- No changes anticipated.
Target Age: Birth+	
Standing Balance  Target Age: 20-69 years	- Changed target age group from participants ages 40 years and older to 20-69 years.
	- Only Modified Romberg Test is retained in 2021-22.
	- Dropped the following tests:
	Binocular static visual acuity test
	Dynamic visual acuity test
	Vision contrast sensitivity test
	Lensometer measurement
Dual Energy X-Ray	- Retained measurement on whole body composition.
Absorptiometry (DXA)  Target Age: 8-59 years	- Dropped osteoporosis measurements on femur and spine.
Blood Pressure	- Discontinued resting pulse rate measurement for children 0-7
Measurement  Target Age: 8+ years	years (resting pulse rate was the only measurement taken for this age group in this component in prior cycles).
raiget Age. or years	- Resting pulse rate will still be measured for survey participants 8 years and older as part of their blood pressure measurements. No changes anticipated for blood pressure measurement protocol or the target age group.

Liver Elastography	- No changes anticipated.
Target Age: 12+ years	
Urine collection	- No changes anticipated in urine collection protocol.
Target Age: 3+ years	
Venipuncture	- Added transition statements to Pesticide Use (PUQ), Volatile
Target Age: 1+ years	Toxicant (VTQ), and Pre-Venipuncture questions to help make moving between questionnaire sections a smoother process for participants.
	<ul> <li>Improved talking points for children and their parents, and additional distraction and pain management techniques, including the use of distraction cards and phlebotomy photo story, will be implemented to improve the phlebotomy response rates for children aged 1-17 years old.</li> </ul>
Audiometry (Includes Words-In-Noise)	- Discontinued in 2021-22 cycle.
Target Age: 6-19 and 70+ years	
Cognitive Function	- Discontinued in 2021-22 cycle.
Target Age: 60+ years	
Oral Health	- Discontinued in 2021-22 cycle.
Target Age: 1+ years	
HPV swab collection	- Discontinued in 2021-22 cycle.
Target Age: 14-59 years	

#### **Questionnaire Change Summary**

The NHANES interview consists of the following major components:

- 1. Household Screener Questionnaire (determines eligibility) (SCQ)
- 2. Household Family Relationship Questionnaire (SFQ)
- 3. Household Sample Participant Questionnaire (HPQ)
- 4. Household Family Questionnaire (HFQ)
- 5. Mobile Examination Center (MEC) Interview (CAPI and ACASI)
- 6. Dietary Interviews (24-hour Dietary Recall, Post-Dietary Recall Questions, and 30-day Dietary Supplement Use)
- 7. Special Follow-Up Questionnaire: Flexible Consumer Behavior Survey (FCBS) Phone Follow-Up Supplemental Module

To promote the safety of survey participants as well as field staff in the context of the pandemic, for the 2021-2022 cycle, NHANES program will make changes to the interview mode for the following instruments to reduce face-to-face contact:

- For the Household Screener Questionnaire (SCQ) and Family Relationship Questionnaire (SFQ), a multi-mode approach will be implemented so the respondent will have the option to complete the questionnaires using a self-administered web instrument, a self-administered paper questionnaire, a toll-free telephone number to participate in an interviewer-administered telephone interview, or having an in-person interview with an interviewer at their residence. Use of hand card will be eliminated for administering screeners to reduce the touch points with in-person interview.
- In previous NHANES, the Household Sample Participant Questionnaire (HPQ) and Family Questionnaire (HFQ) were administered by field interviewers as in-person interviews. In 2021-2022, these interviews will be conducted via telephone, unless the participant does not have access to a phone. Appointments will be scheduled with potential participants after their eligibilities are confirmed with SCQ.
- Mobile Examination Center (MEC) Interview will mainly be conducted using the Audio-Computer-Assisted Self-Interview (ACASI) system so participants can complete the questionnaire on their own using the touch screen on the computer. Only limited questions will be asked by the phlebotomist in the MEC using the Computer-Assisted Personal Interview (CAPI) system.
- Similar to previous NHANES, two Dietary Interviews (24-hour Dietary Recall, Post-Dietary Recall Questions, and 24-hour Dietary Supplement use) will be collected for each participant. However, instead of having the first dietary interview collected inperson by an interviewer in the MEC and the second one collected via telephone, both dietary interviews will be collected via telephone in 2021-2022. At the end of their MEC visit, participants will be asked to take part in the dietary interview and schedule a telephone appointment.

With most of the interviews developed to be conducted via telephone or self-administered ACASI, a significant reduction in interview content is planned for the 2021-2022 data collection

so the length of the interviews is feasible for the designed interview modes with reasonable burden to the respondents. The NHANES staff conducted a thorough review of the questionnaire content and made changes to focus on retaining questions that are directly related to the interpretation of exam or lab data collected in the survey and relevant to assess the pandemic's effect on health topics. As a result, the household HPQ and HFQ retained 337 questions from the original 769 questions in the previous cycle. There are 14 new questions added in various sections in HPQ and HFQ. In addition, a new section was added in HPQ to ask 17 COVID infection and testing related questions that are essential in the interpretation of laboratory results collected in the survey on COVID serology. There are 94 questions retained from the 184 questions in the MEC interview questionnaire in the previous cycle. The descriptions of these changes are included in the tables below.

# Description of changes Household Screener Questionnaire (SCQ) and Family Relationship Questionnaire (SFQ)

<b>Component Name</b>	Descriptions
Screener Module #1 & #2 (SCQ and SFQ)	- Three instruments (i.e., web, paper, and in-person CAPI) were developed to administer both SCQ and SFQ. While the information collected through each instrument is the same, each instrument contains instrument-appropriate probes and display instructions to ensure the operational feasibility.
	- Use of hand card will be eliminated for administering screeners to reduce the touch points with in-person interview.
	- Added questions (SCQ.NEW0a/SCQ.NEW0b, SFQ.NEW2/SFQ.NEW3) to encode the interview mode.
	- Revised the introduction for SCQ (SCQ_INTR) to include the updated language for Assurance of Confidentiality and Public reporting burden.
	- Dropped the question that asked the interviewer to identify whether the address is for a dormitory room.
	- Replaced the questions on date of birth (DOB; SCQ.290, SCQ.291) with questions on age (SCQ.New1, SCQ.300). Updated sampling domains and weighting scheme for the 2021-22 cycle only require certain age categories to be identified, therefore, DOB information will no longer be collected for all household (HH) members in the screener to decrease respondent burden and to avoid collecting unnecessary personally identifiable information. DOB will be collected for sampled participants in the HH Sample Participant Questionnaire (HPQ).
	- Dropped the question on HH income level (SCQ.340) since no oversampling of low-income HHs will be performed in 2021-22 cycle.

<ul> <li>Dropped branding questions (SCQ.500-SCQ.540) to decrease the respondent burden.</li> </ul>
<ul> <li>Updated the questions collecting phone number(s) from the respondent with modernized language. New question was included to ask permission for sending text messages related to study participation. Question on to whom the number was listed under is dropped.</li> </ul>
<ul> <li>Dropped questions on missing dwelling units (SCQ.560, SCQ.570, SFQ.260, SFQ.270). Previous data indicated only about 2-3 missing units identified in each survey location.</li> <li>Dropped questions collecting interpreter's age and gender.</li> </ul>

# Sample Person Questionnaire (HPQ)

Component Name  Target Age	Descriptions
Respondent Selection (RIQ)  Target Age: Birth+	<ul> <li>Modified introduction and consent language to accommodate the verbal consent process in 2021-22, and included text emphasizing the voluntary nature of the survey. Revised consent module, including requesting permission to audio record the interview, comprises of 11 questions (the module used in 2019-20 cycle contained 26 questions).</li> </ul>
	- Dropped 2 questions collecting interpreter's age and gender.
	- Added 1 question on sample participant's date of birth.
	- Added 1 question to encode the interview mode.
COVID-19 (COQ)  Target Age: Birth+	- Added this new section to collect information related to COVID infection and testing, including:
raiget Age. biitii	<ul> <li>2 questions on ever had COVID-19 and severity of the symptoms,</li> </ul>
	<ul> <li>10 questions on infection test, first positive date, antibody test, and vaccination,</li> </ul>
	<ul> <li>5 questions on overnight hospital stay for COVID-19, any household member ever tested positive for COVID-19, diagnosed weakened immune system, taking medication for weakened immune system, and received flu vaccination in last 12 months.</li> </ul>
	These questions are adapted from NCHS's National Health Interview (NHIS), Research and Development Survey (RANDS), or NIH's Multi-Ethnic Study of Atherosclerosis (MESA) questionnaires.

Early Childhood (ECQ)  Target Age: 0-15 years	<ul> <li>Retained 3 questions on birth weight and 2 questions on whether the child participant has been considered overweight by the HH adult respondent or a doctor.</li> </ul>
	- Dropped 1 question on whether the adult HH respondent is currently helping the child to control weight.
	- Dropped 4 questions on birth mother's age, smoking status during pregnancy, and pre-pregnancy weight/height.
Hospital Utilization and Access to Care (HUQ)  Target Age: Birth+	- Retained 4 questions on self-reported general health, routine place for health care, and mental health care in the last 12 months.
	- Added 1 question on health care received via telemedicine in the last 12 months (adapted from NHIS).
	- Dropped 3 questions on the frequency of doctor visit, overnight hospital stay, and last health care received
Immunization (IMQ)  Target Age: 2+ years	- Retained 5 vaccination questions on hepatitis A and HPV to support the interpretation of related lab test results.
	<ul> <li>Revised language to IMQ060, IMQ070, IMQ090 and IMQ100 to include text clarifying that the HPV vaccine is used to prevent cervical cancer and other conditions caused by HPV, and to shorten the question wordings thus reduce respondent burden.</li> </ul>
	- Limited target age for IMQ060, IMQ070, IMQ091, and IMQ100 from 9-59 to 9-49 years to be consistent with HPV lab data.
	- Dropped the following 2 questions:
	Ever been vaccinated for hepatitis B, and
	The type of HPV vaccine received.

Medical Conditions (MCQ)	- Retained 26 questions on medical conditions that related to the interpretation of current exam and lab components.
Target Age: 1+ years	- Dropped the following:
	<ul> <li>8 "first diagnosed age" questions for various conditions,</li> </ul>
	<ul> <li>2 questions on the year/month menstrual period first started,</li> </ul>
	<ul> <li>1 question on ever told by a health professional as overweight,</li> </ul>
	• 1 question on having experienced confusion/memory loss in the past 12 months,
	<ul> <li>1 question on ever having received a blood transfusion,</li> </ul>
	• 3 questions on upper abdomen pain,
	<ul> <li>1 question on the age received first gallbladder surgery,</li> </ul>
	<ul> <li>3 questions on close biological relatives having asthma, diabetes, or a heart attack or angina before the age of 50,</li> </ul>
	<ul> <li>4 questions on having been told to control/lose weight, increase physical activity, watch/reduce salt intake, or watch/reduce calories intake, in the past 12 months, and</li> </ul>
	<ul> <li>4 questions on currently controlling/losing weight, increasing physical activity, watching/reducing salt intake, or watching/reducing calories intake.</li> </ul>
Hepatitis (HEQ)  Target Age: 6+ years	- Retained question on ever had hepatitis B but dropped the question on ever prescribed any medicine.
	- Dropped 2 questions on ever had, and ever prescribed any medicine for hepatitis C.
Kidney Conditions (KIQ)	- Dropped 2 questions related to kidney stone conditions.
Target Age: 20+ years	
Diabetes (DIQ)	- Retained 7 questions on diagnosed diabetes & pre-diabetes,
Target Age: 20+ years	age first diagnosed, had blood test in the past 3 years, currently taking insulin, length of taking insulin, and currently taking diabetic pills.
	- Dropped 17 questions on diabetes consultation and related cares.

Blood Pressure (BPQ)  Target Age: 16+ years	<ul> <li>Retained 3 questions on diagnosed hypertension, diagnosed in 2 occasions, and currently taking prescribed medicine for hypertension.</li> </ul>
	- Dropped 2 questions on first diagnosed age and ever being told to take prescribed medicine for hypertension.
	<ul> <li>Retained 2 questions on diagnosed high cholesterol and currently taking prescribed medicine for high cholesterol.</li> </ul>
	- Dropped 3 questions on high cholesterol screening and ever being told to take prescribed medicine for high cholesterol.
Cardiovascular Disease (CDQ) Target Age: 40+ years	- Dropped this entire section of 9 questions adapted from the Rose Angina Questionnaire because these were deemed as secondary to current exam and lab measurements in the survey.
Osteoporosis (OSQ)	- Dropped this entire section of 26 questions because they were
Target Age: 40+ years	collected to accommodate the DXA bone density component which will be discontinued in 2021-22.
Audiometry (AUQ)	- Retained 4 questions on general hearing condition, reason(s)
Target Age: 1+ years	for hearing loss, last hearing test, and hearing difficulty with background noise.
	- Dropped 37 questions related to details on hearing conditions, hearing loss, and noise exposure.
Dermatology (DEQ)	- Retained 3 questions related to sun exposure.
Target Age: 20-59 years	- Dropped 2 questions on time exposed to sun (time spent outdoors) in the last 30 days.
Oral Health (OHQ)	- Retained 7 questions on perception of general tooth/gum
Target Age: 1+ years	health and quality of life related to oral health (4 of these 7 questions were cycled back from 2003-2008 cycles).
	- Dropped 18 questions on dental care and oral cancer exam.
Physical Activity and	- Replaced the 16 adult PAQ questions in previous cycles with
Physical Fitness (PAQ)  Target Age: 2+ years	the 4 NHIS 2020 questions on moderate and vigorous recreational activity (PAQ.New1 - PAQ.NEW4), and retained 1 question on sedentary activity (PAQ.680)
	- Retained 2 questions on child participants' physical activity and screen time (PAQ706, PAQ711).

Functioning (FNQ)  Target Age: 5+ years	<ul> <li>Retained 12 questions for adults 18+ so the questions included is consistent with the Washington Group Short Set on Functioning – Enhanced questionnaire.</li> <li>Dropped 2 adult questions on wearing eyeglasses or contacts and use of hearing aids, and the 3 additional questions regarding social functioning.</li> <li>Retained 15 questions for children 5-17 years, which will complete the Washington Group / UNICEF Child Functioning Module.</li> <li>Dropped 2 children questions on wearing eyeglasses or contacts and use of hearing aids, and the 2 follow-up questions regarding mobility.</li> </ul>
Standing Balance (BAQ)  Target Age: 20-69 years	- Target age for this section was changed from 40+ years to 20- 69 years to be consistent with the target age for the balance exam in 2021-22.
	- This section has been significantly shortened by only retaining 14 questions from the original 41-question module. These 14 questions were deemed to be necessary in conjunction with the updated balance exam protocol in 2021-22.
Sleep Disorders (SLQ)  Target Age: 16+ years	- Retained 4 questions on sleep/awake time during workdays and non-workdays.
	- Dropped 4 questions regarding specific symptoms related to sleep disorders and seeking professional consultation.
Dietary Behavior and Nutrition (DBQ) Target Age: Birth+	- Dropped 17 questions on infant feeding and the introduction of new foods. These were implemented in the survey in 2019 as proposed as part of the Birth-to-24-months project.
raiget rige. Billin	- Dropped 2 questions on reasons children did not receive or discontinued their WIC benefits.
	- Dropped 14 questions on general eating habits, milk consumption, the frequencies of eating meals prepared away from home, ready-to-eat foods, and frozen meals/frozen pizzas, and the awareness of federal nutrition programs.
Weight History (WHQ)	- Retained 2 questions on self-reported weight/height.
Target Age: 16+ years	- Retained 2 questions on weight 1 year ago, and the attempt to lose weight in the past 12 months
	- Dropped 8 questions on additional weight history details and the method to lose weight in the past 12 months.

Smoking and Tobacco Use (SMQ) Target Age: 18+ years	- Retained 5 questions to identify current smokers and formal smokers, and to quantify the cigarettes smoking amount and to ascertain whether menthol or non-menthol cigarettes was used for current smokers.
	<ul> <li>Dropped 6 questions on additional smoking habit details for current and formal smokers.</li> </ul>
	<ul> <li>Dropped 13 questions on secondhand smoking. Some of these questions are moved to the MEC interview so that time frame will be more consistent with the lab data.</li> </ul>
Occupation (OCQ)	- Dropped 1 question on the description of work schedule.
Target Age: 16+ years	
Acculturation (ACQ)	- Dropped 3 questions specific for Asian-language speakers
Target Age: 3+ years	since there will be no Asian oversampling in 2021-22.
	- Retained 2 questions on language usually spoken at home for English-, and Spanish-speaking persons.
Demographics (DMQ)	- Dropped the following 3 questions:
Target Age: Birth+	<ul> <li>Serving in a foreign country during a time of armed conflict (DMQ054),</li> </ul>
	<ul> <li>Asian origin (DMQ.336), and</li> </ul>
	<ul> <li>Social security number being reported from memory or record (DMQ.300).</li> </ul>
Health Insurance (HIQ)	- Dropped the following 2 questions:
Target Age: Birth+	Whether Medicare card was seen, and
	Whether the insurance plan covers prescription medication.
Infant Formula (IFQ)	- Dropped this entire section of 13 questions because the
Target Age: Birth-24 months	anticipated sample size in the 2021-22 cycle will be too small to be analytically useful.
Dietary Supplements (DSQ) /Prescription Medication (RXQ)	<ul> <li>The entire DSQ module (32 questions) will be dropped from the HPQ. Information on dietary supplement use in the past 30 days will be collected as part of the first dietary interview.</li> </ul>
Target Age: Birth+	<ul> <li>Retained 1 question on the use of prescription medications in the past 30 days, dropped the rest 13 questions on the details of the medication(s).</li> </ul>
	- Added 1 question on the number of prescription medications used in the last 30 days.
	- Retained 3 questions on low-dose aspirin use.

Mailing Address and Other Contact Information (MAQ)	- Dropped 1 question on interview location (participant's home/workplace/others).
Target Age: Birth+	
Incentive Card (CCQ)	- Retained 8 questions to collect information needed for
Target Age: Birth+	incentive payment.

# Family Questionnaire (HFQ)

Component Name	Descriptions
Respondent Selection (RIQ)	<ul> <li>Modified introduction and consent language to accommodate the verbal consent process in 2021-22. Revised consent module, including requesting permission to audio record the interview, comprises of 3 questions (the module used in 2019-20 cycle contained 12 questions).</li> <li>Dropped 2 questions collecting interpreter's age and gender.</li> <li>Added 1 question to encode the interview mode.</li> </ul>
Demographic Background (DMQ)	- Dropped 1 question on the US state/territory the family reference person was born in.
Housing Characteristics (HOQ)	<ul> <li>Dropped 3 questions on type of house, length lived in this address, and home ownership.</li> </ul>
	<ul> <li>Added 1 question on number of rooms in the house. This question is cycled back from the 2017-18 cycle and has been used as an indicator for HH crowdedness in infectious disease analyses.</li> </ul>
Smoking (SMQ)	- Dropped 1 question on the number of people who smoked inside the house in the last 7 days (SMQ480).
Consumer Behavior (CBQ)	- No changes anticipated.
Income (INQ)	- Dropped 7 questions on the sources of income.
	- Dropped 1 question on access to a vehicle for food shopping.
Food Security (FSQ)	- Dropped 8 questions from the US Food Security Survey Module. These questions are only applicable to HHs with children under the age of 18 years. The 10 questions that are applicable to all HHs will be retained.
	- Dropped 5 questions on anticipated SNAP benefits for HHs approved but not yet started receiving the benefit.
Tracking and Tracing (TTQ)	- Dropped 1 question on interview location (participant's home/workplace/others).

Salt Use (SUQ)	- The entire SUQ module (20 questions) will be dropped from the HFQ because the in-home salt sample collection will be discontinued.
Water Module (HWC)	- The entire HWC module (12 questions) will be dropped from the HFQ because the in-home water sample collection will be discontinued.

#### **MEC Interview - ACASI**

Component Name  Target Age	Descriptions
Sexual Orientation (SXQ-	- This section will now be completed using the ACASI system.
O) Target Age: 18-59 years	<ul> <li>No changes made in the content, both current questions (SXQ.295 and SXQ.296) on sexual identity (one for males and one for females) will be retained.</li> </ul>
Depression Screen (DPQ)	- This section will now be completed using the ACASI system.
Target Age: 12+ years	- No changes made to the section content, all 10 current questions will be retained.
Reproductive Health	- This section will now be completed using the ACASI system.
(RHQ)  Target Age: 12+ years	<ul> <li>Retained only 12 questions from the original 36-question module to collect the following information:</li> </ul>
(Female); women 60+ years will not be asked	Age at first menstrual period,
pregnancy history	Had at least one menstrual period in the past 12 months,
	Reason not had a menstrual period in the past 12 months,
	<ul> <li>History of hysterectomy, ovary removal, age of last ovary removal and age of last menstrual period (for lab FSH and other hormones),</li> </ul>
	Ever being treated for pelvic inflammatory disease,
	Ever pregnant,
	Currently pregnant,
	Number of deliveries, and
	Currently breastfeeding a child.
Current Health Status	- This section will now be completed using the ACASI system.
(HSQ)	- No changes made in the section content. The section only has
Target Age: 16+ years	1 question (HIV testing) and it will be retained.
Physical Activity and Physical Fitness (PAQ)	- This section will now be completed using the ACASI system.
Target Age: 12-15 years	<ul> <li>No changes made in the section content, both current questions on physical activity will be retained.</li> </ul>

Tobacco (SMQ)  Target Age: 12+ years	- This section will now be completed using the ACASI system for both youths and adults.
raiget Age. 12+ years	- Dropped the following 3 questions from the original 9 tobacco questions that were only asked to participants 12-17 years:
	Age when last smoked cigarettes for those who didn't smoke for at least one year,
	How soon smoke cigarette after waking up,
	Has stopped smoking for longer than one day to try to quit smoking in the past 12 months
	- Dropped the following 12 questions that were asked to all participants aged 12 years and older:
	2 follow-up questions on the use of chewing tobacco and snuff,
	<ul> <li>1 question on the use of nicotine replacement therapy products, and,</li> </ul>
	9 questions on secondhand smoke exposure.
Alcohol (ALQ)  Target Age: 12+ years	- This section will now be completed using the ACASI system for both youths and adults.
, aligery iger = 1	- Dropped 1 question on the frequency of having 12 or more drinks in a single day.
	- Moved 1 question on binge drinking from Dietary interview to ACASI.
Kidney Conditions (KIQ)	- This section will now be completed using the ACASI system.
Target Age: 20+ years	- Dropped 5 questions on details about incontinence.
Drug Use (DUQ)	- Dropped 7 questions in the following topics:
Target Age: 12-59 years	Age first used marijuana or cannabis,
	Mode of marijuana use,
	Time since last used cocaine, heroin, or methamphetamine,
	Time since last used a needle to inject a drug not prescribed by a doctor, and
	Type of drugs having injected using a needle.
<del></del>	

Sexual Behavior (SXQ)  Target Age: 14-69 years	<ul> <li>Retained 12 questions for women and 12 questions for men in the following topics (original module has 25 questions for women and 27 questions for men):</li> </ul>
	·
	<ul> <li>Ever had various type of sex,</li> </ul>
	<ul> <li>Total number of male sex partners in lifetime and in the last 12 months,</li> </ul>
	<ul> <li>Total number of female sex partners in lifetime and in the last 12 months,</li> </ul>
	<ul> <li>Ever had any new sex partner in the last 12 months,</li> </ul>
	Ever being diagnosed with genital herpes, or genital warts.

#### **MEC Interview - CAPI**

Component Name  Target Age	Descriptions
Respondent Selection (RIQ)	- Dropped this entire section of 3 questions.
Target Age: 12+ years	
Pesticide Use (PUQ)	- This section will be asked by the phlebotomist in the MEC to
Target Age: 8+ years	align with the timing of the blood sample collection.
	- No changes made in the section content, both current questions on pesticide use in the past 7 days will be retained.
Weight History (WHQ)	- Dropped this entire section of 3 questions.
Target Age: 8-15 years	
Dietary Behavior and Nutrition (DBQ)	- Dropped this entire section of 4 questions.
Target Age: 12-15 years	

# **Dietary Interview**

Component Name and ID (3 Letters)	Descriptions
Dietary Recall (DRX)	- Changed interview mode for the first dietary interview from an in-person interview collected in the Mobile Examination Center (MEC) to a telephone interview.
	- Same as the protocol used in previous cycles, the second dietary interview will also be conducted via telephone in 2021-22.
	<ul> <li>No content changes anticipated. In previous cycles, the same instrument has been used to collect both in-person first dietary interview and the second dietary interview via telephone.</li> </ul>
Post-Dietary Recall Questions (DRQ)	- No changes anticipated.
Dietary Supplement (SAQ)	Changed reference time frame from dietary supplements used in the last 24 hours to the last 30 days. Dietary supplements used in the last 30 days is a better measurement for usual supplement use.
	- With the new reference time frame, no dietary supplement use will be collected during the second dietary interview.

# **Special Follow-Up Questionnaires**

Component Name and ID (3 Letters)	Descriptions
Flexible Consumer Behavior Survey (FCBS) Phone Follow-Up Supplemental Module	- No changes anticipated.