



## 2024 Electronic Monitoring (EM) Vessel Monitoring Plan (VMP)

---

Your vessel is in the EM selection pool for the duration of 2024, and you must fully comply with the provisions of this VMP. We will notify you via email with problems regarding your performance under the EM program. If you have repeat problems with EM system reliability or video quality or have failed to comply with the requirements in this VMP, NMFS may disapprove your VMP for the following calendar year and you may be removed from the EM pool the following calendar year. The regulatory requirements for EM systems can be found at 50 CFR 679.51 (f).

### NMFS Contacts

#### Submit VMP or make changes to VMP

Sustainable Fisheries  
PO Box 21668  
Juneau, AK 99802  
[nmfs.akr.vmp@noaa.gov](mailto:nmfs.akr.vmp@noaa.gov)  
(907) 586-7228

#### Enforcement Questions

Phillip Null  
Supervisory Enforcement Officer  
NOAA/NMFS OLE  
Kodiak Field Office  
1211 Gibson Cove Rd  
Kodiak, AK 99615  
[phillip.null@noaa.gov](mailto:phillip.null@noaa.gov)  
(907)531-6603

#### EM Selection Pool

Mike Vechter  
Fisheries Monitoring & Analysis  
222 West 7<sup>th</sup> Ave, Stop 7  
Anchorage, AK 99513  
[mike.vechter@noaa.gov](mailto:mike.vechter@noaa.gov)  
(907) 271-1696

### Observer Declare and Deploy System (ODDS)

For assistance logging trips, ODDS can be reached online at <https://www.fisheries.noaa.gov/resource/tool-app/observer-deploy-and-declare-system-odds> or through the call center at 1-855-747-6377.

### EM Service Provider Contacts

*[To be completed by the EM service provider. List EM service provider contact information, including but not limited to: office address, office phone numbers, and Field Manager email and cell phone.]*

Accessibility of this Document: Every effort has been made to make this document accessible to individuals of all abilities and compliant with Section 508 of the Rehabilitation Act. The complexity of this document may make access difficult for some. If you encounter information that you cannot access or use, please email us at [Alaska.webmaster@noaa.gov](mailto:Alaska.webmaster@noaa.gov) or call us at 907-586-7228 so that we may assist you.

## Vessel Summary

Vessel Name:			
ADFG Vessel permit:			
Home port:			
Primary landing port(s):			
Gear type(s) to be used: (check all that apply)	<input type="checkbox"/> Longline	<input type="checkbox"/> Traditional Pot	<input type="checkbox"/> Slinky Pot
Using Exemption at §679.7(f)(4) (fishing IFQ in Multiple Areas)	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Vessel Owner name:			
Email:			
Phone number(s):			
Vessel Primary Point of Contact: (if different from owner)			
Email:			
Phone number(s):			

Please provide a valid email address. **Notification of problems regarding your performance under the EM program will be sent ONLY via email.**

### Reminders:

Non-fishing activities occurring on deck may be seen by an EM reviewer.

**It is prohibited to assault, impede, intimidate, harass, sexually harass, bribe, or interfere with an EM service provider.**

EM service provider means any person, including their employees or agents, that NMFS contracts with to provide EM services, or to review, interpret, or analyze EM data, as required under § 679.51(f).

## VMP Contents

NMFS Contacts	1
Observer Declare and Deploy System (ODDS)	1
EM Service Provider Contacts	1
Vessel Summary	2
Operator Responsibilities	4
Prior to Trip	4
Each Trip	4
Each Day	4
Prior to Each Haul or Set	5
Catch Handling Requirements for all vessels	5
Catch Handling Requirements for LONGLINERS:	6
Catch Handling Requirements for SINGLE POT GEAR:	6
Catch Handling Requirements for STRING POT / SLINKY POT GEAR:	7
Trip End for All Vessels	7
Additional information for EM selected trips starting or ending at a tender	7
Vessels Using the Exemption at § 679.7(f)(4) to Fishing IFQ in Multiple Areas	8
Enforcement Contacts	9
Equipment Malfunctions	10
Equipment Malfunction Discovered During Pre-Departure EM System Function Test	10
Equipment Malfunction at Sea	11
Equipment Malfunctions for Vessels Fishing IFQ in Multiple Areas using the Exemption at § 679.7(f)(4)	12
Appendix A – Vessel Installation Details	13
Appendix B – Guide for Vessel Operator	14
<i>EM system user’s guide</i>	14
<i>Vessel-specific handling protocols or instructions</i>	14
Appendix C – Signature Page	15
Appendix D – Longline EM Effort Logbook	16
Appendix E – Pot EM Effort Logbook	17

## Operator Responsibilities

When selected for coverage, you must comply with operator responsibilities listed below and in *Appendix B – Guide for Vessel Operator*.

### Prior to Trip

- ✓ **Complete Function Test:** Prior to leaving port or a tender, you must turn the system on and conduct a system function test following the instructions provided in *Appendix B – Guide for Vessel Operator*. If the function test identifies a malfunction, you must follow the guidance in the malfunction matrix and the troubleshooting guidelines listed in *Appendix B – Guide for Vessel Operator*.
- ✓ **Confirm Hard Drive Storage Space:** Ensure that the system has enough storage to record the entire trip. Be sure to plan for future trips and request additional storage from your EM service provider as necessary.

---

**For EM coverage, a fishing trip is defined at § 679.2 as the period of time that begins when the vessel leaves a shore-based port or tender vessel with an empty hold until the vessel returns to a shore-based port or tender vessel and all fish are delivered.**

---

### Each Trip

- ✓ **Power:** Maintain uninterrupted power to the EM unit while the vessel is underway.
  - System may be powered down at anchor (while stationary). If vessel moves from the stationary location, EM unit must be powered on and maintain uninterrupted power.
- ✓ **Maintain Equipment:** Make certain that EM system components are not tampered with, disabled, destroyed, or operated or maintained improperly unless directed to make changes by NMFS, the EM service provider, or as directed in the troubleshooting guide of the VMP.

### Each Day

- ✓ **Logbook:** You must complete **one** of the following:
  - If you are required to complete a NMFS or IPHC logbook, you should use it **and add in the comments section:**
    - the ODDS trip number
    - whether the vessel fished at night during the trip
    - any EM malfunctions encountered during the trip
    - each set that marine mammals were observed feeding on the catch as it was brought aboard.
  - If you **are not** required to complete a NMFS or IPHC logbook then you must complete the EM Effort Logbook found in either *Appendix D – Longline EM Effort Logbook* or *Appendix E – Pot EM Effort Logbook* **and add in the comments section:**

- whether the vessel fished at night during the trip
- any EM malfunctions encountered during the trip
- each set that marine mammals were observed feeding on the catch as it was brought aboard
- If/why the system was shut down or transitioned to sleep mode during the trip

### Prior to Each Haul or Set

#### ✓ **Verify System Is Running Correctly**

- Verify that all cameras are recording and all sensors and other required EM system components are functioning as instructed in *Appendix B – Guide for Vessel Operator*.
- Check the monitor and verify that the camera views are consistent with the images provided in *Appendix A - Vessel Installation Details*.

#### ✓ **Clear Camera Views:** Clean cameras to maintain video quality and make sure camera views are not blocked.

### Catch Handling Requirements for all vessels

- ✓ **Seabirds:** Hold seabirds up to the camera for 3 seconds and show certain key parts of the animal, such as the beak, to the hauler view camera. When showing a seabird to the camera:
  - Grasp by the outermost bend in wing, with wings out-stretched and show the bird to the hauler camera showing the front and back sides;
  - For albatross, show a profile of the bill by holding the bird by the neck against the side of the boat. Ensure that the view is not obstructed; and
  - If possible, hold the bird beak near a scaled reference item (e.g., measurement board with large grid) to assist with identification.
- Vessels are required to complete a Threatened and Endangered Bird Species Encounter Reporting Form (USFWS) when an encounter occurs for short-tailed albatross, spectacled eider, Steller's eider or other ESA-listed species.
- ✓ **Marine mammals:** Any incidental mortality or serious injury of marine mammals must be documented in your logbook and reported through the Marine Mammal Authorization Program. Forms for the Marine Mammal Authorization Program are mailed to most permit holders participating in category II fisheries (Marine Mammal Protection Act List of Fisheries), but are also available online at: <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-authorization-program>
  - All mortality and/or serious injury with marine mammals incidental to fishing activities needs to be reported, regardless of the category of the fishery under the Marine Mammal Protection Act List of Fisheries.
  - Incidental interactions include any action that results in an injury (as stated at 50 CFR 229.2) or the collection of an already deceased animal.
  - When reporting an interaction with a previously dead animal, please fill out the reporting form and use the notes section to specify that the animal was dead previous to fishing activities and give the reasons why this is apparent to you.

- If you have questions about what to report or how to report, contact [suzie.teerlink@noaa.gov](mailto:suzie.teerlink@noaa.gov) or (907) 586-7240.
- Incidental interactions, for the purpose of reporting via the Marine Mammal Authorization Program Mortality/Injury reporting form, do not include marine mammal depredation events, unless serious injury or mortality results.
- **Marine mammal depredation:** Note in the logbook each set where marine mammals were feeding on the catch.
- ✓ **Prohibited species catch (PSC):** handling should follow regulations outlined 50 CFR 679.21. This includes non-retained Pacific halibut.
  - Return all prohibited species, or parts thereof, to the sea immediately, with a minimum of injury, regardless of its condition (50 CFR 679.21(a)(2)(ii)).
  - PSC as defined in 50 CFR 679.2, includes Pacific salmon (*Oncorhynchus spp.*), steelhead trout (*Oncorhynchus mykiss*), Pacific halibut (*Hippoglossus stenolepis*), Pacific herring (*Clupea harengus pallasii*), king crab, and Tanner crab.
  - Catch handling instructions for Pacific halibut caught with fixed gear can be found at 50 CFR 679.7(a)(13).

#### Catch Handling Requirements for **LONGLINERS:**

- ✓ Deployment of pot and hook/line gear in the same set is prohibited.
- ✓ All catch must be handled within view of the cameras as defined in the camera descriptions and deck diagram in *Appendix A - Vessel Installation Details*.
- ✓ All catch processing from the previous set must be complete prior to hauling the next set.

#### Catch Handling Requirements for **SINGLE POT GEAR:**

- ✓ Deployment of pot and hook/line gear in the same set is prohibited.
- ✓ All catch must be handled within view of the cameras as defined in the camera descriptions and deck diagram in *Appendix A - Vessel Installation Details*.
- ✓ On retrieval of a pot, ALL catch must be emptied from the pot onto the sorting table. Any catch left in the pot or that land on the deck must be placed on the sorting table. If there is no sorting table, all catch (retained or discard) must be sorted in view of the cameras.
- ✓ Any retained (or discarded) catch should be handled in a way to ensure reviewers are able to count the catch (do not sweep fish into the hold, etc.).
- ✓ In cases where there is a large quantity of catch to be discarded, discard them in a way that allows reviewers to count the discarded catch (do not grab handfuls of 2–8 flatfish or 3–5 crabs, etc.).
- ✓ Completely clear all catch, especially Pacific cod, off the table and deck before the next pot is dumped (so that catch from 2 pots is not mixed).
  - Pacific cod should be cleared from the table a few at a time (to allow EM reviewer to count the retained catch).
  - If all of the snails and sea urchins cannot be cleared off the table or deck before the next pot is dumped, they should be cleared by the next pot or as soon as feasible.

## Catch Handling Requirements for STRING POT / SLINKY POT GEAR:

- ✓ Deployment of pot and hook/line gear in the same set is prohibited.
- ✓ All catch must be handled within view of the cameras as defined in the camera descriptions and deck diagram in *Appendix A - Vessel Installation Details*.
- ✓ On retrieval of a pot, ALL catch must be emptied from the pot onto the sorting table. Any catch left in the pot or that land on the deck must be placed on the sorting table. If there is no sorting table, all catch (retained or discard) must be sorted in view of the cameras.
- ✓ Any retained (or discarded) catch should be handled in a way to ensure reviewers are able to count the catch (do not sweep fish into the hold, etc.).
- ✓ In cases where there is a large quantity of catch to be discarded, please discard them in a way that allows reviewers to count the discarded catch (do not grab handfuls of 2–8 flatfish or 3–5 crabs, etc.).
- ✓ Completely clear all catch prior to starting a new haul for string/slinky pots (so that catch from 2 hauls are not mixed). Note that catch between pots can be mixed, as long as they are part of the same haul.
  - Sablefish should be cleared from the table a few at a time (to allow EM reviewer to count the retained catch).
  - If all of the snails and sea urchins cannot be cleared off the table or deck before the next pot is dumped, they should be cleared by the next pot or as soon as feasible.

---

*Owners of pot vessels may propose alternatives to these procedures by submitting plans to NMFS for approval. This alternative may not be used until approved by NMFS.*

---

## Trip End for All Vessels

- ✓ **Mail hard drive and logbook**
  - Mail hard drives and a copy of the trip's **logbook** (IPHC or NMFS logbook or EM effort logbook, as appropriate) and the ODDS trip number **within 2 business days** after the EM selected trip to the contact provided in *Appendix B – Guide for Vessel Operator*.
  - **EM selected trips ending in ports with limited postal service:** Email NMFS of the expected delay using the following email address: nmfs.akr.vmp@noaa.gov
  - Be sure to plan for future trips and request additional storage from your EM service provider as necessary.
- ✓ **Close fishing trip in ODDS:** Prior to logging another trip or within 2 weeks of the end of the fishing trip selected for EM coverage, you must close the fishing trip in ODDS.

## Additional information for EM selected trips starting or ending at a tender

- ✓ If your trip starts at a tender, you must manually turn on the EM system and trigger recording at the start of the trip to allow the EM reviewer to verify that the trip begins at a tender.

- ✓ If your trip ends at a tender, you must manually turn on the EM system and trigger recording at the start of the offload to allow the EM reviewer to verify the end of the trip.
- ✓ Record the location of the offload in your logbook.
- ✓ Mail hard drives and a copy of the trip's **logbook** (IPHC or NMFS logbook or EM effort logbook, as appropriate) and the ODDS trip number **within 2 business days** after the tender's arrival in a port with regular postal service.
- ✓ **Equipment Malfunction while delivering to a tender**
  - If a high priority malfunction is found prior to trip start, you must contact your EM Service Provider using the information in *Appendix B – Guide for Vessel Operator*.
    - Your EM Service Provider may request a trip release from NMFS for your EM selected trip. If the trip release is granted, you may depart on your EM selected trip without observing the 72 hour repair period at the tender. You may depart once NMFS notifies you or your EM Service Provider that the trip release has been granted. A repair for the high priority malfunction must occur prior to departing on the next trip. If you obtain a trip release, the next logged trip will be selected for EM coverage.
  - If you fail to repair the high priority malfunction prior to departing on the next trip, you will be in violation of the VMP. This could result in OLE action or removal from the EM pool.

### Vessels Using the Exemption at § 679.7(f)(4) to Fishing IFQ in Multiple Areas

**You must still meet all the requirements for use of an EM system on every trip when fishing using the exemption at § 679.7(f)(4) to fishing IFQ in multiple areas.**

- ✓ The EM system must be powered continuously during the fishing trip. If the EM system is powered down during periods of non-fishing, you must describe alternate methods, such as VMS, to make sure the vessel's location information is available for the entire trip in *Appendix A - Vessel Installation Details*.
- ✓ If an EM system malfunction identified as "high" priority in the malfunction matrix occurs during a fishing trip, **you must cease fishing immediately**; follow the troubleshooting guidelines listed in *Appendix B – Guide for Vessel Operator*, and contact NOAA OLE immediately.
  - If a "high" priority malfunction occurs, every effort should be made to contact OLE while at sea, but if you are unable to contact OLE while at sea, you are not required to abandon fishing gear. You should also contact the EM service provider to facilitate the repair.
  - You may contact OLE using a cell phone or satellite phone, or you may contact the U.S. Coast Guard via VHF or single side band radio to request the Coast Guard contact OLE.
  - You **must not set additional gear** once a "high" priority malfunction is detected and must return to port immediately if unable to contact OLE at sea.
- ✓ You may purchase additional equipment, such as cameras or control centers, at your own expense to reduce lost fishing time. This additional equipment and its purpose must be described in *Appendix A - Vessel Installation Details*.



## Enforcement Contacts

<b>Juneau</b> (907) 586-7225	<b>Anchorage</b> (907) 271-1823	<b>Dutch Harbor</b> (907) 581-2061
<b>Kodiak</b> (907) 486-3298	<b>Homer</b> (907) 235-2337	<b>Ketchikan</b> (907) 247-5804
<b>Petersburg</b> (907) 772-2285	<b>Seward</b> (907) 224-5349	<b>Sitka</b> (907) 747-6940
<b>Between the hours of 6 am and midnight, you may also call (907) 586-7202 #1</b>		

## Equipment Malfunctions

### Equipment Malfunction Discovered During Pre-Departure EM System Function Test

If the function test identifies a malfunction, follow the troubleshooting guidelines listed in *Appendix B – Guide for Vessel Operator*.

Malfunction Type	High/Low Priority	Potential Solution	Action if Malfunction Not Resolved
<b>Monitor</b>	<b>High</b>	Connect a different monitor	Must remain in port up to 72 hours to allow for repairs. After 72 hours, may depart on trip and the next trip is selected for EM coverage. Repair must occur prior to departing on the next trip.
<b>GPS</b>	<b>High</b>	Restart system	Must remain in port up to 72 hours to allow for repairs. After 72 hours, may depart on trip and the next trip is selected for EM coverage. Repair must occur prior to departing on the next trip.
<b>Insufficient Storage</b>	<b>High</b>	Replace with spare data drive <sup>1</sup>	Must remain in port up to 72 hours to allow for repairs. After 72 hours, may depart on trip and the next trip is selected for EM coverage. Repair must occur prior to departing on the next trip.
<b>Control Center</b>	<b>High</b>	Restart system	Must remain in port up to 72 hours to allow for repairs. After 72 hours, may depart on trip and the next trip is selected for EM coverage. Repair must occur prior to departing on the next trip.
<b>Insufficient Lighting</b>	<b>High</b>	Replace lights	May fish but cannot retrieve gear at night.
<b>Hauling Camera(s)</b>	<b>High</b>	Restart system; replace with spare camera <sup>1</sup>	Must remain in port up to 72 hours to allow for repairs. After 72 hours, may depart on trip and the next trip is selected for EM coverage. Repair must occur prior to departing on the next trip.
<b>Discard Camera(s)</b>	<b>High</b>	Restart system; replace with spare camera <sup>1</sup>	Must remain in port up to 72 hours to allow for repairs. After 72 hours, may depart on trip and the next trip is selected for EM coverage. Repair must occur prior to departing on the next trip.
<b>Streamer line Camera</b>	Low	Restart system; replace with spare camera <sup>1</sup>	May depart on trip. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.
<b>Rotation Sensor</b>	Low	Carry spare rotation equipment <sup>1</sup>	May depart on trip, but must trigger video manually. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.
<b>Hydraulic Sensor</b>	Low	Restart system	May depart on trip, but must trigger video manually. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.
<b>Keyboard/Mouse</b>	Low	Replace with another keyboard/mouse <sup>1</sup>	May continue fishing provided that the sensors are properly triggering automatic recording. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.

<sup>1</sup> Vessels may choose to purchase additional spare parts, such as cameras or sensors, but these items will not be provided by NMFS.

## Equipment Malfunction at Sea

- If the system passed the function test, and remains continuously powered during the trip, you are NOT required to return to port in the event of a breakdown. Follow the instructions provided in *Appendix B – Guide for Vessel Operator*.
- If the malfunction cannot be resolved following the troubleshooting guide and/or with remote support, continue to run the system with all functional parts, and contact the service provider immediately (from sea if possible) to assist with scheduling service at the time of landing.

Malfunction Type	High/Low Priority	Potential Solution	Action if Malfunction Not Resolved
Monitor	High	Connect a different monitor	Attempt to repair prior to retrieving gear. If cannot repair must contact EM service provider at end of trip. Repair must occur prior to departing on the next EM selected trip.
GPS	High	Restart system	Attempt to troubleshoot issue prior to retrieving gear. If cannot repair must contact EM service provider at end of trip. Repair must occur prior to departing on the next EM selected trip.
Insufficient Storage	High	Replace with spare data drive	Perform a data retrieval and swap data drive with a new blank data drive. If cannot repair must contact EM service provider at end of trip. Repair must occur prior to departing on the next EM selected trip.
Control Center	High	Restart system	Attempt to repair prior to retrieving gear. If cannot repair must contact EM service provider at end of trip. Repair must occur prior to departing on the next EM selected trip.
Insufficient Lighting	High	Replace lights	May fish but cannot retrieve gear at night.
Hauling Camera(s)	High	Restart system; replace with spare camera <sup>2</sup>	Attempt to repair prior to retrieving gear. If cannot repair must contact EM service provider at end of trip. Repair must occur prior to departing on the next EM selected trip.
Deck/Discard Camera(s)	High	Restart system; replace with spare camera <sup>2</sup>	Attempt to repair prior to retrieving gear. If cannot repair must contact EM service provider at end of trip. Repair must occur prior to departing on the next EM selected trip.
Streamer line Camera	Low	Restart system; replace with spare camera <sup>2</sup>	May continue on trip. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.
Rotation Sensor	Low	Carry spare rotation equipment <sup>2</sup>	May continue trip, but must trigger video manually. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.
Keyboard/Mouse	Low	Replace with another keyboard/mouse <sup>2</sup>	May continue fishing provided sensors are triggering automatic recording properly. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.
Hydraulic Sensor	Low	Restart system	May continue trip, but must trigger video manually. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.

<sup>2</sup> Vessels may choose to purchase additional spare parts, such as cameras or sensors, but these items will not be provided by NMFS.

## Equipment Malfunctions for Vessels Fishing IFQ in Multiple Areas using the Exemption at § 679.7(f)(4)

For any malfunction identified as “High” priority, the vessel operator must cease fishing immediately, follow the troubleshooting guidelines listed in *Appendix B – Guide for Vessel Operator*, and contact NOAA OLE immediately.

Malfunction Type	High/Low Priority	Potential Solution	Action if Malfunction Not Resolved
Continuous Power to System	High	Check power supply to system	Cease fishing and contact OLE or you may not embark on trip using exemption. If system powered down during non-fishing, VMP must describe alternative methods to record location information
Monitor	High	Connect a different monitor <sup>3</sup>	Cease fishing and contact OLE or you may not embark on trip using exemption.
GPS	High	Restart system	Cease fishing and contact OLE or you may not embark on trip using exemption unless vessel has operating VMS and hauling and discard cameras are functioning.
Insufficient Storage	High	Replace with spare data drive	If vessel does not have a spare data drive, cease fishing and contact OLE or you may not embark on trip using exemption.
Control Center	High	Restart system	Cease fishing and contact OLE or you may not embark on trip using exemption.
Insufficient Lighting	High	Replace lights	May fish but cannot retrieve gear at night
Hauling Camera(s)	High	Restart system; replace with spare camera <sup>3</sup>	Cease fishing and contact OLE or you may not embark on trip using exemption.
Deck/Discard Camera(s)	High	Restart system; replace with spare camera <sup>3</sup>	Cease fishing and contact OLE or you may not embark on trip using exemption.
Streamer line Camera	Low	Restart system; replace with spare camera <sup>3</sup>	May depart on trip or continue trip. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.
Rotation Sensor	Low	Restart system. Carry spare sensor <sup>3</sup>	May depart on trip or continue trip, but must trigger video manually. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.
Hydraulic Sensor	Low	Restart system. Carry spare sensor <sup>3</sup>	May depart on trip or continue trip, but must trigger video manually. Must contact EM service provider to schedule repair before departing on another trip where EM is required.
Keyboard/Mouse	Low	Replace with another keyboard/mouse <sup>3</sup>	May continue fishing provided sensors are triggering automatic recording properly. Before departing on another trip selected for EM coverage, must contact EM service provider to schedule repair.

<sup>3</sup> Vessel owners may choose to purchase additional spare parts, such as cameras or sensors, but these items will not be provided by NMFS.

## **Appendix A – Vessel Installation Details**

*[To be completed by the EM service provider]*

- *Include a description and diagram of the installation on the vessel including the number and location of cameras and define their use (e.g., rail, deck, streamer line, sorting table).*
- *Provide images of camera views.*
- *Describe the location of lighting, control center, GPS, sensors, monitor, and other EM equipment.*
- *List the frame rates, image resolution, frequency of logging, sensor trigger threshold values, and other EM system specifications.*
- *Describe additional equipment and its purpose to allow a vessel to continue fishing IFQ in multiple areas using the exemption at § 679.7(f)(4).*

## **Appendix B – Guide for Vessel Operator**

*[To be completed by the EM service provider.]*

### **EM system user's guide**

*[Provide EM system specific information including...*

- *Describe how to retrieve a hard drive, how to power up the system, how to do a function test, system, etc.*
- *Provide the detained steps that will be taken to minimize the potential for EM system malfunctions and the troubleshooting steps if malfunctions occur.]*

### **Vessel-specific handling protocols or instructions**

*[List any special handling protocols that may apply to a particular vessel, including description and diagrams of discard control points (if applicable), specific procedures for sorting discards, and steps that need to be taken to ensure all catch remains in camera view.]*

## Appendix C – Signature Page

This certifies that the vessel owner/operator has been trained in the function and operation of the Electronic Monitoring (EM) system installed on the vessel and that the vessel owner/operator must comply with the components of this Vessel Monitoring Plan. A signed copy of this VMP must be aboard at all times when the vessel is directed fishing in a fishery subject to EM coverage. Digital signatures are acceptable.

Vessel owner/operator signature: \_\_\_\_\_

Signer's relationship to vessel (such as owner, operator, designated representative):

\_\_\_\_\_

Date: \_\_\_\_\_

EM Service Provider signature: \_\_\_\_\_

Date: \_\_\_\_\_

NMFS Representative Signature: \_\_\_\_\_

Date: \_\_\_\_\_

## Appendix D – Longline EM Effort Logbook

<b>Vessel Name:</b>		Start Port:
<b>ADF&amp;G Number:</b>	Trip Start Date (mm/dd/yyyy):	Offload Port:
<b>Operator Name:</b>	Offload Date (mm/dd/yyyy):	ODDS Trip Number:

<b>Did you haul at night?</b> Y   N <b>Did the EM system function normally the entire trip?</b> Y   N If no, please describe any problems:	<b>Gear ID</b>	<b>Gear Type</b>	<b>Length of Skate (Feet)</b>	<b>Hook Size</b>	<b>Hook Spacing (ft)</b>	<b>No. Hooks Per Skate</b>
	A					
	B					
	C					
	D					

Set		Haulback		Marine Mammals Feeding on Catch?	Seabirds Caught?	Did you discard legal-sized halibut?	Gear ID	No. Skates Set	No. Skates Lost
Date (mm/dd)	Start Time	Date (mm/dd)	Start Time						
				Y N	Y N	Y N			
				Y N	Y N	Y N			
				Y N	Y N	Y N			
				Y N	Y N	Y N			
				Y N	Y N	Y N			
				Y N	Y N	Y N			
				Y N	Y N	Y N			
				Y N	Y N	Y N			



## Appendix E – Pot EM Effort Logbook

<b>Vessel Name:</b>	Did you use string pots/slinky pots?    Y   N	Start Port:
<b>ADF&amp;G Number:</b>	Trip Start Date (mm/dd):	Offload Port:
<b>Operator Name:</b>	Offload Date (mm/dd):	ODDS Trip Number:
Did you set pots at night?    Y   N	Did you retrieve pots at night?    Y   N	How much gear did you fish? (e.g., 60 pots)

<b>Did the EM system function normally the entire trip?</b> Y   N If no, please describe any problems:	<b>Other Trip Comments:</b>
---	-----------------------------

Set		Retrieval		# of Pots Set	# of Pots Retrieved
Date (mm/dd)	Start Time	Date (mm/dd)	Start Time		

## **PUBLIC REPORTING BURDEN STATEMENT**

A Federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with an information collection subject to the requirements of the Paperwork Reduction Act of 1995 unless the information collection has a currently valid OMB Control Number. The approved OMB Control Number for this information collection is 0648-0318. Without this approval, we could not conduct this information collection. Public reporting burden for this information collection is estimated to average 48 hours per response, including the time for reviewing the instructions, searching the existing data sources, gathering and maintaining the data needed, and completing and reviewing the information collection. Responses to this information collection are required pursuant to 50 CFR part 679 and under section 402(a) of the Magnuson-Stevens Act (16 U.S.C. 1801, *et seq.*). This template is used to develop a Vessel Monitoring Plan. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Assistant Regional Administrator, Sustainable Fisheries Division, NOAA National Marine Fisheries Service, P.O. Box 21668, Juneau, AK 99802-1668.

## **ADDITIONAL INFORMATION**

Before completing this form, please note the following: 1) This information is required to manage commercial fishing efforts under 50 CFR part 679 and under section 402(a) of the Magnuson-Stevens Fishery Conservation and Management Act (Magnuson-Stevens Act; 16 U.S.C. 1801, *et seq.*) as amended by Public Law 109-479; 2) Responses to this information request are confidential under section 402(b) of the Magnuson-Stevens Act. They are also confidential under NOAA Administrative Order 216-100, which sets forth procedures to protect confidentiality of fishery statistics.

## **PRIVACY ACT STATEMENT**

**AUTHORITY:** The collection of this information is authorized under the Magnuson Stevens Fishery Conservation and Management Act, 16 U.S.C. 1801 *et seq.*

**PURPOSE:** NMFS uses information submitted in this VMP to determine whether the configuration of the EM system and associated equipment will meet the data collection objectives and purpose of the EM Program, including camera locations to cover all fishing activities, any sensors to detect fish activities, and any special catch handling requirements. The VMP also describes methods to troubleshoot the EM system and instructions for the vessel operator to ensure the EM system is functioning properly.

**ROUTINE USES:** This information is used for compliance purposes and is not disclosed to the public.

**DISCLOSURE:** Providing information in this VMP is required for vessels placed in the EM selection pool of the North Pacific Observer Program. Participation in the EM selection pool is voluntary, and a vessel owner may request to be included in or removed from the EM selection pool annually.