

USDA-FGIS					According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0309. The time required to complete this information collection is estimated to average 20 minutes per response and 1 minute of recordkeeping, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.					
DOCKAGE CHECKTEST										
NOTE: TEST UNIT OPERATOR - FILL IN SHADED AREAS ONLY										
DATE		FIELD OFFICE			AGENCY		LOCATION			
MACHINESET UP	AIR NO.	FEED NO.	RIDDLE NO.	SIEVES		TOP NO.	MIDDLE NO.	BOTTOM NO.		
TEST UNIT										
MAKE		MODEL			SERIAL NO.		REMARKS			
SAMPLE NUMBER	CLEARED		RIDDLE SEPARATION (GRAMS)	AIR SEPERATION (GRAMS)	THROUGH BOTTOM SIEVE (GRAMS)	TOTAL DOCKAGE (GRAMS)			OVER BOTTOM SIEVE (GRAMS)	
	HOPPER (SECS.)	SIEVE (SECS.)								
1										
2										
3										
AVERAGE										
TEST UNIT AVERAGE			%	%	%	%			%	
RESULTS BY:					DATE					
STANDARD UNIT										
MAKE		MODEL			SERIAL NO.		REMARKS			
SAMPLE NUMBER	CLEARED		RIDDLE SEPARATION (GRAMS)	AIR SEPERATION (GRAMS)	THROUGH BOTTOM SIEVE (GRAMS)	TOTAL DOCKAGE (GRAMS)			OVER BOTTOM SIEVE (GRAMS)	
	HOPPER (SECS.)	SIEVE (SECS.)								
1										
2										
3										
AVERAGE										
STANDARD UNIT AVERAGE			%	%	%	%			%	
RESULTS BY:					DATE					
DOCKAGE TESTER SUMMARY										
			CLEARED		RIDDLE SEPARATION (%)	AIR SEPERATION (%)	THROUGH BOTTOM SIEVE (%)	TOTAL DOCKAGE (%)	OVER BOTTOM SIEVE (%)	
			HOPPER (SECS.)	SIEVE (SECS.)						
TEST UNIT (Enter average results of test unit)										
STANDARD (Enter average results of standard unit)										
DEVIATION			0	0	0.00	0.00	0.00	0.00	0.00	
ALLOWABLE DEVIATION					0.10	0.10	0.10	0.15		
RESULTS					IN	IN	IN	IN		
REMARKS										
SUMMARY BY:								DATE		

USDA-FGIS					According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0309. The time required to complete this information collection is estimated to average 20 minutes per response and 1 minute of recordkeeping, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.						
DOCKAGE CHECKTEST											
NOTE: TEST UNIT OPERATOR - FILL IN SHADED AREAS ONLY											
DATE 1		FIELD OFFICE 2			AGENCY 3			LOCATION 4			
MACHINESET UP		AIR NO. 5	FEED NO.	RIDDLE NO.	SIEVES		TOP NO. 6	MIDDLE NO.	BOTTOM NO.		
TEST UNIT											
MAKE 7		MODEL 8			SERIAL NO. 9			REMARKS 22			
SAMPLE NUMBER	CLEARED		RIDDLE SEPARATION (GRAMS)	AIR SEPERATION (GRAMS)	THROUGH BOTTOM SIEVE (GRAMS)	TOTAL DOCKAGE (GRAMS)	OVER BOTTOM SIEVE (GRAMS)				
	HOPPER (SECS.)	SIEVE (SECS.)									
1	10	11	12	13	14	15	16				
2											
3											
AVERAGE	17				18						
19	TEST UNIT AVERAGE		%	%	%	%	%				
RESULTS BY: 20					DATE 21						
STANDARD UNIT											
MAKE		MODEL			SERIAL NO.			REMARKS			
SAMPLE NUMBER	CLEARED		RIDDLE SEPARATION (GRAMS)	AIR SEPERATION (GRAMS)	THROUGH BOTTOM SIEVE (GRAMS)	TOTAL DOCKAGE (GRAMS)	OVER BOTTOM SIEVE (GRAMS)				
	HOPPER (SECS.)	SIEVE (SECS.)									
1											
2			23								
3											
AVERAGE											
STANDARD UNIT AVERAGE			%	%	%	%	%				
RESULTS BY:					DATE						
DOCKAGE TESTER SUMMARY											
				CLEARED		RIDDLE SEPARATION (%)	AIR SEPERATION (%)	THROUGH BOTTOM SIEVE (%)	TOTAL DOCKAGE (%)	OVER BOTTOM SIEVE (%)	
				HOPPER (SECS.)	SIEVE (SECS.)						
TEST UNIT (Enter average results of test unit)				24							
STANDARD (Enter average results of standard unit)				25							
DEVIATION				26							
ALLOWABLE DEVIATION				27		0.10	0.10	0.10	0.15		
RESULTS				28							
REMARKS 29											
SUMMARY BY: 30									DATE 31		

Instructions for Completing FGIS-928

- 1 Date mailed.
- 2 Field office that performed the test, when applicable.
- 3 Agency that performed the test, when applicable.
- 4 Location of test unit dockage tester.
- 5 For tests using wheat, show: air - 4, feed - 6, riddle - 2.
For tests using corn, show: air - 1, feed - 10, riddle - n/a.
- 6 For tests using wheat, show: top - n/a, middle - 2 & I.D. No., bottom - 2 & I.D. No.
For tests using corn, show: top - 3, middle - n/a, bottom - n/a.
- 7 Make of the test unit dockage tester.
- 8 Model of the test unit dockage tester.
- 9 Serial number of the test unit dockage tester.
- 10 Time elapsed for each sample to clear the hopper, shown in whole seconds.
- 11 Time elapsed for each sample to clear the middle sieve, shown in whole seconds.
- 12 Weight of the separation that passes over the riddle, shown to 0.01 g.
- 13 Weight of the separation that is removed by air, shown to 0.01 g.
- 14 Weight of the separation that passes through the bottom sieve, shown to 0.01 g.
- 15 Total dockage (riddle, air, and through-the-bottom), shown to 0.01 g.
- 16 Weight of the separation that passes over the bottom sieve, shown to 0.01 g.
- 17 Averages of the test unit's hopper and sieve clearance times, shown in whole seconds.
- 18 Averages of the test unit's test results, shown to 0.01 g.
- 19 Convert the average separation weights to a percentage of the total sample weight, shown to 0.001 %.
- 20 Name of the person who tested the unit.
- 21 Date that testing of the test unit was completed.
- 22 Test unit operator's remarks and RPM information.
- 23 Standard unit's information and test results.
- 24 Test unit's average test results, shown to 0.01 %.
- 25 Standard unit's average test results, shown to 0.01 %.
- 26 Difference (24 minus 25). Show the plus or minus deviation.
- 27 Allowable deviations.
- 28 Indicate IN or OUT of tolerance for each type of separation.
- 29 Remarks
- 30 Name of person who completed the Summary section.
- 31 Date the summary was completed.

