PRA Disclosure Statement

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-0842**, Expiration date: XX-XX-XXXX. The time required to complete this information collection is estimated to average **1 hour and 47 minutes** per assessment, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850. ***CMS Disclaimer***Please do not send applications, claims, payments, medical records or any documents containing sensitive information to the PRA Reports Clearance Office. Please note that any correspondence not pertaining to the information collection burden approved under the associated OMB control number listed on this form will not be reviewed, forwarded, or retained. If you have questions or concerns regarding where to submit your documents, please contact Ariel Cress at Ariel. Cress@cms.hhs.gov.

INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT

21. Impairment Grou	un*	
*	up	
	Admission	Discharge
Condition requiring a	dmission to rehabilitation; code accordi	ng to Appendix A.
(Use ICD codes that led to the co	to indicate the etiologic problem ondition for which the patient is	A B C
23. Date of Onset of	f Impairment /_ /_ /_ / VVV	·v
24. Comorbid Condi		1
Use ICD codes to	to enter comorbid medical conditions	
A	J S	
В	K T	·
C		J
D	M V	<i>'</i>
E		V
F		K
G	P Y	·
I	R	
24A Are there any art	thritis conditions recorded in items #21	#22 or #24 that meet
all of the regulate	ory requirements for IRF classification	
	(0 - No	o; 1 - Yes)
Height and Weigh	nt	
	if the number is $X.1-X.4$ round down, X	.5 or greater
* ′	ssion (in in abos)	
23A. Height on admis	ssion (minicies)	
26A. Weight on admi	ission (in pounds)	
		lity practice
	22. Etiologic Diagne (Use ICD codes that led to the correceiving rehabi) 23. Date of Onset of Use ICD codes that led to the correceiving rehabi (Use ICD codes that led to the codes to the ICD codes that led to the ICD codes th	24. Comorbid Conditions Use ICD codes to enter comorbid medical conditions A

^{*} The impairment codes incorporated or referenced herein are the property of U B Foundation Activities, Inc. ©1993, 2001 U B Foundation Activities, Inc.

Discharge Information	Therapy Information
40. Discharge Date/_/	O0401. Week 1: Total Number of Minutes Provided
MM / DD / YYYY	O0401A: Physical Therapy
41. Patient discharged against medical advice?	a. Total minutes of individual therapy
(0 - No; 1 - Yes)	b. Total minutes of concurrent therapy
42. Program Interruption(s)	c. Total minutes of group therapy
42. Program Interruption(s) (0 - No; 1 - Yes)	d. Total minutes of co-treatment therapy
42 Program Intermention Dates	
43. Program Interruption Dates (Code only if item 42 is 1 - Yes)	O0401B: Occupational Therapy
	Total minutes of individual therapy
A. 1st Interruption Date B. 1st Return Date	b. Total minutes of concurrent therapy
	c. Total minutes of group therapy
MM / DD / YYYY MM / DD / YYYY	d. Total minutes of co-treatment therapy
C. 2 nd Interruption Date D. 2 nd Return Date	
	O0401C: Speech-Language Pathology
$MM / DD / YYYY \qquad \qquad MM / DD / YYYY$	a. Total minutes of individual therapy
	b. Total minutes of concurrent therapy
E. 3 rd Interruption Date F. 3 rd Return Date	c. Total minutes of group therapy
	d. Total minutes of co-treatment therapy
MM / DD / YYYY MM / DD / YYYY	O0402. Week 2: Total Number of Minutes Provided
44C. Was the patient discharged alive?	O0402A: Physical Therapy
(0 - No; 1 - Yes)	a. Total minutes of individual therapy
44D. Patient's discharge destination/living setting, using codes below: (answer	b. Total minutes of concurrent therapy
only if $44C = 1$; if $44C = 0$, skip to item 46)	c. Total minutes of group therapy
	d. Total minutes of co-treatment therapy
(01- Home (private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements); 02- Short-term	
General Hospital; 03 - Skilled Nursing Facility (SNF); 04 - Intermediate	O0402B: Occupational Therapy
care; 06 - Home under care of organized home health service	a. Total minutes of individual therapy
organization; 50 - Hospice (home); 51 - Hospice (medical facility); 61 - Swing bed; 62 - Another Inpatient Rehabilitation Facility; 63 - Long-	b. Total minutes of concurrent therapy
Term Care Hospital (LTCH); 64 - Medicaid Nursing Facility; 65 -	c. Total minutes of group therapy
Inpatient Psychiatric Facility; 66 - Critical Access Hospital (CAH); 99 - Not Listed)	d. Total minutes of co-treatment therapy
45. Discharge to Living With	O0402C: Speech-Language Pathology
(Code only if item 44C is 1 - Yes and 44D is 01 - Home; Code using 1 - Alone; 2 - Family / Relatives; 3 - Friends; 4 - Attendant;	a. Total minutes of individual therapy
5 - Other)	b. Total minutes of concurrent therapy
46. Diagnosis for Interruption or Death	c. Total minutes of group therapy
(Code using ICD code)	d. Total minutes of co-treatment therapy
47. Complications during rehabilitation stay	
(Use ICD codes to specify up to six conditions that	
began with this rehabilitation stay)	
A B.	
C D	
E F	

INPATIENT REHABILITATION FACILITY - PATIENT ASSESSMENT INSTRUMENT QUALITY INDICATORS

QUALITY INDICATORS ADMISSION

Section	. Λ	Administrative Information			
		Administrative information			
A0810. S	ex				
Enter Code	Enter Code 1. Male 2. Female				
A1005. E		a, or Spanish origin?			
↓ cı	neck all that apply				
	A. No, not of His	spanic, Latino/a, or Spanish origin			
	B. Yes, Mexican,	Mexican American, Chicano/a			
	C. Yes, Puerto Ri	ican			
	D. Yes, Cuban				
	E. Yes, another I	Hispanic, Latino, or Spanish origin			
	X. Patient unabl	e to respond			
	Y. Patient declin	nes to respond			
A1010. R What is yo					
↓ cı	neck all that apply				
	A. White				
	B. Black or Africa	n American			
	C. American Indi	ian or Alaska Native			
	D. Asian Indian				
	E. Chinese				
	F. Filipino				
	G. Japanese				
	H. Korean				
	I. Vietnamese				
	J. Other Asian				
	K. Native Hawaiia	an			
	L. Guamanian or	r Chamorro			
	M. Samoan				
	N. Other Pacific I	slander			
	X. Patient unable	e to respond			
	Y. Patient decline	es to respond			
	Z. None of the ab	pove			

		OMB No. 0938-0842
Patient	Identifier	Date

ADMISSION

A1110.	Language
	A. What is your preferred language?
Enter Code	 B. Do you need or want an interpreter to communicate with a doctor or health care staff? 0. No 1. Yes 9. Unable to determine
A1400. F	Payer Information
↓ · c	Check all that apply
	A. Medicare (traditional fee-for-service)
	B. Medicare (managed care/Part C/Medicare Advantage)
	C. Medicaid (traditional fee-for-services)
	D. Medicaid (managed care)
	E. Workers' compensation
	F. Title programs (e.g., Title III, V, or XX)
	G. Other government (e.g., TRICARE, VA, etc.)
	H. Private insurance/Medigap
	I. Private managed care
	J. Self-pay
	K. No Payer source
	X. Unknown
	Y. Other
A1255. 1	Fransportation
Enter Code	In the past 12 months, has lack of reliable transportation kept you from medical appointments, meetings, work or from getting things needed for daily living? 0. Yes 1. No 7. Patient declines to respond 8. Patient unable to respond
developed	s on transportation and housing have been derived from the national PRAPARE® social drivers of health assessment tool (2016), which was d and is owned by the National Association of Community Health Centers (NACHC). This tool was developed in collaboration with the Association Profile Community Health Organization (AAPCHO) and the Organization (COCA). For additional information, please visit

www.prapare.org.

OMB No. 0938-0842 Date

Patient Identifier

ADMISSION

Sectio	n B	Hearing, Speech, and Vision	
B0200. Hearing			
Enter Code	O. Adequate - no di D. Minimal difficult O. Moderate difficult	hearing aid or hearing appliances if normally used) fficulty in normal conversation, social interaction, listening to TV ty - difficulty in some environments (e.g., when person speaks softly or setting is noisy) ulty - speaker has to increase volume and speak distinctly - absence of useful hearing	
B1000. V	ision		
Enter Code	O. Adequate - sees Impaired - sees la D. Moderately imp Highly impaired	quate light (with glasses or other visual appliances) fine detail, such as regular print in newspapers/books arge print, but not regular print in newspapers/books aired - limited vision; not able to see newspaper headlines but can identify objects - object identification in question, but eyes appear to follow objects ed - no vision or sees only light, colors or shapes; eyes do not appear to follow objects	
	n do you need to hav	n Creative Commons©) ve someone help you when you read instructions, pamphlets, or other written material from your doctor	
Enter Code	 Never Rarely Sometimes Often Always Patient declines Patient unable t 		
The Single	Item Literacy Screener	is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.	
BB0700.	Expression of Ideas	and Wants (3-day assessment period)	
Enter Code	4. Expresses comple 3. Exhibits some did 2. Frequently exhibits.	and wants (consider both verbal and non-verbal expression and excluding language barriers) ex messages without difficulty and with speech that is clear and easy to understand fficulty with expressing needs and ideas (e.g., some words or finishing thoughts) or speech is not clear bits difficulty with expressing needs and ideas presses self or speech is very difficult to understand	
BB0800.	Understanding Ver	bal and Non-Verbal Content (3-day assessment period)	
Enter Code	4. Understands: Cl 3. Usually understa understand	al and non-verbal content (with hearing aid or device, if used, and excluding language barriers) lear comprehension without cues or repetitions ands: Understands most conversations, but misses some part/intent of message. Requires cues at times to erstands: Understands only basic conversations or simple, direct phrases. Frequently requires cues to understand inderstands	

Date

Patient Identifier

ADMISSION

Sectio	11 C	Cognitive Fatterns
C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted? (3-day assessment period) Attempt to conduct interview with all patients.		
Enter Code		rarely/never understood) -> Skip to C0900, Memory/Recall Ability ue to C0200, Repetition of Three Words
Brief Inte	rview for Mental S	tatus (BIMS)
C0200. R	epetition of Three	Words
	Ask patient: "I am goi and bed. Now tell me	ing to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue the three words."
Enter Code	Number of words re 3. Three 2. Two 1. One 0. None	epeated after first attempt
	After the patient's fir repeat the words up	st attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may to two more times.
C0300. Te	emporal Orientatio	n (orientation to year, month, and day)
Enter Code	A. Able to report co 3. Correct 2. Missed by 1 1. Missed by 2	year
Enter Code	B. Able to report co 2. Accurate wit 1. Missed by 6	
Enter Code		ay of the week is today?" rrect day of the week no answer
C0400. R	ecall	
Enter Code	cue (something to work) A. Able to recall "so 2. Yes, no cue i	required eing ("something to wear")
Enter Code	B. Able to recall "blu 2. Yes, no cue r 1. Yes, after cu 0. No - could no	equired eing ("a color")
Enter Code	2. Yes, no cue r 1. Yes, after cue 0. No - could no	equired ing ("a piece of furniture")

OMB No. 0938-0842 Date

Patient Identifier

ADMISSION

Cognitive Patterns
al Status (BIMS) – Continued
core
questions C0200-C0400 and fill in total score (00-15) patient was unable to complete the interview
Assessment for Mental Status (C0900) be Conducted?
t was able to complete Brief Interview for Mental Status) -> Skip to C1310, Signs and Symptoms of Delirium t was unable to complete Brief Interview for Mental Status) -> Continue to C0900, Memory/Recall Ability
ntal Status
iew for Mental Status (C0200-C0500) was completed.
bility (3-day assessment period)
atient was normally able to recall
on
wn room
and faces
e in a hospital/hospital unit
above were recalled
coms of Delirium (from CAM©)
nterview for Mental Status or Staff Assessment, and reviewing medical record.
tatus Change
e of an acute change in mental status from the patient's baseline?
↓ Enter Code in Boxes
B. Inattention - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said?
C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?
 D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? vigilant - startled easily to any sound or touch lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch stuporous - very difficult to arouse and keep aroused for the interview comatose - could not be aroused Ann Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to
S f nt n el vi A s o s r a t l c r

be reproduced without permission.

Date Patient Identifier

ADMISSION

Section D	Mood
<u> </u>	

D0150. Patient Mood Interview (PHQ-2 to 9) (from Pfizer Inc.©)

Determine if the patient is rarely/never understood verbally, in writing, or using another method. If rarely/never understood, code D0150A1 and D0150B1 as 9, No response, leave D0150A2 and D0150B2 blank, end the PHQ-2 interview, and leave D0160, Total Severity Score blank. Otherwise, say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the patient: "About how often have you been bothered by this?"

Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence	2. Symptom Frequency		1.	2.
0. No (enter 0 in column 2)	0. Never or 1 day	Sy	mptom	Symptom
1. Yes (enter 0-3 in column 2)	1. 2-6 days (several days)	P	resence	Frequency
9. No response (leave column 2 blank)	2. 7-11 days (half or more of the days)			
	3. 12-14 days (nearly every day)	1	Enter Scor	es in Boxes 🗼
A. Little interest or pleasure in doing things				
B. Feeling down, depressed, or hopeless				
If both D0150A1 and D0150B1 are coded 9, OR b continue.	oth D0150A2 and D0150B2 are coded 0 or 1, END th	e PHQ inte	rview; othe	rwise,
C. Trouble falling or staying asleep, or sleeping too	much			
D. Feeling tired or having little energy				
E. Poor appetite or overeating				
F. Feeling bad about yourself – or that you are a fa	ilure or have let yourself or your family down			
G. Trouble concentrating on things, such as reading	g the newspaper or watching television			
H. Moving or speaking so slowly that other people o	could have noticed. Or the opposite – being so fidgety or	•		
restless that you have been moving around a lot	more than usual			
I. Thoughts that you would be better off dead, or o	of hurting yourself in some way			
Copyright © Pfizer Inc. All rights reserved. Reproduced	l with permission.			

D0160. Total Severity Score

Enter Score

Add scores for all frequency responses in column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)

D0700. Social Isolation

How often do you feel lonely or isolated from those around you?

Enter Code

- 0. Never 1. Rarely
- 2. Sometimes
- 3. Often
- 4. Always
- 7. Patient declines to respond
- 8. Patient unable to respond

Patient ______ Identifier ______ Date _____

ADMISSION

Section GG	Functional Abilities		
GG0100. Prior Functioning: illness, exacerbation, or injury		ndicate the patient's usual ability with everyday activities prior to the current	
Coding: 3. Independent - Patient completed all the activities by themself, with or without an assistive device, with no assistance from a helper. 2. Needed Some Help - Patient needed partial assistance from another person to complete any activities. 1. Dependent - A helper completed all the activities for the patient. 8. Unknown 9. Not Applicable		↓ Enter Codes in Boxes	
		A. Self-Care: Code the patient's need for assistance with bathing, dressing, using the toilet, and eating prior to the current illness, exacerbation, or injury.	
		B. Indoor Mobility (Ambulation): Code the patient's need for assistance with walking from room to room (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.	
		C. Stairs: Code the patient's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.	
		D. Functional Cognition: Code the patient's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.	
GG0110. Prior Device Use.	ndicate devices and ai	ids used by the patient prior to the current illness, exacerbation, or injury.	
↓ Check all that apply			
A. Manual wheelch	air		
B. Motorized whee	lchair and/or scooter		
C. Mechanical lift			
D. Walker			
E. Orthotics/Prosth	etics		
Z. None of the abo	ove		

OMB No. 0938-0842
Patient Identifier Date

ADMISSION

Section GG Functional Abilities

GG0130. Self-Care (3-day assessment period)

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

Admission Performance	
↓ Enter Codes in Boxe	s ↓
	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
	B. Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
	C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
	G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

ADMISSION

Section GG

Functional Abilities

GG0170. Mobility (3-day assessment period)

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

Admission Performance	
remonnance	
Enter Codes in Boxe	s
	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.
	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
	F. Toilet transfer: The ability to get on and off a toilet or commode.
	G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 Skip to GG0170M, 1 step (curb)
	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.

ADMISSION

Section GG Functional Abilities

GG0170. Mobility (3-day assessment period) - Continued

Code the patient's usual performance at admission for each activity using the 6-point scale. If activity was not attempted at admission, code the reason.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

Admission Performance				
↓ Enter Codes in Boxes ↓				
	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.			
	M. 1 step (curb): The ability to go up and down a curb or up and down one step. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object			
	N. 4 steps: The ability to go up and down four steps with or without a rail. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object			
	O. 12 steps: The ability to go up and down 12 steps with or without a rail.			
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.			
	Q1. Does the patient use a wheelchair and/or scooter? 0. No → Skip to H0350, Bladder Continence 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns			
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.			
	RR1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized			
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.			
	SS1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized			

Patient Identifier

ADMISSION

Section H Bladder and Bowel

H0350. Bladder Continence (3-day assessment period)

Enter Code

- **Bladder continence -** Select the one category that best describes the patient.
 - 0. Always continent (no documented incontinence)
 - 1. Stress incontinence only
 - 2. Incontinent less than daily (e.g., once or twice during the 3-day assessment period)
 - 3. Incontinent daily (at least once a day)
 - 4. Always incontinent
 - 5. No urine output (e.g., renal failure)
 - 9. Not applicable (e.g., indwelling catheter)

H0400. Bowel Continence (3-day assessment period)

Enter Code

Bowel continence - Select the one category that best describes the patient.

- 0. Always continent
- 1. Occasionally incontinent (one episode of bowel incontinence)
- 2. Frequently incontinent (2 or more episodes of bowel incontinence, but at least one continent bowel movement)
- 3. Always incontinent (no episodes of continent bowel movements)
- 9. Not rated, patient had an ostomy or did not have a bowel movement for the entire 3 days

Section I Active Diagnoses

Comorbidities and Co-existing Conditions

Check all that apply

10900. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)

12900. Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)

17900. None of the above

Section J Health Conditions

J0510. Pain Effect on Sleep

Enter Code

Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?"

- 0. Does not apply I have not had any pain or hurting in the past 5 days Skip to J1750, History of Falls
- 1. Rarely or not at all
- 2. Occasionally
- 3. Frequently
- 4. Almost constantly
- 8. Unable to answer

J0520. Pain Interference with Therapy Activities

Enter Code

Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?"

- 0. Does not apply I have not received rehabilitation therapy in the past 5 days
- 1. Rarely or not at all
- 2. Occasionally
- 3. Frequently
- 4. Almost constantly
- 8. Unable to answer

AD	М	1221		N
AU	IVI	133	\mathbf{U}	17

Sectio	n J	Health Conditions	
J0530. Pa	ain Interference w	vith Day-to-Day Activities	
Enter Code	Ask patient: "Overthe because of pain?" 1. Rarely or not 2. Occasionally 3. Frequently 4. Almost const 8. Unable to an	antly	therapy sessions)
J1750. H	istory of Falls		
Enter Code	Has the patient had to No No 1. Yes 8. Unknown	two or more falls in the past year or any fall with injury in the past year?	
J2000. P	rior Surgery		
Enter Code	Did the patient have 0. No 1. Yes 8. Unknown	e major surgery during the 100 days prior to admission?	
Sectio	n K	Swallowing/Nutritional Status	
	Nutritional Approa of the following nu	ches utritional approaches that apply on admission.	
			1. On Admission Check all that apply
A. Parent	eral/IV feeding		
B. Feedin	g tube (e.g., nasogas	tric or abdominal (PEG))	
C. Mecha	nically altered diet -	require change in texture of food or liquids (e.g., pureed food, thickened liquids)	
D. Therap	peutic diet (e.g., low s	salt, diabetic, low cholesterol)	
Z. None	of the above		
Section	n M	Skin Conditions	
R	eport based on	highest stage of existing ulcers/injuries at their worst; do not "re	verse" stage
M0210.	Unhealed Pressure	Ulcers/Injuries	
Enter Code	 No → Skip t 	ve one or more unhealed pressure ulcers/injuries? to N0415, High-Risk Drug Classes: Use and Indication tinue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	

ADMISSION

Section M Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0300.	Cur	rent Number of Unhealed Pressure Ulcers/Injuries at Each Stage
Enter Number	A.	Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.
		1. Number of Stage 1 pressure injuries
Enter Number	В.	Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.
		1. Number of Stage 2 pressure ulcers
Enter Number	C.	Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.
		1. Number of Stage 3 pressure ulcers
Enter Number	D.	Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.
		1. Number of Stage 4 pressure ulcers
Enter Number	E.	Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device
		1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device
Enter Number	F.	Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar
		1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar
Enter Number	G.	Unstageable - Deep tissue injury
		1. Number of unstageable pressure injuries presenting as deep tissue injury

Patient	Identifier	Date

Δ	וח	۱Л	ISS	٨
$\overline{}$	$\boldsymbol{\mathcal{L}}$	VI	133	_

Section N Medications				
N0415. High-Risk Drug Cla	sses: Use and Indication			
Is taking Check if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes			2. Indication noted	
2. Indication noted If column 1 is checked, chec	k if there is an indication noted for all medications in the drug class	Check all that apply	Check all that apply ↓	
A. Antipsychotic				
E. Anticoagulant				
F. Antibiotic				
H. Opioid				
I. Antiplatelet				
J. Hypoglycemic (including in	sulin)			
Z. None of the above				
N2001. Drug Regimen Rev	iew			
0. No - No issue 1. Yes - Issues fo	ug regimen review identify potential clinically significant medicat s found during review Skip to O0110, Special Treatments, Procedure to N2003, Medication Follow-up le - Patient is not taking any medications Skip to O0110, Special T	es, and Programs	nd Programs	
N2003. Medication Follow-				
Did the facility contact a physician (or physician-designee) by midnight of the next calendar day and complete prescribed/recommended actions in response to the identified potential clinically significant medication issues? 0. No 1. Yes				
Section O Special Treatments, Procedures, and Programs				
	es, Procedures, and Programs eatments, procedures, and programs that apply on admission.			
			a. On Admission	
			Check all that apply	
			<u> </u>	
Cancer Treatments				
A1. Chemotherapy				
A2. IV				
A3. Oral A10. Other				
B1. Radiation	П			
Respiratory Therapies				
C1. Oxygen Therapy	C1. Oxygen Therapy			
C2. Continuous				
C3. Intermittent				
C4. High-concentration				

		OMB No. 0938-0842
Patient	Identifier	Date

ADMISSION

	ADIVIISSION		
Section O	Special Treatments, Procedures, and	Programs	
	O0110. Special Treatments, Procedures, and Programs - Continued Check all of the following treatments, procedures, and programs that apply on admission.		
		a. On Admission Check all that apply	
Respiratory Therapies (c	ontinued)		
D1. Suctioning			
D2. Scheduled			
D3. As Needed			
E1. Tracheostomy care			
F1. Invasive Mechanical	Ventilator (ventilator or respirator)		
G1. Non-Invasive Mecha	nical Ventilator		
G2. BiPAP			
G3. CPAP			
Other			
H1. IV Medications			
H2. Vasoactive med	lications		
H3. Antibiotics			
H4. Anticoagulation	1		
H10. Other			
I1. Transfusions			
J1. Dialysis			
J2. Hemodialysis			
J3. Peritoneal dialys	sis		
O1. IV Access			
O2. Peripheral			
O3. Midline			
O4. Central (e.g., PIC	C, tunneled, port)		
None of the Above			
Z1. None of the above			

Patient ______ Identifier ______ Date _____

ADMISSION

Section R		Health-Related Social Needs
R0310. L	iving Situation	
Enter Code		y place to live to live today, but I am worried about losing it in the future a steady place to live es to respond
developed	l and is owned by the lacific Community Hea	d housing have been derived from the national PRAPARE® social drivers of health assessment tool (2016), which was National Association of Community Health Centers (NACHC). This tool was developed in collaboration with the Association Ith Organization (AAPCHO) and the Oregon Primary Care Association (OPCA). For additional information, please visit
R0320. F	ood	
Enter Code	A. Within the past 0. Often true 1. Sometimes tru 2. Never true 7. Patient declin 8. Patient unable	es to respond
Enter Code	B. Within the past 0. Often true 1. Sometimes tru 2. Never true 7. Patient declin 8. Patient unable	es to respond
		c, M. M., et al. (2010). Development and Validity of a 2-Item Screen to Identify Families at Risk for Food Insecurity. 0.1542/peds.2009-3146.
R0330. U	tilities	
Enter Code	In the past 12 mor 0. Yes 1. No 2. Already shut of 7. Patient declin 8. Patient unable	es to respond
		P. H., et al. (2008). A Brief Indicator of Household Energy Security: Associations with Food Security, Child Health, and Child Toddlers. Pediatrics, 122(4), 867-875. doi:10.1542/peds.2008-0286.
	ansportation	100a(c.s.) Calathes, 122(1), 667-673. doi:10129.12/pcas/2000-0200.
Enter Code	things needed for 0. Yes 1. No 7. Patient declin 8. Patient unabk	es to respond e to respond
		d housing have been derived from the national PRAPARE® social drivers of health assessment tool (2016), which was National Association of Community Health Centers (NACHC). This tool was developed in collaboration with the Association

of Asian Pacific Community Health Organization (AAPCHO) and the Oregon Primary Care Association (OPCA). For additional information, please visit-

OMB No. 0938-0842 Patient Identifier DISCHARGE Section A **Administrative Information** A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge Complete only if 44D = 02, 03, 04, 06, 50, 51, 61, 62, 63, 64, 65, or 66 At the time of discharge to another provider, did your facility provide the patient's current reconciled medication list to the subsequent **Enter Code** provider? 0. No - Current reconciled medication list not provided to the subsequent provider → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge 1. Yes – Current reconciled medication list provided to the subsequent provider A2122. Route of Current Reconciled Medication List Transmission to Subsequent Provider Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider. Complete only if A2121 = 1Check all that apply **Route of Transmission** A. Electronic Health Record B. Health Information Exchange C. Verbal (e.g., in-person, telephone, video conferencing) D. Paper-based (e.g., fax, copies, printouts) E. Other Methods (e.g., texting, email, CDs) A2123. Provision of Current Reconciled Medication List to Patient at Discharge Complete only if 44D = 01 or 99 Enter Code At the time of discharge, did your facility provide the patient's current reconciled medication list to the patient, family and/or caregiver? 0. No – Current reconciled medication list not provided to the patient, family and/or caregiver -> Skip to B1300, Health Literacy 1. Yes – Current reconciled medication list provided to the patient, family and/or caregiver

Complete only if A2123 = 1

B. Health Information Exchange

D. Paper-based (e.g., fax, copies, printouts)E. Other Methods (e.g., texting, email, CDs)

Route of Transmission

A2124. Route of Current Reconciled Medication List Transmission to Patient

A. Electronic Health Record (e.g., electronic access to patient portal)

C. Verbal (e.g., in-person, telephone, video conferencing)

Indicate the route(s) of transmission of the current reconciled medication list to the patient/family/caregiver.

Check all that apply

Date

Patient Identifier

DISCHARGE

Section B	Hearing, Speech, and Vision
-----------	-----------------------------

B1300. Health Literacy (from Creative Commons©)

How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy?

Enter Code

- 0. Never
- 1. Rarely
- 2. Sometimes
- 3. Often
- 4. Always
- 7. Patient declines to respond
- 8. Patient unable to respond

The Single Item Literacy Screener is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

The Single Rein Eleracy Screener is need sea under a creative commons Attribution-Noncommercial 4.0 international Elerace.			
Sectio	n C	Cognitive Patterns	
	hould Brief Intervio	ew for Mental Status (C0200-C0500) be Conducted? (3-day assessment period) th all patients.	
Enter Code		rarely/never understood) → Skip to C1310, Signs and Symptoms of Delirium nue to C0200, Repetition of Three Words	
Brief Inte	erview for Mental S	itatus (BIMS)	
C0200. R	Repetition of Three	Words	
	Ask patient: "I am go and bed. Now tell me	ing to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue the three words."	
Enter Code	Number of words re 3. Three 2. Two 1. One 0. None	epeated after first attempt	
	After the patient's fir repeat the words up	rst attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may to two more times.	
C0300. T	emporal Orientatio	on (orientation to year, month, and day)	
Enter Code	A. Able to report co 3. Correct 2. Missed by 1 1. Missed by 2	year	
Enter Code	B. Able to report co 2. Accurate wit 1. Missed by 6		
Enter Code	· ·	day of the week is today?" orrect day of the week no answer	

Date

Patient Identifier

DISCHARGE

Sectio	n C	Cognitive Patterns	
C0400. Recall			
Enter Code	cue (something to wea A. Able to recall "soci 2. Yes, no cue re	equired ing ("something to wear")	
Enter Code	B. Able to recall "blue 2. Yes, no cue re 1. Yes, after cue 0. No - could not	quired ing ("a color")	
Enter Code	C. Able to recall "bed 2. Yes, no cue re 1. Yes, after cuein 0. No - could not	equired ng ("a piece of furniture")	
C0500. B	IMS Summary Score		
Enter Score	· ·	stions C0200-C0400 and fill in total score (00-15) ent was unable to complete the interview	
C1310. S	igns and Symptoms	of Delirium (from CAM©)	
Code afte	r completing Brief Inte	rview for Mental Status and reviewing medical record.	
A. Acute	Onset Mental Status	s Change	
Enter Code	Is there evidence of a 0. No 1. Yes	an acute change in mental status from the patient's baseline?	
Codings		↓ Enter Code in Boxes	
1. Beh	avior not present avior continuously	B. Inattention - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said?	
fluc 2. Beh fluc	esent, does not ctuate navior present, ctuates (comes and	C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?	
goes	s, changes in severity)	 D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? vigilant - startled easily to any sound or touch lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch stuporous - very difficult to arouse and keep aroused for the interview comatose - could not be aroused 	
	nm: Inouye SK, et al. Ann I ced without permission.	ntern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to	

DISCHARGE

Section D	Mood
-----------	------

D0150. Patient Mood Interview (PHQ-2 to 9) (from Pfizer Inc.©)

Determine if the patient is rarely/never understood verbally, in writing, or using another method. If rarely/never understood, code D0150A1 and D0150B1 as 9, No response, leave D0150A2 and D0150B2 blank, end the PHQ-2 interview, and leave D0160, Total Severity Score blank. Otherwise, say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the patient: "About how often have you been bothered by this?"

Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. Symptom Presence	2. Symptom Frequency		1.	2.
0. No (enter 0 in column 2)	0. Never or 1 day	Sy	ymptom	Symptom
1. Yes (enter 0-3 in column 2)	1. 2-6 days (several days)	P	resence	Frequency
9. No response (leave column 2 blank)	2. 7-11 days (half or more of the days)			
	3. 12-14 days (nearly every day)	1	Enter Scor	es in Boxes ↓
A. Little interest or pleasure in doing things				
B. Feeling down, depressed, or hopeless				
If both D0150A1 and D0150B1 are coded 9, OR is continue.	If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.			
C. Trouble falling or staying asleep, or sleeping too	o much			
D. Feeling tired or having little energy				
E. Poor appetite or overeating				
F. Feeling bad about yourself – or that you are a failure or have let yourself or your family down				
G. Trouble concentrating on things, such as reading the newspaper or watching television				
H. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or				
restless that you have been moving around a lot more than usual				
I. Thoughts that you would be better off dead, or	Thoughts that you would be better off dead, or of hurting yourself in some way			
Copyright © Pfizer Inc. All rights reserved. Reproduce	d with bermission.			

D0160. Total Severity Score

Enter Score

Add scores for all frequency responses in column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)

D0700. Social Isolation

How often do you feel lonely or isolated from those around you?

Enter Code

- 0. Never 1. Rarely
- 2. Sometimes
- 3. Often
- 4. Always
- 7. Patient declines to respond
- 8. Patient unable to respond

DISCHARGE

Section GG Functional Abilities

GG0130. Self-Care (3-day assessment period)

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0130 items.

Coding

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3.Discharge Performance	
Enter Codes in Boxes	
	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
	B. Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.
	C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.
	G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.
	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

DISCHARGE

Section GG Functional Abilities

GG0170. Mobility (3-day assessment period)

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.

Coding:

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. **Independent** Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3.Discharge Performance	
Enter Codes in Boxes	
	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.
	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
	F. Toilet transfer: The ability to get on and off a toilet or commode.
	G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If discharge performance is coded 07, 09, 10, or 88 → kip to GG0170M, 1 step (curb)
	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.
	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.

DISCHARGE

Section GG Functional Abilities

GG0170. Mobility (3-day assessment period) - Continued

Code the patient's usual performance at discharge for each activity using the 6-point scale. If activity was not attempted at discharge, code the reason. If the patient has an incomplete stay, skip discharge GG0170 items.

Coding

Safety and **Quality of Performance** - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

Activities may be completed with or without assistive devices.

- 06. Independent Patient completes the activity by themself with no assistance from a helper.
- 05. Setup or clean-up assistance Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

- 07. Patient refused
- 09. Not applicable Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.
- 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)
- 88. Not attempted due to medical condition or safety concerns

3.Discharge Performance Enter Codes in Boxes			
•	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.		
	M. 1 step (curb): The ability to go up and down a curb or up and down one step. If discharge performance is coded 07, 09, 10, or 88→ Skip to GG0170P, Picking up object		
	N. 4 steps: The ability to go up and down four steps with or without a rail. If discharge performance is coded 07, 09, 10, or 88→ Skip to GG0170P, Picking up object		
	O. 12 steps: The ability to go up and down 12 steps with or without a rail.		
	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.		
	Q3. Does the patient use a wheelchair and/or scooter? 0. No Skip to J0510, Pain Effect on Sleep 1. Yes Continue to GG0170R, Wheel 50 feet with two turns		
	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.		
	RR3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized		
	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.		
	SS3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized		

Patient Identifier _

DISCHARGE

Section J	Health Conditions		
J0510. Pain Effect on Sleep			
Enter Code 0. 1. 2. 3. 4.	ient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night?" loes not apply – I have not had any pain or hurting in the past 5 days —> Skip to J1800, Any Falls Since Admission arely or not at all occasionally requently llmost constantly Jnable to answer		
J0520. Pain Int	rference with Therapy Activities		
Enter Code 0. 1. 2. 3. 4.	vient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain?" bees not apply – I have not received rehabilitation therapy in the past 5 days sarely or not at all becasionally requently limost constantly Jnable to answer		
J0530. Pain Int	rference with Day-to-Day Activities		
becau 1. 2. 3. 4.	ient: "Over the past 5 days, how often have you limited your day-to-day activities (excluding rehabilitation therapy sessions) e of pain?" arely or not at all occasionally requently Ilmost constantly Unable to answer		
J1800. Any Fall	Since Admission		
0.	e patient had any falls since admission? No → Skip to K0520, Nutritional Approaches Yes → Continue to J1900, Number of Falls Since Admission		
J1900. Number	of Falls Since Admission		
Coding: 0. None 1. One 2. Two or more	 ♣ Enter Codes in Boxes A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall B. Injury (except major): Skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the patient to complain of pain 		
	C. Major injury: Bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma		

Date

DISCHARGE

Section K Swallowing/Nutritional Status

K0520. Nutritional Approaches		
4. Last 7 Days Check all of the nutritional approaches that were received in the last 7 days	4. Last 7 Days	5. At Discharge
5. At Discharge Check all of the nutritional approaches that were being received at discharge	Check all that apply	↓
A. Parenteral/IV feeding		
B. Feeding tube (e.g., nasogastric or abdominal (PEG))		
C. Mechanically altered diet - require change in texture of food or liquids (e.g., pureed food, thickened liquids)		
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)		
Z. None of the above		

Section M Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0210.	Unl	nealed Pressure Ulcers/Injuries	
Enter Code	Do	es this patient have one or more unhealed pressure ulcers/injuries?	
Litter code		0. No → Skip to NO415, High-Risk Drug Classes: Use and Indication	
		 Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage 	
M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage			
Enter Number	A.	Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues.	
		1. Number of Stage 1 pressure injuries	
Enter Number	В.	Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.	
		1. Number of Stage 2 pressure ulcers If 0 → Skip to M0300C, Stage 3	
Enter Number		2. Number of these-stage 2 pressure ulcers that were present upon admission - enter how many were noted at the time of admission	
Enter Number	C.	Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.	
Enter Number		 Number of Stage 3 pressure ulcers If 0 → Skip to M0300D, Stage 4 	
Enter Number		2. Number of these_Stage 3 pressure ulcers that were present upon admission - enter how many were noted at the time of admission	
Enter Number	D.	Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.	
		1. Number of Stage 4 pressure ulcers	
Enter Number		If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device	
		2. Number of these-stage 4 pressure ulcers that were present upon admission - enter how many were noted at the time of admission	

DISCHARGE

Section M Skin Conditions

Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage

M0300.	Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage - Continued		
Enter Number	E.	Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device	
Enter Number		 Number of unstageable pressure ulcers/injuries due to non-removable dressing/device If 0 → Skip to M0300F, Unstageable - Slough and/or eschar 	
Enter Number		2. Number of that were present upon admission - enter how many were noted at the time of admission	
Enter Number	F.	Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar	
		 Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar If 0 → Skip to M0300G, Unstageable - Deep tissue injury 	
Enter Number		2. Number of <u>these</u> unstageable pressure ulcers that were present upon admission - enter how many were noted at the time of admission	
Enter Number	G.	Unstageable - Deep tissue injury	
		 Number of unstageable pressure injuries presenting as deep tissue injury If 0 → Skip to N0415, High-Risk Drug Classes: Use and Indication 	
Enter Number		2. Number of <u>these</u> unstageable pressure injuries that were present upon admission - enter how many were noted at the time of admission	

Section N Medications

N0415. High-Risk Drug Classes: Use and Indication			
Is taking Check if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes	1. Is taking	2. Indication noted	
Indication noted If column 1 is checked, check if there is an indication noted for all medications in the drug class	Check all that apply ↓	Check all that apply ↓	
A. Antipsychotic			
E. Anticoagulant			
F. Antibiotic			
H. Opioid			
I. Antiplatelet			
J. Hypoglycemic (including insulin)			
Z. None of the above			
N2005. Medication Intervention			
Did the facility contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission? 0. No 1. Yes 9. Not applicable - There were no potential clinically significant medication issues identified since admission or patient is not taking any medications.			

Patient	Identifier
---------	------------

DISCHARGE

Se	ction O	Special Treatments, Procedures, and Programs	
O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply at discharge.			
			c. At Discharge Check all that apply
	cer Treatments		
A1.	Chemotherapy		
	A2. IV		
	A3. Oral		
D1	A10. Other Radiation		- H
	piratory Therapies		
	Oxygen Therapy		
	C2. Continuous		
	C3. Intermittent		
	C4. High-concentration		
D1.	Suctioning		
	D2. Scheduled		
	D3. As Needed		
E1.	Tracheostomy care		
F1.	Invasive Mechanical Ventil	ator (ventilator or respirator)	
G1.	Non-Invasive Mechanical	Ventilator	
	G2. BiPAP		
	G3. CPAP		
Oth	er		
H1.	IV Medications		
	H2. Vasoactive medication	ons	
	H3. Antibiotics		
	H4. Anticoagulation		
	H10. Other		
11.	Transfusions		
J1.	Dialysis		
	J2. Hemodialysis		
	J3. Peritoneal dialysis		
01.	IV Access		
	O2. Peripheral		
	O3. Midline		
	O4. Central (e.g., PICC, tun	neled, port)	

Patient Identifier Date

DISCHARGE

Section O	Chariel Treatments Dresedures and Dreserves		
Section O	Special Treatments, Procedures, and Programs		
O0110. Special Treatments, Procedures, and Programs Check all of the following treatments, procedures, and programs that apply at discharge.			
		C.	
		At Discharge	
		Check all that apply	
		↓	
None of the Above			
Z1. None of the above			
00350. Patient's COVID-19 vaccination is up to date.			
9. No, patient is 1. Yes, patient is	•		

Section Z Assessment Administration

Item Z0400A. Signature of Persons Completing the Assessment

I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that patients receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information.

administrative periaties for submitting faise information.				
Signature	Title	Date Information is Provided	Time	
A.				
7.				
В.				
C.				
D.				
E.				
_				
F.				
G.				
H.				
I.				
J.				
K.				
L.				